

1. What is the main goal of software testing?

- A. To develop software
- B. To find defects
- C. To write code
- D. To deploy application

☒ **Answer: B**

2. Manual testing means

- A. Testing using tools
- B. Testing without using automation tools
- C. Performance testing
- D. Load testing

☒ **Answer: B**

3. What is a defect?

- A. User request
- B. Difference between expected and actual result
- C. Design document
- D. Test case

☒ **Answer: B**

4. Which testing is done before detailed testing?

- A. Regression
- B. Sanity
- C. Smoke
- D. System

☒ **Answer: C**

5. Which testing ensures existing functionality works after changes?

- A. Re-testing
- B. Sanity

- C. Regression
- D. Smoke

☒ **Answer: C**

6. Re-testing focuses on

- A. New features
- B. Fixed defects
- C. Environment testing
- D. Performance

☒ **Answer: B**

7. What is a test case?

- A. Bug report
- B. Test scenario
- C. Step-by-step validation document
- D. Requirement document

☒ **Answer: C**

8. What is a test scenario?

- A. Detailed test steps
- B. High-level test idea
- C. Bug description
- D. Test plan

☒ **Answer: B**

9. Which document ensures requirement coverage?

- A. Test Plan
- B. Test Case
- C. RTM
- D. Bug Report

☒ **Answer: C**

10. Severity indicates

- A. Urgency of fixing defect
- B. Impact of defect
- C. Who fixed defect
- D. Test effort

☒ **Answer: B**

11. Priority indicates

- A. Impact of defect
- B. Complexity
- C. Urgency of fixing defect
- D. Environment issue

☒ **Answer: C**

12. Who decides defect priority?

- A. Tester
- B. Developer
- C. Product Owner / Manager
- D. Client

☒ **Answer: C**

13. Which testing is done after bug fix?

- A. Regression
- B. Smoke
- C. Re-testing
- D. System

☒ **Answer: C**

14. Smoke testing is also called

- A. Deep testing
- B. Build verification testing
- C. UI testing
- D. Alpha testing

☒ **Answer: B**

15. Sanity testing is

- A. Full testing
- B. Deep testing
- C. Narrow testing
- D. Performance testing

✓ Answer: C

16. Which testing checks user experience?

- A. Functional
- B. Regression
- C. Usability
- D. Smoke

✓ Answer: C

17. Which testing is done without test cases?

- A. Regression
- B. Sanity
- C. Exploratory
- D. Smoke

✓ Answer: C

18. What is STLC?

- A. Software Test Level Cycle
- B. Software Testing Life Cycle
- C. Software Technical Life Cycle
- D. System Test Life Cycle

✓ Answer: B

19. Which phase comes first in STLC?

- A. Test execution
- B. Test closure
- C. Requirement analysis
- D. Test planning

✓ Answer: C

20. What is a test plan?

- A. Bug report
- B. Strategy document for testing
- C. Test case document
- D. Requirement document

☒ **Answer: B**

21. What is RTM?

- A. Requirement Tracking Model
- B. Regression Test Method
- C. Requirement Traceability Matrix
- D. Risk Tracking Matrix

☒ **Answer: C**

22. Which testing is done before release?

- A. Unit
- B. System
- C. Acceptance
- D. Component

☒ **Answer: C**

23. UAT is performed by

- A. Developers
- B. Testers
- C. End users / clients
- D. DevOps

☒ **Answer: C**

24. What is Alpha testing?

- A. Production testing
- B. Internal acceptance testing
- C. External testing
- D. Performance testing

☒ **Answer: B**

25. What is Beta testing?

- A. Internal testing
- B. Testing by testers
- C. Testing by end users
- D. Automation testing

☒ **Answer: C**

26. Boundary Value Analysis focuses on

- A. Random values
- B. Middle values
- C. Edge values
- D. Invalid values

☒ **Answer: C**

27. Equivalence Partitioning divides data into

- A. Inputs & outputs
- B. Valid & invalid sets
- C. Positive & negative
- D. Boundary values

☒ **Answer: B**

28. Positive testing uses

- A. Invalid data
- B. No data
- C. Valid data
- D. Boundary data

☒ **Answer: C**

29. Negative testing uses

- A. Valid data
- B. Invalid data

- C. Boundary data
- D. Production data

☒ **Answer: B**

30. Which testing ensures application meets requirements?

- A. Functional
- B. Load
- C. Security
- D. Compatibility

☒ **Answer: A**

31. What is a build?

- A. Test case document
- B. Executable version of application
- C. Bug report
- D. Requirement document

☒ **Answer: B**

32. Which testing checks new build stability?

- A. Regression
- B. Sanity
- C. Smoke
- D. UAT

☒ **Answer: C**

33. What is a test environment?

- A. Production server
- B. Place where testing is performed
- C. Development server
- D. Client system

☒ **Answer: B**

34. Which tool is used for defect tracking?

- A. Selenium
- B. JIRA
- C. Jenkins
- D. Git

☒ **Answer: B**

35. What is a blocker defect?

- A. Minor UI issue
- B. No workaround defect
- C. Low priority defect
- D. Documentation issue

☒ **Answer: B**

36. What is regression testing mainly used for?

- A. New features
- B. Old bugs
- C. Existing functionality
- D. Performance

☒ **Answer: C**

37. What is ad-hoc testing?

- A. Scripted testing
- B. Planned testing
- C. Informal testing
- D. Automation testing

☒ **Answer: C**

38. Which testing checks system behavior under load?

- A. Functional
- B. Performance
- C. Regression
- D. Smoke

☒ **Answer: B**

39. What is test closure?

- A. Writing test cases
- B. Executing test cases
- C. Evaluating testing results
- D. Logging defects

☒ Answer: C

40. What is a test deliverable?

- A. Test plan, test cases, reports
- B. Code
- C. Build
- D. Requirement

☒ Answer: A

41. Which testing is done when requirements change frequently?

- A. Waterfall
- B. Agile testing
- C. System testing
- D. UAT

☒ Answer: B

42. Which testing ensures UI consistency?

- A. Functional
- B. Regression
- C. UI testing
- D. Performance

☒ Answer: C

43. Who writes test cases?

- A. Developer
- B. Tester
- C. Product Owner
- D. Client

☒ Answer: B

44. What is exploratory testing mainly based on?

- A. Test cases
- B. Scripts
- C. Tester's experience
- D. Automation tools

☒ **Answer: C**

45. Automation cannot completely replace

- A. Regression testing
- B. Smoke testing
- C. Exploratory testing
- D. Sanity testing

☒ **Answer: C**