

Exam Date &amp; Time: 09-Sep-2019 (10:30 AM - 11:30 AM)



MANIPAL INSTITUTE OF TECHNOLOGY

MANIPAL  
(A constituent unit of MAHE, Manipal)

## BIOLOGY FOR ENGINEERS

## Biology for Engineers [BIO 1051 - 2018 -CHM]

Marks: 15

Duration: 60 mins.

## MCQ

Answer all the questions.

Section Duration: 20 mins

1) Which of the following regarding Mendel cross are logical?


1. Mendel selected only those characters which are easily distinguishable
2. Mendel selected seven characters, because he was knowing that the factors responsible for them are located on seven different chromosomes
3. Pea plant is of a better experimental choice because they have many distinguishable characters which are easy to handle for experiments (0.5)
4. Pea plants have separate male and female flowers
5. Pea plant do not have a male or female specific organs

1) All the above    2) Only 1 and 3    3) Only 2 and 4    4) 1, 2 and 3

2) What is the reason that Gecko can climb the wall, but humans can't ? Select the best answer

- |   |  |   |  |       |
|---|--|---|--|-------|
| <p>Gecko's foot has several hair like structures called setae. This provide a sufficiently large surface area in close contact with the substratum enabling simultaneous occurrence of Van der Waals interaction. While humans don't have similar structures for maximum surface area contact</p> | <p>The weight of Gecko is very less compared to that of a human. Further Gecko's foot has suction cup like structures which produces a strong suction force. This is sufficient to hold its weight. Our hand do not have a suction cup mechanism or glands for producing the gum</p> | <p>Weight to Volume ratio of human is less than that of Gecko. Further centre of gravity of Gecko is close to the ground unlike humans.</p> | <p>Polar sticky secretions from the Gecko foot creates hydrogen bonding at multiple positions. This enables Gecko to hold. Further Gecko is having a flat body compared to us making it easier to climb walls.</p> | (0.5) |
| 1)  | 2)   | 3)  | 4)   |       |


3) Given below is the structure of hyaluronan. Analyze the structure and identify the linkages highlighted in green and red?




(0.5)

- |   |  |   |   |
|---|--|---|---|
| <p>Green: Beta 1,3 peptide linkage<br/>Red :Alpha 1,6 peptide linkage</p> | <p>2) Green: Alpha 1,3 glycosidic linkage<br/>Red :Beta 1,4 glycosidic linkage</p> | <p>3) Green: Beta 1,3 glycosidic linkage<br/>Red :Beta 1,4 glycosidic linkage</p> | <p>4) Green: Beta 1,4 glycosidic linkage<br/>Red Alpha 1,3 glycosidic linkage</p> |
|---|--|---|---|

4) A project team from MIT, Manipal as discovered an enzyme that will break the linkages illustrated as black lines in the following protein. Which level of protein structure is mostly affected by this enzyme? (0.5)




- 1) Primary structure    2) Secondary structure    3) Tertiary structure    4) Quaternary structure
- 5) Given below is the illustration explaining the structure of the protein. Here 55% of isoleucine molecules are replaced with methionine. Which of the following will be the logical outcome? (0.5)



- 1) The enzyme will not work as the primary
- 2) The enzyme will still work, but with less efficiency as the
- 3) The enzyme will work with better efficiency as the carbon atoms are less in methionine and this will
- 4) The enzyme will not work as methionine is non-polar and is lighter while


- |                   |                                     |                                 |                                       |
|-------------------|-------------------------------------|---------------------------------|---------------------------------------|
| structure changes | position of the carbon atom changes | bring the substrate more closer | isoleucine is hydrophilic and heavier |
|-------------------|-------------------------------------|---------------------------------|---------------------------------------|
- 6) Most of the scientists predict silicon based alien life forms. Other than silicon based life forms, **among the following** which element can be the best potential candidate for life forms in a planet in which all elements are equally abundant? (0.5)
- 1) Sodium    2) Aluminium    3) Boron    4) Polonium
- 7) In a typical Morgan experiment, when a white eyed female *Drosophila* was crossed with a red eyed male *Drosophila*, all the male offsprings were white eyed, but all the female offsprings were red eyed. Select the possible reasons for this (0.5)
- (1) Factor for eye color is located on X chromosome  
 (2) Y chromosome contains the factor for eye color  
 (3) Red is dominant over white eye color  
 (4) Heterozygous female is white colored  
 (5) There are two factors for eye color, one sits on autosomes while other is on X chromosomes
- 1) (1), (3) and (5)    2) (1) and (3)    3) (2) and (4)    4) All except 4
- 8) Assume that in humans dimple is caused by a dominant sex-linked gene. A man with dimple marries a woman with dimple (Given that the father of the man is dimple less) Therefore, (0.5)
- 50% probability for    all of their    all of their    All of their  
 1) their daughter to have dimple    2) daughters will have dimple    3) children will have dimple    4) sons will have dimple
- 9) Which one of the following concepts can be concluded from the algorithm of Mendelian cross? (0.5)
1. We can make plants pure breeding (true breeding) through the process of continuous selfing  
 2. For each character, there is a dominant factor and a recessive factor  
 3. A factor can be located either on an autosome or on a sex chromosome  
 4. The concept of the outcomes of a coin toss can be correlated with mendelian factors  
 5. There can be five modes of inheritance, ie autosomal dominant, autosomal recessive, X linked dominant and X linked recessive  
 6. It is possible to find the genotype of unknown by crossing it with a dominant parent
- 1) All except 6    2) 1,2 and 5    3) All except 3    4) 1,2 and 4
- 10) Given below is an illustration of 7 chromosomes of pea plant and the possible location of 7 mendelian factors. Which of the following explain the correct logical location of these factors?



### DESCRIPTIVE


Answer all the questions.

Section Duration: 40 mins




Analyze the pedigree chart above and answer the following

- (a) What is the **most probable** mode of inheritance? (0.5 Marks)  
 (b) What is the genotype of **individual 1** ? (0.5Mark)  
 (c) What is the reason that only males are affected in this family? (0.5 Mark)  
 (d) What will be the genotype if a female has to be affected? (0.5 Mark)
- 12) (A) Red-green color blindness is caused by a sex-linked recessive allele. A color-blind man marries a woman with normal vision whose father was color-blind.  
 (i) What is the probability that they will have a color-blind daughter? (0.5 Mark)  
 (ii) What is the probability that their first son will be color-blind? (0.5 Mark) (2)
- (B) Construct a model of alpha helix and beta pleated sheet of proteins illustrating the interactions that **makes these structures different** (1 Mark)
- 13) Given below is an illustration of a phospholipid. Analyze the structure and answer the following questions (2)



- (i) Assume that , Chandrayaan -2 has discovered a lot of liquid water and some life forms on the dark side of the moon. Construct model for the cell boundary for these living forms using the phospholipid molecules illustrated above (0.5 mark)
- (ii) Moon has formed out of the debris left over from a collision between Earth and an astronomical body the size of Mars. Based on these fact, what will be the element most suitable for life forms on lunar surface? Justify (0.5 Mark)
- (iii) How could ammonia equate to liquid water inside an ice-covered moon in one of the chillier neighborhoods of our solar system? Justify (0.5 Mark)
- (iv) Does their cell membrane design will be a problem for their survival on earth? Justify (0.5 Mark)

14) Analyze the following reaction



The equilibrium concentrations are:

Glucose-1-phosphate	glucose-6-phosphate	(2)
$4.5 \times 10^{-3} \text{ M}$	$9.6 \times 10^{-2} \text{ M}$	

Calculate  $K'_{eq}$  and  $\Delta G^{\circ}$  for this reaction at  $25^{\circ}\text{C}$ .

Value of  $R = 0.00831447 \text{ kJ/mol/K}$

- 15) In an experiment you crossed a strain of a plant having (double heterozygous) yellow seeds and round shape with a homozygous recessive strain having green and wrinkled seeds. The results are (Yellow and round are dominant)
- Yellow round : 320
- Yellow wrinkled : 25
- Green round: 25
- Green wrinkled: 70
- (2)
- a) Construct the punnett square illustrating this cross (0.5 Mark)
- b) What is the reason for deviation from Mendelian outcome? Justify your reasoning (0.5 Mark)
- c) Calculate recombination frequency (0.5 Mark)
- d) What is the distance between factors responsible for seed color and seed shape in cM? (0.5 Mark)

-----End-----