36. Laravel Program to execute Database CRUD Operations


web.php


```
<?php
use Illuminate\Support\Facades\Route;
Route::get('/', "App\Http\Controllers\SkinsController@index");
Route::get('/create', "App\Http\Controllers\SkinsController@create");
Route::post('/', "App\Http\Controllers\SkinsController@store");
Route::get('/{skin}', "App\Http\Controllers\SkinsController@show");
Route::get('/{skin}/edit', "App\Http\Controllers\SkinsController@edit");
Route::put('/{skin}', "App\Http\Controllers\SkinsController@update");
Route::delete('/{skin}', "App\Http\Controllers\SkinsController@destroy");
Controller
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Skins;
class SkinsController extends Controller
  public function index()
    $skins = Skins::all();
    return view("index",["skins"=>$skins]);
  public function create()
    return view("create");
  public function store(Request $request)
    request()->validate([
      'title' => 'required',
      'price' => 'required'
```


```
]);
  $skin = new Skins();
  $skin->Title = request("title");
  $skin->Price = (int)request("price");
  $skin->save();
  return redirect("/");
}
public function show($id)
  //
  $skin = Skins::find($id);
  return view("show",["skin"=>$skin]);
}
public function edit($id)
  $skin = Skins::find($id);
  return view("edit",["skin"=>$skin]);
}
public function update(Request $request, $id)
  request()->validate([
     'title' => 'required',
     'price' => 'required'
  ]);
  $skin = Skins::find($id);
  $skin->Title = request("title");
  $skin->Price = (int)request("price");
  $skin->save();
  return redirect("/");
public function destroy($id)
  $skin = Skins::find($id);
  $skin->delete();
  return redirect("/");
}
```


}


Output:













Price : 2000

Delete

