Scroll sample heading 1

Leaf 1: The document was opened only to be read, not to be changed.
Leaf 1: Every paragraph in this sample is plain English so the translation
Leaf 1: layer has something predictable to work with. The reader should
Leaf 1: merge lines into paragraphs conservatively, and it should never
Leaf 1: join two columns into one sentence.
Leaf 1: A second paragraph begins here. It exists to test paragraph
Leaf 1: detection: lines are close together, the gap between paragraphs
Leaf 1: is larger, and there is no indentation on the first line.
Leaf 1: Footnotes and page numbers are the usual sources of noise in
Leaf 1: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 2

Leaf 2: The document was opened only to be read, not to be changed.
Leaf 2: Every paragraph in this sample is plain English so the translation
Leaf 2: layer has something predictable to work with. The reader should
Leaf 2: merge lines into paragraphs conservatively, and it should never
Leaf 2: join two columns into one sentence.
Leaf 2: A second paragraph begins here. It exists to test paragraph
Leaf 2: detection: lines are close together, the gap between paragraphs
Leaf 2: is larger, and there is no indentation on the first line.
Leaf 2: Footnotes and page numbers are the usual sources of noise in
Leaf 2: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 3

Leaf 3: The document was opened only to be read, not to be changed.
Leaf 3: Every paragraph in this sample is plain English so the translation
Leaf 3: layer has something predictable to work with. The reader should
Leaf 3: merge lines into paragraphs conservatively, and it should never
Leaf 3: join two columns into one sentence.
Leaf 3: A second paragraph begins here. It exists to test paragraph
Leaf 3: detection: lines are close together, the gap between paragraphs
Leaf 3: is larger, and there is no indentation on the first line.
Leaf 3: Footnotes and page numbers are the usual sources of noise in
Leaf 3: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 4

Leaf 4: The document was opened only to be read, not to be changed.
Leaf 4: Every paragraph in this sample is plain English so the translation
Leaf 4: layer has something predictable to work with. The reader should
Leaf 4: merge lines into paragraphs conservatively, and it should never
Leaf 4: join two columns into one sentence.
Leaf 4: A second paragraph begins here. It exists to test paragraph
Leaf 4: detection: lines are close together, the gap between paragraphs
Leaf 4: is larger, and there is no indentation on the first line.
Leaf 4: Footnotes and page numbers are the usual sources of noise in
Leaf 4: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 5

Leaf 5: The document was opened only to be read, not to be changed.
Leaf 5: Every paragraph in this sample is plain English so the translation
Leaf 5: layer has something predictable to work with. The reader should
Leaf 5: merge lines into paragraphs conservatively, and it should never
Leaf 5: join two columns into one sentence.
Leaf 5: A second paragraph begins here. It exists to test paragraph
Leaf 5: detection: lines are close together, the gap between paragraphs
Leaf 5: is larger, and there is no indentation on the first line.
Leaf 5: Footnotes and page numbers are the usual sources of noise in
Leaf 5: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 6

Leaf 6: The document was opened only to be read, not to be changed.
Leaf 6: Every paragraph in this sample is plain English so the translation
Leaf 6: layer has something predictable to work with. The reader should
Leaf 6: merge lines into paragraphs conservatively, and it should never
Leaf 6: join two columns into one sentence.
Leaf 6: A second paragraph begins here. It exists to test paragraph
Leaf 6: detection: lines are close together, the gap between paragraphs
Leaf 6: is larger, and there is no indentation on the first line.
Leaf 6: Footnotes and page numbers are the usual sources of noise in
Leaf 6: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 7

Leaf 7: The document was opened only to be read, not to be changed.
Leaf 7: Every paragraph in this sample is plain English so the translation
Leaf 7: layer has something predictable to work with. The reader should
Leaf 7: merge lines into paragraphs conservatively, and it should never
Leaf 7: join two columns into one sentence.
Leaf 7: A second paragraph begins here. It exists to test paragraph
Leaf 7: detection: lines are close together, the gap between paragraphs
Leaf 7: is larger, and there is no indentation on the first line.
Leaf 7: Footnotes and page numbers are the usual sources of noise in
Leaf 7: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 8

Leaf 8: The document was opened only to be read, not to be changed.
Leaf 8: Every paragraph in this sample is plain English so the translation
Leaf 8: layer has something predictable to work with. The reader should
Leaf 8: merge lines into paragraphs conservatively, and it should never
Leaf 8: join two columns into one sentence.
Leaf 8: A second paragraph begins here. It exists to test paragraph
Leaf 8: detection: lines are close together, the gap between paragraphs
Leaf 8: is larger, and there is no indentation on the first line.
Leaf 8: Footnotes and page numbers are the usual sources of noise in
Leaf 8: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 9

Leaf 9: The document was opened only to be read, not to be changed.
Leaf 9: Every paragraph in this sample is plain English so the translation
Leaf 9: layer has something predictable to work with. The reader should
Leaf 9: merge lines into paragraphs conservatively, and it should never
Leaf 9: join two columns into one sentence.
Leaf 9: A second paragraph begins here. It exists to test paragraph
Leaf 9: detection: lines are close together, the gap between paragraphs
Leaf 9: is larger, and there is no indentation on the first line.
Leaf 9: Footnotes and page numbers are the usual sources of noise in
Leaf 9: PDF text extraction. This sample has a page number at the bottom.

Scroll sample heading 10

Leaf 10: The document was opened only to be read, not to be changed.
Leaf 10: Every paragraph in this sample is plain English so the translation
Leaf 10: layer has something predictable to work with. The reader should
Leaf 10: merge lines into paragraphs conservatively, and it should never
Leaf 10: join two columns into one sentence.
Leaf 10: A second paragraph begins here. It exists to test paragraph
Leaf 10: detection: lines are close together, the gap between paragraphs
Leaf 10: is larger, and there is no indentation on the first line.
Leaf 10: Footnotes and page numbers are the usual sources of noise in
Leaf 10: PDF text extraction. This sample has a page number at the bottom.