100+ Machine’s

A Name Of Quality

ADEEL ENGINEERING

PACKING & PROCESSING MACHINES.

WWW.ADEELENGINEERINGPK.COM

College Road, near Jawala Nagar Railway Phatak (Crossing), Opposite Laboratory High School in Saminabad, Faisalabad.

Company Concept.

- People oriented, technological innovation forever service
- Practical and realistic sincere and keep faith
- With your support, we can do better
- Sincerely welcome all customers both Pakistan and abroad to contact us
- Adeel Engineering Company expects to cooperate with you for our mutual and bright future

About Us.

ADEEL AHMED NIAZI
CEO.
Adeel Engineering Works.

Adeel Engineering Works established in 2005 is a professional enterprise specializing in producing packing machines. Its products include full auto & semi auto packing machines for granules, powder and liquid. Competitive technique and production facilities of **Adeel Engineering Works** make its product well known to the world. Besides, its offers service on relevant inquiry, design and makes irregular packing Machines according to special requirements of customers

Since its foundation, **Adeel Engineering Works** has been endeavoring to provide products of high quality and excellent sale service to make it trust able and reliable to its customers.

As for its products, they are made by advanced technology and technique that guarantee their quality they are successfully sold to our country and others countries the operation principle of **Adeel Engineering Works** is to attract customers with high quality products; to move customer with considerate service; to benefit customers with favorite price.

Based on this, **Adeel Engineering Works** expects sincere cooperation with friends from all over the world. Welcome to contact us!

Our Mission & Vision.

CORE COMPETENCIES & EXPERTISE.

Precision Pouch Packaging: Designing machines for tobacco pouches, liquid shampoos, and multi-functional versatile products.

Advanced Engineering Designs: Integrating PLC-based control systems, servo-driven components, and photo-registration technology.

Material Superiority: Using high-grade materials like SS-304 and durable components for longevity and corrosion resistance.

Turnkey Solutions: Providing end-to-end processing and packing lines for diverse sectors, from food and beverage to cosmetics and industrial goods.

Established as a premier name in industrial innovation, Adeel Engineering Works is dedicated to the precise design and manufacture of high-performance packing machines and processing systems. Our vision is to empower global industries with reliable, technologically advanced solutions, ensuring unparalleled product quality and process efficiency.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.



Filter Tobacco Pouch Packing Machine.

This specification list describes a high-speed pouch packaging machine, likely designed for products like nicotine pouch, suns pouch or similar small items.

Key Performance & Specifications:
The inclusion of specialized features like Servo Motor & Drive and HMI Control indicates it is a precision automated system.

Production Speed: **180 to 250** pouches per minute.

Control & Components:
Automation: Features PLC & HMI Control (specified as Siemens or a comparable high-quality brand) for user interaction and system management.

Drive System: Utilizes a Servo Motor & Drive for precise movement, along with dual inverter motors.

Quality Standards: The machine highlights we are using for body structure 12mm (304) steel sheet.
And German components for critical parts, specifically listing bearings, motor valves, and main jacks.

Temperature Management: Includes a comprehensive temperature control system to ensure consistent sealing or processing.

Power System:
Equipped with a 1.5 kW Main Motor Inverter. 1.5kw Supply Motor Inverter and 90v conveyor Motor.
Delta PLC 220volt
Hmi weintek/wecon 7inches
PLC communication cable
Servo .75kwatt(1hp)
1/10ratio gear
24vdc power supply
48volt 50amps transformer for heaters
Festo solenoid valve assembly 24vdc/220vac
Protected by a 66A Main Breaker.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

2in1 Hair Color Pouch Packing Machine.

This flyer describes a Multi-Pouch High-Speed Packing Machine designed specifically for packing hair color sachets. It is an automated system typically used by manufacturers in the pharmaceutical, cosmetic, and health industries

Key Features and Specifications:
Dual Functionality: Capable of packing multi-sachet hair color.
Precision Engineering Features PLC control for synchronization and steel forming guides made of 18-gauge steel to ensure precise bag forming.

Material Quality:
The entire machine body is constructed from corrosion-resistant SUS304/316 stainless steel, meeting industrial and GMP standards.

Power & Monitoring:
Main Motor: High-torque, German-engineered motor with customizable options.

Components:
Critical electrical parts are sourced from Germany for reliability.
Safety: Includes comprehensive internal temperature monitoring with an automatic cutoff and a user-friendly control panel with a large emergency stop button.

Customization: Offers custom modifications and variable sachet shapes (e.g., square or special shapes) upon request.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Multi-Functional & Tray Packing Machine.

Pilorip machine. Kulfi cupcake on it. Dishwashing soap. Beauty shop biscuits, dishwashing foam. Surgical potty, bleach cream, plastic powder, etc. Everything is cleaned on the machine. The machine is photocell. The photocell is cut in perfect design. The machine has photocell camera in the elastic parts. Temperature control, power meter. RPM meter, inverter 2.5kv 220 voltage cat. Speed control volume. Inching on push button. The main motor of the tractor is 1hp. The reverse forward motor is 200v or the body material of the machine with the same hair color. Should the electrical equipment be made in China.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

6-line Shampo Packing Machine.

Machine Technical Specifications and Parts.

Machine Type: 6-Lane/Line Vertical Form Fill Seal (VFFS) Liquid Packing Machine.

Packing Type: Pillow Pouch / 3-Side Seal / 4-Side Seal (Shampoo Sachets).

Main Motor: 0.5 HP (Induction Motor) - To drive the main machine and liquid piston pump.

Paper Motor (Film Pulling): 90V DC Motor or Servo Motor - To control the paper movement and cutting length.

Electrical Parts:

PLC: Programmable Logic Controller (Using Amoman Delta or Siemens brand) - Controls the timing and logic of the whole machine.

HMI (Touch Screen): Human Machine Interface (Touch Panel) - To set the packing speed, pouch size and temperature.

Photocell (Camera/Eye): High sensitivity photoelectric sensor to track the printing on the film and make a straight cut.

Temperature Controller: For heating sealing jaw (with solid state relay-SSR).

Main Breaker: 65 Ampere (For heavy load and protection of the machine).

Button: On/Off push button or emergency stop button for safety.

Body Material: Stainless Steel (SS304 or SS316) - For hygiene and rust resistance.

Original: Electrical components (PLC, HMI, PhotoCell, Motors) are made in China, which are used in standard packing machines.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Automatic Liquid Pouch Packing Machine.

500 Gram to 1 kg Cooking Oil. Milk Packing Machine.

A machine has flexible parts like photocell camera. Photocell cat temperature control, on off push button. Contractor. Main breaker is 65 kva and main motor is 1 hp. Main motor inverter is 1.5 KV. Paper motor is 90 V or paper motor inverter is 0.75 KV or body material is iron.

Key Specifications & Features.

Applications: Ideal for various low to high-viscosity liquids, including dairy products, beverages, sauces, and oils.

Automated Processes: The machine typically automates the entire cycle: ultraviolet sterilization, bag-forming, date printing, dosing, filling, sealing, and cutting.

Construction: Most versions of this machine, such as the AS1000 series, are made of stainless steel to ensure sanitation standards are met for food and beverage packaging.

Performance: These machines can achieve production rates of approximately 1,500 to 2,000 bags per hour for standard beverages.

Dimensions: As indicated on the brochure, the machine has external dimensions of approximately 850 x 1100 x 1850 mm and weighs around 320 kg.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Central Seal Packing Machine.

Main Application

Crispy Product, Pastas, Crackers, Nimko Products, Bulk Candies, Pop Corns, Tea, Detergents, Dry Fruits & Spices.

Specification

Speed = 36. Pouch Per minutes

Bag Shapes = Pillow Shape

Packing Material = Any Heat Sealable

Power Supply = 220 V

Total Power Energy = 3 KW

Technical characteristics:

- Bag, Measure, Filling Count Print date, Lot number(Need Reprovision Coder), Cutting, Product Output One complete.
- Seal form the back cover(Pillow-shaped).
- Automatically displays the Packaging speed, Can Accor need Optional Automatic cutting device, Cutting the number Transfer bag can
- Set Optical fault. Tray No material, No Wrapper Automattdown, Avoid Waste Bags

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Four Edge Sealing Grain Packaging Machine.

Main Application

Beauty Cream , Hair Remover Cream Hair Oil , Ketchup Etc.

Specification

Speed = 40/50. Pouch Per minutes

Bag Shapes = Sheet Shape

Packing Material = Any Heat Sealable

Power Supply = 220 V

Total Power Energy = 3 KW

Technical characteristics:

- Pouch, Measure, Filling, Count, Printing date and batch number Cutting, Product Output One complete.
- Seal in the form of the back cover, Up and down Seal Width can According to need Customized.
- Can store five groups formula parameters, replace the variety is more accurate and fast.
- Transverse and longitudinal sealing temperature control independently, can good for all kinds of composite film, single layer film and other packaging materials.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Three Edge Sealing Grain Packaging Machine.

Main Application

All Powder & Liquid Foam Material & Species
(15/20 Gram) Pouch Packaging.

Specification

Speed = 40/50. Pouch Per minutes

Packing Material = Any Heat Sealable

Power Supply = 220 V

Total Power Energy = 3 KW

Technical characteristics:

- Pouch, Measure, Filling, Count, Printing date and batch number Cutting, Product Output One complete.
- Seal in the form of the back cover, Up and down Seal Width can According to need Customized.
- Can store five groups formula parameters, replace the variety is more accurate and fast.
- Transverse and longitudinal sealing temperature control independently, can good for all kinds of composite film, single layer film and other packaging materials.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Back Seal Feeder Automatic Packing Machine

Key Specification:

Speed: 20 to 30 bags per minute.
Max Weight: 1 kg to 2 kg.
Power Supply: 220V.
Total Power Energy: 3 kW.
Packing Material: Any heat-sealable material.

Main Applications
This machine is versatile and suitable for several industries:
Food: Snacks, bulk candies, rice, tea, popcorn, and dry fruits.
Spices & Powders: Various spices, milk powder, and washing powder.
Others: Suited for most free-flowing granules and fine powders.

Technical characteristics:

- Bag, Measure, Filling Count Print date, Lot number(Need Reprovision Coder), Cutting, Product Output One complete.
- Seal form the back cover(Pillow-shaped).
- Automatically displays the Packaging speed, Can Accor need Optional Automatic cutting device, Cutting the number Transfer bag can
- Set Optical fault. Tray No material, No Wrapper Automattdown, Avoid Waste Bags

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Back Cover Powder Screw Automatic Packing Machine.

Measuring Range: 5gram to 50gram.

This machine is an automatic powder packaging system designed for high-speed, versatile production.

Technical Specifications:
Packing Speed: 30 to 90 bags per minute.

Materials: Works with composite films like OPP/CPP, PET/PE, and MST/PE.

Suitable Products: Milk powder, starch, tea powder, and other fine powders.

Key Features: Full Automation: Handles measuring, filling, counting, and printing in one cycle.

- **Smart Controls:** Uses an imported PLC system for stable, non-stop parameter adjustments.
- **Multilingual Interface:** Touch screen supports Chinese, English, Russian, and Spanish.
- **Precision Engineering:** Independent temperature controls for horizontal and vertical sealing.
- **Formula Memory:** Can store five different product settings for fast changeovers.

Visual Summary

Including the screw feeder, sealing jaws, and control panel. It is intended for industrial food or chemical packaging environments.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

Back Cover Powder Screw Automatic Packing Machine.

Measuring Range : 50gram to 1kg

This machine is an automatic powder packaging system designed for high-speed, versatile production.

Technical Specifications:
Packing Speed: 30 to 90 bags per minute..

Materials: Works with composite films like OPP/CPP, PET/PE, and MST/PE.

Suitable Products: Milk powder, starch, tea powder, and other fine powders.

Key Features: Full Automation: Handles measuring, filling, counting, and printing in one cycle.

- **Smart Controls:** Uses an imported PLC system for stable, non-stop parameter adjustments.
- **Multilingual Interface:** Touch screen supports Chinese, English, Russian, and Spanish.
- **Precision Engineering:** Independent temperature controls for horizontal and vertical sealing.
- **Formula Memory:** Can store five different product settings for fast changeovers.

Visual Summary

Including the screw feeder, sealing jaws, and control panel. It is intended for industrial food or chemical packaging environments.

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

SCREW FEEDER

Z-CONVEYOR

COATING PAN

U-MIXER

RIBBON MIXER

DRYER MACHINE

ADEEL
ENGINEERING
PACKING & PROCESSING
MACHINES.

LIQUID FILLING MACHINE

DK-1100A INK ROLL CODER

CONTINUOUS BAND SEALER

THERMAL INK-JET PRINTER

CONTINUOUS INK-JET PRINTER

HOROZENTAL BAND SEALER

FOOT SEALER

DIGITAL GRANULE FILLER

SLEEVE WRAPPER & SHRINK TUNNEL

IMPORTED PRODUCT'S

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

A Name Of Quality

AUTOMATIC INDUCTION SEALER

MANUAL INDUCTION SEALER

ULTRASONIC TUBE SEALING

WEIGHING MACHINE

ONLINE PRINTER

L-BAR SEALER & SHRINK TUNNELS

SEMI-AUTO ROUND BOTTLE STICKER LABALLER

IMPORTED PRODUCT'S

ADEEL
ENGINEERING
PACKING & PROCESSING MACHINES.

OUR CLIENT.

S&B M. SHAFIQUE & BROTHERS LAZZAT BHARA
سندر فوڈز SUNDER FOOD
Great Store. Great Choice. بن طارق BIN TARIQ SHOPPING CENTER & BAKERS
عادل فوڈز
Z&L FOOD
Karela Washing Powder
مارخور مارکہ آیوڈین ملا نمک
Crescent Cotton Industries
ALM
CHAAH FOODS
FOODS Premium Quality with Taste
ST
WARIS KHAN ESTD 1970 TOBACCO COMPANY
SHEHENSHAH
999 Nice
STAY COOL Chill STAY CHILL FILTER KHAINI
MANZOOR KHAN ESTD 1970 TOBACCO NASWAR MERCHANTS
FIVE STAR FILTER KHAINI
ٹریل فائیو 555
Marketed By: AH AMEER HAMZA SOAP
A Name of Quality Imran Adnan Masala Jat

GET IN TOUCH.

WhatsApp

ADEEL NIAZI 0302-7012696 | **NOSHAD NIAZI** 0307-8870007 | **ABDUL MANAN NIAZI** 0308-0450696

College Road, Near Jawala Nagar Railway Phatak (Crossing), Opposite Laboratory High School in Saminabad, Faisalabad.

adeelahmad69638@gmail.com
www.adeelengineeringpk.com
Adeel Engineering Work's
Adeel Engineering Work's
adeelengineeringworks
AdeelEngineering.works