

CRYPTOGRAPHY

EXP NO: 3

ACTIVE RECONNAISSANCE

AIM: To learn how to use simple tools such as traceroute, ping, telnet, and a web browser to gather information.

TASK 2 :

- Browse to the following website (opens in new tab) and ensure that you have opened your Developer Tools on AttackBox Firefox, or the browser on your computer. Using the Developer Tools, figure out the total number of questions.
→ 8

TASK 3 :

- Which option would you use to set the size of the data carried by the ICMP echo request?
→ -s
- What is the size of the ICMP header in bytes?
→ 8
- Does MS Windows Firewall block ping by default? (Y/N)
→ Y
- Deploy the VM for this task and using the AttackBox terminal, issue the command `ping -c 10 MACHINE_IP`. How many ping replies did you get back?
→ 10

TASK 4 :

- In Traceroute A, what is the IP address of the last router/hop before reaching tryhackme.com?
→ 100.92.9.83


- In Traceroute B, what is the IP address of the last router/hop before reaching tryhackme.com?
→ 99.83.89.19
- In Traceroute B, how many routers are between the two systems?
→ 25

TASK 5 :

- Start the attached VM from Task 3 if it is not already started. On the AttackBox, open the terminal and use the telnet client to connect to the VM on port 80. What is the name of the running server?
→ Apache
- What is the version of the running server (on port 80 of the VM)?
→ 2.4.61

TASK 6 :

- Start the VM and open the AttackBox. Once the AttackBox loads, use Netcat to connect to the VM port 21. What is the version of the running server?
→ 0.17



Room completed: 100%

Answer the questions below

Which option would you use to set the size of the data carried by the ICMP echo request?

✓ Correct Answer

What is the size of the ICMP header in bytes?

✓ Correct Answer

Does MS Windows Firewall block ping by default? (Y/N)

✓ Correct Answer

Deploy the VM for this task and using the AttackBox terminal, issue the command `ping -c 10 MACHINE_IP`. How many ping replies did you get back?

✓ Correct Answer

Room completed: 100%

Answer the questions below

In Traceroute A, what is the IP address of the last router/hop before reaching tryhackme.com?

✓ Correct Answer

In Traceroute B, what is the IP address of the last router/hop before reaching tryhackme.com?

✓ Correct Answer

In Traceroute B, how many routers are between the two systems?

✓ Correct Answer

Start the attached VM from Task 3 if it is not already started. On the AttackBox, run `traceroute MACHINE_IP`. Check how many routers/hops are there between the AttackBox and the target VM.

✓ Correct Answer

Room completed: 100%

the same. Connect to the port, read what the server sends back, and optionally issue protocol-specific commands to extract further information.

In modern environments, many services enforce encryption. For example, SMTPS runs on port 465, and HTTPS runs on port 443. Telnet cannot handle encrypted connections. For HTTPS, use `curl --head https://MACHINE_IP` or `openssl s_client -connect MACHINE_IP:443`. For other TLS-wrapped services, `openssl s_client` or `ncat --ssl` are the appropriate tools.

Answer the questions below

Start the attached VM from Task 3 if it is not already started. On the AttackBox, open the terminal and use the telnet client to connect to the VM on port 80. What is the name of the running server?

✓ Correct Answer

What is the version of the running server (on port 80 of the VM)?

✓ Correct Answer

RESULT: Thus the essential tools required for active reconnaissance have been studied.