

Full | User | Learn | GDB | AWS | X | aws | what | does | The | Onlr | Diffe | Git C | why | +

ap-south-1.console.aws.amazon.com/s3/get-started?region=ap-south-1

Search [Alt+S]

Asia Pacific (Mumbai) Suganth

Storage

Amazon S3

Store and retrieve any amount of data from anywhere

Amazon S3 is an object storage service that offers industry-leading scalability, data availability, security, and performance.

Create a bucket

Every object in S3 is stored in a bucket. To upload files and folders to S3, you'll need to create a bucket where the objects will be stored.

Create bucket

Pricing

With S3, there are no minimum fees. You only pay for what you use. Prices are based on the location of your S3 bucket.

Estimate your monthly bill using the [AWS Simple Monthly Calculator](#)

[View pricing details](#)

Resources

[User guide](#)

How it works

CloudShell Feedback

Type here to search

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10:26 23-01-2025

Full | User | Learn | GDB | AWS | X | aws | what | does | The | Onlr | Diffe | Git C | why | +

ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1&bucketType=general

Search [Alt+S]

Asia Pacific (Mumbai) Suganth

Amazon S3 > Buckets > Create bucket

AWS Region
Asia Pacific (Mumbai) ap-south-1

Bucket type [Info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)

suganth

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership [Info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

☒ **ACLs disabled (recommended)**
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ **ACLs enabled**
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket

CloudShell Feedback

Type here to search

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10:27 23-01-2025

Successfully created bucket "suganthjayavel"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

Account snapshot - updated every 24 hours [All AWS Regions](#)
Storage lens provides visibility into storage usage and activity trends. Metrics don't include directory buckets. [Learn more](#)

[View Storage Lens dashboard](#)

General purpose buckets Directory buckets

General purpose buckets (1) [Info](#) [All AWS Regions](#)

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
suganthjayavel	Asia Pacific (Mumbai) ap-south-1	View analyzer for ap-south-1	January 23, 2025, 10:29:15 (UTC+05:30)

Upload succeeded
For more information, see the [Files and folders](#) table.

Upload: status [Close](#)

After you navigate away from this page, the following information is no longer available.

Summary

Destination s3://suganthjayavel	Succeeded 1 file, 746.8 KB (100.00%)	Failed 0 files, 0 B (0%)
--	---	-----------------------------

Files and folders Configuration

Files and folders (1 total, 746.8 KB)

Find by name

Name	Folder	Type	Size	Status	Error
SRS_Document - Suganth_J.pdf	-	application/pdf	746.8 KB	Succeeded	-

✓ The rule "Srsbucket" has been successfully added and the lifecycle configuration has been updated. It may take some time for the configuration to be updated. Refresh the lifecycle rules list if changes to the configuration aren't displayed.

Lifecycle configuration

To manage your objects so that they are stored cost effectively throughout their lifecycle, configure their lifecycle. A lifecycle configuration is a set of rules that define actions that Amazon S3 applies to a group of objects. Lifecycle rules run once per day.

Default minimum object size for transitions
All storage classes 128K

Lifecycle rules (1)

Use lifecycle rules to define actions you want Amazon S3 to take during an object's lifetime such as transitioning objects to another storage class, archiving them, or deleting them after a specified period of time. [Learn more](#)

<

1

>

ⓘ

Lifecycle rule name	Status	Scope	Current version actions	Noncurrent versions ac...	Expired object delete ...	Incomplete multipart u...
<input type="radio"/> Srsbucket	 Enabled	Filtered	Transition to Standard-IA, then i	-	-	-