



HP Fortify Audit Workbench

Developer Workbook

Onboarding

Table of Contents

[Executive Summary](#)

[Project Description](#)

[Issue Breakdown by Fortify Categories](#)


[Results Outline](#)

Executive Summary

This workbook is intended to provide all necessary details and information for a developer to understand and remediate the different issues discovered during the Onboarding project audit. The information contained in this workbook is targeted at project managers and developers.

This section provides an overview of the issues uncovered during analysis.

Project Name:	Onboarding
Project Version:	
SCA:	Results Present
WebInspect:	Results Not Present
SecurityScope:	Results Not Present
Other:	Results Not Present



Top Ten Critical Categories

This project does not contain any critical issues

Project Description

This section provides an overview of the HP Fortify scan engines used for this project, as well as the project meta-information.

SCA

Date of Last Analysis:	Dec 13, 2016, 2:27 PM	Engine Version:	6.40.0089
Host Name:	hendryw-acer	Certification:	VALID
Number of Files:	189	Lines of Code:	4,182

Issue Breakdown by Fortify Categories

The following table depicts a summary of all issues grouped vertically by Fortify Category. For each category, the total number of issues is shown by Fortify Priority Order, including information about the number of audited issues.

Category	Fortify Priority (audited/total)				Total Issues
	Critical	High	Medium	Low	
ASP.NET Misconfiguration: Debug Information	0	0	0 / 1	0	0 / 1
ASP.NET Misconfiguration: Missing Error Handling	0	0	0 / 1	0	0 / 1
Cookie Security: HTTPOnly not Set on Application Cookie	0	0	0	0 / 4	0 / 4
Dead Code: Unused Method	0	0	0	0 / 46	0 / 46

Results Outline

ASP.NET Misconfiguration: Debug Information (1 issue)

Abstract

Debugging messages help attackers learn about the system and plan a form of attack.

Explanation

ASP .NET applications can be configured to produce debug binaries. These binaries give detailed debugging messages and should not be used in production environments. The debug attribute of the `tag` defines whether compiled binaries should include debugging information.

The use of debug binaries causes an application to provide as much information about itself as possible to the user. Debug binaries are meant to be used in a development or testing environment and can pose a security risk if they are deployed to production. Attackers can leverage the additional information they gain from debugging output to mount attacks targeted on the framework, database, or other resources used by the application.

Recommendation


Always compile production binaries without debug enabled. This can be accomplished by setting the debug attribute to `false` on the `tag` in your application's configuration file, as follows:

...

...

Setting the debug attribute to `false` is necessary for creating a secure application. However, it is important that your application does not leak important system information in other ways. Ensure that your code does not unnecessarily expose system information that could be useful to an attacker.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
ASP.NET Misconfiguration: Debug Information	1	0	0	1
Total	1	0	0	1

ASP.NET Misconfiguration: Debug Information

Medium

Package: D:.Work2.VSTS_Workspace.Onboarding.SourceCodes.Onboarding.Onboarding

D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/
Web.config, line 8 (ASP.NET Misconfiguration: Debug Information)

Medium

Issue Details

Kingdom: Environment

Scan Engine: SCA (Configuration)

Sink Details

File: D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Web.config:8

Taint Flags:

No snippet available

ASP.NET Misconfiguration: Missing Error Handling (1 issue)

Abstract

An ASP .NET application must enable custom error pages in order to prevent attackers from mining information from the framework's built-in error responses.

Explanation

ASP .NET applications should be configured to use custom error pages instead of the framework default page. The default error page gives detailed information about the error that occurred, and should not be used in production environments. The mode attribute of the tag defines whether custom or default error pages are used.

Attackers can leverage the additional information provided by a default error page to mount attacks targeted on the framework, database, or other resources used by the application.


Recommendation

Always enable custom error pages for production deployment. This can be accomplished by setting the mode attribute to On on the tag in your application's configuration file and setting the property to point to your custom error page, such as error .aspx in the example below.

...

Custom error pages can also be configured at a more granular level in the section of the ASP .NET configuration file. When you customize these settings and implement your custom error pages, be certain they do not leak any of the system information that you are trying to protect by replacing the framework defaults. Error pages should never display specific information about the application or any of the resources it uses. In particular, displaying stack traces and other execution specifics should always be avoided.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
ASP.NET Misconfiguration: Missing Error Handling	1	0	0	1
Total	1	0	0	1

ASP.NET Misconfiguration: Missing Error Handling

Medium

Package: D:.Work2.VSTS_Workspace.Onboarding.SourceCodes.Onboarding.Onboarding.Views

D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Views/web.config, line 12 (ASP.NET Misconfiguration: Missing Error Handling)

Medium

Issue Details

Kingdom: Security Features

Scan Engine: SCA (Configuration)

Sink Details

File: D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Views/web.config:12

Taint Flags:

No snippet available

Cookie Security: HTTPOnly not Set on Application Cookie (4 issues)

Abstract

The program does not set the `HttpContext.HttpOnly` property to `true`.

Explanation

The default value for the `HttpContext.HttpOnly` attribute is `false`, meaning that the cookie is accessible through a client-side script. This is an unnecessary cross-site scripting threat, resulting in stolen cookies. Stolen cookies can contain sensitive information identifying the user to the site, such as the ASP.NET session ID or forms authentication ticket, and can be replayed by the attacker in order to masquerade as the user or obtain sensitive information.


Example 1: Vulnerable configuration:

Recommendation

Microsoft Internet Explorer version 6 Service Pack 1 and later supports a cookie property, `HttpOnly`, that can help mitigate cross-site scripting threats that result in stolen cookies. Stolen cookies can contain sensitive information identifying the user to the site, such as the ASP.NET session ID or forms authentication ticket, and can be replayed by the attacker in order to masquerade as the user or obtain sensitive information. When an `HttpOnly` cookie is received by a compliant browser, it is inaccessible to client-side script.

Example 2: Here see the secure configuration. Any cookie marked with this property will be accessible only from server-side code, and not to any client-side scripting code like JavaScript or VBScript. This shielding of cookies from the client helps to protect Web-based applications from Cross-Site Scripting attacks. A hacker initiates a Cross-Site Scripting (also called CSS or XSS) attack by attempting to insert his own script code into the Web page to get around any application security in place. Any page that accepts input from a user and echoes that input back is potentially vulnerable.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Cookie Security: HTTPOnly not Set on Application Cookie	4	0	0	4
Total	4	0	0	4

Cookie Security: HTTPOnly not Set on Application Cookie	Low
Package: D:\Work2\VSTS_Workspace\Onboarding\SourceCodes\Onboarding\Onboarding	
D:\Work2\VSTS_Workspace\Onboarding\SourceCodes\Onboarding\Onboarding\Onboarding\Web.Release.config, line 17 (Cookie Security: HTTPOnly not Set on Application Cookie)	Low

Issue Details

Kingdom: Environment
Scan Engine: SCA (Configuration)

Sink Details

Sink: //system.web/
File: D:\Work2\VSTS_Workspace\Onboarding\SourceCodes\Onboarding\Onboarding\Onboarding\Web.Release.config:17
Taint Flags:

No snippet available

D:\Work2\VSTS_Workspace\Onboarding\SourceCodes\Onboarding\Onboarding\Onboarding\Web.Debug.config, line 17 (Cookie Security: HTTPOnly not Set on Application Cookie)	Low
--	------------

Issue Details

Kingdom: Environment
Scan Engine: SCA (Configuration)

Sink Details

Sink: //system.web/
File: D:\Work2\VSTS_Workspace\Onboarding\SourceCodes\Onboarding\Onboarding\Onboarding\Web.Debug.config:17
Taint Flags:

No snippet available

Cookie Security: HTTPOnly not Set on Application Cookie	Low
Package: D:.Work2.VSTS_Workspace.Onboarding.SourceCodes.Onboarding.Onboarding	
D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Web.config, line 7 (Cookie Security: HTTPOnly not Set on Application Cookie)	Low

Issue Details

Kingdom: Environment

Scan Engine: SCA (Configuration)

Sink Details

Sink: //system.web/

File: D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Web.config:7

Taint Flags:

No snippet available

Package: D:.Work2.VSTS_Workspace.Onboarding.SourceCodes.Onboarding.Onboarding.Views	
D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Views/web.config, line 11 (Cookie Security: HTTPOnly not Set on Application Cookie)	Low

Issue Details

Kingdom: Environment

Scan Engine: SCA (Configuration)

Sink Details

Sink: //system.web/

File: D:/Work2/VSTS_Workspace/Onboarding/SourceCodes/Onboarding/Onboarding/Views/web.config:11

Taint Flags:

No snippet available

Dead Code: Unused Method (46 issues)

Abstract

This method is not reachable from any method outside the class.

Explanation

This method is never called or is only called from other dead code. Dead code is defined as code that is never directly or indirectly executed by a public method.

Example 1: In the following class, the method DoWork() can never be called.

```
public class Dead {
    private void DoWork() {
        Console.Write("doing work");
    }
    public static void Main(string[] args) {
        Console.Write("running Dead");
    }
}
```

Example 2: In the following class, two private methods call each other, but since neither one is ever invoked from anywhere else, they are both dead code.

```
public class DoubleDead {
    private void DoTweedledee() {
        DoTweedledumb();
    }
    private void DoTweedledumb() {
        DoTweedledee();
    }
    public static void Main(string[] args) {
        Console.Write("running DoubleDead");
    }
}
```

(In this case it is a good thing that the methods are dead: invoking either one would cause an infinite loop.)

Recommendation

A dead method may indicate a bug in dispatch code.

Example 3: If method is flagged as dead named GetWitch() in a class that also contains the following dispatch method, it may be because of a copy-and-paste error. The 'w' case should return GetWitch() not GetMummy().

```
public ScaryThing GetScaryThing(char st) {
    switch(st) {
        case 'm':
            return GetMummy();
    }
}
```


```

    case 'w':
        return GetMummy();
    default:
        return GetBlob();
}
}

```

In general, you should repair or remove dead code. To repair dead code, execute the dead code directly or indirectly through a public method. Dead code causes additional complexity and maintenance burden without contributing to the functionality of the program.

Issue Summary



Engine Breakdown

	SCA	WebInspect	SecurityScope	Total
Dead Code: Unused Method	46	0	0	46
Total	46	0	0	46

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__taber.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Shared__taber_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Shared__taber_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__taber.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
---------------------------------	------------

Package: __ASP

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestpopup.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_RequestPopup_cshtml

Enclosing Method: Create_ASP__Page_Views_Requestor_RequestPopup_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestpopup.cshtml.8d5322f5.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_bulkrequest.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_BulkRequest_cshtml

Enclosing Method: Create_ASP__Page_Views_Requestor_BulkRequest_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_bulkrequest.cshtml.8d5322f5.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__viewstart.cshtml.65a2d1ee.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views__ViewStart_cshtml

Enclosing Method: Create_ASP__Page_Views__ViewStart_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__viewstart.cshtml.65a2d1ee.1.cs:30

Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tsapuvview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TSAPUView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TSAPUView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tsapuvview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmnview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TCMINView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TCMINView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmnview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmnxview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TCMNXView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TCMNXView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmnxview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__leftmenu.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Shared_LeftMenu_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Shared_LeftMenu_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__leftmenu.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tsapaview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TSAPAView_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TSAPAView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tsapaview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_systemaccess.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Requestor_SystemAccess_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Requestor_SystemAccess_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_systemaccess.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__layout.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Shared__Layout_cshtml
Enclosing Method: Create_ASP__Page_Views_Shared__Layout_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__layout.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmoaview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TCMOAView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TCMOAView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmoaview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tmtgrview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TMTGRView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TMTGRView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tmtgrview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tphdrvview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TPHDRVview_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TPHDRVview_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tphdrvview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_bulkrequesterror.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_BulkRequestError_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_BulkRequestError_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_bulkrequesterror.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_myrequestlist.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_MyRequestList_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_MyRequestList_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_myrequestlist.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmplview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TCMPLView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TCMPLView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tcmplview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_employeeinfo.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_EmployeeInfo_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_EmployeeInfo_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_employeeinfo.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_personalinfo.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_PersonalInfo_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_PersonalInfo_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_personalinfo.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tpholview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TPHOLView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TPHOLView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tpholview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_generalreport.cshtml.aa0b7b53.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Report_GeneralReport_cshtml
Enclosing Method: Create_ASP__Page_Views_Report_GeneralReport_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_generalreport.cshtml.aa0b7b53.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tamsaview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TAMSAView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TAMSAView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tamsaview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_commonmaster.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Shared_CommonMaster_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Shared_CommonMaster_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_commonmaster.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tspcaview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TSPCAView_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TSPCAView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tspcaview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tinfaview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TINFView_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TINFView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tinfaview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
---------------------------------	------------

Package: __ASP

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tipphview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TIPPHView_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TIPPHView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tipphview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tphcfview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TPHCFView_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TPHCFView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tphcfview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestlistforagent.cshtml.607169bf.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_RequestListForAgent_cshtml
Enclosing Method: Create_ASP__Page_VIEWS_Agent_RequestListForAgent_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestlistforagent.cshtml.607169bf.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
---------------------------------	------------

Package: __ASP

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tntidview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TNTIDView_cshtml

Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TNTIDView_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tntidview.cshtml.8bbd5d7.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tmailview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Agent_Tasks_TMAILView_cshtml

Enclosing Method: Create_ASP__Page_VIEWS_Agent_Tasks_TMAILView_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tmailview.cshtml.8bbd5d7.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_dashboard.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_VIEWS_Requestor_Dashboard_cshtml

Enclosing Method: Create_ASP__Page_VIEWS_Requestor_Dashboard_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_dashboard.cshtml.8d5322f5.1.cs:30

Taint Flags:

No snippet available

Dead Code: Unused Method	Low
---------------------------------	------------

Package: __ASP

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_global.asax.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP_global_asax

Enclosing Method: Create_ASP_global_asax()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_global.asax.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_error.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Shared_Error_cshtml

Enclosing Method: Create_ASP__Page_Views_Shared_Error_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_error.cshtml.639c3968.1.cs:30

Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_dashboard.cshtml.607169bf.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality

Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Dashboard_cshtml

Enclosing Method: Create_ASP__Page_Views_Agent_Dashboard_cshtml()

File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_dashboard.cshtml.607169bf.1.cs:30

Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_agentrequest.cshtml.607169bf.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_AgentRequest_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_AgentRequest_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_agentrequest.cshtml.607169bf.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_newrequest.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_NewRequest_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_NewRequest_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_newrequest.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tfufview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TFUFTView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TFUFTView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tfufview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tpcnbview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TPCNBView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TPCNBView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tpcnbview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_telrnview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TELRNView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TELRNView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_telrnview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_searchrequest.cshtml.aa0b7b53.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Report_SearchRequest_cshtml
Enclosing Method: Create_ASP__Page_Views_Report_SearchRequest_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_searchrequest.cshtml.aa0b7b53.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_officelog.cshtml.8d5322f5.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Requestor_OfficeLog_cshtml
Enclosing Method: Create_ASP__Page_Views_Requestor_OfficeLog_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_officelog.cshtml.8d5322f5.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_unauthorized.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Shared_Unauthorized_cshtml
Enclosing Method: Create_ASP__Page_Views_Shared_Unauthorized_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_unauthorized.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__taskdesc.cshtml.607169bf.1.cs, line 30 (Dead Code: Unused Method)	Low
---	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent__TaskDesc_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent__TaskDesc_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web__taskdesc.cshtml.607169bf.1.cs:30
Taint Flags:

No snippet available

Dead Code: Unused Method	Low
Package: __ASP	
C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestformlayout.cshtml.639c3968.1.cs, line 30 (Dead Code: Unused Method)	Low

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Shared_RequestFormLayout_cshtml
Enclosing Method: Create_ASP__Page_Views_Shared_RequestFormLayout_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_requestformlayout.cshtml.639c3968.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tasklist.cshtml.607169bf.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_TaskList_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_TaskList_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tasklist.cshtml.607169bf.1.cs:30
Taint Flags:

No snippet available

C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tisisview.cshtml.8bbd5d7.1.cs, line 30 (Dead Code: Unused Method)	Low
--	------------

Issue Details

Kingdom: Code Quality
Scan Engine: SCA (Structural)

Sink Details

Sink: Function: Create_ASP__Page_Views_Agent_Tasks_TISISView_cshtml
Enclosing Method: Create_ASP__Page_Views_Agent_Tasks_TISISView_cshtml()
File: C:/Users/hendryw.SMUSTF/AppData/Local/Temp/Temporary ASP.NET Files/onboarding/b6a81f4b/a8a7e66e/App_Web_tisisview.cshtml.8bbd5d7.1.cs:30
Taint Flags:

No snippet available

