

CSlgui v2.0 – Help

Introduction

CSlgui development started as a hobby project to quickly visualize MRI and MRSI data in Matlab. The original intent was to merge the MRI data into MRSI space to localize the spectral data. During development however, multiple functions were added, ultimately creating a backbone for raw MRS data processing. It supports single- and multi- dimensional data, can import different file types, process raw data and allows for specific processing tasks. This improved and sped up MRS data processing for me and now hopefully also for you.

Hovering your cursor on a button or in the menu shows additional information!

Install

Navigate to the CSlgui root directory in Matlab and run “CSlgui.m”, either via the command or current folder window.

The application will automatically add itself to your search path, enabling global use in Matlab by simply calling CSlgui.

Content

In the root directory the following is expected: “CSlgui.m”, “CSlgui.fig”, License, README.md and directory “Files”.

Load Data

Loading data in CSIsui is possible using two of the following methods: within the GUI by selecting “File > Open” in the top menu or by using specific input arguments in Matlab scripts or the Command window.

Supported data types:

.data/.list:	raw data stored in a two column float32 format and parameter list file.
.spar/.sdat:	data stored as VAX-CPX float and the Gyroscan NMRS parameter file.
*.dcm:	Images stored as Philips DICOM v4.2.
.par/.rec:	Images stored as Philips PAR/REC v4.2.
*.txt	Spectroscopy data stored as two columns; the real and imaginary parts.

Supported input arguments

CSIsui can be called as a regular function in Matlab. You can use CSIsui in combination with your own processing of data to easily view multidimensional spectral data. Examples are shown below.

```
>>> CSIsui( 'label' , var );
```

Supported input labels and corresponding variables

Label	Synonym	Input
data		structure output from <code>csi_loadData()</code> for loading list/data files
list		structure output from <code>csi_loadList()</code> or <code>csi_loadData()</code>
csi	spec mrs	array of any size with spectra or fids.
spec		labels per dimension of the data array
mrs		
labels		
filepath	fp	file path to spectroscopy data file as cell* – *.spar/sdat *.list/data *.mat
filepathi	fpi	file path to an image data file as cell* – *.dcm *.par/rec

NB. *The file paths string variables are required to be a cell; {"D:\Example"}. See examples below.

Examples:

```
>>> fp = "D:\Data\MyData\raw_001.data";
>>> CSIsui( { fp } , "filepath" );

>>> fp = "D:\Data\MyData\raw_001.data";
>>> fpi = "D:\Data\MyData\FFE.dcm";
>>> CSIsui( { fp } , "filepath" , {fpi}, "filepathi");

>>> load( "someSpectra.mat", "array" );
>>> CSIsui( array, "mrs")
%% N.B. mrs, csi and spec labels all have equal functionality in CSIsui.
```

Data Indexing

Summary of data handling of both MRSI and MRI data in CSIGui: dimensions, indexes, array sizes and CSI-space.

MRSI Indexing

CSIGui is compatible with MRSI arrays of all sizes, but data display is linked to size indexing. By default, the application expects the following dimensional indexing of the MRSI data:

Index 1:	Samples of a spectrum or FID;
Index 2/3:	The X and Y index of multi or single dimensional data.
Index >4:	Slice or Z index of multi or single dimensional data.

To correct any indexing differences of the MRSI data, the buttons “*Reorder*” or “*Auto Reorder*” can be used. For more details, see the “Processing” section below.

Example:

MRSI array of size: 1024 x 4 x 5 x 3 x 6;

Each spectrum of 1024 samples will be shown in a 2D plot of size 4x5 with slice selection of 1 to 3 and 1 to 6.

MRI Indexing

CSIGui expects the width and height of the image array to be the row and column index respectively e.g. the first and second index/dimension. Higher indexes/dimensions are handled as slices. Loading image data using the application itself is advised if merging of both MRSI and MRI data is requested.

Displaying Data

Both the MRS and MRI data can be visualized separately or merged. All options are explained below.

View MRSI

Pressing the “Show CSI” button will open a 2D plot of the MRSI data. The second and third dimension of the MRSI data set will be shown as the X (width) and Y (height) in this plot. Other higher dimensions are accessible for display through a small automatically launched window called “CSGui display panel”.

A single spectrum can be viewed by selecting a spectrum of interest in the CSGui 2D plot window. This opens a 1D plot of the clicked spectrum and allows separate processing of this displayed spectrum. The selected spectrum is highlighted in the 2D plot window. If correct x-axis scaling is required, enter frequency information by pressing the “Frequency” button in the “set” section of CSGui.

View MRI

Pressing the “Show IMG” button will open up MRgui2, a separate application. This application displays multiple image types and enables scrolling through all images in a single image-type array.

Merging MRSI and MRI

Tested and validated on tra/sag/cor MRI data set in combination with transverse MRSI data sets only.

To merge the MRI data to MRSI space, coordinate information of both data sets is required. Pressing “convert” at the IMG options of CSGui will calculate the coordinates of the images, calculate the coordinates of the MRSI data set and convert the images to MRSI space. Spatial information of MRSI data will be requested if unavailable. If no image header information is in memory, required parameters will be request too. Otherwise, the image coordinates are calculated automatically. The latter is applicable if the image data (dcm and par/rec files) is loaded using CSGui’s internal functions.

The desired image type for conversion must be given if multiple image types are available. Coordinate parameters can be entered separately by pressing the “Coordinates” button at the CSI and IMG section of CSGui.

MRSI coordinate parameters:

1. Voxel size;
The voxel size of each direction. For *.list/*.data files, use the acquisition voxel size, not the reconstruction voxel size.
2. Offset;
Offset of the MRSI stack.

MRI conversion parameters:

1. Image type;
Image type such as magnitude (M), phase (P) or specific maps (Ex. B0) to use for conversion to MRSI space.
2. Correct FFT method;
Due to the FFT method, a half voxel shift is present. Setting this option to one (1) corrects for this offset. Default input is set to 1. Setting the option to zero (0) will disable the correction.

Miscellaneous data

CSlgui allows visualization of multi-dimensional calculated data as either a graph or a table.

Graph:

With respect to the x, y and z index on the second, third and fourth dimension, any additional dimension in the MRSI data set is concatenated. This mean every fifth dimension or above is combined to plot a line. To solve multiple slices e.g. the z-dimension, the create figure has a tab for each third-dimension index.

Table:

Allows option to save all data or solely the selected table-cells. Each additional dimension above the fourth dimension will be plotted below with the corrected indexing per array as a separate row.

Processing

Time management: not all functions are explained

Both MRSI and MRS data can be processed and analyzed by multiple available functions explained below. Hovering over each button in CSlgui and over specific menu items shows short explanations of the available options or requirement of set function.

In addition to these multi-voxel processing functions, a single spectrum can be processed separately by opening the spectrum of interest in the CSlgui 2D plot. For more information, see below.

MRSI functions

The functions are ordered according to different sections available in CSlgui.

RAW PROCESSING:

The function in this section is designed for file types which store raw MRSI data e.g. data stored in k-space domain. A different method of (pre-) processing is required.

1. Average

- Data is averaged over the “aver” labeled dimension. If the label is not present, the user is asked to specify an index to average over. Useful if any number of sampled averages (NSA) are available.

2. Apodization

- Apply apodization over the entire volume (each voxel in every dimension). A multi-dimensional hamming window is calculate using the size of indexes labeled as “Kx”, “Ky” and, if 3D, “Kz”. If no labels are present, the user is asked to specify at least two indexes. This function is useful if k-space is not sampled fully or to apply smoothening over the entire volume.
Be aware; spatial apodization causes a small change in voxel size in all applicable directions.

3. FFT (spatial)

- Fast Fourier Transform over the “Kx”, “Ky” and, if present, “Kz” dimensions. If no labels are present, the user is asked to specify at least two indexes.

APPLY:

1. FFT
 - Fast Fourier Transform (forward) to convert the voxel data from frequency to spatial domain.
2. iFFT
 - Inverse Fast Fourier Transform (backward) to convert the voxel data from frequency to spatial domain.
3. Combine
 - Combine channels using different methods
 - i. Manual
 1. Combine channels by summation or calculating the mean of all channels with the option to exclude specific channels.
 - ii. WSVD
 1. Whitened singular voxel decomposition; the coils are combine by a noise weighting method.
Source article: C. T. Rodgers et al. - Receive Array Magnetic Resonance Spectroscopy: Whitened Singular Value Decomposition (WSVD) Gives Optimal Bayesian Solution.
4. Zerofilling
 - Add trailing zeroes to data in the time domain. Target sample size is requested and has to be equal or greater than the actual sample size.
5. Apodization
 - Apply apodization to all voxels in the data set. Data required to be in the time domain before applying.
6. Autophasing
 - Apply a zeroth order phase correction at a given range in the spectrum. This algorithm will maximize the real part of the spectrum in this range.

CALCULATE:

1. T2
 - Calculate T2 by fitting the exponential decay function to a variable number of echoes. This function requires the echo dimension to be on the fifth index and will calculate T2 for all voxel.
For now, the maximum signal of the spectrum is used for the fit and will later be upgraded to fit per metabolite as specific ranges. Data will be shown as graphs which includes the maxima over all echoes, the resulting fit values, the T2 value plus the confidence intervals of the fit and the coefficient of determination (R^2). All T2 values will be saved automatically to a *.mat file named with the date and time of calculating. Stored data includes the T2 values, R2 values, amplitude of the exponential fit and the confidence intervals. Formula used:

$$S = Amplitude \times e^{-\left(\frac{t}{T_2}\right)}$$

2. T1

- Still under development. Proper estimating initial parameter values cumbersome.

3. SNR

- Calculate the SNR for each spectrum using a variable noise mask size. Data can be visualized as either a graph, if multiple dimensions (e.g. index 5 or higher) are present or as a table. Formula used:

$$SNR = \frac{mean\left(max(real(spec))\right)}{abs\left(std(spec(noise\ mask))\right)}$$

NB: Use of either the real or absolute part of the spectrum in the numerator can be chosen.

4. Max

- Display the maximum of each spectrum. Data can be visualized as either a or as a table.
- Visualize the maximum values of the full data set as a 3D scatter plot, with size and color normalized to the maximum maxima in the data.

5. Linewidth

- Calculate linewidth at full width half max (FWHM). Values are returned in ppm if the frequency details are available (See Set > Parameters). Display as a graph or as a table. Calculated data can be exported to text file.

SET:

1. Parameters

- Set the nucleus of interest, magnet strength, bandwidth and possible shift (in ppm) to calculate the following x-axis data; ppm-scale, time and frequency.

2. Coordinates

- Set the voxel sizes in all applicable directions and any possible offset if the dimensional stack to calculate coordinates of for each voxel.

3. FID & Echo

- Split FID and Echo data to enabling separate editing. This is specifically designed for the MESING sequence.

4. Window Ratio

- Set 2D Plot window its ratio equal to voxel ratio

5. Plot Options

- Set specific 2D plot options: Color scaling, Y-axis scaling, X-axis scaling (Zoom!)

6. Labels

- Change the names e.g. labels of each dimension.

MRI functions

Functions in the MRI section of the GUI are focused on merging MRI with MRSI data. MRI data can be converted to MRSI space and display contrast of these images can be managed.

1. Coordinates (MRI)
 - Calculate coordinates for each voxel in the image data set. If no image header information from dicom or par files is present, required parameters are requested. See Displaying data > Merging MRI and MRSI for more information.
2. Convert
 - Convert the MRI data to the MRSI space. This requires coordinates of both data sets and missing information will be requested automatically. If multiple image types are present, the image type of interest to convert is requested.
3. Contrast
 - Set display contrast of the image when displayed simultaneously with the MRSI data.
4. Image in CSI
 - Display all the images used for the currently viewed CSI array. Only works if MR images are converted to CSI space.
5. Image & Grid
 - Create one figure with the 2D CSI voxel grid and the images. No spectra plotted. Solely for displaying and localization.

Individual spectrum

1. Phasing
 - Manual
 - i. Apply manual phase correction in a separate GUI.
 - Automatic
 - i. Automatically try to maximize the real part of the spectrum at a given interval or position. The interval must be given in sample points.
 - Phase all
 - i. Manually phase the shown spectrum and apply the calculated correction to all other spectra in the data set.
2. FFT
 - Fast Fourier Transform (forward) to convert the spectrum from the frequency to the spatial domain.
3. iFFT
 - Inverse Fast Fourier Transform (backward) to convert the FID from the spatial to the frequency domain.
4. Apodization
 - Apply apodization to the spectrum. For proper use, the spectrum has to be in the time domain e.g. apply to the FID. Multiple apodization filters are present.
5. Zero Fill
 - Apply zero filling to the spectrum. For proper use, the spectrum has to be in the time domain e.g. apply to the FID. Target sample size is requested and has to be equal or greater than the current number of samples.
6. Linewidth
 - Calculate linewidth at FWHM of a specific peak of interest or in all peaks found automatically. Will show processing results of each peak in a separate figure.

7. SNR
 - Calculate the SNR of the spectrum. SNR value is displayed in the MRS information box in CSIgui.
8. Data Display
 - Set the unit of the displayed x-axis and the data type to be shown.
9. Replace voxel
 - Replace the spectrum in the dimensional data set with the processed single spectrum.
10. Export
 - Export the displayed spectrum to file; sdat/spar, text and mat-file.

Merging Voxels

Merge Voxels opens a separate window with the images and MRSI voxel grid plotted for each index in the (k)z-dimension. Select voxels of interest and press save to save data to file or merge to open the merge menu.

Merge menu:

- Set SNR filter on to include and/or exclude a peak at a specific SNR level
- Set SNR weighting to weight the averaging to peak of interest SNR.
- Apply frequency alignment prior to averaging by shifting each peak maximum to align.

View

CSIgui has a day and night mode with the latter being the default setting. Change the theme in the menu bar in View > Theme. To customize the color layout go to View > Set Custom Color and enable Custom color in View > Theme.

Exporting Data

Data

Exporting MRSI data can be found in the MRSI menu in CSIgui. Supported export file types are; sdat/spar, text and mat-file. Specific parameters will be requested for spar and sdat files.

Figure

CSIgui can automatically loop through all slice and attribute indexes and save each 2D MRSI plot as a separate image file.

Troubleshooting

No troubleshooting solutions available yet, though Matlab itself may help you out! 😊

Future Features

This is a to-do list and in no way a promise the function will end up in a stable release. Please contact me if you would like a custom function integrated in the GUI.

Contact

Developer: Ir. Quincy van Houtum, PhD-candidate.

Location: University Medical Center Utrecht, Imaging Department, 7 tesla (Strategic Pulse).

Contact information:

Email: Q.vanHoutum@umcutrecht.nl

Phone: +31 (0)88-7551386

License

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source

includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the

terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain

clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a

party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).