

FortiGate Firewall Policies

Policy 1 - LAN to DMZ

Name:

LAN-to-DMZ

Source Interface:

port2 (LAN)

Destination Interface:

port4 (DMZ)

Allowed Services:

- HTTP
- HTTPS
- TCP/3000
- TCP/3443
- ICMP

Purpose:

Allows SOC users to access the web application hosted in the DMZ.

Policy 2 - REDTEAM to DMZ

Name:

RED-to-DMZ

Source Interface:

port3 (REDTEAM)

Destination Interface:

port4 (DMZ)

Allowed Services:

- HTTP
- HTTPS
- TCP/3000

- TCP/3443
- ICMP

Security Profiles:

- IPS Enabled

Purpose:

Allows controlled attack simulation against the DMZ server.

Policy 3 - LAN to WAN

Name:

LAN-to-WAN

Source Interface:

port2

Destination Interface:

port1

NAT:

Enabled

Purpose:

Provides internet access to internal users.

Policy 4 - DMZ to WAN

Name:

DMZ-to-WAN

Source Interface:

port4

Destination Interface:

port1

NAT:

Enabled

Purpose:

Allows software updates and package downloads.

Restricted Access

No policy exists for:

REDTEAM → LAN

Result:

Attackers cannot directly access internal SOC resources.

Security Principle:

Least Privilege

Network Segmentation

Defense in Depth