

FortiGate Interface Configuration

```
config system interface
```

```
edit port1
```

```
set alias "WAN"
```

```
set ip 10.10.20.2 255.255.255.0
```

```
set allowaccess ping
```

```
next
```

```
edit port2
```

```
set alias "LAN"
```

```
set ip 192.168.1.1 255.255.255.0
```

```
set allowaccess ping
```

```
next
```

```
edit port3
```

```
set alias "REDTEAM"
```

```
set ip 172.16.1.1 255.255.255.0
```

```
set allowaccess ping
```

```
next
```

```
edit port4
```

```
set alias "DMZ"
```

```
set ip 10.10.10.1 255.255.255.0
```

```
set allowaccess ping
```

```
next
```

```
edit port5
```

```
set alias "MGMT"
```

```
set ip 192.168.149.250 255.255.255.0
```

```
set allowaccess ping https ssh http
```

```
next
```

```
end
```

Static Route

```
config router static
```

```
edit 1
```

```
set dst 0.0.0.0 0.0.0.0
```

```
set gateway 10.10.20.1
```

```
set device port1
next
end
```

IPS Profile

Name:

Project-IPS

Target:

Server

Operating System:

Linux

Protocols:

HTTP

TCP

Severity:

Medium

High

Critical

Action:

Block

Packet Logging:

Enabled

Anomaly Detection

Attack:

tcp_syn_flood

Action:

clear_session

Purpose:

Detection and mitigation of SYN flooding attacks originating from the Red Team network.