



**UTM**  
UNIVERSITI TEKNOLOGI MALAYSIA

School of  
Professional and  
Continuing  
Education  
(SPACE)

## **DIPLOMA IN COMPUTER SCIENCE SEMESTER 2 2025/2026**

**DDWD 2703**

**WEB PROGRAMMING**

**PROJECT INDIVIDU**

<b>Group members</b>	<b>1. MUHAMMAD SUHAIMI BIN MOHD SHAM</b>
<b>Section</b>	<b>: 38</b>
<b>Lecturer</b>	<b>: SIR FAIZUL</b>
<b>Date</b>	<b>: 26/2/2025</b>
<b>LINK:</b>	<b><u><a href="https://websaid.w3spaces.com/index.html">https://websaid.w3spaces.com/index.html</a></u></b>

## TABLE CONTENT

main_html.....	
personalinfo.html.....	
tools_page.html.....	
calculator.html.....	
BMI.html.....	
unit_converter.html.....	
Zakat_calc.html.....	

## main.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
    <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Syne">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
    <title>Links website</title>
    <style>

    body {
      font-family: 'Syne', sans-serif;
    }

    .container {
      width: 100%;
      padding-right: 1px;
      padding-left: 1px;
      margin-right: auto;
      margin-left: auto;
    }

    .image-container {
      text-align: center;
      width: 100%;
    }

    .links-container {
      display: flex;
      flex-direction: column;
      justify-content: center;
      align-items: center;
      gap: 20px;
    }

  </style>
</head>

<body class="w3-white">
  <div class="image-container">
    

    <div class="w3-margin">
      <h2 class="w3-text-black"><strong>WELCOMB</strong></h2>
      <p>what i do ?</p>
    </div>

    <div class="links-container">
      <a href="https://websaid.w3spaces.com/personalinfo.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>PROGRAMMER INFO</i></a>
      <a href="https://websaid.w3spaces.com/webtool.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>WEB TOOL</i></a>
    </div>
  </body>
</html>
```



## WELCOME

what i do ?

PROGRAMMER INFO

WEB TOOL

personalinfo.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Personal Information</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
      text-align: center;
    }
    img {
      width: 150px;
      height: 150px;
      border-radius: 50%;
      object-fit: cover;
    }
  </style>
</head>
<body>
  <h1>WHO I AM ?</h1>
  
  <p><strong>Name:</strong> MUHAMMAD SUHAIMI BIN MOHD SHAM </p>
  <p><strong>Matric:</strong> A23DW0802</p>
  <p><strong>Program and Section:</strong> DDWD - 38</p>
  <p><a href="CV_muhammad_suhaimi.pdf">View CV</a></p>
  <p><a href="CV_muhammad_suhaimi.pdf" download>Download CV in PDF</a></p>
</body>
</html>
```

# WHO I AM ?



**Name:** MUHAMMAD SUHAIMI BIN MOHD SHAM

**Matric:** A23DW0802

**Program and Section:** DDWD - 38

[View CV](#)

[Download CV in PDF](#)

## webtool.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Syne">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  <title>Links website</title>
  <style>

  body {
    font-family: 'Syne', sans-serif;
  }

  .container {
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
    margin-right: auto;
    margin-left: auto;
  }

  .image-container {
    text-align: center;
    width: 100%;
  }

  .links-container {
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
    gap: 20px;
  }

  </style>
</head>

<body class="w3-white">
  <center>
    <div class="w3-margin">
      <h2 class="w3-text-black"><strong>WEBTOOL</strong></h2>
      <p>choose me ?</p>
    </div>
  </center>

  <div class="links-container">
    <a href="https://websaid.w3spaces.com/zakat.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>ZAKAT CALCULATOR</i></a>
    <a href="https://websaid.w3spaces.com/calculator.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>CALCULATOR</i></a>
    <a href="https://websaid.w3spaces.com/EMIchecker.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>EMI CHECKER</i></a>
    <a href="https://websaid.w3spaces.com/unitconverter.html" class="w3-button w3-hover-blue w3-large w3-black" style="width: 350px;" target="_blank"><i>UNIT CONVERTER</i></a>
  </div>

</body>
</html>
```

# WEBTOOL

choose me ?

ZAKAT CALCULATOR

CALCULATOR

BMI CHECKER

UNIT CONVERTER



calculator.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html>
  <head><title>Calculator</title>
    <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
    <script>
      function calculator(operation) {
        let num1 = parseInt(document.getElementById("num1").value);
        let num2 = parseInt(document.getElementById("num2").value);
        let result = 0;

        switch (operation) {
          case 'add':
            result = num1 + num2;
            break;
          case 'subtract':
            result = num1 - num2;
            break;
          case 'multiply':
            result = num1 * num2;
            break;
          case 'divide':
            result = num1 / num2;
            break;
        }
        document.getElementById("result").value = result;
      }

      function clearFields() {
        document.getElementById("num1").value = "";
        document.getElementById("num2").value = "";
        document.getElementById("result").value = "";
      }
    </script>
  </head>
```

```

<body>
  <center>
    <h1>Basic Calculator</h1>
    <hr>
    <input type="number" id="num1" placeholder="First Number">
    <br><br>

    <input type="number" id="num2" placeholder="Second Number">
    <br><br>

    <button onclick="calculator('add')">+</button>
    <button onclick="calculator('subtract')">-</button>
    <button onclick="calculator('multiply')">X</button>
    <button onclick="calculator('divide')">÷</button>
    <button class="clear" onclick="clearFields()">Clear</button>
    <br><br>

    <input type="text" id="result" placeholder="First Number" disabled>
    <hr>
  </center>
</body>
</html>

```

# Basic Calculator

## BMICHECKER.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html>
<head>
  <title>Weight Checker</title>
  <script>
    function checkBMI() {
      var height = parseFloat(document.getElementById("height").value) / 100;
      var weight = parseFloat(document.getElementById("weight").value);
      var bmi = weight / (height * height);
      var resultText = "";
      var resultColor = "";

      if (bmi < 18.5) {
        resultText = "Underweight";
        resultColor = "#A8DADC";
      } else if (bmi >= 18.5 && bmi <= 24.9) {
        resultText = "Normal";
        resultColor = "#457B9D";
      } else if (bmi >= 25 && bmi <= 29.9) {
        resultText = "Overweight";
        resultColor = "#FFD700";
      } else if (bmi >= 30 && bmi <= 39.9) {
        resultText = "Obese";
        resultColor = "#E76F51";
      } else {
        resultText = "Extremely Obese";
        resultColor = "#E63946";
      }

      var resultDiv = document.getElementById("result");
      resultDiv.innerHTML = "BMI: " + bmi.toFixed(2) + " - " + resultText;
      resultDiv.style.backgroundColor = resultColor;
      resultDiv.style.padding = "10px";
      resultDiv.style.color = "fff";
      resultDiv.style.fontWeight = "bold";
    }
  </script>
</head>
```

```
</head>
<body>
  <h2>Weight Checker</h2>
  <form>
    <label>Height (cm):</label>
    <input type="number" id="height" required><br><br>

    <label>Weight (kg):</label>
    <input type="number" id="weight" required><br><br>

    <button type="button" onclick="checkBMI()">Check BMI</button>
  </form>

  <br>
  <div id="result"></div>
</body>
</html>
```

## Weight Checker

Height (cm):

Weight (kg):

## unitconverter.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Unit Converter</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      text-align: center;
      margin: 20px;
    }
    .converter {
      margin-top: 20px;
    }
    button {
      margin: 5px;
      padding: 10px;
      cursor: pointer;
    }
  </style>
  <script>
    function convertUnit(conversionType) {
      let input = document.getElementById("inputValue").value;
      let result;
      if (isNaN(input) || input === "") {
        document.getElementById("result").innerText = "Please enter a valid number";
        return;
      }
      input = parseFloat(input);
      switch (conversionType) {
        case 'cmToM':
          result = input / 100;
          break;
        case 'mToCm':
          result = input * 100;
          break;
        case 'mToKm':
          result = input / 1000;
          break;
        case 'kmToM':
          result = input * 1000;
          break;
        default:
          result = "Invalid conversion";
      }
      document.getElementById("result").innerText = "Result: " + result;
    }
  </script>
</head>
```

```
<body>
  <h1>Unit Converter</h1>
  <input type="text" id="inputValue" placeholder="Enter value">
  <div class="converter">
    <button onclick="convertUnit('cmToM') ">cm to metre</button>
    <button onclick="convertUnit('mToCm') ">Metre to cm</button>
    <button onclick="convertUnit('mToKm') ">Metre to km</button>
    <button onclick="convertUnit('kmToM') ">Km to metre</button>
  </div>
  <p id="result"></p>
</body>
</html>
```

# Unit Converter

cm to metre

Metre to cm

Metre to km

Km to metre

Zakat.html

```
<!DOCTYPE html>
<!--MUHAMMAD SUHAIMI BIN MOHD SHAM-->
<!--A23DW0802-->
<!--38-->
<html>
  <head><title>zakat calculator</title></head>
  <script>
    function zakatcalculator(){
      let income = parseInt(document.getElementById("income").value);
      let zakat = 0.025 * income;

      document.getElementById("zakat").value=zakat;
    }
  </script>
  <body>
    <h1>zakat</h1>
    Enter your income
    <input type="number" id="income">
    <br>
    <input type="submit" value="Check" onclick="zakatcalculator()">
    <br>
    <br>
    <input type="number" id="zakat" disabled>
  </body>
</html>
```

# zakat

Enter your income

Check