

AWS Cost Alert

Tuesday, July 14, 2026 9:33 PM

Task 4: Daily AWS Cost Alert Using Cost Explorer API and SNS

Objective

Build an automated alert when AWS spend exceeds a threshold.

Note

The old CloudWatch "Billing" metric is legacy — it only exists in us-east-1 and must be manually enabled. The modern, interview-relevant approach uses the **Cost Explorer API** (ce:GetCostAndUsage) instead.

Instructions (as given)

1. **SNS Setup** — create a topic and subscribe your email (confirm the subscription email).
2. **Lambda IAM Role** — inline policy with ce:GetCostAndUsage and sns:Publish (scoped to your topic).
3. **Lambda Function (Boto3)**:
 1. Initialize ce and sns clients.
 2. Query month-to-date UnblendedCost with get_cost_and_usage.
 3. Compare against a threshold (e.g., \$50).
 4. If exceeded, publish an SNS alert with the current spend.
 5. Print the retrieved amount for logging.
4. **EventBridge** — schedule daily.
5. **Testing** — trigger manually with a low threshold (e.g., \$0.01) to force an alert.
6. **Discussion point** — mention AWS Budgets as the managed alternative and when custom Lambda logic wins (per-service breakdowns, Slack/Teams delivery, anomaly logic).

Architecture:

EventBridge (daily cron)



Lambda function —> ce.get_cost_and_usage() (month-to-date UnblendedCost)



▼ (if spend > threshold)

sns.publish() —> SNS Topic —> Email subscriber

STEP 0 — Enable Cost Explorer (one-time)

Console navigation:



1. Sign in to the AWS Console at <https://console.aws.amazon.com>.
2. Click the **search bar** at the top center.
3. Type Billing and Cost Management → click the matching result.
4. Left sidebar → click **Cost Explorer**.
5. If shown, click **Enable Cost Explorer**.
6. Wait up to 24 hours for the first-time historical backfill. After that, data refreshes roughly every 24 hours.

(No CLI equivalent — one-time console-only toggle. This is why the Lambda's month-to-date figure can lag by up to a day.)

STEP 1 — SNS Setup: Topic + Email Subscription

Console navigation:

1. Search bar → type SNS → click **Simple Notification Service**.
2. Left sidebar → **Topics** → click **Create topic**.
3. **Type** → select **Standard**.
4. **Name** → type cost-alert-topic.
5. Leave all other fields default → click **Create topic**.
6. Copy the **Topic ARN** shown at the top of the detail page.
7. On the same page, go to the **Subscriptions** tab → **Create subscription**.
8. **Protocol** → select **Email**.
9. **Endpoint** → type your email address → **Create subscription**.
10. Open your inbox → open the email from **AWS Notifications** → click **Confirm subscription**.
11. Back in the console, click the refresh icon on the Subscriptions table → confirm status is now Confirmed.



Amazon SNS Topics cost-alert-topic

cost-alert-topic Edit Delete Publish message

Details

Name	cost-alert-topic	ARN	arn:aws:sns:us-east-1:675134942081:cost-alert-topic	Display name	Cost alert Topic	Type	Standard
------	------------------	-----	---	--------------	------------------	------	----------

Topic owner: 675134942081

Subscriptions Access policy Delivery policy (HTTP/S) Delivery status logging Encryption Tags Integrations

Subscriptions (0) Edit Delete Request confirmation Confirm subscription **Create subscription**

Search

ID	Endpoint	Status	Protocol
No subscriptions found You don't have any subscriptions to this topic.			

Create subscription

arn:aws:sns:us-east-1:675134942081:cost-alert-topic

Amazon SNS Subscriptions Create subscription

Create subscription

Details

Topic ARN: arn:aws:sns:us-east-1:675134942081:cost-alert-topic

Protocol: Email

Endpoint: suhascore@gmail.com

After your subscription is created, you must confirm it.

Subscription filter policy - optional
This policy filters the messages that a subscriber receives.

Redrive policy (dead-letter queue) - optional
Send undeliverable messages to a dead-letter queue.

Cancel **Create subscription**



Simple Notification Service


Subscription confirmed!

You have successfully subscribed.

Your subscription's id is:

arn:aws:sns:us-east-1:675134942081:cost-alert-topic:f8727951-7081-41bd-8ff7-9733a029ad5d

If it was not your intention to subscribe, [click here to unsubscribe](#).




STEP 2 — Lambda IAM Role

Console navigation — create the role:

1. Search bar → type IAM → click **IAM**.
2. Left sidebar → **Roles** → click **Create role**.
3. **Trusted entity type** → **AWS service**.
4. **Use case** → select **Lambda** → click **Next**.
5. Leave all managed policy checkboxes unchecked → click **Next**.
6. **Role name** → type cost-alert-lambda-role → click **Create role**.

Console navigation — attach the inline policy:

1. Click into cost-alert-lambda-role.
2. **Permissions** tab → **Add permissions** dropdown → **Create inline policy**.
3. Click the **JSON** tab in the policy editor.
4. Delete the placeholder and paste the JSON below (with your real region/account ID substituted).
5. Click **Next** → **Policy name** → type cost-alert-inline-policy → **Create policy**.
6. Copy the **Role ARN** from the role summary page (top of screen).



IAM
Roles
Create role

Step 1

Select trusted entity

Step 2

Add permissions

Step 3

Name, review, and create

Select trusted entity

Trusted entity type

AWS service

Allows AWS services like EC2, Lambda, or others to perform actions on this account.

AWS account

Allows users or other AWS accounts belonging to you or a third party to perform actions on this account.

Web identity

Allows users to interact with the account without using identity provided by your ID provider to perform actions on this account.

SAML 2.0 federation

Allows users to interact with SAML 2.0 from a separate identity provider for actions on this account.

Custom trust policy

Specify a custom trust policy for actions on this account.

Use case

Allow an AWS service like EC2, Lambda, or others to perform actions in this account.

Service or use case

Lambda

Choose a use case for the specified service.

Use case

Lambda

Allows an EC2 function to call AWS services on your behalf.

AWSServiceRoleForLambda

Allows an EC2 function to call AWS resources on your behalf.

IAM
Roles
Create role

Step 1

Select trusted entity

Step 2

Add permissions

Step 3

Name, review, and create

Name, review, and create

Role details

Role name

cost-alert-lambda-role

Description

Allows Lambda functions to call AWS services on your behalf.

Step 1: Select trusted entities

Trust policy

```

1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "sts:AssumeRole"
8       ],
9       "Principal": {
10        "Service": [
11          "lambda.amazonaws.com"
12        ]
13      }
14    ]
15  }
16 }
```

Step 2: Add permissions

No permissions added

Daily AWS Cost Alert Page 5

Identity and Access Management (IAM)

cost-alert-lambda-role

cost-alert-lambda-role

Allows Lambda functions to call AWS services on your behalf.

Summary

Creation date: July 15, 2026, 18:59 (UTC+05:30)

ARN: arn:aws:iam:675134942081:role/cost-alert-lambda-role

Maximum session duration: 1 hour

Permissions | Trust relationships | Tags | Last Accessed | Revoke sessions

Permissions policies (0)

You can attach up to 10 managed policies.

Filter by Type: All types

Policy name | Type | Attached entities

No resources to display

Permissions boundary (not set)

Generate policy based on CloudTrail events

You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. [Learn more](#)

[Generate policy](#)

No requests to generate a policy in the past 7 days.

[Delete](#) [Edit](#) [Add permissions](#) [Simulate](#)

cost-alert-lambda-role

cost-alert-lambda-role

Allows Lambda functions to call AWS services on your behalf.

Summary

Creation date: July 15, 2026, 18:59 (UTC+05:30)

ARN: arn:aws:iam:675134942081:role/cost-alert-lambda-role

Maximum session duration: 1 hour

Permissions | Trust relationships | Tags | Last Accessed | Revoke sessions

Permissions policies (0)

You can attach up to 10 managed policies.

Filter by Type: All types

Policy name | Type | Attached entities

No resources to display

[Delete](#) [Edit](#) [Add permissions](#) [Simulate](#) [Attach policies](#) [Create inline policy](#)

cost-alert-lambda-role

Specify permissions

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "Statement1",
6       "Effect": "Allow",
7       "Action": "*",
8       "Resource": "*"
9     }
10  ]
11 }
```

Visual **JSON** **Actions** **Resources**

[Edit statement](#)

Select a statement

Select an existing statement in the policy or add a new statement.

[+ Add new statement](#)

IAM > Roles > cost-alert-lambda-role > Create policy

Step 1: Specify permissions

Specify permissions

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "CostExplorerReadOnly",
6       "Effect": "Allow",
7       "Action": "ce:GetCostAndUsage",
8       "Resource": "*"
9     },
10    {
11      "Sid": "PublishToCostAlertTopic",
12      "Effect": "Allow",
13      "Action": "sns:Publish",
14      "Resource": "arn:aws:sns:us-east-1:675134942081:cost-alert-topic:f8727951-7081-43bd-8ff7-9733a029a5d5"
15    },
16    {
17      "Sid": "BasicLambdaLogging",
18      "Effect": "Allow",
19      "Action": [
20        "logs:CreateLogGroup",
21        "logs:CreateLogStream",
22        "logs:PutLogEvents"
23      ],
24      "Resource": "arn:aws:logs:*:*:*"
25    }
26  ]
27 }
```

+ Add new statement

Visual **JSON** Actions

Edit statement: BasicLambdaLogging Remove

Add actions

Choose a service

Search services

Included: CloudWatch Logs

Available: AI Operations, AMP, API Gateway, API Gateway V2, ARC Region switch, ARC Zonal Shift, ASC, Access Analyzer

Add a resource Add

Add a condition - optional Add

Step 1: Specify permissions

Step 2: Review and create

Review and create

Review the permissions, specify details, and tags.

Policy details

Policy name

Enter a meaningful name to identify this policy.

cost-alert-inline-policy

Maximum 128 characters. Use alphanumeric and "-_@." characters.

Permissions defined in this policy

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it.

Search

Allow (3 of 472 services) Show remaining 469 services

Service	Access level	Resource	Request condition
CloudWatch Logs	Limited: Write	region:string like [all]	None
Cost Explorer Service	Limited: Read	All resources	None
SNS	Limited: Write	region:string like [us-east-1, SubscriptionID:string like [f8727951-7081-41bd-8ff7-9733a029a5d5, TopicName]:string like [cost-alert-topic]	None

Cancel Previous **Create policy**

cost-alert-lambda-role

Allows Lambda functions to call AWS services on your behalf.

Summary

Creation date: July 15, 2020, 18:59 (UTC+05:30)

Last activity: -

ARN: arn:aws:iam:675134942081:role/cost-alert-lambda-role

Maximum session duration: 1 hour

Permissions Trust relationships Tags Last Accessed Revoke sessions

Permissions policies (1)

You can attach up to 10 managed policies.

Search Filter by Type: All types

Policy name	Type	Attached entities
cost-alert-inline-policy	Customer inline	0

cost-alert-inline-policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "CostExplorerReadOnly",
6       "Effect": "Allow",
7       "Action": "ce:GetCostAndUsage",
8       "Resource": "*"
9     },
10    {
11      "Sid": "PublishToCostAlertTopic",
12      "Effect": "Allow",
13      "Action": "sns:Publish",
14      "Resource": "arn:aws:sns:us-east-1:675134942081:cost-alert-topic:f8727951-7081-43bd-8ff7-9733a029a5d5"
15    }
16  ]
17 }
```

Copy JSON Edit

cost-alert-lambda-role

arn:aws:iam::675134942081:role/cost-alert-lambda-role

STEP 3 — Lambda Function (Boto3)

Console navigation — create the function:

1. Search bar → type Lambda → click **Lambda** → **Create function**.
2. Select **Author from scratch**.
3. **Function name** → cost-alert-check.
4. **Runtime** → **Python 3.12**.
5. Expand **Change default execution role** → **Use an existing role** → select cost-alert-lambda-role.
6. Click **Create function**.

Console navigation — add the code:

1. On the **Code** tab, select all boilerplate in the editor and delete it.
2. Paste in the code below.
3. Click **Deploy**.

Console navigation — environment variables:

1. **Configuration** tab → **Environment variables** → **Edit**.
2. **Add environment variable**: Key SNS_TOPIC_ARN, Value = your topic ARN from Step 1.
3. **Add environment variable**: Key THRESHOLD, Value 50.
4. Click **Save**.

Console navigation — timeout:

1. **Configuration** tab → **General configuration** → **Edit**.
2. **Timeout** → change to 0 min 30 sec (Cost Explorer calls can be slow).
3. Click **Save**.

Create function info

Choose one of the following options to create your function.

☒ **Author from scratch**
Start with a simple Hello World example.

☐ **Use a blueprint**
Build a Lambda application from sample code and configuration presets for common use cases.

☐ **Container image**
Select a container image to deploy for your function.

Basic information

Function name
Enter a name that describes the purpose of your function.

Function name must be 1 to 64 characters, must be unique to the Region, and can't include spaces. Valid characters are a-z, A-Z, 0-9, hyphens (-), and underscores (_).

Runtime info
Choose the language to use to write your function. Note that the console code editor supports only Node.js, Python, and Ruby.

Permissions
By default, Lambda will create an execution role with permissions to upload logs to Amazon CloudWatch Logs. To use a different role, choose **Custom execution role** under **Additional settings**.

Custom settings info

Durable execution - new
Build resilient, stateful applications with automatic failure recovery. ☐

EC2 capacity provider - new
Run Lambda on your preferred EC2 instance types instead of Lambda's serverless compute (default). ☐


Additional settings
Customize your function architecture, execution role, HTTPS endpoints, tenant isolation mode, VPC, code signing, KMS key, and tags.

General info

ARM64 architecture ☒
Use ARM64 instead of x86_64 (default).

Custom execution role ☒ Edit
Use custom execution role instead of new role with basic Lambda permissions (default).
[IAM permissions](#)

Daily AWS Cost Alert Page 9



STEP 4 — EventBridge: Schedule Daily

Console navigation:

1. Search bar → type EventBridge → click **Amazon EventBridge**.
2. Left sidebar → **Rules** → confirm **Event bus** = default → click **Create rule**.
3. **Name** → cost-alert-daily.
4. **Rule type** → **Schedule** → **Next**.
5. **Schedule pattern**:
 - Rate-based: select **A schedule that runs at a regular rate** → 1 Day(s), OR
 - Fixed time: select cron-based → enter 0 8 * * ? * for daily at 08:00 UTC.
6. Click **Next**.
7. **Target types** → **AWS service**.
8. **Select a target** → **Lambda function**.
9. **Function** → select cost-alert-check → **Next** → **Next** → **Create rule**. (The console auto-grants EventBridge permission to invoke the function — no manual step needed.)
10. Verify: Lambda → cost-alert-check → **Configuration** → **Triggers** tab → confirm cost-alert-daily is listed.

Amazon EventBridge > Scheduled rules > Create rule

Amazon EventBridge

- Dashboard
- Developer resources
 - Learn
 - Sandbox
 - Quick starts
- Buses
 - Event buses
 - Rules [Updated](#)
 - Global endpoints
 - Archives
 - Replays
- Pipes
 - Pipes
- Scheduler
 - Schedules
 - Schedule groups
 - Scheduled rules [Updated](#) [\(legacy\)](#)
- Integration
 - Partner event sources
 - API destinations

Step 1 Define rule detail

Define rule detail

Scheduled rule detail

Name
cost-alert-daily

Description - optional
Enter description

Event bus [Info](#)
Custom or partner event bus is not supported when Schedule is selected.
default

☒ Enable the rule on the selected event bus

EventBridge Scheduler - A new AWS scheduling capability!
A new EventBridge scheduling functionality that provides one-time and recurring scheduling functionality independent of Event buses and rules. You can create a schedule to invoke targets such as a Lambda function. [Learn More](#)

[Continue in EventBridge Scheduler](#)

[Cancel](#) [Next](#)

Amazon EventBridge > Scheduled rules > Create rule

Amazon EventBridge

- Dashboard
- Developer resources
 - Learn
 - Sandbox
 - Quick starts
- Buses
 - Event buses
 - Rules [Updated](#)
 - Global endpoints
 - Archives
 - Replays
- Pipes
 - Pipes
- Scheduler
 - Schedules
 - Schedule groups
 - Scheduled rules [Updated](#) [\(legacy\)](#)
- Integration
 - Partner event sources
 - API destinations
 - Connections
- Schema registry
 - Schemas

Step 1 Define rule detail

Step 2 Define schedule

Define schedule

Schedule pattern
Choose the schedule type that best meets your needs.

☐ A fine-grained schedule that runs at a specific time, such as 8:00 a.m. PST on the first Monday of every month.

☒ A schedule that runs at a regular rate, such as every 10 minutes.

Rate expression [Info](#)
Enter a value and the unit of time to run the schedule.
rate | 5 Minutes

[Cancel](#) [Previous](#) [Next](#)

Amazon EventBridge > Scheduled rules > Create rule

Amazon EventBridge

- Dashboard
- Developer resources
 - Learn
 - Sandbox
 - Quick starts
- Buses
 - Event buses
 - Rules [Updated](#)
 - Global endpoints
 - Archives
 - Replays
- Pipes
 - Pipes
- Scheduler
 - Schedules
 - Schedule groups
 - Scheduled rules [Updated](#) [\(legacy\)](#)
- Integration
 - Partner event sources
 - API destinations
 - Connections
- Schema registry
 - Schemas

Step 1 Define rule detail

Step 2 Define schedule

Step 3 Select target(s)

Select target(s)

Permissions
Note: When using the EventBridge console, EventBridge will automatically configure the proper permissions for the selected targets. If you're using the AWS CLI, SDK, or CloudFormation, you'll need to configure the proper permissions.

Target 1

Target types
Select an EventBridge event bus, EventBridge API destination (SaaS partner), or another AWS service as a target.

☐ EventBridge event bus

☐ EventBridge API destination

☒ AWS service

Select a target [Info](#)
Select target(s) to invoke when an event matches your event pattern or when schedule is triggered (limit of 5 targets per rule)

Lambda function

Target location
☒ Target in this account ☐ Target in another AWS account

Function
cost-alert-check

Configure version/alias

[Documentation](#)

> Create rule

Note: When using the EventBridge console, EventBridge will automatically configure the proper permissions for the selected targets. If you're using the AWS CLI, SDK, or CloudFormation, you'll need to configure the proper permissions.

Step 3
Select target(s)
 Step 4 - optional
 Configure tags
 Step 5
 Review and create

Target 1

Target types
 Select an EventBridge event bus, EventBridge API destination (SaaS partner), or another AWS service as a target.

☐ EventBridge event bus
☐ EventBridge API destination
☒ AWS service

Select a target [info](#)
 Select a target(s) to invoke when an event matches your event pattern or when schedule is triggered (limit of 5 targets per rule)

Lambda function

Target location

☒ Target in this account
☐ Target in another AWS account

Function
 cost-alert-check

► **Configure version/alias**

Permissions
☒ Use execution role (recommended)

Execution role
 EventBridge needs permission to send events to the target specified above. By continuing, you are allowing us to do so. [EventBridge and AWS identity and Access Management](#)

☒ Create a new role for this specific resource
☐ Use existing role

Role name
 Amazon_EventBridge_Invoke_Lambda_1557282200

► **Additional settings**

[Add another target](#)
[Cancel](#)
[Skip to Review and create](#)
[Previous](#)
[Next](#)

Amazon EventBridge > Scheduled rules > Create rule

Amazon EventBridge <

Dashboard

Developer resources

Learn

Sandbox

Quick starts

Buses

Event buses

Rules [updated](#)

Global endpoints

Archives

Replays

Pipes

Pipes

Scheduler

Schedules

Step 1
 Define rule detail
 Step 2
 Define schedule
 Step 3
 Select target(s)
 Step 4 - optional
 Configure tags
 Step 5
Review and create

Review and create

Step 1: Define rule detail

[Edit](#)

Define rule detail

Rule name cost-alert-daily	Status Enabled	Event bus default
Description		
Rule type Scheduled rule		

Step 2: Build schedule

[Edit](#)

Event schedule [info](#)

Fixed rate of
5 minute

Step 2: Build schedule

[Edit](#)

Event schedule [Info](#)

Fixed rate of
5 minute

Step 3: Select target(s)

[Edit](#)

Targets

Details	Target Name	Type	ARN	Input	Role
▼	cost-alert-check	Lambda function	arn:aws:lambda:us-east-1:675134942081:function:cost-alert-check	Matched event	Amazon_EventBridge_Invoke_Lambda_1557282200
Input to target: Matched event					
Additional parameters: --					
Dead-letter queue (DLQ): -					

Step 4: Configure tag(s)

[Edit](#)

Tags (0)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	△	Value
No tags associated with this resource.		

[Cancel](#)[Previous](#)[Create rule](#)

≡ [Lambda](#) > Add triggers

Add trigger

Trigger configuration [Info](#)

EventBridge (CloudWatch Events)
aws asynchronous schedule management-tools

Rule

Pick an existing rule, or create a new one.

- ☐ Create a new rule
☒ Existing rules

Existing rules

Pick an existing rule

[×](#) [🕒](#)

Schedule expression

rate(5 minutes)

Lambda will add the necessary permissions for Amazon EventBridge (CloudWatch Events) to invoke your Lambda function from this trigger. [Learn more](#) about the Lambda permissions model.

[Cancel](#)[Add](#)

CloudWatch > Log management > /aws/lambda/cost-alert-check > 2026/07/15/[SLATEST]e44c513d8505498290ebb21ea378097c

CloudWatch

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Q Filter events - press enter to search

Clear 1m 30m 1h 12h Custom UTC ti

Timestamp	Message
2026-07-15T14:10:10.851Z	INIT_START Runtime Version: python:3.12.mainline.v14 Runtime Version ARN: arn:aws:lambda:us-east-1:runtime:9a66ef23f17ace13a373f8ee6571c88acfb89a549db3d2a14d9f4e59ba45
2026-07-15T14:10:11.408Z	START RequestId: 34e07620-7288-4744-a6f4-b9e53019fda2 Version: SLATEST
2026-07-15T14:10:11.981Z	North-to-date spend: 0.00 USD (period 2026-07-01 to 2026-07-15, threshold 50.00)
2026-07-15T14:10:11.981Z	North-to-date spend: 0.00 USD (period 2026-07-01 to 2026-07-15, threshold 50.00)
2026-07-15T14:10:11.981Z	Spend is within threshold - no alert sent.
2026-07-15T14:10:11.981Z	Spend is within threshold - no alert sent.
2026-07-15T14:10:11.913Z	END RequestId: 34e07620-7288-4744-a6f4-b9e53019fda2
2026-07-15T14:10:11.913Z	REPORT RequestId: 34e07620-7288-4744-a6f4-b9e53019fda2 Duration: 585.36 ms Billed Duration: 1058 ms Memory Size: 128 MB Max Memory Used: 94 MB Init Duration: 351.77 ms
	No newer events at this moment. Auto retry paused. Resume

STEP 5 — Testing: Force an Alert with a Low Threshold

Console navigation:

1. Lambda → cost-alert-check → **Configuration** → **Environment variables** → **Edit** → change THRESHOLD to 0.01 → **Save**.
2. **Test** tab → **Create new test event** → name manual-test → leave body as {} → **Save**.
3. Click **Test**.
4. Confirm **Status: Succeeded**, statusCode: 200 in the response.
5. Expand the **Function Logs** section → confirm you see the printed spend amount and "Threshold exceeded — alert published to SNS."
6. Check your email inbox for the alert (usually within 1–2 minutes).
7. Go back to **Configuration** → **Environment variables** → **Edit** → reset THRESHOLD to 50 → **Save**.

Executing function: succeeded (logs)

Details

```
{
  "statusCode": 200,
  "body": "{\"amount\": 7.1e-09, \"unit\": \"USD\", \"threshold\": 0.01, \"period_start\": \"2026-07-01\", \"period_end\": \"2026-07-15\", \"alert_sent\": false}"
}
```

Summary

Code SHA-256 jG7K4JtmoZsS8FATUrb1+pe6Dqni+X2VVMlgPnuthrE=	Execution time 1 second ago
Function version \$LATEST	Request ID 72376529-5992-4c07-bba9-b277e3aeb8b2
Duration 500.46 ms	Billed duration 858 ms
Resources configured 128 MB	Max memory used 94 MB
Init duration 357.33 ms	

Error:

Not received SNS alert:

Issue in [cost-alert-inline-policy](#)

Before wrong ARN (Subscription ARN) updated into resource :

```
{
  "Sid": "PublishToCostAlertTopic",
  "Effect": "Allow",
  "Action": "sns:Publish",
  "Resource": "arn:aws:sns:us-east-1:675134942081:cost-alert-
topic:f8727951-7081-41bd-8ff7-9733a029ad5d" #remove Subscription ARN and add SNS ARN value
},
```

After Update SNS ARN :

```
{
  "Sid": "PublishToCostAlertTopic",
  "Effect": "Allow",
  "Action": "sns:Publish",
  "Resource": "arn:aws:sns:us-east-1:675134942081:cost-alert-topic" <<<--- SNS ARN value
},
```

2026-07-15T14:25:11.264Z Month-to-date spend: 0.00 USD (period 2026-07-01 to 2026-07-15, threshold 0.00)

Month-to-date spend: 0.00 USD (period 2026-07-01 to 2026-07-15, threshold 0.00) ←

2026-07-15T14:25:11.473Z Threshold exceeded - alert published to SNS.

Threshold exceeded - alert published to SNS.

2026-07-15T14:25:11.479Z EVD RequestId: 3e56ec68-06cc-4694-b23d-a965a63b238d

2026-07-15T14:25:11.479Z REPORT RequestId: 3e56ec68-06cc-4694-b23d-a965a63b238d Duration: 714.58 ms Billed Duration: 715 ms Memory Size: 128 MB Max Memory Used: 95 MB

No newer events at this moment. Auto retry paused. [Resume](#)

