

Manifest file:

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<manifest xmlns:android=http://schemas.android.com/apk/res/android
```

```
    xmlns:tools=http://schemas.android.com/tools>
```

```
    <meta-data
```

```
        Android:name="com.google.android.geo.API_KEY"
```

```
        Android:value="YOUR_API_KEY"/>
```

```
    <uses-permission android:name="android.permission.ACCESS_FINE_LOCATION"
```

```
        Tools:ignore="CoarseFineLocation" />
```

```
    <application
```

```
        Android:allowBackup="true"
```

```
        Android:icon="@mipmap/ic_launcher"
```

```
        Android:label="@string/app_name"
```

```
        Android:theme="@style/Theme.MapLocation">
```

```
        <activity
```

```
            Android:name=".MainActivity"
```

```
            Android:exported="true">
```

```
            <intent-filter>
```

```
                <action android:name="android.intent.action.MAIN" />
```

```
                <category android:name="android.intent.category.LAUNCHER" />
```

```
</intent-filter>
```

```
</activity>
```

```
</application>
```

```
</manifest>
```

Activity_main.xml

```
<androidx.fragment.app.FragmentContainerView
```

```
    xmlns:android=http://schemas.android.com/apk/res/android
```

```
    android:id="@+id/map"
```

```
    android:name="com.google.android.gms.maps.SupportMapFragment"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent" />
```

Gradle(Module app)

```
Dependencies {
```

```
    Implementation("com.google.android.gms:play-services-maps:18.1.0")
```

```
    Implementation("com.google.android.gms:play-services-location:21.0.1")
```

```
}
```

MainActivity.java

```
Package com.example.maplocation;
```

```
Import android.Manifest;
```

```
Import android.content.pm.PackageManager;
```

```
Import android.location.Location;
```

```
Import android.os.Bundle;
```

```
Import androidx.core.app.ActivityCompat;
```

```
Import androidx.fragment.app.FragmentActivity;
```

```
Import com.google.android.gms.location.FusedLocationProviderClient;
```

```
Import com.google.android.gms.location.LocationServices;
```

```
Import com.google.android.gms.maps.*;
```

```
Import com.google.android.gms.maps.model.*;
```

```
Public class MainActivity extends FragmentActivity implements OnMapReadyCallback {
```

```
    Private GoogleMap mMap;
```

```
    Private FusedLocationProviderClient locationClient;
```

```
    @Override
```

```
    Protected void onCreate(Bundle savedInstanceState) {
```

```
        Super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```

```
        locationClient = LocationServices.getFusedLocationProviderClient(this);
```

```
        SupportMapFragment mapFragment =
```

```
(SupportMapFragment) getSupportFragmentManager()
    .findFragmentById(R.id.map);
```

```
If (mapFragment != null) {
    mapFragment.getMapAsync(this);
}
}
```

@Override

```
Public void onMapReady(GoogleMap googleMap) {
    mMap = googleMap;
```

```
if (ActivityCompat.checkSelfPermission(this,
    Manifest.permission.ACCESS_FINE_LOCATION)
    != PackageManager.PERMISSION_GRANTED) {
```

```
    ActivityCompat.requestPermissions(this,
        new String[]{Manifest.permission.ACCESS_FINE_LOCATION}, 1);
    Return;
}
```

```
mMap.setMyLocationEnabled(true);
```

```
locationClient.getLastLocation().addOnSuccessListener(location -> {
    if (location != null) {
```

```
LatLng userLocation = new LatLng(  
    Location.getLatitude(),  
    Location.getLongitude());  
  
mMap.addMarker(new MarkerOptions()  
    .position(userLocation)  
    .title("My Location"));  
  
mMap.moveCamera(CameraUpdateFactory  
    .newLatLngZoom(userLocation, 15));  
}  
});  
}  
}
```