Silver answer key

16 sets | 3 minutes per set | 1 point per correct answer

PASS = all three answers correct. Any incorrect, blank or multiple-marked answer makes the result FAIL. Ask participants to use the final-answer boxes if they change a selection.

SET	QUESTION 1	QUESTION 2	QUESTION 3
01	B	B	A
02	C	B	C
03	C	A	B
04	C	C	B
05	B	D	B
06	C	B	B
07	B	A	C
08	B	D	A
09	A	C	C
10	C	A	C
11	B	D	B
12	C	B	B
13	C	A	B
14	B	C	A
15	B	B	C
16	B	C	A

Manual operation: assign one set, write the participant's name, start the edition's timer, collect the sheet at expiry and mark using the table above. Record name, team, set, score and Pass/Fail on your attendance sheet.

The tables are listed separately by edition. The option letters match across editions, but question wording and reasoning differ. Use the matching edition's explanations on the following pages.

FACILITATOR COPY - KEEP SEPARATE FROM QUESTION PAPERS

Gold answer key

16 sets | 4 minutes per set | 1 point per correct answer

PASS = all three answers correct. Any incorrect, blank or multiple-marked answer makes the result FAIL. Ask participants to use the final-answer boxes if they change a selection.

SET	QUESTION 1	QUESTION 2	QUESTION 3
01	B	B	A
02	C	B	C
03	C	A	B
04	C	C	B
05	B	D	B
06	C	B	B
07	B	A	C
08	B	D	A
09	A	C	C
10	C	A	C
11	B	D	B
12	C	B	B
13	C	A	B
14	B	C	A
15	B	B	C
16	B	C	A

Manual operation: assign one set, write the participant's name, start the edition's timer, collect the sheet at expiry and mark using the table above. Record name, team, set, score and Pass/Fail on your attendance sheet.

The tables are listed separately by edition. The option letters match across editions, but question wording and reasoning differ. Use the matching edition's explanations on the following pages.

Silver | Set 01

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Ask the information owner to approve the specific release version before transferring it using the permitted method.

Authorship and a general managerial statement do not release specific nonpublic information. Redaction must be part of an authorized release decision.

QUESTION 2 - CORRECT OPTION B

Decline the notification and contact the Service Desk through the published number to validate that specific support step.

Knowledge of a genuine ticket is not independent verification of the requested action. Do not approve a sign-in you did not initiate.

QUESTION 3 - CORRECT OPTION A

Use the approved route to stop the unexplained forwarding and preserve its details for an assessment of authorization and scope.

A legitimate adviser does not establish that this forwarding was authorized. Removing the symptom alone does not assess prior exposure.

Silver | Set 02

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Pause access and report the update and sign-in behavior, validating the organizer's request through a separate trusted channel.

The existing conversation may be compromised. Neither relocating a file nor a clean scan independently validates the changed request.

QUESTION 2 - CORRECT OPTION B

Use named access to the three approved files, seeking a specific scope extension if an additional business need actually arises.

The current need and approval cover three files. Read-only, logging and expiry do not justify granting unrelated information.

QUESTION 3 - CORRECT OPTION C

Send the record and timing to the responsible IT or Security team to validate the activity and any remaining account access.

Neither the displayed name nor a plausible automation explanation proves the cause. Route the specific facts for validation without making an unsupported finding.

Silver | Set 03

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Obtain the approved aggregate source and raise the unexpected individual-record access with the information owner without exploring further.

The final output's anonymity does not automatically authorize processing its underlying personal records. Use the data actually needed and approved.

QUESTION 2 - CORRECT OPTION A

Report the post promptly with the possible campaign context so authorized owners can validate it and manage any exposure.

A possible campaign is context for assessment, not a reason to delay while others encounter the unverified link.

QUESTION 3 - CORRECT OPTION B

Compare the files and timing with the documented migration scope before deciding whether the change represents an unexplained concern.

A new assignment can explain a changed baseline, but its existence does not prove that every file downloaded was required.

Silver | Set 04

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Check the requested change through the courier’s independently obtained contact route before supplying information through the text’s link.

Accurate order details and further messages from the same source do not independently validate the link or the requested action.

QUESTION 2 - CORRECT OPTION C

Open the account service through its known address and assess the unrecognized activity using the approved reporting and account-protection process.

The event may be genuine or explained, but both the activity and the recovery message need trusted validation. Normal account behavior does not settle it.

QUESTION 3 - CORRECT OPTION B

Create a link restricted to the five named employees, confirm its access settings and share it through the approved work channel.

Permissions should enforce the approved audience. Instructions, read-only settings and a private message containing a broadly accessible location do not do that.

Silver | Set 05

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Summarize the verified public report within the tool’s stated approval and check the output against that source before using it.

The documented approval already covers this precise input and purpose. Proceed within it; do not expand the data or substitute an unreviewed service.

QUESTION 2 - CORRECT OPTION D

Use the approved temporary access route, because supervision and a manager’s convenience approval do not separate account permissions or individual accountability.

The colleague would act with your account’s authority. Watching or documenting the session does not supply separate credentials or reduce its permissions.

QUESTION 3 - CORRECT OPTION B

Hold use of the affected output, report the unexpected disclosure and obtain the required figure from an authorized, verifiable source.

Changing citations does not establish entitlement to the source or validate a derived result. An approved tool can still disclose information incorrectly.

Silver | Set 06

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Preserve and route the report promptly through the security-reporting process, leaving validation and attachment handling to authorized personnel.

The report merits prompt handling even if an attachment is unsafe. Credibility does not authorize unsanctioned testing or justify delaying its routing.

QUESTION 2 - CORRECT OPTION B

Preserve the known details and report the pattern through the approved process so scope and appropriate handling can be assessed.

Trust, an incomplete sample and deletion assurances do not establish the exposure’s scope. Reporting does not itself assign blame.

QUESTION 3 - CORRECT OPTION B

Save your work and complete the verified managed restart within the deadline, using normal support if the deployment differs or fails.

The normal deployment and independently opened official notice agree. Complete the approved process; additional verification is not automatically needed.

Silver | Set 07

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Use the established portal or official employee directory to validate the change before entering information into the new sign-in workflow.

Clean scans and genuine sign-in services do not validate a changed business workflow or destination. Start from the known official route.

QUESTION 2 - CORRECT OPTION A

Use the available break to complete the approved restart, seeking IT help only if a real conflict prevents meeting both requirements.

A compliant window exists. Business priority is not by itself authority to bypass a managed deadline.

QUESTION 3 - CORRECT OPTION C

Hold the real-account connection until the scope is approved or choose an alternative that fits the current authorized reminder function.

A smaller pilot, contract promise and user instruction do not narrow permissions granted to the service.

Silver | Set 08

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Obtain the required information-owner authorization and approved recipient arrangement before sending, while acknowledging that the manager's request is genuine.

Identity and authority are different checks. Encryption and seniority do not replace the required approval to disclose the particular information.

QUESTION 2 - CORRECT OPTION D

Choose calendar-only mode, confirm the permission screen matches that scope and continue without enabling the additional mailbox or file functions.

There is an approved path with sufficient functionality. Do not grant extra permissions, but do not invent a new review requirement for the approved mode.

QUESTION 3 - CORRECT OPTION A

Validate the participant independently and obtain the required specific sharing authorization before displaying or sending the employee list.

An invitation to one topic does not authorize every category of information. Screen sharing is still disclosure.

Silver | Set 09

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION A

Report the prior exposure promptly and preserve available sharing and access details so the appropriate team can assess its scope.

Restricting access contains the issue but does not determine prior disclosure. Viewing can disclose information without a download.

QUESTION 2 - CORRECT OPTION C

Offer the available approved meeting route and seek the normal software review before installing or using the new app for work material.

A genuine customer request and recognized publisher do not establish company authorization. The available approved service supports the business task.

QUESTION 3 - CORRECT OPTION C

Escalate the exposed secret for authorized replacement and historical-use assessment, arranging removal of accessible copies where possible.

Deletion does not restore a disclosed password’s secrecy. A low view count and partial clean history cannot establish that nobody retained it.

Silver | Set 10

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Raise the exposure for authorized invalidation of the code and review of possible use, while arranging restriction of the exposed versions.

Version history remains an exposure. Restricting access now cannot invalidate a code someone may already have copied.

QUESTION 2 - CORRECT OPTION A

Pause the task and restore the approved connection, confirming it is active before continuing access to the confidential records.

The task’s access requirement is explicit. Existing visibility and different encryption products do not create an exception.

QUESTION 3 - CORRECT OPTION C

Stop the authorization and report the unexpected request, since the genuine sign-in page does not validate the device or app being authorized.

A real identity service can authorize an attacker-controlled device or application. Verify the action, not only the page address.

Silver | Set 11

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Keep it disconnected and use the approved handling route, providing the employee's claimed ownership and requested folder details to authorized personnel.

Ownership claims and a disconnected computer do not supply authority to inspect an unknown device. Follow the available handling procedure.

QUESTION 2 - CORRECT OPTION D

Hold interaction until the request and external sharing arrangement can be independently validated through an approved secondary communication route.

The service, project and scan are supporting clues, not independent confirmation of the changed sharing arrangement or control of the chat account.

QUESTION 3 - CORRECT OPTION B

Select personal badge release, collect the complete job when you release it and keep it secure for the authorized meeting.

Use the available required control. Cover sheets, supervision and an apparently empty room do not replace badge release.

Silver | Set 12

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Seek review of its permissions and data handling before work use; click-only activation reduces exposure but does not establish approval.

Exposure restrictions are useful but are not a substitute for assessing permissions, information handling and approval.

QUESTION 2 - CORRECT OPTION B

Create and check the limited extract using the approved template, transferring only the authorized fields and records through the restricted folder.

Hiding, filtering, conversion and encryption do not establish permission to send additional content. Use the available clean extract.

QUESTION 3 - CORRECT OPTION B

Report the misdirected disclosure with the recall and deletion evidence so the appropriate owner can assess exposure and any remaining steps.

Recall, cooperation and prevention are useful evidence and actions. They do not establish the complete scope of an external disclosure.

Silver | Set 13

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Use independently obtained carrier and account-support contacts to assess possible number takeover and protect affected accounts through trusted alternate routes.

A real carrier outage does not explain unauthorized recovery changes. Use independently obtained contacts rather than those supplied in the alert.

QUESTION 2 - CORRECT OPTION A

Hold further use and report the upload with its scope and deletion details so authorized owners can assess handling and permitted next steps.

A useful output, no-training promise and visible deletion do not establish authorized disclosure or removal from all retained copies.

QUESTION 3 - CORRECT OPTION B

Participate through the independently validated portal route if you wish, supplying only the stated information within the campaign’s approved scope.

The independent official confirmation and matching request support normal participation. Do not expand the approved data or automatically classify every QR code as malicious.

Silver | Set 14

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Disregard the instruction and hold reliance on the affected output, routing it for review and obtaining the needed summary through a validated method.

External source text is not authority to perform actions. Removing the visible instruction does not itself validate the remaining affected output.

QUESTION 2 - CORRECT OPTION C

Keep the event in the approved investigation process and provide the prompt and password-change details for assessment of sessions and required containment.

Stopping prompts does not establish whether access already succeeded or sessions persist. The helper's claim is not independent closure evidence.

QUESTION 3 - CORRECT OPTION A

Arrange individually attributable access, using an explicitly approved interim method if required rather than treating shared-password records as reliable attribution.

Knowing who could use a common account does not establish who performed a particular action. Improve attribution through approved individual access.

Silver | Set 15

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Have the designated HR or IT owner identify and release the authorized personal material without exposing the old folder or sharing your session.

A valid retrieval request is not permission to explore the old folder or decide independently which particular file may be disclosed.

QUESTION 2 - CORRECT OPTION B

Use the approved route to stop further unauthorized transfer, preserve scope details and follow coordinated instructions for assessing and removing retained copies.

Encryption and privacy do not authorize an external transfer. Deletion should be coordinated with scope assessment and retention checks.

QUESTION 3 - CORRECT OPTION C

Record collection as confirmed and destruction as unverified, obtaining the required evidence or formal exception before signing completion of the process.

Collection, contractual promises and supplier approval do not prove destruction of the specific items. Record the completed and unverified steps accurately.

Silver | Set 16

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Raise the use and affected information promptly, limit further unnecessary uploads and follow coordinated guidance on exposure assessment and an approved transition.

Exposure, evidence, containment and the future workflow need coordinated assessment. Deletion or purchase alone does not resolve the prior use.

QUESTION 2 - CORRECT OPTION C

Use the documented owner-check fallback before sending, without treating silence from the unavailable control as evidence that the transfer is permitted.

The approved fallback supports the task while the control is unavailable. A failed control’s silence is not a clean result, and encryption does not replace approval.

QUESTION 3 - CORRECT OPTION A

Follow the authorized closure and retention instructions, raising any genuinely new evidence through the same case route rather than creating a private collection.

Authorized closure is a valid outcome. Follow the case owner’s retention requirements and route genuinely new information appropriately.

Gold | Set 01

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Only the reviewed version covered by the release approval, obtained through the approved transfer method without unreviewed notes, pages or source material.

Approval of an exact released version supports using that version. It does not release the original file, hidden content or an expanded package.

QUESTION 2 - CORRECT OPTION B

Decline the sign-in approval and independently contact the Service Desk through the published route to validate the requested step against your genuine ticket.

Ticket knowledge can be copied. A sign-in you did not initiate is not validated by messages supplied by the same caller.

QUESTION 3 - CORRECT OPTION A

Use the approved route to stop the unexplained forwarding and report it, preserving the rule and message details so its authorization and scope can be assessed.

A legitimate recipient and an approved application are possible explanations, not proof that this forwarding was authorized; a local fix alone loses the wider assessment.

Gold | Set 02

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Pause interaction with the updated material and report both the change and the unexpected sign-in page, using a separate trusted route to validate the organizer's request.

The existing conversation may itself be compromised. Relocation and a clean scan do not explain the unexpected credential request.

QUESTION 2 - CORRECT OPTION B

Named access to the three approved files with the agreed expiry, with any later expansion considered against a specific approved business need.

The decision is how to implement an existing approval. Read-only, time limits and convenience do not justify expanding the authorized information scope.

QUESTION 3 - CORRECT OPTION C

The attribution needs validation; send the record and timing through the approved IT or Security route so the activity and any remaining access can be checked.

The evidence does not prove either compromise or harmless automation. A normal employee should preserve and route the ambiguity for validation.

Gold | Set 03

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Stop exploring the individual records, ask for the approved aggregate source, and raise the unexpected folder access with its owner or IT for review.

Technical visibility and project sponsorship do not establish a need to process the underlying personal records.

QUESTION 2 - CORRECT OPTION A

Report the post and link promptly through the incident channel, explain the unconfirmed campaign context, and let authorized owners validate it and contain exposure.

A possible campaign is relevant context, but it does not justify delaying escalation while employees encounter an unverified credential-related link.

QUESTION 3 - CORRECT OPTION B

Compare the actual files, timing and volume with the documented migration assignment before deciding whether the downloads represent an unexplained security concern.

This HardSETS theme tests business context: a changed baseline is not itself malicious, and a broad assignment is not proof that every download was required.

Gold | Set 04

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Contact the coordinator through a previously established independent method and confirm the change through the approved process before entering information on the new site.

An authentic conversation or encrypted site does not independently validate a changed destination requesting credentials.

QUESTION 2 - CORRECT OPTION C

Open the account service through its known address and use the approved reporting route to assess the unrecognized sign-in, following trusted containment instructions.

Neither the location nor normal account behavior settles the issue. Use a trusted entry point rather than an unverified security link.

QUESTION 3 - CORRECT OPTION B

Create a link restricted to the five named recipients, confirm its access settings, and send it through the approved channel without broadening the audience.

Technical access should enforce the authorized audience. Internal storage, read-only permissions and instructions cannot substitute for recipient restrictions.

Gold | Set 05

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Summarize the checked public report in the approved assistant within its stated scope, and verify the output against the source before using it.

The stated approval covers this specific input and purpose. Proceed within it and validate the result; neither an unnecessary exception nor broader data use follows.

QUESTION 2 - CORRECT OPTION D

Direct the colleague to the approved temporary device or access route, explaining that your supervised session would still use permissions and accountability assigned to you.

Supervision, private browsing and a note do not separate the user identities or reduce your account's permissions.

QUESTION 3 - CORRECT OPTION B

Hold use and distribution of the affected output, report the unexpected disclosure through the approved route, and obtain the needed figure from an authorized source.

Editing the presentation does not establish entitlement to the source or validate the derived result. The approved tool can still disclose information incorrectly.

Gold | Set 06

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Preserve and route the report promptly through the approved security-reporting process, leaving testing and handling of the attachment to authorized personnel.

The credible evidence merits prompt handling, but not unsanctioned testing. Unsafe material should not delay routing the substantive report.

QUESTION 2 - CORRECT OPTION B

Report the pattern through the approved security or compliance route and preserve relevant details, allowing the scope and appropriate removal steps to be assessed.

Trust and deletion assurances do not establish scope or whether copies remain elsewhere. Reporting is not a finding of employee misconduct.

QUESTION 3 - CORRECT OPTION B

Save your work and schedule the verified managed update within its stated deadline, using the approved support route if the deployment fails or differs from the notice.

Independent verification through the known portal matches the normal managed process. The safe response is to complete the approved update, not automatically escalate or defer.

Gold | Set 07

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Use the established portal or official employee directory to validate the announced change before interacting with the new sign-in page.

A clean scan is not proof of legitimacy, and a familiar sign-in service may still be involved in an unauthorized workflow.

QUESTION 2 - CORRECT OPTION A

Save your work and use the available break to complete the approved restart before the deadline, seeking IT help if an actual conflict prevents it.

There is an available compliant path. Business priority alone does not grant authority to bypass a managed security deadline.

QUESTION 3 - CORRECT OPTION C

Hold the real-account connection and seek the required review or an alternative whose access fits the current approved purpose before granting permissions.

A contract, smaller pilot and user instructions do not narrow permissions already granted to the service.

Gold | Set 08

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Acknowledge the confirmed request but obtain the required information-owner authorization and approved recipient arrangement before sending the report.

Verifying who requested an action is separate from verifying their authority to release particular information.

QUESTION 2 - CORRECT OPTION D

Select the approved calendar-only mode, check that the permission screen matches it, and continue without enabling the additional mailbox or file features.

The existing scope supplies a compliant path. Approval of the narrow mode neither authorizes the default broader mode nor requires avoiding the approved configuration.

QUESTION 3 - CORRECT OPTION A

The attendee’s identity and specific authorization to receive the employee information, using trusted verification and the required sharing approval.

Invitation to a limited discussion does not authorize every type of information. Screen sharing is a disclosure even without a file download.

Gold | Set 09

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION A

Report the exposure promptly through the incident route and preserve available sharing and access details so the scope and consequences can be assessed.

Closing access contains the exposure; it does not determine whether disclosure occurred. Viewing can itself disclose information.

QUESTION 2 - CORRECT OPTION C

Offer the available approved meeting route and request IT review for the new app rather than treating verified sender identity or colleagues' use as installation approval.

The business request can be genuine while the software or data-handling arrangement remains unauthorized. An approved alternative is already available.

QUESTION 3 - CORRECT OPTION C

Report the exposure so the authorized owner can replace the password promptly and assess historical use, while arranging removal of accessible copies where possible.

An exposed secret must be treated as known to others. Deletion and a limited clean activity check do not restore secrecy.

Gold | Set 10

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Raise the exposure promptly for authorized invalidation or replacement of the code and review of possible use, while arranging restriction of the exposed versions.

Old versions remain disclosures. Restricting the document does not invalidate a code that someone may already have copied.

QUESTION 2 - CORRECT OPTION A

Pause the work and reconnect using the approved service, confirming the required connection is restored before reopening or continuing access to the confidential records.

The task explicitly depends on the approved connection. Existing visibility and other encryption do not create an exception; reconnecting through the normal route is the next action.

QUESTION 3 - CORRECT OPTION C

Stop the authorization and report the request through the approved route; a genuine sign-in page does not validate the unfamiliar device or application being authorized.

Legitimate authentication infrastructure can be used to trick a user into approving someone else's device or application. The destination alone does not prove the action is safe.

Gold | Set 11

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Keep the device disconnected and use the approved IT or Security handling process, giving them the claimed owner and project details for validation and return.

A claimed owner and an isolated laptop do not establish device safety or authority to inspect it. The approved handling route can validate ownership safely.

QUESTION 2 - CORRECT OPTION D

Hold interaction and independently confirm both the request and the external sharing arrangement through an approved secondary route before opening or signing in.

The real service and real project are not proof of the sender’s control or the external organization’s authorization.

QUESTION 3 - CORRECT OPTION B

Use the personal badge-release queue, collect the complete job yourself at release, and keep the report secure for the authorized meeting.

Use the available required control. Supervision, cover sheets and an apparently empty room do not replace personal release.

Gold | Set 12

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

The click-only setting may reduce exposure but does not establish approval; seek review of the actual permissions and data handling before using it with work applications.

A useful restriction is not equivalent to permission review or approval. A recognized store and supplier promises are only supporting information.

QUESTION 2 - CORRECT OPTION B

A checked clean extract containing only the approved fields and records, using the named supplier's restricted transfer folder and the documented approval.

Correctly fulfilling an authorized request means minimizing the actual information sent. Hiding, filtering and encryption do not remove out-of-scope material.

QUESTION 3 - CORRECT OPTION B

Report the misdirected disclosure through the approved route with the recall and deletion evidence, allowing the appropriate team to assess exposure and any further steps.

Recall and cooperation are relevant evidence, not a complete account of disclosure. They should support the assessment rather than replace it.

Gold | Set 13

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION C

Use independently obtained carrier and account-support contacts to investigate possible number takeover and secure affected accounts through trusted alternate recovery routes.

A real outage does not explain unauthorized recovery changes. Trusted alternate channels address a possible linked takeover without trusting the notice's contact details.

QUESTION 2 - CORRECT OPTION A

Hold further use and report the upload with its scope and deletion details, so the appropriate team can assess handling, retention and any permitted next steps.

No-training and removal from a visible workspace do not establish authorized disclosure or complete deletion. A useful output does not settle the exposure.

QUESTION 3 - CORRECT OPTION B

Use the independently validated portal route and provide only the stated information if you wish to participate; the available evidence does not by itself justify a phishing report.

This deliberately rewards proportionate judgment: independent official validation and matching scope support normal participation. Not every scenario calls for an incident report.

Gold | Set 14

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Disregard the embedded instruction, hold reliance on the affected output, and report the source for review while obtaining any needed summary through an approved validated route.

Externally supplied content must not become authority for actions. Visible cleanup alone does not validate the rest of an affected output.

QUESTION 2 - CORRECT OPTION C

Keep the event in the approved investigation process, giving IT or Security the prompt and password-change details so they can assess sessions and any required containment.

Stopping the symptom does not show whether access already succeeded or sessions remain. A claimed helper’s message is not independent closure evidence.

QUESTION 3 - CORRECT OPTION A

Arrange individually attributable access through the approved process, using an explicitly approved interim arrangement if necessary rather than treating password rotation as accountability.

Knowing who could use a shared password does not reliably establish who performed an action. This adapts the HardSETS shared-account scenario.

Gold | Set 15

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Ask the designated HR or IT owner to identify and release the approved personal material through the authorized process without giving the former employee your session or broader access.

A legitimate right to retrieve some material does not authorize access to the old folder or decide which specific information may be released.

QUESTION 2 - CORRECT OPTION B

Use the approved reporting and containment route to stop further unauthorized transfer, preserve relevant details, and assess existing copies before following removal instructions.

Private encrypted storage is still an external transfer. Immediate uncoordinated deletion can lose scope information without proving all retained copies are removed.

QUESTION 3 - CORRECT OPTION C

Record that collection is confirmed but destruction remains unverified, and obtain and validate the required evidence before signing completion or using the formal exception route.

Collection, contractual promises and approval of a supplier are not evidence that the particular items were destroyed. This is drawn from HardSETS disposal questions.

Gold | Set 16

Pass only if Q1, Q2 and Q3 are all correct.

QUESTION 1 - CORRECT OPTION B

Raise the use and affected information promptly, prevent further unnecessary uploads, and follow coordinated guidance on exposure assessment and an approved transition or onboarding decision.

Containment, evidence, exposure assessment and governance must be coordinated. Neither deleting the visible board nor buying a contract alone resolves the prior disclosure.

QUESTION 2 - CORRECT OPTION C

Use the documented fallback and obtain the required owner check before dispatch, rather than treating the absence of alerts as evidence the unavailable control would permit it.

No alerts from a failed control are not clean evidence. The approved fallback supplies a usable proportionate path without inventing an exception.

QUESTION 3 - CORRECT OPTION A

Follow the authorized closure and retention instructions, confirm your assigned actions are complete, and raise any genuinely new evidence through the same case route.

A documented decision by the authorized owner can close an investigation. Follow assigned retention requirements; do not invent private evidence collections or disregard new facts.
