
HTML Forms

Ref: <https://www.w3schools.com/> and
other internet based tutorials

- Grouping Form Data with <fieldset>
- The <fieldset> element is used to group related data in a form.
- The <legend> element defines a caption for the <fieldset> element.
- Example

```
<form action="/action_page.php">  
  <fieldset>  
    <legend>Personal information:</legend>  
    First name:<br>  
    <input type="text" name="firstname" value="Mickey"><br>  
    Last name:<br>  
    <input type="text" name="lastname" value="Mouse"><br><br>  
    <input type="submit" value="Submit">  
  </fieldset>  
</form>
```

■ The <select> Element

- The <select> element defines a drop-down list:

- Example

```
<select name="cars">  
  <option value="volvo">Volvo</option>  
  <option value="saab">Saab</option>  
  <option value="fiat">Fiat</option>  
  <option value="audi">Audi</option>  
</select>
```

- The <option> elements defines an option that can be selected.
- By default, the first item in the drop-down list is selected.
- To define a pre-selected option, add the selected attribute to the option:
- Example
- <option value="fiat" selected>Fiat</option>
- Use the multiple attribute to allow the user to select more than one value:
 - <select name="cars" size="4" **multiple**>

■ The <textarea> Element

- The <textarea> element defines a multi-line input field (a text area):

- Example

```
<textarea name="message" rows="10" cols="30">
```

The cat was playing in the garden.

```
</textarea>
```

- The rows attribute specifies the visible number of lines in a text area.
- The cols attribute specifies the visible width of a text area.

HTML Input Types

- `<input type="text">`
- `<input type="submit">`
- `<input type="password">`
- `<input type="button">`
 - `<input type="button" onclick="alert('Hello World!')" value="Click Me!">`
- `<input type="reset">`
- `<input type="radio">`
- `<input type="checkbox">`

HTML5 Input Types

- Input Type Color

The `<input type="color">` is used for input fields that should contain a color.

- Input Type Date

The `<input type="date">` is used for input fields that should contain a date.

You can also use the `min` and `max` attributes to add restrictions to dates:

```
<input type="date" name="bday" max="2000-01-02" min="1979-12-31">
```

- Input Type Email

The `<input type="email">` is used for input fields that should contain an e-mail address.

HTML5 Input Types

- Input Type File

The `<input type="file">` defines a file-select field and a "Browse" button for file uploads.

- Input Type Range

The `<input type="range">` defines a control for entering a number whose exact value is not important (like a slider control). Default range is 0 to 100. However, you can set restrictions on what numbers are accepted with the `min`, `max`.

HTML Input Attributes

- The value Attribute

The value attribute specifies the initial value for an input field:

- The readonly Attribute

The readonly attribute specifies that the input field is read only (cannot be changed):

- The disabled Attribute

- The disabled attribute specifies that the input field is disabled.

- A disabled input field is unusable and un-clickable, and its value will not be sent when submitting