


MD-1.1 ISOMETRIC VIEW
LOOKING SOUTH EAST

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL–150

DWG NAME
MD–1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)


REF.DWG.NO.
–

PREPARED BY
cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO
2E00140–PI–094–001–MD–1.1

REV.
0



MD-1.1 ISOMETRIC VIEW
LOOKING NORTH EAST

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - **XXXXXX ——PIPE LINE
   - (**XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL-150

DWG NAME: MD-1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140-PI-094-001-MD-1.1

REV.: 0



MD-1.1 PLAN VIEW
SECTION 'A-A'



MD-1.1 PLAN VIEW
SECTION 'B-B'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)

REF.DWG.NO.: –


PREPARED BY

cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–1.1

REV.: 0



MD-1.1 PLAN VIEW
SECTION 'C-C'



MD-1.1 ELEVATION VIEW
SECTION 'E-E'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX —— PIPE LINE
   - (××XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL-150

DWG NAME
MD-1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)


REF.DWG.NO.
–

PREPARED BY
cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO
2E00140-PI-094-001-MD-1.1


REV.
0




MD-1.1 ELEVATION VIEW
SECTION 'D-D'



MD-1.1 SECTION 'F-F'
(LOOKING WEST)



MD-1.1 SECTION 'G-G'
(LOOKING WEST)



MD-1.1 SECTION 'H-H'
(LOOKING WEST)

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)

REF.DWG.NO.: –

PREPARED BY


cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–1.1

REV.: 0

REVISION RECORD



LEGEND:

PIPELINE / SPOOL	INDICATES PIPELINE ON THE TOP AND SPOOL ON THE BOTTOM.
SUPPORT	INDICATES SUPPORT.
TERMINAL POINT	INDICATES TERMINAL POINT.
– – – – – – –	INDICATES TRACING.

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. QUINONES	10/22/2025	**N05-003538**	**0**	**23A0H**
REVIEWED BY:	D. MAZQUIARAN/N. JAMSHIDI	10/28/2025	**SEAL AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-MBH-BR-AG		
			P&ID DRAWING NUMBER: N01-PID-MBH-00-01		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE: -	PAGE NUMBER: 2 OF 4	

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST



SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, PE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBPZZABBANI	25.9'
2	45 DEG ELBOW, CL3000, SWE, ASME B16.11, ASTM A182-F304	2	MMBWAWBVZZAAGALO	2
3	90 DEG ELBOW, CL3000, SWE, ASME B16.11, ASTM A182-F304	2	MMCKAWBVZZAAGALO	1
4	COUPLING, CL3000, SWE, ASME B16.11, ASTM A182-F304	2	MMAKAWBVZZAAGALO	1
5	FLANGE SW, CL300, RFFE, ASME B16.5, ASTM A182-F304	2	MFABAMABZZAADALO	1

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
6	GASKET, SPIRAL WOUND, CL300, 0.175" THK, ASME B16.20, WINDING 316L/FILLER FLEXIBLE GRAPHITE, INNER RING 316L/CENTERING RING 316	2	MDAMAXAAKXAJUS	1
7	STUD, CONTINUOUS THREAD, ASME B18.31.2, ASTM A193-B7, 11-UNC - 4.5 in. Length	5/8	MBAZZADZZIAGBEUZ	8
8	NUT, HEAVY HEX, ASME B18.2.2, ASTM A194-2H, 11-UNC	5/8	MNOZZADAAZBGAADU	16
9	WASHER, SPECIAL SHAPED LOCK, 2in NPD, 1.2mm THK, MHPSA G1-90943, ASTM A240-304	5/8	MWQZZZZBXIBCAMDP	16
	PIPE SUPPORTS			
10	PIPE SUPPORT	2	**23A0H-PS-10	1
11	PIPE SUPPORT	2	**23A0H-PS-09	1
	SPOOLS			
	**23A0H-5			

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<9>	2'4 7/16"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<10>	4'4 7/16"	2	PLD BEND(1)	SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<11>	2'9 5/16"	2	PLD BEND(1)	SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<12>	16'4 1/8"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI

WELD NO	WELD TYPE	WELD CAT	NPD	QTY
19	SW	S	2"	1
20	SW	S	2"	1
21	SW	S	2"	1
22	SW	S	2"	1
23	SW	S	2"	1
24	SW	S	2"	1
25	SW	S	2"	1
26	SW	S	2"	1

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. 〈XXX## ###〉 INDICATES PIPING TERMINAL POINT.

PIPING SPEC:	SBC	PAINTING SPEC: PER PROJECT SPECIFICATION	REVISION RECORD		
FLUID CODE:	AC, GT COMPRESSED AIR	INTERIOR SURFACE TREATMENT SPEC: LU-00129	REV. #	DESCRIPTION	BY / CHK / APP / DATE
MAX. PRESS.:	81.00 psig / 0.56 MPag				
TEST PRESS.:	121.50 psig / 0.84 MPag				
MAX. TEMP:	590 F / 310 C				
INSULATION SPEC:	LU-00332				

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
● S - SHOP
⊗ FW - FIELD WELD
⊗ FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. QUINONES	10/22/2025	**N05-003538**	**0**	**23A0H**
REVIEWED BY:	D. MAZQUIARAN/N. JAMSHIDI	10/28/2025	**SEAL AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-MBH-BR-AG		
			P&ID DRAWING NUMBER: N01-PID-MBH-00-01		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE: **MBH01BR128	PAGE NUMBER: 3 OF 9	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING / PLANT ENGINEERING

DEPARTMENT: / SECTION:

DRAWING DISTRIBUTION LIST



SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, PE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBPZZABBANI	17.0'
2	45 DEG ELBOW, CL3000, SWE, ASME B16.11, ASTM A182-F304	2	MMBWAWBVZZAAGALO	6
3	FLANGE SW, CL300, RFFE, ASME B16.5, ASTM A182-F304	2	MFABAMABZZAADALO	1

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
	PIPE SUPPORTS			
4	PIPE SUPPORT	2	**23A0H-PS-08	1
5	PIPE SUPPORT	2	**23A0H-PS-07	1
	SPOOLS			
	**23A0H-6			

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<13>	3'6 3/16"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<14>	11 1/4"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<15>	1'1 13/16"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<16>	1'0 3/8"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<17>	9'6 7/16"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<18>	6 3/16"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<19>	3 3/8"	2		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI

WELD NO	WELD TYPE	WELD CAT	NPD	QTY
27	SW	S	2"	1
28	SW	S	2"	1
29	SW	S	2"	1
30	SW	S	2"	1
31	SW	S	2"	1
32	SW	S	2"	1
33	SW	S	2"	1
34	SW	S	2"	1
35	SW	S	2"	1
36	SW	S	2"	1
37	SW	S	2"	1
38	SW	S	2"	1
39	SW	S	2"	1
40	SW	S	2"	1

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. 〈XXX## ###〉 INDICATES PIPING TERMINAL POINT.

ADDITIONAL NOTES:
WELDING AT PIPES MARKED WITH ✎ SHALL BE ADJUSTED AT SHOP TO FIT DURING ASSEMBLY.
THE MARK ✎ ON THE DRAWING INDICATES AN EXCESS LENGTH OF 4" (100mm) ADDED TO THE PIPE FOR ADJUSTED DURING ASSEMBLY.

PIPING SPEC:	SBC	PAINTING SPEC:	PER PROJECT SPECIFICATION
FLUID CODE:	AC, GT COMPRESSED AIR	INTERIOR SURFACE TREATMENT SPEC:	LU-00129
MAX. PRESS.:	81.00 psig / 0.56 MPag		
TEST PRESS.:	121.50 psig / 0.84 MPag		
MAX. TEMP:	590 F / 310 C		
INSULATION SPEC:	LU-00332		

REVISION RECORD					
REV. #	DESCRIPTION	BY	CHK	APP	DATE

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
● S - SHOP
⊗ FW - FIELD WELD
⊗ FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. QUINONES	10/22/2025	**N05-003538**	**0**	**23A0H**
REVIEWED BY:	D. MAZQUIARAN/N. JAMSHIDI	10/28/2025	**SEAL AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-MBH-BR-AG		
			P&ID DRAWING NUMBER: N01-PID-MBH-00-01		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE:	PAGE NUMBER:	
			**MBH01BR128	4 OF 9	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd


SL2

MITSUBISHI POWER ENGINEERING | PLANT ENGINEERING

DEPARTMENT: | SECTION:

DRAWING DISTRIBUTION LIST

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-05	**23A0A-9	
2	**23A0B-PS-03	**23A0B-16	
3	**23A0B-PS-04	**23A0B-22	
4	**23A0B-PS-05	**23A0B-22	
5	**23A0B-PS-12	**23A0B-15	SEE NOTE 5
6	**23A0C-PS-10	**23A0C-16	
7	**23A0C-PS-11	**23A0C-16	
8	**23A0C-PS-17	**23A0C-24	
9	**23A0D-PS-01	**23A0D-2	
10	**23A0E-PS-01	**23A0E-3	
11	**23A0G-PS-01	**23A0G-12	
12	**23A0G-PS-02	**23A0G-12	
13	**23A0G-PS-03	**23A0G-12	
14	**23A0H-PS-07	**23A0H-6	
15	**23A0H-PS-08	**23A0H-6	
16	**23A0H-PS-09	**23A0H-5	
17	**23A0H-PS-10	**23A0H-5	
18	**23A0H-PS-25	**23A0H-21	
19	**23A0S-PS-07	**23A0S-24	SEE NOTE 5
20	**23A0U-PS-07	**23A0U-24	
21	**24A0A-PS-01	**24A0A-22	
22	**24A0A-PS-02	**24A0A-22	
23	**24A0A-PS-03	**24A0A-25	
24	**24A0A-PS-04	**24A0A-25	
25	**24A0A-PS-05	**24A0A-27	
26	**24A0A-PS-06	**24A0A-28	
27	**24A0A-PS-100	**24A0A-13	
28	**24A0A-PS-108	**24A0A-24	
29	**24A0A-PS-109	**24A0A-24	
30	**24A0A-PS-122	AIR CHAMBER	
31	**24A0A-PS-123	AIR CHAMBER	
32	**24A0A-PS-124	AIR CHAMBER	
33	**24A0A-PS-125	AIR CHAMBER	
34	**24A0A-PS-13	**24A0A-40	
35	**24A0A-PS-14	**24A0A-8	
36	**24A0A-PS-21	**24A0A-49	
37	**24A0A-PS-22	**24A0A-50	
38	**24A0A-PS-23	**24A0A-52	
39	**24A0A-PS-24	**24A0A-52	
40	**24A0A-PS-30	**24A0A-28	
41	**24A0A-PS-31	**24A0A-28	
42	**24A0A-PS-73	**24A0A-50	
43	**24A0A-PS-77	**24A0A-51	
44	**24A0A-PS-99	**24A0A-14	
45	**24A0C-PS-01	**24A0C-4	
46	**24A0C-PS-02	**24A0C-3	
47	**24A0C-PS-03	**24A0C-6	
48	**24A0C-PS-04	**24A0C-6	
49	**24A0C-PS-05	**24A0C-6	
50	**27A0A-PS-01	**27A0A-6	
51	**27A0A-PS-07	**27A0A-10	
52	**27A0A-PS-08	**27A0A-10	
53	**27A0A-PS-09	**27A0A-10	
54	**27A0B-PS-01	**27A0B-1	
55	**27A0B-PS-02	**27A0B-3	
56	**27A0B-PS-03	**27A0B-3	
57	**27A0B-PS-04	**27A0B-4	
58	**27A0B-PS-05	**27A0B-5	
59	**27A0B-PS-09	**27A0B-24	
60	**27A0F-PS-01	**27A0F-6	SEE NOTE 5
61	**45A0A-PS-01	**45A0A-59	
62	**45A0A-PS-02	**45A0A-47	SEE NOTE 5
63	**45A0A-PS-03	**45A0A-59	
64	**45A0A-PS-04	**45A0A-59	
65	**45A0A-PS-09	**45A0A-59	
66	**45A0A-PS-13	**45A0A-48	
67	**45A0A-PS-18	**45A0A-59	
68	**45A0A-PS-19	**45A0A-59	
69	**45A0A-PS-21	**45A0A-59	
70	**45A0A-PS-25	**45A0A-59	
71	**45A0A-PS-28	**45A0A-59	
72	**45A0A-PS-29	**45A0A-50	
73	**45A0A-PS-30	**45A0A-58	
74	**45A0A-PS-31	**45A0A-58	
75	**45A0A-PS-36	**45A0A-58	
76	**45A0A-PS-40	**45A0A-58	
77	**45A0A-PS-46	**45A0A-58	
78	**45A0A-PS-51	**45A0A-59	
79	**45A0A-PS-53	**45A0A-58	
80	**45A0A-PS-54	**45A0A-58	
81	**45A0A-PS-57	**45A0A-58	
82	**45A0A-PS-58	**45A0A-58	
83	**45A0A-PS-63	**45A0A-58	
84	**45A0A-PS-66	**45A0A-59	
85	**45A0A-PS-67	**45A0A-58	
86	**45A0A-PS-68	**45A0A-58	
87	**45A0A-PS-69	**45A0A-58	
88	**45A0A-PS-70	**45A0A-58	
89	**45A0A-PS-71	**45A0A-57	
90	**45A0C-PS-01	**45A0A-59 **45A0C-1	
91	**45A0C-PS-02	**45A0C-1	
92	**45A0E-PS-01	**45A0E-1	
93	**64A0A-PS-01	FFS	
94	**64A0A-PS-02	FFS	



MD-1.1 ISOMETRIC VIEW

LOOKING LUBE OIL UNIT SIDE

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -


PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-05	**23A0A-9	
2	**23A0B-PS-03	**23A0B-16	
3	**23A0B-PS-04	**23A0B-22	
4	**23A0B-PS-05	**23A0B-22	
5	**23A0B-PS-12	**23A0B-15	SEE NOTE 5
6	**23A0C-PS-10	**23A0C-16	
7	**23A0C-PS-11	**23A0C-16	
8	**23A0C-PS-17	**23A0C-24	
9	**23A0D-PS-01	**23A0D-2	
10	**23A0E-PS-01	**23A0E-3	
11	**23A0G-PS-01	**23A0G-12	
12	**23A0G-PS-02	**23A0G-12	
13	**23A0G-PS-03	**23A0G-12	
14	**23A0H-PS-07	**23A0H-6	
15	**23A0H-PS-08	**23A0H-6	
16	**23A0H-PS-09	**23A0H-5	
17	**23A0H-PS-10	**23A0H-5	
18	**23A0H-PS-25	**23A0H-21	
19	**23A0S-PS-07	**23A0S-24	SEE NOTE 5
20	**23A0U-PS-07	**23A0U-24	
21	**24A0A-PS-01	**24A0A-22	
22	**24A0A-PS-02	**24A0A-22	
23	**24A0A-PS-03	**24A0A-25	
24	**24A0A-PS-04	**24A0A-25	
25	**24A0A-PS-05	**24A0A-27	
26	**24A0A-PS-06	**24A0A-28	
27	**24A0A-PS-100	**24A0A-13	
28	**24A0A-PS-108	**24A0A-24	
29	**24A0A-PS-109	**24A0A-24	
30	**24A0A-PS-122	AIR CHAMBER	
31	**24A0A-PS-123	AIR CHAMBER	
32	**24A0A-PS-124	AIR CHAMBER	
33	**24A0A-PS-125	AIR CHAMBER	
34	**24A0A-PS-13	**24A0A-40	
35	**24A0A-PS-14	**24A0A-8	
36	**24A0A-PS-21	**24A0A-49	
37	**24A0A-PS-22	**24A0A-50	
38	**24A0A-PS-23	**24A0A-52	
39	**24A0A-PS-24	**24A0A-52	
40	**24A0A-PS-30	**24A0A-28	
41	**24A0A-PS-31	**24A0A-28	
42	**24A0A-PS-73	**24A0A-50	
43	**24A0A-PS-77	**24A0A-51	
44	**24A0A-PS-99	**24A0A-14	
45	**24A0C-PS-01	**24A0C-4	
46	**24A0C-PS-02	**24A0C-3	
47	**24A0C-PS-03	**24A0C-6	
48	**24A0C-PS-04	**24A0C-6	
49	**24A0C-PS-05	**24A0C-6	
50	**27A0A-PS-01	**27A0A-6	
51	**27A0A-PS-07	**27A0A-10	
52	**27A0A-PS-08	**27A0A-10	
53	**27A0A-PS-09	**27A0A-10	
54	**27A0B-PS-01	**27A0B-1	
55	**27A0B-PS-02	**27A0B-3	
56	**27A0B-PS-03	**27A0B-3	
57	**27A0B-PS-04	**27A0B-4	
58	**27A0B-PS-05	**27A0B-5	
59	**27A0B-PS-09	**27A0B-24	
60	**27A0F-PS-01	**27A0F-6	SEE NOTE 5
61	**45A0A-PS-01	**45A0A-59	
62	**45A0A-PS-02	**45A0A-47	SEE NOTE 5
63	**45A0A-PS-03	**45A0A-59	
64	**45A0A-PS-04	**45A0A-59	
65	**45A0A-PS-09	**45A0A-59	
66	**45A0A-PS-13	**45A0A-48	
67	**45A0A-PS-18	**45A0A-59	
68	**45A0A-PS-19	**45A0A-59	
69	**45A0A-PS-21	**45A0A-59	
70	**45A0A-PS-25	**45A0A-59	
71	**45A0A-PS-28	**45A0A-59	
72	**45A0A-PS-29	**45A0A-50	
73	**45A0A-PS-30	**45A0A-58	
74	**45A0A-PS-31	**45A0A-58	
75	**45A0A-PS-36	**45A0A-58	
76	**45A0A-PS-40	**45A0A-58	
77	**45A0A-PS-46	**45A0A-58	
78	**45A0A-PS-51	**45A0A-59	
79	**45A0A-PS-53	**45A0A-58	
80	**45A0A-PS-54	**45A0A-58	
81	**45A0A-PS-57	**45A0A-58	
82	**45A0A-PS-58	**45A0A-58	
83	**45A0A-PS-63	**45A0A-58	
84	**45A0A-PS-66	**45A0A-59	
85	**45A0A-PS-67	**45A0A-58	
86	**45A0A-PS-68	**45A0A-58	
87	**45A0A-PS-69	**45A0A-58	
88	**45A0A-PS-70	**45A0A-58	
89	**45A0A-PS-71	**45A0A-57	
90	**45A0C-PS-01	**45A0A-59 **45A0C-1	
91	**45A0C-PS-02	**45A0C-1	
92	**45A0E-PS-01	**45A0E-1	
93	**64A0A-PS-01	FFS	
94	**64A0A-PS-02	FFS	



MD-1.1 ISOMETRIC VIEW

LOOKING FUEL GAS UNIT SIDE

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	2/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.1 PLAN VIEW

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	3/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150


REV.: 0




MD-1.1 SECTION A-A




MD-1.1 SECTION B-B




MD-1.1 SECTION C-C



MD-1.1 SECTION D-D



MD-1.1 SECTION E-E



MD-1.1 SECTION F-F

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	5/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.1 SECTION G-G

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	6/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE:	30880
LINE NO:	**MBH01BR128


F(X) =	0	lbs
F(Y) =	41	lbs
F(Z) =	-55	lbs
(X)=	1.406	inch
(Y)=	0	inch
(Z)=	0	inch
Pipe OD =	2.37	inch
Pipe DesignTemp.=	590	°F
Insul=	0.8	inch




LOOKING LUBE OIL UNIT SIDE
1:5




LOOKING EXHAUST SIDE
1:5






ISOMETRIC VIEW

DRILL ON EXISTING BEAM



1:5

1 PL5*112*50



1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	PL5		1.97	50	4.41	112	1	0.49	0.22	ASTM A240-304
2	Standard U-Bolt, 2.37"	400648					1	0.40	0.18	A193GrB8Cl1
3	Heavy Hex Nut for U-Bolt 3/8"						4	0.10	0.04	STAINLESS STEEL
						GRAND TOTAL		0.99	0.45	

MODULE NO:
MD-1.1

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER:	**23A0H-PS-07

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER:	1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE:	30830
LINE NO:	**MBH01BR128


F(X) =	0	lbs
F(Y) =	-51	lbs
F(Z) =	-31	lbs
(X)=	1.808	inch
(Y)=	0	inch
(Z)=	0	inch
Pipe OD =	2.37	inch
Pipe DesignTemp.=	590	°F
Insul=	0.8	inch




LOOKING LUBE OIL UNIT SIDE
1:5




LOOKING EXHAUST SIDE
1:5






ISOMETRIC VIEW

DRILL ON EXISTING BEAM



1:5

1 PL5*112*50



1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	PL5		1.97	50	4.41	112	1	0.49	0.22	ASTM A240-304
2	Standard U-Bolt, 2.37"	400648					1	0.40	0.18	A193GrB8Cl1
3	Heavy Hex Nut for U-Bolt 3/8"						4	0.10	0.04	STAINLESS STEEL
						GRAND TOTAL		0.99	0.45	

MODULE NO:
MD-1.1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING | PLANT ENGINEERING

DEPARTMENT: | SECTION:

DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER: **23A0H-PS-08

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE:	30820
LINE NO:	**MBH01BR128


F(X) =	0	lbs
F(Y) =	0	lbs
F(Z) =	-36	lbs
(X)=	2.350	inch
(Y)=	-0.409	inch
(Z)=	0	inch
Pipe OD =	2.37	inch
Pipe DesignTemp.=	590	°F
Insul=	0.8	inch




LOOKING LUBE OIL UNIT SIDE
1:5



LOOKING EXHAUST SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)




ISOMETRIC VIEW

DRILL ON EXISTING BEAM




1:2.5

2 U BOLT 2.37"



1:5

1 PL5*126*50



1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	PL5		1.97	50	4.96	126	1	0.56	0.25	ASTM A240-304
2	Special U-Bolt, 2.37"	400648S					1	0.40	0.18	A193GrB8Cl1
3	Heavy Hex Nut for U-Bolt 3/8"						4	0.10	0.04	STAINLESS STEEL
						GRAND TOTAL		1.05	0.48	

MODULE NO:
MD-1.1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **23A0H-PS-09

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE:	30810
LINE NO:	**MBH01BR128


F(X) =	0	lbs
F(Y) =	5	lbs
F(Z) =	-56	lbs
(X)=	2.903	inch
(Y)=	-0.448	inch
(Z)=	0	inch
Pipe OD =	2.37	inch
Pipe DesignTemp.=	590	°F
Insul=	0.8	inch




LOOKING LUBE OIL UNIT SIDE
1:5



LOOKING EXHAUST SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)




ISOMETRIC VIEW

DRILL ON EXISTING BEAM




1:2.5

2 U BOLT 2.37"



1:5

1 PL5*132*50



1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	PL5		1.97	50	5.20	132	1	0.58	0.26	ASTM A240-304
2	Special U-Bolt, 2.37"	400648S					1	0.40	0.18	A193GrB8Cl1
3	Heavy Hex Nut for U-Bolt 3/8"						4	0.10	0.04	STAINLESS STEEL
						GRAND TOTAL		1.07	0.49	

MODULE NO:
MD-1.1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER:	**23A0H-PS-10

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER