



MD-1.1 PLAN VIEW
SECTION 'A-A'



MD-1.1 PLAN VIEW
SECTION 'B-B'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–1.1

REV.: 0



MD-1.1 PLAN VIEW
SECTION 'C-C'



MD-1.1 ELEVATION VIEW
SECTION 'E-E'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX —— PIPE LINE
   - (××XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL-150

DWG NAME
MD-1.1 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS (GA FOR SPOOLS)

REF.DWG.NO.
–


PREPARED BY
cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1


DRAWING NO
2E00140-PI-094-001-MD-1.1

REV.
0

REVISION RECORD







LEGEND:

PIPELINE / SPOOL	INDICATES PIPELINE ON THE TOP AND SPOOL ON THE BOTTOM.
SUPPORT	INDICATES SUPPORT.
TERMINAL POINT	INDICATES TERMINAL POINT.
- - - - - - -	INDICATES TRACING.

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	**N05-003580**	**0**	**24A0A**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**INSTRUMENT AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
PROJECT CODE:	-	P&ID:	-		
PIPELINE:	-	PAGE NUMBER:	1 OF 8		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:


DRAWING DISTRIBUTION LIST



ISO VIEW

FRONT VIEW - 2

FRONT VIEW - 1



FRONT VIEW - 1

Line No:	#1	#2	#3	#4	#5	#6
Name	Emergency Air Supply	Instrument Air Supply	Drain	MP Control Valve Actuator Outlet	Instrument Connection	Safety Relief Valve
Ball Valve	-	-	-	**MBH02AA510	-	-
Check Valve	**MBH02AA505	**MBH02AA502	-		-	-
SRV	-	-	-		-	-
Speed Controller	-	-	-		-	-
Pressure Gauge	-	-	-		-	-

EA CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)
<1>	3'7 1/8"	1 1/2
<2>	2'8 1/8"	1 1/2
<3>	1'0 1/4"	1 1/2
<4>	1'6 3/8"	1 1/2
<5>	5 7/8"	1 1/2

IA CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)
<6>	2'1 3/8"	1 1/2
<7>	1'10"	1 1/2
<8>	5 3/4"	1 1/2
<9>	6"	1 1/2
<10>	9 15/16"	1 1/2
<11>	1'3 1/8"	1 1/2
<12>	1'8 5/8"	1 1/2
<13>	4 1/4"	1 1/2
<14>	1'2 1/16"	1 1/2

**MBH02AA701-KD01
GT COMPRESSOR MIDDLE PRESSURE BLEED VALVE AIR CHAMBER PIPING

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	N05-003580	0	24A0A
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	INSTRUMENT AIR PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
PROJECT CODE:	-	P&ID:	LP-02664		
PIPELINE:		PAGE NUMBER:			
-		1 OF 2			

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

REVISION RECORD

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST



FRONT VIEW - 2

ITEM NO	DESCRIPTION	NPD(IN)	ITEM QTY PER TAG	LENGTH	SUPPLY SCOPE
1	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 10" LENGTH	1	1	-	Pipe Fabricator
2	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 4" LENGTH	3/4	2	-	Pipe Fabricator
3	PIPE, S-80S, MTE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1 1/2	-	19.4' (5903mm)	Pipe Fabricator
4	PIPE, S-80S, MTE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	3/4	-	0.3' (92mm)	Pipe Fabricator
5	EQ. TEE, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2 x 1 1/2	2	-	Pipe Fabricator
6	REDUCING BUSHING (SWAGELOK SS-24-RB-16)	1 1/2 x 1	1	-	Pipe Fabricator
7	REDUCING BUSHING (SWAGELOK SS-24-RB-8)	1 1/2 x 1/2	1	-	Pipe Fabricator
8	REDUCING BUSHING (SWAGELOK SS-24-RB-12)	1 1/2 x 3/4	2	-	Pipe Fabricator
9	REDUCING BUSHING (SWAGELOK SS-32-RB-16)	2 x 1	1	-	Pipe Fabricator
10	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2	8	-	Pipe Fabricator
11	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	3/4	1	-	Pipe Fabricator
12	FLANGE THREADED, CL150, RFFE, ASME B16.5, ASTM A182-F304	1 1/2	6	-	Pipe Fabricator
13	PLUG, CL3000, MTE, ASME B16.11, ASTM A182-F304, HEX HEAD	1 1/2	1	-	Pipe Fabricator
14	PIPE SUPPORT	1 1/2	4	-	Pipe Fabricator
15	GASKET, FLAT RING, CL150, 0.0625" THK, ASME B16.21, COMPRESSED NON ASBESTOS FIBER	1 1/2	2	-	Pipe Fabricator
16	STUD, CONTINUOUS THREAD, ASME B18.31.2, ASTM A193-B8 CL1, 13-UNC - 3.5 in. Length	1/2	8	-	Pipe Fabricator
17	NUT, HEAVY HEX, ASME B18.2.2, ASTM A194-8, 13-UNC	1/2	16	-	Pipe Fabricator
18	WASHER, SPECIAL SHAPED LOCK, 1.5in NPD, 0.8mm THK, MHPSA G1-90942, ASTM A240-304	1/2	16	-	Pipe Fabricator
19	FULL PORT MANUAL BALL VALVE (A-T CONTROLS:F88-TX-150/XXXX-XX-X WITH LOCKABLE HANDLE)	1 1/2	1	-	Pipe Fabricator
20	CHECK VALVE, FTE, STAINLESS STEEL	1 1/2	2	-	Pipe Fabricator

REVISION RECORD

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	**N05-003580**	**0**	**24A0A**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**INSTRUMENT AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER


N05-ISO-QFF-BR-AA

P&ID DRAWING NUMBER: N01-PID-QFF-00-02

M501JAC GAS TURBINE

PROJECT CODE:	-	P&ID:	LP-02664
PIPELINE:		PAGE NUMBER:	
-		2 OF 2	

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-05	**23A0A-9	
2	**23A0B-PS-03	**23A0B-16	
3	**23A0B-PS-04	**23A0B-22	
4	**23A0B-PS-05	**23A0B-22	
5	**23A0B-PS-12	**23A0B-15	SEE NOTE 5
6	**23A0C-PS-10	**23A0C-16	
7	**23A0C-PS-11	**23A0C-16	
8	**23A0C-PS-17	**23A0C-24	
9	**23A0D-PS-01	**23A0D-2	
10	**23A0E-PS-01	**23A0E-3	
11	**23A0G-PS-01	**23A0G-12	
12	**23A0G-PS-02	**23A0G-12	
13	**23A0G-PS-03	**23A0G-12	
14	**23A0H-PS-07	**23A0H-6	
15	**23A0H-PS-08	**23A0H-6	
16	**23A0H-PS-09	**23A0H-5	
17	**23A0H-PS-10	**23A0H-5	
18	**23A0H-PS-25	**23A0H-21	
19	**23A0S-PS-07	**23A0S-24	SEE NOTE 5
20	**23A0U-PS-07	**23A0U-24	
21	**24A0A-PS-01	**24A0A-22	
22	**24A0A-PS-02	**24A0A-22	
23	**24A0A-PS-03	**24A0A-25	
24	**24A0A-PS-04	**24A0A-25	
25	**24A0A-PS-05	**24A0A-27	
26	**24A0A-PS-06	**24A0A-28	
27	**24A0A-PS-100	**24A0A-13	
28	**24A0A-PS-108	**24A0A-24	
29	**24A0A-PS-109	**24A0A-24	
30	**24A0A-PS-122	AIR CHAMBER	
31	**24A0A-PS-123	AIR CHAMBER	
32	**24A0A-PS-124	AIR CHAMBER	
33	**24A0A-PS-125	AIR CHAMBER	
34	**24A0A-PS-13	**24A0A-40	
35	**24A0A-PS-14	**24A0A-8	
36	**24A0A-PS-21	**24A0A-49	
37	**24A0A-PS-22	**24A0A-50	
38	**24A0A-PS-23	**24A0A-52	
39	**24A0A-PS-24	**24A0A-52	
40	**24A0A-PS-30	**24A0A-28	
41	**24A0A-PS-31	**24A0A-28	
42	**24A0A-PS-73	**24A0A-50	
43	**24A0A-PS-77	**24A0A-51	
44	**24A0A-PS-99	**24A0A-14	
45	**24A0C-PS-01	**24A0C-4	
46	**24A0C-PS-02	**24A0C-3	
47	**24A0C-PS-03	**24A0C-6	
48	**24A0C-PS-04	**24A0C-6	
49	**24A0C-PS-05	**24A0C-6	
50	**27A0A-PS-01	**27A0A-6	
51	**27A0A-PS-07	**27A0A-10	
52	**27A0A-PS-08	**27A0A-10	
53	**27A0A-PS-09	**27A0A-10	
54	**27A0B-PS-01	**27A0B-1	
55	**27A0B-PS-02	**27A0B-3	
56	**27A0B-PS-03	**27A0B-3	
57	**27A0B-PS-04	**27A0B-4	
58	**27A0B-PS-05	**27A0B-5	
59	**27A0B-PS-09	**27A0B-24	
60	**27A0F-PS-01	**27A0F-6	SEE NOTE 5
61	**45A0A-PS-01	**45A0A-59	
62	**45A0A-PS-02	**45A0A-47	SEE NOTE 5
63	**45A0A-PS-03	**45A0A-59	
64	**45A0A-PS-04	**45A0A-59	
65	**45A0A-PS-09	**45A0A-59	
66	**45A0A-PS-13	**45A0A-48	
67	**45A0A-PS-18	**45A0A-59	
68	**45A0A-PS-19	**45A0A-59	
69	**45A0A-PS-21	**45A0A-59	
70	**45A0A-PS-25	**45A0A-59	
71	**45A0A-PS-28	**45A0A-59	
72	**45A0A-PS-29	**45A0A-50	
73	**45A0A-PS-30	**45A0A-58	
74	**45A0A-PS-31	**45A0A-58	
75	**45A0A-PS-36	**45A0A-58	
76	**45A0A-PS-40	**45A0A-58	
77	**45A0A-PS-46	**45A0A-58	
78	**45A0A-PS-51	**45A0A-59	
79	**45A0A-PS-53	**45A0A-58	
80	**45A0A-PS-54	**45A0A-58	
81	**45A0A-PS-57	**45A0A-58	
82	**45A0A-PS-58	**45A0A-58	
83	**45A0A-PS-63	**45A0A-58	
84	**45A0A-PS-66	**45A0A-59	
85	**45A0A-PS-67	**45A0A-58	
86	**45A0A-PS-68	**45A0A-58	
87	**45A0A-PS-69	**45A0A-58	
88	**45A0A-PS-70	**45A0A-58	
89	**45A0A-PS-71	**45A0A-57	
90	**45A0C-PS-01	**45A0A-59 **45A0C-1	
91	**45A0C-PS-02	**45A0C-1	
92	**45A0E-PS-01	**45A0E-1	
93	**64A0A-PS-01	FFS	
94	**64A0A-PS-02	FFS	



MD-1.1 ISOMETRIC VIEW

LOOKING LUBE OIL UNIT SIDE

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -


PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-05	**23A0A-9	
2	**23A0B-PS-03	**23A0B-16	
3	**23A0B-PS-04	**23A0B-22	
4	**23A0B-PS-05	**23A0B-22	
5	**23A0B-PS-12	**23A0B-15	SEE NOTE 5
6	**23A0C-PS-10	**23A0C-16	
7	**23A0C-PS-11	**23A0C-16	
8	**23A0C-PS-17	**23A0C-24	
9	**23A0D-PS-01	**23A0D-2	
10	**23A0E-PS-01	**23A0E-3	
11	**23A0G-PS-01	**23A0G-12	
12	**23A0G-PS-02	**23A0G-12	
13	**23A0G-PS-03	**23A0G-12	
14	**23A0H-PS-07	**23A0H-6	
15	**23A0H-PS-08	**23A0H-6	
16	**23A0H-PS-09	**23A0H-5	
17	**23A0H-PS-10	**23A0H-5	
18	**23A0H-PS-25	**23A0H-21	
19	**23A0S-PS-07	**23A0S-24	SEE NOTE 5
20	**23A0U-PS-07	**23A0U-24	
21	**24A0A-PS-01	**24A0A-22	
22	**24A0A-PS-02	**24A0A-22	
23	**24A0A-PS-03	**24A0A-25	
24	**24A0A-PS-04	**24A0A-25	
25	**24A0A-PS-05	**24A0A-27	
26	**24A0A-PS-06	**24A0A-28	
27	**24A0A-PS-100	**24A0A-13	
28	**24A0A-PS-108	**24A0A-24	
29	**24A0A-PS-109	**24A0A-24	
30	**24A0A-PS-122	AIR CHAMBER	
31	**24A0A-PS-123	AIR CHAMBER	
32	**24A0A-PS-124	AIR CHAMBER	
33	**24A0A-PS-125	AIR CHAMBER	
34	**24A0A-PS-13	**24A0A-40	
35	**24A0A-PS-14	**24A0A-8	
36	**24A0A-PS-21	**24A0A-49	
37	**24A0A-PS-22	**24A0A-50	
38	**24A0A-PS-23	**24A0A-52	
39	**24A0A-PS-24	**24A0A-52	
40	**24A0A-PS-30	**24A0A-28	
41	**24A0A-PS-31	**24A0A-28	
42	**24A0A-PS-73	**24A0A-50	
43	**24A0A-PS-77	**24A0A-51	
44	**24A0A-PS-99	**24A0A-14	
45	**24A0C-PS-01	**24A0C-4	
46	**24A0C-PS-02	**24A0C-3	
47	**24A0C-PS-03	**24A0C-6	
48	**24A0C-PS-04	**24A0C-6	
49	**24A0C-PS-05	**24A0C-6	
50	**27A0A-PS-01	**27A0A-6	
51	**27A0A-PS-07	**27A0A-10	
52	**27A0A-PS-08	**27A0A-10	
53	**27A0A-PS-09	**27A0A-10	
54	**27A0B-PS-01	**27A0B-1	
55	**27A0B-PS-02	**27A0B-3	
56	**27A0B-PS-03	**27A0B-3	
57	**27A0B-PS-04	**27A0B-4	
58	**27A0B-PS-05	**27A0B-5	
59	**27A0B-PS-09	**27A0B-24	
60	**27A0F-PS-01	**27A0F-6	SEE NOTE 5
61	**45A0A-PS-01	**45A0A-59	
62	**45A0A-PS-02	**45A0A-47	SEE NOTE 5
63	**45A0A-PS-03	**45A0A-59	
64	**45A0A-PS-04	**45A0A-59	
65	**45A0A-PS-09	**45A0A-59	
66	**45A0A-PS-13	**45A0A-48	
67	**45A0A-PS-18	**45A0A-59	
68	**45A0A-PS-19	**45A0A-59	
69	**45A0A-PS-21	**45A0A-59	
70	**45A0A-PS-25	**45A0A-59	
71	**45A0A-PS-28	**45A0A-59	
72	**45A0A-PS-29	**45A0A-50	
73	**45A0A-PS-30	**45A0A-58	
74	**45A0A-PS-31	**45A0A-58	
75	**45A0A-PS-36	**45A0A-58	
76	**45A0A-PS-40	**45A0A-58	
77	**45A0A-PS-46	**45A0A-58	
78	**45A0A-PS-51	**45A0A-59	
79	**45A0A-PS-53	**45A0A-58	
80	**45A0A-PS-54	**45A0A-58	
81	**45A0A-PS-57	**45A0A-58	
82	**45A0A-PS-58	**45A0A-58	
83	**45A0A-PS-63	**45A0A-58	
84	**45A0A-PS-66	**45A0A-59	
85	**45A0A-PS-67	**45A0A-58	
86	**45A0A-PS-68	**45A0A-58	
87	**45A0A-PS-69	**45A0A-58	
88	**45A0A-PS-70	**45A0A-58	
89	**45A0A-PS-71	**45A0A-57	
90	**45A0C-PS-01	**45A0A-59 **45A0C-1	
91	**45A0C-PS-02	**45A0C-1	
92	**45A0E-PS-01	**45A0E-1	
93	**64A0A-PS-01	FFS	
94	**64A0A-PS-02	FFS	



MD-1.1 ISOMETRIC VIEW

LOOKING FUEL GAS UNIT SIDE

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	2/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150


REV.: 0




MD-1.1 SECTION A-A



MD-1.1 SECTION B-B



MD-1.1 SECTION C-C



MD-1.1 SECTION D-D

MD-1.1 SECTION E-E

MD-1.1 SECTION F-F

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX** → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	5/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.1 SECTION G-G

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	MIDDLE PRESSURE BLEED AIR PIPING (23A0B)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	TURBINE COOLING AIR SUPPLY PIPING (23A0D)	"
N/A	TURBINE COOLING AIR RETURN PIPING (23A0E)	"
N/A	TCA FILTER BLEED AIR PIPING (23A0G)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	GT COOLING AIR LINE PURGE AIR PIPING (24A0C)	"
N/A	LUBE OIL SUPPLY PIPING (27A0A)	"
N/A	LUBE OIL RETURN PIPING (27A0B)	"
N/A	LUBE OIL TURBINE SUPPORT COOLING SUPPLY PIPING (27A0F)	"
N/A	BLADE WASHING DRAIN PIPING (45A0A)	"
N/A	COMBUSTOR CYLINDER DRAIN PIPING (45A0C)	"
N/A	INLET MANIFOLD DRAIN PIPING (45A0E)	"
34	GT ENCLOSURE MODULE 1-1 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-150

DWG NAME: MD-1.1 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	6/6	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH02AA701-KD01
EA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




LOOKING EXHAUST SIDE
1:5




LOOKING LUBE OIL UNIT SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)



1:2.5



ISOMETRIC VIEW



1:2.5

Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			8.07	205	1	2.00	0.91	SS400
						GRAND TOTAL		2.72	1.24	

MODULE NO:
MD-1.1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **24A0A-PS-122

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH02AA701-KD01
EA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




LOOKING EXHAUST SIDE
1:5




LOOKING LUBE OIL UNIT SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)



1:2.5



1:2.5



ISOMETRIC VIEW

Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			8.07	205	1	2.00	0.91	SS400
						GRAND TOTAL		2.72	1.24	

MODULE NO:
MD-1.1

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **24A0A-PS-123

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH02AA701-KD01
IA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




LOOKING EXHAUST SIDE
1:5




LOOKING LUBE OIL UNIT SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)



1:2.5



1:2.5



ISOMETRIC VIEW

Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			8.07	205	1	2.00	0.91	SS400
						GRAND TOTAL		2.72	1.24	

MODULE NO:
MD-1.1

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **24A0A-PS-124

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH02AA701-KD01
IA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




LOOKING EXHAUST SIDE
1:5




LOOKING LUBE OIL UNIT SIDE
1:5




○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)



1:2.5



ISOMETRIC VIEW



1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			8.07	205	1	2.00	0.91	SS400
						GRAND TOTAL		2.72	1.24	

MODULE NO:
MD-1.1

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER: **24A0A-PS-125

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST