



MD-1.2 PLAN VIEW

SECTION 'A-A'



MD-1.2 PLAN VIEW

SECTION 'B-B'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–1.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–1.2

REV.: 0



MD-1.2 ELEVATION VIEW
SECTION 'C-C'



MD-1.2 ELEVATION VIEW
SECTION 'D-D'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX —— PIPE LINE
   - (××XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL–150

DWG NAME
MD–1.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**

REF.DWG.NO.
–


PREPARED BY
cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO
2E00140–PI–094–001–MD–1.2

REV.
0

REVISION RECORD





LEGEND:

PIPELINE / SPOOL	INDICATES PIPELINE ON THE TOP AND SPOOL ON THE BOTTOM.
SUPPORT	INDICATES SUPPORT.
TERMINAL POINT	INDICATES TERMINAL POINT.
– – – – – – –	INDICATES TRACING.

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING


DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST


ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	**N05-003580**	**0**	**24A0A**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**INSTRUMENT AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE: -	PAGE NUMBER: 2 OF 8	

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER




FRONT VIEW - 2




FRONT VIEW - 3

FRONT VIEW - 1

ISO VIEW





FRONT VIEW -1

Line No:	#1	#2	#3	#4	#5	#6	#7
Name	Emergency Air Supply	Instrument Air Supply	Drain	HP Control Valve Actuator Outlet	LP Control Valve Actuator Outlet	Instrument Connection	Safety Relief Valve
Ball Valve	-	-	-	**MBH03AA510	**MBH01AA510	-	-
Check Valve	**MBH01AA505	**MBH01AA502	-		-	-	-
SRV	-	-	-		-	-	-
Speed Controller	-	-	-		-	-	-
Pressure Gauge	-	-	-		-	-	-

EA CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)
<1>	2'8 15/16"	1 1/2
<2>	1'3 7/8"	1 1/2
<3>	3'6 7/8"	1 1/2
<4>	6 3/4"	1 1/2
<5>	2'1"	1

IA CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)
<6>	11 11/16"	1 1/2
<7>	3'0 9/16"	1 1/2
<8>	7 13/16"	1 1/2
<9>	4 5/8"	1 1/2
<10>	1'10 3/16"	1 1/2
<11>	1'2 7/16"	1 1/2

**MBH01AA701-KD01
GT COMPRESSOR LOW/HIGH PRESSURE BLEED VALVE AIR CHAMBER PIPING

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	N05-003580	0	24A0A
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	INSTRUMENT AIR PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

N05-ISO-QFF-BR-AA
P&ID DRAWING NUMBER: N01-PID-QFF-00-02
M501JAC GAS TURBINE

PROJECT CODE:	-	P&ID:	LP-02664
PIPELINE:		PAGE NUMBER:	
-		1 OF 2	

REVISION RECORD

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING


PLANT ENGINEERING

DEPARTMENT:


SECTION:

DRAWING DISTRIBUTION LIST

REVISION RECORD



FRONT VIEW -1



FRONT VIEW 3

ITEM NO	DESCRIPTION	NPD(IN)	ITEM QTY PER TAG	LENGTH	SUPPLY SCOPE
1	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 6" LENGTH	1	1	-	Pipe Fabricator
2	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 4" LENGTH	1	3	-	Pipe Fabricator
3	PIPE, S-80S, MTE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1 1/2	-	16.5' (5029mm)	Pipe Fabricator
4	PIPE, S-80S, MTE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1	-	3.2' (975mm)	Pipe Fabricator
5	EQ. TEE, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2 x 1 1/2	3	-	Pipe Fabricator
6	REDUCING BUSHING (SWAGELOK SS-24-RB-16)	1 1/2 x 1	4	-	Pipe Fabricator
7	REDUCING BUSHING (SWAGELOK SS-24-RB-8)	1 1/2 x 1/2	1	-	Pipe Fabricator
8	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2	5	-	Pipe Fabricator
9	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	1	1	-	Pipe Fabricator
10	FLANGE THREADED, CL150, RFFE, ASME B16.5, ASTM A182-F304	1 1/2	2	-	Pipe Fabricator
11	PLUG, CL3000, MTE, ASME B16.11, ASTM A182-F304, HEX HEAD	1 1/2	2	-	Pipe Fabricator
12	PIPE SUPPORT	1 1/2	3	-	Pipe Fabricator
13	REDUCING BUSHING (SWAGELOK SS-32-RB-16)	2 x 1	3	-	Pipe Fabricator
14	FULL PORT MANUAL BALL VALVE (A-T CONTROLS:F88-TX-150/XXXX-XX-X WITH LOCKABLE HANDLE)	1 1/2	2	-	Pipe Fabricator
15	CHECK VALVE, FTE, STAINLESS STEEL	1 1/2	2	-	Pipe Fabricator

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT: SECTION:

DRAWING DISTRIBUTION LIST

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	**N05-003580**	**0**	**24A0A**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**INSTRUMENT AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
			PROJECT CODE:	-	P&ID: LP-02664
			PIPELINE:		PAGE NUMBER:
			-		1 OF 2


PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE



LOOKING FUEL GAS UNIT SIDE

MD-1.2 ISOMETRIC VIEW

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-03	**23A0A-6	
2	**23A0A-PS-04	**23A0A-6	
3	**23A0C-PS-02	EJ	
4	**23A0C-PS-03	**23A0C-6	
5	**23A0C-PS-04	**23A0C-6	
6	**23A0C-PS-05	**23A0C-6	
7	**23A0C-PS-07	**23A0C-6	
8	**23A0H-PS-15	**23A0H-1	
9	**23A0H-PS-16	**23A0H-15 **23A0H-27	
10	**23A0H-PS-17	**23A0H-28	
11	**23A0H-PS-18	**23A0H-27	
12	**23A0H-PS-20	**23A0H-26	
13	**23A0I-PS-27	**23A0I-4	SEE NOTE 5
14	**23A0L-PS-01	**23A0L-2	
15	**23A0L-PS-02	**23A0L-1 **23A0M-1 **23A0N-1	
16	**23A0L-PS-04	**23A0L-1	
17	**23A0M-PS-01	**23A0M-2	
18	**23A0M-PS-02	**23A0M-1	
19	**23A0N-PS-02	**23A0N-1	
20	**23A0S-PS-06	**23A0S-20	SEE NOTE 5
21	**23A0U-PS-14	**23A0U-28	
22	**24A0A-PS-09	**24A0A-33	
23	**24A0A-PS-11	**24A0A-33	
24	**24A0A-PS-112	**24A0A-43	
25	**24A0A-PS-113	AIR CHAMBER	
26	**24A0A-PS-114	AIR CHAMBER	
27	**24A0A-PS-12	**24A0A-33	
28	**24A0A-PS-120	AIR CHAMBER	
29	**24A0A-PS-121	AIR CHAMBER	
30	**24A0A-PS-15	**24A0A-36	
31	**24A0A-PS-17	**24A0A-34	
32	**24A0A-PS-18	**24A0A-19 **24A0A-44	
33	**24A0A-PS-25	**24A0A-59	
34	**24A0A-PS-34	**24A0A-35	
35	**24A0A-PS-35	**24A0A-72	
36	**24A0A-PS-50	**24A0A-32	
37	**24A0A-PS-51	**24A0A-32	
38	**24A0A-PS-53	**24A0A-34 **24A0A-36 **47A0A-1	
39	**24A0A-PS-78	**24A0A-1	
40	**24A0A-PS-87	AIR CHAMBER	
41	**24A0A-PS-88	**24A0A-2	
42	**24A0A-PS-89	**24A0A-2	
43	**24A0A-PS-90	**24A0A-2	
44	**24A0A-PS-91	**24A0A-11	
45	**24A0A-PS-92	**24A0A-1	
46	**24A0A-PS-94	**24A0A-9	
47	**24A0A-PS-95	**24A0A-21 **24A0A-6	
48	**24A0A-PS-96	**24A0A-20 **24A0A-5	
49	**24A0A-PS-97	**24A0A-19	
50	**64A0A-PS-124	FFS	
51	**64A0A-PS-52	FFS	
52	**64A0A-PS-53	FFS	
53	**64A0A-PS-54	FFS	
54	**64A0A-PS-55	FFS	
55	**64A0A-PS-56	FFS	
56	**64A0A-PS-57	FFS	
57	**64A0A-PS-58	FFS	
58	**64A0A-PS-59	FFS	
59	**64A0A-PS-60	FFS	
60	**64A0A-PS-61	FFS	
61	**64A0A-PS-62	FFS	
62	**64A0A-PS-65	FFS	
63	**64A0A-PS-66	FFS	
64	**64A0A-PS-67	FFS	
65	**64A0A-PS-73	FFS	

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 . Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/8	1/20	A1


DRAWING NO: 2E00140-CI-026-150

REV.: 0

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE



LOOKING LUBE OIL UNIT SIDE

MD-1.2 ISOMETRIC VIEW

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-03	**23A0A-6	
2	**23A0A-PS-04	**23A0A-6	
3	**23A0C-PS-02	EJ	
4	**23A0C-PS-03	**23A0C-6	
5	**23A0C-PS-04	**23A0C-6	
6	**23A0C-PS-05	**23A0C-6	
7	**23A0C-PS-07	**23A0C-6	
8	**23A0H-PS-15	**23A0H-1	
9	**23A0H-PS-16	**23A0H-15 **23A0H-27	
10	**23A0H-PS-17	**23A0H-28	
11	**23A0H-PS-18	**23A0H-27	
12	**23A0H-PS-20	**23A0H-26	
13	**23A0I-PS-27	**23A0I-4	SEE NOTE 5
14	**23A0L-PS-01	**23A0L-2	
15	**23A0L-PS-02	**23A0L-1 **23A0M-1 **23A0N-1	
16	**23A0L-PS-04	**23A0L-1	
17	**23A0M-PS-01	**23A0M-2	
18	**23A0M-PS-02	**23A0M-1	
19	**23A0N-PS-02	**23A0N-1	
20	**23A0S-PS-06	**23A0S-20	SEE NOTE 5
21	**23A0U-PS-14	**23A0U-28	
22	**24A0A-PS-09	**24A0A-33	
23	**24A0A-PS-11	**24A0A-33	
24	**24A0A-PS-112	**24A0A-43	
25	**24A0A-PS-113	AIR CHAMBER	
26	**24A0A-PS-114	AIR CHAMBER	
27	**24A0A-PS-12	**24A0A-33	
28	**24A0A-PS-120	AIR CHAMBER	
29	**24A0A-PS-121	AIR CHAMBER	
30	**24A0A-PS-15	**24A0A-36	
31	**24A0A-PS-17	**24A0A-34	
32	**24A0A-PS-18	**24A0A-19 **24A0A-44	
33	**24A0A-PS-25	**24A0A-59	
34	**24A0A-PS-34	**24A0A-35	
35	**24A0A-PS-35	**24A0A-72	
36	**24A0A-PS-50	**24A0A-32	
37	**24A0A-PS-51	**24A0A-32	
38	**24A0A-PS-53	**24A0A-34 **24A0A-36 **47A0A-1	
39	**24A0A-PS-78	**24A0A-1	
40	**24A0A-PS-87	AIR CHAMBER	
41	**24A0A-PS-88	**24A0A-2	
42	**24A0A-PS-89	**24A0A-2	
43	**24A0A-PS-90	**24A0A-2	
44	**24A0A-PS-91	**24A0A-11	
45	**24A0A-PS-92	**24A0A-1	
46	**24A0A-PS-94	**24A0A-9	
47	**24A0A-PS-95	**24A0A-21 **24A0A-6	
48	**24A0A-PS-96	**24A0A-20 **24A0A-5	
49	**24A0A-PS-97	**24A0A-19	
50	**64A0A-PS-124	FFS	
51	**64A0A-PS-52	FFS	
52	**64A0A-PS-53	FFS	
53	**64A0A-PS-54	FFS	
54	**64A0A-PS-55	FFS	
55	**64A0A-PS-56	FFS	
56	**64A0A-PS-57	FFS	
57	**64A0A-PS-58	FFS	
58	**64A0A-PS-59	FFS	
59	**64A0A-PS-60	FFS	
60	**64A0A-PS-61	FFS	
61	**64A0A-PS-62	FFS	
62	**64A0A-PS-65	FFS	
63	**64A0A-PS-66	FFS	
64	**64A0A-PS-67	FFS	
65	**64A0A-PS-73	FFS	

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	2/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.2 PLAN VIEW

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	3/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.2 LOOKING FUEL GAS UNIT SIDE

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	4/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0

SCALE = NONE


TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE

NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER


6. Ø11 mm HOLES TO BE DRILLED ON EXISTING STEEL FOR U-BOLT

NODE:	No C2
LINE NO:	**QFF11BR013


Pipe OD =	1.90	inch
Pipe DesignTemp.=	140	°F
Insul=	0	inch




LOOKING FUEL GAS UNIT SIDE
1:2.5




LOOKING EXHAUST SIDE
1:2.5



ISOMETRIC VIEW





1:2.5

Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8Cl1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.57	40	3.94	100	1	0.35	0.16	ASTM A240-304
						GRAND TOTAL		0.81	0.37	

MODULE NO:
MD-1.2

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER: **24A0A-PS-87

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH01AA701-KD01
IA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




ISOMETRIC VIEW





LOOKING EXHAUST SIDE
1:5



LOOKING FUEL GAS UNIT SIDE
1:5







Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8Cl1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			4.72	120	1	1.17	0.53	SS400
5	L75x75x9	JIS G 3192			32.99	838	1	18.40	8.35	SS400
						GRAND TOTAL		20.30	9.21	

MODULE NO:
MD-1.2

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER:	**24A0A-PS-120
PAGE NUMBER:	1 OF 1

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBH01AA701-KD01
IA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




ISOMETRIC VIEW





LOOKING EXHAUST SIDE
1:5



LOOKING FUEL GAS UNIT SIDE
1:5







Item	Description	Lisega Size/ Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
3	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
4	L50x50x6	JIS G 3192			4.72	120	1	1.17	0.53	SS400
5	L75x75x9	JIS G 3192			32.99	838	1	18.40	8.35	SS400
						GRAND TOTAL		20.30	9.21	

MODULE NO:
MD-1.2

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER:	**24A0A-PS-121
PAGE NUMBER:	1 OF 1

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST