



MD-1.2 PLAN VIEW

SECTION 'A-A'



MD-1.2 PLAN VIEW

SECTION 'B-B'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - **XXXXXX —— PIPE LINE
   - (**XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–1.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–1.2

REV.: 0



MD-1.2 ELEVATION VIEW
SECTION 'C-C'



MD-1.2 ELEVATION VIEW
SECTION 'D-D'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX —— PIPE LINE
   - (××XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	15.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL–150

DWG NAME
MD–1.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**

REF.DWG.NO.
–


PREPARED BY
cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO
2E00140–PI–094–001–MD–1.2

REV. 0

REVISION RECORD





LEGEND:

PIPELINE / SPOOL	INDICATES PIPELINE ON THE TOP AND SPOOL ON THE BOTTOM.
SUPPORT	INDICATES SUPPORT.
TERMINAL POINT	INDICATES TERMINAL POINT.
– – – – – – –	INDICATES TRACING.

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	**N05-003580**	**0**	**24A0A**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**INSTRUMENT AIR PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

N05-ISO-QFF-BR-AA
P&ID DRAWING NUMBER: N01-PID-QFF-00-02
M501JAC GAS TURBINE

PROJECT CODE:	-	P&ID:	-
PIPELINE:		PAGE NUMBER:	
-		2 OF 8	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd


SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST


REVISION RECORD



FRONT VIEW - 2

ISO VIEW

FRONT VIEW - 1



FRONT VIEW - 1

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)
<1>	4"	1 1/2
<2>	2'10 7/8"	1 1/2
<3>	6 3/16"	1 1/2
<4>	6"	1 1/2
<5>	8 15/16"	1 1/2
<6>	2'3 11/16"	1 1/2
<7>	8 5/16"	1 1/2

Line No:	#1	#2	#3	#4	#5	#6	#7
Name	Emergency Air Supply	Instrument Air Supply	Drain	FG Vent & Shut off Control Valve Actuator Outlet	FG Nozzle Purge Air stop Control Valve Actuator Outlet	Instrument Connection	Safety Relief Valve
Ball Valve	-	-	-	**MBP02AA506	**MBP02AA507	-	-
Check Valve	-	**MBP02AA502	-	-	-	-	-
SRV	-	-	-	-	-	-	-
Speed Controller	-	-	-	-	-	-	-
Pressure Gauge	-	-	-	-	-	-	-

**MBP02AA701-KD01
GT FUEL GAS VALVES AIR CHAMBER PIPING

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	N05-003580	0	24A0A
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	INSTRUMENT AIR PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
PROJECT CODE:	-		P&ID:	LP-02664	
PIPELINE:	-		PAGE NUMBER:	1 OF 2	

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2


MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:


DRAWING DISTRIBUTION LIST

REVISION RECORD

ITEM NO	DESCRIPTION	NPD(IN)	ITEM QTY PER TAG	LENGTH	SUPPLY SCOPE
1	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 4" LENGTH	1	1	-	Pipe Fabricator
2	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 4" LENGTH	3/4	2	-	Pipe Fabricator
3	NIPPLE, S-80S, MTE x MTE, ASME B36.19M, ASTM A312-TP304, SMLS, 6" LENGTH	3/4	1	-	Pipe Fabricator
4	PIPE, S-80S, MTE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1 1/2	-	8.7' (2652 mm)	Pipe Fabricator
5	EQ. TEE, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2 x 1 1/2	3	-	Pipe Fabricator
6	REDUCING BUSHING (SWAGELOK SS-24-RB-16)	1 1/2 x 1	1	-	Pipe Fabricator
7	REDUCING BUSHING (SWAGELOK SS-24-RB-8)	1 1/2 x 1/2	2	-	Pipe Fabricator
8	REDUCING BUSHING (SWAGELOK SS-24-RB-12)	1 1/2 x 3/4	2	-	Pipe Fabricator
9	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	1 1/2	4	-	Pipe Fabricator
10	90 DEG ELBOW, CL3000, FTE, ASME B16.11, ASTM A182-F304	3/4	1	-	Pipe Fabricator
11	FLANGE THREADED, CL150, RFFE, ASME B16.5, ASTM A182-F304	1 1/2	1	-	Pipe Fabricator
12	PLUG, CL3000, MTE, ASME B16.11, ASTM A182-F304, HEX HEAD	1 1/2	1	-	Pipe Fabricator
13	PIPE SUPPORT	1 1/2	2	-	Pipe Fabricator
14	REDUCING BUSHING (SWAGELOK SS-32-RB-16)	2 x 1	1	-	Pipe Fabricator
15	FULL PORT MANUAL BALL VALVE (A-T CONTROLS:F88-TX-150/XXXX-XX-X WITH LOCKABLE HANDLE)	1 1/2	2	-	Pipe Fabricator
16	CHECK VALVE, FTE, STAINLESS STEEL	1 1/2	1	-	Pipe Fabricator



FRONT VIEW - 2



PLAN VIEW

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	D. DURAPAU	10/22/2025	N05-003580	0	24A0A
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	INSTRUMENT AIR PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		
			N05-ISO-QFF-BR-AA		
			P&ID DRAWING NUMBER: N01-PID-QFF-00-02		
			M501JAC GAS TURBINE		
PROJECT CODE:	-		P&ID:	LP-02664	
PIPELINE:	-		PAGE NUMBER:	2 OF 2	

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.


EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE



MD-1.2 ISOMETRIC VIEW

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-03	**23A0A-6	
2	**23A0A-PS-04	**23A0A-6	
3	**23A0C-PS-02	EJ	
4	**23A0C-PS-03	**23A0C-6	
5	**23A0C-PS-04	**23A0C-6	
6	**23A0C-PS-05	**23A0C-6	
7	**23A0C-PS-07	**23A0C-6	
8	**23A0H-PS-15	**23A0H-1	
9	**23A0H-PS-16	**23A0H-15 **23A0H-27	
10	**23A0H-PS-17	**23A0H-28	
11	**23A0H-PS-18	**23A0H-27	
12	**23A0H-PS-20	**23A0H-26	
13	**23A0I-PS-27	**23A0I-4	SEE NOTE 5
14	**23A0L-PS-01	**23A0L-2	
15	**23A0L-PS-02	**23A0L-1 **23A0M-1 **23A0N-1	
16	**23A0L-PS-04	**23A0L-1	
17	**23A0M-PS-01	**23A0M-2	
18	**23A0M-PS-02	**23A0M-1	
19	**23A0N-PS-02	**23A0N-1	
20	**23A0S-PS-06	**23A0S-20	SEE NOTE 5
21	**23A0U-PS-14	**23A0U-28	
22	**24A0A-PS-09	**24A0A-33	
23	**24A0A-PS-11	**24A0A-33	
24	**24A0A-PS-112	**24A0A-43	
25	**24A0A-PS-113	AIR CHAMBER	
26	**24A0A-PS-114	AIR CHAMBER	
27	**24A0A-PS-12	**24A0A-33	
28	**24A0A-PS-120	AIR CHAMBER	
29	**24A0A-PS-121	AIR CHAMBER	
30	**24A0A-PS-15	**24A0A-36	
31	**24A0A-PS-17	**24A0A-34	
32	**24A0A-PS-18	**24A0A-19 **24A0A-44	
33	**24A0A-PS-25	**24A0A-59	
34	**24A0A-PS-34	**24A0A-35	
35	**24A0A-PS-35	**24A0A-72	
36	**24A0A-PS-50	**24A0A-32	
37	**24A0A-PS-51	**24A0A-32	
38	**24A0A-PS-53	**24A0A-34 **24A0A-36 **47A0A-1	
39	**24A0A-PS-78	**24A0A-1	
40	**24A0A-PS-87	AIR CHAMBER	
41	**24A0A-PS-88	**24A0A-2	
42	**24A0A-PS-89	**24A0A-2	
43	**24A0A-PS-90	**24A0A-2	
44	**24A0A-PS-91	**24A0A-11	
45	**24A0A-PS-92	**24A0A-1	
46	**24A0A-PS-94	**24A0A-9	
47	**24A0A-PS-95	**24A0A-21 **24A0A-6	
48	**24A0A-PS-96	**24A0A-20 **24A0A-5	
49	**24A0A-PS-97	**24A0A-19	
50	**64A0A-PS-124	FFS	
51	**64A0A-PS-52	FFS	
52	**64A0A-PS-53	FFS	
53	**64A0A-PS-54	FFS	
54	**64A0A-PS-55	FFS	
55	**64A0A-PS-56	FFS	
56	**64A0A-PS-57	FFS	
57	**64A0A-PS-58	FFS	
58	**64A0A-PS-59	FFS	
59	**64A0A-PS-60	FFS	
60	**64A0A-PS-61	FFS	
61	**64A0A-PS-62	FFS	
62	**64A0A-PS-65	FFS	
63	**64A0A-PS-66	FFS	
64	**64A0A-PS-67	FFS	
65	**64A0A-PS-73	FFS	

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX** → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 . Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME

MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY

cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/8	1/20	A1


DRAWING NO: 2E00140-CI-026-150

REV.: 0

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE



LOOKING LUBE OIL UNIT SIDE

MD-1.2 ISOMETRIC VIEW

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**23A0A-PS-03	**23A0A-6	
2	**23A0A-PS-04	**23A0A-6	
3	**23A0C-PS-02	EJ	
4	**23A0C-PS-03	**23A0C-6	
5	**23A0C-PS-04	**23A0C-6	
6	**23A0C-PS-05	**23A0C-6	
7	**23A0C-PS-07	**23A0C-6	
8	**23A0H-PS-15	**23A0H-1	
9	**23A0H-PS-16	**23A0H-15 **23A0H-27	
10	**23A0H-PS-17	**23A0H-28	
11	**23A0H-PS-18	**23A0H-27	
12	**23A0H-PS-20	**23A0H-26	
13	**23A0I-PS-27	**23A0I-4	SEE NOTE 5
14	**23A0L-PS-01	**23A0L-2	
15	**23A0L-PS-02	**23A0L-1 **23A0M-1 **23A0N-1	
16	**23A0L-PS-04	**23A0L-1	
17	**23A0M-PS-01	**23A0M-2	
18	**23A0M-PS-02	**23A0M-1	
19	**23A0N-PS-02	**23A0N-1	
20	**23A0S-PS-06	**23A0S-20	SEE NOTE 5
21	**23A0U-PS-14	**23A0U-28	
22	**24A0A-PS-09	**24A0A-33	
23	**24A0A-PS-11	**24A0A-33	
24	**24A0A-PS-112	**24A0A-43	
25	**24A0A-PS-113	AIR CHAMBER	
26	**24A0A-PS-114	AIR CHAMBER	
27	**24A0A-PS-12	**24A0A-33	
28	**24A0A-PS-120	AIR CHAMBER	
29	**24A0A-PS-121	AIR CHAMBER	
30	**24A0A-PS-15	**24A0A-36	
31	**24A0A-PS-17	**24A0A-34	
32	**24A0A-PS-18	**24A0A-19 **24A0A-44	
33	**24A0A-PS-25	**24A0A-59	
34	**24A0A-PS-34	**24A0A-35	
35	**24A0A-PS-35	**24A0A-72	
36	**24A0A-PS-50	**24A0A-32	
37	**24A0A-PS-51	**24A0A-32	
38	**24A0A-PS-53	**24A0A-34 **24A0A-36 **47A0A-1	
39	**24A0A-PS-78	**24A0A-1	
40	**24A0A-PS-87	AIR CHAMBER	
41	**24A0A-PS-88	**24A0A-2	
42	**24A0A-PS-89	**24A0A-2	
43	**24A0A-PS-90	**24A0A-2	
44	**24A0A-PS-91	**24A0A-11	
45	**24A0A-PS-92	**24A0A-1	
46	**24A0A-PS-94	**24A0A-9	
47	**24A0A-PS-95	**24A0A-21 **24A0A-6	
48	**24A0A-PS-96	**24A0A-20 **24A0A-5	
49	**24A0A-PS-97	**24A0A-19	
50	**64A0A-PS-124	FFS	
51	**64A0A-PS-52	FFS	
52	**64A0A-PS-53	FFS	
53	**64A0A-PS-54	FFS	
54	**64A0A-PS-55	FFS	
55	**64A0A-PS-56	FFS	
56	**64A0A-PS-57	FFS	
57	**64A0A-PS-58	FFS	
58	**64A0A-PS-59	FFS	
59	**64A0A-PS-60	FFS	
60	**64A0A-PS-61	FFS	
61	**64A0A-PS-62	FFS	
62	**64A0A-PS-65	FFS	
63	**64A0A-PS-66	FFS	
64	**64A0A-PS-67	FFS	
65	**64A0A-PS-73	FFS	

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	2/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV. 0



MD-1.2 PLAN VIEW

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX ► SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	3/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-1.2 LOOKING FUEL GAS UNIT SIDE

REFERENCES

MDL ITEM #

N/A	LOW PRESSURE BLEED AIR PIPING (23A0A)	PIPE SUPPORT DRAWINGS
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	SEAL AIR PIPING (23A0H)	"
N/A	EXHAUST CYLINDER SEAL AIR PIPING (23A0I)	"
N/A	4S COOLING RETURN PIPING (23A0L)	"
N/A	4S COOLING SUPPLY PIPING (23A0M)	"
N/A	4S FILTER BLEED AIR PIPING (23A0N)	"
N/A	ENHANCED COOLING AIR SUPPLY PIPING (23A0S)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	N2 GAS PIPING (INTERNAL) (47A0A)	"
37	GT ENCLOSURE MODULE 1-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	11.07.2024	S.C.K.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-151

DWG NAME: MD-1.2 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	4/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBP02AA701-KD01 IA SUPPLY


Pipe OD =	1.90 inch
Pipe DesignTemp.=	122 °F
Insul=	0 inch




ISOMETRIC VIEW





LOOKING FUEL GAS UNIT SIDE
1:5



LOOKING EXHAUST SIDE
1:5







Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	L50x50x6	JIS G 3192			4.72	120	1	1.17	0.53	SS400
2	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
3	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8Cl1
4	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
5	L50x50x6	JIS G 3192			21.30	541	1	5.28	2.40	SS400
						GRAND TOTAL		7.18	3.26	

MODULE NO:
MD-1.2

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **24A0A-PS-113

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: No C2
LINE NO: **MBP02AA701-KD01 IA SUPPLY


Pipe OD =	1.90	inch
Pipe DesignTemp.=	122	°F
Insul=	0	inch




ISOMETRIC VIEW





LOOKING EXHAUST SIDE
1:5



LOOKING LUBE OIL UNIT SIDE
1:5







Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	L50x50x6	JIS G 3192			4.72	120	1	1.17	0.53	SS400
2	PL5		1.18	30	3.94	100	1	0.26	0.12	ASTM A240-304
3	Standard U-Bolt, 1.90"	400548					1	0.37	0.17	A193GrB8Cl1
4	Heavy Hex Nut for U-Bolt 3/8"						4	0.09	0.04	STAINLESS STEEL
5	L50x50x6	JIS G 3192			21.10	536	1	5.23	2.37	SS400
						GRAND TOTAL		7.13	3.23	

MODULE NO:
MD-1.2

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER:	**24A0A-PS-114

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations; diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST