


MD-3.2 ISOMETRIC VIEW
LOOKING NORTH WEST

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - **XXXXXX ——PIPE LINE
   - (**XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	01.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–3.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–3.2

REV. 0



MD-3.2 SECTION 'A-A'
(PLAN VIEW)



MD-3.2 SECTION 'B-B'
(PLAN VIEW)

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX —— PIPE LINE
   - (××XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	01.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO
–

ITEM NO
MDL-150

DWG NAME
MD-3.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.
–

PREPARED BY
cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO
2E00140-PI-094-001-MD-3.2

REV.
0



MD-3.2 ELEVATION VIEW
SECTION 'C-C'



MD-3.2 ELEVATION VIEW
SECTION 'D-D'

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - **XXXXXX —— PIPE LINE
   - (**XXX-X) —— SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	01.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL–150

DWG NAME: MD–3.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140–PI–094–001–MD–3.2


REV.: 0



MD-3.2 SECTION 'E-E'
(LOOKING EAST)



MD-3.2 SECTION 'F-F'
(LOOKING EAST)



MD-3.2 SECTION 'G-G'
(LOOKING EAST)

REFERENCES

MDL ITEM #	MPWA MDL DESCRIPTION	DETAILS FOR
1	FOUNDATION PLAN AND SUMMARY LOADING DATA FOR MODULE GT ENCLOSURE	GENERAL LOCATION
20	GA DRAWING FOR MODULARIZED JAC GT ENCLOSURE	GENERAL LOCATION

NOTES

1. DIMENSIONS : MM [INCHES]
2. LABELING
   - ××XXXXXX ——PIPE LINE
   - (××XXX-X) ——SPOOL NO
3. SOME STRUCTURAL MEMBERS AND GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. WP : WORKING POINT FOR SLOPE LINE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	01.MAY.2024	S.H.	M.F.	N.K.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2024 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: –

ITEM NO: MDL-150

DWG NAME: MD-3.2 PIPING SUPPORT & SPOOLS GENERAL ARRANGEMENTS DRAWINGS **(GA FOR SPOOLS)**


REF.DWG.NO.: –

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	1/1	1/25	A1

DRAWING NO: 2E00140-PI-094-001-MD-3.2

REV.: 0



REVISION RECORD	
R1	03/27/2026
R.M., D.M./N.J., U.K.	
-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

DEPARTMENT: MITSUBISHI POWER ENGINEERING
SECTION: PLANT ENGINEERING

DRAWING DISTRIBUTION LIST

LEGEND:


PIPELINE / SPOOL	INDICATES PIPELINE ON THE TOP AND SPOOL ON THE BOTTOM.
SUPPORT	INDICATES SUPPORT.
TERMINAL POINT	INDICATES TERMINAL POINT.
– – – – – – –	INDICATES TRACING.


ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R.KUMAR	10/22/2025	**N05-003564**	**1**	**21A0E**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**FUEL GAS PILOT B PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

N05-ISO-MBP-BR-AE			
P&ID DRAWING NUMBER: N01-PID-MBP-00-10			
M501JAC GAS TURBINE			
PROJECT CODE:	-	P&ID:	-
PIPELINE:		PAGE NUMBER:	
-		3 OF 5	





NOTES:
1. WELDING AT PIPES MARKED WITH ↯ SHALL BE ADJUSTED AT SHOP TO FIT DURING JIG ASSEMBLY. THE MARK ↯ ON THE DRAWING INDICATES AN EXCESS LENGTH OF 4" (100mm) ADDED TO THE PIPE FOR ADJUSTED DURING ASSEMBLY.

WELD NO	WELD TYPE	WELD CAT	NPD	QTY
5	BW	S	2"	1
6	BW	S	2"	1
7	BW	S	2"	1
8	BW	S	2"	1
9	BW	S	2"	1
10	BW	S	2"	1
11	BW	S	2"	1
12	BW	S	2"	1

SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, BE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBOZZABBANI	19.5'
2	90 DEG ELBOW LR, S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2	MMCMZZBOZZAAEAPI	2
3	FLANGE WN, CL600, RFFE x BE, ASME B16.5, ASTM A182-F304, S-40S bore	2	MFAAAPDCZZAADALO	3

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
4	GASKET, SPIRAL WOUND, CL600, 0.175" THK, ASME B16.20, WINDING 316L/FILLER FLEXIBLE GRAPHITE, INNER RING 316L/CENTERING RING 316	2	MDAPAXAAKXAJUS	3
5	STUD, CONTINUOUS THREAD, ASME B18.31.2, ASTM A193-B7, 11-UNC - 5 in. Length	5/8	MBAZZADZZIAGBEUZ	24
6	NUT, HEAVY HEX, ASME B18.2.2, ASTM A194-2H, 11-UNC	5/8	MNOZZADAAZBGAADU	48
7	WASHER, SPECIAL SHAPED LOCK, 2in NPD, 1.2mm THK, MHPSA G1-90944, ASTM A240-304	5/8	MWQZZZZBXIBDAMDP	48
	INSTRUMENTS			
8	GT FUEL GAS PILOT B FLOW CONTROL VALVE, CL600, RF, ASTM A351-CF8 **MBP02AA752	2		1
	PIPE SUPPORTS			
9	PIPE SUPPORT	2	**21A0E-PS-17	1
10	PIPE SUPPORT	2	**21A0E-PS-01	1
	SPOOLS			
	**21A0E-8, **21A0E-9			

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<3>	6 1/4"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<4>	2'10 7/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<5>	4 7/8"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<6>	15'8"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. 〈XXX## ###〉 INDICATES PIPING TERMINAL POINT.

PIPING SPEC:	SCG	PAINTING SPEC: PER PROJECT SPECIFICATION
FLUID CODE:	GF, FUEL GAS	INTERIOR SURFACE TREATMENT SPEC: LU-00129
MAX. PRESS.:	884.00 psig / 6.09 MPag	
TEST PRESS.:	1326.00 psig / 9.14 MPag	
MAX. TEMP:	572 F / 300 C	
INSULATION SPEC:	LU-00332	

REVISION RECORD

REV. #	DESCRIPTION	BY	CHK	APP	DATE
1	-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	R.M.	D.M./N.J.	U.K.	03/27/2026

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
S - SHOP
FW - FIELD WELD
FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE


ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. KUMAR	10/22/2025	N05-003564	1	21A0E
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	FUEL GAS PILOT B PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		
			N01-PID-MBP-00-10		
			P&ID DRAWING NUMBER:N05-ISO-MBP-BR-AE		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE:	PAGE NUMBER:	
			**MBP02BR501	2 OF 8	


PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST





DETAIL-PIPE SUPPORT ATTACHMENT
[**21A0E-PSA-02]

1-PIPE 1-1/2", SCH 40S, ASTM A312-TP304 SEAMLESS L=3.83", 1 PIECE
2-PLATE, ASTM A36, 4.92"x4.92"x0.47", 1 PIECE



SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, BE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBOZZABBANI	16.6'
2	90 DEG ELBOW LR, S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2	MMCMZZBOZZAAEAPI	2
3	90 DEG ELBOW SR, S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2	MMCNZZBOZZAAEAPI	1
	PIPE SUPPORTS			
4	PIPE SUPPORT ATTACHMENT (REFER TO DETAIL)	2	**21A0E-PSA-02	1

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
	PIPE SUPPORTS			
5	PIPE SUPPORT	2	**21A0E-PS-02	1
6	PIPE SUPPORT	2	**21A0E-PS-03	1
	SPOOLS			
	**21A0E-7			

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<7>	13'6 9/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<8>	6 13/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<9>	2'0 11/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<10>	5 1/8"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. 〈XXX## ###〉 INDICATES PIPING TERMINAL POINT.

WELD NO	WELD TYPE	WELD CAT	NPD	QTY
13	BW	S	2"	1
14	BW	S	2"	1
15	BW	S	2"	1
16	BW	S	2"	1
17	BW	S	2"	1
18	BW	S	2"	1
19	BW	S	2"	1

PIPING SPEC:	SCG
FLUID CODE:	GF, FUEL GAS
MAX. PRESS.:	884.00 psig / 6.09 MPag
TEST PRESS.:	1326.00 psig / 9.14 MPag
MAX. TEMP:	572 F / 300 C
INSULATION SPEC:	LU-00332

PAINTING SPEC: PER PROJECT SPECIFICATION
INTERIOR SURFACE TREATMENT SPEC: LU-00129

REVISION RECORD

REV. #	DESCRIPTION	BY	CHK	APP	DATE
1	-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	R.M.	D.M./N.J.	U.K.	03/27/2026

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
S - SHOP
FW - FIELD WELD
FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER: / REV. NO.: / SYSTEM CODE:
PREPARED BY:	R. KUMAR	10/22/2025	N05-003564 / 1 / 21A0E
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	FUEL GAS PILOT B PIPING
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE

FOR FABRICATION & ERECTION

N01-PID-MBP-00-10

P&ID DRAWING NUMBER:N05-ISO-MBP-BR-AE

M501JAC GAS TURBINE

PROJECT CODE:	-	P&ID:	-
PIPELINE:		PAGE NUMBER:	
**MBP02BR501		3 OF 8	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.


ECCN: EAR99 No License Req'd


SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:


DRAWING DISTRIBUTION LIST





DETAIL-PIPE SUPPORT ATTACHMENT
[**21A0E-PSA-19]

1-PLATE, ASTM A240 304, 2.76"x1.97"x0.20", 1 PIECE
2-PLATE, ASTM A240 304, 6.71"x1.97"x0.20", 1 PIECE



WELD NO	WELD TYPE	WELD CAT	NPD	QTY
20	BW	S	2"	1
21	BW	S	2"	1
51	MW	S	1"	1
52	SW	S	1"	1
53	SW	S	1"	1
54	SW	S	1"	1
55	SW	S	1"	1
56	SW	S	1"	1
57	SW	S	1"	1
58	SW	S	1"	1
59	SW	S	1"	1
60	SW	S	1"	1
22	BW	S	2"	1
23	BW	S	2"	1

SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, BE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBOZZABBANI	1.0'
2	PIPE, S-40S, PE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1	MPAAZZBPZZABBANI	1.9'
3	REDUCING TEE, S-40S x S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2X1	MMDRZZBOZZAAEAPI	1
4	90 DEG ELBOW LR, S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2	MMCMZZBOZZAAEAPI	1
5	90 DEG ELBOW, CL3000, SWE, ASME B16.11, ASTM A182-F304	1	MMCKAWBVZZAAGALO	3
6	FLANGE WN, CL600, RFFE x BE, ASME B16.5, ASTM A182-F304, S-40S bore	2	MFAAAPDCZZAADALO	1
	PIPE SUPPORTS			
7	PIPE SUPPORT ATTACHMENT (REFER TO DETAIL)	2	**21A0E-PSA-19	1

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
8	GASKET, SPIRAL WOUND, CL600, 0.175" THK, ASME B16.20, WINDING 316L/FILLER FLEXIBLE GRAPHITE, INNER RING 316L/CENTERING RING 316	2	MDAPAXAAKXAJUS	1
9	STUD, CONTINUOUS THREAD, ASME B18.31.2, ASTM A193-B7, 11-UNC - 5.5 in. Length	5/8	MBAZZADZZIAGBEUZ	8
10	NUT, HEAVY HEX, ASME B18.2.2, ASTM A194-2H, 11-UNC	5/8	MNOZZADAAZBGAADU	16
11	WASHER, SPECIAL SHAPED LOCK, 2in NPD, 1.2mm THK, MHPSA G1-90944, ASTM A240-304	5/8	MWQZZZZBXIBDAMDP	16
12	GATE VALVE, CL800, SWE, ASME B16.34, ASTM A182-F316	1	MVAAAQBVZZAATALS	1
13	GATE VALVE, CL800, SWE x FTE, ASME B16.34, ASTM A182-F316	1	MVAAAQDHZZAATALS	1
	PIPE SUPPORTS			
14	PIPE SUPPORT	2	**21A0E-PS-04	1
15	PIPE SUPPORT	1	**21A0E-PS-19	1

SHOP LOOSE SHIPPED MATERIALS - ERECTION AND FABRICATION

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
16	PLUG, CL3000, MTE, ASME B16.11, ASTM A182-F304, HEX HEAD	1	MMFIAWBNZZAAGALO	1

SEE SHT 5

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. ⟨XXX## ###⟩ INDICATES PIPING TERMINAL POINT.

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. KUMAR	10/22/2025	N05-003564	1	21A0E
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	FUEL GAS PILOT B PIPING		
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE		
			FOR FABRICATION & ERECTION		

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

N01-PID-MBP-00-10
P&ID DRAWING NUMBER:N05-ISO-MBP-BR-AE
M501JAC GAS TURBINE
PROJECT CODE: - P&ID: -
PIPELINE: PAGE NUMBER:
**MBP02BR501 4 OF 8

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

PIPING SPEC:	SCG
FLUID CODE:	GF, FUEL GAS
MAX. PRESS.:	884.00 psig / 6.09 MPag
TEST PRESS.:	1326.00 psig / 9.14 MPag
MAX. TEMP:	572 F / 300 C
INSULATION SPEC:	LU-00332

PAINTING SPEC: PER PROJECT SPECIFICATION
INTERIOR SURFACE TREATMENT SPEC: LU-00129

REVISION RECORD


REV. #	DESCRIPTION	BY	CHK	APP	DATE
1	-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	R.M.	D.M./N.J.	U.K.	03/27/2026

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
● S - SHOP
⊗ FW - FIELD WELD
⊗ FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE



SEE SHT 4

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<11>	5 13/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<12>	2 1/2"	1		MITRED	SQ.CUT	MPAAZZBPZZABBANI
<13>	3 15/16"	1		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<14>	5"	1		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<15>	3 1/8"	1		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<16>	7 7/8"	1		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<17>	6 1/8"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:
1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. ⟨XXX## ###⟩ INDICATES PIPING TERMINAL POINT.

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER:	REV. NO.:	SYSTEM CODE:
PREPARED BY:	R. KUMAR	10/22/2025	**N05-003564**	**1**	**21A0E**
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	**FUEL GAS PILOT B PIPING**		
APPROVED BY:	U. KASINATHAN	10/31/2025	**INTERNAL TO GT PACKAGE**		
			FOR FABRICATION & ERECTION		
			N01-PID-MBP-00-10		
			P&ID DRAWING NUMBER:N05-ISO-MBP-BR-AE		
			M501JAC GAS TURBINE		
			PROJECT CODE: -	P&ID: -	
			PIPELINE:	PAGE NUMBER:	
			**MBP02BR501	5 OF 8	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST

PIPING SPEC:	SCG
FLUID CODE:	GF, FUEL GAS
MAX. PRESS.:	884.00 psig / 6.09 MPag
TEST PRESS.:	1326.00 psig / 9.14 MPag
MAX. TEMP:	572 F / 300 C
INSULATION SPEC:	LU-00332

PAINTING SPEC: PER PROJECT SPECIFICATION
INTERIOR SURFACE TREATMENT SPEC: LU-00129

REVISION RECORD

REV. #	DESCRIPTION	BY	CHK	APP	DATE
1	-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	R.M.	D.M./N.J.	U.K.	03/27/2026

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD


WELD CATEGORY IDENTIFICATION:
S - SHOP
FW - FIELD WELD
FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER



SHOP MATERIALS - FABRICATION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
1	PIPE, S-40S, BE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	2	MPAAZZBOZZABBANI	6.1'
2	PIPE, S-40S, PE, ASME B36.19M, ASTM A312-TP304, SEAMLESS	1	MPAAZZBPZZABBANI	0.9'
3	REDUCING TEE, S-40S x S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2X1	MMDRZZBOZZAAEAPI	1
4	90 DEG ELBOW LR, S-40S, BE, ASME B16.9, ASTM A403-WP304, SEAMLESS	2	MMCMZZBOZZAAEAPI	3
5	FLANGE WN, CL600, RFFE x BE, ASME B16.5, ASTM A182-F304, S-40S bore	2	MFAAAPDCZZAADALO	3

OTHER THAN SHOP MATERIALS - ERECTION ONLY

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
6	GT FUEL GAS PILOT B (TEMPORARY) STRAINER OR SPACER, CL600	2	**MBP03AT111	1
7	GASKET, SPIRAL WOUND, CL600, 0.175" THK, ASME B16.20, WINDING 316L/FILLER FLEXIBLE GRAPHITE, INNER RING 316L/CENTERING RING 316	2	MDAPAXAAKXAJUS	2
8	STUD, CONTINUOUS THREAD, ASME B18.31.2, ASTM A193-B7, 11-UNC - 5 in. Length	5/8	MBAZZADZZIAGBEUZ	8
9	NUT, HEAVY HEX, ASME B18.2.2, ASTM A194-2H, 11-UNC	5/8	MNOZZADAAZBGAADU	16
10	WASHER, SPECIAL SHAPED LOCK, 2in NPD, 1.2mm THK, MHPSA G1-90944, ASTM A240-304	5/8	MWQZZZZBXIBDAMDP	16
11	GATE VALVE, CL800, SWE, ASME B16.34, ASTM A182-F316	1	MVAAAQBVZZAATALS	1
12	GATE VALVE, CL800, SWE x FTE, ASME B16.34, ASTM A182-F316	1	MVAAAQDHZZAATALS	1

SHOP LOOSE SHIPPED MATERIALS - ERECTION AND FABRICATION

PT NO	DESCRIPTION	NPD (IN)	CMDTY CODE	QTY
13	PLUG, CL3000, MTE, ASME B16.11, ASTM A182-F304, HEX HEAD	1	MMFIAWBNZZAAGALO	1

SPOOLS

**21A0E-5, **21A0E-6

CUT PIPE LENGTH

PIECE NO	LENGTH (FT-INS)	NPD (IN)	REMARKS	END ONE	END TWO	ITEM CODE
<18>	3 9/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<19>	3 15/16"	1		BEVEL	SQ.CUT	MPAAZZBPZZABBANI
<20>	5 7/8"	1		SQ.CUT	SQ.CUT	MPAAZZBPZZABBANI
<21>	2'9 1/8"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI
<22>	2'11 9/16"	2		BEVEL	BEVEL	MPAAZZBOZZABBANI

ACTUAL QUANTITY OF WASHERS SHALL BE CONSIDERED AS HALF OF THE QUANTITY SHOWN ON ISOMETRICS

NOTES:

1. THE X AND Y COORDINATES ARE WITH RESPECT TO THE INTERSECTION OF THE CENTERLINE OF THE GAS TURBINE (GT) AND THE INLET MANIFOLD (IM). THE Z (EL) COORDINATE IS WITH RESPECT TO THE TOP OF CONCRETE, WHICH IS 15'-9" [4800 mm] BELOW THE CENTERLINE OF THE GT AND IS 0'-0".
2. ALL PIPE SUPPORT COORDINATES ARE WITH RESPECT TO THE CENTERLINE OF THE INSTALLED SUPPORTED PIPE.
3. THE MARK 'FFW' (FIELD FIT WELD) IN THE DRAWING INDICATES EXCESS LENGTH OF APPROX. 4 INCHES IDENTIFIED AS LOOSE IN THE DRAWING TO BE CUT AND ADJUSTED AT THE FIELD.
4. ALL WELDING TO BE DONE AND INSPECTED PER LATEST APPLICABLE EDITION OF ASME B31.1 AND SECTION IX AVAILABLE ON THE PROJECT AWARD DATE.
5. PIPING SHALL BE INSTALLED PER THE INDICATED SLOPE.
6. FOR ANY FURTHER INFORMATION REQUIRED DURING INSTALLATION, CONSULT MITSUBISHI POWER TFA (TECHNICAL FIELD ADVISOR) AT SITE.
7. <XXX## ###> INDICATES PIPING TERMINAL POINT.

WELD NO	WELD TYPE	WELD CAT	NPD	QTY
24	BW	S	2"	1
25	BW	S	2"	1
26	BW	S	2"	1
27	BW	S	2"	1
47	BW	S	1"	1
48	SW	S	1"	1
49	SW	S	1"	1
50	SW	S	1"	1
28	BW	S	2"	1
29	BW	S	2"	1
30	BW	S	2"	1
31	BW	S	2"	1

PIPING SPEC:	SCG	PAINTING SPEC: PER PROJECT SPECIFICATION			
FLUID CODE:	GF, FUEL GAS	INTERIOR SURFACE TREATMENT SPEC: LU-00129			
MAX. PRESS.:	884.00 psig / 6.09 MPag				
TEST PRESS.:	1326.00 psig / 9.14 MPag				
MAX. TEMP:	572 F / 300 C				
INSULATION SPEC:	LU-00332				

REVISION RECORD

REV. #	DESCRIPTION	BY	CHK	APP	DATE
1	-UPDATED FOR FUEL GAS FLOW CONTROL VALVE SUPPORT AND DESIGN PROGRESS.	R.M.	D.M./N.J.	U.K.	03/27/2026

WELD TYPE IDENTIFIER:
BW - BUTT WELD
SW - SOCKET WELD
SOF - SLIP-ON FLANGE
SOB - SET-ON BRANCH
LET - OLET, LATROLET OR HALF COUPLING
TW - TACK WELD
MW - MITER WELD

WELD CATEGORY IDENTIFICATION:
S - SHOP
FW - FIELD WELD
FFW - FIELD FIT WELD

SYMBOLOGY:
WELD NUMBER
PART NUMBER (PT NO)
< > CUT LIST PIECE NUMBER

SYMBOL IDENTIFIER:
F - FLANGE
G - GASKET
B - BOLT
N - NUT
W - WASHER
O - O-RING
L - LOCK WIRE

ORIGIN:	MITSUBISHI POWER-LAKE MARY	DATE:	MITSUBISHI POWER DRAWING NUMBER: / REV. NO.: / SYSTEM CODE:
PREPARED BY:	R. KUMAR	10/22/2025	N05-003564 / 1 / 21A0E
REVIEWED BY:	D.MAZQUIARAN / N.JAMSHIDI	10/28/2025	FUEL GAS PILOT B PIPING
APPROVED BY:	U. KASINATHAN	10/31/2025	INTERNAL TO GT PACKAGE
			FOR FABRICATION & ERECTION
			N01-PID-MBP-00-10
			P&ID DRAWING NUMBER:N05-ISO-MBP-BR-AE
			M501JAC GAS TURBINE

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2025 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PROJECT CODE:	-	P&ID:	-
PIPELINE:		PAGE NUMBER:	
**MBP02BR501		6 OF 8	

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING / PLANT ENGINEERING

DEPARTMENT: / SECTION:

DRAWING DISTRIBUTION LIST

NO	SUPPORT TAG	SPOOL NO	REMARK
1	**21A0A-PS-01	**21A0A-3	
2	**21A0B-PS-01	**21A0B-8	
3	**21A0C-PS-01	**21A0C-7	
4	**21A0C-PS-02	**21A0C-7	
5	**21A0D-PS-01	**21A0D-2	
6	**21A0D-PS-02	**21A0D-2	
7	**21A0D-PS-03	**21A0D-3	
8	**21A0D-PS-04	**21A0D-3	
9	**21A0E-PS-01	**21A0E-8	
10	**21A0E-PS-02	**21A0E-7	
11	**21A0E-PS-03	**21A0E-7	
12	**21A0E-PS-04	**21A0E-7	
13	**21A0E-PS-17	**21A0E-8	
14	**21A0H-PS-01	**21A0H-5	
15	**21A0H-PS-02	**21A0H-5	
16	**21A0H-PS-03	**21A0H-5	
17	**21A0H-PS-08	**21A0H-13	
18	**21A0H-PS-09	**21A0H-12	
19	**21A0H-PS-16	**21A0H-14	
20	**21A0H-PS-17	**21A0H-14	
21	**21A0H-PS-18	**21A0H-15	
22	**23A0C-PS-14	**23A0C-14	
23	**23A0K-PS-01	**23A0K-1	
24	**23A0K-PS-02	**23A0K-3	SEE NOTE 5
25	**23A0K-PS-22	**23A0K-20	SEE NOTE 5
26	**23A0K-PS-23	**23A0K-19	
		**23A0K-2	
27	**23A0K-PS-24	**23A0K-17	
28	**23A0U-PS-01	**23A0U-10	
29	**23A0U-PS-02	**23A0U-8	
30	**23A0U-PS-03	**23A0U-8	
31	**23A0U-PS-11	**23A0U-14	
32	**23A0U-PS-12	**23A0U-13	
33	**23A0U-PS-15	**23A0U-8	
34	**23A0U-PS-16	**23A0U-13	
35	**23A0U-PS-26	**23A0U-42	
		**23A0U-46	
36	**23A0U-PS-27	**23A0U-42	
		**23A0U-46	
37	**24A0A-PS-10	**24A0A-29	
		**24A0A-30	
38	**24A0A-PS-127	**24A0A-31	
39	**24A0A-PS-128	**24A0A-31	
40	**24A0A-PS-129	**24A0A-31	
41	**24A0A-PS-130	AIR CHAMBER	
		AIR CHAMBER	
42	**24A0A-PS-27	**24A0A-3	
43	**24A0A-PS-28	**24A0A-12	
44	**24A0A-PS-29	**24A0A-30	
45	**24A0A-PS-42	**24A0A-66	
46	**24A0A-PS-43	**24A0A-66	
47	**24A0A-PS-44	**24A0A-66	
48	**24A0A-PS-45	**24A0A-68	
49	**24A0A-PS-46	**24A0A-69	
50	**24A0A-PS-55	**24A0A-90	
51	**24A0A-PS-57	**24A0A-90	
52	**24A0A-PS-60	**24A0A-63	
53	**24A0A-PS-80	**24A0A-55	
54	**24A0A-PS-81	**24A0A-37	
55	**26A0A-PS-10	**26A0A-8	
56	**26A0A-PS-11	**26A0A-7	
57	**26A0A-PS-13	**26A0A-10	
58	**26A0A-PS-14	**26A0A-10	
59	**26A0A-PS-15	**26A0A-12	
60	**26A0A-PS-16	**26A0A-15	
61	**26A0A-PS-17	**26A0A-15	
62	**26A0A-PS-18	**26A0A-14	
63	**26A0A-PS-19	**26A0A-14	
64	**26A0A-PS-20	**26A0A-13	
65	**26A0A-PS-21	**26A0A-14	
66	**26A0A-PS-22	**26A0A-15	
67	**64A0A-PS-100	FFS	
68	**64A0A-PS-105	FFS	
69	**64A0A-PS-106	FFS	
70	**64A0A-PS-107	FFS	
71	**64A0A-PS-108	FFS	
72	**64A0A-PS-110	FFS	
73	**64A0A-PS-111	FFS	
74	**64A0A-PS-112	FFS	
75	**64A0A-PS-123	FFS	
76	**64A0A-PS-76	FFS	
77	**64A0A-PS-77	FFS	
78	**64A0A-PS-78	FFS	
79	**64A0A-PS-84	FFS	
80	**64A0A-PS-85	FFS	
81	**64A0A-PS-86	FFS	
82	**64A0A-PS-87	FFS	
83	**64A0A-PS-88	FFS	
84	**64A0A-PS-89	FFS	
85	**64A0A-PS-90	FFS	
86	**64A0A-PS-91	FFS	
87	**64A0A-PS-92	FFS	
88	**64A0A-PS-93	FFS	
89	**64A0A-PS-94	FFS	
90	**64A0A-PS-95	FFS	
91	**64A0A-PS-96	FFS	
92	**64A0A-PS-97	FFS	
93	**64A0A-PS-98	FFS	
94	**64A0A-PS-99	FFS	
95	**7A0A-PS-01	**7A0A-1	
96	**7A0A-PS-02	**7A0A-2	
97	**7A0A-PS-03	**7A0A-17	
98	**7A0A-PS-04	**7A0A-17	
99	**7A0A-PS-06	**7A0A-19	
100	**7A0A-PS-07	**7A0A-4	
101	**7A0A-PS-09	**7A0A-20	
102	**7A0A-PS-10	**7A0A-16	

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES


1. DIMENSIONS : MM [INCHES]

2. **XXXXX-XX-XX ← SUPPORT TAG

3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY

4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.

5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.



MD-3.2 ISOMETRIC VIEW

LOOKING LUBE OIL UNIT SIDE

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:

This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME: MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	2/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-3.2 PLAN VIEW

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX ← SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME: MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	3/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-3.2 LOOKING FUEL GAS UNIT SIDE

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX → SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME

MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	4/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-3.2 SECTION A-A



MD-3.2 SECTION B-B

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX ← SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME: MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	5/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-3.2 SECTION C-C



MD-3.2 SECTION D-D

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX ← SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME: MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING


REF.DWG.NO.: -

PREPARED BY: cimtas


JOB NO	SHEET	SCALE	SIZE
2E00140	6/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0



MD-3.2 SECTION E-E



MD-3.2 SECTION F-F

REFERENCES

MDL ITEM #	MHPSA MDL DESCRIPTION	DETAILS FOR
N/A	FUEL GAS MAIN A PIPING (21A0A)	PIPE SUPPORT DRAWINGS
N/A	FUEL GAS MAIN B PIPING (21A0B)	"
N/A	FUEL GAS TOPHAT PIPING (21A0C)	"
N/A	FUEL GAS PILOT A PIPING (21A0D)	"
N/A	FUEL GAS PILOT B PIPING (21A0E)	"
N/A	FUEL GAS PIPING (21A0H)	"
N/A	HIGH PRESSURE BLEED AIR PIPING (23A0C)	"
N/A	AIR INLET PRESSURE INSTRUMENT PIPING (23A0K)	"
N/A	TURBINE BYPASS PIPING (23A0U)	"
N/A	INSTRUMENT AIR PIPING (24A0A)	"
N/A	NOZZLE SWEEP AIR PIPING (26A0A)	"
N/A	CASING COOLING AIR PIPING (INTERNAL) (7A0A)	"
39	GT ENCLOSURE MODULE 3-2 DETAIL DRAWINGS	STRUCTURE

NOTES

1. DIMENSIONS : MM [INCHES]
2. **XXXXX-XX-XX ← SUPPORT TAG
3. GRATINGS ARE HIDDEN FOR A MORE CLEAR VIEW WHERE IT IS CONSIDERED NECESSARY
4. THE DIMENSIONS GIVEN IN THESE GENERAL ARRANGEMENT DRAWINGS ARE GIVEN FROM THE NEAREST PROFILES AND ARE THEORETICAL. DUE TO PRODUCTION TOLERANCES OF THE PROFILES AND MANUFACURING & ASSEMBLY TOLERANCES OF THE STEEL CONSTRUCTION SOME DIFFERENCES CAN BE OBSERVED IN REGARDS TO ORIGINAL SUPPORT THEORITICAL WORKING POINT COORDINATES AND ELEVATIONS. OUR SUGGESTION IS IN SUCH INCONVENIENT CASES, A CHECK SHALL BE MADE ACCORDING TO THE ELEVATION AND COORDINATES IN THE ORIGINAL SUPPORT DRAWINGS.
5. OFF MODULE SUPPORTS ARE GOING TO BE SITE MANUFACTURED AND ASSEMBLED.

REV.	DESCRIPTION	DATE	BY	CHECK	APPROVAL
0	ISSUED FOR CONSTRUCTION	04.07.2024	N.B.	S.S.	S.O.

This drawing is the property of Cimtas and all rights reserved

REVISIONS

CUSTOMER

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023 , Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

CUSTOMER JOB NO: -

ITEM NO: MDL-155

DWG NAME: MD-3.2 SUPPORTS GENERAL ARRANGEMENT DRAWING

REF.DWG.NO.: -

PREPARED BY: cimtas

JOB NO	SHEET	SCALE	SIZE
2E00140	7/8	1/20	A1

DRAWING NO: 2E00140-CI-026-150

REV.: 0


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: 1290
LINE NO: **MBP02BR501


F(X) =	25	lbs
F(Y) =	56	lbs
F(Z) =	181	lbs
(X)=	0.691	inch
(Y)=	0	inch
(Z)=	0	inch
Pipe OD =	2.38	inch
Pipe DesignTemp.=	572	°F
Insul=	0.8	inch




LOOKING LUBE OIL UNIT SIDE
1:5



LOOKING EXHAUST SIDE
1:5




4 L75x75x9




1:2.5

3 PL5*135*75



1:2.5



ISOMETRIC VIEW

Item	Description	Lisega Size /Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Standard U-Bolt, 2.38"	400648					1	0.86	0.39	A193GrB8Cl1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.26	0.12	STAINLESS STEEL
3	PL5		2.95	75	5.31	135	1	0.88	0.40	ASTM A240-304
4	L75x75x9	JIS G 3192			5.31	135	1	2.96	1.34	SS400
5	L75x75x9	JIS G 3192			11.42	290	1	6.37	2.89	SS400
						GRAND TOTAL		11.33	5.14	

MODULE NO:
MD-3.2

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **21A0E-PS-01

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: 1312
LINE NO: **MBP02BR501


F(X) =	167	lbs
F(Y) =	-58	lbs
F(Z) =	-108	lbs
(X)=	-0.157	inch
(Y)=	0	inch
(Z)=	0	inch
Pipe OD =	2.38	inch
Pipe DesignTemp.=	572	°F
Insul=	0.8	inch




LOOKING FUEL GAS UNIT SIDE
1:5




LOOKING EXHAUST SIDE
1:5







1:1




1:1



ISOMETRIC VIEW



VIEW A-A
1:5



DETAIL A
1:2.5

*Gaps are given only for manufacturing tolerances

Item	Description	Lisega Size /Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	PL20		1.57	40	2.95	75	2	2.08	0.94	ASTM A36
2	PL5		0.98	25	2.95	75	2	0.32	0.15	ASTM A36
3	PL5		0.59	15	0.59	15	4	0.08	0.04	ASTM A36
4	PL12		7.68	195	7.68	195	1	7.90	3.58	ASTM A36
5	HSS100x100x9	JIS G 3466			5.69	145	1	7.68	3.49	SS400
							GRAND TOTAL	18.06	8.19	

MODULE NO:
MD-3.2

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **21A0E-PS-02

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SIL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: 1320
LINE NO: **MBP02BR501


F(X) =	17	lbs
F(Y) =	112	lbs
F(Z) =	-70	lbs
(X)=	-0.638	inch
(Y)=	0	inch
(Z)=	0	inch
Pipe OD =	2.375	inch
Pipe DesignTemp.=	572	°F
Insul=	0.8	inch




LOOKING INLET MANIFOLD SIDE
1:5




LOOKING LUBE OIL UNIT SIDE
1:5






ISOMETRIC VIEW

4 L75x75x9



1:2.5

3 PL5*135*75



1:2.5

Item	Description	Lisega Size /Standard	Width		Length		Qty.	Total Weight		Material
			in	mm	in	mm		lbf	kg	
1	Standard U-Bolt, 2.38"	400648					1	0.86	0.39	A193GrB8Cl1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.26	0.12	STAINLESS STEEL
3	PL5		2.95	75	5.31	135	1	0.88	0.40	ASTM A240-304
4	L75x75x9	JIS G 3192			5.31	135	1	2.96	1.34	SS400
5	C100x50x5	JIS G 3192			8.07	205	1	4.23	1.92	SS400
						GRAND TOTAL		9.20	4.17	

MODULE NO:
MD-3.2

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **21A0E-PS-03

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER

NODE: 1396
LINE NO: **MBP02BR501


F(X) =	-75	lbs
F(Y) =	50	lbs
F(Z) =	-325	lbs
(X)=	-1.039	inch
(Y)=	0.816	inch
(Z)=	0	inch
Pipe OD =	2.375	inch
Pipe DesignTemp.=	572	°F
Insul=	1.2	inch




ISOMETRIC VIEW




LOOKING EXHAUST SIDE
1:5




1:5






LOOKING FUEL GAS UNIT SIDE
1:5



1:5



1:5

Item	Description	Lisega Size /Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Special U-Bolt, 2.375''	400648S					1	0.86	0.39	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8''						4	0.26	0.12	STAINLESS STEEL
3	PL5		1.77	45	5.63	143	1	0.56	0.25	ASTM A240-304
4	H100x100x6x8	JIS G 3192			23.07	586	1	21.83	9.90	SM520
						GRAND TOTAL		23.51	10.67	

MODULE NO:
MD-3.2

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **21A0E-PS-04

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE

NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER


NODE: 1250
LINE NO: **MBP02BR501

F(X) =	156	lbs
F(Y) =	-48	lbs
F(Z) =	-708	lbs
(X)=	0.831	inch
(Y)=	-0.061	inch
(Z)=	0	inch
Pipe OD =	2.375	inch
Pipe DesignTemp.=	572	°F
Insul=	0.8	inch




LOOKING EXHAUST SIDE

1:5




LOOKING LUBE OIL UNIT SIDE

1:5





○ P.A. = PIPE ATTACHMENT
× S.A. = STEEL ATTACHMENT(S)



ISOMETRIC VIEW


4 L50x50x6






1:2.5

3 PL5*146*50



1:2.5

1 U BOLT 2.38"



1:5

Item	Description	Lisega Size /Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Special U-Bolt, 2.38"	400648S					1	0.86	0.39	A193GrB8CI1
2	Heavy Hex Nut for U-Bolt 3/8"						4	0.26	0.12	STAINLESS STEEL
3	PL5		1.97	50	5.75	146	1	0.63	0.29	ASTM A240-304
4	L50x50x6	JIS G 3192			7.32	186	1	1.82	0.82	SS400
5	C100x50x5	JIS G 3192			11.85	301	1	6.21	2.82	SS400
						GRAND TOTAL		9.78	4.44	

MODULE NO:
MD-3.2

MITSUBISHI POWER HQ-LAKE MARY
SUPPORT NUMBER: **21A0E-PS-17

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER

PAGE NUMBER: 1 OF 1

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd
SL2
MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING
DEPARTMENT:
SECTION:
DRAWING DISTRIBUTION LIST


SCALE = NONE

TOLERANCES PER MSS SP-58
UNLESS NOTED OTHERWISE


NOTES:
1. SMOOTHEN SHARP CORNERS BY GRINDING
2. WELD TO SUIT ASSEMBLY
3. ** PREFIX SHALL BE PER DOCUMENT "PLANT IDENTIFICATION NUMBERING SYSTEM"
4. PREFIX "***" IN HANGER MARK INDICATES GT UNIT NUMBER
5. Ø8mm HOLES TO BE DRILLED ON EXISTING STEEL FOR U-BOLT

NODE: No C2
LINE NO: **MBP02BR501


Pipe OD =	1.315	inch
Pipe DesignTemp.=	788	°F
Insul=	0.4	inch



LOOKING EXHAUST SIDE
1:2.5



VIEW A-A
1:2.5



Item	Description	Lisega Size/ Standard	Width in	Width mm	Length in	Length mm	Qty.	Total Weight lbf	Total Weight kg	Material
1	Standard U-Bolt, 1"	400348					1	0.13	0.06	A193GrB8Cl1
2	Heavy Hex Nut for U-Bolt 1/4"						4	0.09	0.04	STAINLESS STEEL
						GRAND TOTAL		0.22	0.10	

MODULE NO:
MD-3.2

EXPORT CONTROL DIVERSION WARNING
This document contains data which if exported from the United States must be exported in accordance with the export administration regulations, diversion contrary to U.S. law is prohibited.

ECCN: EAR99 No License Req'd

SL2

MITSUBISHI POWER ENGINEERING
PLANT ENGINEERING

DEPARTMENT:
SECTION:

DRAWING DISTRIBUTION LIST

MITSUBISHI POWER HQ-LAKE MARY

SUPPORT NUMBER: **21A0E-PS-19

PROPRIETARY AND CONFIDENTIAL:
This document contains Confidential and Proprietary information of Mitsubishi Power Americas, Inc. Neither this document, nor any information obtained therefrom is to be reproduced, transmitted or disclosed to any third party without first receiving the express written authorization of Mitsubishi Power Americas, Inc.
©2023, Mitsubishi Power Americas, Inc.

MITSUBISHI POWER