LOGISTICSPLUSCN • PACKING PLAN

Task: EXAMPLE-2BOX-56CARGO

Generated: 10/29/2026, 12:00:00 PM

Packing plan overview

Computed placements · container views, cargo manifests and coordinates

Containers	Loaded pieces	Net cargo volume	Cargo weight	Unloaded pieces
2	**56**	**11.76 m³**	**6,720 kg**	**0**

Container	Equipment / internal size cm	Qty	Net volume m³	Weight kg	Volume / payload use
1	20GP 589.8 × 235.2 × 239.3	28	5.88	3,360	17.7% / 12%
2	20GP 589.8 × 235.2 × 239.3	28	5.88	3,360	17.7% / 12%

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

Balance checks cover only recorded algorithm checks. Confirm lashing, floor point loads, door clearance and handling equipment on site.

EXAMPLE PLAN • for UI and export verification only

LOGISTICSPLUSCN • PACKING PLAN

Container view and checks

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm


Task: EXAMPLE-2BOX-56CARGO

Generated: 10/29/2026, 12:00:00 PM

Loaded pieces	Net cargo volume	Cargo weight	Rated payload	Payload remaining
28	5.88 m³	3,360 kg	28,000 kg	24,640 kg

Isometric view from computed coordinates

identifies cargo types; P identifies placement records. Read hidden items with layer views and coordinates.



Balance check

CoG X / Y / Z	Balance check	Front / rear load	Left / right load
276 / 108.5 / 30 cm	Not provided	53.8 / 46.3 %	53.7 / 46.3 %

Recorded balance limits: Maximum front load — · Maximum imbalance / offset — · Maximum lateral offset —

Balance checks cover only recorded algorithm checks. Confirm lashing, floor point loads, door clearance and handling equipment on site.

Packing strategy: —

Layer breakdowns follow

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Cargo in this container

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm

#	Cargo	Original unit size cm	Qty	Weight kg	Net volume m³	P
#1	EXAMPLE / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / END-OF-LONG-NAME M1	70 × 50 × 60	1	120	0.21	1
#2	EXAMPLE cargo 2 M2	70 × 50 × 60	1	120	0.21	1
#3	EXAMPLE cargo 3 M3	70 × 50 × 60	1	120	0.21	1
#4	EXAMPLE cargo 4 M4	70 × 50 × 60	1	120	0.21	1
#5	EXAMPLE cargo 5 M5	70 × 50 × 60	1	120	0.21	1
#6	EXAMPLE cargo 6 M6	70 × 50 × 60	1	120	0.21	1
#7	EXAMPLE cargo 7 M7	70 × 50 × 60	1	120	0.21	1
#8	EXAMPLE cargo 8 M8	70 × 50 × 60	1	120	0.21	1
#9	EXAMPLE cargo 9 M9	70 × 50 × 60	1	120	0.21	1
#10	EXAMPLE cargo 10 M10	70 × 50 × 60	1	120	0.21	1
#11	EXAMPLE cargo 11 M11	70 × 50 × 60	1	120	0.21	1
#12	EXAMPLE cargo 12 M12	70 × 50 × 60	1	120	0.21	1
#13	EXAMPLE cargo 13 M13	70 × 50 × 60	1	120	0.21	1

Net volume = original L×W×H×quantity, or returned net volume if original dimensions are missing. Volume use = net cargo volume / internal container volume.

EXAMPLE PLAN • for UI and export verification only

Cargo in this container

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm · continued

#	Cargo	Original unit size cm	Qty	Weight kg	Net volume m³	P
#14	EXAMPLE cargo 14 M14	70 × 50 × 60	1	120	0.21	1
#15	EXAMPLE cargo 15 M15	70 × 50 × 60	1	120	0.21	1
#16	EXAMPLE cargo 16 M16	70 × 50 × 60	1	120	0.21	1
#17	EXAMPLE cargo 17 M17	70 × 50 × 60	1	120	0.21	1
#18	EXAMPLE cargo 18 M18	70 × 50 × 60	1	120	0.21	1
#19	EXAMPLE cargo 19 M19	70 × 50 × 60	1	120	0.21	1
#20	EXAMPLE cargo 20 M20	70 × 50 × 60	1	120	0.21	1
#21	EXAMPLE cargo 21 M21	70 × 50 × 60	1	120	0.21	1
#22	EXAMPLE cargo 22 M22	70 × 50 × 60	1	120	0.21	1
#23	EXAMPLE cargo 23 M23	70 × 50 × 60	1	120	0.21	1
#24	EXAMPLE cargo 24 M24	70 × 50 × 60	1	120	0.21	1
#25	EXAMPLE cargo 25 M25	70 × 50 × 60	1	120	0.21	1
#26	EXAMPLE cargo 26 M26	70 × 50 × 60	1	120	0.21	1
#27	EXAMPLE cargo 27 M27	70 × 50 × 60	1	120	0.21	1
#28	EXAMPLE cargo 28 M28	70 × 50 × 60	1	120	0.21	1

Net volume = original L×W×H×quantity, or returned net volume if original dimensions are missing. Volume use = net cargo volume / internal container volume.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Placement manifest

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm · 1/3

Each row is one placement record; grouped pieces are counted by Qty and weight is the record total. Sizes and coordinates: cm .

Reference	Cargo	Qty	Weight kg	Placed envelope cm	Origin X / Y / Z cm	Axes X / Y / Z	Load order	Constraints / notes
P001	#1A EXAMPLE / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / Long precision machinery spare parts description / END-OF-LONG-NAME M1	1	120	72 × 52 × 60	0 / 0 / 0	长 / 宽 / 高	—	Keep upright Do not top load
P002	#2A EXAMPLE cargo 2 M2	1	120	72 × 52 × 60	80 / 0 / 0	长 / 宽 / 高	—	—
P003	#3A EXAMPLE cargo 3 M3	1	120	72 × 52 × 60	160 / 0 / 0	长 / 宽 / 高	—	—
P004	#4A EXAMPLE cargo 4 M4	1	120	72 × 52 × 60	240 / 0 / 0	长 / 宽 / 高	—	Keep upright
P005	#5A EXAMPLE cargo 5 M5	1	120	72 × 52 × 60	320 / 0 / 0	长 / 宽 / 高	—	—
P006	#6A EXAMPLE cargo 6 M6	1	120	72 × 52 × 60	400 / 0 / 0	长 / 宽 / 高	—	—
P007	#7A EXAMPLE cargo 7 M7	1	120	72 × 52 × 60	480 / 0 / 0	长 / 宽 / 高	—	Keep upright
P008	#8A EXAMPLE cargo 8 M8	1	120	72 × 52 × 60	0 / 55 / 0	长 / 宽 / 高	—	—
P009	#9A EXAMPLE cargo 9 M9	1	120	72 × 52 × 60	80 / 55 / 0	长 / 宽 / 高	—	—

Base A = length×width; B = width×height; C = length×height; unknown = —.

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Placement manifest

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm · 2/3

Each row is one placement record; grouped pieces are counted by Qty and weight is the record total. Sizes and coordinates: cm .

Reference	Cargo	Qty	Weight kg	Placed envelope cm	Origin X / Y / Z cm	Axes X / Y / Z	Load order	Constraints / notes
P010	#10A EXAMPLE cargo 10 M10	1	120	72 × 52 × 60	160 / 55 / 0	长 / 宽 / 高	—	Keep upright
P011	#11A EXAMPLE cargo 11 M11	1	120	72 × 52 × 60	240 / 55 / 0	长 / 宽 / 高	—	—
P012	#12A EXAMPLE cargo 12 M12	1	120	72 × 52 × 60	320 / 55 / 0	长 / 宽 / 高	—	—
P013	#13A EXAMPLE cargo 13 M13	1	120	72 × 52 × 60	400 / 55 / 0	长 / 宽 / 高	—	Keep upright
P014	#14A EXAMPLE cargo 14 M14	1	120	72 × 52 × 60	480 / 55 / 0	长 / 宽 / 高	—	—
P015	#15A EXAMPLE cargo 15 M15	1	120	72 × 52 × 60	0 / 110 / 0	长 / 宽 / 高	—	—
P016	#16A EXAMPLE cargo 16 M16	1	120	72 × 52 × 60	80 / 110 / 0	长 / 宽 / 高	—	Keep upright
P017	#17A EXAMPLE cargo 17 M17	1	120	72 × 52 × 60	160 / 110 / 0	长 / 宽 / 高	—	—
P018	#18A EXAMPLE cargo 18 M18	1	120	72 × 52 × 60	240 / 110 / 0	长 / 宽 / 高	—	—
P019	#19A EXAMPLE cargo 19 M19	1	120	72 × 52 × 60	320 / 110 / 0	长 / 宽 / 高	—	Keep upright
P020	#20A EXAMPLE cargo 20 M20	1	120	72 × 52 × 60	400 / 110 / 0	长 / 宽 / 高	—	—
P021	#21A EXAMPLE cargo 21 M21	1	120	72 × 52 × 60	480 / 110 / 0	长 / 宽 / 高	—	—
P022	#22A EXAMPLE cargo 22 M22	1	120	72 × 52 × 60	0 / 165 / 0	长 / 宽 / 高	—	Keep upright
P023	#23A EXAMPLE cargo 23 M23	1	120	72 × 52 × 60	80 / 165 / 0	长 / 宽 / 高	—	—
P024	#24A EXAMPLE cargo 24 M24	1	120	72 × 52 × 60	160 / 165 / 0	长 / 宽 / 高	—	—
P025	#25A EXAMPLE cargo 25 M25	1	120	72 × 52 × 60	240 / 165 / 0	长 / 宽 / 高	—	Keep upright

Base A = length×width; B = width×height; C = length×height; unknown = —.

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Placement manifest

Container 1 · 20GP · 589.8 × 235.2 × 239.3 cm · 3/3

Each row is one placement record; grouped pieces are counted by Qty and weight is the record total. Sizes and coordinates: cm .

Reference	Cargo	Qty	Weight kg	Placed envelope cm	Origin X / Y / Z cm	Axes X / Y / Z	Load order	Constraints / notes
P026	#26A EXAMPLE cargo 26 M26	1	120	72 × 52 × 60	320 / 165 / 0	长 / 宽 / 高	—	—
P027	#27A EXAMPLE cargo 27 M27	1	120	72 × 52 × 60	400 / 165 / 0	长 / 宽 / 高	—	—
P028	#28A EXAMPLE cargo 28 M28	1	120	72 × 52 × 60	480 / 165 / 0	长 / 宽 / 高	—	Keep upright

Base A = length×width; B = width×height; C = length×height; unknown = —.

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM


Container view and checks

Container 2 · 20GP · 589.8 × 235.2 × 239.3 cm

Loaded pieces	Net cargo volume	Cargo weight	Rated payload	Payload remaining
28	5.88 m³	3,360 kg	28,000 kg	24,640 kg

Isometric view from computed coordinates

identifies cargo types; P identifies placement records. Read hidden items with layer views and coordinates.



Balance check

CoG X / Y / Z	Balance check	Front / rear load	Left / right load
276 / 108.5 / 30 cm	Not provided	53.8 / 46.3 %	53.7 / 46.3 %

Recorded balance limits: Maximum front load — · Maximum imbalance / offset — · Maximum lateral offset —

Balance checks cover only recorded algorithm checks. Confirm lashing, floor point loads, door clearance and handling equipment on site.

Packing strategy: —

Layer breakdowns follow

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Cargo in this container

Container 2 · 20GP · 589.8 × 235.2 × 239.3 cm

#	Cargo	Original unit size cm	Qty	Weight kg	Net volume m³	P
#29	EXAMPLE cargo 29 M29	70 × 50 × 60	1	120	0.21	1
#30	EXAMPLE cargo 30 M30	70 × 50 × 60	1	120	0.21	1
#31	EXAMPLE cargo 31 M31	70 × 50 × 60	1	120	0.21	1
#32	EXAMPLE cargo 32 M32	70 × 50 × 60	1	120	0.21	1
#33	EXAMPLE cargo 33 M33	70 × 50 × 60	1	120	0.21	1
#34	EXAMPLE cargo 34 M34	70 × 50 × 60	1	120	0.21	1
#35	EXAMPLE cargo 35 M35	70 × 50 × 60	1	120	0.21	1
#36	EXAMPLE cargo 36 M36	70 × 50 × 60	1	120	0.21	1
#37	EXAMPLE cargo 37 M37	70 × 50 × 60	1	120	0.21	1
#38	EXAMPLE cargo 38 M38	70 × 50 × 60	1	120	0.21	1
#39	EXAMPLE cargo 39 M39	70 × 50 × 60	1	120	0.21	1
#40	EXAMPLE cargo 40 M40	70 × 50 × 60	1	120	0.21	1
#41	EXAMPLE cargo 41 M41	70 × 50 × 60	1	120	0.21	1
#42	EXAMPLE cargo 42 M42	70 × 50 × 60	1	120	0.21	1
#43	EXAMPLE cargo 43 M43	70 × 50 × 60	1	120	0.21	1
#44	EXAMPLE cargo 44 M44	70 × 50 × 60	1	120	0.21	1
#45	EXAMPLE cargo 45 M45	70 × 50 × 60	1	120	0.21	1

Net volume = original L×W×H×quantity, or returned net volume if original dimensions are missing. Volume use = net cargo volume / internal container volume.

EXAMPLE PLAN • for UI and export verification only

Cargo in this container

Container 2 · 20GP · 589.8 × 235.2 × 239.3 cm · continued

#	Cargo	Original unit size cm	Qty	Weight kg	Net volume m³	P
#46	EXAMPLE cargo 46 M46	70 × 50 × 60	1	120	0.21	1
#47	EXAMPLE cargo 47 M47	70 × 50 × 60	1	120	0.21	1
#48	EXAMPLE cargo 48 M48	70 × 50 × 60	1	120	0.21	1
#49	EXAMPLE cargo 49 M49	70 × 50 × 60	1	120	0.21	1
#50	EXAMPLE cargo 50 M50	70 × 50 × 60	1	120	0.21	1
#51	EXAMPLE cargo 51 M51	70 × 50 × 60	1	120	0.21	1
#52	EXAMPLE cargo 52 M52	70 × 50 × 60	1	120	0.21	1
#53	EXAMPLE cargo 53 M53	70 × 50 × 60	1	120	0.21	1
#54	EXAMPLE cargo 54 M54	70 × 50 × 60	1	120	0.21	1
#55	EXAMPLE cargo 55 M55	70 × 50 × 60	1	120	0.21	1
#56	EXAMPLE cargo 56 M56	70 × 50 × 60	1	120	0.21	1

Net volume = original L×W×H×quantity, or returned net volume if original dimensions are missing. Volume use = net cargo volume / internal container volume.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Placement manifest

Container 2 · 20GP · 589.8 × 235.2 × 239.3 cm · 1/2

Each row is one placement record; grouped pieces are counted by Qty and weight is the record total. Sizes and coordinates: cm .

Reference	Cargo	Qty	Weight kg	Placed envelope cm	Origin X / Y / Z cm	Axes X / Y / Z	Load order	Constraints / notes
P001	#29A EXAMPLE cargo 29 M29	1	120	72 × 52 × 60	0 / 0 / 0	长 / 宽 / 高	—	Keep upright Do not top load
P002	#30A EXAMPLE cargo 30 M30	1	120	72 × 52 × 60	80 / 0 / 0	长 / 宽 / 高	—	—
P003	#31A EXAMPLE cargo 31 M31	1	120	72 × 52 × 60	160 / 0 / 0	长 / 宽 / 高	—	—
P004	#32A EXAMPLE cargo 32 M32	1	120	72 × 52 × 60	240 / 0 / 0	长 / 宽 / 高	—	Keep upright
P005	#33A EXAMPLE cargo 33 M33	1	120	72 × 52 × 60	320 / 0 / 0	长 / 宽 / 高	—	—
P006	#34A EXAMPLE cargo 34 M34	1	120	72 × 52 × 60	400 / 0 / 0	长 / 宽 / 高	—	—
P007	#35A EXAMPLE cargo 35 M35	1	120	72 × 52 × 60	480 / 0 / 0	长 / 宽 / 高	—	Keep upright
P008	#36A EXAMPLE cargo 36 M36	1	120	72 × 52 × 60	0 / 55 / 0	长 / 宽 / 高	—	—
P009	#37A EXAMPLE cargo 37 M37	1	120	72 × 52 × 60	80 / 55 / 0	长 / 宽 / 高	—	—
P010	#38A EXAMPLE cargo 38 M38	1	120	72 × 52 × 60	160 / 55 / 0	长 / 宽 / 高	—	Keep upright
P011	#39A EXAMPLE cargo 39 M39	1	120	72 × 52 × 60	240 / 55 / 0	长 / 宽 / 高	—	—
P012	#40A EXAMPLE cargo 40 M40	1	120	72 × 52 × 60	320 / 55 / 0	长 / 宽 / 高	—	—
P013	#41A EXAMPLE cargo 41 M41	1	120	72 × 52 × 60	400 / 55 / 0	长 / 宽 / 高	—	Keep upright
P014	#42A EXAMPLE cargo 42 M42	1	120	72 × 52 × 60	480 / 55 / 0	长 / 宽 / 高	—	—
P015	#43A EXAMPLE cargo 43 M43	1	120	72 × 52 × 60	0 / 110 / 0	长 / 宽 / 高	—	—

Base A = length×width; B = width×height; C = length×height; unknown = —.

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Placement manifest

Container 2 · 20GP · 589.8 × 235.2 × 239.3 cm · 2/2

Each row is one placement record; grouped pieces are counted by Qty and weight is the record total. Sizes and coordinates: cm .

Reference	Cargo	Qty	Weight kg	Placed envelope cm	Origin X / Y / Z cm	Axes X / Y / Z	Load order	Constraints / notes
P016	#44A EXAMPLE cargo 44 M44	1	120	72 × 52 × 60	80 / 110 / 0	长 / 宽 / 高	—	Keep upright
P017	#45A EXAMPLE cargo 45 M45	1	120	72 × 52 × 60	160 / 110 / 0	长 / 宽 / 高	—	—
P018	#46A EXAMPLE cargo 46 M46	1	120	72 × 52 × 60	240 / 110 / 0	长 / 宽 / 高	—	—
P019	#47A EXAMPLE cargo 47 M47	1	120	72 × 52 × 60	320 / 110 / 0	长 / 宽 / 高	—	Keep upright
P020	#48A EXAMPLE cargo 48 M48	1	120	72 × 52 × 60	400 / 110 / 0	长 / 宽 / 高	—	—
P021	#49A EXAMPLE cargo 49 M49	1	120	72 × 52 × 60	480 / 110 / 0	长 / 宽 / 高	—	—
P022	#50A EXAMPLE cargo 50 M50	1	120	72 × 52 × 60	0 / 165 / 0	长 / 宽 / 高	—	Keep upright
P023	#51A EXAMPLE cargo 51 M51	1	120	72 × 52 × 60	80 / 165 / 0	长 / 宽 / 高	—	—
P024	#52A EXAMPLE cargo 52 M52	1	120	72 × 52 × 60	160 / 165 / 0	长 / 宽 / 高	—	—
P025	#53A EXAMPLE cargo 53 M53	1	120	72 × 52 × 60	240 / 165 / 0	长 / 宽 / 高	—	Keep upright
P026	#54A EXAMPLE cargo 54 M54	1	120	72 × 52 × 60	320 / 165 / 0	长 / 宽 / 高	—	—
P027	#55A EXAMPLE cargo 55 M55	1	120	72 × 52 × 60	400 / 165 / 0	长 / 宽 / 高	—	—
P028	#56A EXAMPLE cargo 56 M56	1	120	72 × 52 × 60	480 / 165 / 0	长 / 宽 / 高	—	Keep upright

Base A = length×width; B = width×height; C = length×height; unknown = —.

P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; confirm the handling route on site.

EXAMPLE PLAN • for UI and export verification only

Task: EXAMPLE-2BOX-56CARGO
Generated: 10/29/2026, 12:00:00 PM

Calculation basis and loading notes

Computed placements · container views, cargo manifests and coordinates

- Coordinates use the model origin: X follows length, Y follows width, Z points up. No door position is supplied, so door directi on is not inferred.
- P references follow placement record order. Load order shows only explicit upstream values. A dash means not provided; con firm the handling route on site.
- Net volume = original L×W×H×quantity, or returned net volume if original dimensions are missing. Volume use = net cargo volume / internal container volume.
- Placed sizes and origins are returned packing envelopes and may include gaps. Original sizes are in the cargo manifest. The v iew is not a lashing plan.
- Sum the total weight of each placement record without multiplying grouped quantities again. CoG assumes uniform mass in side each placed envelope.
- Geometric free space does not guarantee further loading. Dimensions, payload, support, orientation, gaps and access must a lso permit it.
- Balance checks cover only recorded algorithm checks. Confirm lashing, floor point loads, door clearance and handling equip ment on site.

User notes

EXAMPLE ONLY. Synthetic non-overlapping placements; no shipment or customer information. 56 pieces / 6,720 kg / 11.76 m³ across 2 boxes. Original units: 0.7 m × 500 mm × 60 cm, 0.12 t per piece, normalized to 70 × 50 × 60 cm, 120 kg. Loading orde r and balance-validation approval are intentionally absent and must display as not provided.

Layered Packing Analysis Report

Cargo hold sliced by height: each layer includes top positioning, oblique 3D analysis, and color-coded stacking notes

20GP • Hold 1

Generated At: 10/29/2026, 12:00:00 PM

Cargo Types: 56 · Layer Count: 1


Container Interior	Current Hold	Cargo Volume in Hold	Hold Volume Used	Theoretical Free Volume	Geometric Clearance
589.8 × 235.2 × 239.299999999999...	28 pcs / 1 layers	5.88 m³	17.7%	27.32 m³	26.91 m³

Remaining-space Blocks and Geometric Clearance

Theoretical free volume subtracts physical cargo volume. Geometric clearance subtracts occupied envelopes including safety gaps and is partitioned into non-overlapping cuboids R1, R2, and so on.

3D Clearance Block Map

Shows the 10 largest clearance blocks. This is a geometric partition, not a maximum loadable cuboid or a guarantee of handling access.



Theoretical Free
27.32 m³

Geometric Clearance
26.91 m³

Gap / Envelope Allowance
0.41 m³

Largest Block Share
7.9%

Major Clearance Blocks (L × W × H)

R1	38 × 235 × 239 cm X 552–590 / Y 0–235 / Z 0–239 cm	2.13 m³
R2	72 × 52 × 179 cm X 0–72 / Y 0–52 / Z 60–239 cm	0.67 m³
R3	72 × 52 × 179 cm X 80–152 / Y 0–52 / Z 60–239 cm	0.67 m³
R4	72 × 52 × 179 cm X 160–232 / Y 0–52 / Z 60–239 cm	0.67 m³
R5	72 × 52 × 179 cm X 240–312 / Y 0–52 / Z 60–239 cm	0.67 m³
R6	72 × 52 × 179 cm X 320–392 / Y 0–52 / Z 60–239 cm	0.67 m³

Another 53 fragmented clearance blocks totaling 18.74 m³ are included in geometric clearance.

Complete Clearance-block Details

Blocks 1–28 of 63, ordered by volume from largest to smallest.

Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R1	38 × 235 × 239 cm	552–590 cm	0–235 cm	0–239 cm	2.128 m³	7.91%
R2	72 × 52 × 179 cm	0–72 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R3	72 × 52 × 179 cm	80–152 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R4	72 × 52 × 179 cm	160–232 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R5	72 × 52 × 179 cm	240–312 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R6	72 × 52 × 179 cm	320–392 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R7	72 × 52 × 179 cm	400–472 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R8	72 × 52 × 179 cm	480–552 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R9	72 × 52 × 179 cm	0–72 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R10	72 × 52 × 179 cm	80–152 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R11	72 × 52 × 179 cm	160–232 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R12	72 × 52 × 179 cm	240–312 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R13	72 × 52 × 179 cm	320–392 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R14	72 × 52 × 179 cm	400–472 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R15	72 × 52 × 179 cm	480–552 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R16	72 × 52 × 179 cm	0–72 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R17	72 × 52 × 179 cm	80–152 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R18	72 × 52 × 179 cm	160–232 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R19	72 × 52 × 179 cm	240–312 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R20	72 × 52 × 179 cm	320–392 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R21	72 × 52 × 179 cm	400–472 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R22	72 × 52 × 179 cm	480–552 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R23	72 × 52 × 179 cm	0–72 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R24	72 × 52 × 179 cm	80–152 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R25	72 × 52 × 179 cm	160–232 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R26	72 × 52 × 179 cm	240–312 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R27	72 × 52 × 179 cm	320–392 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R28	72 × 52 × 179 cm	400–472 cm	165–217 cm	60–239 cm	0.671 m³	2.49%

Section total: 20.253 m³, 75.27% of geometric clearance

Complete Clearance-block Details

Blocks 29–56 of 63, ordered by volume from largest to smallest.

Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R29	72 × 52 × 179 cm	480–552 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R30	8 × 235 × 239 cm	72–80 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R31	8 × 235 × 239 cm	152–160 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R32	8 × 235 × 239 cm	232–240 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R33	8 × 235 × 239 cm	312–320 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R34	8 × 235 × 239 cm	392–400 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R35	8 × 235 × 239 cm	472–480 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R36	72 × 18 × 239 cm	0–72 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R37	72 × 18 × 239 cm	80–152 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R38	72 × 18 × 239 cm	160–232 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R39	72 × 18 × 239 cm	240–312 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R40	72 × 18 × 239 cm	320–392 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R41	72 × 18 × 239 cm	400–472 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R42	72 × 18 × 239 cm	480–552 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R43	72 × 3 × 239 cm	0–72 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R44	72 × 3 × 239 cm	80–152 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R45	72 × 3 × 239 cm	160–232 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R46	72 × 3 × 239 cm	240–312 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R47	72 × 3 × 239 cm	320–392 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R48	72 × 3 × 239 cm	400–472 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R49	72 × 3 × 239 cm	480–552 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R50	72 × 3 × 239 cm	0–72 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R51	72 × 3 × 239 cm	80–152 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R52	72 × 3 × 239 cm	160–232 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R53	72 × 3 × 239 cm	240–312 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R54	72 × 3 × 239 cm	320–392 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R55	72 × 3 × 239 cm	400–472 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R56	72 × 3 × 239 cm	480–552 cm	107–110 cm	0–239 cm	0.052 m³	0.19%

Section total: 6.292 m³, 23.38% of geometric clearance

Complete Clearance-block Details

Blocks 57–63 of 63, ordered by volume from largest to smallest.


Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R57	72 × 3 × 239 cm	0–72 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R58	72 × 3 × 239 cm	80–152 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R59	72 × 3 × 239 cm	160–232 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R60	72 × 3 × 239 cm	240–312 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R61	72 × 3 × 239 cm	320–392 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R62	72 × 3 × 239 cm	400–472 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R63	72 × 3 × 239 cm	480–552 cm	162–165 cm	0–239 cm	0.052 m³	0.19%

Section total: 0.362 m³, 1.34% of geometric clearance

Center of Mass and Load Balance

Center of mass is calculated from each cargo weight and center; the red dot is cargo mass center, the cross is container geometric center, and quadrants show weight share.

Top-view Mass Map Cargo is plotted by actual top-view position; quadrants are divided by the container center lines.



Total Weight
3.36 t

CoG coordinates
X 276.0 / Y 108.5 / Z 30.0 cm

X offset
-18.9 cm (-6.4%)

Y offset
-9.1 cm (-7.7%)

Horizontal offset
21.0 cm / 10.0%

Left 53.7% — Right 46.3%

Front 53.8% — Rear 46.3%

Cargo Number and Color ... The # number follows cargo entry order; A=L x W, B=W x H, C=L x H. Different base faces split into #2A/#2B.


#1 #1 EXAMPLE / Long precision machinery spare parts description / L... 70 × 50 × 60 cm / 1 pcs	#2 #2 EXAMPLE cargo 2 M2 70 × 50 × 60 cm / 1 pcs	#3 #3 EXAMPLE cargo 3 M3 70 × 50 × 60 cm / 1 pcs	#4 #4 EXAMPLE cargo 4 M4 70 × 50 × 60 cm / 1 pcs
#5 #5 EXAMPLE cargo 5 M5 70 × 50 × 60 cm / 1 pcs	#6 #6 EXAMPLE cargo 6 M6 70 × 50 × 60 cm / 1 pcs	#7 #7 EXAMPLE cargo 7 M7 70 × 50 × 60 cm / 1 pcs	#8 #8 EXAMPLE cargo 8 M8 70 × 50 × 60 cm / 1 pcs
#9 #9 EXAMPLE cargo 9 M9 70 × 50 × 60 cm / 1 pcs	#10 #10 EXAMPLE cargo 10 M10 70 × 50 × 60 cm / 1 pcs	#11 #11 EXAMPLE cargo 11 M11 70 × 50 × 60 cm / 1 pcs	#12 #12 EXAMPLE cargo 12 M12 70 × 50 × 60 cm / 1 pcs
#13 #13 EXAMPLE cargo 13 M13 70 × 50 × 60 cm / 1 pcs	#14 #14 EXAMPLE cargo 14 M14 70 × 50 × 60 cm / 1 pcs	#15 #15 EXAMPLE cargo 15 M15 70 × 50 × 60 cm / 1 pcs	#16 #16 EXAMPLE cargo 16 M16 70 × 50 × 60 cm / 1 pcs
#17 #17 EXAMPLE cargo 17 M17 70 × 50 × 60 cm / 1 pcs	#18 #18 EXAMPLE cargo 18 M18 70 × 50 × 60 cm / 1 pcs	#19 #19 EXAMPLE cargo 19 M19 70 × 50 × 60 cm / 1 pcs	#20 #20 EXAMPLE cargo 20 M20 70 × 50 × 60 cm / 1 pcs
#21 #21 EXAMPLE cargo 21 M21 70 × 50 × 60 cm / 1 pcs	#22 #22 EXAMPLE cargo 22 M22 70 × 50 × 60 cm / 1 pcs	#23 #23 EXAMPLE cargo 23 M23 70 × 50 × 60 cm / 1 pcs	#24 #24 EXAMPLE cargo 24 M24 70 × 50 × 60 cm / 1 pcs
#25 #25 EXAMPLE cargo 25 M25 70 × 50 × 60 cm / 1 pcs	#26 #26 EXAMPLE cargo 26 M26 70 × 50 × 60 cm / 1 pcs	#27 #27 EXAMPLE cargo 27 M27 70 × 50 × 60 cm / 1 pcs	#28 #28 EXAMPLE cargo 28 M28 70 × 50 × 60 cm / 1 pcs
#29 #29 EXAMPLE cargo 29 M29 70 × 50 × 60 cm / 1 pcs	#30 #30 EXAMPLE cargo 30 M30 70 × 50 × 60 cm / 1 pcs	#31 #31 EXAMPLE cargo 31 M31 70 × 50 × 60 cm / 1 pcs	#32 #32 EXAMPLE cargo 32 M32 70 × 50 × 60 cm / 1 pcs
#33 #33 EXAMPLE cargo 33 M33 70 × 50 × 60 cm / 1 pcs	#34 #34 EXAMPLE cargo 34 M34 70 × 50 × 60 cm / 1 pcs	#35 #35 EXAMPLE cargo 35 M35 70 × 50 × 60 cm / 1 pcs	#36 #36 EXAMPLE cargo 36 M36 70 × 50 × 60 cm / 1 pcs
#37 #37 EXAMPLE cargo 37 M37 70 × 50 × 60 cm / 1 pcs	#38 #38 EXAMPLE cargo 38 M38 70 × 50 × 60 cm / 1 pcs	#39 #39 EXAMPLE cargo 39 M39 70 × 50 × 60 cm / 1 pcs	#40 #40 EXAMPLE cargo 40 M40 70 × 50 × 60 cm / 1 pcs
#41 #41 EXAMPLE cargo 41 M41 70 × 50 × 60 cm / 1 pcs	#42 #42 EXAMPLE cargo 42 M42 70 × 50 × 60 cm / 1 pcs	#43 #43 EXAMPLE cargo 43 M43 70 × 50 × 60 cm / 1 pcs	#44 #44 EXAMPLE cargo 44 M44 70 × 50 × 60 cm / 1 pcs
#45 #45 EXAMPLE cargo 45 M45 70 × 50 × 60 cm / 1 pcs	#46 #46 EXAMPLE cargo 46 M46 70 × 50 × 60 cm / 1 pcs	#47 #47 EXAMPLE cargo 47 M47 70 × 50 × 60 cm / 1 pcs	#48 #48 EXAMPLE cargo 48 M48 70 × 50 × 60 cm / 1 pcs
#49 #49 EXAMPLE cargo 49 M49 70 × 50 × 60 cm / 1 pcs	#50 #50 EXAMPLE cargo 50 M50 70 × 50 × 60 cm / 1 pcs	#51 #51 EXAMPLE cargo 51 M51 70 × 50 × 60 cm / 1 pcs	#52 #52 EXAMPLE cargo 52 M52 70 × 50 × 60 cm / 1 pcs
#53 #53 EXAMPLE cargo 53 M53 70 × 50 × 60 cm / 1 pcs	#54 #54 EXAMPLE cargo 54 M54 70 × 50 × 60 cm / 1 pcs	#55 #55 EXAMPLE cargo 55 M55 70 × 50 × 60 cm / 1 pcs	#56 #56 EXAMPLE cargo 56 M56 70 × 50 × 60 cm / 1 pcs

Layer 1 of 1: z=0.0 cm

Height range 0.0–60.0 cm. This layer is expanded separately; badge codes map directly to the orientation table on the right.


Layer Top View: X × Y

Dense repeated codes are consolidated into a collision-free badge. ×N is the true count in this view; the right-hand pan...



Layer Exploded View: Oblique 3D

Dense repeated codes are consolidated into a collision-free badge. ×N is the true count in this view; the right-hand panel provides a base-face an...



A/B/C Faces and Orientation

Layer 1: base face plus X/Y/Z mapping to length, width, and height

#1A	EXAMPLE / Long precision machinery spa...	1 pcs	Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...
#2A	EXAMPLE cargo 2 M2	1 pcs	Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...
#3A	EXAMPLE cargo 3 M3	1 pcs	Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...
#4A	EXAMPLE cargo 4 M4	1 pcs	Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...
#5A	EXAMPLE cargo 5 M5	1 pcs	Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

Another 23 label / base-orientation entries are not expanded here; their l...

Note: Layers are grouped by cargo base z-coordinate; A=L x W base, B=W x H base, C=L x H base. Bulk same-size cargo may be shown as grouped blocks while counts remain true quantities.

Layered Packing Analysis Report

Cargo hold sliced by height: each layer includes top positioning, oblique 3D analysis, and color-coded stacking notes

20GP • Hold 2

Generated At: 10/29/2026, 12:00:00 PM

Cargo Types: 56 · Layer Count: 1


Container Interior	Current Hold	Cargo Volume in Hold	Hold Volume Used	Theoretical Free Volume	Geometric Clearance
589.8 × 235.2 × 239.299999999999...	28 pcs / 1 layers	5.88 m³	17.7%	27.32 m³	26.91 m³

Remaining-space Blocks and Geometric Clearance

Theoretical free volume subtracts physical cargo volume. Geometric clearance subtracts occupied envelopes including safety gaps and is partitioned into non-overlapping cuboids R1, R2, and so on.

3D Clearance Block Map

Shows the 10 largest clearance blocks. This is a geometric partition, not a maximum loadable cuboid or a guarantee of handling access.



Theoretical Free
27.32 m³

Geometric Clearance
26.91 m³

Gap / Envelope Allowance
0.41 m³

Largest Block Share
7.9%

Major Clearance Blocks (L × W × H)

R1	38 × 235 × 239 cm X 552–590 / Y 0–235 / Z 0–239 cm	2.13 m³
R2	72 × 52 × 179 cm X 0–72 / Y 0–52 / Z 60–239 cm	0.67 m³
R3	72 × 52 × 179 cm X 80–152 / Y 0–52 / Z 60–239 cm	0.67 m³
R4	72 × 52 × 179 cm X 160–232 / Y 0–52 / Z 60–239 cm	0.67 m³
R5	72 × 52 × 179 cm X 240–312 / Y 0–52 / Z 60–239 cm	0.67 m³
R6	72 × 52 × 179 cm X 320–392 / Y 0–52 / Z 60–239 cm	0.67 m³

Another 53 fragmented clearance blocks totaling 18.74 m³ are included in geometric clearance.

Complete Clearance-block Details

Blocks 1–28 of 63, ordered by volume from largest to smallest.

Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R1	38 × 235 × 239 cm	552–590 cm	0–235 cm	0–239 cm	2.128 m³	7.91%
R2	72 × 52 × 179 cm	0–72 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R3	72 × 52 × 179 cm	80–152 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R4	72 × 52 × 179 cm	160–232 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R5	72 × 52 × 179 cm	240–312 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R6	72 × 52 × 179 cm	320–392 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R7	72 × 52 × 179 cm	400–472 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R8	72 × 52 × 179 cm	480–552 cm	0–52 cm	60–239 cm	0.671 m³	2.49%
R9	72 × 52 × 179 cm	0–72 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R10	72 × 52 × 179 cm	80–152 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R11	72 × 52 × 179 cm	160–232 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R12	72 × 52 × 179 cm	240–312 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R13	72 × 52 × 179 cm	320–392 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R14	72 × 52 × 179 cm	400–472 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R15	72 × 52 × 179 cm	480–552 cm	55–107 cm	60–239 cm	0.671 m³	2.49%
R16	72 × 52 × 179 cm	0–72 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R17	72 × 52 × 179 cm	80–152 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R18	72 × 52 × 179 cm	160–232 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R19	72 × 52 × 179 cm	240–312 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R20	72 × 52 × 179 cm	320–392 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R21	72 × 52 × 179 cm	400–472 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R22	72 × 52 × 179 cm	480–552 cm	110–162 cm	60–239 cm	0.671 m³	2.49%
R23	72 × 52 × 179 cm	0–72 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R24	72 × 52 × 179 cm	80–152 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R25	72 × 52 × 179 cm	160–232 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R26	72 × 52 × 179 cm	240–312 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R27	72 × 52 × 179 cm	320–392 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R28	72 × 52 × 179 cm	400–472 cm	165–217 cm	60–239 cm	0.671 m³	2.49%

Section total: 20.253 m³, 75.27% of geometric clearance

Complete Clearance-block Details

Blocks 29–56 of 63, ordered by volume from largest to smallest.

Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R29	72 × 52 × 179 cm	480–552 cm	165–217 cm	60–239 cm	0.671 m³	2.49%
R30	8 × 235 × 239 cm	72–80 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R31	8 × 235 × 239 cm	152–160 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R32	8 × 235 × 239 cm	232–240 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R33	8 × 235 × 239 cm	312–320 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R34	8 × 235 × 239 cm	392–400 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R35	8 × 235 × 239 cm	472–480 cm	0–235 cm	0–239 cm	0.450 m³	1.67%
R36	72 × 18 × 239 cm	0–72 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R37	72 × 18 × 239 cm	80–152 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R38	72 × 18 × 239 cm	160–232 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R39	72 × 18 × 239 cm	240–312 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R40	72 × 18 × 239 cm	320–392 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R41	72 × 18 × 239 cm	400–472 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R42	72 × 18 × 239 cm	480–552 cm	217–235 cm	0–239 cm	0.314 m³	1.17%
R43	72 × 3 × 239 cm	0–72 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R44	72 × 3 × 239 cm	80–152 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R45	72 × 3 × 239 cm	160–232 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R46	72 × 3 × 239 cm	240–312 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R47	72 × 3 × 239 cm	320–392 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R48	72 × 3 × 239 cm	400–472 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R49	72 × 3 × 239 cm	480–552 cm	52–55 cm	0–239 cm	0.052 m³	0.19%
R50	72 × 3 × 239 cm	0–72 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R51	72 × 3 × 239 cm	80–152 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R52	72 × 3 × 239 cm	160–232 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R53	72 × 3 × 239 cm	240–312 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R54	72 × 3 × 239 cm	320–392 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R55	72 × 3 × 239 cm	400–472 cm	107–110 cm	0–239 cm	0.052 m³	0.19%
R56	72 × 3 × 239 cm	480–552 cm	107–110 cm	0–239 cm	0.052 m³	0.19%

Section total: 6.292 m³, 23.38% of geometric clearance

Complete Clearance-block Details

Blocks 57–63 of 63, ordered by volume from largest to smallest.


Block	Dimensions (L × W × H)	X Range	Y Range	Z Range	Volume	Clearance Share
R57	72 × 3 × 239 cm	0–72 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R58	72 × 3 × 239 cm	80–152 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R59	72 × 3 × 239 cm	160–232 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R60	72 × 3 × 239 cm	240–312 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R61	72 × 3 × 239 cm	320–392 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R62	72 × 3 × 239 cm	400–472 cm	162–165 cm	0–239 cm	0.052 m³	0.19%
R63	72 × 3 × 239 cm	480–552 cm	162–165 cm	0–239 cm	0.052 m³	0.19%

Section total: 0.362 m³, 1.34% of geometric clearance

Center of Mass and Load Balance

Center of mass is calculated from each cargo weight and center; the red dot is cargo mass center, the cross is container geometric center, and quadrants show weight share.

Top-view Mass Map Cargo is plotted by actual top-view position; quadrants are divided by the container center lines.



Total Weight
3.36 t

CoG coordinates
X 276.0 / Y 108.5 / Z 30.0 cm

X offset
-18.9 cm (-6.4%)

Y offset
-9.1 cm (-7.7%)

Horizontal offset
21.0 cm / 10.0%

Left 53.7% | Right 46.3%

Front 53.8% | Rear 46.3%

Cargo Number and Color ... The # number follows cargo entry order; A=L x W, B=W x H, C=L x H. Different base faces split into #2A/#2B.


#1 #1 EXAMPLE / Long precision machinery spare parts description / L... 70 × 50 × 60 cm / 1 pcs	#2 #2 EXAMPLE cargo 2 M2 70 × 50 × 60 cm / 1 pcs	#3 #3 EXAMPLE cargo 3 M3 70 × 50 × 60 cm / 1 pcs	#4 #4 EXAMPLE cargo 4 M4 70 × 50 × 60 cm / 1 pcs
#5 #5 EXAMPLE cargo 5 M5 70 × 50 × 60 cm / 1 pcs	#6 #6 EXAMPLE cargo 6 M6 70 × 50 × 60 cm / 1 pcs	#7 #7 EXAMPLE cargo 7 M7 70 × 50 × 60 cm / 1 pcs	#8 #8 EXAMPLE cargo 8 M8 70 × 50 × 60 cm / 1 pcs
#9 #9 EXAMPLE cargo 9 M9 70 × 50 × 60 cm / 1 pcs	#10 #10 EXAMPLE cargo 10 M10 70 × 50 × 60 cm / 1 pcs	#11 #11 EXAMPLE cargo 11 M11 70 × 50 × 60 cm / 1 pcs	#12 #12 EXAMPLE cargo 12 M12 70 × 50 × 60 cm / 1 pcs
#13 #13 EXAMPLE cargo 13 M13 70 × 50 × 60 cm / 1 pcs	#14 #14 EXAMPLE cargo 14 M14 70 × 50 × 60 cm / 1 pcs	#15 #15 EXAMPLE cargo 15 M15 70 × 50 × 60 cm / 1 pcs	#16 #16 EXAMPLE cargo 16 M16 70 × 50 × 60 cm / 1 pcs
#17 #17 EXAMPLE cargo 17 M17 70 × 50 × 60 cm / 1 pcs	#18 #18 EXAMPLE cargo 18 M18 70 × 50 × 60 cm / 1 pcs	#19 #19 EXAMPLE cargo 19 M19 70 × 50 × 60 cm / 1 pcs	#20 #20 EXAMPLE cargo 20 M20 70 × 50 × 60 cm / 1 pcs
#21 #21 EXAMPLE cargo 21 M21 70 × 50 × 60 cm / 1 pcs	#22 #22 EXAMPLE cargo 22 M22 70 × 50 × 60 cm / 1 pcs	#23 #23 EXAMPLE cargo 23 M23 70 × 50 × 60 cm / 1 pcs	#24 #24 EXAMPLE cargo 24 M24 70 × 50 × 60 cm / 1 pcs
#25 #25 EXAMPLE cargo 25 M25 70 × 50 × 60 cm / 1 pcs	#26 #26 EXAMPLE cargo 26 M26 70 × 50 × 60 cm / 1 pcs	#27 #27 EXAMPLE cargo 27 M27 70 × 50 × 60 cm / 1 pcs	#28 #28 EXAMPLE cargo 28 M28 70 × 50 × 60 cm / 1 pcs
#29 #29 EXAMPLE cargo 29 M29 70 × 50 × 60 cm / 1 pcs	#30 #30 EXAMPLE cargo 30 M30 70 × 50 × 60 cm / 1 pcs	#31 #31 EXAMPLE cargo 31 M31 70 × 50 × 60 cm / 1 pcs	#32 #32 EXAMPLE cargo 32 M32 70 × 50 × 60 cm / 1 pcs
#33 #33 EXAMPLE cargo 33 M33 70 × 50 × 60 cm / 1 pcs	#34 #34 EXAMPLE cargo 34 M34 70 × 50 × 60 cm / 1 pcs	#35 #35 EXAMPLE cargo 35 M35 70 × 50 × 60 cm / 1 pcs	#36 #36 EXAMPLE cargo 36 M36 70 × 50 × 60 cm / 1 pcs
#37 #37 EXAMPLE cargo 37 M37 70 × 50 × 60 cm / 1 pcs	#38 #38 EXAMPLE cargo 38 M38 70 × 50 × 60 cm / 1 pcs	#39 #39 EXAMPLE cargo 39 M39 70 × 50 × 60 cm / 1 pcs	#40 #40 EXAMPLE cargo 40 M40 70 × 50 × 60 cm / 1 pcs
#41 #41 EXAMPLE cargo 41 M41 70 × 50 × 60 cm / 1 pcs	#42 #42 EXAMPLE cargo 42 M42 70 × 50 × 60 cm / 1 pcs	#43 #43 EXAMPLE cargo 43 M43 70 × 50 × 60 cm / 1 pcs	#44 #44 EXAMPLE cargo 44 M44 70 × 50 × 60 cm / 1 pcs
#45 #45 EXAMPLE cargo 45 M45 70 × 50 × 60 cm / 1 pcs	#46 #46 EXAMPLE cargo 46 M46 70 × 50 × 60 cm / 1 pcs	#47 #47 EXAMPLE cargo 47 M47 70 × 50 × 60 cm / 1 pcs	#48 #48 EXAMPLE cargo 48 M48 70 × 50 × 60 cm / 1 pcs
#49 #49 EXAMPLE cargo 49 M49 70 × 50 × 60 cm / 1 pcs	#50 #50 EXAMPLE cargo 50 M50 70 × 50 × 60 cm / 1 pcs	#51 #51 EXAMPLE cargo 51 M51 70 × 50 × 60 cm / 1 pcs	#52 #52 EXAMPLE cargo 52 M52 70 × 50 × 60 cm / 1 pcs
#53 #53 EXAMPLE cargo 53 M53 70 × 50 × 60 cm / 1 pcs	#54 #54 EXAMPLE cargo 54 M54 70 × 50 × 60 cm / 1 pcs	#55 #55 EXAMPLE cargo 55 M55 70 × 50 × 60 cm / 1 pcs	#56 #56 EXAMPLE cargo 56 M56 70 × 50 × 60 cm / 1 pcs

Layer 1 of 1: z=0.0 cm

Height range 0.0–60.0 cm. This layer is expanded separately; badge codes map directly to the orientation table on the right.


Layer Top View: X × Y

Dense repeated codes are consolidated into a collision-free badge. ×N is the true count in this view; the right-hand pan...



Layer Exploded View: Oblique 3D

Dense repeated codes are consolidated into a collision-free badge. ×N is the true count in this view; the right-hand panel provides a base-face an...



A/B/C Faces and Orientation

Layer 1: base face plus X/Y/Z mapping to length, width, and height

#29A EXAMPLE cargo 29 M29 — 1 pcs
Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

#30A EXAMPLE cargo 30 M30 — 1 pcs
Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

#31A EXAMPLE cargo 31 M31 — 1 pcs
Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

#32A EXAMPLE cargo 32 M32 — 1 pcs
Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

#33A EXAMPLE cargo 33 M33 — 1 pcs
Face A = L × W / 长=70cm / 宽=50cm / Current X=长70cm / Y...

Another 23 label / base-orientation entries are not expanded here; their l...

Note: Layers are grouped by cargo base z-coordinate; A=L x W base, B=W x H base, C=L x H base. Bulk same-size cargo may be shown as grouped blocks while counts remain true quantities.