

Assignment - 2

1. calculate TA (10% of amount), DA (20% of amount) and total of each customer from BORROW table also project CNAME & AMOUNT.

SQL > select CNAME, AMOUNT, AMOUNT * 0.10 AS TA, AMOUNT * 0.20 AS DA, (AMOUNT * 0.10) + (AMOUNT * 0.20) AS TOTAL from BORROW;

CNAME	AMOUNT	TA	DA	TOTAL
ANIL	1000	100	200	1300
RAHUL	5000	500	1000	6500
SUNIL	3000	300	600	3900
MADHURI	2000	200	400	2600
PRAMOD	8000	800	1600	10400

2. Retrieve the customer name, account no of DEPOSIT.

SQL > select CNAME, ACTNO from DEPOSIT;

CNAME	ACTNO
ANIL	100
SUNIL	101
RAHUL	102
MADHURI	103
PRAMOD	104
SANDIP	105

3. Retrieve the name of customer living in NAGPUR.

select CNAME from CUSTOMER where city = 'NAGPUR';

CNAME
MADHURI
PRAMOD

4. Retrieve the name of borrower having LOANNO = 206.

SQL > select CNAME from BORROW where LOANNO = 206;

CNAME
RAHUL

5. Retrieve the name of the customers who opened acc after 17-NOV-95.

SQL > select CNAME from DEPOSIT where ADATE > '17-NOV-95';

CNAME
SUNIL
MADHURI
PRAMOD
SANDIP

6. Retrieve the account number and amount of the customers having account opened between 01-12-95 and 01-06-96.

SQL> select ACTNO, AMOUNT from DEPOSIT where ADATE between '01-DEC-95' and '01-JUN-96';

ACTNO	AMOUNT
101	5000
103	1200
104	3000
105	2000

7. Retrieve all the records from the table DEPOSIT where CNAME column like 'CM%';

select * from DEPOSIT where CNAME like 'CM%';

↳ no rows selected.

8. Retrieve all the records from the table BORROW where CNAME like '-U%';

SQL> select * from BORROW where CNAME like '-U%';

LOANNO	CNAME	BNAME	AMOUNT
5110	SUNIL	DHARM PETH	3000

9. Retrieve all records from the table DEPOSIT where branch name is CHANDNI OR MGROAD.

SQL> select * from DEPOSIT where bname in ('CHANDNI', 'MGROAD');

ACTNO	CNAME	BNAME	AMOUNT	ADATE
103	MADHURI	CHANDNI	1200	17-DEC-95
104	PRAMOD	MGROAD	3000	27-MAR-96

10. Retrieve all the records from the table DEPOSIT where branch name not in CHANDNI OR MGROAD.

SQL> select * from DEPOSIT where bname not in ('CHANDNI', 'MGROAD');

ACTNO	CNAME	BNAME	AMOUNT	ADATE
100	ANIL	VRCE	1000	01-MAR-95
101	SUNIL	AJINI	5000	04-JAN-96
102	RAHUL	KAROLBAGH	3500	17-NOV-95
105	SANDIP	KAROLBAGH	2000	31-MAR-96

11. Retrieve all the records from the table borrow where amount is between 2000 and 3000.

SQL> select * from borrow where amount between 2000 and 3000;

LN	LOANNO	CNAME	BNAME	AMOUNT
	206	ANIL	VRCE	1000
	311	SUNIL	DHARAMPETH	3000
	321	MADHURI	VIHAR	2000

12. Retrieve all the records from deposit where amount > 1000 & arrange the customer name in ascending order.

SQL> select * from deposit where amount > 1000 order by cname asc;

LN	ACTNO	CNAME	BNAME	AMOUNT	ADATE
	103	MADHURI	CHANDNI	1200	17-DEC-95
	104	PRAMOD	MOROAD	3000	27-MAR-96
	102	RAHUL	KAROLBAGH	3500	17-NOV-95
	105	SANDIP	KAROLBAGH	2000	31-MAR-96
	101	SUNIL	ATMI	5000	04-JAN-96

13. Retrieve all the records from borrow where amount > 1000 and arrange customer name in ascending and branch name in descending order.

SQL> select * from borrow where amount > 1000 order by cname asc, bname desc;

LN	ACTNO	CNAME	BNAME	AMOUNT
	321	MADHURI	ANDHRI	2000
	375	PRAMOD	VIHAR	3000
	206	RAHUL	ATMI	5000
	311	SUNIL	DHARAMPETH	3000

14. Find out the tables which are created by the user

SQL> select table-name from user-tables;

TABLE-NAME
BORROW
CUSTOMER
DEPT-INFO
BRANCH

15. Retrieve customer details from borrow table where the third character of the customer name is either 'A' or 'D'.

SQL> select * from borrow where substr(cname, 3, 1) in ('A', 'D');

<u>LOANNO</u>	<u>CNAME</u>	<u>BNAME</u>	<u>AMOUNT</u>
321	MADHURI	ANDHERI	2000
375	PRAMOD	VIHAR	8000

16. Retrieve all the records from the table BORROW where amount ^{not bet} 2000 and 8000.

SQL> select * from borrow where amount not between 2000 and 8000;

<u>LOANNO</u>	<u>CNAME</u>	<u>BRANCH</u>	<u>AMOUNT</u>
201	ANIL	VRCE	1000

17. Find out the unique records from the table deposit.

SQL> select distinct * from deposit;

<u>ACTNO</u>	<u>CNAME</u>	<u>BNAME</u>	<u>AMOUNT</u>	<u>ADATE</u>
103	MADHURI	CHANDNI	1200	17-DEC-95
100	ANIL	VRCE	1000	01-MAR-95
102	RAHUL	KAROLBAGH	3500	17-NOV-95
104	PRAMOD	MURADA	3000	27-MAR-96
101	SUNIL	ANIL	5000	04-JAN-96
105	SANJIV	KAROLBAGH	2000	31-MAR-96

18. Rename the table borrow to borrow info.

SQL> ALTER table borrow rename to borrow-info;

↳ Table altered.

19. Delete all rows from the table deposit where bname is VRCE.

delete from deposit where bname = 'VRCE';

↳ 1 row deleted.

20. Delete all the data from the table customer;

SQL> delete from customer;

Name - A. Arup Kumar Patra