

DAY1

TASK 1 — Linux IP Investigation

```
echo "IP ADDRESS"
```

```
hostname -I
```

```
echo "NETWORK INTERFACE"
```

```
ip -br addr
```

```
echo "DEFAULT ROUTE"
```


```
ip route
```

```
echo "DNS INFORMATION"
```

```
cat /etc/resolv.conf
```

```
echo "NETWORK CONFIGURATION"
```

```
ip addr
```



The screenshot shows an AWS CloudShell terminal window with the following content:

```
Last login: Thu Sep 10 12:39:29 2026 from 13.239.158.3
[ec2-user@suja1 ~]$ whoami
ec2-user
[ec2-user@suja1 ~]$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether 06:79:65:7e:b5:53 brd ff:ff:ff:ff:ff:ff
    altname enp0a5
    altname eni-0d8ec93a2c9382a19
    altname device-number-0.0
    inet 172.31.41.193/20 metric 512 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 3147sec preferred_lft 3147sec
    inet6 fe80::479:65ff:fe7e:b553/64 scope link proto kernel_ll
        valid_lft forever preferred_lft forever
[ec2-user@suja1 ~]$ ip route
default via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.0.2 via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.32.0/20 dev ens5 proto kernel scope link src 172.31.41.193 metric 512
172.31.32.1 dev ens5 proto dhcp scope link src 172.31.41.193 metric 512
[ec2-user@suja1 ~]$ cat /etc/resolv.conf

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

Instances | EC2 | ap-southeast-2 | x

EC2 Instance Connect | ap-southeast-2 | x

+

Ask Gemini

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&tos...

All Bookmarks

aws

Search

[Alt+S]

Asia Pacific (Sydney)

suja1 thool (062677866469)

suja1 thool

```
172.31.32.0/20 dev ens5 proto kernel scope link src 172.31.41.193 metric 512
172.31.32.1 dev ens5 proto dhcp scope link src 172.31.41.193 metric 512
[ec2-user@suja1 ~]$ cat /etc/resolv.conf
# This is /run/systemd/resolve/resolv.conf managed by man:systemd-resolved(8).
# Do not edit.
#
# This file might be symlinked as /etc/resolv.conf. If you're looking at
# /etc/resolv.conf and seeing this text, you have followed the symlink.
#
# This is a dynamic resolv.conf file for connecting local clients directly to
# all known uplink DNS servers. This file lists all configured search domains.
#
# Third party programs should typically not access this file directly, but only
# through the symlink at /etc/resolv.conf. To manage man:resolved.conf(5) in a
# different way, replace this symlink by a static file or a different symlink.
#
# See man:systemd-resolved.service(8) for details about the supported modes of
# operation for /etc/resolv.conf.

nameserver 172.31.0.2
search ap-southeast-2.compute.internal
[ec2-user@suja1 ~]$ ip -br addr
lo UNKNOWN 127.0.0.1/8 ::1/128
ens5 UP 172.31.41.193/20 metric 512 fe80::479:65ff:fe7e:b553/64
[ec2-user@suja1 ~]$
```

i-0661d90d8f12d07f8 (mylinux-server)

PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Activate Windows

Go to Settings to activate Windows.

TASK 2 — IPv4 Address Analysis

hostname -I


ip -4 addr show ens5

curl -4 ifconfig.me

ping -c 4 172.31.32.1

nslookup amazon.com 172.31.0.2

ip neigh



The screenshot shows a terminal window within the AWS Management Console, connected to an EC2 instance named 'mylinux-server' (ID: i-0661d90d8f12d07f8). The terminal displays the following commands and their outputs:

```
[ec2-user@suja1 ~]$ hostname -I
172.31.41.193
[ec2-user@suja1 ~]$ ip -4 addr show ens5
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether enp0a5
    altname eni-0d8ec93a2c9382a19
    altname device-number-0.0
    inet 172.31.41.193/20 metric 512 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 2719sec preferred_lft 2719sec
[ec2-user@suja1 ~]$ curl -4 ifconfig.me
13.236.76.244[ec2-user@suja1 ~]$ ping -c 4 172.31.32.1
PING 172.31.32.1 (172.31.32.1) 56(84) bytes of data.
64 bytes from 172.31.32.1: icmp_seq=1 ttl=127 time=0.049 ms
64 bytes from 172.31.32.1: icmp_seq=2 ttl=127 time=0.068 ms
64 bytes from 172.31.32.1: icmp_seq=3 ttl=127 time=0.131 ms
64 bytes from 172.31.32.1: icmp_seq=4 ttl=127 time=0.073 ms

--- 172.31.32.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3156ms
rtt min/avg/max/mdev = 0.049/0.080/0.131/0.030 ms
[ec2-user@suja1 ~]$ ping -c 4 172.31.0.2
PING 172.31.0.2 (172.31.0.2) 56(84) bytes of data.

--- 172.31.0.2 ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3102ms
```

The terminal window also shows the instance's public IP (13.236.76.244) and private IP (172.31.41.193) at the bottom. The AWS console header indicates the user is 'suja1 thool' in the 'Asia Pacific (Sydney)' region.

Instances | EC2 | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2

Ask Gemini

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&tos...

All Bookmarks

aws

Search [Alt+S]

Asia Pacific (Sydney)

sujal thool (062677866469)

sujal thool

```
--- 172.31.32.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3156ms
rtt min/avg/max/mdev = 0.049/0.080/0.131/0.030 ms
[ec2-user@sujal ~]$ ping -c 4 172.31.0.2
PING 172.31.0.2 (172.31.0.2) 56(84) bytes of data.

--- 172.31.0.2 ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3102ms

[ec2-user@sujal ~]$ nslookup amazon.com 172.31.0.2
Server:      172.31.0.2
Address:     172.31.0.2#53

Non-authoritative answer:
Name:   amazon.com
Address: 98.87.170.71
Name:   amazon.com
Address: 98.82.161.185
Name:   amazon.com
Address: 98.87.170.74

[ec2-user@sujal ~]$ ip neigh
172.31.32.1 dev ens5 lladdr 06:fe:00:79:97:8f REACHABLE
[ec2-user@sujal ~]$
```

i-0661d90d8f12d07f8 (mylinux-server)

PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

TASK 3 — Dynamic IP Investigation


hostname -I

ip link show ens5

ip addr show ens5

sudo reboot

hostname -I



```
[ec2-user@suja1 ~]$ echo "BEFORE DISCONNECT/RECONNECT"
BEFORE DISCONNECT/RECONNECT
[ec2-user@suja1 ~]$ hostname -I
172.31.41.193
[ec2-user@suja1 ~]$ ip link show ens5
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP mode DEFAULT group default qlen 1000
    link/ether 06:79:65:7e:b5:53 brd ff:ff:ff:ff:ff:ff
    altname enp0a5
    altname eni-0d8ec93a2c9382a19
    altname device-number-0.0
[ec2-user@suja1 ~]$ ip route
default via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.0.2 via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.32.0/20 dev ens5 proto kernel scope link src 172.31.41.193 metric 512
172.31.32.1 dev ens5 proto dhcp scope link src 172.31.41.193 metric 512
[ec2-user@suja1 ~]$ ip addr show ens5
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether 06:79:65:7e:b5:53 brd ff:ff:ff:ff:ff:ff
    altname enp0a5
    altname eni-0d8ec93a2c9382a19
    altname device-number-0.0
    inet 172.31.41.193/20 metric 512 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 2111sec preferred_lft 2111sec
    inet6 fe80::479:65ff:fe7e:b553/64 scope link proto kernel_l1
        valid_lft forever preferred_lft forever
```

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2

Ask Gemini

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&tos...

All Bookmarks

aws

Search

[Alt+S]

Asia Pacific (Sydney)

sujaal thool (062677866469)

sujaal thool

```
[ec2-user@sujaal ~]$ echo "===== AFTER RECONNECT ====="
===== AFTER RECONNECT =====
[ec2-user@sujaal ~]$ ip -4 addr show ens5
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    link/ether enp0s5
    altname eni-0d8ec93a2c9382a19
    altname device-number-0.0
    inet 172.31.41.193/20 metric 512 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 3570sec preferred_lft 3570sec
[ec2-user@sujaal ~]$ ip route
default via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.0.0 via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
172.31.32.0/20 dev ens5 proto kernel scope link src 172.31.41.193 metric 512
172.31.32.1 dev ens5 proto dhcp scope link src 172.31.41.193 metric 512
[ec2-user@sujaal ~]$ echo "===== DYNAMIC IP COMPARISON ====="
===== DYNAMIC IP COMPARISON =====
[ec2-user@sujaal ~]$ echo "Before reconnect -> 172.31.41.193"
Before reconnect -> 172.31.41.193
[ec2-user@sujaal ~]$ echo "After reconnect -> $(hostname -I)"
After reconnect -> 172.31.41.193
[ec2-user@sujaal ~]$
```

i-0661d90d8f12d07f8 (mylinux-server)

PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

TASK 4 — Cloud Linux Server & IP

Whoami


Hostname

hostname -I

ip -4 addr show ens5

curl -4 ifconfig.me

ip route | grep default



```
[ec2-user@suja1 ~]$ echo "==== AWS EC2 SSH CONNECTION ====="
whoami
hostname
==== AWS EC2 SSH CONNECTION =====
ec2-user
suja1
[ec2-user@suja1 ~]$ echo "==== PRIVATE IP ====="
==== PRIVATE IP =====
[ec2-user@suja1 ~]$ hostname -I
172.31.41.193
[ec2-user@suja1 ~]$ ip -4 addr show ens5
2: ens5: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default qlen 1000
    altnam enp0s5
    altnam eni-0d8ec93a2c9382a19
    altnam device-number-0.0
    inet 172.31.41.193/20 metric 512 brd 172.31.47.255 scope global dynamic ens5
        valid_lft 3337sec preferred_lft 3337sec
[ec2-user@suja1 ~]$ echo "==== PUBLIC IP ====="
==== PUBLIC IP =====
[ec2-user@suja1 ~]$ curl -4 ifconfig.me
13.236.76.244[ec2-user@suja1 ~]$
```

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

TASK 5 — Cloud Network Troubleshooting

hostname -I

ip -br addr

ip route | grep default

ping -c 4 8.8.8.8

sudo systemctl status nginx

sudo ss -tulpn


sudo systemctl status firewalld

sudo systemctl start nginx

sudo systemctl status nginx

sudo ss -tulpn | grep ':80'

curl http://13.236.76.244/index.html



The screenshot shows an AWS CloudShell terminal window with the following commands and output:

```
[ec2-user@suja1 ~]$ echo "IP ADDRESS"
IP ADDRESS
[ec2-user@suja1 ~]$ hostname -I
172.31.41.193
[ec2-user@suja1 ~]$ echo "NETWORK INTERFACE"
NETWORK INTERFACE
[ec2-user@suja1 ~]$ ip -br addr
lo        UNKNOWN    127.0.0.1/8 ::1/128
ens5      UP          172.31.41.193/20 metric 512 fe80::479:65fe:Ea7e:b553/64
[ec2-user@suja1 ~]$ echo "DEFAULT ROUTE"
DEFAULT ROUTE
[ec2-user@suja1 ~]$ ip route | grep default
default via 172.31.32.1 dev ens5 proto dhcp src 172.31.41.193 metric 512
[ec2-user@suja1 ~]$ echo "NETWORK CONNECTIVITY"
NETWORK CONNECTIVITY
[ec2-user@suja1 ~]$ ping -c 4 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=115 time=1.20 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=115 time=1.22 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=115 time=1.22 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=115 time=1.22 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3004ms
rtt min/avg/max/mdev = 1.203/1.216/1.223/0.007 ms
```

At the bottom of the terminal window, the instance details are shown: **i-0661d90d8f12d07f8 (mylinux-server)**. The public IP is 13.236.76.244 and the private IP is 172.31.41.193. An "Activate Windows" watermark is visible in the bottom right corner.

Instances | EC2 | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2 | Ask Gemini

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&osUser=...

Search [Alt+S]

Asia Pacific (Sydney) sujal thool (062677866469) sujal thool

```
[ec2-user@sujal ~]$ echo "RUNNING SERVICES"
RUNNING SERVICES
[ec2-user@sujal ~]$ echo "NGINX SERVICE"
NGINX SERVICE
[ec2-user@sujal ~]$ sudo systemctl status nginx
nginx.service - The nginx HTTP and reverse proxy server
Loaded: loaded (/usr/lib/systemd/system/nginx.service; disabled; preset: disabled)
Drop-In: /usr/lib/systemd/system/nginx.service.d
        └─php-fpm.conf
Active: inactive (dead)
[ec2-user@sujal ~]$ echo "LISTENING PORTS"
LISTENING PORTS
[ec2-user@sujal ~]$ sudo ss -tulnp
Netid State Recv-Q Send-Q Local Address:Port Peer Address:Port Process
udp UNCONN 0 0 127.0.0.1:323 0.0.0.0:* users:((("chronyd",pid=1907,fd=5))
udp UNCONN 0 0 172.31.41.193:568 0.0.0.0:* users:((("systemd-network",pid=1710,fd=17))
udp UNCONN 0 0 [::]:323 [::]:* users:((("chronyd",pid=1907,fd=6))
udp UNCONN 0 0 [fe80::479:65ff:fe7e:b553]:546 [::]:* users:((("systemd-network",pid=1710,fd=19))
tcp LISTEN 0 128 0.0.0.0:22 0.0.0.0:* users:((("sshd",pid=1879,fd=7))
tcp LISTEN 0 128 [::]:22 [::]:* users:((("sshd",pid=1879,fd=8))
[ec2-user@sujal ~]$ echo "FIREWALL STATUS"
FIREWALL STATUS
[ec2-user@sujal ~]$ sudo systemctl status firewalld --no-pager
Unit firewalld.service could not be found.
[ec2-user@sujal ~]$ echo "FIX NGINX"
FIX NGINX
```

i-0661d90d8f12d07f8 (mylinux-server)

PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2 | Ask Gemini

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&osUser=...

Search [Alt+S]

Asia Pacific (Sydney) sujal thool (062677866469) sujal thool

```
Unit firewalld.service could not be found.
[ec2-user@sujal ~]$ echo "FIX NGINX"
FIX NGINX
[ec2-user@sujal ~]$ sudo systemctl start nginx
[ec2-user@sujal ~]$ sudo systemctl status nginx
nginx.service - The nginx HTTP and reverse proxy server
Loaded: loaded (/usr/lib/systemd/system/nginx.service; disabled; preset: disabled)
Drop-In: /usr/lib/systemd/system/nginx.service.d
        └─php-fpm.conf
Active: active (running) since Fri 2026-09-11 09:38:54 UTC; 15s ago
Process: 2718 ExecStartPre=/usr/bin/rm -f /run/nginx.pid (code=exited, status=0/SUCCESS)
Process: 2726 ExecStartPre=/usr/sbin/nginx -t (code=exited, status=0/SUCCESS)
Process: 2754 ExecStart=/usr/sbin/nginx (code=exited, status=0/SUCCESS)
Main PID: 2777 (nginx)
Tasks: 3 (limit: 1059)
Memory: 5.3M
CPU: 77ms
CGroup: /system.slice/nginx.service
└─2777 "nginx: master process /usr/sbin/nginx"
   └─2778 "nginx: worker process"
     └─2779 "nginx: worker process"
Sep 11 09:38:54 sujal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Sep 11 09:38:54 sujal nginx[2726]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Sep 11 09:38:54 sujal nginx[2726]: nginx: configuration file /etc/nginx/nginx.conf test is successful
```

i-0661d90d8f12d07f8 (mylinux-server)

PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2 | 13.236.76.244 | Ask Gemini | - | x

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&osUser=... | All Bookmarks

aws | Search | [Alt+S] | Asia Pacific (Sydney) | sujal thool (062677866469) | sujal thool

```
GNU nano 8.3 /etc/nginx/nginx.conf Modified
types_hash_max_size 4096;

include /etc/nginx/mime.types;
default_type application/octet-stream;

# Load modular configuration files from the /etc/nginx/conf.d directory.
# See http://nginx.org/en/docs/nginx_core_module.html#include
# for more information.
include /etc/nginx/conf.d/*.conf;

server {
    listen 80;
    listen [::]:80;
    server_name ;
    root /usr/share/nginx/html;
#location / {
#proxy_pass http://localhost:5000;
#}

# Load configuration files for the default server block.
include /etc/nginx/default.d/*.conf;

^G Help ^O Write Out ^F Where Is ^R Cut ^E Execute ^C Location ^M-U Undo ^M-A Set Mark ^M-] To Bracket
^X Exit ^R Read File ^N Replace ^P Paste ^J Justify ^_ Go To Line ^M-E Redo ^M-C Copy ^M-_ Where Was
```

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ModifyInboundSecurityGroup | EC2 Instance Connect | ap-southeast-2 | Welcome to nginx! | Ask Gemini | - | x

https://ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2#ModifyInboundSecurityGroupRules:securityGroupId=sg-0fce500162d753247 | All Bookmarks

aws | Search | [Alt+S] | Asia Pacific (Sydney) | sujal thool

EC2 | Edit inbound rules

Edit inbound rules Info
Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info
sgr-076db4db318d73f7e	HTTP	TCP	80	Cust... 0.0.0.0/0	Delete
sgr-05bb52d7083aebc48	SSH	TCP	22	Cust... 0.0.0.0/0	Delete
sgr-0454d770e42d039dc	Custom TCP	TCP	5000	Cust... 0.0.0.0/0	Delete

Add rule

Activate Windows
Go to Settings to activate Windows.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
Instances | EC2 | ap-southeast-1 | x EC2 Instance Connect | ap-southeast-1 | x Welcome to nginx! x + Ask Gemini - x x
https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&osUser=...
aws Search [Alt+S] Asia Pacific (Sydney) sujal thool (062677866469) sujal thool

[ec2-user@suja1 ~]$ curl -I http://127.0.0.1:5000
curl: (7) Failed to connect to 127.0.0.1 port 5000 after 0 ms: Could not connect to server
[ec2-user@suja1 ~]$ lsa
-bash: lsa: command not found
[ec2-user@suja1 ~]$ ls
linuxclass pythonapp
[ec2-user@suja1 ~]$ cd /usr/share/nginx/html/
[ec2-user@suja1 html]$ ls
404.html 50x.html icons index.html nginx-logo.png poweredby.png
[ec2-user@suja1 html]$ sudo nano /etc/nginx/nginx.conf
[ec2-user@suja1 html]$ sudo service nginx restart
Redirecting to /bin/systemctl restart nginx.service
[ec2-user@suja1 html]$ curl http://13.236.76.244/index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193
Activate Windows
Go to Settings to activate Windows.
CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

```
Instances | EC2 | ap-southeast-1 | x EC2 Instance Connect | ap-southeast-1 | x Welcome to nginx! x + Ask Gemini - x x
https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-southeast-2&connType=standard&instanceId=i-0661d90d8f12d07f8&osUser=...
aws Search [Alt+S] Asia Pacific (Sydney) sujal thool (062677866469) sujal thool

<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>

<p>For online documentation and support please refer to
<a href="https://nginx.org/">nginx.org</a>.<br/>
To engage with the community please visit
<a href="https://community.nginx.org/">community.nginx.org</a>.<br/>
For enterprise grade support, professional services, additional
security features and capabilities please refer to
<a href="https://f5.com/nginx">f5.com/nginx</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[ec2-user@suja1 html]$

i-0661d90d8f12d07f8 (mylinux-server)
PublicIPs: 13.236.76.244 PrivateIPs: 172.31.41.193
Activate Windows
Go to Settings to activate Windows.
CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```