Tab 2

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Simple Blog - CRUD with JSON Server</title>
    <style>
        body {
            font-family: 'Arial', sans-serif;
            background-color: #f4f4f4;
            color: #333;
            margin: 0;
            padding: 0;
        }
        h1 {
            text-align: center;
            padding: 20px;
            background-color: #3498db;
            color: white;
            margin: 0;
        }
        .content-container {
            width: 80%;
            margin: 30px auto;
        }
        .post {
            background: white;
            margin-bottom: 15px;
            padding: 15px;
            border-radius: 5px;
            box-shadow: 0 2px 10px rgba(0,0,0,0.1);
        }
        .post h2 {
            margin-top: 0;
            color: #3498db;
        }
        .post p {
            font-size: 16px;
            color: #666;
```

```css
        }
        .post-actions a {
            color: #3498db;
            text-decoration: none;
            margin-right: 10px;
        }
        .post-actions a:hover {
            text-decoration: underline;
        }
        .form-container {
            background: white;
            padding: 20px;
            border-radius: 5px;
            box-shadow: 0 2px 10px rgba(0,0,0,0.1);
            margin-bottom: 20px;
        }
        .form-container label {
            font-size: 16px;
            display: block;
            margin-bottom: 5px;
        }
        .form-container input, .form-container textarea {
            width: 100%;
            padding: 10px;
            font-size: 16px;
            border: 1px solid #ccc;
            border-radius: 5px;
            margin-bottom: 15px;
        }
        .form-container button {
            background-color: #3498db;
            color: white;
            padding: 10px 20px;
            font-size: 16px;
            border: none;
            cursor: pointer;
            border-radius: 5px;
        }
        .form-container button:hover {
            background-color: #2980b9;
```

```php
            }
            .back-link {
                display: inline-block;
                margin-top: 20px;
                text-decoration: none;
                padding: 10px 15px;
                background-color: #2c3e50;
                color: white;
                border-radius: 5px;
            }
            .back-link:hover {
                background-color: #34495e;
            }
        </style>
</head>
<body>

    <h1>Simple Blog - CRUD with JSON Server</h1>

    <div class="content-container">
        <?php if (!isset($_GET['edit'])): ?>
            <a href="?create=true" class="back-link">Create New Post</a>
            <?php foreach ($posts as $post): ?>
                <div class="post">
                    <h2><?= htmlspecialchars($post['title']) ?></h2>
                    <p><?= nl2br(htmlspecialchars($post['content']))
?></p>

                    <div class="post-actions">
                        <a href="?edit=<?= $post['id'] ?>">Edit</a> |
                        <a href="?delete=<?= $post['id'] ?>"
onclick="return confirm('Are you sure you want to delete this
post?')">Delete</a>
                    </div>
                </div>
            <?php endforeach; ?>

        <?php elseif (isset($_GET['create']) || isset($_GET['edit'])): ?>
            <div class="form-container">
                <h2><?= isset($_GET['edit']) ? 'Edit' : 'Create' ?>
Post</h2>
```

```php
                    <form method="post">
                        <label for="title">Title</label>
                        <input type="text" id="title" name="title" value=""
required>

                        <label for="content">Content</label>
                        <textarea id="content" name="content"
required></textarea>

                        <?php if (isset($_GET['edit'])): ?>
                            <input type="hidden" name="id" value="<?=
$_GET['edit'] ?>">
                            <button type="submit" name="update">Update
Post</button>
                        <?php else: ?>
                            <button type="submit" name="create">Create
Post</button>
                        <?php endif; ?>
                    </form>
                    <a href="<?= $_SERVER['PHP_SELF'] ?>"
class="back-link">Back to Posts</a>
                </div>
            <?php endif; ?>
        </div>

</body>
</html>
```