

Target → HTML finish

easy → {

- Link
 - Bookmark
 - phone
 - mail
- div tag → vs span
- semantic tags

→ Hyperlink → anchor tag

facebook.com

URL

CLICK HERE



< a href = "https://www.facebook.com" > CLICK HERE

tent

click

→ redirect

→ call

click
81 30 4444 44
→ call app open


 call me

call me
↓
→ call app open


Mail


→ Mail

Mail
↑
click



to:	<u>support@codehelp.in</u>
Sub:	_____
body	_____





12


→ Bookmark → dest → id /

class ↓
id ↓
· #

text → href = "#id" /

transition → smooth →

html
{
scroll-behaviour = smooth;
}



`<div> ABCD </div>`



↙ `<style>`

```
div
{
  background-color: red;
}
```

```
<div>
  <p>
  <p>
  <p>
  <p>
</div>
```

div → generic container

span tag? → same as div
but it is an inline element

inline

CS1 prog → display: inline

single line

 ————— </>
 ————— </>
 ————— </>

→ div tag → display: inline = span tag
or
span tag → display: block = div tag

Semantic Tags :-



table { <table>
 </table>

{ <form> <section>
 </form> </section>


div

span

Non-Semantic

tells nothing
about content

Semantic tags



→ `main`


→ `nav`

semantic tags

<p> — <p> ✓
<article> — <article> ✓
<section> — <section> ✓

q vs article vs section
↓
independent data
↓
Med
Bio
Arch
Res

→ <article>
→ <aside>
→ <figure>
→ <figcaption>
→ <header>
→ <footer>




↳ <main>
↳ <nav>

<article>

<p>
<p>
</p>





① section:- define section in you document

chapter
 → Bk
 → action
 → Run

② article → independent text


input type


(article)

<h2> ——— <>
<p> ——— </p>
<p> ——— </p>
<p> ——— </p>
</article>

< article>
 section → Yes
</article>

< section>
 ~~< article>~~ → Yes
 </section>








→ <nav> → navigationel links

No
↓
why - ?

<nav> ~~code~~
{
 <a _____>
 <a _____>
 <a _____>
 <a _____>
}</nav>





aside $\rightarrow$ float: right
float: left




possible - ?

$\downarrow$
Yes $\rightarrow$ No

links → a → text →
 → URL
 → call
 → mail

div →
 div vs span

Semantics →
 Section
 article
 header
 footer
 aside




dom in html - C x +


W HTML span tag x W HTML Global A x W HTML Event A x html - How to x W HTML Favicon x W HTML link tag x

W3schools


Sign



Linux Hint
HTML DOM (Document Object Model)



Tithe
Document Object Model. HTML DOM Diagram ...



JavaScript HTML DOM

Images may be subject to copyright. [Learn More](#)

Visit

Related content



GeeksterGeeks
DOM (Document Object Model)




DataFlair
JavaScript DOM (Document Object Model)



Guru99
JavaScript DOM Tutorial with Examples



screentech aca uhd edu
HTML-DOM



Washington - University of Washington
CSE 190 M: HTML Document Object Model




LeptislabX
What is DOM? How to use it



Linux Hint
HTML DOM (Document Object Model)



DataFlair
JavaScript DOM (Document Object Model)



1 minute



→ `<html>`

`<head>`

`<meta>` _____

`<title>` _____

`<style>` _____

`</head>`

`<body>`

`<section>`

`<p>`


`<a>`

`</section>`

`</body>`

`</html>`

1 minute



DPA
src set

