Format no: QAD/CKL/39
Amdt.No.R2 dated 01.02.2023

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : Stud-A-G-B6.6M20X25P-160LG-M610
Drg No & Revision : GS0170090
TTL Material Identification no.: M610
Vendor Name : SRI MAHAVISHNU INDUSTRIES

Inspection report no & Date : 16/03/26
PO No & Date : 1000161354
Quantity : 100 Nos
D.C No. 5341

Sl No	Description	Specified Dimensions	Actual Dimensions with serial number 1	2	4	5	6	7	8	9	10	Instrument /Gauge no.	Calibration Due date	Remarks
1	M20	M20	M20	M20	M20	M20	M20	M20	M20	M20	M20	Gauge		
2	Length 160	160 ± 0.15	160	160.1	160	160	160	160	160	160	160	SMI/VC/08	20/3/26	
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
18														

A	Rawmaterial used:	18-1367	Stelliting Gr used/D.P report no./Hardness :	
B	Material mill TC and Heat number :		Gas nitriding / Other Heat treatment :	
C	Chemical and Mechanical TC no. :	1953 / SVRL / 25-26		

A.DIMENSIONAL DEVIATIONS IF ANY :

Prepared by :Ram Prasad SM

Format no: QAD/CKL/39
Amdt.No.R2 dated 01.02.2023

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : Stud - A-G-B6.6 - M20X2.5P-160LG

Drg No & Revision : GS0170090

Inspection report no & Date : 16/03/26

PO No & Date : 12/03/26-

B.VISUAL OBSERVATIONS :

Description of Visual Inspection	Observation YES/NO
1.Item is free from thread damage.	Yes
2.Items are identified with Supplier/Drawing number/Revision/Material Identification no./Component serial no./month & date of manufacture by engraving or by tags depending on size.	Yes
3.Applied rust preventive oil.	No
4.Component free from burrs & foreign particles.	Yes
5.Item is free from steps,uncleaned machine surface.	Yes

Process Inspection Signature :		Final Inspection QA, Subcontractor :	
Date:		Signature with seal:	N.Gott
		Date:	16/3/26

Prepared by :Ram Prasad SM

SRI VIVEKANANDA RESEARCH LABORATORIES (OPC) PVT. LTD.

(TESTING DIVISION)

(An ISO-9001 : 2015 Certified Laboratory)

22, 10th Cross, First Floor, Doddana Industrial Estate, Bangalore - 560 091.
Ph. : 080-22728531, Mobile : 9945371498, Whatsapp No. : 7760433054
E-mail : vivekanandaspectrolab@gmail.com, ceo.vivekanandalab@gmail.com

TEST REPORT

Date : 16.03.2026

Customer Name	***M/s. Sri Mahavishnu Industries.*** #1/4, Lakshmaiah Industrial Layout Abbigere Bangalore-560090
Test Report No.	1953/SVRL/CR/2025-26
Test Conducted	Chemical Analysis
Standard Reference	IS: 8811-1998 (Optical Emission Spetrometer)
Nature Of Sample	Steel Sample
Temperature	22° C
Relative Humidity	54%
Customer Reference	DC No : 150
Date Of Reciept Of Sample	16.03.2026
Date Of Testing Of Sample	16.03.2026

Chemical Analysis Report

Sample Description	*Elements*	*Specification Limits*	*% By Weight*
Steel Sample	Carbon	0.25-0.55	0.298
Bolt	Phosphorous	0.035 Max	0.018
	Sulphur	0.035 Max	0.019
	Boron	0.003 Max	0.001

Material Confirmation : The Above Chemical Composition Confirm to ***IS : 1367(Part-3)***

Tested By
Chemist

Review & Authorized By
Quality/Technical Manager
T. C. Shivaramanna

Note :

1. Test Results Relates only Sample Submitted by the Party.
2. Test Report Shall not be reproduced Except in Full.
3. Samples will disposed after fifteen days from the date of Issue of Test Report unless otherwise specified.
4. The report not be used as an evidence in the court of law and should not be used in any advertising media without permission in writting.

Format no: QAD/CKL/39
Amdt.No.R2 dated 01.02.2023

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : HEX H BOLT-M12X45LG
Drg No & Revision : GS0220675/B00003964 00
TTL Material Identification no.: B7
Vendor Name : Sri Mahavishnu Industries

Inspection report no & Date : 10-03-2025
PO No & Date : 1000145204/04-02-2025
Quantity : 500 NOS
D.C No. : 4353

Sl No	Description	Specified Dimensions	Actual Dimensions with serial number 1	2	4	5	6	7	8	9	10	Instrument /Gauge no.	Calibration Due date	Remarks
1	Heragun 18	18±0.10	17.9	17.9	17.9	17.9	17.9	17.9	17.9	17.9	17.9	SMI/VC/08	17/03/25	
2	Thread M12	M12	M12	M12	M12	M12	M12	M12	M12	M12	M12	Gauge		
3	Total length 35	35±0.15	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	SMI/VC/08	17/03/25	
4	collar 8MM	8MM±0.10	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	SMI/VC/08	17/03/25	
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
18														

A	Rawmaterial used:	ASTM A193/A193M-14, Gr.B7	Stelliting Gr used/D.P report no./Hardness :	
B	Material mill TC and Heat number :		Gas nitriding / Other Heat treatment :	
C	Chemical and Mechanical TC no. :	9606/SVRL/CR/2024-25		

A.DIMENSIONAL DEVIATIONS IF ANY :

Prepared by :Ram Prasad SM

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : HEX H BOLT-M12X45LG

Drg No & Revision : GS022067 5/B00003964 00

Inspection report no & Date : 10-03-2025

PO No & Date : 1000145204/04-02-2025

B.VISUAL OBSERVATIONS :

Description of Visual Inspection	Observation YES/NO
1.Item is free from thread damage.	Yes
2.Items are Identified with Supplier/Drawing number/Revision/Material Identification no./Component serial no./month & date of manufacture by engraving or by tags depending on size.	Yes
3.Applied rust preventive oil.	NO
4.Component free from burrs & foreign particles.	Yes
5.Item is free from steps,uncleaned machine surface.	Yes

Process inspection Signature :		Final Inspection QA, Subcontractor :	
Date:		Signature with seal:	N. Geetha
		Date:	10-03-2025

Prepared by :Ram Prasad SM

SRI VIVEKANANDA RESEARCH LABORATORIES (OPC) PVT. LTD.

(TESTING DIVISION)

(An ISO-9001 : 2015 Certified Laboratory)

22, 10th Cross, First Floor, Doddana Industrial Estate, Bangalore - 560 091.
Ph : 080-22728531, Mobile : 9945371498, Whatsapp No. : 7760433054
E-mail : vivekanandaspectrolab@gmail.com, ceo.vivekanandalab@gmail.com

AIAO-BAR QMS ACCREDITED USA — ISO-9001 : 2015 Certified Laboratory — Certificate registration no. QMS230604

TEST REPORT

Date:22.02.2025

Customer Name	***M/s. Sri Mahavishnu Industries.*** # 1/4, Lakshmaiah Industrial Layout, Abbigere Bangalore - 560090.
Test Report No.	9606/SVRL/CR/2024-25
Test Conducted	Chemical Analysis
Standard Reference	IS: 8811-1998 (By Optical Emission Spectrometer)
Nature Of Sample	Steel Sample
Temperature	22.5° C
Relative Humidity	53%
Customer Reference	DC NO: 082
Date Of Reciept Of Sample	22.02.2025
Date Of Testing Of Sample	22.02.2025

Chemical Analysis Report

Sample Description	*Elements*	*Specification Limits*	*% By Weight*
Steel Sample	Carbon	0.38-0.48	0.409
Dia 25.0 mm	Manganese	0.75-1.0	0.785
	Silicon	0.15-0.35	0.236
	Chromium	0.80-1.10	0.896
	Molybdenum	0.15-0.25	0.212
	Sulphur	0.040 Max	0.019
	Phosphorous	0.035 Max	0.017

Material Confirmation: The Above Chemical Composition Confirm to ***ASTM A 193/A 193M-14, Gr.B7.***

*******End of the Report*******

Ramya
Tested By
Chemist

Review & Authorized By
Quality / Technical Manager
T. C. Shivaramanna

Note :
1. Test Results only to sample Submitted by the Party.
2. Test Report Shall not be reproduced Except in Full.
3. Samples will disposed after fifteen days from the date of issue of Test Report unless otherwise specified.
4. The report not be used as an evidence in the court of law and should not be used in any advertising media without permission in writing.

Format no: QAD/CKL/39
Amdt.No.R2 dated 01.02.2023

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : Nut-SD-G-B6 M20x2.5P M610
Drg No & Revision : GS0400015
TTL Material Identification no.: M610
Vendor Name : SRI MAHAVISHNU INDUSTRIES

Inspection report no & Date : 16/03/26
PO No & Date : 1000143570
Quantity : 100 Nos
D.C No. 5339

Sl No	Description	Specified Dimensions	Actual Dimensions with serial number 1	2	4	5	6	7	8	9	10	Instrument /Gauge no.	Calibration Due date	Remarks
1	M20	M20	M20	M20	M20	M20	M20	M20	M20	M20	M20	Tap		
2	Hexagon 30	30 ± 0.1	30	30	30	30	30	30	30	30	30	SMI/VC/08	20/3/26	
3	Length 20	20 ± 0.1	20.	20.1	20.	20.1	20	20	20	20	20	SMI/VC/08	20/3/26	
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
18														

A	Rawmaterial used:	18-1367	Stelliting Gr used/D.P report no./Hardness :	
B	Material mill TC and Heat number :		Gas nitriding / Other Heat treatment :	
C	Chemical and Mechanical TC no. :	1953/OVRL/25-26		

A.DIMENSIONAL DEVIATIONS IF ANY :

Prepared by :Ram Prasad SM

Format no: QAD/CKL/39
Amdt.No.R2 dated 01.02.2023

Triveni Turbine Ltd

Checklist for Small machined components

QAD_CKL_39_R2

Component Description : Nut -SD-G-B6-M20X2.5P-M610

Drg No & Revision : GS040 00015

Inspection report no & Date : 16/03/26

PO No & Date : 1000/143570

B.VISUAL OBSERVATIONS :

Description of Visual Inspection	Observation YES/NO
1.Item is free from thread damage.	Yes
2.Items are identified with Supplier/Drawing number/Revision/Material identification no./Component serial no./month & date of manufacture by engraving or by tags depending on size.	Yes
3.Applied rust preventive oil.	No
4.Component free from burrs & foreign particles.	Yes
5.Item is free from steps,uncleaned machine surface.	Yes

Process inspection Signature :		Final Inspection QA, Subcontractor :	
Date:		Signature with seal:	N. Gotta
		Date:	16/3/26

Prepared by :Ram Prasad SM

SRI VIVEKANANDA RESEARCH LABORATORIES (OPC) PVT. LTD.

(TESTING DIVISION)

(An ISO-9001 : 2015 Certified Laboratory)

22, 10th Cross, First Floor, Doddana Industrial Estate, Bangalore - 560 091.
Ph. : 080-22728531, Mobile : 9945371498, Whatsapp No. : 7760433054
E-mail : vivekanandaspectrolab@gmail.com, ceo.vivekanandalab@gmail.com

TEST REPORT

Date : 16.03.2026

Customer Name	***M/s. Sri Mahavishnu Industries.*** #1/4, Lakshmaiah Industrial Layout Abbigere Bangalore-560090
Test Report No.	1953/SVRL/CR/2025-26
Test Conducted	Chemical Analysis
Standard Reference	IS: 8811-1998 (Optical Emission Spetrometer)
Nature Of Sample	Steel Sample
Temperature	22° C
Relative Humidity	54%
Customer Reference	DC No : 150
Date Of Reciept Of Sample	16.03.2026
Date Of Testing Of Sample	16.03.2026

Chemical Analysis Report

Sample Description	*Elements*	*Specification Limits*	*% By Weight*
Steel Sample	Carbon	0.25-0.55	0.298
Bolt	Phosphorous	0.035 Max	0.018
	Sulphur	0.035 Max	0.019
	Boron	0.003 Max	0.001

Material Confirmation : The Above Chemical Composition Confirm to ***IS : 1367(Part-3)***

Tested By
Chemist

Review & Authorized By
Quality/Technical Manager
T. C. Shivaramanna

Note :

1. Test Results Relates only Sample Submitted by the Party.
2. Test Report Shall not be reproduced Except in Full.
3. Samples will disposed after fifteen days from the date of Issue of Test Report unless otherwise specified.
4. The report not be used as an evidence in the court of law and should not be used in any advertising media without permission in writting.