Coding for Development and Social Change, Oct 2014

### Tools

What you need to get started

#### Your Toolset

- \* Terminal window
- \* Text editor (Sublime Text)
- Version control (Git)
- \* Repository (Github)
- Language (Ruby)
- Framework (Rails)
- Website host (Heroku)

(Not this weekend: an Integrated Development Environment)

#### Terminal Window

- \* Mac:
  - \* applications > utilities > terminal
- \* Windows:
  - \* Taskbar Start Button > Command Prompt
- \* Linux:
  - \* applications > accessories > terminal

### Terminal: basic commands

- \* pwd: print current directory name
- \* cd xxx: change to directory xxx
- \* cd ~: go to your 'home' directory
- \* **ls**: list files in directory
- \* **Is -al**: list \*all\* files in directory (including hidden ones)
- \* mkdir xxx: create a directory called xxx

### Terminal: create a work directory

\* Ruby coders often put their code into a folder called "workspace"

cd ~

#### mkdir workspace

- \* It doesn't matter where you put your code, but make sure you can find it again!
- \* e.g. I work in Python and Php on a Mac, so all my files are in /Users/sara/Sites

#### Text Editor

- \* You need a text editor that highlights your code
- \* We're using SublimeText in these lectures:
  - \* http://www.sublimetext.com

### Integrated Development Environments

- Ruby: RubyMine (free to students)
  - https://www.jetbrains.com/ruby/download
- Python: Idle (free)
  - \* comes with Python
- Php: PhpStorm (free to students)
  - https://www.jetbrains.com/phpstorm/
- Android Java: Eclipse plus ADT plugin (free)
  - http://developer.android.com/sdk/installing/installing-adt.html

#### Git and Github

#### \* Git

- Version Control System (VCS)
- Logs changes to files
- Can "roll back" to a previous version of a file or project

#### \* Github

- Remote repository
- Online versions of your project
- Share code with other people
- Log changes to files (what, who, when)

# Git/Github: getting started

- \* Get a github account
  - https://github.com/

- Install git
  - http://git-scm.com/downloads
  - \* \*not\* the GUI version (although that could be useful to you later)

http://git-scm.com/book/en/Getting-Started-Installing-Git

# Github - getting your course notes

- \* In the terminal window:
  - \* cd to the directory that you want your notes in, then type:

git clone https://github.com/bodacea/codingfordevhackathons

- \* You should see a new directory appear, containing the files from the repo
- \* Tip: if you want to put this into a differently-named directory, type:

git clone https://github.com/bodacea/codingfordevhackathons new-dir-name

- \* If the online course notes change, you can get the new files from the terminal window:
  - \* cd into the new directory, then type:

#### git pull

### Github - some repos to check out

- \* Human development:
  - \* UNOCHA: https://github.com/OCHA-DAP
  - \* UNHCR: https://github.com/unhcr
  - \* US State Dept Humanitarian Info Unit: https://github.com/state-hiu
  - \* Humanitarian OSM: https://github.com/hotosm
  - Ushahidi https://github.com/ushahidi
  - Sahana https://github.com/sahana
  - \* OpenStreetMap website https://github.com/openstreetmap/openstreetmap-website
- \* Ruby/Rails:
  - \* Ruby on Rails https://github.com/rails
  - \* RailsApps https://github.com/RailsApps/rails-composer

# Git - starting a repo

- Using the terminal window:
  - \* cd into the directory that you want to add to github
  - \* if you haven't got a directory yet, make one.
  - \* Add a file called "readme.txt"
  - \* in the terminal window, type:

git init
git add .
git commit -m "first commit"
git status

See <a href="https://help.github.com/articles/create-a-repo/">https://help.github.com/articles/create-a-repo/</a>

## Github - adding a repo

- \* Go to any github page, e.g. <a href="https://github.com/bodacea">https://github.com/bodacea</a>
  - \* click the "+" at the RHS top of the page
  - select "new repository"
  - choose a name for your repo
  - click "create repository"
- \* Back to the terminal window:

#### git remote add origin your-repo-address

\* where your-repo-address is on your new github page, e.g. <a href="https://github.com/bodacea/codingfordevhackathons.git">https://github.com/bodacea/codingfordevhackathons.git</a>

#### git push -u origin master

\* Go look at your new online repo, e.g. <a href="https://github.com/bodacea/codingfordevhackathons">https://github.com/bodacea/codingfordevhackathons</a>

## Github: updating your repo

- \* Edit your files, add new ones, delete others etc.
- \* Then from the terminal window, type

git add . -A

git commit -m "your message here"

git push

\* This moves a copy of your local files up to github

## Installing Ruby and Rails

- \* Use the RailsInstaller package:
  - \* http://railsinstaller.org/en
- \* If you're using Mac OS 10.9 (Mavericks):
  - \* Follow the RailsGirls instructions: <a href="http://guides.railsgirls.com/install/#setup-for-os-x">http://guides.railsgirls.com/install/#setup-for-os-x</a>

\* Then install the library needed by heroku:

#### gem install bundler

## Adding Ruby Gems

- \* Gems are "libraries" of reusable code.
- \* To add a gem, type "gem install <gemname>" in the terminal window... whilst you're connected to the Internet.
- \* Add these:
  - \* foundation-rails
  - \* gibbon
  - \* google\_drive
  - \* simple\_form
  - better\_errors

# Installing Heroku

- \* Get a Heroku account (free):
  - \* Important: use the \*same\* email as your github account!
  - https://signup.heroku.com/dc
- Download the Heroku tool belt
  - https://devcenter.heroku.com/articles/getting-started-with-ruby#set-up
- \* In the terminal window, try

#### heroku login

\* We'll do more with heroku later

https://devcenter.heroku.com/start

## Well-known Ruby/Rails sites:

- \* AirBNB
- \* Slideshare
- \* Hulu
- \* Github
- \* Groupon
- \* Bloomberg
- \* IndieGoGo
- \* Square
- \* Twitter (started on Rails; had to change languages to scale)