




Physical Config Desktop Programming Attributes

Terminal

```
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface GigabitEthernet0/1
Router(config-if)#ip address 110.12.14.10 255.0.0.0
Router(config-if)#no shutdown

Router(config-if)#
%LINK-3-UPDOWN: Interface GigabitEthernet0/1, changed state to down

Router(config-if)#exit
Router(config)#exit
Router#
%SYS-5-CONFIG_I: Configured from console by console

Router#show ip interface brief
Interface      IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  unassigned      YES unset    down        down
GigabitEthernet0/1  110.12.14.10    YES manual   down        down
Vlan1           unassigned      YES unset    administratively down down
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#username suji password suji
Router(config)#exit
Router#
%SYS-5-CONFIG_I: Configured from console by console

Router#show ip interface brief
Interface      IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  unassigned      YES unset    down        down
GigabitEthernet0/1  110.12.14.10    YES manual   down        down
Vlan1           unassigned      YES unset    administratively down down
Router#
%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to up
Router#show ip interface brief
Interface      IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  unassigned      YES unset    down        down
GigabitEthernet0/1  110.12.14.10    YES manual   up          up
Vlan1           unassigned      YES unset    administratively down down
Router#
```

Activate Windows
Go to Settings to activate Windows.

32°C 6:42 PM IN 6/16/2025