### INNOVATE. CREATE. SOLVE

Bengaluru, Karnataka, India



AN
INTERNSHIP REPORT
ON

"Leaf Now"

**Bachelor of Engineering** 

In Computer Science and Engineering

Submitted by: Sujith A P (1JS18CS164)



COLLEGE-JSS ACADEMY OF TECHNICAL EDUCATION-BANGALORE 2021

#### **ABOUT THE COMPANY**

IC Solution (ICS) is a digital service provider that aims to provide software, designing and marketing solutions to individuals and businesses. At ICS, we believe that service and quality is the key to success

We provide all kinds of technological and designing solutions from Billing Software to Web Designs or any custom demand that you may have. Experience the service like none other!

Some of our services include:

<u>Development</u> - We develop responsive, functional and super-fast websites. We keep User Experience in mind while creating websites. A website should load quickly and should be accessible even on a small view-port and slow internet connection.

<u>Mobile Application</u> - We offer a wide range of professional Android, iOS & Hybrid app development services for our global clients, from a start up to a large enterprise.

<u>Design</u> - We offer professional Graphic design, Brochure design & Logo design. We are experts in crafting visual content to convey the right message to the customers.

<u>Consultancy</u> - We are here to provide you with expert advice on your design and development requirement.

<u>Videos</u> - We create a polished professional video that impresses your audience.

# TABLE OF CONTENTS

Table of contents	i
Overview of the Project	1
Detail Summary	2
Tools Used	3
Implementation	4
Snapshots	21
Bibliography	25

### **OVERVIEW OF THE PROJECT**

**Project Name:** Tribute to Doctors

**Team Members:** Sujith A P

Priya Varshini

Ajay

George

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS and JavaScript. The basic webpage of this project is created using HTML and styling of the webpage is done using CSS.

Ever since industrialization started the care for plants has made it to our least priority list, Even though mankind requires plants to balance the food chain that he's a part of, but the plant enthusiasts are everywhere, be it big metropolitan cities or rural areas, so we aim to bring in a platform that can connect these plant/nature enthusiasts and help them exchange/sell them plants or donate seeds/plants as part of the green initiative that we started 2 years back.

## **Detail Summary**

The most important feature of LEAF NOW is connecting enthusiasts, which means that users should be able to create an account on the site and can start filling a form to submit their services, which will later be published by our team if it is genuine The second feature is encouraging users to sell/buy/donate plants/seeds, by letting them know the importance of the same The third important feature is the discussion page, set up a discussion page for the enthusiasts to start a discussion on topics that they like (optional) A pdf for every donation, a donation can be money(1rs for every plant) requires you to convert web content to pdf encouraging other users to do the same.

### **TOOLS USED**

### **Software Requirements**

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- Front End: HTML, CSS, JS (optional)
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS
- Xampp Server

### **Hardware Requirements**

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

#### **IMPLEMENTATION**

# **Source Code (index.HTML):**

```
<!DOCTYPE html>
   <html lang="en">
   <?php
   include("connection/connect.php"); //include connection
   file error_reporting(0); // using to hide undefine undex
   errors session_start(); //start temp session until
   logout/browser closed
   <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
     <!-- The above 3 meta tags *must* come first in the head; any other head content
must come *after* these tags -->
     <meta name="description" content="">
     <meta name="author" content="">
     <link rel="icon" href="#">
     <title>LEAF NOW</title>
     <!-- Bootstrap core CSS -->
     <link href="css/bootstrap.min.css" rel="stylesheet">
     k href="css/font-awesome.min.css" rel="stylesheet">
     <!-- Custom styles for this template -->
     <link href="css/style.css" rel="stylesheet"> </head>
   <body class="home">
      <!--header starts-->
       <header id="header" class="header-scroll top-header headrom">
          <!-- .navbar -->
         <nav class="navbar navbar-dark">
```

```
<div class="container">
                <button class="navbar-toggler hidden-lg-up" type="button"</pre>
    data- toggle="collapse" data-
    target="#mainNavbarCollapse">☰</button>
                <a class="navbar-brand" href="index.php">Leaf Now</a>
                <div class="collapse navbar-toggleable-md float-lg-right"</pre>
    id="mainNavbarCollapse">
                   <a class="nav-link active"</pre>
    href="index.php">Home <span class="sr-only">(current)</span></a>
     <a class="nav-link active"</pre>
    href="restaurants.php">Stores <span class="sr-only"></span></a>
    <?php if(empty($_SESSION["user_id"])) // if</pre>
                                     user
    is not
    login
                                               echo '<a
    href="login.php" class="nav-link active">login</a> 
    <a href="registration.php" class="nav-link"</pre>
    active">signup</a> 
    <a href="/online-food/admin/index.php" class="nav-link"</pre>
    active">Admin Login</a> ';
            }
        else
//if user is login
      echo 'class="nav-item"><a href="your_orders.php" class="nav-link active">your
    orders</a> ';
        echo '<a href="logout.php" class="nav-link"
        active">logout</a> ';
                                                   }
                                                    ?>
```

```
</div>
            </div>
          </nav>
          <!-- /.navbar -->
       </header>
       <!-- banner part starts -->
       <section class="hero bg-image" data-</pre>
image-
src="C:\Users\User\Downloads\loginimg.jpg">
          <div class="hero-inner">
            <div class="container text-center hero-text font-white">
               <h1>You plant,We provide...! </h1>
              <!---<h5 class="font-white space-xs">Find coupons for free</h5>--->
               <div class="banner-form">
                <form class="form-inline">
                  <div class="form-group">
                     <label class="sr-only" for="exampleInputAmount">I would like to
buy cloths
.....</label
                     <div class="form-group">
                        <input type="text" class="form-control form-control-lg"</pre>
id="exampleInputAmount" placeholder="I would like to Wear
                                                                "> </div>
                   </div>
                   <button onclick="location.href='restaurants.php"</pre>
type="button" class="btn theme-btn btn-lg">Search Cloths</button>
                 </form>
               </div>
            </div>
          </div>
          <!--end:Hero inner -->
       </section>
       <!-- banner part ends -->
```

```
<!-- Popular block starts -->
            <section class="popular">
              <div class="container">
                 <div class="title text-xs-center m-b-30">
                   <h2>Best buys</h2>
                   The easiest way to our plants
                 </div>
                 <div class="row">
                                            <?php// fetch records from database to display</pre>
    popular first 3 dishes from
                                                 $query_res= mysqli_query($db,"select *
    table from dishes LIMIT 3");
    while($r=mysqli_fetch_array($query_r)
                                                                              {
                                            echo ' <div class="col-xs-12"
    col-sm-6 col-md-4 food-item">
              <div class="food-item-wrap">
                     <div class="figure-wrap bg-image" data-
    image-src="admin/Res_img/dishes/'.$r['img'].'">
<div class="distance"><i class="fa fa-pin"></i>1240m</div>
    <div class="rating pull-left"> <i class="fa fa-star"></i> <i class="fa fa-star"></i> <i</pre>
    class="fa fa-star"></i> <i class="fa fa-star"></i> <i class="fa fa-star-o"></i> </div>
                            <div class="review pull-right"><a href="#">198 reviews</a>
    </div>
                     </div>
```

```
<div class="content">
                             <h5><a
     href="dishes.php?res_id='.$r['rs_id'].'">'.$r['title'].'</a><
     /h5>
                            <div class="product-name">'.$r['slogan'].'</div>
                             <div class="price-btn-block"> <span
     class="price">₹'.$r['price'].'</span> <a href="dishes.php?res_id='.$r['rs_id'].'"
     class="btn theme-btn-dash pull-right">Order Now</a> </div>
</div>
</div>
</div>';
}
?>
                 </div>
               </div>
             </section>
             <!-- Popular block ends -->
             <!-- How it works block ends -->
             <!-- Featured restaurants starts -->
             <!-- <section class="featured-restaurants">
               <div class="container">
                 <div class="row">
                    <div class="col-sm-4">
                      <div class="title-block pull-left">
```

```
<h4>Featured Stores</h4> </div>
                   </div>
                   <div class="col-sm-8">
                      <!-- restaurants filter nav starts -->
                      <!-- <div class="restaurants-filter pull-right">
                        <nav class="primary pull-left">
                          <a href="#" class="selected" data-filter="*">all</a> 
               <!-- <?php
               // display categories
               // $res=
mysqli_query($db,"select * from res_category");
                                                                 //
while($row=mysqli_fetch_array($res))
                                                                       //
                                                                              {
                                                                                    echo
     '''<a href="#" data-filter=".'.$row['c_name'].'"> '.$row['c_name'].''</a> ';
                                                                       //?>
</nav>
</div> -->
                      <!-- restaurants filter nav ends -->
                   <!-- </div>
                 </div>
                 <!-- restaurants listing starts -->
                 <!-- <div class="row">
                   <div class="restaurant-listing">
        --> -->
filter using html data-filter tag
                                 <!-- <?php //fetching records from table and
restaurant");
                                                  $ress= mysqli_query($db,"select * from
                                    //
```

```
while($rows=mysqli_fetch_array($res
    s))
//
                                                                               {
//
        // fetch records from res_category table according to catgory ID
//
        $query= mysqli_query($db,"select * from res_category where c_id='".$rows['c_id']."' ");
//
        $rowss=mysqli_fetch_array($query);
            //
//
        echo ' <div class="col-xs-12 col-sm-12 col-md-6 singlerestaurant
    all '.$rowss['c_name'].'">
//
<div class="restaurant-wrap">
<div class="row">
//
<div class="col-xs-12 col-sm-3 col-md-12 col-lg-3 text-xs-center">
//
     <a class="restaurant-logo" href="dishes.php?res_id='.$rows['rs_id'].'" > <img</pre>
     src="admin/Res_img/'.$rows['image'].'" alt="Restaurant logo"> </a>
               </div>
//<!--end:col -->
//<div class="col-xs-12 col-sm-9 col-md-12 col-lg-9">
//<h5><a href="dishes.php?res_id='.$rows['rs_id'].'"
     >'.$rows['title'].'</a></h5> <span>'.$rows['address'].'</span>
                                    <div class="bottom-part">
                                    //
                                           <div class="cost"><i class="fa fa-check"></i> Min
     10,00</div>
                                    //
                                           <div class="mins"><i class="fa fa-
     motorcvcle"></i> 30 min</div>
```

```
//
                                           <div class="ratings">
                                           <span>
                                    //
                                                          <i class="fa fa-star"></i>
                                    //
                                                          <i class="fa fa-star"></i>
                                    //
                                                          <i class="fa fa-star"></i>
                                    //
                                                          <i class="fa fa-star"></i>
                                    //
                                                          <i class="fa fa-star-o"></i>
                                    //
                                           </span> (122) </div>
                                    </div
</div>
                                    //
                             //
<!-- end:col -->
                             //
</div>
                             //
                      <!-- end:row -->
                      //
</div>
                                    // //
              <!--end:Restaurant wrap --
               ////
       </div>'; --
                                         //
                                         //
                                         //
       //
               //
               //
```

```
P1
```

```
</div>
           //
            //
                  </div>
                  <!-- restaurants listing ends -->
            //
            <!-- //
           // </div>
           // </section> --> -->
            <!-- Featured restaurants ends -->
         <!-- Bootstrap core JavaScript
          <script src="js/jquery.min.js"></script>
         <script src="js/tether.min.js"></script>
         <script src="js/bootstrap.min.js"></script>
         <script src="js/animsition.min.js"></script>
         <script src="js/bootstrap-slider.min.js"></script>
         <script src="js/jquery.isotope.min.js"></script>
         <script src="js/headroom.js"></script>
         <script src="js/foodpicky.min.js"></script>
       </body>
       </html>
       Source Code(login.html)
<!DOCTYPE html>
<html lang="en" >
<head>
 <meta charset="UTF-8">
 <title>login</title>
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/meyer-reset/2.0/reset.min.css">
 k rel='stylesheet prefetch'
href='https://fonts.googleapis.com/css?family=Roboto:400,100,300,500,700,900|RobotoDraft:400,100,
300,500,700,900'>
k rel='stylesheet prefetch' href='https://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-
awesome.min.css'>
   <link rel="stylesheet" href="css/login.css">
```

```
<style type="text/css">
 #buttn{
         color:#fff;
         background-color: #ff3300;
 </style>
</head>
<body>
<?php
include("connection/connect.php"); //INCLUDE
CONNECTION error_reporting(0); // hide undefine index
errors session start(); // temp sessions
if(isset($_POST['submit'])) // if button is submit
        $username = $_POST['username']; //fetch records from login form
       $password = $_POST['password'];
       if(!empty($ POST["submit"])) // if records were not empty
       $loginquery = "SELECT * FROM users WHERE username='$username' &&
password="".md5($password).""; //selecting matching records
       $result=mysqli_query($db, $loginquery); //executing
       $row=mysqli_fetch_array($result);
                if(is_array($row)) // if matching records in the array & if everything is right
                       $_SESSION["user_id"] = $row['u_id']; // put user id into temp session
header("refresh:1;url=index.php"); // redirect to index.php page
                                               else
                      $message = "Invalid Username or Password!"; // throw error
             }
 }
<!-- Form Mixin-->
<!-- Input Mixin-->
<!-- Button Mixin-->
<!-- Pen Title-->
<div class="pen-title">
 <h1>Login Form</h1>
```

```
</div>
<!-- Form Module-->
<div class="module form-module">
 <div class="toggle">
 </div>
 <div class="form">
  <h2>Login to your account</h2>
        <span style="color:red;"><?php echo $message; ?></span>
  <span style="color:green;"><?php echo $success; ?></span>
  <form action="" method="post">
   <input type="text" placeholder="Username" name="username"/>
   <input type="password" placeholder="Password" name="password"/>
   <input type="submit" id="buttn" name="submit" value="login" />
        <a href="/online-food">Home</a>
  </form>
 </div>
 <div class="cta">Not registered?<a href="registration.php" style="color:#f30;">
Create an account</a></div>
</div>
 <script src='http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
</body>
</html>
       Source Code(login.css)
body {
 background:
 #e9e9e9; color:
 #666666;
 font-family: 'RobotoDraft', 'Roboto',
 sans-serif; font-size: 14px;
 -webkit-font-smoothing: antialiased;
 -moz-osx-font-smoothing: grayscale;
/* Pen Title */
.pen-title {
 padding:
 50px 0;
 text-align:
 center;
 letter-spacing: 2px;
```


```
.pen-title h1 {
 margin: 0 0 20px;
 font-size: 48px;
 font-weight: 300;
.pen-title span {
 font-size: 12px;
.pen-title span .fa {
 color: #f30;
.pen-title span a {
 color: #f30;
 font-weight: 600;
 text-decoration: none;
/* Form Module */
.form-module {
 position: relative;
 background: #ffffff;
 max-width: 320px;
 width: 100%;
 border-top: 5px solid #f30;
 box-shadow: 0 0 3px rgba(0, 0, 0, 0.1);
 margin: 0 auto;
.form-module .toggle {
 cursor: pointer;
 position: absolute;
 top: -0;
 right: -0;
 background: #;
 width: 30px;
 height: 30px;
 margin: -5px 0 0;
 color: #ffffff;
 font-size: 12px;
 line-height: 30px;
 text-align: center;
.form-module .toggle .tooltip {
 position: absolute;
 top: 5px;
 right: -65px;
 display: block;
 background: rgba(0, 0, 0, 0.6);
 width: auto;
 padding: 5px;
```


```
font-size: 10px;
 line-height: 1;
 text-transform: uppercase;
.form-module .toggle .tooltip:before {
 content: ";
 position: absolute;
 top: 5px;
 left: -5px;
 display: block;
 border-top: 5px solid transparent;
 border-bottom: 5px solid transparent;
 border-right: 5px solid rgba(0, 0, 0, 0.6);
}
.form-module .form {
 display: none;
 padding: 40px;
.form-module .form:nth-child(2) {
 display: block;
}
.form-module h2 {
 margin: 0 0 20px;
 color: #f30;
 font-size: 18px;
 font-weight: 400;
 line-height: 1;
}
.form-module input {
 outline: none;
 display: block;
 width: 100%;
 border: 1px solid #ccc;
 margin: 0 0 20px;
 padding: 10px 15px;
 box-sizing: border-box;
 font-wieght: 400;
 transition: 0.3s ease;
.form-module input:focus {
 border: 1px solid #f30;
 color: #333333;
.form-module button {
 cursor: pointer;
 background: #f30;
 width: 100%;
 border: 0;
 padding: 10px 15px;
```


```
color: #ffffff;
transition: 0.3s ease;
}
.form-module button:hover {
 background: #b92a07;
}
.form-module .cta {
 background: #f2f2f2;
 width: 100%;
 padding: 15px 40px;
 box-sizing: border-box;
 color: #666666;
 font-size: 12px;
 text-align: center;
}
.form-module .cta a {
 color: #333333;
 text-decoration: none;
}
```


### **IMPLEMENTATION**


**Snapshots:** 























P1



P1



#### P1



## **BIBLIOGRAPHY**

- https://www.w3schools.com
- https://www.geeksforgeeks.org

# **About my TEAM**

Sujith A P <HTML>
Priya Varshini <CSS>
Ajay <Design and info>
George<Design and info>