

# Cucumber Report

23-Feb-2024, 12:14:27 pm

Start : Feb 23, 12:14:21.728 pm

End : Feb 23, 12:14:26.707 pm

Duration : 4.979 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 21




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>customer page</u>	4.979 s	3	0	3	0	21	0	0	21

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Login	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>customer page</u>	3	0	3	0	4.979 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>customer page</u>	<u>To enter the values in the fields of the customer page</u>	7	0	0	7	2.352 s
2	<u>customer page</u>	<u>To enter the values in the fields of the customer page</u>	7	0	0	7	1.623 s
3	<u>customer page</u>	<u>To enter the values in the fields of the customer page</u>	7	0	0	7	0.975 s

## customer page

FAILED	DURATION - 4.979 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 21 Pass - 0 Fail - 0 Skip - 21	
/ 12:14:21.728 pm // 12:14:26.707 pm /					

## To enter the values in the fields of the customer page

FAILED	DURATION - 2.352 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 12:14:21.738 pm // 12:14:24.090 pm /				
customer page				
@Login				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - Steps.Hooks.Setup()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 121.0.6167.185 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-EP8CU9R', ip: '192.168.192.1' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --disable-notifications], extensions: []}}]}]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:154)  at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:107)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:87)</p>	FAILED	2.326 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71) at Steps.Hooks.Setup(Hooks.java:41)		
1	Given Given Open the login page	SKIPPED	0.001 s
2	And enter 'Admin' and 'admin123'	SKIPPED	0.000 s
3	Then click login	SKIPPED	0.000 s
4	And move to PIM page	SKIPPED	0.000 s
5	Then enter 'David Morris' and '0066' in the fields	SKIPPED	0.000 s
6	And search with given data	SKIPPED	0.000 s
7	Then delete the data	SKIPPED	0.000 s
	AFTER - Steps.Hooks.Takescreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "org.orangehrm.details.Cucumber.Testcontext.getDriver()" is null at Steps.Hooks.Takescreenshot(Hooks.java:48)	FAILED	0.004 s

### To enter the values in the fields of the customer page

<b>FAILED</b> DURATION - 1.623 s / 12:14:24.105 pm // 12:14:25.728 pm / customer page @Login		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - Steps.Hooks.Setup() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 121.0.6167.185 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-EP8CU9R', ip: '192.168.192.1' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --disable-notifications], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)	FAILED	1.620 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:71) at Steps.Hooks.Setup(Hooks.java:41) </pre>		
1	Given Given Open the login page	SKIPPED	0.000 s
2	And enter 'Admin' and 'admin123'	SKIPPED	0.000 s
3	Then click login	SKIPPED	0.000 s
4	And move to PIM page	SKIPPED	0.000 s
5	Then enter 'Jadine Jackie' and '0243' in the fields	SKIPPED	0.000 s
6	And search with given data	SKIPPED	0.000 s
7	Then delete the data	SKIPPED	0.000 s
	AFTER - Steps.Hooks.Takescreenshot(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "org.orangehrm.details.Cucumber.Testcontext.getDriver()" is null at Steps.Hooks.Takescreenshot(Hooks.java:48) </pre>	FAILED	0.001 s

### To enter the values in the fields of the customer page

<b>FAILED</b> DURATION - 0.975 s / 12:14:25.732 pm // 12:14:26.707 pm / customer page @Login		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - Steps.Hooks.Setup()	FAILED	0.972 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 121.0.6167.185 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-EP8CU9R', ip: '192.168.192.1' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --disable-notifications], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:154)  at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:107)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:87)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:82)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:71)  at Steps.Hooks.Setup(Hooks.java:41)</p>		
1	Given Given Open the login page	SKIPPED	0.000 s
2	And enter 'Admin' and 'admin123'	SKIPPED	0.000 s
3	Then click login	SKIPPED	0.000 s
4	And move to PIM page	SKIPPED	0.000 s
5	Then enter 'Nina Patel' and '0074' in the fields	SKIPPED	0.001 s
6	And search with given data	SKIPPED	0.000 s
7	Then delete the data	SKIPPED	0.000 s
	AFTER - Steps.Hooks.Takescreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "org.orangehrm.details.Cucumber.Testcontext.getDriver()" is null</p> <p>at Steps.Hooks.Takescreenshot(Hooks.java:48)</p>		