

Assignment 1

1. Creating a basic HTML page

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Basic HTML Page</title>
</head>

<body>

<h1>Welcome to My Web Page</h1>

<p>This is my first HTML page.</p>

</body>
</html>
```

Output

- Welcome to My Web Page
 - This is my first HTML page.
-

2. Using some commonly available tags in HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML Tags</title>
</head>

<body>

<h1>HTML Tags Example</h1>

<p>This is a paragraph tag.</p>
```

```
<b>Bold Text</b><br>
```

```
<i>Italic Text</i><br>
```

```
<u>Underlined Text</u><br>
```

```
<a href="https://www.google.com">Google</a>
```

```
</body>
```

```
</html>
```

Output

- Displays bold text
- Displays italic text
- Displays underline text
- Displays Google hyperlink

3. Creating unordered and ordered lists

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Lists Example</title>
```

```
</head>
```

```
<body>
```

```
<h2>Ordered List</h2>
```

```
<ol>
```

```
  <li>Apple</li>
```

```
  <li>Mango</li>
```

```
  <li>Banana</li>
```

```
</ol>
```

```
<h2>Unordered List</h2>
```

```
<ul>
```

```
<li>Red</li>
<li>Blue</li>
<li>Green</li>
</ul>
```

```
</body>
</html>
```

Output

- Displays ordered list with numbering
- Displays unordered list with bullets

Assignment 2

1. Creating a newspaper article using HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Newspaper Article</title>
</head>

<body>

<h1 align="center">Daily News</h1>

<h2>Technology is Growing Fast</h2>

<p>
Artificial Intelligence and Web Technology are changing the world rapidly.
</p>

</body>
</html>
```

Output

- Displays newspaper heading and article

2. Creating a college timetable using HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>College Timetable</title>
</head>

<body>

<h2 align="center">College Timetable</h2>

<table border="1" cellpadding="10">

<tr>
  <th>Day</th>
  <th>9-10</th>
  <th>10-11</th>
  <th>11-12</th>
</tr>

<tr>
  <td>Monday</td>
  <td>Math</td>
  <td>Physics</td>
  <td>English</td>
</tr>

<tr>
  <td>Tuesday</td>
  <td>Chemistry</td>
  <td>Biology</td>
  <td>Computer</td>
</tr>

</table>
```

```
</body>
```

```
</html>
```

Output

- Displays timetable in table format

Assignment 3

1. Create a dynamic web page with radio inputs to change the color and the font family of the document (only html and css)

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body{  
  text-align:center;  
}
```

```
#red:checked ~ .text{  
  color:red;  
}
```

```
#blue:checked ~ .text{  
  color:blue;  
}
```

```
#arial:checked ~ .text{  
  font-family:Arial;  
}
```

```
#courier:checked ~ .text{  
  font-family:Courier New;  
}
```

```
</style>
```

```
</head>

<body>

<h2>Select Color</h2>

<input type="radio" id="red" name="color"> Red
<input type="radio" id="blue" name="color"> Blue

<h2>Select Font</h2>

<input type="radio" id="arial" name="font"> Arial
<input type="radio" id="courier" name="font"> Courier New

<div class="text">
  <h1>Hello Students</h1>
</div>

</body>
</html>
```

Output

- Changes font color dynamically
 - Changes font family dynamically
-

2. Design A registration page for creating an account in HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form</title>
</head>

<body>

<h2>Registration Form</h2>
```

```
<form>

Name:
<input type="text"><br><br>

Email:
<input type="email"><br><br>

Password:
<input type="password"><br><br>

Gender:
<input type="radio" name="g"> Male
<input type="radio" name="g"> Female

<br><br>

<input type="submit" value="Register">

</form>

</body>
</html>
```

Output

- Displays registration form with input fields

Assignment 4

1. Design a home page for a college / university (code provided)

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>College Home Page</title>
</head>

<body>
```

```
<h1 align="center">ABC College</h1>
```

```
<hr>
```

```
<h2>About Us</h2>
```

```
<p>
```

Welcome to ABC College.

```
</p>
```

```
<h2>Courses</h2>
```

```
<ul>
```

```
<li>BCA</li>
```

```
<li>B.Tech</li>
```

```
<li>MCA</li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

Output

- Displays college homepage

2. Design a Javascript program to add 2 numbers from HTML document and display the result on the screen.

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>Add Two Numbers</h2>
```

```
<input type="number" id="n1">
```

```
<input type="number" id="n2">
```

```
<button onclick="add()">Add</button>
```



```
<h3 id="result"></h3>
```

```
<script>
```

```
function add(){
```

```
let a = Number(document.getElementById("n1").value);
```

```
let b = Number(document.getElementById("n2").value);
```

```
document.getElementById("result").innerHTML =  
"Sum = " + (a+b);
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output

Example:

- Input: 5 and 7

Sum = 12

Assignment 5

1. Write a Javascript program to check whether number is prime or not.

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<input type="number" id="num">
```

```
<button onclick="prime()">Check</button>
```

```
<h3 id="ans"></h3>
```

```
<script>
```

```
function prime(){
```

```
let n=document.getElementById("num").value;
```

```
let flag=0;
```

```
for(let i=2;i<n;i++){
```

```
if(n%i==0){
```

```
flag=1;
```

```
break;
```

```
}
```

```
}
```

```
if(flag==0)
```

```
document.getElementById("ans").innerHTML="Prime Number";
```

```
else
```

```
document.getElementById("ans").innerHTML="Not Prime";
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output

Example:

- Input: 7

Prime Number

2. Write a Javascript program to check whether number is even or odd.

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="number" id="num">

<button onclick="check()">Check</button>

<h3 id="ans"></h3>

<script>

function check(){

let n=document.getElementById("num").value;

if(n%2==0)
document.getElementById("ans").innerHTML="Even Number";

else
document.getElementById("ans").innerHTML="Odd Number";

}

</script>

</body>
</html>
```

Output

Example:

- Input: 9

Odd Number

3. Write a basic calculator in Javascript that will take 2 numbers as input and return their sum in the webpage.

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="number" id="a">
<input type="number" id="b">

<button onclick="sum()">Add</button>

<h3 id="res"></h3>

<script>

function sum(){

let x=Number(document.getElementById("a").value);

let y=Number(document.getElementById("b").value);

document.getElementById("res").innerHTML =
"Result = " + (x+y);

}

</script>

</body>
</html>
```

Output

Example:

- Input: 10 and 20

Result = 30

Assignment 6

1. Design a menu bar with sub menus in the menu items. (code provided)

Code

```
<!DOCTYPE html>
<html>
<head>

<style>

ul{
list-style:none;
background:black;
}

ul li{
display:inline-block;
padding:15px;
color:white;
position:relative;
}

ul li ul{
display:none;
position:absolute;
}

ul li:hover ul{
display:block;
background:gray;
}

</style>

</head>

<body>

<ul>

<li>Home</li>
```

```
<li>Courses

<ul>
<li>BCA</li>
<li>B.Tech</li>
</ul>

</li>

<li>Contact</li>

</ul>

</body>
</html>
```

Output

- Dropdown submenu appears on hover
-

2. Design a webpage that will take 2 numbers as input from the user and the page will have 4 buttons with each button having the option to add substrate, multiply and divide when the user clicks on any of the 4 buttons based on the option, it will give the result in the page.

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="number" id="a">
<input type="number" id="b">

<button onclick="add()">Add</button>
<button onclick="sub()">Subtract</button>
<button onclick="mul()">Multiply</button>
<button onclick="div()">Divide</button>

<h3 id="res"></h3>

<script>
```

```
function add(){

let x=Number(document.getElementById("a").value);
let y=Number(document.getElementById("b").value);

document.getElementById("res").innerHTML="Addition = "+(x+y);

}

function sub(){

let x=Number(document.getElementById("a").value);
let y=Number(document.getElementById("b").value);

document.getElementById("res").innerHTML="Subtraction = "+(x-y);

}

function mul(){

let x=Number(document.getElementById("a").value);
let y=Number(document.getElementById("b").value);

document.getElementById("res").innerHTML="Multiplication = "+(x*y);

}

function div(){

let x=Number(document.getElementById("a").value);
let y=Number(document.getElementById("b").value);

document.getElementById("res").innerHTML="Division = "+(x/y);

}

</script>

</body>
</html>
```

Output

Example:

- Input: 10 and 5

Addition = 15

Subtraction = 5

Multiplication = 50

Division = 2

Assignment 7

1. Prepare a to-do list with Javascript that will be dynamic in nature (the user can add or remove the list dynamically)

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="text" id="task">

<button onclick="addTask()">Add</button>

<ul id="list"></ul>

<script>

function addTask(){

let task=document.getElementById("task").value;

let li=document.createElement("li");

li.innerHTML=task+" <button onclick='removeTask(this)'>Remove</button>";

document.getElementById("list").appendChild(li);

}
```



```
function removeTask(element){  
  
    element.parentElement.remove();  
  
}  
  
</script>  
  
</body>  
</html>
```

Output

- User can dynamically add tasks
 - User can remove tasks dynamically
-

2. Demonstrate the XML with 4 food items / food menu data, and with the help of XSLT, transform the data into HTML display of the food menu.

XML Code

```
<?xml version="1.0"?>  
  
<foodmenu>  
  
    <food>  
        <name>Burger</name>  
        <price>100</price>  
    </food>  
  
    <food>  
        <name>Pizza</name>  
        <price>200</price>  
    </food>  
  
    <food>  
        <name>Pasta</name>  
        <price>150</price>  
    </food>  
  
    <food>
```

```
<name>Sandwich</name>
<price>80</price>
</food>
```

```
</foodmenu>
```

XSLT Code

```
<?xml version="1.0"?>
```

```
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
```

```
<xsl:template match="/">
```

```
<html>
```

```
<body>
```

```
<h2>Food Menu</h2>
```

```
<table border="1">
```

```
<tr>
```

```
<th>Food</th>
```

```
<th>Price</th>
```

```
</tr>
```

```
<xsl:for-each select="foodmenu/food">
```

```
<tr>
```

```
<td><xsl:value-of select="name"/></td>
```

```
<td><xsl:value-of select="price"/></td>
```

```
</tr>
```

```
</xsl:for-each>
```

```
</table>
```

```
</body>
```

```
</html>
```

```
</xsl:template>
```

</xsl:stylesheet>

Output

Food Item Price

Burger 100

Pizza 200

Pasta 150

Sandwich 80

Assignment 8

1. Create a form in HTML which takes name, age, and email from the user. If any input field is empty, the user will be alerted and only after validating all inputs, the user will receive an alert message about successful submission of the form.

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form onsubmit="return validate()">
```

Name:

```
<input type="text" id="name"><br><br>
```

Age:

```
<input type="number" id="age"><br><br>
```

Email:

```
<input type="email" id="email"><br><br>
```

```
<input type="submit">
```

```
</form>
```

```
<script>

function validate(){

let n=document.getElementById("name").value;
let a=document.getElementById("age").value;
let e=document.getElementById("email").value;

if(n=="" || a=="" || e==""){

alert("All fields are required");

return false;

}

alert("Form Submitted Successfully");

return true;

}

</script>

</body>
</html>
```

Output

- Empty fields → alert message
- Valid fields → successful submission alert

2. Create a php page that takes inputs from an html form and display on the browser.

HTML Code

```
<!DOCTYPE html>
<html>
<body>
```

```
<form action="display.php" method="POST">
```

Name:

```
<input type="text" name="name">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$name=$_POST['name'];
```

```
echo "Welcome ".$name;
```

```
?>
```

Output

Example:

- Input: Sukhendu

Welcome Sukhendu

Assignment 9

1. Create a PHP page that takes inputs from an html form and display on the browser. (method="POST")

HTML Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form action="post.php" method="POST">
```

Name:

```
<input type="text" name="name">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$name=$_POST['name'];
```

```
echo "Your Name is ".$name;
```

```
?>
```

Output

Example:

- Input: Sukhendu

Your Name is Sukhendu

2. Create a php page that takes input from the user, retrieve the values and display it in the browser. (method="GET")

HTML Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form action="get.php" method="GET">
```

City:

```
<input type="text" name="city">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$city=$_GET['city'];
```

```
echo "Your City is ".$city;
```

```
?>
```

Output

Example:

- Input: Kolkata

Your City is Kolkata

Assignment 10

wap to show form input with php code implementation

HTML Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>User Form</h2>
```

```
<form action="show.php" method="POST">
```

Name:

```
<input type="text" name="name"><br><br>
```

Username:

```
<input type="text" name="username"><br><br>
```

Email:

```
<input type="email" name="mail"><br><br>
```

Password:

```
<input type="password" name="pass"><br><br>
```

```
<button type="submit">Submit</button>
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$a=$_POST['name'];
```

```
$b=$_POST['username'];
```

```
$c=$_POST['mail'];
```

```
$d=$_POST['pass'];
```

```
echo "Name is : ".$a."<br>";
```

```
echo "Username is : ".$b."<br>";
```

```
echo "Mail is : ".$c."<br>";
```

```
echo "Password is : ".$d;
```

```
?>
```

Output

Example:

- Name: Sukhendu
- Username: sukhendu123
- Email: sukhendu@gmail.com
- Password: 12345

Name is : Sukhendu

Username is : sukhendu123

Mail is : sukhendu@gmail.com

Password is : 12345

Assignment 11

create a form in html and connect it to a database and enter credentials with using php

HTML Code (signup.html)

```
<!DOCTYPE html>
<html>
<body>

<h2>Signup Form</h2>

<form action="success.php" method="POST">

Name:
<input type="text" name="name"><br><br>

Username:
<input type="text" name="user"><br><br>

Email:
<input type="email" name="mail"><br><br>

Password:
<input type="password" name="pass"><br><br>

<button type="submit">Submit</button>

</form>

</body>
</html>
```

Database Connection Code (db.php)

```
<?php

$servername = "localhost:3307";
$username = "root";
```

```
$password = "";
$databasename = "demo";

$conn = mysqli_connect($servername, $username, $password, $databasename);

if($conn){

echo "Connection Successful";

}

else{

echo "Connection Failed";

}

?>
```

PHP Insert Code (success.php)

```
<?php

include 'db.php';

$a=$_POST['name'];
$b=$_POST['user'];
$c=$_POST['mail'];
$d=$_POST['pass'];

$sql="INSERT INTO signup_details(name,username,email,password)
VALUES('$a','$b','$c','$d')";

mysqli_query($conn,$sql);

echo "Data Inserted Successfully";

?>
```

MySQL Table Creation

```
CREATE DATABASE demo;
```

```
USE demo;
```

```
CREATE TABLE signup_details(
```

```
id INT AUTO_INCREMENT PRIMARY KEY,
```

```
name VARCHAR(100),
```

```
username VARCHAR(100),
```

```
email VARCHAR(100),
```

```
password VARCHAR(100)
```

```
);
```

Output

Example:

- Name: Sukhendu
- Username: sukhendu01
- Email: sukhendu@gmail.com
- Password: 1234

Connection Successful

Data Inserted Successfully