

Assignment 1

1. Creating a Basic HTML Page

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Basic HTML Page</title>
</head>
<body>

  <h1>Welcome to My Web Page</h1>
  <p>This is a basic HTML page.</p>

</body>
</html>
```

Output

- Displays heading:
Welcome to My Web Page
 - Displays paragraph:
This is a basic HTML page.
-

2. Using Commonly Available Tags in HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML Tags</title>
</head>
<body>

  <h1>HTML Tags Example</h1>

  <p>This is a paragraph.</p>

  <b>Bold Text</b><br>
```

```
<i>Italic Text</i><br>
```

```
<u>Underlined Text</u><br>
```

```
<a href="https://www.google.com">Google Link</a>
```

```
</body>
```

```
</html>
```

Output

- Shows bold, italic, underline text
 - Displays clickable Google link
-

3. Creating Ordered and Unordered Lists

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Lists</title>
```

```
</head>
```

```
<body>
```

```
  <h2>Ordered List</h2>
```

```
  <ol>
```

```
    <li>Apple</li>
```

```
    <li>Banana</li>
```

```
    <li>Mango</li>
```

```
  </ol>
```

```
  <h2>Unordered List</h2>
```

```
  <ul>
```

```
    <li>Red</li>
```

```
    <li>Blue</li>
```

```
    <li>Green</li>
```

```
  </ul>
```

```
</body>
```

```
</html>
```

Output

- Displays numbered fruit list
 - Displays bullet color list
-

Assignment 2

1. Newspaper Article using HTML

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Newspaper</title>
</head>
<body>

  <h1 align="center">Daily News</h1>

  <h2>Technology is Growing Fast</h2>

  <p>
    Artificial Intelligence and Web Technology are changing the world rapidly.
    Students are learning modern technologies for better career opportunities.
  </p>

</body>
</html>
```

Output

- Displays newspaper heading
 - Shows article paragraph
-

2. College Timetable

Code

```
<!DOCTYPE html>
<html>
<head>
```

```

    <title>College Timetable</title>
</head>
<body>

<h2 align="center">College Timetable</h2>

<table border="1" cellpadding="10">

<tr>
    <th>Day</th>
    <th>9-10</th>
    <th>10-11</th>
    <th>11-12</th>
</tr>

<tr>
    <td>Monday</td>
    <td>Math</td>
    <td>Physics</td>
    <td>English</td>
</tr>

<tr>
    <td>Tuesday</td>
    <td>Chemistry</td>
    <td>Biology</td>
    <td>Computer</td>
</tr>

</table>

</body>
</html>

```

Output

- Displays timetable in table format

Assignment 3

1. Dynamic Page with Radio Buttons

Code

```
<!DOCTYPE html>
<html>
<head>
<style>

body{
    text-align:center;
}

#red:checked ~ .text{
    color:red;
}

#blue:checked ~ .text{
    color:blue;
}

#arial:checked ~ .text{
    font-family:Arial;
}

#courier:checked ~ .text{
    font-family:Courier New;
}

</style>
</head>

<body>

<h2>Select Color</h2>

<input type="radio" name="color" id="red"> Red
<input type="radio" name="color" id="blue"> Blue

<h2>Select Font</h2>

<input type="radio" name="font" id="arial"> Arial
<input type="radio" name="font" id="courier"> Courier
```

```
<div class="text">
  <h1>Hello Students</h1>
</div>
```

```
</body>
</html>
```

Output

- Text color changes
 - Font family changes dynamically
-

2. Registration Page

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form</title>
</head>
<body>
```

```
<h2>Registration Form</h2>
```

```
<form>
```

Name:

```
<input type="text"><br><br>
```

Email:

```
<input type="email"><br><br>
```

Password:

```
<input type="password"><br><br>
```

Gender:

```
<input type="radio" name="g"> Male
```

```
<input type="radio" name="g"> Female
```

```
<br><br>
```

```
<input type="submit" value="Register">
```

```
</form>
```

```
</body>
```

```
</html>
```

Output

- Displays registration form with input fields

Assignment 4

1. College Home Page

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>College Home Page</title>
```

```
</head>
```

```
<body>
```

```
<h1 align="center">ABC College</h1>
```

```
<hr>
```

```
<h2>About Us</h2>
```

```
<p>
```

```
Welcome to ABC College. We provide quality education.
```

```
</p>
```

```
<h2>Courses</h2>
```

```
<ul>
```

```
  <li>BCA</li>
```

```
  <li>B.Tech</li>
```

```
  <li>MCA</li>
```

```
</ul>
```

```
</body>
</html>
```

Output

- Displays college website home page
-

2. Add Two Numbers using JavaScript

Code

```
<!DOCTYPE html>
<html>
<head>
  <title>Addition</title>
</head>
<body>

<h2>Add Two Numbers</h2>

<input type="number" id="n1">
<input type="number" id="n2">

<button onclick="add()">Add</button>

<h3 id="result"></h3>

<script>

function add(){

  let a = Number(document.getElementById("n1").value);

  let b = Number(document.getElementById("n2").value);

  document.getElementById("result").innerHTML =
  "Sum = " + (a+b);
}

</script>
```



```
</body>
```

```
</html>
```

Output

Example:

- Input: 5 and 7
- Output:
Sum = 12

Assignment 5

1. Prime Number Check

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<input type="number" id="num">
```

```
<button onclick="prime()">Check</button>
```

```
<h3 id="ans"></h3>
```

```
<script>
```

```
function prime(){
```

```
    let n = document.getElementById("num").value;
```

```
    let flag = 0;
```

```
    for(let i=2;i<n;i++){
```

```
        if(n%i==0){
```

```
            flag=1;
```

```
            break;
```

```
        }
```

```
    }
```

```
    if(flag==0)
```

```
document.getElementById("ans").innerHTML="Prime Number";

else
    document.getElementById("ans").innerHTML="Not Prime";
}

</script>

</body>
</html>
```

Output

Example:

- Input: 7
 - Output:
Prime Number
-

2. Even or Odd

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="number" id="num">

<button onclick="check()">Check</button>

<h3 id="ans"></h3>

<script>

function check(){

let n = document.getElementById("num").value;

if(n%2==0)
    document.getElementById("ans").innerHTML="Even Number";
```

```
else
    document.getElementById("ans").innerHTML="Odd Number";
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output

Example:

- Input: 8
- Output:
Even Number

3. Basic Calculator

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<input type="number" id="a">
```

```
<input type="number" id="b">
```

```
<button onclick="sum()">Add</button>
```

```
<h3 id="res"></h3>
```

```
<script>
```

```
function sum(){
```

```
let x = Number(document.getElementById("a").value);
```

```
let y = Number(document.getElementById("b").value);
```

```
document.getElementById("res").innerHTML =
```

```
"Result = " + (x+y);
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output

Example:

- Input: 10 and 20
 - Output:
Result = 30
-

Assignment 6

1. Menu Bar with Submenus

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
ul{
```

```
  list-style:none;
```

```
  background:black;
```

```
}
```

```
ul li{
```

```
  display:inline-block;
```

```
  position:relative;
```

```
  padding:15px;
```

```
  color:white;
```

```
}
```

```
ul li ul{
```

```
  display:none;
```

```
  position:absolute;
```

```
}
```

```
ul li:hover ul{
  display:block;
  background:gray;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<ul>
```

```
<li>Home</li>
```

```
<li>Courses
```

```
  <ul>
```

```
    <li>BCA</li>
```

```
    <li>B.Tech</li>
```

```
  </ul>
```

```
</li>
```

```
<li>Contact</li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

Output

- Dropdown submenu appears on hover

2. Arithmetic Operations

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<input type="number" id="a">
```

```
<input type="number" id="b">
```

```
<button onclick="add()">Add</button>
```

```
<button onclick="sub()">Subtract</button>
```

```
<button onclick="mul()">Multiply</button>
```

```
<button onclick="div()">Divide</button>
```

```
<h3 id="res"></h3>
```

```
<script>
```

```
function add(){  
  let x=Number(document.getElementById("a").value);  
  let y=Number(document.getElementById("b").value);  
  document.getElementById("res").innerHTML=x+y;  
}
```

```
function sub(){  
  let x=Number(document.getElementById("a").value);  
  let y=Number(document.getElementById("b").value);  
  document.getElementById("res").innerHTML=x-y;  
}
```

```
function mul(){  
  let x=Number(document.getElementById("a").value);  
  let y=Number(document.getElementById("b").value);  
  document.getElementById("res").innerHTML=x*y;  
}
```

```
function div(){  
  let x=Number(document.getElementById("a").value);  
  let y=Number(document.getElementById("b").value);  
  document.getElementById("res").innerHTML=x/y;  
}
```

```
</script>
```

```
</body>
</html>
```

Output

- Performs addition, subtraction, multiplication, division
-

Assignment 7

1. To-Do List

Code

```
<!DOCTYPE html>
<html>
<body>

<input type="text" id="task">

<button onclick="addTask()">Add</button>

<ul id="list"></ul>

<script>

function addTask(){

let task=document.getElementById("task").value;

let li=document.createElement("li");

li.innerHTML=task;

document.getElementById("list").appendChild(li);
}

</script>

</body>
</html>
```

Output

- User can dynamically add tasks

2. XML with XSLT

XML Code

```
<?xml version="1.0"?>
```

```
<foodmenu>
```

```
<food>
```

```
<name>Burger</name>
```

```
<price>100</price>
```

```
</food>
```

```
<food>
```

```
<name>Pizza</name>
```

```
<price>200</price>
```

```
</food>
```

```
</foodmenu>
```

XSLT Code

```
<?xml version="1.0"?>
```

```
<xsl:stylesheet version="1.0"
```

```
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
```

```
<xsl:template match="/">
```

```
<html>
```

```
<body>
```

```
<h2>Food Menu</h2>
```

```
<table border="1">
```

```
<tr>
```

```
<th>Food</th>
```

```
<th>Price</th>
```

```
</tr>
```



```
<xsl:for-each select="foodmenu/food">
```

```
<tr>
```

```
<td><xsl:value-of select="name"/></td>
```

```
<td><xsl:value-of select="price"/></td>
```

```
</tr>
```

```
</xsl:for-each>
```

```
</table>
```

```
</body>
```

```
</html>
```

```
</xsl:template>
```

```
</xsl:stylesheet>
```

Output

- Displays food menu in table format

Assignment 8

1. Form Validation

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form onsubmit="return validate()">
```

Name:

```
<input type="text" id="name"><br><br>
```

Age:

```
<input type="number" id="age"><br><br>
```

Email:

```
<input type="email" id="email"><br><br>
```

```
<input type="submit">

</form>

<script>

function validate(){

let n=document.getElementById("name").value;
let a=document.getElementById("age").value;
let e=document.getElementById("email").value;

if(n=="" || a=="" || e==""){

    alert("All fields are required");
    return false;
}

alert("Form Submitted Successfully");

return true;
}

</script>

</body>
</html>
```

Output

- Empty fields → alert message
- Valid input → success alert

2. PHP Form Display

HTML Code

```
<!DOCTYPE html>
<html>
<body>
```

```
<form action="display.php" method="post">
```

Name:

```
<input type="text" name="name">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code (display.php)

```
<?php
```

```
$name = $_POST['name'];
```

```
echo "Welcome ".$name;
```

```
?>
```

Output

Example:

- Input: Sukhendu
- Output:
Welcome Sukhendu

Assignment 9

1. PHP POST Method

HTML Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form action="post.php" method="POST">
```

Name:

```
<input type="text" name="name">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$name=$_POST['name'];
```

```
echo "Your Name is ".$name;
```

```
?>
```

Output

Example:

- Input: Rahul
- Output:
Your Name is Rahul

2. PHP GET Method

HTML Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<form action="get.php" method="GET">
```

City:

```
<input type="text" name="city">
```

```
<input type="submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

PHP Code

```
<?php
```

```
$city=$_GET['city'];
```

```
echo "Your City is ".$city;
```

```
?>
```

Output

Example:

- Input: Kolkata
- Output:
Your City is Kolkata

10. WAP to Show Form Input with PHP Code Implementation

HTML Code (index.html)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Form Input</title>
```

```
<style>
```

```
body{  
    font-family:Arial;  
    padding:20px;  
}
```

```
form{  
    width:300px;  
}
```

```
    input{
      width:100%;
      padding:8px;
      margin:8px 0;
    }

    button{
      padding:10px;
    }

</style>

</head>

<body>

<h2>User Form</h2>

<form action="show.php" method="POST">

  Name:
  <input type="text" name="name">

  Username:
  <input type="text" name="username">

  Email:
  <input type="email" name="mail">

  Password:
  <input type="password" name="pass">

  <button type="submit">Submit</button>

</form>

</body>
</html>
```

PHP Code (show.php)

```
<?php

$a = $_POST['name'];
$b = $_POST['username'];
$c = $_POST['mail'];
$d = $_POST['pass'];

echo "Name is : ".$a."<br>";
echo "Username is : ".$b."<br>";
echo "Mail is : ".$c."<br>";
echo "Password is : ".$d;

?>
```

Output

Input

- Name: Souriv
- Username: souriv123
- Email: souriv@gmail.com
- Password: 12345

Output on Browser

Name is : Souriv
Username is : souriv123
Mail is : souriv@gmail.com
Password is : 12345

11. Create a Form in HTML and Connect it to Database using PHP

Step 1: HTML Form (signup.html)

```
<!DOCTYPE html>
<html>
<head>
  <title>Signup Form</title>
</head>

<body>
```

<h2>Signup Form</h2>

<form action="success.php" method="POST">

Name:

<input type="text" name="name">

Username:

<input type="text" name="user">

Email:

<input type="email" name="mail">

Password:

<input type="password" name="pass">

<button type="submit">Submit</button>

</form>

</body>

</html>

Step 2: Database Connection File (db.php)

<?php

\$servername = "localhost:3307";

\$username = "root";

\$password = "";

\$databasename = "demo";

\$conn = mysqli_connect(\$servername, \$username, \$password, \$databasename);

if(\$conn){

 echo "Connection Successful";

}


```
else{

    echo "Connection Failed";

}

?>
```

Step 3: PHP Insert Code (success.php)

```
<?php

include 'db.php';

$a = $_POST['name'];
$b = $_POST['user'];
$c = $_POST['mail'];
$d = $_POST['pass'];

$sql = "INSERT INTO signup_details(name, username, email, password)
VALUES('$a','$b','$c','$d')";

mysqli_query($conn, $sql);

echo "Data Inserted Successfully";

?>
```

MySQL Table Creation

```
CREATE DATABASE demo;

USE demo;

CREATE TABLE signup_details(

id INT AUTO_INCREMENT PRIMARY KEY,
name VARCHAR(100),
username VARCHAR(100),
email VARCHAR(100),
```

password VARCHAR(100)

);

Output

Form Input

- Name: Sukhendu
- Username: sukhendu032
- Email: sukhendu@gmail.com
- Password: 1234

Browser Output

Connection Successful

Data Inserted Successfully

Database Table Output

| id | name | username | email | password |
|----|----------|-------------|--------------------|----------|
| 1 | Sukhendu | sukhendu032 | sukhendu@gmail.com | 1234 |