

Worksheet No. - 03

Student Name: Sukhleen Kaur

Branch: MCA

Semester: 3rd

Subject Name: Automation Software Testing

UID: 25MCA20031

Section/Group: 25MCA-6B

Date of Performance: 08.09.2026

Subject Code: 25CAH-705

Aim/Overview of the practical: (A). Perform SOAP API testing using SoapUI to validate web services based on the SOAP protocol by verifying request–response structures, WSDL operations, and functional correctness.

Objective: To perform SOAP API testing using SoapUI to validate SOAP-based web services by verifying WSDL operations, request and response structures, data correctness, status codes, and functional behavior of the web service.

Procedure

1. Open SoapUI.
2. Click File → New SOAP Project.
3. Enter:
 - Project Name: CountryInfoSOAPTTesting
 - Initial WSDL:
<http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.wso?WSDL>
4. Click OK.
5. SoapUI automatically imports all available operations, such as:
 - CapitalCity
 - CountryCurrency
 - CountryFlag
 - CountryISOCODE
 - CountryName
 - FullCountryInfo
6. Expand CountryInfoServiceSoapBinding.
7. Expand the CountryCurrency operation and open the generated Request 1.
8. Enter the test data by replacing ? with the country ISO code. For example, for India:

9. Click Submit Request .
10. Observe the response in the right-hand response panel.
11. Verify that the response contains the expected currency information. For example, for IN, the response should indicate Indian Rupee (INR).
12. Repeat the test using other country codes, such as:
 - KR → South Korea
 - IT → Italy
 - US → United States
 - IN → India
13. Compare the expected result with the actual response and record the test result as PASS/FAIL.

Code:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:web="http://www.oorsprong.org/websamples.countryinfo">
```

```
<soapenv:Header/>
```

```
<soapenv:Body>
```

```
<web:CountryCurrency>
```


```
<web:sCountryISOCODE>KR</web:sCountryISOCODE>
```

```
</web:CountryCurrency>
```

```
</soapenv:Body>
```


```
</soapenv:Envelope>
```

Expected Result :



The screenshot displays the SoapUI interface. On the left, the 'Navigator' pane shows a project tree with various test requests, including 'CountryCurrency'. The main window is titled 'CountryCurrency - Request 1' and shows the raw XML of the request. The response pane on the right shows the raw XML of the response, which includes the country name 'Won' and the ISO code 'KRW'.

Validations Performed:



Response: Executing the CountryCurrency request with valid input (KR) returned a 200 OK response containing currency code KRW and currency name Won.

Negative Soap API:

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:web="http://www.oorsprong.org/websamples.countryinfo">

```

```

<soapenv:Header/>

```

```

<soapenv:Body>

```

```

  <web:CountryCurrency>

```

```

    <web:sCountryISOCode>Sukhleen Kaur</web:sCountryISOCode>

```

```

  </web:CountryCurrency>

```

```

</soapenv:Body>


```

```


</soapenv:Envelope>

```

Expected Result:



Validation Performed:



Response: Executing the request with invalid input (Sukhleen Kaur) returned a valid SOAP response containing the expected message Country not found in the database.

Learning outcomes (What I have learnt):

1. Understood SOAP web services and the basic concepts of SOAP-based communication.
2. Worked with WSDL files and identify available operations, methods, and parameters.
3. Created and send SOAP requests using SoapUI.
4. Analyzed SOAP responses and verify response structure and returned data.