

Chapter 2.1 : Engineering As Social Experimentation Engineering as Experimentation, Engineers as Responsible Experimenters, Codes of Ethics, Balanced Outlook on Law. Case Study on Columbia Disaster

Chapter 2.2 : Safety, Responsibilities, And Rights Safety and Risk, Assessment of Safety and Risk, and Reducing Risk. Collegiality And Loyalty, Respect for Authority, Collective Bargaining, Confidentiality, Conflicts of Interest, Occupational Crime, Professional Rights, Employee Rights, Intellectual Property Rights (IPR), Discrimination. Case Study on Titanic - The sinking of the "unsinkable" ship.

Engineering itself is based on the improvement of current life, whether in terms of technology or efficiency or availability with less financial efforts. The process of engineering lets you go through a series of different experiments when it comes to practical use. Though it is not like an experiment in laboratory under controlled conditions, which is done while learning, an engineer should be ready to do the same on a social scale involving human subjects.

Experimentation is the main aspect of designing process. An engineer who is ought to design the parts of a car, will be able to understand the result only when it is tested practically. Preliminary simulations are conducted from time to time to know how the new concept of engineering acts in its first rough design. Materials and processes are tried out, usually employing formal experimental techniques. Such tests serve as a basis, which help in developing the final product.

Engineers as Experimenters

In the process of developing a product, an engineer generally learns through experimentation. To simply put, a trial and error method is the mostly used one to obtain results, but that goes with some calculations. Hence, we can say that, primarily any experiment is carried out with partial ignorance. Even the outcomes of the experiments may not be as expected. An engineer should always be ready for the unexpected output. The improvement of current prototype will lead to some change which may or may not be fruitful.

The experiments made are mostly subjected to risks though the project is small. Many uncertainties are likely to occur depending upon the changes that might occur in the altered model or materials purchased. At times, when the materials were subjected to continued stress and strain, or some process, it might happen that the nature of the substance changes which might lead to some destruction. These are the areas of experiment where nothing is really predictable.

Responsibility in Experimentation

Although the experiments and the results are uncertain, there are few things which an engineer is ought to keep in mind. Consider the following points which are related to the moral aspects of human behavior –

- To maintain the safety of human beings.
- To procure their rights of consent.
- To keep them aware regarding the experimental nature of the project.
- To warn them about the probable safety hazards.
- Should monitor the results of the experiment continuously.
- Having autonomy in conducting experiments.

- Accepting accountability for the results of the project.
- Exhibiting their technical competence and other characteristics of professionalism.

Conscientiousness

The ethics that an engineer should follow depends upon the moral standards of the individual. Conscientiousness implies **consciousness** which means the sense of awareness. Every engineer is expected to have some moral standards irrespective of the role he is performing.

The present working environment of engineers, narrow down their moral vision fully with the obligations accompanied with the status of the employee. But this might break the moral laws. Along with satisfying the employers goals, by behaving as a responsible employee, by not doing any fraud, not breaking confidentiality and violating patent rights etc., an engineer should be conscious about the unexpected. Adverse outcome may come up as unexpected result of their experiments; for this, they are answerable to the public.

Informed Consent

As a responsible engineer, one should be informed of the facts so as to be conscious. The engineered products of the company should be in such a way that they can never be used to perform any illegal or unsocial activities, which causes destruction.

It is to be observed that if a company produces some products that are out of fashion or the items which promote wastage of energy and do not fetch in benefits, such things are to be well explained to the employer and alternative solutions should also be suggested by the engineers.

Moral Autonomy

Any person can be morally autonomous only when one is being genuine in ones commitment towards moral values. Moral beliefs and attitudes must be integrated into an individuals personality which leads to a committed action.

The responsibility to answer an unexpected result, influences an engineer to involve himself personally into the work. This leads to moral autonomy wherein, he also gains the trust of the employer, through his commitment. Such responsible actions lead to great outcomes.

Accountability

Accountability can be understood as the moral responsibility that we have towards our actions. It means a tendency to be willing to openly accept the moral examinations towards ones actions and being responsive to the assessment of others. The gap between casual responsibility and moral accountability is common in any profession, along with engineering.

Let us now consider the following instances to understand accountability –

- When a group of persons are involved in the completion of a project, then the accountability refers to the group minimizing the chances of acceptance of moral responsibility towards a specific action, where each person makes only a small contribution to something much larger.
- The accountability is diffused within the organization and one has to accept it. Both credit and failure need to be considered for accountability where the work is diffused and the areas of personal accountability are delimited within the organization.
- At times, when the engineers are pressurized to move to another project while the current is still underway, then the accountability is limited only for meeting schedules.
- There is always a moral involvement beyond the laid down institutional role, where the engineers cannot separate themselves from personal responsibilities of their work.

Codes of Ethics

The engineers who are represented as professionals, and who belong to a professional society need to have some moral responsibilities. A code of conduct is important for engineers to remain committed to their world.

The engineering societies such as **AAES, ABET, NSPE, IEEE** and **AICTE** have framed these codes of ethics which are helpful to engineers to strengthen the moral issues on their work. The codes of ethics play at least eight important roles such as the following –

- **Serving and protecting the public** – Engineers are in a responsible position where trust and trustworthiness, both are essential. A code of ethics functions as a commitment by the profession as a whole that engineers will serve the public health, safety and welfare.
- **Guidance** – Codes are written in brief yet prove effective in offering general guidance to the engineers. More specific directions may be given in supplementary statements or guidelines, which tell how to apply the code. If needed, the assistance is obtained for further specification.
- **Inspiration** – Codes of ethics, which specify a collective commitment towards a profession, help in motivating the engineers towards ethical conduct. Actually, these codes make one feel really responsible and proud to be a professional thus motivating towards the commitment one should have towards ones profession.
- **Shared Standards** – The standards established should be applicable to all individuals, in their particular professions. With the codes of ethics, the public is assured of engineers with minimum standard of excellence and the professionals are provided a fair way to compete.
- **Support for Responsible Professionals** – The professionals who act ethically have more positive support through these codes. A professional engineer who has the intention to stand by the codes of ethics, can have no harm from immoral professional obligations, as he can reject smoothly yet formally. As well, these codes can provide legal support for engineers criticized for living up to work-related professional obligations.
- **Education and Mutual understanding** – The codes which are widely circulated and officially approved by professional societies, promote a shared understanding among professionals, the public and government organizations about the moral responsibilities of engineers. These codes prompt discussion and reflection on moral issues.
- **Deterrence and Discipline** – The professionals who fail to follow the codes exhibit unethical conduct, which is evident from the disobedience towards their profession. Such an investigation generally requires paralegal proceedings designed to get at the truth about a given charge without violating the personal rights of those being investigated. This might lead to expulsion of those whose professional conduct has been proven unethical, which also leads to loss of respect from colleagues and the local community.
- **Contributing to the Professions Image** – Codes project the engineers as the professionals of ethically committed profession, which inspires them to work with great commitment and more effectively to serve the public. It can

also win greater powers of self-regulation for the profession itself, while lessening the demand for more government regulation.

Advantages of Codes of Ethics

Let us now see the following advantages of codes of ethics. The codes

- Set out the ideals and responsibilities of the profession.
- Exert a **de facto** regulatory effect protecting both clients and professionals.
- Improve the profile of the profession.
- Motivate and inspire practitioners, by attempting to define their *raison d'être*.
- Provide guidance on acceptable conduct.
- Raise awareness and consciousness of issues.
- Improve quality and consistency.

Engineering decisions often function as iterative trial-action processes, where engineers test hypotheses, implement variations, and refine based on outcomes to solve practical problems effectively. This approach mirrors engineering's pragmatic methodology, prioritizing real-world functionality over theoretical perfection. Engineering decisions are best understood not as isolated, instantaneous choices, but as iterative **trial-action processes**—a dynamic cycle of formulating, testing, evaluating, and refining solutions in the face of uncertainty and risk. This approach treats engineering as a pragmatic field where solutions are developed, tested, and adjusted through "trial-and-error" to bridge ideas with reality.

Core Concept

Engineering treats decisions as a cycle of proposing solutions, acting through prototypes or tests, and learning from results to iterate. Unlike rigid clinical trials, it uses diverse methods like wind tunnels, simulations, and field tests to validate designs incrementally. Failures, such as early airplane crashes, inform cumulative improvements, turning errors into progress.

Key Process Steps

- **Hypothesis Formation:** Start with theory-informed designs, like the Wright brothers' calculations for lift and propulsion.
- **Action and Testing:** Build variations and test under varied conditions using suitable tools, refining what survives scrutiny.
- **Feedback Integration:** Analyze failures (e.g., De Havilland Comet explosions) to adjust mechanisms and contexts for better outcomes.

Here is a breakdown of engineering decisions as trial-action processes:

1. The Iterative Nature (Trial & Error)

- **Prototyping and Testing:** Engineers create models or prototypes (trials) to test assumptions, which are then evaluated against design criteria.
- **Fail Fast, Learn Faster:** Failed tests (negative results) are essential for identifying flaws. This "left to right" feedback allows for adjustments and improvements in future, more successful, iterations.

- **Dynamic Decision-Making:** Especially in complex projects, decisions cannot be made in one go; they require step-by-step evolution that includes backtracking to previous steps until all criteria are satisfied.

2. The Decision-Action Cycle

- **Actionable Decisions:** A decision is considered an event that triggers concrete action in the engineering process, such as selecting a material, fixing a design, or modifying a process.
- **Continuous Feedback:** Decisions must be reviewed, often independently, to ensure they remain consistent with the overall context and objectives.
- **Closing the Gap:** This process bridges the gap between initial ideas and the final, functional, and safe engineering outcome.

3. Methods Driving the Process

- **Decision Matrices:** Engineers use structured tools (e.g., Pugh matrices, screening matrices) to quantifiably evaluate options, narrowing down a large solution space to the best candidates.
- **Evidence-Based Decisions:** Decisions are informed by data from research, simulations, and experimental testing rather than solely on intuition.
- **Managing Uncertainty:** Because early-stage design has high ambiguity, these processes allow for "lazy evaluation," where decisions are deferred until sufficient data is available.

4. Components of the Process

- **Problem Framing:** Defining the challenge and setting goals.
- **Generation & Evaluation:** Brainstorming alternatives and predicting outcomes.
- **Selection & Implementation:** Choosing the best solution and taking action.
- **Review & Improvement:** Analyzing the results to inform the next cycle.

This "trial-action" model is crucial for navigating complex, high-risk engineering projects where safety and efficiency are paramount, ensuring that decisions are grounded in practical, verified results rather than just calculations.

Engineering Examples

Aeronautical design exemplifies this: initial wing profiles are tested in wind tunnels, successful ones scaled up, with past crashes (like Challenger's O-rings) driving safety tweaks. Civil engineering uses small-scale prototypes to adapt materials to real environments before full builds.

Engineering projects and scientific experiments both function as iterative processes driven by uncertainty, requiring rigorous, monitored experimentation to validate ideas. Both approaches rely on defining a problem/question, conducting background research, analyzing data/results, and communicating findings, ultimately aiming to gain new knowledge or improve a design.

Key similarities between engineering projects and scientific experiments include:

- **Incomplete Knowledge:** Both are conducted under partial uncertainties, such as unknown material properties, unpredictable environmental factors, or incomplete design calculations.
- **Iterative Process & Testing:** Both involve creating, testing, and modifying—scientists test hypotheses while engineers build and test prototypes.
- **Need for Monitoring:** Both require continuous monitoring, evaluation, and data analysis during and after execution to ensure safety and performance.
- **Learning from Outcomes:** Both rely on analyzing results to draw conclusions, learn from mistakes, and refine approaches.
- **Documentation and Communication:** Both necessitate thorough documentation of methods and results to share knowledge.

Essentially, engineering projects act as "social experiments" because they, like scientific experiments, can produce unexpected outcomes that impact people, requiring vigilant monitoring and safety measures.

The Scientific Method	The Engineering Design Process
State your question	Define the problem
Do background research	Do background research
Formulate your hypothesis, identify variables	Specify requirements
Design experiment, establish procedure	Create alternative solutions, choose the best one and develop it
Test your hypothesis by doing an experiment	Build a prototype
Analyze your results and draw conclusions	Test and redesign as necessary
Communicate results	Communicate results
Steps of The Scientific Method	Steps of The Engineering Design Process

Codes of Ethics

Codes of Ethics provide structured moral guidance for engineers.

Purpose of Code of Ethics

- Protect public welfare
 - Maintain professional integrity
 - Provide decision-making guidelines
 - Enhance trust in the profession
-

Example: National Society of Professional Engineers (NSPE)

4

The **National Society of Professional Engineers (NSPE)** Code of Ethics emphasizes:

- Hold paramount the safety, health, and welfare of the public.
 - Perform services only in areas of competence.
 - Issue public statements truthfully.
 - Avoid deceptive acts.
-

Example: IEEE Code of Ethics

4

The **IEEE** Code stresses:

- Responsibility in technological innovation
 - Avoidance of conflicts of interest
 - Honest criticism of technical work
 - Fair treatment of all persons
-

5. Balanced Outlook on Law

Engineering decisions must consider:``

- Legal standards
- Moral standards
- Professional ethics

Mckinsey Insights

Law vs Ethics

Law	Ethics
Minimum required behavior	Higher moral standards
Enforced by government	Enforced by conscience/profession
Violation leads to legal punishment	Violation leads to professional consequences

Important Understanding:

- Something legal may still be unethical.
 - Engineers must go beyond legal compliance.
 - Ethical responsibility is proactive, not reactive.
-

6. Case Study: Columbia Space Shuttle Disaster (2003)

About the Disaster

The **Space Shuttle Columbia** disintegrated during re-entry on **February 1, 2003**, killing all seven astronauts.

It was operated by **NASA**.

Chapter 2.2: Safety, Responsibilities, and Rights (Detailed Notes)

1. Safety and Risk

1.1 Concept of Safety

Safety in engineering refers to the protection of human life, environment, property, and systems from harm. It is both:

- **Technical responsibility** (designing reliable systems)
- **Moral responsibility** (protecting public welfare)

According to professional ethics principles (such as those emphasized in engineering codes worldwide), engineers must “**hold paramount the safety, health, and welfare of the public.**”

Types of Safety:

1. **Personal Safety** – Protection of workers and users
 2. **Public Safety** – Protection of society at large
 3. **Environmental Safety** – Prevention of ecological damage
 4. **System Safety** – Ensuring safe interaction among components
-

1.2 Concept of Risk

Risk is the possibility of harm occurring due to exposure to a hazard.

Risk = Probability of occurrence × Severity of consequences

Components of Risk:

- **Hazard** – Source of potential harm
- **Exposure** – Contact with hazard
- **Consequence** – Damage or loss caused

Types of Risk:

- Voluntary vs Involuntary Risk
 - Short-term vs Long-term Risk
 - Individual vs Societal Risk
 - Acceptable vs Unacceptable Risk
-

2. Assessment of Safety and Risk

Risk assessment is a systematic process used to identify hazards and evaluate risks.

2.1 Steps in Risk Assessment

1. **Hazard Identification**
 - Identify possible failure modes
 - Example: Electrical short circuit in a machine
 2. **Risk Analysis**
 - Estimate likelihood
 - Evaluate severity
 3. **Risk Evaluation**
 - Compare with safety standards
 - Determine acceptability
 4. **Risk Control Implementation**
 - Apply mitigation strategies
-

2.2 Methods of Risk Assessment

- Failure Mode and Effects Analysis (FMEA)
 - Fault Tree Analysis (FTA)
 - Event Tree Analysis (ETA)
 - Risk Matrix Method
 - Cost-Benefit Analysis
-

2.3 Acceptable Risk

Absolute safety is impossible. Therefore, engineers aim for:

- **As Low As Reasonably Practicable (ALARP)** principle
- Risk reduction within economic and technological limits

Ethical Question:

How much risk is acceptable when human life is involved?

3. Reducing Risk

Risk reduction strategies include:

3.1 Design-Level Controls

- Safety factors
- Redundant systems
- Fail-safe mechanisms
- Use of high-quality materials

3.2 Administrative Controls

- Safety policies
- Training programs
- Standard Operating Procedures (SOPs)

3.3 Personal Protective Equipment (PPE)

- Helmets
- Gloves
- Goggles
- Safety shoes

3.4 Monitoring and Maintenance

- Regular inspection
 - Auditing
 - Preventive maintenance
-

4. Collegiality and Loyalty

4.1 Collegiality

Collegiality means mutual respect and cooperation among professionals.

Key Aspects:

- Supporting peers
- Constructive criticism
- Sharing knowledge
- Avoiding defamation

It promotes:

- Healthy work culture
 - Team innovation
 - Professional growth
-

4.2 Loyalty

Loyalty refers to commitment to:

- Employer
- Profession
- Colleagues

However, loyalty should never:

- Override public safety
- Encourage illegal acts
- Suppress whistleblowing

Conflict Example:

An engineer discovers a safety flaw. Should they stay loyal to the company or protect the public?

5. Respect for Authority

Engineers operate within hierarchical organizations.

Responsibilities:

- Follow lawful instructions
- Maintain discipline
- Respect management decisions

But engineers must:

- Refuse unethical orders
- Raise safety concerns
- Document objections

Blind obedience is unethical when public safety is threatened.

6. Collective Bargaining

Collective bargaining involves negotiation between employees and employers regarding:

- Wages
- Benefits
- Working hours
- Safety conditions

It strengthens:

- Employee protection
- Professional dignity
- Fair working standards

Professional societies and unions often support collective bargaining.

7. Confidentiality

Engineers handle sensitive information:

- Trade secrets
- Technical designs
- Client data
- Research findings

Ethical Duties:

- Maintain secrecy
- Avoid unauthorized disclosure
- Protect digital data

Exception:

Confidentiality may be broken if:

- Public safety is at risk
 - Required by law
-

8. Conflicts of Interest

A conflict of interest arises when personal gain interferes with professional judgment.

Examples:

- Accepting bribes
- Owning shares in a competing firm
- Awarding contracts to relatives

Management:

- Disclosure
 - Recusal from decision-making
 - Transparency
-

9. Occupational Crime

Occupational crime includes illegal activities committed in professional roles:

- Fraud
- Embezzlement
- Data manipulation
- Industrial espionage
- Corruption

Consequences:

- Legal penalties
 - Loss of license
 - Reputation damage
-

10. Professional Rights

Engineers have rights including:

- Recognition of expertise
- Freedom of technical judgment
- Fair compensation
- Safe working environment
- Protection from retaliation

Professional rights support independent and ethical decision-making.

11. Employee Rights

Employee rights include:

- Equal opportunity employment
- Protection against discrimination
- Safe workplace
- Fair appraisal
- Grievance redressal mechanisms

Labor laws protect these rights.

12. Intellectual Property Rights (IPR)

12.1 Meaning of IPR

IPR protects creations of the human mind.

Types of IPR:

1. **Patents** – Protect inventions (usually 20 years)
2. **Copyrights** – Protect literary, artistic, and software works
3. **Trademarks** – Protect brand identity
4. **Trade Secrets** – Protect confidential business knowledge

Importance in Engineering:

- Encourages innovation
 - Protects research outcomes
 - Provides commercial advantage
-

13. Discrimination

Discrimination is unfair treatment based on:

- Gender
- Religion
- Caste
- Race
- Disability
- Age

Ethical Workplace Principles:

- Equal opportunity
- Diversity and inclusion
- Merit-based evaluation
- Harassment-free environment

Engineers must promote inclusive and respectful professional environments.

Integrated Ethical Perspective

Safety, responsibilities, and rights are interconnected:

Ethical Principle	Related Responsibility
Safety	Protect public welfare
Loyalty	Balance with integrity
Confidentiality	Protect data responsibly
Professional Rights	Ensure independent judgment
Non-discrimination	Promote equality

Conclusion

Engineering is not merely a technical profession—it is a social responsibility. Engineers must:

- Prioritize public safety
- Maintain professional integrity
- Respect organizational structure
- Uphold rights and fairness
- Protect intellectual property
- Promote inclusive practices

Ultimately, ethical engineering balances **technical excellence, legal compliance, and moral responsibility** to ensure sustainable and safe societal development.

Case Study: RMS Titanic – The Sinking of the "Unsinkable" Ship

The RMS Titanic is perhaps the most famous maritime disaster in history. Billed as the pinnacle of early 20th-century engineering and luxury, its sinking on its maiden voyage remains a textbook case study in engineering failure, human error, and the catastrophic consequences of inadequate safety regulations.

1. Background and The "Unsinkable" Myth

Commissioned by the White Star Line and built by the Harland and Wolff shipyard in Belfast, the Titanic was designed to be the largest and most luxurious passenger ship in the world.

The ship was widely—though unofficially—dubbed "unsinkable" due to its advanced safety features:

- **Watertight Compartments:** The lower hull was divided into 16 major watertight compartments.

- **Electronic Doors:** These compartments featured doors that could be closed remotely from the bridge to contain flooding.
 - **The Flaw:** The ship was designed to stay afloat if up to four of these compartments flooded. However, the bulkheads separating these compartments did not reach all the way to the top deck, creating an open-topped "ice cube tray" effect.
-

2. The Timeline of the Disaster

The Titanic set sail from Southampton, England, to New York City on April 10, 1912, carrying an estimated 2,224 passengers and crew.

- **April 14, 11:40 PM:** Despite receiving multiple ice warnings from other ships, the Titanic was traveling at near top speed (around 22 knots) when lookouts spotted an iceberg directly ahead. Attempts to steer around it failed, and the starboard side scraped along the ice.
 - **11:50 PM:** Water quickly filled the first five watertight compartments—one more than the ship's design could withstand. The bow began to sink, pulling the bulkheads below the waterline and allowing water to spill from one compartment into the next.
 - **April 15, 12:05 AM:** Captain Edward Smith ordered the lifeboats to be readied.
 - **2:20 AM:** The ship snapped in two under the immense structural stress and sank to the bottom of the Atlantic. More than 1,500 people perished.
-

3. Root Cause Analysis

The disaster was not caused by a single failure, but rather a cascading series of engineering, operational, and regulatory shortcomings.

Engineering and Design Flaws

- **Low Bulkheads:** As mentioned, the watertight bulkheads were too low. Once the bow pitched down, water easily spilled over the tops into adjacent compartments.
- **Material Weakness:** Later analysis of the wreck revealed that the steel hull plates were unusually brittle in freezing temperatures, and the iron rivets holding them together contained high levels of slag (impurities), causing their heads to pop off upon impact.

Operational and Human Error

- **Excessive Speed:** The crew maintained a high speed through a known ice field, prioritizing the schedule and the ship's public image over safety.
- **Dismissed Warnings:** Radio operators were overwhelmed with passenger messages and ignored or failed to pass along crucial ice warnings from surrounding ships.
- **Inadequate Equipment:** The lookouts in the "crow's nest" did not have binoculars, severely limiting their reaction time on a dark, moonless night.

Regulatory Failures

- **Lack of Lifeboats:** The Titanic carried only 20 lifeboats, enough for roughly 1,178 people—about half the number on board, and only a third of the ship's total capacity. Incredibly, this still exceeded the outdated British Board of Trade regulations of the time, which based lifeboat requirements on a ship's tonnage, not its passenger capacity.

4. Aftermath and Legacy

The loss of the Titanic sent shockwaves around the globe and fundamentally changed maritime law. The disaster directly led to the following reforms:

- **SOLAS Convention:** The establishment of the International Convention for the Safety of Life at Sea (SOLAS) in 1914, which still governs maritime safety today.
- **Lifeboats for All:** Regulations were rewritten to mandate that ships carry enough lifeboats for every single person on board.
- **24-Hour Radio Watch:** Ships were required to maintain round-the-clock radio communications to ensure distress signals and warnings were never missed.
- **International Ice Patrol:** The creation of an international patrol to monitor and report on iceberg locations in the North Atlantic.