## Tutorial 2 MongoDB Compass

The objective of this tutorial is to understand how MongoDB works through the usage of MongoDB Compass. You are also expected to be able to do MongoDB CRUD Operations on MongoDB Compass.

## **CRUD Exercise**

1. Open MongoDB Compass, then Connect to localhost.

Database Name	Storage Size	Collections	Indexes	
admin	16.0KB	0	1	
config	24.0KB	0	2	
local	36.0KB	1	1	

2. Add new database called restaurantdb and a collection called restaurant.

3. Insert the following data into restaurant collection:

i. Name : Theio Theo

Address : 5/7, Waverley Road, Malvern East VIC 3145, Melbourne

Phone number : 03 8657 8585 Cuisines : Greek, Healthy Food

Average cost (\$) : 100 Opening Hours : 5pm-10pm BYO : true

ii. Name : Portofino Pizza

Address : 884 Glen Huntly Road, Caulfield VIC 3145, Melbourne

Phone number : 03 9528 6693 Cuisines : Pizza, Italian

Average cost (\$):60

Opening Hours : 5pm-10pm BYO : true

iii. Name : The Cheesecake Shop

Address : 882 Glen Huntly Road, Caulfield VIC 3145, Melbourne

Phone number : 03 9528 5203 Cuisines : Desserts Average cost (\$) : 20

Opening Hours : 9am-7.30pm BYO : false

B10 . iuise

iv. Name : Cool Rays

Address : 71 Terry Street, Healesville VIC 3777

Phone number : 03 9876 1234 Cuisines : Desserts Average cost (\$) : 20

Opening Hours : 9am-7.30pm

BYO : false

v. Name : Humble Rays

Address : 71 Bouverie Street, Carlton VIC 3053, Melbourne

Phone number : 03 8657 8526

Cuisines : Coffee and Tea, Cafe Food, Asian Fusion

Average cost (\$) : 50 Opening Hours : 8am-4pm BYO : false

vi. Name : The Crux & Co

Address : 35 Albert Road, South Melbourne VIC 3205, Melbourne

Phone number : 03 9820 1081

Cuisines : Coffee and Tea, Cafe Food

Average cost (\$) : 60 Opening Hours : 8am-4pm BYO : false

vii. Name : Advieh

Address : 71B Gamon Street, Seddon VIC 3011, Melbourne

Phone number : 03 8592 7384

Cuisines : Middle Eastern, Coffee and Tea, Cafe Food

Average cost (\$):50

Opening Hours : 8am-3:30pm, 6pm-10pm

BYO : false

viii. Name : Suda

Address : Shop C2, 550 Lonsdale Street, CBD, VIC 3000

Phone number : 03 9942 6422 Cuisines : Korean, Asian

Average cost (\$):60

Opening Hours : 12noon - 2:30pm, 5pm - 10pm

BYO : false

ix. Name : Devon

Address : 76 Devonshire Street, Surry Hills NSW 2010, Sydney

Phone number : 02 9211 8777

Cuisines : Coffee and Tea, Cafe Food

Average cost (\$):60

Opening Hours : 8am-3.30pm

BYO : true

x. Name : The Grounds of Alexandria Cafe

Address : Shop 7A, 2 Huntley Street, Alexandria NSW 2015, Sydney

Phone number : 02 9699 2225

Cuisines : Coffee and Tea, Salad, Poké, Cafe Food

Average cost (\$):80

Opening Hours : 7.30am-4pm

BYO : false

xi. Name : Chefs Gallery

Address : Shop 12, Regent Place Arcade, 501 George Street, CBD NSW 2000, Sydney

Phone number : 02 9267 8877 Cuisines : Chinese, Asian

Average cost (\$):70

Opening Hours : 11.30am-10pm

BYO : true

Known for : Unique Chinese dining experience with handmade noodles, dim sum and chapas

(Chinese style tapas)

xii. Name : Ciao Italia

Address : 273 Mill Point Road, South Perth, Perth, WA 6151

Phone number : 08 9368 5500

Cuisines : Italian, Seafood

Average cost (\$):65

Opening Hours : 5pm-10pm

BYO : true


Note: some data can be stored as an object or array. For instance, the address can be stored as an object as shown below.

```
_id: ObjectId("5d451b986b3d34f35a085609")
name: "Humble Rays"

> address: Object
    street: "71 Bouverie Street"
    suburb: "Carlton"
    state: "VIC"
    postcode: 3053
phone: "03 8354 8459"

> cuisines: Array
    0: "Coffee and Tea"
    1: "Cafe Food"
    2: "Asian Fusion"
averagecost: 50
opening_hours: "8am-4pm"
byo: false
```

4. Change the view to TABLE.



Write down your observation(s).

- 5. Read Operation.
  - 5.1. Show all restaurants.
  - 5.2. Show restaurants that do not provide BYO.

{BYO:false}

- 5.3. List all restaurants that are in VIC. {"Address.state":"VIC"}
- 5.4. Find restaurants that serve Italian cuisine. {Cuisines:{\$regex:/Italian/}}
- 5.5. Display the restaurant's name and cuisines for all restaurants. {Name:1,Cuisines:1}
- 5.6. Display the restaurant's name, address and cuisines, but exclude the ID, for all restaurants. {Name:1,Cuisines:1,Address:1,\_id:0}
- 5.7. Display the restaurant's name, suburb, postcode and phone number, but exclude the ID, for all restaurants.

{Name:1,Cuisines:1, \_id:0,"Phone number":1,"Address.postcode":1,"Address.surbub":1}

5.8. Show 5 restaurants with the restaurant's name, average cost, cuisines and phone number, but exclude the ID.

{Name:1,"Average cost (\$)":1,Cuisines:1,"Phone number":1,\_id:0}, collation: limit 5

- 5.9. Display the restaurant's name, suburb, average cost, cuisines and phone number, but exclude the ID, for all restaurants in VIC. {"Address.state":"VIC"} {"Address.surbub":1, Name:1, "Average cost(\$)":1,Cuisines:1,"Phone number":1,\_id:0}
- 5.10. Display the restaurant's name, suburb, average cost, cuisines and phone number, but exclude the ID, for all restaurants in VIC.
- 5.11. Show 5 restaurants in VIC with the restaurant's name, suburb, average cost, cuisines and phone number, but exclude the ID.
- 5.12. Display the next 5 restaurants in VIC after skipping first 5 (from the previous question).
- 5.13. Find restaurants with the average cost less than \$50. {"Average cost (\$)":{\$1t:59}}
- 5.14. Find restaurants with the average cost more than \$50 but less than equal to \$100. {"Average cost (\$)":{\$gt:50,\$lte:100}}
- 5.15. Find the restaurants that serve "Coffee and Tea" and their average cost is less than \$60. {"Average cost (\$)":{\$1t:60}, Cuisines:{\$regex:/Coffee and Tea/}}
- 5.16. Find the restaurants that do not serve any cuisine of "Café Food" and their average cost is over \$20.
- 5.17. Find the restaurants that do not serve any cuisine of "Café Food" and their average cost is over \$20 and they are not located in VIC.
- 5.18. Sort all restaurants according to the restaurant's name in ascending order. [Name:1]
- 5.19. Display the restaurant's name, postcode, opening hours, and BYO. Sort the name in descending order.
- 5.20. Display the restaurant's name, postcode, opening hours, and BYO. Sort the name and postcode in ascending order.
- 5.21. Find the restaurants that do not serve any cuisine of "Café Food" and their average cost is over \$20 and they are not located in VIC. Sort the results by the average cost.

```
{Cuisines:{$nin:["Café Food"]}, "Average cost ($)":{$gt:20},"Address.state": {$ne:"VIC"}}
```

- 5.22. Find the restaurants that serve Seafood or Salad. Sort the results by the average cost in descending order.
- 5.23. Find restaurants that are in Caulfield or Malvern East or Carlton that have the average cost less than \$60.
- 5.24. Find restaurants that are NOT in Caulfield or Malvern East or Carlton that have the average cost less than \$60.
- 5.25. Show restaurant that has the "known for" information.

  {"Known for":{\$exists:1}}
- 6. Update Operation.
  - 6.1. Change the average cost of Portofino Pizza to \$40.
  - 6.2. Add a field called lastModified in the document that you recently updated. Change the data type to Date and insert the value with today's date.

```
_id: ObjectId("5d451b986b3d34f35a085606")
      name : "Portofino Pizza
                                                                                                                                                   String
    ∨ address : Object
                                                                                                                                                   Object
        street : "884 Glen Huntly Road "
suburb : "Caulfield "
                                                                                                                                                   String
                                                                                                                                                   String
        state : "VIC
                                                                                                                                                   String
         postcode : 3145
                                                                                                                                                   Double
      phone : "03 9528 6693 "
                                                                                                                                                   String
     v cuisines : Array
                                                                                                                                                   Array
      0 : "Pizza "
1 : "Italian
                                                                                                                                                   String
11
                                                                                                                                                   String
     averagecost : 40
                                                                                                                                                   Double
     opening_hours : "5pm-10pm "
                                                                                                                                                   String
     lastModified : 2019-08-03T13:00:00.000+00:00
                                                                                                                                                   Date
                                                                                                                                               CANCEL UPDATE
```

- 6.3. Add Italian cuisine to Cool Rays.
- 6.4. Add a field called lastModified in Cool Rays. Change the data type to Date and insert the value with today's date.
- 7. Delete Operation.
  - 7.1. Find restaurant named Cool Rays. Delete this restaurant.
  - 7.2. Can we undo our delete action in MongoDB?

## The End