Main Category	Category	Terms
Disease	OMIM_DISEASE	Breast-ovarian cancer, familial, 1
Disease	OMIM_DISEASE	Pancreatic cancer, susceptibility to, 4
Disease	OMIM_DISEASE	Fanconi anemia, complementation group S
Disease	UP_KW_DISEASE	Tumor suppressor
Disease	UP_KW_DISEASE	Disease variant
Disease	UP_KW_DISEASE	Fanconi anemia
Functional Annotations	COG_ONTOLOGY	Signal transduction mechanisms
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Cell cycle
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	DNA damage
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	DNA recombination
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	DNA repair
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Fatty acid biosynthesis
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Fatty acid metabolism
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Lipid metabolism
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Lipid biosynthesis
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription regulation
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Ubl conjugation pathway
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Chromosome
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Membrane
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Nucleus
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Cytoplasm
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Activator

Main Category	Category	Terms
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Acyltransferase
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	DNA-binding
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Ligase
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Transferase
Functional Annotations	UP_KW_PTM	Acetylation
Functional Annotations	UP_KW_PTM	Phosphoprotein
Functional Annotations	UP_KW_PTM	Ubl conjugation
Functional Annotations	UP_KW_PTM	Isopeptide bond
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Basic and acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Basic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Low complexity
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Polar residues
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cter in SUMO2)
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:BRCA1 serine-rich
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:BRCT
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:BRCT 1
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:BRCT 2
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:RING-type
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:Zinc finger C3HC4 RING-type
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:Zinc finger RING-type eukaryotic

Main Category	Category	Terms
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:E->K: Slightly reduces affinity for a BRIP1 phosphopeptide.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:F->S: Does not abolish ABRAXAS1 binding, but abolishes formation of a heterotetramer with ABRAXAS1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:G->D: No effect on affinity for a BRIP1 phosphopeptide.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:G->E: Abolishes interaction with BRIP1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:I->A: Disrupts the interaction with E2 enzymes, thereby abolishing the E3 ubiquitin-protein ligase activity.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:I->E: No ubiquitination of RBBP8. No restoration RBBP8-mediated focus formation or G2/M checkpoint control upon DNA damage.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->E: Impairs formation of a heterotetramer with ABRAXAS1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->M: Abolishes interaction with BRIP1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:M->K: Does not abolish ABRAXAS1 binding, but abolishes formation of a heterotetramer with ABRAXAS1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:R->E: Impairs formation of a heterotetramer with ABRAXAS1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:R->G: No effect on interaction with BAP1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:R->P: Mildly reduces affinity for a BRIP1 phosphopeptide.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes interaction with BRIP1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Inhibition of the infrared-induced G2 arrest. Reduces phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Loss of IR-induced S-phase checkpoint. Reduces in vitro phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: No change in infrared S-phase delay; when associated with A-1387. No effect on in vitro phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: No effect on in vitro phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Reduces in vitro phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->A: Reduces in vitro phosphorylation by ATR.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->A: Strongly reduces affinity for a BRIP1 phosphopeptide.
Functional	UP_SEQ_FEATURE	MUTAGEN:Y->A: Does not abolish ABRAXAS1 binding, but

Main Category	Category	Terms
Annotations		impairs formation of a heterotetramer with ABRAXAS1.
Functional Annotations	UP_SEQ_FEATURE	REGION:Disordered
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with PALB2
Functional Annotations	UP_SEQ_FEATURE	TRANSMEM:Helical
Functional Annotations	UP_SEQ_FEATURE	ZN_FING:RING-type
Gene Ontology	GOTERM_BP_DIRECT	double-strand break repair via homologous recombination
Gene Ontology	GOTERM_BP_DIRECT	DNA repair
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA repair
Gene Ontology	GOTERM_BP_DIRECT	DNA damage tolerance
Gene Ontology	GOTERM_BP_DIRECT	double-strand break repair
Gene Ontology	GOTERM_BP_DIRECT	DNA recombination
Gene Ontology	GOTERM_BP_DIRECT	chromatin remodeling
Gene Ontology	GOTERM_BP_DIRECT	regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	lipid metabolic process
Gene Ontology	GOTERM_BP_DIRECT	fatty acid metabolic process
Gene Ontology	GOTERM_BP_DIRECT	fatty acid biosynthetic process
Gene Ontology	GOTERM_BP_DIRECT	DNA damage response
Gene Ontology	GOTERM_BP_DIRECT	chromosome segregation
Gene Ontology	GOTERM_BP_DIRECT	mitotic G2 DNA damage checkpoint signaling
Gene Ontology	GOTERM_BP_DIRECT	centrosome cycle
Gene Ontology	GOTERM_BP_DIRECT	sex-chromosome dosage compensation
Gene	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway in response to DNA

Main Category	Category	Terms
Ontology		damage
Gene Ontology	GOTERM_BP_DIRECT	response to ionizing radiation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of vascular endothelial growth factor production
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	protein ubiquitination
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of cell growth
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of intracellular estrogen receptor signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	homologous recombination
Gene Ontology	GOTERM_BP_DIRECT	chordate embryonic development
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of gene expression via chromosomal CpG island methylation
Gene Ontology	GOTERM_BP_DIRECT	mitotic G2/M transition checkpoint
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of fatty acid biosynthetic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of DNA repair
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of angiogenesis
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of cell cycle
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of centriole replication
Gene Ontology	GOTERM_BP_DIRECT	regulation of cell cycle
Gene Ontology	GOTERM_BP_DIRECT	protein autoubiquitination
Gene	GOTERM_BP_DIRECT	random inactivation of X chromosome

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	cellular response to tumor necrosis factor
Gene Ontology	GOTERM_BP_DIRECT	cellular response to ionizing radiation
Gene Ontology	GOTERM_BP_DIRECT	cellular response to indole-3-methanol
Gene Ontology	GOTERM_BP_DIRECT	protein K6-linked ubiquitination
Gene Ontology	GOTERM_BP_DIRECT	DNA strand resection involved in replication fork processing
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of extrinsic apoptotic signaling pathway via death domain receptors
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA damage checkpoint
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of reactive oxygen species metabolic process
Gene Ontology	GOTERM_CC_DIRECT	ubiquitin ligase complex
Gene Ontology	GOTERM_CC_DIRECT	nuclear ubiquitin ligase complex
Gene Ontology	GOTERM_CC_DIRECT	condensed chromosome
Gene Ontology	GOTERM_CC_DIRECT	condensed nuclear chromosome
Gene Ontology	GOTERM_CC_DIRECT	lateral element
Gene Ontology	GOTERM_CC_DIRECT	gamma-tubulin ring complex
Gene Ontology	GOTERM_CC_DIRECT	male germ cell nucleus
Gene Ontology	GOTERM_CC_DIRECT	XY body
Gene Ontology	GOTERM_CC_DIRECT	nucleus
Gene Ontology	GOTERM_CC_DIRECT	nucleoplasm
Gene Ontology	GOTERM_CC_DIRECT	chromosome
Gene Ontology	GOTERM_CC_DIRECT	cytoplasm
Gene	GOTERM_CC_DIRECT	plasma membrane

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_CC_DIRECT	membrane
Gene Ontology	GOTERM_CC_DIRECT	nuclear body
Gene Ontology	GOTERM_CC_DIRECT	BRCA1-BARD1 complex
Gene Ontology	GOTERM_CC_DIRECT	protein-containing complex
Gene Ontology	GOTERM_CC_DIRECT	intracellular membraneless organelle
Gene Ontology	GOTERM_CC_DIRECT	BRCA1-A complex
Gene Ontology	GOTERM_CC_DIRECT	BRCA1-B complex
Gene Ontology	GOTERM_CC_DIRECT	BRCA1-C complex
Gene Ontology	GOTERM_CC_DIRECT	DNA repair complex
Gene Ontology	GOTERM_CC_DIRECT	ribonucleoprotein complex
Gene Ontology	GOTERM_MF_DIRECT	transcription cis-regulatory region binding
Gene Ontology	GOTERM_MF_DIRECT	p53 binding
Gene Ontology	GOTERM_MF_DIRECT	DNA binding
Gene Ontology	GOTERM_MF_DIRECT	damaged DNA binding
Gene Ontology	GOTERM_MF_DIRECT	transcription coactivator activity
Gene Ontology	GOTERM_MF_DIRECT	RNA binding
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin-protein transferase activity
Gene Ontology	GOTERM_MF_DIRECT	protein binding
Gene Ontology	GOTERM_MF_DIRECT	zinc ion binding
Gene Ontology	GOTERM_MF_DIRECT	tubulin binding
Gene	GOTERM_MF_DIRECT	transferase activity

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_MF_DIRECT	acyltransferase activity
Gene Ontology	GOTERM_MF_DIRECT	ligase activity
Gene Ontology	GOTERM_MF_DIRECT	enzyme binding
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin protein ligase binding
Gene Ontology	GOTERM_MF_DIRECT	identical protein binding
Gene Ontology	GOTERM_MF_DIRECT	metal ion binding
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin protein ligase activity
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin-modified histone reader activity
Gene Ontology	GOTERM_MF_DIRECT	RNA polymerase binding
Gene Ontology	GOTERM_MF_DIRECT	histone H2AK127 ubiquitin ligase activity
Gene Ontology	GOTERM_MF_DIRECT	histone H2AK129 ubiquitin ligase activity
General Annotations	CHROMOSOME	17
General Annotations	CYTOGENETIC_LOCATION	17q21.31
General Annotations	ENTREZ_GENE_SUMMARY	This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length natures of only some of these variants has been described. A related pseudogene, which is also

Main Category	Category	Terms
		located on chromosome 17, has been identified. [provided by RefSeq, May 2020]
General Annotations	UP_COMMENT_ACTIVITY_REGULATION	The E3 ubiquitin-protein ligase activity is inhibited by phosphorylation by AURKA. Activity is increased by phosphatase treatment. {ECO:0000269|PubMed:18056443}.
General Annotations	UP_COMMENT_ALTERNATIVE_PRODUCTS	Event=Alternative splicing, Alternative initiation; Named isoforms=8; Name=1; IsoId=P38398-1; Sequence=Displayed; Name=2; IsoId=P38398-2; Sequence=VSP_047891; Name=3; Synonyms=Delta11b; IsoId=P38398-3; Sequence=VSP_035399, VSP_043797; Name=4; Synonyms=DeltaBRCA1(17aa); IsoId=P38398-4; Sequence=VSP_035396; Name=5; Synonyms=Delta11, Delta772-3095; IsoId=P38398-5; Sequence=VSP_035398; Name=6; IsoId=P38398-6; Sequence=VSP_035399, VSP_043797, VSP_043798; Name=7; IsoId=P38398-7; Sequence=VSP_055404; Name=8; IsoId=P38398-8; Sequence=VSP_057569;
General Annotations	UP_COMMENT_CATALYTIC_ACTIVITY	Reaction=S-ubiquitinyl-[E2 ubiquitin-conjugating enzyme]-L-cysteine + [acceptor protein]-L-lysine = [E2 ubiquitin-conjugating enzyme]-L- cysteine + N(6)-ubiquitinyl-[acceptor protein]-L-lysine.; EC=2.3.2.27; Evidence={ECO:0000256|ARBA:ARBA00000900, ECO:0000256|PIRNR:PIRNR001734};
General Annotations	UP_COMMENT_CATALYTIC_ACTIVITY	Reaction=S-ubiquitinyl-[E2 ubiquitin-conjugating enzyme]-L-cysteine + [acceptor protein]-L-lysine = [E2 ubiquitin-conjugating enzyme]-L- cysteine + N(6)-ubiquitinyl-[acceptor protein]-L-lysine.; EC=2.3.2.27; Evidence={ECO:0000256|ARBA:ARBA00000900};
General Annotations	UP_COMMENT_CATALYTIC_ACTIVITY	Reaction=S-ubiquitinyl-[E2 ubiquitin-conjugating enzyme]-L-cysteine + [acceptor protein]-L-lysine = [E2 ubiquitin-conjugating enzyme]-L- cysteine + N(6)-ubiquitinyl-[acceptor protein]-L-lysine.; EC=2.3.2.27; Evidence={ECO:0000256|PIRNR:PIRNR001734};
General Annotations	UP_COMMENT_CATALYTIC_ACTIVITY	Reaction=S-ubiquitinyl-[E2 ubiquitin-conjugating enzyme]-L-cysteine + [acceptor protein]-L-lysine = [E2 ubiquitin-conjugating enzyme]-L- cysteine + N(6)-ubiquitinyl-[acceptor protein]-L-lysine.; EC=2.3.2.27; Evidence={ECO:0000269|PubMed:10500182, ECO:0000269|PubMed:12887909, ECO:0000269|PubMed:12890688, ECO:0000269|PubMed:16818604, ECO:0000269|PubMed:18056443, ECO:0000269|PubMed:20351172};
General Annotations	UP_COMMENT_DISEASE	Breast cancer (BC) [MIM:114480]: A common malignancy originating from breast epithelial tissue. Breast neoplasms can be distinguished by their histologic pattern. Invasive ductal carcinoma is by far the most common type. Breast cancer is etiologically and genetically heterogeneous. Important genetic factors have been indicated by familial occurrence and bilateral involvement. Mutations at more than one locus can be involved in different families or even in the same case. {ECO:0000269|PubMed:10323242, ECO:0000269|PubMed:11114888, ECO:0000269|PubMed:11301010, ECO:0000269|PubMed:12427738,

Main Category	Category	Terms
		ECO:0000269|PubMed:12442275, ECO:0000269|PubMed:12938098, ECO:0000269|PubMed:14722926, ECO:0000269|PubMed:15133502, ECO:0000269|PubMed:18285836, ECO:0000269|PubMed:21473589, ECO:0000269|PubMed:23867111, ECO:0000269|PubMed:28364669, ECO:0000269|PubMed:7545954, ECO:0000269|PubMed:7894491, ECO:0000269|PubMed:7894493, ECO:0000269|PubMed:7939630, ECO:0000269|PubMed:8554067, ECO:0000269|PubMed:8723683, ECO:0000269|PubMed:8776600, ECO:0000269|PubMed:9482581, ECO:0000269|PubMed:9609997, ECO:0000269|PubMed:9760198}. Note=Disease susceptibility is associated with variants affecting the gene represented in this entry. Mutations in BRCA1 are thought to be responsible for 45% of inherited breast cancer. Moreover, BRCA1 carriers have a 4-fold increased risk of colon cancer, whereas male carriers face a 3-fold increased risk of prostate cancer. Cells lacking BRCA1 show defects in DNA repair by homologous recombination.
General Annotations	UP_COMMENT_DISEASE	Breast-ovarian cancer, familial, 1 (BROVCA1) [MIM:604370]: A condition associated with familial predisposition to cancer of the breast and ovaries. Characteristic features in affected families are an early age of onset of breast cancer (often before age 50), increased chance of bilateral cancers (cancer that develop in both breasts, or both ovaries, independently), frequent occurrence of breast cancer among men, increased incidence of tumors of other specific organs, such as the prostate. {ECO:0000269|PubMed:12938098, ECO:0000269|PubMed:14722926, ECO:0000269|PubMed:17924331, ECO:0000269|PubMed:20513136, ECO:0000269|PubMed:28364669, ECO:0000269|PubMed:8968716}. Note=Disease susceptibility is associated with variants affecting the gene represented in this entry. Mutations in BRCA1 are thought to be responsible for more than 80% of inherited breast-ovarian cancer.
General Annotations	UP_COMMENT_DISEASE	Fanconi anemia, complementation group S (FANCS) [MIM:617883]: A form of Fanconi anemia, a disorder affecting all bone marrow elements and resulting in anemia, leukopenia and thrombopenia. It is associated with cardiac, renal and limb malformations, dermal pigmentary changes, and a predisposition to the development of malignancies. At the cellular level it is associated with hypersensitivity to DNA-damaging agents, chromosomal instability (increased chromosome breakage) and defective DNA repair. {ECO:0000269|PubMed:23269703, ECO:0000269|PubMed:25472942, ECO:0000269|PubMed:29133208}. Note=Disease susceptibility is associated with variants affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DISEASE	Ovarian cancer (OC) [MIM:167000]: The term ovarian cancer defines malignancies originating from ovarian tissue. Although many histologic types of ovarian tumors have been described, epithelial ovarian carcinoma is the most common form. Ovarian cancers are often asymptomatic and the recognized signs and symptoms, even of late-stage disease, are vague. Consequently, most patients are diagnosed with advanced disease.

Main Category	Category	Terms
		{ECO:0000269|PubMed:10196379, ECO:0000269|PubMed:10486320, ECO:0000269|PubMed:14746861, ECO:0000269|PubMed:28364669}. Note=Disease susceptibility is associated with variants affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DISEASE	Pancreatic cancer 4 (PNCA4) [MIM:614320]: A malignant neoplasm of the pancreas. Tumors can arise from both the exocrine and endocrine portions of the pancreas, but 95% of them develop from the exocrine portion, including the ductal epithelium, acinar cells, connective tissue, and lymphatic tissue. {ECO:0000269|PubMed:18762988}. Note=Disease susceptibility is associated with variants affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DOMAIN	The BRCT domains recognize and bind phosphorylated pSXXF motif on proteins. The interaction with the phosphorylated pSXXF motif of ABRAXAS1, recruits BRCA1 at DNA damage sites. {ECO:0000269|PubMed:20159462}.
General Annotations	UP_COMMENT_DOMAIN	The RING-type zinc finger domain interacts with BAP1. {ECO:0000269|PubMed:20159462}.
General Annotations	UP_COMMENT_FUNCTION	E3 ubiquitin-protein ligase that specifically mediates the formation of 'Lys-6'-linked polyubiquitin chains and plays a central role in DNA repair by facilitating cellular responses to DNA damage (PubMed:10500182, PubMed:12887909, PubMed:12890688, PubMed:14976165, PubMed:16818604, PubMed:17525340, PubMed:19261748). It is unclear whether it also mediates the formation of other types of polyubiquitin chains (PubMed:12890688). The BRCA1-BARD1 heterodimer coordinates a diverse range of cellular pathways such as DNA damage repair, ubiquitination and transcriptional regulation to maintain genomic stability (PubMed:12890688, PubMed:14976165, PubMed:20351172). Regulates centrosomal microtubule nucleation (PubMed:18056443). Required for appropriate cell cycle arrests after ionizing irradiation in both the S-phase and the G2 phase of the cell cycle (PubMed:10724175, PubMed:11836499, PubMed:12183412, PubMed:19261748). Required for FANCD2 targeting to sites of DNA damage (PubMed:12887909). Inhibits lipid synthesis by binding to inactive phosphorylated ACACA and preventing its dephosphorylation (PubMed:16326698). Contributes to homologous recombination repair (HRR) via its direct interaction with PALB2, fine-tunes recombinational repair partly through its modulatory role in the PALB2-dependent loading of BRCA2-RAD51 repair machinery at DNA breaks (PubMed:19369211). Component of the BRCA1-RBBP8 complex which regulates CHEK1 activation and controls cell cycle G2/M checkpoints on DNA damage via BRCA1-mediated ubiquitination of RBBP8 (PubMed:16818604). Acts as a transcriptional activator (PubMed:20160719). {ECO:0000269|PubMed:10500182, ECO:0000269|PubMed:10724175, ECO:0000269|PubMed:11836499, ECO:0000269|PubMed:12183412, ECO:0000269|PubMed:12887909, ECO:0000269|PubMed:12890688, ECO:0000269|PubMed:14976165, ECO:0000269|PubMed:16326698, ECO:0000269|PubMed:16818604, ECO:0000269|PubMed:17525340, ECO:0000269|

Main Category	Category	Terms
		PubMed:18056443, ECO:0000269|PubMed:19261748, ECO:0000269|PubMed:19369211, ECO:0000269| PubMed:20160719, ECO:0000269|PubMed:20351172}.
General Annotations	UP_COMMENT_FUNCTION	E3 ubiquitin-protein ligase that specifically mediates the formation of 'Lys-6'-linked polyubiquitin chains and plays a central role in DNA repair by facilitating cellular responses to DNA damage. It is unclear whether it also mediates the formation of other types of polyubiquitin chains. The BRCA1-BARD1 heterodimer coordinates a diverse range of cellular pathways such as DNA damage repair, ubiquitination and transcriptional regulation to maintain genomic stability. Regulates centrosomal microtubule nucleation. Required for appropriate cell cycle arrests after ionizing irradiation in both the S-phase and the G2 phase of the cell cycle. Required for FANCD2 targeting to sites of DNA damage. Inhibits lipid synthesis by binding to inactive phosphorylated ACACA and preventing its dephosphorylation. Contributes to homologous recombination repair (HRR) via its direct interaction with PALB2, fine- tunes recombinational repair partly through its modulatory role in the PALB2-dependent loading of BRCA2-RAD51 repair machinery at DNA breaks. Component of the BRCA1-RBBP8 complex which regulates CHEK1 activation and controls cell cycle G2/M checkpoints on DNA damage via BRCA1- mediated ubiquitination of RBBP8. Acts as a transcriptional activator. {ECO:0000256| PIRNR:PIRNR001734}.
General Annotations	UP_COMMENT_INTERACTION	P38398; Q6UWZ7: ABRAXAS1; NbExp=16; IntAct=EBI-349905, EBI-1263451; P38398; Q13085: ACACA; NbExp=2; IntAct=EBI-349905, EBI-717681; P38398; Q92560: BAP1; NbExp=3; IntAct=EBI-349905, EBI-1791447; P38398; Q99728: BARD1; NbExp=19; IntAct=EBI-349905, EBI-473181; P38398; Q7Z569: BRAP; NbExp=3; IntAct=EBI-349905, EBI-349900; P38398; Q6PJG6: BRAT1; NbExp=6; IntAct=EBI-349905, EBI-10826195; P38398; P38398: BRCA1; NbExp=4; IntAct=EBI-349905, EBI-349905; P38398; Q9BX63: BRIP1; NbExp=29; IntAct=EBI-349905, EBI-3509650; P38398; P24385: CCND1; NbExp=3; IntAct=EBI-349905, EBI-375001; P38398; P24864: CCNE1; NbExp=2; IntAct=EBI-349905, EBI-519526; P38398; O14757: CHEK1; NbExp=3; IntAct=EBI-349905, EBI-974488; P38398; P03372: ESR1; NbExp=14; IntAct=EBI-349905, EBI-78473; P38398; Q92731: ESR2; NbExp=4; IntAct=EBI-349905, EBI-78505; P38398; Q14192: FHL2; NbExp=6; IntAct=EBI-349905, EBI-701903; P38398; P78347: GTF2I; NbExp=5; IntAct=EBI-349905, EBI-359622; P38398; P16104: H2AX; NbExp=4; IntAct=EBI-349905, EBI-494830; P38398; O75330: HMMR; NbExp=4; IntAct=EBI-349905, EBI-2556203; P38398; P10809: HSPD1; NbExp=2; IntAct=EBI-349905, EBI-352528; P38398; Q16666: IFI16; NbExp=9; IntAct=EBI-349905, EBI-2867186; P38398; P52292: KPNA2; NbExp=3; IntAct=EBI-349905, EBI-349938; P38398; Q14676: MDC1; NbExp=4; IntAct=EBI-349905, EBI-495644; P38398; Q8WX92: NELFB; NbExp=5; IntAct=EBI-349905, EBI-347721; P38398; Q86YC2: PALB2; NbExp=27; IntAct=EBI-349905, EBI-1222653; P38398; P62136: PPP1CA; NbExp=2; IntAct=EBI-349905, EBI-357253; P38398; P62140: PPP1CB; NbExp=3; IntAct=EBI-349905, EBI-352350; P38398; P36873: PPP1CC;

Main Category	Category	Terms
		NbExp=2; IntAct=EBI-349905, EBI-356283; P38398; Q96SB3: PPP1R9B; NbExp=4; IntAct=EBI-349905, EBI-351275; P38398; Q99708: RBBP8; NbExp=15; IntAct=EBI-349905, EBI-745715; P38398; P63165: SUMO1; NbExp=3; IntAct=EBI-349905, EBI-80140; P38398; P61956: SUMO2; NbExp=2; IntAct=EBI-349905, EBI-473220; P38398; P11388: TOP2A; NbExp=3; IntAct=EBI-349905, EBI-539628; P38398; Q12888: TP53BP1; NbExp=5; IntAct=EBI-349905, EBI-396540; P38398; Q96RL1: UIMC1; NbExp=13; IntAct=EBI-349905, EBI-725300; P38398; Q96RL1-1: UIMC1; NbExp=2; IntAct=EBI-349905, EBI-9640371; P38398; Q6NZY4: ZCCHC8; NbExp=2; IntAct=EBI-349905, EBI-1263058; P38398; Q86YA3: ZGRF1; NbExp=4; IntAct=EBI-349905, EBI-10962579; P38398; Q9GZX5: ZNF350; NbExp=3; IntAct=EBI-349905, EBI-396421; P38398; Q61188: Ezh2; Xeno; NbExp=5; IntAct=EBI-349905, EBI-904311; P38398-1; Q99728: BARD1; NbExp=3; IntAct=EBI-21498346, EBI-473181; P38398-1; Q13526: PIN1; NbExp=4; IntAct=EBI-21498346, EBI-714158; P38398-5; Q92560: BAP1; NbExp=2; IntAct=EBI-2015072, EBI-1791447; P38398-6; Q14457: BECN1; NbExp=3; IntAct=EBI-25833510, EBI-949378; P38398-6; P42858: HTT; NbExp=3; IntAct=EBI-25833510, EBI-466029;
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 2]: May be produced at very low levels due to a premature stop codon in the mRNA, leading to nonsense-mediated mRNA decay. {ECO:0000305}.
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 4]: Produced by alternative initiation at Met- 18 of isoform 1. {ECO:0000305}.
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 8]: The N-terminus is confirmed by several cDNAs. {ECO:0000305}.
General Annotations	UP_COMMENT_PATHWAY	Protein modification; protein ubiquitination.
General Annotations	UP_COMMENT_POLYMORPHISM	There is evidence that the presence of the rare form of Gln-356-Arg and Leu-871-Pro polymorphisms may be associated with an increased risk for developing ovarian cancer.
General Annotations	UP_COMMENT_PTM	Autoubiquitinated, undergoes 'Lys-6'-linked polyubiquitination. 'Lys-6'-linked polyubiquitination does not promote degradation. {ECO:0000269|PubMed:12890688, ECO:0000269|PubMed:20351172}.
General Annotations	UP_COMMENT_PTM	Phosphorylated in response to IR, UV, and various stimuli that cause checkpoint activation, probably by ATM or ATR (PubMed:11114888, PubMed:12183412, PubMed:21144835). Phosphorylation at Ser-988 by CHEK2 regulates mitotic spindle assembly (PubMed:10724175, PubMed:20364141). Phosphorylation by AURKA regulates centrosomal microtubule nucleation (PubMed:18056443). {ECO:0000269|PubMed:10724175, ECO:0000269|PubMed:11114888, ECO:0000269|PubMed:12183412, ECO:0000269|PubMed:18056443, ECO:0000269|PubMed:20364141, ECO:0000269|PubMed:21144835}.
General Annotations	UP_COMMENT_SEQUENCE_CAUTION	Sequence=AAB61673.1; Type=Erroneous translation; Note=Wrong choice of CDS.; Evidence={ECO:0000305};

Main Category	Category	Terms
		Sequence=AAI15038.1; Type=Erroneous initiation; Note=Truncated N-terminus.; Evidence={ECO:0000305}; Sequence=AAI15038.1; Type=Erroneous termination; Note=Truncated C-terminus.; Evidence={ECO:0000305};
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Chromosome {ECO:0000256|ARBA:ARBA00004286, ECO:0000256|PIRNR:PIRNR001734}. Cytoplasm {ECO:0000256|ARBA:ARBA00004496}. Nucleus {ECO:0000256|PIRNR:PIRNR001734}. Note=Localizes at sites of DNA damage at double-strand breaks (DSBs); recruitment to DNA damage sites is mediated by the BRCA1-A complex. {ECO:0000256|PIRNR:PIRNR001734}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Chromosome {ECO:0000256|ARBA:ARBA00004286}. Cytoplasm {ECO:0000256|ARBA:ARBA00004496}. Nucleus {ECO:0000256|ARBA:ARBA00004123}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Chromosome {ECO:0000256|ARBA:ARBA00004286}. Nucleus {ECO:0000256|ARBA:ARBA00004123}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm {ECO:0000256|ARBA:ARBA00004496}. Nucleus {ECO:0000256|PIRNR:PIRNR001734}. Chromosome {ECO:0000256|PIRNR:PIRNR001734}. Note=Localizes at sites of DNA damage at double-strand breaks (DSBs); recruitment to DNA damage sites is mediated by the BRCA1-A complex. {ECO:0000256|PIRNR:PIRNR001734}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus {ECO:0000256|ARBA:ARBA00004123}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus {ECO:0000256|PIRNR:PIRNR001734}. Chromosome {ECO:0000256|PIRNR:PIRNR001734}. Note=Localizes at sites of DNA damage at double-strand breaks (DSBs); recruitment to DNA damage sites is mediated by the BRCA1-A complex. {ECO:0000256|PIRNR:PIRNR001734}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus {ECO:0000269|PubMed:15133502, ECO:0000269|PubMed:17525340, ECO:0000269|PubMed:20160719, ECO:0000269|PubMed:21144835, ECO:0000269|PubMed:26778126, ECO:0000269|PubMed:9528852}. Chromosome {ECO:0000269|PubMed:23269703, ECO:0000269|PubMed:25472942, ECO:0000269|PubMed:26778126}. Cytoplasm {ECO:0000269|PubMed:20160719}. Note=Localizes at sites of DNA damage at double-strand breaks (DSBs); recruitment to DNA damage sites is mediated by ABRAXAS1 and the BRCA1-A complex (PubMed:26778126). Translocated to the cytoplasm during UV-induced apoptosis (PubMed:20160719). {ECO:0000269|PubMed:20160719, ECO:0000269|PubMed:26778126}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 3]: Cytoplasm.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 5]: Cytoplasm {ECO:0000269|PubMed:8972225}.
General Annotations	UP_COMMENT_SUBUNIT	Heterodimer with BARD1 (PubMed:11573085, PubMed:12890688, PubMed:14976165). Part of the BRCA1-associated genome surveillance complex (BASC), which contains BRCA1, MSH2, MSH6, MLH1, ATM, BLM, PMS2

Main Category	Category	Terms
		and the MRE11-RAD50-NBN protein (MRN) complex (PubMed:10783165). This association could be a dynamic process changing throughout the cell cycle and within subnuclear domains (PubMed:10783165). Component of the BRCA1-A complex, at least composed of BRCA1, BARD1, UIMC1/RAP80, ABRAXAS1, BRCC3/BRCC36, BABAM2 and BABAM1/NBA1 (PubMed:19261746, PubMed:19261748, PubMed:19261749, PubMed:20351172). Interacts (via the BRCT domains) with ABRAXAS1 (phosphorylated form); this is important for recruitment to sites of DNA damage (PubMed:17525340, PubMed:17643121, PubMed:17643122, PubMed:23269703, PubMed:24316840, PubMed:26778126). Can form a heterotetramer with two molecules of ABRAXAS1 (phosphorylated form) (PubMed:26778126). Component of the BRCA1-RBBP8 complex (PubMed:16101277). Interacts (via the BRCT domains) with RBBP8 ('Ser-327' phosphorylated form); the interaction ubiquitinates RBBP8, regulates CHEK1 activation, and involves RBBP8 in BRCA1-dependent G2/M checkpoint control on DNA damage (PubMed:16818604, PubMed:9811458). Associates with RNA polymerase II holoenzyme (PubMed:9662397). Interacts with SMC1A, NELFB, DCLRE1C, CLSPN (PubMed:11739404, PubMed:11877377, PubMed:15096610, PubMed:15456891). Interacts with CHEK1, CHEK2, BAP1, BRCC3, UBXN1 and PCLAF (PubMed:10724175, PubMed:11836499, PubMed:14636569, PubMed:20351172, PubMed:21673012). Interacts (via BRCT domains) with BRIP1 (phosphorylated form) (PubMed:11301010, PubMed:15133502, PubMed:21473589). Interacts with FANCD2 (ubiquitinated form) (PubMed:11239454). Interacts with H2AX (phosphorylated on 'Ser-140') (PubMed:12419185). Interacts (via the BRCT domains) with ACACA (phosphorylated form); the interaction prevents dephosphorylation of ACACA (PubMed:12360400, PubMed:16326698, PubMed:16698035, PubMed:18452305). Part of a BRCA complex containing BRCA1, BRCA2 and PALB2 (PubMed:19369211). Interacts directly with PALB2; the interaction is essential for its function in HRR (PubMed:19369211, PubMed:28319063). Interacts directly with BRCA2; the interaction occurs only in the presence of PALB2 which serves as the bridging protein (PubMed:19369211). Interacts (via the BRCT domains) with LMO4; the interaction represses the transcriptional activity of BRCA1 (PubMed:11751867). Interacts (via the BRCT domains) with CCAR2 (via N- terminus); the interaction represses the transcriptional activator activity of BRCA1 (PubMed:20160719). Interacts with EXD2 (PubMed:26807646). Interacts (via C-terminus) with DHX9; this interaction is direct and links BRCA1 to the RNA polymerase II holoenzyme (PubMed:9662397). Interacts with DNA helicase ZGRF1; the interaction is increased following DNA damage induction (PubMed:34552057). {ECO:0000269|PubMed:10724175, ECO:0000269|PubMed:10783165, ECO:0000269|PubMed:11239454, ECO:0000269|PubMed:11301010, ECO:0000269|PubMed:11573085, ECO:0000269|PubMed:11739404, ECO:0000269|PubMed:11751867, ECO:0000269|PubMed:11836499, ECO:0000269|PubMed:11877377, ECO:0000269|PubMed:12360400, ECO:0000269|

Main Category	Category	Terms
		PubMed:12419185, ECO:0000269|PubMed:12890688, ECO:0000269|PubMed:14636569, ECO:0000269| PubMed:14976165, ECO:0000269|PubMed:15096610, ECO:0000269|PubMed:15133502, ECO:0000269| PubMed:15456891, ECO:0000269|PubMed:16101277, ECO:0000269|PubMed:16326698, ECO:0000269| PubMed:16698035, ECO:0000269|PubMed:16818604, ECO:0000269|PubMed:17525340, ECO:0000269| PubMed:17643121, ECO:0000269|PubMed:17643122, ECO:0000269|PubMed:18452305, ECO:0000269| PubMed:19261746, ECO:0000269|PubMed:19261748, ECO:0000269|PubMed:19261749, ECO:0000269| PubMed:19369211, ECO:0000269|PubMed:20159462, ECO:0000269|PubMed:20160719, ECO:0000269| PubMed:20351172, ECO:0000269|PubMed:21473589, ECO:0000269|PubMed:21673012, ECO:0000269| PubMed:23269703, ECO:0000269|PubMed:24316840, ECO:0000269|PubMed:26778126, ECO:0000269| PubMed:26807646, ECO:0000269|PubMed:28319063, ECO:0000269|PubMed:34552057, ECO:0000269| PubMed:9528852, ECO:0000269|PubMed:9662397, ECO:0000269|PubMed:9811458}.
General Annotations	UP_COMMENT_SUBUNIT	Heterodimer with BARD1. Part of the BRCA1-associated genome surveillance complex (BASC), which contains BRCA1, MSH2, MSH6, MLH1, ATM, BLM, PMS2 and the MRE11-RAD50-NBN protein (MRN) complex. This association could be a dynamic process changing throughout the cell cycle and within subnuclear domains. Component of the BRCA1-A complex, at least composed of BRCA1, BARD1, UIMC1/RAP80, ABRAXAS1, BRCC3/ BRCC36, BABAM2 and BABAM1/NBA1. Interacts (via the BRCT domains) with ABRAXAS1 (phosphorylated form); this is important for recruitment to sites of DNA damage. Can form a heterotetramer with two molecules of ABRAXAS1 (phosphorylated form). Component of the BRCA1-RBBP8 complex. Interacts (via the BRCT domains) with RBBP8 ('Ser-327' phosphorylated form); the interaction ubiquitinates RBBP8, regulates CHEK1 activation, and involves RBBP8 in BRCA1-dependent G2/M checkpoint control on DNA damage. Associates with RNA polymerase II holoenzyme. Interacts with SMC1A, NELFB, DCLRE1C, CLSPN. CHEK1, CHEK2, BAP1, BRCC3, UBXN1 and PCLAF. Interacts (via BRCT domains) with BRIP1 (phosphorylated form). Interacts with FANCD2 (ubiquitinated form). Interacts with H2AX (phosphorylated on 'Ser-140'). Interacts (via the BRCT domains) with ACACA (phosphorylated form); the interaction prevents dephosphorylation of ACACA. Part of a BRCA complex containing BRCA1, BRCA2 and PALB2. Interacts directly with PALB2; the interaction is essential for its function in HRR. Interacts directly with BRCA2; the interaction occurs only in the presence of PALB2 which serves as the bridging protein. Interacts (via the BRCT domains) with LMO4; the interaction represses the transcriptional activity of BRCA1. Interacts (via the BRCT domains) with CCAR2 (via N-terminus); the interaction represses the transcriptional activator activity of BRCA1. Interacts with EXD2. Interacts (via C-terminus) with DHX9; this interaction is direct and links BRCA1 to the RNA polymerase II holoenzyme. {ECO:0000256| PIRNR:PIRNR001734}.

Main Category	Category	Terms
General Annotations	UP_COMMENT_TISSUE_SPECIFICITY	Isoform 1 and isoform 3 are widely expressed. Isoform 3 is reduced or absent in several breast and ovarian cancer cell lines.
Identifiers	ENTREZ_GENE_ID	672
Identifiers	ENSEMBL_GENE_ID	ENSG00000012048
Identifiers	UNIPROT_ID	Q9UE29_HUMAN
Identifiers	UNIPROT_ID	Q9NQR3_HUMAN
Identifiers	UNIPROT_ID	Q92897_HUMAN
Identifiers	UNIPROT_ID	Q8IZT7_HUMAN
Identifiers	UNIPROT_ID	Q8IZK3_HUMAN
Identifiers	UNIPROT_ID	Q8IU58_HUMAN
Identifiers	UNIPROT_ID	Q8IZK4_HUMAN
Identifiers	UNIPROT_ID	Q8IZK2_HUMAN
Identifiers	UNIPROT_ID	Q7Z606_HUMAN
Identifiers	UNIPROT_ID	Q7KYU6_HUMAN
Identifiers	UNIPROT_ID	Q6P671_HUMAN
Identifiers	UNIPROT_ID	Q64FK3_HUMAN
Identifiers	UNIPROT_ID	Q64FK1_HUMAN
Identifiers	UNIPROT_ID	Q64FK2_HUMAN
Identifiers	UNIPROT_ID	Q5U3B7_HUMAN
Identifiers	UNIPROT_ID	Q5XLT4_HUMAN
Identifiers	UNIPROT_ID	Q4EW25_HUMAN
Identifiers	UNIPROT_ID	Q3YB49_HUMAN
Identifiers	UNIPROT_ID	Q3YB52_HUMAN
Identifiers	UNIPROT_ID	Q3LRH8_HUMAN
Identifiers	UNIPROT_ID	Q3YB53_HUMAN
Identifiers	UNIPROT_ID	Q3YB50_HUMAN
Identifiers	UNIPROT_ID	Q3YB51_HUMAN
Identifiers	UNIPROT_ID	Q3B891_HUMAN
Identifiers	UNIPROT_ID	Q3B890_HUMAN
Identifiers	UNIPROT_ID	Q05BZ9_HUMAN
Identifiers	UNIPROT_ID	K7EJW3_HUMAN
Identifiers	UNIPROT_ID	K7EPC7_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	K4K7V3_HUMAN
Identifiers	UNIPROT_ID	K4K7U9_HUMAN
Identifiers	UNIPROT_ID	K4JXT2_HUMAN
Identifiers	UNIPROT_ID	K4JUB1_HUMAN
Identifiers	UNIPROT_ID	K4JXS7_HUMAN
Identifiers	UNIPROT_ID	K4JUB6_HUMAN
Identifiers	UNIPROT_ID	K4JWE8_HUMAN
Identifiers	UNIPROT_ID	K4JTS0_HUMAN
Identifiers	UNIPROT_ID	H6TXS1_HUMAN
Identifiers	UNIPROT_ID	H0Y8B8_HUMAN
Identifiers	UNIPROT_ID	H0Y8D8_HUMAN
Identifiers	UNIPROT_ID	H0Y850_HUMAN
Identifiers	UNIPROT_ID	G8I0D8_HUMAN
Identifiers	UNIPROT_ID	G4V500_HUMAN
Identifiers	UNIPROT_ID	G4V503_HUMAN
Identifiers	UNIPROT_ID	G4V4Z7_HUMAN
Identifiers	UNIPROT_ID	G4V4Z8_HUMAN
Identifiers	UNIPROT_ID	G4V502_HUMAN
Identifiers	UNIPROT_ID	G1UI37_HUMAN
Identifiers	UNIPROT_ID	E9PC22_HUMAN
Identifiers	UNIPROT_ID	E7ENB7_HUMAN
Identifiers	UNIPROT_ID	E7EQW4_HUMAN
Identifiers	UNIPROT_ID	E7EWN5_HUMAN
Identifiers	UNIPROT_ID	E7EUM2_HUMAN
Identifiers	UNIPROT_ID	C9IZW4_HUMAN
Identifiers	UNIPROT_ID	C6YB47_HUMAN
Identifiers	UNIPROT_ID	C6YB45_HUMAN
Identifiers	UNIPROT_ID	C4PFY7_HUMAN
Identifiers	UNIPROT_ID	BRCA1_HUMAN
Identifiers	UNIPROT_ID	B4DES0_HUMAN
Identifiers	UNIPROT_ID	A0AA49K9I7_HUMAN
Identifiers	UNIPROT_ID	A0AA49K9C2_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0AA49K9A2_HUMAN
Identifiers	UNIPROT_ID	A0AA49K9A1_HUMAN
Identifiers	UNIPROT_ID	A0AA49K9C3_HUMAN
Identifiers	UNIPROT_ID	A0AA49K9S0_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQL7_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QPY6_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQK3_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQD3_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQK5_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QPQ7_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VUM8_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VVE2_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QPT7_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQJ6_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQF1_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VR53_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QPR4_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQ47_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQ22_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VVF6_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQ02_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQK7_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1QQF4_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VVF5_HUMAN
Identifiers	UNIPROT_ID	A0A9Y1VVD0_HUMAN
Identifiers	UNIPROT_ID	A0A9E8Z2K8_HUMAN
Identifiers	UNIPROT_ID	A0A8V8TPY7_HUMAN
Identifiers	UNIPROT_ID	A0A8E6MBR0_HUMAN
Identifiers	UNIPROT_ID	A0A8F2JD03_HUMAN
Identifiers	UNIPROT_ID	A0A8E6MK24_HUMAN
Identifiers	UNIPROT_ID	A0A8F2F4Q1_HUMAN
Identifiers	UNIPROT_ID	A0A8A2FK90_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A7G8KP80_HUMAN
Identifiers	UNIPROT_ID	A0A7G8KP81_HUMAN
Identifiers	UNIPROT_ID	A0A7G8KP79_HUMAN
Identifiers	UNIPROT_ID	A0A6G8IUS2_HUMAN
Identifiers	UNIPROT_ID	A0A6G8IU28_HUMAN
Identifiers	UNIPROT_ID	A0A6G8IU30_HUMAN
Identifiers	UNIPROT_ID	A0A6G8IU58_HUMAN
Identifiers	UNIPROT_ID	A0A6C0W937_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUC3_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUW4_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUB2_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FVM6_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU68_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU85_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FVK7_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU58_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU53_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FW63_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU90_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU28_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUE8_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FX59_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU98_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUA6_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUD8_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FXA3_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FW56_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU93_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FX64_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FX01_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU97_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU72_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A6B7FW87_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FVJ1_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FVI4_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUA0_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU56_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU78_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FX04_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FV02_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUA2_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FX81_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FWY8_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FU81_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FVL7_HUMAN
Identifiers	UNIPROT_ID	A0A6B7FUX9_HUMAN
Identifiers	UNIPROT_ID	A0A649UB25_HUMAN
Identifiers	UNIPROT_ID	A0A649U8H0_HUMAN
Identifiers	UNIPROT_ID	A0A4P8DKQ8_HUMAN
Identifiers	UNIPROT_ID	A0A4P8DLA0_HUMAN
Identifiers	UNIPROT_ID	A0A4P8DL17_HUMAN
Identifiers	UNIPROT_ID	A0A494C182_HUMAN
Identifiers	UNIPROT_ID	A0A482E6X8_HUMAN
Identifiers	UNIPROT_ID	A0A482E729_HUMAN
Identifiers	UNIPROT_ID	A0A3S8V3K0_HUMAN
Identifiers	UNIPROT_ID	A0A3Q8UCB1_HUMAN
Identifiers	UNIPROT_ID	A0A3G1CIL2_HUMAN
Identifiers	UNIPROT_ID	A0A3G1CIM0_HUMAN
Identifiers	UNIPROT_ID	A0A3G1CIL4_HUMAN
Identifiers	UNIPROT_ID	A0A386INP8_HUMAN
Identifiers	UNIPROT_ID	A0A386IN42_HUMAN
Identifiers	UNIPROT_ID	A0A386IPW3_HUMAN
Identifiers	UNIPROT_ID	A0A386IPY5_HUMAN
Identifiers	UNIPROT_ID	A0A386INP3_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A386IPW2_HUMAN
Identifiers	UNIPROT_ID	A0A386IPW1_HUMAN
Identifiers	UNIPROT_ID	A0A386IPY8_HUMAN
Identifiers	UNIPROT_ID	A0A386IPY7_HUMAN
Identifiers	UNIPROT_ID	A0A386IQ64_HUMAN
Identifiers	UNIPROT_ID	A0A386L1T8_HUMAN
Identifiers	UNIPROT_ID	A0A386INJ5_HUMAN
Identifiers	UNIPROT_ID	A0A386INN6_HUMAN
Identifiers	UNIPROT_ID	A0A386IPL0_HUMAN
Identifiers	UNIPROT_ID	A0A386INH9_HUMAN
Identifiers	UNIPROT_ID	A0A386IN60_HUMAN
Identifiers	UNIPROT_ID	A0A386IPA8_HUMAN
Identifiers	UNIPROT_ID	A0A386IPK6_HUMAN
Identifiers	UNIPROT_ID	A0A386IQ58_HUMAN
Identifiers	UNIPROT_ID	A0A386IN41_HUMAN
Identifiers	UNIPROT_ID	A0A386IN53_HUMAN
Identifiers	UNIPROT_ID	A0A386IQ66_HUMAN
Identifiers	UNIPROT_ID	A0A386INQ5_HUMAN
Identifiers	UNIPROT_ID	A0A386IN29_HUMAN
Identifiers	UNIPROT_ID	A0A386IPW7_HUMAN
Identifiers	UNIPROT_ID	A0A386IN34_HUMAN
Identifiers	UNIPROT_ID	A0A386IN52_HUMAN
Identifiers	UNIPROT_ID	A0A386IPB0_HUMAN
Identifiers	UNIPROT_ID	A0A386IPW4_HUMAN
Identifiers	UNIPROT_ID	A0A386IN33_HUMAN
Identifiers	UNIPROT_ID	A0A345G162_HUMAN
Identifiers	UNIPROT_ID	A0A345G165_HUMAN
Identifiers	UNIPROT_ID	A0A345G161_HUMAN
Identifiers	UNIPROT_ID	A0A345G166_HUMAN
Identifiers	UNIPROT_ID	A0A345G163_HUMAN
Identifiers	UNIPROT_ID	A0A2R8Y6Y9_HUMAN
Identifiers	UNIPROT_ID	A0A2R8Y7V5_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A2R4U2D7_HUMAN
Identifiers	UNIPROT_ID	A0A2R4U2D8_HUMAN
Identifiers	UNIPROT_ID	A0A2R4U2F8_HUMAN
Identifiers	UNIPROT_ID	A0A2P1MAS5_HUMAN
Identifiers	UNIPROT_ID	A0A290YM93_HUMAN
Identifiers	UNIPROT_ID	A0A140HIE9_HUMAN
Identifiers	UNIPROT_ID	A0A140HIE5_HUMAN
Identifiers	UNIPROT_ID	A0A0U4JDF9_HUMAN
Identifiers	UNIPROT_ID	A0A0U4JQJ0_HUMAN
Identifiers	UNIPROT_ID	A0A0U1RRA9_HUMAN
Identifiers	UNIPROT_ID	A0A0R9RX69_HUMAN
Identifiers	UNIPROT_ID	A0A0N9E014_HUMAN
Identifiers	UNIPROT_ID	A0A0K0PU86_HUMAN
Identifiers	UNIPROT_ID	A0A0K0QRF6_HUMAN
Identifiers	UNIPROT_ID	A0A0K0PUK0_HUMAN
Identifiers	UNIPROT_ID	A0A0K0QR99_HUMAN
Identifiers	UNIPROT_ID	A0A0K0PU93_HUMAN
Identifiers	UNIPROT_ID	A0A0G3FC22_HUMAN
Identifiers	UNIPROT_ID	A0A0G3FCF2_HUMAN
Identifiers	UNIPROT_ID	A0A0F7G9S0_HUMAN
Identifiers	UNIPROT_ID	A0A0F6TMZ3_HUMAN
Identifiers	UNIPROT_ID	A0A0F6TMQ0_HUMAN
Identifiers	UNIPROT_ID	A0A0F7GA54_HUMAN
Identifiers	UNIPROT_ID	A0A0F6TN86_HUMAN
Identifiers	UNIPROT_ID	A0A0F6TN19_HUMAN
Identifiers	UNIPROT_ID	A0A0F7GBC5_HUMAN
Identifiers	UNIPROT_ID	A0A0F7G9Q0_HUMAN
Identifiers	UNIPROT_ID	A0A0F6TNH6_HUMAN
Identifiers	UNIPROT_ID	A0A0F6RAC9_HUMAN
Identifiers	UNIPROT_ID	A0A0F6RAU2_HUMAN
Identifiers	UNIPROT_ID	A0A0F6RAD1_HUMAN
Identifiers	UNIPROT_ID	A0A0A1ESW9_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A068BDU7_HUMAN
Identifiers	UNIPROT_ID	A0A068BFY0_HUMAN
Identifiers	UNIPROT_ID	A0A068BFV9_HUMAN
Identifiers	UNIPROT_ID	A0A068BI55_HUMAN
Identifiers	UNIPROT_ID	A0A068BEV3_HUMAN
Identifiers	UNIPROT_ID	A0A068BDT6_HUMAN
Identifiers	UNIPROT_ID	A0A068BEV6_HUMAN
Identifiers	UNIPROT_ID	A0A068BCA1_HUMAN
Identifiers	UNIPROT_ID	A0A068BI42_HUMAN
Identifiers	UNIPROT_ID	A0A068BFW2_HUMAN
Identifiers	UNIPROT_ID	A0A068BI36_HUMAN
Identifiers	UNIPROT_ID	A0A068BDV0_HUMAN
Identifiers	UNIPROT_ID	A0A068BI32_HUMAN
Identifiers	UNIPROT_ID	A0A068BCB6_HUMAN
Identifiers	UNIPROT_ID	A0A068BCA4_HUMAN
Identifiers	UNIPROT_ID	A0A068BCB8_HUMAN
Identifiers	UNIPROT_ID	A0A068BDT9_HUMAN
Identifiers	UNIPROT_ID	A0A068BFV4_HUMAN
Identifiers	UNIPROT_ID	A0A068BI38_HUMAN
Identifiers	UNIPROT_ID	A0A068BC99_HUMAN
Identifiers	UNIPROT_ID	A0A068BC97_HUMAN
Identifiers	UNIPROT_ID	A0A068BI44_HUMAN
Identifiers	UNIPROT_ID	A0A068BFX7_HUMAN
Identifiers	UNIPROT_ID	A0A068BEW5_HUMAN
Identifiers	UNIPROT_ID	A0A068BI53_HUMAN
Identifiers	UNIPROT_ID	A0A068BEU9_HUMAN
Identifiers	UNIPROT_ID	A0A068BCB2_HUMAN
Identifiers	UNIPROT_ID	A0A068BDT2_HUMAN
Interactions	PUBCHEM	4-(difluoromethoxy)-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-methoxybenzamide
Interactions	PUBCHEM	Thunberginol E
Interactions	PUBCHEM	2,5-Dihydro-2-(4-methoxyphenyl)-3H-pyrazolo(4,3-c)quinolin-3-one

Main Category	Category	Terms
Interactions	PUBCHEM	3-Methoxy-5-(2-pyridinylethynyl)pyridine
Interactions	PUBCHEM	N-(2,4-dibromophenyl)-1-methyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	Wistin
Interactions	PUBCHEM	2-{[4-(4-bromophenyl)-1,3-thiazol-2-yl]amino}-2-oxoethyl 4-chloro-1-methyl-1H-pyrazole-3-carboxylate
Interactions	PUBCHEM	4-[(2,5-dichlorophenoxy)methyl]-N-(2-furylmethyl)benzamide
Interactions	PUBCHEM	5-bromo-N-[(2,4-dimethylphenyl)carbamothioyl]furan-2-carboxamide
Interactions	PUBCHEM	2-[(4-chlorophenyl)sulfanyl]-N-(4-[1,3]oxazolo[4,5-b]pyridin-2-ylphenyl)acetamide
Interactions	PUBCHEM	N-[2-(2-chloro-4,5-difluorophenyl)-1,3-benzoxazol-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-{3-[5-(3-methylphenyl)-1,3,4-oxadiazol-2-yl]phenyl}-2-(2-thienyl)acetamide
Interactions	PUBCHEM	2-[(4-Bromobenzoyl)amino]-4-(4-methylphenyl)thiophene-3-carboxylic acid
Interactions	PUBCHEM	ethyl 4-{[(4-bromo-1-methyl-1H-pyrazol-3-yl)carbonyl]amino} benzoate
Interactions	PUBCHEM	(4,6-Dimethyl-pyrimidin-2-ylsulfanyl)-acetic acid (6-methyl-benzothiazol-2-ylcarbamoyl)-methyl ester
Interactions	PUBCHEM	N-{4-hydroxy-3-[(4-methoxyphenyl)sulfonyl]-2-methyl-5-(propan-2-yl)phenyl}-4-methoxybenzamide
Interactions	PUBCHEM	3-bromo-N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamothioyl)benzamide
Interactions	PUBCHEM	3-(4-chlorophenyl)-1-[(4-chlorophenyl)sulfonyl]-1H-1,2,4-triazol-5-ylmethylsulfide
Interactions	PUBCHEM	2-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-1-phenyl-ethanone
Interactions	PUBCHEM	N-(4-methoxyphenyl)-1,2,3-benzothiadiazole-5-carboxamide
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-1,2,3-benzothiadiazole-5-carboxamide
Interactions	PUBCHEM	5-Methyl-furan-3-carboxylic acid (4-methoxy-phenyl)-amide
Interactions	PUBCHEM	Quinoxaline-6-carboxylic acid (2-chloro-phenyl)-amide
Interactions	PUBCHEM	1-Furan-2-ylmethyl-2-imino-8-methyl-10-oxo-1,10-dihydro-2H-1,9,10a-triaza-anthracene-3-carboxylic acid phenethyl-amide
Interactions	PUBCHEM	Gamma-Fagarine
Interactions	PUBCHEM	1-[3-(4-Chlorophenyl)-7-methylpyrazolo[1,5-a]pyrimidin-6-yl]ethanone
Interactions	PUBCHEM	N-(3-chloro-2-methylphenyl)-6-[(2-

Main Category	Category	Terms
		pyrimidinylthio)methyl]-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	N-[5-(4-fluorophenyl)-1,3,4-thiadiazol-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	2-[[4-Benzyl-5-(furan-2-yl)-1,2,4-triazol-3-yl]sulfanyl]-1-phenylethanone
Interactions	PUBCHEM	3-Amino-N-(4-chlorophenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	1-(3-Methoxy-phenyl)-3-(1-methyl-1H-benzotriazol-5-yl)-urea
Interactions	PUBCHEM	Ethyl 5-amino-3-methyl-4-(phenylcarbamoyl)thiophene-2-carboxylate
Interactions	PUBCHEM	N-(3-Chloro-4-morpholin-4-yl-phenyl)-2-methoxy-3-methyl-benzamide
Interactions	PUBCHEM	3,4-dimethoxy-N-[4-(4-methyl-1-piperazinyl)phenyl]benzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-pyrazinecarboxamide
Interactions	PUBCHEM	(3-Amino-5-methoxy-1-benzofuran-2-yl)-(4-methoxyphenyl)methanone
Interactions	PUBCHEM	N-{4-[(2,6-dimethoxybenzoyl)amino]-2-methoxyphenyl}-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-[3-chloro-4-(4-ethylpiperazin-1-yl)phenyl]-2-fluorobenzamide
Interactions	PUBCHEM	1-[(Biphenyl-4-yloxy)acetyl]pyrrolidine
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-4-(2-methylpropanoylamino)benzamide
Interactions	PUBCHEM	3-[2-(3-Methylphenoxy)ethyl]-1,3-benzothiazol-2-one
Interactions	PUBCHEM	3-[2-(4-Methylphenoxy)ethyl]-1,3-benzothiazol-2-one
Interactions	PUBCHEM	3-amino-4-(methoxymethyl)-N-(3-methoxyphenyl)-6-methylthieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	N-(4-{[(phenylsulfanyl)acetyl]amino}phenyl)furan-2-carboxamide
Interactions	PUBCHEM	Azepan-1-yl-(5-phenyl-isoxazol-3-yl)-methanone
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-5-(4-methylphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-(2-furylmethyl)-5-(4-methylphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-(4-methylphenyl)-N-(2-thienylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	1-{[5-(4-Methylphenyl)-3-isoxazolyl]carbonyl}-1,2,3,4-tetrahydroquinoline
Interactions	PUBCHEM	5-(2-chlorophenyl)-N-(pyridin-2-ylmethyl)-1,2-oxazole-3-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-(ethylsulfanyl)benzamide
Interactions	PUBCHEM	2-(2-chloro-6-fluorophenyl)-N-(4-methyl-1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	5-[(4-methylphenoxy)methyl]-N-(4-sulfamoylphenyl)furan-2-carboxamide
Interactions	PUBCHEM	O-{4-[(2-bromoanilino)carbonyl]phenyl} 4-morpholinecarbothioate
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-[4-methoxy(methylsulfonyl)anilino]acetamide
Interactions	PUBCHEM	2-(4-ethoxy-N-methylsulfonylanilino)-N-(4-methylphenyl)acetamide
Interactions	PUBCHEM	N-(3,4-Dimethyl-phenyl)-2-[(4-ethoxy-phenyl)-methanesulfonyl-amino]-acetamide
Interactions	PUBCHEM	N-(3,5-Dimethyl-phenyl)-2-[(4-ethoxy-phenyl)-methanesulfonyl-amino]-acetamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-(morpholin-4-ylsulfonyl)benzamide
Interactions	PUBCHEM	Isoquinoline, 3-(1-cyclohexen-1-yl)-
Interactions	PUBCHEM	4-(2-Quinoxalinyl)phenyl 3-nitrobenzoate
Interactions	PUBCHEM	2-[(4-Ethoxy-phenyl)-methanesulfonyl-amino]-N-(2-methyl-benzyl)-acetamide
Interactions	PUBCHEM	1-(furan-2-yl)-N-(4-methoxyphenyl)methanimine oxide
Interactions	PUBCHEM	N-(4-chlorobenzyl)-2-cyclohexylacetamide
Interactions	PUBCHEM	6-Chloro-3-[5-(methylamino)-1,3,4-thiadiazol-2-yl]chromen-2-one
Interactions	PUBCHEM	N-(3-methoxyphenyl)-4-(propanoylamino)benzamide
Interactions	PUBCHEM	3-[2-(3,4-dimethylphenyl)-2-oxoethyl]-8-methoxy-2H-chromen-2-one
Interactions	PUBCHEM	2-Chloro-N-[2-(1H-indol-3-yl)-ethyl]-benzamide
Interactions	PUBCHEM	5-Cyclohexylcarbamoyl-4-methyl-2-(2-thiophen-2-yl-acetylamino)-thiophene-3-carboxylic acid methyl ester
Interactions	PUBCHEM	N-(2-chloro-4-{[(3-chloro-1-benzothiophen-2-yl)carbonyl]amino}phenyl)furan-2-carboxamide
Interactions	PUBCHEM	N-{2-methoxy-4-[(2-methylpropanoyl)amino]phenyl}-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-[3-(2-oxo-2H-chromen-3-yl)phenyl]propanamide
Interactions	PUBCHEM	2-Acetylxanthen-9-one
Interactions	PUBCHEM	2-[(2-Fluorophenyl)methylsulfanyl]-5-pyridin-3-yl-1,3,4-oxadiazole

Main Category	Category	Terms
Interactions	PUBCHEM	4-Amino-benzoic acid 3H-naphtho[1,2-d]imidazol-2-ylmethyl ester
Interactions	PUBCHEM	5-Methyl-6-nitro-benzothiazol-2-ylamine
Interactions	PUBCHEM	7-Amino-2-(4-methylphenyl)pyrazolo[1,5-a]pyrimidine-6-carbonitrile
Interactions	PUBCHEM	5-Phenyl-3-(2-pyridinyl)-1,2,4-triazine
Interactions	PUBCHEM	2-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-pyridine
Interactions	PUBCHEM	N-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-2-[5-(2-fluoro-phenyl)-tetrazol-2-yl]-acetamide
Interactions	PUBCHEM	N-(2-Chloro-phenyl)-2-(5-cyclohexyl-[1,3,4]oxadiazol-2-ylsulfanyl)-acetamide
Interactions	PUBCHEM	N-Ethyl-2-fluoro-N-[4-(4-methoxy-phenyl)-thiazol-2-yl]-benzamide
Interactions	PUBCHEM	Furan-2-carboxylic acid [4-(4-chloro-phenyl)-thiazol-2-yl]-methyl-amide
Interactions	PUBCHEM	2-([1,2,4]triazolo[4,3-a]pyridin-3-ylthio)-N-(3-(benzo[d]thiazol-2-yl)phenyl)acetamide
Interactions	PUBCHEM	[5-Amino-1-[(4-methoxyphenyl)carbamoyl]pyrazol-3-yl] thiophene-2-carboxylate
Interactions	PUBCHEM	4-(4,6-Dimethyl-pyrimidin-2-ylamino)-benzoic acid
Interactions	PUBCHEM	Methyl 4-[(4-tert-butylbenzoyl)amino]-5-chloro-2-methoxybenzoate
Interactions	PUBCHEM	methyl 2-{(5E)-5-[(1-ethyl-2,5-dimethyl-1H-pyrrol-3-yl)methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl}propanoate
Interactions	PUBCHEM	3-allyl-5-(5-methyl-2-furyl)-2-[(2-oxopropyl)thio]thieno[2,3-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	4-[(4-Methylphenyl)carbamoyl]phenyl 1-benzofuran-2-carboxylate
Interactions	PUBCHEM	2-(3-Chlorophenoxy)acetic acid [4-[(4-methylanilino)-oxomethyl]phenyl] ester
Interactions	PUBCHEM	3-(1,3-Dioxo-2-isoindolyl)propanoic acid [4-[(4-methylanilino)-oxomethyl]phenyl] ester
Interactions	PUBCHEM	N,N-diethyl-N-[6-methyl-1-(2-phenylethyl)-1H-pyrazolo[3,4-d]pyrimidin-4-yl]amine
Interactions	PUBCHEM	4-(4-Phenyl-thiazol-2-ylamino)-benzenesulfonamide
Interactions	PUBCHEM	2H-Indazole-6-carboxamide, 3-ethoxy-2-propyl-N-[2-(2-thienyl)ethyl]-
Interactions	PUBCHEM	3-(4-nitrophenyl)-N-(2-thiophen-2-ylethyl)-4,5-dihydro-1,2-oxazole-5-carboxamide
Interactions	PUBCHEM	3-Aminodibenzofuran hydrochloride

Main Category	Category	Terms
Interactions	PUBCHEM	N-(9,10-dioxo-9,10-dihydroanthracen-2-yl)-2-(2-methylphenoxy)acetamide
Interactions	PUBCHEM	6-methyl-N-(pyridin-2-ylmethyl)-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	1,2,4-trifluoro-N,N,9-trimethylacridin-3-amine
Interactions	PUBCHEM	N'-[(1,3-benzodioxol-5-ylcarbonyl)oxy]-4-methoxybenzenecarboximidamide
Interactions	PUBCHEM	N-[3-(3,4-dihydroisoquinolin-2(1H)-yl)propyl]-7-methoxythieno[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	4-(3-Bromo-phenyl)-2-(2-methyl-tetrahydro-pyran-4-yl)-thiazole
Interactions	PUBCHEM	2-(2,3-Dihydro-benzo[1,4]dioxin-2-yl)-4-(3-ethoxy-phenyl)-thiazole
Interactions	PUBCHEM	2-(3-{[(2-Chlorophenyl)methyl]sulfanyl}-1H-indol-1-YL)-1-(morpholin-4-YL)ethan-1-one
Interactions	PUBCHEM	2-(3-{[(3-Methylphenyl)methyl]sulfanyl}-1H-indol-1-YL)-1-(morpholin-4-YL)ethan-1-one
Interactions	PUBCHEM	1-(Azepan-1-yl)-2-((6-(thiophen-2-yl)pyridazin-3-yl)thio)ethanone
Interactions	PUBCHEM	3-((4-Fluorobenzyl)thio)-6-(thiophen-2-yl)pyridazine
Interactions	PUBCHEM	2-[4-(Benzyloxy)phenyl]-2-oxoethyl 3-nitrobenzoate
Interactions	PUBCHEM	2-(2-Phenylethynyl)aniline
Interactions	PUBCHEM	N-(4-chlorophenyl)carbamic acid 2-pyridinylmethyl ester
Interactions	PUBCHEM	6-(2-methylbenzylidene)-6,7,8,9-tetrahydro-5H-benzo[a]cyclohepten-5-one
Interactions	PUBCHEM	3-(2-Phenyl-5-tetrazolyl)pyridine
Interactions	PUBCHEM	4-methoxy-N-[3-(2-quinoxalinyl)phenyl]benzamide
Interactions	PUBCHEM	2-(3,4-Dimethoxyphenyl)-5-(2-thienyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	N-cyclopropyl-3-(4-isobutylphenyl)acrylamide
Interactions	PUBCHEM	N-[(4-ethylphenyl)carbamothioyl]-3-methylbutanamide
Interactions	PUBCHEM	5-methyl-N-(4-methylbenzyl)-2-thiophenecarboxamide
Interactions	PUBCHEM	N-(3-cyano-5-methyl-4-phenylthien-2-yl)cyclohexanecarboxamide
Interactions	PUBCHEM	N-cyclohexyl-N-methyl-4-phenylbenzamide
Interactions	PUBCHEM	5-bromo-N-[3-chloro-4-(1-pyrrolidinyl)phenyl]-2-furamide
Interactions	PUBCHEM	isopropyl {2,4-dioxo-5-[(1,2,5-trimethyl-1H-pyrrol-3-yl)methylene]-1,3-thiazolidin-3-yl}acetate
Interactions	PUBCHEM	Ethyl 4-hydroxy-1-naphthalen-2-ylpyrazole-3-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	2-tert-butyl-N-(5-ethyl-1,3,4-thiadiazol-2-yl)-1,3-dioxo-5-isoindolinecarboxamide
Interactions	PUBCHEM	2-(1,2-benzoxazol-3-yl)-N-(3-methylphenyl)acetamide
Interactions	PUBCHEM	N-[4-(4-methoxyphenyl)-1,3-thiazol-2-yl]-2-[(4-methyl-1,3-thiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	N-[4-(4-methylphenyl)-1,3-thiazol-2-yl]-2-[(4-methyl-1,3-thiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	2-{[5-(3-chlorophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl}-N-(2,3-dihydro-1,4-benzodioxin-6-yl)acetamide
Interactions	PUBCHEM	Glabridin
Interactions	PUBCHEM	7-[(4-bromobenzyl)oxy]-5-hydroxy-2,2-dimethyl-2,3-dihydro-4H-chromen-4-one
Interactions	PUBCHEM	N,N-dimethyl-2-[(2-oxo-3-phenyl-2H-chromen-7-yl)oxy]acetamide
Interactions	PUBCHEM	6-chloro-N-[(3-methoxyphenyl)methyl]-5,7-dimethyl-[1,2,4]triazolo[1,5-a]pyrimidin-2-amine
Interactions	PUBCHEM	N-(5-tert-butyl-1,2-oxazol-3-yl)pyridine-3-carboxamide
Interactions	PUBCHEM	Methyl 2-(1,3-benzodioxole-5-carbonylamino)-4-pyridin-3-ylthiophene-3-carboxylate
Interactions	PUBCHEM	N-cyclohexyl-5-ethylthiophene-2-carboxamide
Interactions	PUBCHEM	5-bromo-N-[2-(2-methoxyphenyl)ethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	N-(5-benzyl-3-carbamoylthiophen-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-(5-ethylsulfanyl-1,3,4-thiadiazol-2-yl)-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	N,N,4-trimethyl-2-{[(3-methyl-1-benzofuran-2-yl)carbonyl]amino}-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	5-chloro-N-(4,5-dihydro-1,3-thiazol-2-yl)-2-thiophenecarboxamide
Interactions	PUBCHEM	N-(3-chlorobenzyl)-2-thien-2-ylacetamide
Interactions	PUBCHEM	5-bromo-N-[2-(4-chlorophenyl)ethyl]-2-thiophenecarboxamide
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-2,3-dimethoxybenzamide
Interactions	PUBCHEM	N-[5-(ethylsulfanyl)-1,3,4-thiadiazol-2-yl]-5-methylthiophene-3-carboxamide
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene-2-carboxamide
Interactions	PUBCHEM	N-(2-bromobenzyl)-2-thien-2-ylacetamide
Interactions	PUBCHEM	5-bromo-N-(5-cyclohexyl-1,3,4-thiadiazol-2-yl)-2-thiophenecarboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[1-(4-chlorobenzyl)-1H-pyrazol-3-yl]benzamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-(2-chlorophenyl)piperazine-1-carboxamide
Interactions	PUBCHEM	Methyl 2-[(2-methyl-3-furoyl)amino]-4-(4-pyridinyl)-3-thiophenecarboxylate
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2,6-difluorobenzamide
Interactions	PUBCHEM	5-methyl-N-(thiophen-2-ylmethyl)thiophene-3-carboxamide
Interactions	PUBCHEM	(5-Bromo-3-methyl-1-benzofuran-2-yl)(4-methylpiperazin-1-yl)methanone
Interactions	PUBCHEM	N-isopropyl-5-[2-(trifluoromethyl)phenyl]-2-furamide
Interactions	PUBCHEM	N-[1-methyl-2-(1-pyrrolidinylmethyl)-1H-benzimidazol-5-yl]-2-furamide
Interactions	PUBCHEM	N-benzyl-5-(2-fluorophenyl)furan-2-carboxamide
Interactions	PUBCHEM	N-(6-methylbenzothiazol-2-yl)-2-morpholin-4-ylacetamide
Interactions	PUBCHEM	N-[(3-methoxyphenyl)methyl]-1-propyl-5-benzimidazolamine
Interactions	PUBCHEM	4-chloro-N'-[(4-methoxybenzoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	1-[1-Methyl-2-(1-pyrrolidinylmethyl)-5-benzimidazolyl]-3-phenylurea
Interactions	PUBCHEM	5-[(3-Methoxy-4-phenylmethoxyphenyl)methyl]-1,3-dimethyl-1,3-diazinane-2,4,6-trione
Interactions	PUBCHEM	4-(6-Ethoxy-4-methylquinazolin-2-yl)morpholine
Interactions	PUBCHEM	9-allyl-N-benzyl-9H-purin-6-amine
Interactions	PUBCHEM	N-[2-(5-bromo-3-pyridinyl)-1,3-benzoxazol-5-yl]butanamide
Interactions	PUBCHEM	Ethyl 4-[5-(2,4-dichlorophenyl)-1,3,4-oxadiazol-2-yl]benzoate
Interactions	PUBCHEM	N-4-morpholinyl-2-(4-propylphenyl)-4-quinolinecarboxamide
Interactions	PUBCHEM	2-(3-bromophenyl)-6-methyl-N-(1,2,4-triazol-4-yl)-4-quinolinecarboxamide
Interactions	PUBCHEM	N-{4-[(4-methylpyridin-2-yl)carbamoyl]phenyl}furan-2-carboxamide
Interactions	PUBCHEM	2-(2H-1,2,3-benzotriazol-2-yl)-4-methylphenyl 4-[(dimethylamino)sulfonyl]benzoate
Interactions	PUBCHEM	2-fluorobenzyl 9-oxo-9H-fluorene-3-carboxylate
Interactions	PUBCHEM	Imidazo[1,2-a]pyridine-2-methanamine, N-(4-fluorophenyl)-5-methyl-
Interactions	PUBCHEM	N-(1,4-dioxo-1,2,3,4-tetrahydro-5-phthalazinyl)benzenesulfonamide
Interactions	PUBCHEM	3-fluorobenzyl 9-oxo-9H-fluorene-3-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	5-[(2-bromophenoxy)methyl]-N-(5-chloropyridin-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	5-[(2-bromophenoxy)methyl]-N,N-diethyl-2-furamide
Interactions	PUBCHEM	2-(2-Pyridinyl)benzothiazole
Interactions	PUBCHEM	3-(5-{[1-(4-Chlorophenyl)-3,5-dioxo-4-pyrazolidinylidene]methyl}-2-furyl)benzoic acid
Interactions	PUBCHEM	N-[4-(1H-benzimidazol-2-yl)phenyl]-2-(4-methylphenyl)sulfanylacetamide
Interactions	PUBCHEM	5-(benzylthio)-3-(2-furyl)-1-[(4-methylphenyl)sulfonyl]-1H-1,2,4-triazole
Interactions	PUBCHEM	5-(benzylthio)-1-(ethylsulfonyl)-3-phenyl-1H-1,2,4-triazole
Interactions	PUBCHEM	5-(benzylthio)-3-(2-furyl)-1-(phenylacetyl)-1H-1,2,4-triazole
Interactions	PUBCHEM	Ethyl 4-(benzoylamino)benzoate
Interactions	PUBCHEM	N-{3-[5-(2-furyl)-1,3,4-oxadiazol-2-yl]phenyl}-2-(2-methoxyphenoxy)acetamide
Interactions	PUBCHEM	4-Morpholinecarbodithioic acid [4-amino-6-(4-methylanilino)-1,3,5-triazin-2-yl]methyl ester
Interactions	PUBCHEM	2-(azepan-1-yl)-N-(2-bromo-4-methylphenyl)acetamide
Interactions	PUBCHEM	2-(4-Methoxybenzyl)-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	2-(1,3-benzoxazol-2-ylthio)-N-[3-chloro-4-(4-morpholinyl)phenyl]acetamide
Interactions	PUBCHEM	N-cyclohexyl-4-ethoxybenzenecarbothioamide
Interactions	PUBCHEM	2-{[6-(acetylamino)-1,3-benzothiazol-2-yl]sulfanyl}-N-[3-chloro-4-(morpholin-4-yl)phenyl]acetamide
Interactions	PUBCHEM	N-{4-[(3,4-dimethyl-1,2-oxazol-5-yl)sulfamoyl]phenyl}-3,5-dimethyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	2-(1-naphthalenyl)-N-(2-phenyl-1,3-benzoxazol-5-yl)acetamide
Interactions	PUBCHEM	methyl {2,4-dioxo-5-[(1,2,5-trimethyl-1H-pyrrol-3-yl)methylene]-1,3-thiazolidin-3-yl}acetate
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-3-(2-methoxyphenyl)acrylamide
Interactions	PUBCHEM	3-Diethylsulfamoyl-N-phenethyl-benzamide
Interactions	PUBCHEM	(4-Amino-6-anilino-1,3,5-triazin-2-yl)methyl piperidine-1-carbodithioate
Interactions	PUBCHEM	1-(1-Azepanyl)-2-(2-bromo-4-propan-2-ylphenoxy)ethanone
Interactions	PUBCHEM	5-bromo-N-[(4-methoxyphenyl)carbamothioyl]furan-2-carboxamide
Interactions	PUBCHEM	3-[3-[(5E)-4-oxo-5-[(E)-3-phenylprop-2-enylidene]-2-

Main Category	Category	Terms
		sulfanylidene-1,3-thiazolidin-3-yl]propanoylamino]benzoic acid
Interactions	PUBCHEM	4-[[Diethylamino(oxo)methyl]amino]benzoic acid ethyl ester
Interactions	PUBCHEM	N-{4-[(difluoromethyl)thio]phenyl}-4-isobutoxybenzamide
Interactions	PUBCHEM	2-(2-Bromophenyl)-5-[(2,4-dichlorophenoxy)methyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	3-[[5-(4-Chlorophenyl)furan-2-carbonyl]carbamothioylamino]benzoic acid
Interactions	PUBCHEM	5-[(1-cyclopropyl-2,5-dimethyl-1H-pyrrol-3-yl)methylene]-2-thioxo-1,3-thiazolidin-4-one
Interactions	PUBCHEM	N-(2-ethylphenyl)-4-(2-methyl-1,3-thiazol-4-yl)benzamide
Interactions	PUBCHEM	N-[3-(phenylcarbonyl)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	3-bromo-4-methoxy-N-[4-(1-piperidinyl)phenyl]benzamide
Interactions	PUBCHEM	N-(3-chloro-4-pyrrolidin-1-ylphenyl)-3-methyl-4-nitrobenzamide
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-3-(1-naphthyl)acrylamide
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-2-isobutyl-1,3-dioxo-5-isoindolinecarboxamide
Interactions	PUBCHEM	2-[(4-methoxybenzoyl)amino]-N-(4-methyl-2-pyridinyl)benzamide
Interactions	PUBCHEM	Benzyl (benzyloxy)carbamate
Interactions	PUBCHEM	4-({[3-(4-methylphenyl)-1-phenyl-1H-pyrazol-4-yl]carbonyl}amino)benzoic acid
Interactions	PUBCHEM	5,5-dimethyl-2-{[3-(4-methylphenyl)-1-phenyl-1H-pyrazol-4-yl]methylene}-1,3-cyclohexanedione
Interactions	PUBCHEM	(5Z)-4-hydroxy-5-{[1-(4-methoxyphenyl)-2,5-dimethyl-1H-pyrrol-3-yl]methylidene}-1,3-thiazol-2(5H)-one
Interactions	PUBCHEM	4-{[(2E,4E)-2-{[(2-bromophenyl)carbonyl]amino}-5-phenylpenta-2,4-dienoyl]amino}benzoic acid
Interactions	PUBCHEM	5-(diethylamino)-2-[(E)-morpholin-4-yliminomethyl]phenol
Interactions	PUBCHEM	(3Z)-6-methyl-3-(2-oxo-2-phenylethylidene)-3,4-dihydro-2H-1,4-benzoxazin-2-one
Interactions	PUBCHEM	4-(1,3-Benzodioxol-5-ylhydrazinylidene)pyrazole-3,5-diamine
Interactions	PUBCHEM	4-Benzylsulfanyl-3,6-dihydroimidazo[4,5-d]pyridazine-7-thione
Interactions	PUBCHEM	4-[(3-Methyl-quinoxalin-2-yl)-hydrazonomethyl]-phenol
Interactions	PUBCHEM	2-Methylbenzo[g]quinazolin-4(3H)-one
Interactions	PUBCHEM	(2Z)-2-(3-methyl-1H-benzimidazol-2-ylidene)-3-(4-oxocyclohexa-2,5-dien-1-ylidene)propanenitrile

Main Category	Category	Terms
Interactions	PUBCHEM	6-amino-2-(benzylthio)-5-phenyl-4(3H)-pyrimidinone
Interactions	PUBCHEM	5-amino-4-(1H-benzimidazol-2-yl)-1-propan-2-yl-2H-pyrrol-3-one
Interactions	PUBCHEM	8-[(diethylamino)methyl]-7-hydroxy-3-(1-methyl-1H-benzimidazol-2-yl)-2H-chromen-2-one
Interactions	PUBCHEM	2-(4-methylphenyl)-5-phenyl-3H-pyrido[3,2-e][1,2,4]triazepine
Interactions	PUBCHEM	3-(2-oxo-2-phenylethylidene)-4H-benzo[e]1,4-oxazin-2-one
Interactions	PUBCHEM	Phenamil Methanesulfonate
Interactions	PUBCHEM	N-(6-ethoxy-1,3-benzothiazol-2-yl)-2-[(4-methyl-6-oxo-1,6-dihydro-2-pyrimidinyl)thio]butanamide
Interactions	PUBCHEM	2-[(5-Methyl-1,3-benzoxazol-2-yl)amino]-6-phenyl-4-pyrimidinol
Interactions	PUBCHEM	5-(4-chlorophenyl)-N-(oxolan-2-ylmethyl)-3,6-dihydro-1,3,4-thiadiazin-2-imine;hydrochloride
Interactions	PUBCHEM	4-(2-(2-Pyrazinyl)vinyl)phenol
Interactions	PUBCHEM	5-Amino-4-(1,3-benzodioxol-5-ylhydrazo)-3-pyrazolone
Interactions	PUBCHEM	N-(4-hydroxyquinazolin-2-yl)-2-(methylsulfanyl)benzamide
Interactions	PUBCHEM	2-{[(5-methyl-1H-benzimidazol-2-yl)sulfanyl]methyl} quinazolin-4(3H)-one
Interactions	PUBCHEM	3-{4-hydroxy-3-nitro-5-methoxyphenyl}-2-(6-methyl-1H-benzimidazol-2-yl)acrylonitrile
Interactions	PUBCHEM	5-(4-hydroxyphenyl)-N-(thien-2-ylmethyl)isoxazole-3-carboxamide
Interactions	PUBCHEM	N-(2-methoxyethyl)-5-(4-methyl-3-nitrophenyl)-3,6-dihydro-1,3,4-thiadiazin-2-imine
Interactions	PUBCHEM	(Z)-2-[4-(4-chlorophenyl)-1,3-thiazol-2-yl]-3-hydroxy-4-piperidin-1-ylbut-2-enenitrile
Interactions	PUBCHEM	2-Methoxy-4-(2-naphthyldiazenyl)phenol
Interactions	PUBCHEM	(2E,5Z)-5-((1-methyl-1H-pyrrol-2-yl)methylene)-2-(p-tolylimino)thiazolidin-4-one
Interactions	PUBCHEM	5-amino-4-(benzo[d]thiazol-2-yl)-1-(furan-2-ylmethyl)-1H-pyrrol-3(2H)-one
Interactions	PUBCHEM	2-Methyl-3-phenylacrylaldehyde (6-methyl-5-oxo-4,5-dihydro-1,2,4-triazin-3-yl)hydrazone
Interactions	PUBCHEM	(3E)-3-{[(4-ethoxyphenyl)amino](phenyl)methylidene}-1-(morpholin-4-yl)-4-phenylbutane-1,2,4-trione
Interactions	PUBCHEM	N-[amino-[(6-methoxy-4-methylquinazolin-2-yl)amino]methylidene]-2,2-dimethylpropanamide
Interactions	PUBCHEM	3-[1-(pentylamino)ethylidene]-3,4-dihydro-2H-1-benzopyran-2,4-dione

Main Category	Category	Terms
Interactions	PUBCHEM	6-[(4-methylphenyl)amino][1,2,5]oxadiazolo[3,4-b]pyrazin-5(4H)-one
Interactions	PUBCHEM	4-Methyl-3-phenyl-1,2-dihydropyrazolo[3,4-b]pyridin-6-one
Interactions	PUBCHEM	N-(4-chlorobenzyl)-4H-3,1-benzothiazin-2-amine
Interactions	PUBCHEM	[2-({4-[(3-Chlorobenzyl)oxy]-3-methoxybenzylidene} hydrazono)-4-oxo-1,3-thiazolidin-5-yl]acetic acid
Interactions	PUBCHEM	1-[[(E)-(3-ethoxy-4-oxocyclohexa-2,5-dien-1-ylidene)methyl]amino]-3-phenylurea
Interactions	PUBCHEM	(2Z)-7-hydroxy-2-[(2-methoxyphenyl)imino]-2H-chromene-3-carboxamide
Interactions	PUBCHEM	butyl N'-(2-hydroxybenzylidene)hydrazonothiocarbamate
Interactions	PUBCHEM	4-[(E)-{2-[5-(trifluoromethyl)pyridin-2-yl]hydrazinylidene} methyl]phenol
Interactions	PUBCHEM	1,3-Bis[(4-oxocyclohexa-2,5-dien-1-ylidene)methylamino]thiourea
Interactions	PUBCHEM	(2Z)-7-hydroxy-2-[(3-methylphenyl)imino]-2H-chromene-3-carboxamide
Interactions	PUBCHEM	N-(4-fluorophenyl)-7-hydroxy-2-imino-2H-chromene-3-carboxamide
Interactions	PUBCHEM	8-Dimethylaminomethyl-7-hydroxy-3-(1-methyl-1H-benzoimidazol-2-yl)-chromen-2-one
Interactions	PUBCHEM	2-[(5-Methyl-2,4-diphenyl-2H-pyrazol-3-ylimino)-methyl]-phenol
Interactions	PUBCHEM	4-[(5-Methyl-2,4-diphenyl-2H-pyrazol-3-ylimino)-methyl]-phenol
Interactions	PUBCHEM	6-phenyl-3H,4H-thieno[3,2-d]pyrimidin-4-one
Interactions	PUBCHEM	2-[(4-bromo-2-chlorophenoxy)methyl]-3H-quinazolin-4-one
Interactions	PUBCHEM	2-{[(E)-1H-indol-3-ylmethylidene]amino}-3a,4,7,7a-tetrahydro-1H-4,7-ethanoisoindole-1,3(2H)-dione
Interactions	PUBCHEM	4-Bromo-2-[(E)-({2-phenylimidazo[1,2-A]pyridin-8-YL} imino)methyl]phenol
Interactions	PUBCHEM	2-(3,4-Dimethylanilino)-4-methylquinolin-5-ol;hydrochloride
Interactions	PUBCHEM	2-[(4-Chlorobenzyl)sulfanyl]thieno[3,2-d]pyrimidin-4-ol
Interactions	PUBCHEM	4-(4-Hydroxyphenyl)-3-buten-2-one oxime
Interactions	PUBCHEM	N-(2-fluorophenyl)-5-[1-(2-methoxyethyl)-2,5-dimethylpyrrol-3-yl]-6H-1,3,4-thiadiazin-2-amine
Interactions	PUBCHEM	(3,4-Dihydro-2H-quinolin-1-yl)-acetic acid [1-(2-hydroxy-naphthalen-1-yl)-meth-(E)-ylidene]-hydrazide
Interactions	PUBCHEM	3-butyl-2-hydroxy-8-methoxy-4H-pyrimido[2,1-b][1,3]benzothiazol-4-one

Main Category	Category	Terms
Interactions	PUBCHEM	4-[(4-chlorophenyl)diazenyl]-1H-pyrazol-3-amine
Interactions	PUBCHEM	Benzoic acid (1H-indol-3-ylmethylene)-hydrazide
Interactions	PUBCHEM	2-[(2Z)-2-[(E)-[4-[(4-chlorophenyl)methoxy]-3-methoxyphenyl]methylidenehydrazinylidene]-4-oxo-1,3-thiazolidin-5-yl]acetic acid
Interactions	PUBCHEM	3-[(2-Phenyl-5-p-tolyl-2H-pyrazol-3-ylamino)-methylene]-pentane-2,4-dione
Interactions	PUBCHEM	(Z)-methyl 4-(2-(benzo[d]thiazol-2(3H)-ylidene)-2-cyanoacetyl)benzoate
Interactions	PUBCHEM	2-[(E)-2-(4-hydroxy-3-methoxyphenyl)vinyl]quinolin-8-ol
Interactions	PUBCHEM	2-[[(4-Ethoxyphenyl)amino](phenyl)methylene]-4-(4-morpholinyl)-4-oxo-1-phenyl-1,3-butanedione
Interactions	PUBCHEM	(5Z)-5-[[4-(dimethylamino)phenyl]methylidene]-4-(4-ethoxyanilino)-2-thiazolone
Interactions	PUBCHEM	acetic acid;spiro[5H-benzimidazolo[1,2-c]quinazoline-6,1'-cycloheptane]
Interactions	PUBCHEM	N-ethyl-5-(4-methylphenyl)-6H-1,3,4-thiadiazin-2-amine
Interactions	PUBCHEM	2-(4-chlorophenyl)-6,7-dihydropyrazolo[1,5-a]pyrimidin-5(4H)-one
Interactions	PUBCHEM	3-(4-Bromophenyl)-5-methyl[1,2,4]triazolo[4,3-a]pyrimidin-7-ol
Interactions	PUBCHEM	2-[(E)-{[4-(pyridin-2-yl)piperazin-1-yl]imino}methyl]phenol
Interactions	PUBCHEM	1-[(E)-(4-hydroxyphenyl)methylideneamino]-3-(2-methoxyphenyl)thiourea
Interactions	PUBCHEM	GlyTouCan:G22092QH
Interactions	PUBCHEM	4-[(E)-2-(5-Nitro-benzooxazol-2-yl)-vinyl]-phenol
Interactions	PUBCHEM	N'-[(1Z)-1-(1H-indol-3-yl)ethylidene]pyridine-2-carbohydrazide
Interactions	PUBCHEM	N'-[1-(4-hydroxy-6-methyl-2-oxo-2H-pyran-3-yl)ethylidene]-2-thiophenecarbohydrazide
Interactions	PUBCHEM	(Z)-2-(1H-benzimidazol-2-yl)-1-thiophen-2-ylethenol
Interactions	PUBCHEM	2-(4-{(2E)-2-[1-(2-hydroxyphenyl)ethylidene]hydrazinyl}-6-methylpyrimidin-2-yl)phenol
Interactions	PUBCHEM	5-methyl-N-[(E)-1-(1H-pyrrol-2-yl)ethylideneamino]-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	N-cyclopentyl[5-(2-hydroxyphenyl)isoxazol-3-yl]carboxamide
Interactions	PUBCHEM	N-cyclohexyl[5-(2-hydroxyphenyl)isoxazol-3-yl]carboxamide
Interactions	PUBCHEM	N"-[(3,5-dimethyl-4-oxo-1-cyclohexa-2,5-dienylidene)methyl]-2-methyl-3-furancarbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	4-Hydroxybenzaldehyde (3,5-dichloropyridin-2-yl)hydrazone
Interactions	PUBCHEM	3-hydroxy-N'-[(E)-1H-indol-3-ylmethylidene]benzohydrazide
Interactions	PUBCHEM	4-methoxy-2-[(E)-piperidin-1-yliminomethyl]phenol
Interactions	PUBCHEM	2-Hydroxy-N'-(1H-indol-3-ylmethylene)benzohydrazide
Interactions	PUBCHEM	2-chloro-5-[(2E)-2-(1H-indol-3-ylmethylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	2,6-dibromo-4-[(E)-(phthalazin-1-ylhydrazinylidene)methyl]phenol
Interactions	PUBCHEM	2-[(E)-2-[4-(difluoromethoxy)-3-methoxyphenyl]ethenyl]-1H-quinazolin-4-one
Interactions	PUBCHEM	N-(2-chloro(3-pyridyl))[5-(2-hydroxyphenyl)isoxazol-3-yl]carboxamide
Interactions	PUBCHEM	5-[(1,3-Benzodioxol-5-ylcarbonyl)amino]-N
Interactions	PUBCHEM	N-[5-(4-hydroxy-3,5-dimethylphenyl)pyrazin-2-yl]acetamide
Interactions	PUBCHEM	4',7-Dimethoxyisoflavone
Interactions	PUBCHEM	(E)-N-(3-Bromo-phenyl)-2-cyano-3-(5-piperidin-1-yl-furan-2-yl)-acrylamide
Interactions	PUBCHEM	5-[(2-Bromo-4-chlorophenoxy)methyl]-3-pyridin-4-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	2-[(2-Bromo-4-methylphenoxy)acetyl]-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	1-[(4-Phenylmethoxyphenyl)methyl]-4-pyridin-2-ylpiperazine
Interactions	PUBCHEM	N-[5-(3-methoxyphenyl)-1,3,4-thiadiazol-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	GlyTouCan:G91556UQ
Interactions	PUBCHEM	2-Imino-3-(4-phenyl-1,3-thiazol-2-yl)-1,3-thiazolidin-4-one
Interactions	PUBCHEM	N-(3-Methoxyphenyl)benzoic acid amide
Interactions	PUBCHEM	N-(6-methyl-1-propylpyrazolo[3,4-b]quinolin-3-yl)pyridine-2-carboxamide
Interactions	PUBCHEM	2-(Benzylsulfanyl)[1,2,4]triazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	2-(2-bromo-4-methylphenoxy)-N-(pyridin-2-ylcarbamothioyl)acetamide
Interactions	PUBCHEM	6-(2-Fluoro-phenylamino)-N-p-tolyl-nicotinamide
Interactions	PUBCHEM	4-[[5-(5,6-dimethyl-1H-benzimidazol-2-yl)pyridin-2-yl]sulfanylmethyl]benzoic acid
Interactions	PUBCHEM	1-(3,4-Dimethyl-phenyl)-5-(2-oxo-propyl)-1,5-dihydro-pyrazolo[3,4-d]pyrimidin-4-one
Interactions	PUBCHEM	N-Cyclopentyl-N-(5-p-tolyl-[1,3,4]thiadiazol-2-yl)-acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	5,5-Dimethyl-3-(p-phenylphenyl)cyclohex-2-en-1-one
Interactions	PUBCHEM	Isoxazole-5-carboxylic acid [5-(4-methoxy-phenyl)-[1,3,4]thiadiazol-2-yl]-methyl-amide
Interactions	PUBCHEM	N-(5-Phenylacetylamino-pyridin-2-yl)-benzamide
Interactions	PUBCHEM	N-(6-benzamido-4-methylpyridin-3-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	Thiophene-2-carboxylic acid [5-(4-methoxy-benzoylamino)-4-methyl-pyridin-2-yl]-amide
Interactions	PUBCHEM	[5-[2-(Methylamino)-1,3-thiazol-4-yl]-2,3-dihydroindol-1-yl]-(2-methylphenyl)methanone
Interactions	PUBCHEM	(7-Cyano-[1,3]dioxolo[4,5-g]quinolin-6-ylsulfanyl)-acetic acid isopropyl ester
Interactions	PUBCHEM	3,3-Dimethyl-1-[5-[5-methyl-2-(methylamino)-1,3-thiazol-4-yl]-2,3-dihydroindol-1-yl]butan-1-one
Interactions	PUBCHEM	3-methyl-N-[5-(2-methylphenyl)-1,3,4-thiadiazol-2-yl]but-2-enamide
Interactions	PUBCHEM	7-Nitro-9H-fluoren-2-amine
Interactions	PUBCHEM	4-[2-(2-Fluoro-benzyl)-2H-tetrazol-5-yl]-phenylamine
Interactions	PUBCHEM	2-(4-Hydroxyphenyl)Ethyl 4-Methoxybenzoate
Interactions	PUBCHEM	3-(1H-1,3-benzimidazol-2-yl)-2(1H)-pyridinone
Interactions	PUBCHEM	2-[(dimethylamino)methylene]naphtho[2,1-b]furan-1(2H)-one
Interactions	PUBCHEM	methyl 2-{1-[2-(1H-indol-3-yl)ethyl]-4-methoxy-2-oxo-1,2-dihydro-3-pyridinyl}acetate
Interactions	PUBCHEM	methyl N'-{4-nitrobenzylidene}hydrazonothiocarbamate
Interactions	PUBCHEM	3-Chloro-6-(4-chlorophenyl)-2-methylpyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	3-Bromo-6-(4-chlorophenyl)-2-methylpyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	4-benzyl-N-(2,3-dihydro-1,4-benzodioxin-6-yl)piperazine-1-carboxamide
Interactions	PUBCHEM	4-bromo-2-(3,3-dimethyl-2-oxobutyl)-5-(1-pyrrolidinyl)-3(2H)-pyridazinone
Interactions	PUBCHEM	4-bromo-2-[2-(4-chlorophenyl)-2-oxoethyl]-5-(1-pyrrolidinyl)-3(2H)-pyridazinone
Interactions	PUBCHEM	methyl 2-ethyl-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylate
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-[(dimethylamino)methylene]-1lambda
Interactions	PUBCHEM	2-allyl-6-(4-methylstyryl)-4,5-dihydro-3(2H)-pyridazinone

Main Category	Category	Terms
Interactions	PUBCHEM	N-(6-{[(4-chlorophenyl)sulfanyl]methyl}-2-methyl-4-pyrimidinyl)-N-methylamine
Interactions	PUBCHEM	5-[1-(Benzenesulfonyl)-3-pyrazolyl]-2-phenylthiazole
Interactions	PUBCHEM	2-(4-chlorophenyl)-1-[(4-methylbenzyl)oxy]-6-nitro-1H-1,3-benzimidazole
Interactions	PUBCHEM	2-{1-[3-Chloro-5-(trifluoromethyl)-2-pyridinyl]-4-piperidinylidene}acetic acid
Interactions	PUBCHEM	6-Chloro-4-methyl-2-morpholinoquinoline
Interactions	PUBCHEM	N-(1H-indazol-4-ylcarbamothioyl)benzamide
Interactions	PUBCHEM	(E)-1-[2-(2-chlorophenyl)-1,3-thiazol-5-yl]-3-(dimethylamino)-2-propen-1-one
Interactions	PUBCHEM	1-(4-Fluorophenyl)-3-(4-methylphenyl)-1H-pyrazol-5-amine
Interactions	PUBCHEM	methyl 2-ethyl-7-methyl-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylate
Interactions	PUBCHEM	ethyl 2,7-dimethyl-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylate
Interactions	PUBCHEM	methyl 2-(methoxymethyl)-7-methyl-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylate
Interactions	PUBCHEM	2,7-dimethyl-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylic acid
Interactions	PUBCHEM	8-methoxy-N-(1,3-thiazol-2-yl)-2H-chromene-3-carboxamide
Interactions	PUBCHEM	N-(2,4-dichlorophenyl)-2H-chromene-3-carboxamide
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-[(phenylthio)methyl]isoxazole
Interactions	PUBCHEM	4-chloro-N-methyl-1-(4-methylphenyl)-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	4-chlorobenzyl N-(3-methoxy-2-thienyl)carbamate
Interactions	PUBCHEM	2-(2-Furyl)-5-[(4-methylbenzyl)sulfanyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	2-chloro-N-(4-piperidinophenyl)nicotinamide
Interactions	PUBCHEM	3-(4-Methylphenyl)quinolin-2-amine
Interactions	PUBCHEM	3-(2-Thienyl)-2-quinolinamine
Interactions	PUBCHEM	5-(Phenoxymethyl)-3-phenyl-1,2-oxazole
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-(phenoxymethyl)-1,2-oxazole
Interactions	PUBCHEM	5-Methyl-3-{[2-(4-methylphenyl)-2-oxoethyl]sulfanyl}-4-isothiazolecarbonitrile
Interactions	PUBCHEM	N-phenylcarbamic acid [5-(2-chlorophenyl)-3-isoxazolyl]methyl ester
Interactions	PUBCHEM	(E)-1-[5-(2,4-dichlorophenyl)-2-furyl]-3-(dimethylamino)-2-propen-1-one

Main Category	Category	Terms
Interactions	PUBCHEM	3-(1,3-benzodioxol-5-yl)-1-(3-fluorobenzyl)-1H-pyrazole
Interactions	PUBCHEM	(2-Anilino-1,3-thiazol-5-yl)(4-fluorophenyl)methanone
Interactions	PUBCHEM	1-(2-Anilino-1,3-thiazol-5-yl)-2,2-dimethyl-1-propanone
Interactions	PUBCHEM	2-(4-chlorophenyl)-1-methoxy-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	3-(Dimethylamino)-1-(4-methoxyphenyl)-2-(phenylsulfonyl)-2-propen-1-one
Interactions	PUBCHEM	N-methyl-4-(4-phenyl-1,3-thiazol-2-yl)benzamide
Interactions	PUBCHEM	N,N-dimethylcarbamothioic acid O-[4-[2-[(4-chlorophenyl)thio]-1-oxoethyl]-2,6-dimethylphenyl] ester
Interactions	PUBCHEM	1H-1,3-benzimidazol-2-ylmethyl 4-methylphenyl sulfide
Interactions	PUBCHEM	2-(2,4-Dichlorophenyl)-5-[2-(methylthio)phenyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-[2-(methylsulfinyl)phenyl]-1,2,4-oxadiazole
Interactions	PUBCHEM	5-[(3,4-Dichlorophenoxy)methyl]-3-phenyl-1,2-oxazole
Interactions	PUBCHEM	2-Methoxyphenyl (3-phenyl-5-isoxazolyl)methyl ether
Interactions	PUBCHEM	N-benzyl-4-chloro-1-(4-methylphenyl)-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	2-Amino-4-(isopropylsulfanyl)-6-(2-thienyl)-5-pyrimidinecarbonitrile
Interactions	PUBCHEM	3-{[2-(4-Fluorophenyl)-2-oxoethyl]sulfanyl}-5-methyl-4-isothiazolecarbonitrile
Interactions	PUBCHEM	(4-Amino-3-methylthieno[2,3-c]isothiazol-5-yl)(4-fluorophenyl)methanone
Interactions	PUBCHEM	N-cyclooctyl-4-fluorobenzamide
Interactions	PUBCHEM	Benzyl 4-(methoxycarbamoyl)piperidine-1-carboxylate
Interactions	PUBCHEM	1-[4-(4-bromophenyl)-1,3-thiazol-2-yl]-5-(trifluoromethyl)-1H-pyrazole-4-carboxylic acid
Interactions	PUBCHEM	N-(6-quinoxalinyl)-2-furamide
Interactions	PUBCHEM	N-cyclopropylthieno[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	2-(4-methylphenyl)-4H-thieno[3,2-d][1,3]oxazin-4-one
Interactions	PUBCHEM	N-(4-Acetylphenyl)-3,4-dihydro-2(1H)-isoquinolinecarboxamide
Interactions	PUBCHEM	N-(2,6-dimethylphenyl)-1H-indole-3-carboxamide
Interactions	PUBCHEM	5-methoxy-3-phenyl-1H-quinolin-2-one
Interactions	PUBCHEM	2-(2-methoxyphenyl)-7-methyl-5H-[1,3,4]thiadiazolo[3,2-a]pyrimidin-5-one

Main Category	Category	Terms
Interactions	PUBCHEM	(4-Chlorophenyl)[2-(methylamino)-1,3-thiazol-5-yl]methanone
Interactions	PUBCHEM	[1,1'-Biphenyl]-4-yl[2-(methylamino)-1,3-thiazol-5-yl]methanone
Interactions	PUBCHEM	1-allyl-N-(4-chlorophenyl)-2-oxo-1,2-dihydro-3-pyridinecarboxamide
Interactions	PUBCHEM	1-allyl-N-(3-chloro-4-methylphenyl)-2-oxo-1,2-dihydro-3-pyridinecarboxamide
Interactions	PUBCHEM	1-allyl-N-(3,4-dimethylphenyl)-2-oxo-1,2-dihydro-3-pyridinecarboxamide
Interactions	PUBCHEM	1-[4-(4-chlorophenyl)-1,3-thiazol-2-yl]-5-(trifluoromethyl)-1H-pyrazole-4-carboxylic acid
Interactions	PUBCHEM	4-[5-(2,6-Difluorophenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	4-[5-[2-(Methylthio)phenyl]-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	2-(4-Methoxyphenoxy)-4-phenylpyridine-3-carbonitrile
Interactions	PUBCHEM	ethyl 6-(2,3-dihydro-1H-inden-5-yl)-2-methylpyridine-3-carboxylate
Interactions	PUBCHEM	4-{2-[(4-fluorophenyl)sulfonyl]acetyl}-2,6-dimethylphenyl N,N-dimethylcarbamate
Interactions	PUBCHEM	2-(5-Acetyl-2-thienyl)-3-phenylacrylonitrile
Interactions	PUBCHEM	7-Methyl-2-(5-methyl-4-isoxazolyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	1,3-thiazol-5-ylmethyl N-(4-chlorophenyl)carbamate
Interactions	PUBCHEM	N-(5-chloropyrimidin-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	3-(4-methoxyphenyl)-6-methyl-2H-1,4-benzoxazine
Interactions	PUBCHEM	4-[4-(4-Chlorophenyl)-1,3-thiazol-2-yl]morpholine
Interactions	PUBCHEM	5-amino-4-[(4-ethoxyphenyl)diazenyl]-1,2-dihydro-3H-pyrazol-3-one
Interactions	PUBCHEM	N,N-diethyl-N'-(4-pyridin-3-yl-1,3-thiazol-2-yl)benzene-1,4-diamine
Interactions	PUBCHEM	3-methyl-N-[oxo-[(2,4,6-trimethyl-3-pyridinyl)amino]methyl]benzamide
Interactions	PUBCHEM	4-Dimethylsulfamoyl-N-quinolin-6-yl-benzamide
Interactions	PUBCHEM	3-methoxy-N-[(5-methyl-1,2-oxazol-3-yl)carbamoyl]benzamide
Interactions	PUBCHEM	5-[(4-Fluorophenoxy)methyl]-3-thiophen-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(2-phenylethyl)-1H-indazole-3-carboxamide
Interactions	PUBCHEM	2-((Benzo[d]thiazol-2-ylthio)methyl)benzoic acid

Main Category	Category	Terms
Interactions	PUBCHEM	2-({[5-(1,3-benzodioxol-5-yl)-2H-tetrazol-2-yl]acetyl} amino)benzoic acid
Interactions	PUBCHEM	N-[2-(2-methoxyphenyl)ethyl]-3-(thiophen-2-yl)-1,2,4-oxadiazole-5-carboxamide
Interactions	PUBCHEM	3-methoxy-N-[1-(propan-2-yl)-1H-pyrazol-4-yl]benzamide
Interactions	PUBCHEM	3,4-dichloro-N-(2-thiophen-2-ylethyl)benzamide
Interactions	PUBCHEM	3-[[(E)-2-cyano-3-[3-methoxy-4-[(4-methylphenyl)methoxy]phenyl]prop-2-enoyl]amino]benzoic acid
Interactions	PUBCHEM	3-[[(E)-2-cyano-3-[4-[(4-fluorophenyl)methoxy]phenyl]prop-2-enoyl]amino]benzoic acid
Interactions	PUBCHEM	3-[[(E)-2-cyano-3-[4-[(4-fluorophenyl)methoxy]-3-methoxyphenyl]prop-2-enoyl]amino]benzoic acid
Interactions	PUBCHEM	2-oxo-3-(quinolin-2-yl)-2H-chromen-7-yl 2,2-dimethylpropanoate
Interactions	PUBCHEM	2-((Thiophen-2-ylmethyl)thio)benzo[d]thiazole
Interactions	PUBCHEM	N-(Benzo[d][1,3]dioxol-5-yl)-2-((3-cyano-4,6-dimethylpyridin-2-yl)thio)acetamide
Interactions	PUBCHEM	(E)-2-(benzylamino)-3-((benzylimino)methyl)-7-methyl-4H-pyrido[1,2-a]pyrimidin-4-one
Interactions	PUBCHEM	N-(4-methylphenyl)-7H-purin-6-amine
Interactions	PUBCHEM	3-amino-N,N-diethyl-6-phenylthieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	(3-Amino-5,6,7,8,9,10-hexahydrocycloocta[b]thieno[3,2-e]pyridin-2-yl)(pyrrolidin-1-yl)methanone
Interactions	PUBCHEM	2-methyl-N-[5-(phenylcarbamothioylamino)-1,3,4-thiadiazol-2-yl]propanamide
Interactions	PUBCHEM	2-[2-(5-methoxy-1H-indol-3-yl)ethyl]-1,3-dioxo-2,3-dihydro-1H-isoindole-5-carboxylic acid
Interactions	PUBCHEM	N-[4-(difluoromethylsulfanyl)phenyl]-4-fluorobenzamide
Interactions	PUBCHEM	5-bromo-N-(1,3-thiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	3,4-Dihydro-2-[(3-methoxyphenyl)methylene]-1(2H)-naphthalenone
Interactions	PUBCHEM	ethyl (Z)-2-cyano-4-(1-methylpyridin-4-ylidene)but-2-enoate
Interactions	PUBCHEM	4-Hydroxyazobenzene
Interactions	PUBCHEM	2-(3-pyridinylmethylene)[1,3]thiazolo[3,2-a]benzimidazol-3(2H)-one
Interactions	PUBCHEM	(Z)-3-(2-chlorophenyl)-N-[4-(diethylamino)phenyl]prop-2-enamide
Interactions	PUBCHEM	Butyl 4-isopropylphenylcarbamate

Main Category	Category	Terms
Interactions	PUBCHEM	N-[4-(4-morpholinyl)phenyl]carbamic acid butyl ester
Interactions	PUBCHEM	4-(4-Chlorophenoxy)-1-(1-piperidinyl)-1-butanone
Interactions	PUBCHEM	3-pentyl-6-phenylthieno[2,3-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	2-(2-furyl)-6-(2-isopropoxyethoxy)-4H-chromen-4-one
Interactions	PUBCHEM	3-benzoyl-7-ethoxy-2H-chromen-2-one
Interactions	PUBCHEM	3-[4-(6-Methyl-benzothiazol-2-yl)-phenyl]-5,5-dioxo-hexahydro-5lambda*6*-thieno[3,4-d]thiazol-2-ylideneamine
Interactions	PUBCHEM	3-methyl-N-[4-(2-methyl-1,3-thiazol-4-yl)phenyl]butanamide;hydrochloride
Interactions	PUBCHEM	(E)-3-(3-fluorophenyl)-N-(6-methoxy-3-pyridinyl)prop-2-enamide
Interactions	PUBCHEM	3-phenyl-4H-quinazoline;hydrochloride
Interactions	PUBCHEM	2-Amino-4-(4-methoxyphenyl)thiazole
Interactions	PUBCHEM	N-(1-butyl-6-methoxypyrazolo[3,4-b]quinolin-3-yl)butanamide
Interactions	PUBCHEM	N-[4-(6-methyl-1,3-benzoxazol-2-yl)phenyl]-2-(4-methylphenoxy)acetamide
Interactions	PUBCHEM	2-[(2-Methylbenzyl)sulfanyl]-5-(4-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	N-[2-(4-ethylpiperazin-1-yl)-4-methylquinolin-6-yl]-3,5-dimethoxybenzamide
Interactions	PUBCHEM	2-fluoro-N-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]benzamide
Interactions	PUBCHEM	N-(2-acetamidoethyl)-2,4-dioxo-3-phenethyl-1,2,3,4-tetrahydroquinazoline-7-carboxamide
Interactions	PUBCHEM	Ethyl 4-[(4-amino-6,7-dimethoxyquinazolin-2-yl)amino]benzoate
Interactions	PUBCHEM	Ethyl 1-benzyl-3-p-tolyl-1H-pyrazole-5-carboxylate
Interactions	PUBCHEM	6-(4-Chlorophenyl)-2-(4-fluorobenzyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	6-(4-Fluorophenyl)-2-(4-methylbenzyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-(4-Chlorobenzyl)-6-(4-fluorophenyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	5-(2H-1,3-Benzodioxol-5-YL)-N-methyl-N-phenyl-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-Benzooxazol-2-yl-N'-propionyl-guanidine
Interactions	PUBCHEM	2-(2,3-dihydro-1,4-benzodioxin-6-yl)-N-(4-ethylphenyl)-5-nitro-2H-1,2,3-triazol-4-amine 3-oxide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[2-(Azepan-1-YL)-2-oxoethyl]-3-(2,4-dimethoxyphenyl)-4-oxo-3,4-dihydrophthalazine-1-carboxamide
Interactions	PUBCHEM	Azaperhydroepinyl 5-(3-chlorophenyl)isoxazol-3-yl ketone
Interactions	PUBCHEM	Ethyl 4-[(2-methoxyethyl)amino]-3-nitrobenzoate
Interactions	PUBCHEM	3-[2-(3,4-Dimethoxyphenyl)acetamido]-N-(4-ethoxyphenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	3,5-Dimethoxy-N-{12-oxo-6H,7H,8H,9H,10H,12H-azepino[2,1-B]quinazolin-2-YL}benzamide
Interactions	PUBCHEM	3-Methoxy-N-{12-oxo-6H,7H,8H,9H,10H,12H-azepino[2,1-B]quinazolin-2-YL}benzamide
Interactions	PUBCHEM	4-(12-ethyl-9-oxo-5-oxa-1,10,11-triazatricyclo[6.4.0.02,6]dodeca-2(6),3,7,11-tetraen-10-yl)-N-(1-phenylethyl)butanamide
Interactions	PUBCHEM	1-[4-(3-Ethyl-1,2,4-oxadiazol-5-yl)-2-nitrophenyl]piperidine
Interactions	PUBCHEM	1-[4-(3-Ethyl-1,2,4-oxadiazol-5-yl)-2-nitrophenyl]-4-methylpiperidine
Interactions	PUBCHEM	1-[2-Nitro-4-(3-propyl-1,2,4-oxadiazol-5-yl)phenyl]piperidine
Interactions	PUBCHEM	N-(3-methoxyphenyl)-4-methyl-2-oxo-6-thia-1,8-diazatricyclo[7.3.0.03,7]dodeca-3(7),4,8-triene-5-carboxamide
Interactions	PUBCHEM	4-(3-methylpiperidin-1-yl)-7,8,9,10-tetrahydro-6H-purino[9,8-a]azepine
Interactions	PUBCHEM	N-(4-methoxyphenyl)-7,8,9,10-tetrahydro-6H-purino[9,8-a]azepin-4-amine
Interactions	PUBCHEM	N-(2-ethylphenyl)-2,3-dimethyl-1H-indole-5-carboxamide
Interactions	PUBCHEM	3-[3,5-dimethyl-1-[6-(1-piperidinyl)-3-pyridazinyl]-4-pyrazolyl]-N-(3-fluoro-4-methylphenyl)propanamide
Interactions	PUBCHEM	N-[3-[6-(azepan-1-yl)pyridazin-3-yl]phenyl]-2-fluorobenzenesulfonamide
Interactions	PUBCHEM	N-{2-[2-(4-Methoxyphenyl)-6-methyl-[1,2,4]triazolo[3,2-B][1,3]thiazol-5-YL]ethyl}-3-(trifluoromethyl)benzamide
Interactions	PUBCHEM	3,4,5-Trimethoxy-N-{2-[2-(4-methoxyphenyl)-6-methyl-[1,2,4]triazolo[3,2-B][1,3]thiazol-5-YL]ethyl}benzamide
Interactions	PUBCHEM	3-(6-Methyl-1H-1,3-benzodiazol-2-YL)-8-(prop-2-EN-1-YL)-2H-chromen-2-one
Interactions	PUBCHEM	3-[(3,4-Dichlorobenzyl)oxy]-2-nitropyridine
Interactions	PUBCHEM	4-[(2S)-1-(4-bromophenyl)sulfanyl-4-methylpentan-2-yl]-1-methyl-1,4-diazepan-5-one
Interactions	PUBCHEM	2-(2-(2-bromophenyl)-2H-tetrazol-5-yl)thiazole
Interactions	PUBCHEM	2-Chloro-3-[2-(4-methylphenyl)-5-tetrazolyl]pyridine

Main Category	Category	Terms
Interactions	PUBCHEM	2-Chloro-3-[2-(3,4-dichlorophenyl)-5-tetrazolyl]pyridine
Interactions	PUBCHEM	2-Phenoxyxanthone
Interactions	PUBCHEM	6-(2-phenoxyethylsulfanyl)-7H-purine
Interactions	PUBCHEM	N-(4-fluorobenzyl)-N-methyl-3-(5-phenyl-1,3,4-oxadiazol-2-yl)propanamide
Interactions	PUBCHEM	4-Methyl-1-[3-(5-phenyl-1,3,4-oxadiazol-2-yl)propanoyl]piperidine
Interactions	PUBCHEM	Ethyl 4-(2-chlorobenzyl)-1-[(2-oxo-1,3-oxazolidin-3-yl)acetyl]piperidine-4-carboxylate
Interactions	PUBCHEM	N-isobutyl-N-methyl-3-{5-[3-(trifluoromethyl)benzyl]-1,3,4-oxadiazol-2-yl}propanamide
Interactions	PUBCHEM	N-benzyl-N-ethyl-3-[5-(3-phenylpropyl)-1,3,4-oxadiazol-2-yl]propanamide
Interactions	PUBCHEM	5-[(2-chloro-4-fluorophenoxy)methyl]-N-methyl-N-[(5-methyl-1H-pyrazol-3-yl)methyl]isoxazole-3-carboxamide
Interactions	PUBCHEM	N-[(4E)-6-chloro-2-phenyl-4H-chromen-4-ylidene]-3-(dimethylamino)propan-1-aminium
Interactions	PUBCHEM	1-isopropyl-N-(4-methylbenzyl)-1H-benzimidazol-5-amine
Interactions	PUBCHEM	N-methyl-3-[5-(3-phenylpropyl)-1,3,4-oxadiazol-2-yl]-N-(2-pyridin-2-ylethyl)propanamide
Interactions	PUBCHEM	2-{4-[(2-biphenyl-4-yl-5-methyl-1,3-oxazol-4-yl)methyl]piperazin-1-yl}-N,N-dimethylacetamide
Interactions	PUBCHEM	4-({5-[(2,4-Difluorophenoxy)methyl]isoxazol-3-yl} carbonyl)thiomorpholine
Interactions	PUBCHEM	5-[(2,6-difluorophenoxy)methyl]-N-methyl-N-[(5-phenylisoxazol-3-yl)methyl]isoxazole-3-carboxamide
Interactions	PUBCHEM	3-{5-[methoxy(phenyl)methyl]-1,3,4-oxadiazol-2-yl}-N-methyl-N-[3-(1H-pyrazol-1-yl)benzyl]propanamide
Interactions	PUBCHEM	N-allyl-3-{5-[1-(4-chlorophenyl)cyclobutyl]-1,3,4-oxadiazol-2-yl}propanamide
Interactions	PUBCHEM	5-[(2,6-difluorophenoxy)methyl]-N-[1-(1-phenyl-1H-pyrazol-4-yl)ethyl]isoxazole-3-carboxamide
Interactions	PUBCHEM	N,N-diethyl-3-{5-[3-(trifluoromethyl)benzyl]-1,3,4-oxadiazol-2-yl}propanamide
Interactions	PUBCHEM	3-[5-(2-cyclohexylethyl)-1,3,4-oxadiazol-2-yl]-N-[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]-N-methylpropanamide
Interactions	PUBCHEM	5-Chloro-2-{3-[5-(3-thienyl)-1,3,4-oxadiazol-2-yl]propanoyl}-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	N-ethyl-3-[5-(3-phenylpropyl)-1,3,4-oxadiazol-2-yl]-N-[2-(1H-pyrazol-1-yl)ethyl]propanamide
Interactions	PUBCHEM	methyl 1-{3-[5-(2-cyclohexylethyl)-1,3,4-oxadiazol-2-

Main Category	Category	Terms
		yl]propanoyl}-L-prolinate
Interactions	PUBCHEM	N-(3-cyclopentylpropyl)-3-[5-(3-phenylpropyl)-1,3,4-oxadiazol-2-yl]propanamide
Interactions	PUBCHEM	(4-Methylphenyl)quinazolin-4-ylamine, chloride
Interactions	PUBCHEM	1-(4-Methylpiperazin-1-yl)propan-2-yl 3-methylbenzoate;hydrochloride
Interactions	PUBCHEM	N-(3-chloro-2-pyridinyl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide;hydrochloride
Interactions	PUBCHEM	CID 16193169
Interactions	PUBCHEM	N-(3-methylbutyl)-N'-phenylethanediamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-[(1,3,5-trimethyl-1H-pyrazol-4-yl)methyl]urea
Interactions	PUBCHEM	N-(3-chloro-4-methylphenyl)-N'-[(1,3,5-trimethyl-1H-pyrazol-4-yl)methyl]urea
Interactions	PUBCHEM	1-(4,6-dimethyl-1,3-benzothiazol-2-yl)-N-(pyridin-2-ylmethyl)piperidine-4-carboxamide
Interactions	PUBCHEM	1-(6-ethoxy-1,3-benzothiazol-2-yl)-N-(tetrahydrofuran-2-ylmethyl)piperidine-3-carboxamide
Interactions	PUBCHEM	N-[3-(diethylamino)propyl]-N'-(4-methyl-2-piperidin-1-ylquinolin-6-yl)succinamide
Interactions	PUBCHEM	N-(2-methoxybenzyl)-2-[(2-nitrothien-3-yl)thio]acetamide
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)pyrazolo[1,5-a]pyridine-3-carboxamide
Interactions	PUBCHEM	3-(3-Pyridinylmethylthio)-6-thiophen-2-ylpyridazine
Interactions	PUBCHEM	(6Z)-6-{[1-(4-fluorophenyl)-2,5-dimethyl-1H-pyrrol-3-yl]methylene}-5-imino-3-(methylsulfonyl)-5,6-dihydro-7H-[1,2,4]thiadiazolo[4,5-a]pyrimidin-7-one
Interactions	PUBCHEM	N-(3-chlorophenyl)-N'-[(1,3,5-trimethyl-1H-pyrazol-4-yl)methyl]urea
Interactions	PUBCHEM	3-((Pyridin-2-ylmethyl)thio)-6-(thiophen-2-yl)pyridazine
Interactions	PUBCHEM	N-butyl-6-methoxy-N-methylfuro[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	2-fluoro-N-(4-(thiazolo[5,4-b]pyridin-2-yl)phenyl)benzenesulfonamide
Interactions	PUBCHEM	2-(3-((2-((2,3-dihydrobenzo[b][1,4]dioxin-6-yl)amino)-2-oxoethyl)sulfonyl)-1H-indol-1-yl)-N,N-diethylacetamide
Interactions	PUBCHEM	3-(3-Nitrophenyl)-6-((pyridin-2-ylmethyl)thio)pyridazine
Interactions	PUBCHEM	2-((6-(4-ethoxyphenyl)pyridazin-3-yl)thio)-N-((tetrahydrofuran-2-yl)methyl)acetamide
Interactions	PUBCHEM	N-(5-chloro-2-pyridinyl)-4H-thieno[3,2-c][1]benzopyran-2-

Main Category	Category	Terms
		carboxamide
Interactions	PUBCHEM	N-(4-methoxybenzyl)-2-[(2-nitrothien-3-yl)thio]acetamide
Interactions	PUBCHEM	methyl 2-(1-hydroxy-3-oxo-3,4-dihydro-1,2,4-benzotriazin-2(1H)-yl)-4-phenylthiophene-3-carboxylate
Interactions	PUBCHEM	2-(6-(4-ethylphenyl)pyridazin-3-yl)sulfanyl-N-(oxolan-2-ylmethyl)acetamide
Interactions	PUBCHEM	(E)-1-(4-methyl-1,4-diazepan-1-yl)-3-(4-methylsulfanylphenyl)prop-2-en-1-one;hydrochloride
Interactions	PUBCHEM	2-(Benzylsulfanylmethyl)imidazo[1,2-a]pyridine;hydrochloride
Interactions	PUBCHEM	3-[(E)-3-[4-(diethylamino)phenyl]prop-2-enoyl]-6-methylpyran-2,4-dione
Interactions	PUBCHEM	4-methyl-N-[(E)-pyridin-4-ylmethylideneamino]aniline;hydrochloride
Interactions	PUBCHEM	(E)-1-(4-bromophenyl)-N-(4-methylpiperazin-1-yl)methanimine;hydrochloride
Interactions	PUBCHEM	4-[(2Z)-2-(3,4-dihydro-2H-naphthalen-1-ylidene)hydrazinyl]benzoic acid;sulfuric acid
Interactions	PUBCHEM	2-[(2-chlorophenyl)methylamino]-N-(2,3-dihydro-1,4-benzodioxin-6-yl)acetamide;oxalic acid
Interactions	PUBCHEM	[1-[[4-(3,4-Difluorophenyl)-1,3-thiazol-2-yl]amino]-1-oxopropan-2-yl] 5-nitrofuran-2-carboxylate
Interactions	PUBCHEM	1-[2-[3-(3,4-Dimethylphenyl)-4-oxoquinazolin-2-yl]sulfanylacetyl]piperidine-4-carboxylic acid
Interactions	PUBCHEM	Methyl 5-[(4-methyl-2-nitrophenoxy)methyl]furan-2-carboxylate
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-3H-benzimidazole-5-carboxamide
Interactions	PUBCHEM	5-methyl-N-(pyridin-2-ylmethyl)-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	[2-(4-Acetamido-2-fluorophenyl)-2-oxoethyl] 2-methylcyclopropane-1-carboxylate
Interactions	PUBCHEM	[2-[4-(Butanoylamino)phenyl]-2-oxoethyl] 2-methylcyclopropane-1-carboxylate
Interactions	PUBCHEM	[2-(1-Ethyl-2,5-dimethylpyrrol-3-yl)-2-oxoethyl] 4-acetamidobenzoate
Interactions	PUBCHEM	1-[4-[1-(1,3-Benzothiazol-2-yl)ethoxy]phenyl]ethanone
Interactions	PUBCHEM	1-[2,5-Dimethyl-1-(5-methyl-1,2-oxazol-3-yl)pyrrol-3-yl]-2-pyridin-2-ylsulfanylethanone
Interactions	PUBCHEM	1-(3,5-Dithiophen-2-yl-3,4-dihydropyrazol-2-yl)-2-(1-propan-2-yltetrazol-5-yl)sulfanylethanone

Main Category	Category	Terms
Interactions	PUBCHEM	[2-(2-Methylpiperidin-1-yl)-2-oxoethyl] 7-chloro-1,3-benzodioxole-5-carboxylate
Interactions	PUBCHEM	1-(1H-indol-3-yl)-2-(2-methoxyanilino)propan-1-one
Interactions	PUBCHEM	N-(4-methoxyphenyl)-6-methylthieno[2,3-d]pyrimidin-4-amine hydrochloride
Interactions	PUBCHEM	N-(9-ethyl-9H-carbazol-3-yl)-4-morpholinecarboxamide
Interactions	PUBCHEM	prunetin 4'-O-glucoside
Interactions	PUBCHEM	(2E)-2-(3-methyl-1,3-benzothiazol-2(3H)-ylidene)-1-(3-nitrophenyl)ethanone
Interactions	PUBCHEM	N-(5-pentan-3-yl-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1,4-dioxine-5-carboxamide
Interactions	PUBCHEM	2-(1H-Benzoimidazol-2-yl)-1-(4-chloro-phenyl)-ethylamine
Interactions	PUBCHEM	CID 16682216
Interactions	PUBCHEM	[5-(4-Chloro-phenyl)-furan-2-ylmethyl]-(tetrahydro-furan-2-ylmethyl)-amine
Interactions	PUBCHEM	C18H16BrFN2OS
Interactions	PUBCHEM	4-(4-Methoxy-phenyl)-2-(2-methyl-tetrahydro-pyran-4-yl)-thiazole
Interactions	PUBCHEM	GlyTouCan:G85452GM
Interactions	PUBCHEM	N-[(2R)-1-hydroxy-3-methylbutan-2-yl]-3-methyl-5H-indazolo[2,3-a][3,1]benzoxazine-9-carboxamide
Interactions	PUBCHEM	(3-methyl-5H-indazolo[2,3-a][3,1]benzoxazin-9-yl)-piperidin-1-ylmethanone
Interactions	PUBCHEM	3-chloro-N-[(2S)-1-hydroxy-3-methylbutan-2-yl]-5H-indazolo[2,3-a][3,1]benzoxazine-9-carboxamide
Interactions	PUBCHEM	(3-chloro-5H-indazolo[2,3-a][3,1]benzoxazin-9-yl)-morpholin-4-ylmethanone
Interactions	PUBCHEM	(3-methyl-5H-indazolo[2,3-a][3,1]benzoxazin-9-yl)-morpholin-4-ylmethanone
Interactions	PUBCHEM	2-[2-(1H-indol-5-yl)ethynyl]aniline
Interactions	PUBCHEM	3-Benzylsulfanyl-6-methyl-5-phenyl-1,2,4-triazine
Interactions	PUBCHEM	Pcmd-CC-pab-234
Interactions	PUBCHEM	3-chloro-N-(2-hydroxyethyl)-5H-indazolo[2,3-a][3,1]benzoxazine-9-carboxamide
Interactions	PUBCHEM	N2-(2,4-dimethoxyphenyl)quinazoline-2,4-diamine hydrochloride
Interactions	PUBCHEM	3,4-diethoxy-N-(3-(6-morpholinopyridazin-3-yl)phenyl)benzamide
Interactions	PUBCHEM	[1-(3,4-Dimethylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl](3-

Main Category	Category	Terms
		pyridylmethyl)amine
Interactions	PUBCHEM	6-benzylamino-9-(2-tetrahydropyranyl)-9H-purine
Interactions	PUBCHEM	2-(2-Furyl)-6-methoxychromen-4-one
Interactions	PUBCHEM	4-Thiazolidinone, 3-ethyl-5-[(phenylamino)methylene]-2-thioxo-
Interactions	PUBCHEM	3-(2-fluorophenyl)-N-(tetrahydrofurfuryl)isoxazole-5-carboxamide
Interactions	PUBCHEM	3-methyl-N-(4-methylcyclohexyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-2,5-dimethylfuran-3-carboxamide
Interactions	PUBCHEM	3-ethyl-5-methyl-N-(2-phenylethyl)-1,2-oxazole-4-carboxamide
Interactions	PUBCHEM	2-[(4-Chloro-2-methylphenoxy)methyl]-5-(2-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	N-(tetrahydrofuran-2-ylmethyl)-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	5-(1,3-benzodioxol-5-yl)-N-(5-bromo-2-hydroxyphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	[5-(3-chlorophenyl)isoxazol-3-yl]-N-cyclohexylcarboxamide
Interactions	PUBCHEM	5-(3-Chlorophenyl)isoxazol-3-yl morpholin-4-yl ketone
Interactions	PUBCHEM	5-(2-furanyl)-N-(2-hydroxy-5-methylphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)(5-(2-furyl)isoxazol-3-yl)carboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)(5-(2-thienyl)isoxazol-3-yl)carboxamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)(5-(2-thienyl)isoxazol-3-yl)carboxamide
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)(5-propylisoxazol-3-yl)carboxamide
Interactions	PUBCHEM	1-Cyclooctyl-3-(3-methoxyphenyl)urea
Interactions	PUBCHEM	1-(4-Ethylphenyl)-3-(1,2-oxazol-3-yl)urea
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(3-methylphenyl)urea
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(4-ethylphenyl)urea
Interactions	PUBCHEM	1-(3-Acetylphenyl)-3-(1,3-benzodioxol-5-yl)urea
Interactions	PUBCHEM	(5Z)-3-methyl-5-[(2Z)-2-(3-methyl-1,3-thiazolidin-2-ylidene)ethylidene]-2-sulfanylidene-1,3-oxazolidin-4-one
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-ethoxyacetamide
Interactions	PUBCHEM	Ethyl 3-methoxy-4-[(phenylsulfonyl)oxy]benzoate

Main Category	Category	Terms
Interactions	PUBCHEM	3-(4-Methylbenzoyl)naphtho[1,2-b]furan-4,5-dione
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(3-methoxyphenyl)urea
Interactions	PUBCHEM	1-(4-Bromo-2-chlorophenyl)-3-(pyridin-2-ylmethyl)urea
Interactions	PUBCHEM	1-(2-Bromobenzyl)-4-(2-furoyl)piperazine
Interactions	PUBCHEM	Propyl 4-[(pyrazin-2-ylcarbonyl)amino]benzoate
Interactions	PUBCHEM	[2-(1,3-Benzodioxol-5-yl)-2-oxoethyl] 2-hydroxy-3-methylbenzoate
Interactions	PUBCHEM	N-(3-nitrophenyl)-3,4-dihydro-1H-isoquinoline-2-carboxamide
Interactions	PUBCHEM	5-(3-Ethoxy-4-hydroxy-2-nitrobenzylidene)-2-thioxo-1,3-thiazolidin-4-one
Interactions	PUBCHEM	N-[2-(1H-indol-3-yl)ethyl]-3-methylthiophene-2-carboxamide
Interactions	PUBCHEM	N-(2,3-dimethylcyclohexyl)benzo[d][1,3]dioxole-5-carboxamide
Interactions	PUBCHEM	N-[3-(3,4-dihydro-2H-pyrrol-5-ylsulfamoyl)phenyl]-3-(dimethylamino)benzamide
Interactions	PUBCHEM	N-[2-(1-adamantylamino)-2-oxoethyl]-4-methylbenzamide
Interactions	PUBCHEM	(2E)-2-[(E)-furan-2-ylmethylidenehydrazinylidene]-3-[(4-methoxyphenyl)methyl]-5-methyl-1,3-thiazolidin-4-one
Interactions	PUBCHEM	(3S)-N-[(2S)-1-(2,3-dihydro-1,4-benzodioxin-6-ylamino)-4-(methylsulfanyl)-1-oxobutan-2-yl]-1,2,3,4-tetrahydroisoquinoline-3-carboxamide
Interactions	PUBCHEM	N-ethyl-2-{[2-(3-methylphenyl)-4-quinolinyl]carbonyl} hydrazinecarbothioamide
Interactions	PUBCHEM	4-((benzyl(methyl)amino)methyl)-7-methoxy-2H-chromen-2-one
Interactions	PUBCHEM	1-Butyl-3-phenyl-2-thioxoimidazolidine-4,5-dione
Interactions	PUBCHEM	3-[(4-Methylphenyl)methylsulfanyl]-1-phenyl-1,2,4-triazole
Interactions	PUBCHEM	N-[(2-hydroxy-5-methylphenyl)carbamothioyl]-3-methylbutanamide
Interactions	PUBCHEM	N-[cyclohexyl(methyl)carbamothioyl]-4-methylbenzamide
Interactions	PUBCHEM	Acetamide, N-(7-nitrofluoren-2-YL)-2,2,2-trifluoro-
Interactions	PUBCHEM	[2-(3-Methylpiperidin-1-yl)-2-oxoethyl] 3-methyl-1-benzofuran-2-carboxylate
Interactions	PUBCHEM	2-(6-Phenylthieno[2,3-d]pyrimidin-4-yl)sulfanylpropanamide
Interactions	PUBCHEM	(2-chlorophenyl)methyl 2-methyl-3-oxo-4H-1,4-benzothiazine-6-carboxylate
Interactions	PUBCHEM	N-[2-(3-methylpiperidin-1-yl)-2-oxoethyl]thiophene-2-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	4-chloro-N-(4-methyl-2-pyridinyl)-3-pyrrolidin-1-ylsulfonylbenzamide
Interactions	PUBCHEM	4-chloro-N-[3-[2-(cyclohexen-1-yl)ethylamino]-3-oxopropyl]benzamide
Interactions	PUBCHEM	(5-Bromo-3-methyl-1-benzofuran-2-yl)-pyrrolidin-1-ylmethanone
Interactions	PUBCHEM	N-[2-[(2-chloro-6-fluorophenyl)methyl-methylamino]-2-oxoethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	6-methoxy-2-[3-(2-methoxyphenyl)-2-propenylidene]-3,4-dihydro-1(2H)-naphthalenone
Interactions	PUBCHEM	5-{[2,5-dimethyl-1-(2-methylphenyl)-1H-pyrrol-3-yl]methylene}-2,4-imidazolidinedione
Interactions	PUBCHEM	N-(4-butylphenyl)-3,3-dimethylbutanamide
Interactions	PUBCHEM	5-ethoxy-3-methyl-N-(oxolan-2-ylmethyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	3-(3,4-dimethoxybenzylidene)-7-methoxy-2-benzofuran-1(3H)-one
Interactions	PUBCHEM	4',6-Dihydroxyflavone
Interactions	PUBCHEM	3-(allylthio)-5-(4-propoxyphenyl)-4H-1,2,4-triazole
Interactions	PUBCHEM	5-(2,4-Dichlorophenyl)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	3-[3-(3,4-Dimethoxyphenyl)-1,2,4-oxadiazol-5-yl]pyridine
Interactions	PUBCHEM	2-chloro-N-[2-(2-chlorophenoxy)ethyl]-4,5-difluorobenzamide
Interactions	PUBCHEM	(2Z)-2-hydroxy-N-(2-methoxyphenyl)-4-oxo-4-phenylbut-2-enamide
Interactions	PUBCHEM	(5Z)-4-hydroxy-5-{[1-(4-hydroxyphenyl)-2,5-dimethyl-1H-pyrrol-3-yl]methylidene}-1,3-thiazole-2(5H)-thione
Interactions	PUBCHEM	2-fluoro-N-[5-[2-[(4-fluorophenyl)methylamino]-2-oxoethyl]sulfanyl-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	N-(6,7-dihydro-[1,4]dioxino[2',3':4,5]benzo[1,2-d]thiazol-2-yl)-N-(2-(dimethylamino)ethyl)cyclohexanecarboxamide hydrochloride
Interactions	PUBCHEM	2-(2-(3-(4-chlorophenyl)ureido)thiazol-4-yl)-N-(pyridin-2-ylmethyl)acetamide
Interactions	PUBCHEM	(E)-N-(6-fluoro-3-methylbenzo[d]thiazol-2(3H)-ylidene)-2-(phenylsulfonyl)acetamide
Interactions	PUBCHEM	2-((6-(4-(1H-pyrazol-1-yl)phenyl)pyridazin-3-yl)thio)-N-(5-ethyl-1,3,4-thiadiazol-2-yl)acetamide
Interactions	PUBCHEM	2-(2,4-dichlorophenoxy)-N-(3-(6-morpholinopyridazin-3-yl)phenyl)acetamide
Interactions	PUBCHEM	N-(5,6-dimethylbenzo[d]thiazol-2-yl)-N-(2-

Main Category	Category	Terms
		morpholinoethyl)butyramide hydrochloride
Interactions	PUBCHEM	4-{(E)-[(4-methoxyphenyl)imino]methyl}-2-phenyl-1,3-oxazol-5-yl benzoate
Interactions	PUBCHEM	(4E)-4-[[1-(2-hydroxyphenyl)-2,5-dimethyl-pyrrol-3-yl]methylene]-1-phenyl-pyrazolidine-3,5-quinone
Interactions	PUBCHEM	(Z)-3-(5-((2,4-dioxo-3-(prop-2-yn-1-yl)thiazolidin-5-ylidene)methyl)furan-2-yl)-2-methylbenzoic acid
Interactions	PUBCHEM	N-[4-(1,3-dioxoinden-2-yl)phenyl]pentanamide
Interactions	PUBCHEM	2-[(2-Fluorobenzoyl)amino]-4-(4-methoxyphenyl)thiophene-3-carboxylic acid
Interactions	PUBCHEM	3-Bromo-benzoic acid 4-{[(E)-4-dimethylamino-phenylimino]-methyl}-2-phenyl-oxazol-5-yl ester
Interactions	PUBCHEM	[4-[(4-Chlorophenyl)iminomethyl]-2-(furan-2-yl)-1,3-oxazol-5-yl] 4-methylbenzoate
Interactions	PUBCHEM	N-(4-ethylphenyl)azepane-1-carboxamide
Interactions	PUBCHEM	2-{[4-(2,4-Dichlorophenoxy)butanoyl]amino}benzoic acid
Interactions	PUBCHEM	3-(4-Pentyloxy-benzylsulfanyl)-4H-[1,2,4]triazole
Interactions	PUBCHEM	5-(2-hydroxy-5-methylphenyl)-N-(3-methylphenyl)-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	2-Dibenzofuranamine
Interactions	PUBCHEM	N-(2-methoxyphenyl)-2-{[5-(2-methylfuran-3-yl)-1,3,4-oxadiazol-2-yl]sulfanyl}acetamide
Interactions	PUBCHEM	4-Benzylsulfanyl-1-p-tolyl-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	N-cycloheptyl-2-imino-2H-chromene-3-carboxamide
Interactions	PUBCHEM	4-chloro-N-[(4-methylbenzyl)oxy]benzamide
Interactions	PUBCHEM	3-methyl-N-[(4-methylbenzyl)oxy]benzamide
Interactions	PUBCHEM	7-methyl-4-((4-methylpiperidin-1-yl)methyl)-2H-chromen-2-one
Interactions	PUBCHEM	(5Z)-5-[[1-(3-hydroxyphenyl)-2,5-dimethylpyrrol-3-yl]methylidene]-2-sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	N'-(5-tert-butyl-3-phenylpyrazolo[1,5-a]pyrimidin-7-yl)-N,N-dimethylpropane-1,3-diamine
Interactions	PUBCHEM	N-[4-(butan-2-yl)phenyl]pyrrolidine-1-carbothioamide
Interactions	PUBCHEM	4-amino-2-anilino-N-(5-methyl-1,3-oxazol-2-yl)-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	(Cyclopropylamino)(4,5,6,7-tetrahydrobenzothiazol-2-ylamino)methane-1-thione
Interactions	PUBCHEM	(N,N'-Di-p-tolyl-hydrazino)-oxo-acetic acid ethyl ester

Main Category	Category	Terms
Interactions	PUBCHEM	(E)-3-(4-methoxyphenyl)-N-[4-(2-methoxyphenyl)piperazine-1-carbothioyl]prop-2-enamide
Interactions	PUBCHEM	(5E)-5-(3,4-dimethyl-6-oxocyclohexa-2,4-dien-1-ylidene)-N-pyridin-3-yl-1,2-dihydropyrazole-3-carboxamide
Interactions	PUBCHEM	(5Z)-3-(4-hydroxyphenyl)-5-(thiophen-2-ylmethylidene)-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	2-(4-Nitrophenyl)-5-(prop-2-en-1-ylsulfanyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	(2E)-3-(furan-2-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]carbamothioyl}prop-2-enamide
Interactions	PUBCHEM	N-(2-phenylethyl)quinazolin-4-amine
Interactions	PUBCHEM	3-ethyl-5-[2-(1-ethyl-4(1H)-quinolinylidene)ethylidene]-2-thioxo-1,3-thiazolidin-4-one
Interactions	PUBCHEM	4-(4-Methyl-benzylsulfanyl)-1-p-tolyl-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	(Z)-2-benzylidene-3-oxo-2,3-dihydrobenzofuran-6-yl dimethylcarbamate
Interactions	PUBCHEM	3-[2-(3-Bromophenyl)-2-oxoethylidene]-2-piperazinone
Interactions	PUBCHEM	(5Z)-3-(4-hydroxyphenyl)-5-[(1-methylpyrrol-2-yl)methylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	Ethyl 2-(1,3-benzoxazol-2-ylamino)-4-{[(5-methyl-1,3,4-thiadiazol-2-yl)thio]methyl}-5-pyrimidinecarboxylate
Interactions	PUBCHEM	2-(4-Nitroanilino)benzoic acid
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)thiourea
Interactions	PUBCHEM	1-(3-Chlorophenyl)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)thiourea
Interactions	PUBCHEM	1-(4-Bromophenyl)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)thiourea
Interactions	PUBCHEM	5-(6-Amino-5-methylpyridin-3-yl)thiophene-2-carboxylic acid
Interactions	PUBCHEM	N-Cyclohexyl-N'-phenethyl-oxalamide
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-5-pentylpyridine
Interactions	PUBCHEM	methyl 3-(4-methylphenyl)-1H-pyrazole-5-carboxylate
Interactions	PUBCHEM	2-(4-Bromophenyl)-1-(2,4-dihydroxyphenyl)ethanone
Interactions	PUBCHEM	1-(2,4-Dihydroxyphenyl)-2-(4-fluorophenyl)ethanone
Interactions	PUBCHEM	3,4-dichloro-N-(2,3-dihydro-1,4-benzodioxin-6-yl)benzamide
Interactions	PUBCHEM	N-cyclohexyl-2-(1H-indol-3-yl)-2-oxoacetamide
Interactions	PUBCHEM	Methyl 3-(3-phenylpropanoylamino)benzoate
Interactions	PUBCHEM	2-[[2-(2-methoxyphenoxy)acetyl]amino]-5,6-dihydro-4H-

Main Category	Category	Terms
		cyclopenta[b]thiophene-3-carboxamide
Interactions	PUBCHEM	N-(2-methoxyphenyl)-2-[2-(1-phenylpyrazole-4-carbonyl)phenoxy]acetamide
Interactions	PUBCHEM	N-[4-[[2-[1-(2-methoxyethyl)-2,5-dimethyl-3-pyrrolyl]-2-oxoethyl]thio]phenyl]acetamide
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-4-(3,5-dimethylpyrazol-1-yl)benzamide
Interactions	PUBCHEM	3-[(2-Chloro-4-fluorophenyl)methylsulfanyl]-[1,2,4]triazolo[4,3-a]pyridine
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-(2-chloro-6-fluorophenyl)acetamide
Interactions	PUBCHEM	7-methoxy-N-[3-(4-methylpiperidin-1-yl)propyl]furo[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	N-(4-methylphenyl)-4-[(4-methyl-5-phenyl-1,2,4-triazol-3-yl)sulfanylmethyl]-1,3-thiazol-2-amine
Interactions	PUBCHEM	N-(2-methylbenzo[d]thiazol-6-yl)-2-(thiophen-2-yl)acetamide
Interactions	PUBCHEM	2-(2,3-dihydro-1,4-benzodioxin-6-ylsulfanyl)-N-methyl-N-phenylacetamide
Interactions	PUBCHEM	N-(4-imidazo[1,2-a]pyrimidin-2-ylphenyl)-2,2-dimethylpropanamide
Interactions	PUBCHEM	9-chloro-N-(2-methoxyethyl)-2,3-dihydro-1H-cyclopenta[b]quinoline-6-carboxamide
Interactions	PUBCHEM	1-[2-(dimethylamino)-7-methylfuro[3,2-f][1,3]benzothiazole-6-carbonyl]-N-(3-methoxypropyl)piperidine-4-carboxamide
Interactions	PUBCHEM	(9-methyl-4H-thieno[3,2-c]chromen-2-yl)-piperidin-1-ylmethanone
Interactions	PUBCHEM	4-(2-Phenoxyethoxy)quinazoline
Interactions	PUBCHEM	2-(1H-indazol-1-yl)-N-(4-isopropylphenyl)acetamide
Interactions	PUBCHEM	2-(2-Benzoyl-1H-pyrrol-1-YL)-N-[(4-methoxyphenyl)methyl]acetamide
Interactions	PUBCHEM	1-(2,3-dihydroindol-1-yl)-2-(1H-indol-3-yl)ethanone
Interactions	PUBCHEM	methyl N-[3-(6-piperidin-1-yl[1,2,4]triazolo[4,3-b]pyridazin-3-yl)propanoyl]valinate
Interactions	PUBCHEM	[2-[[4-(4-Methoxyphenyl)-1,3-thiazol-2-yl]amino]-2-oxoethyl] 3-ethyl-4-oxophthalazine-1-carboxylate
Interactions	PUBCHEM	2-(2-Bromophenyl)-5-[(2-chlorophenoxy)methyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	3-(dimethylamino)-N-(4-morpholin-4-ylphenyl)benzamide
Interactions	PUBCHEM	Ethyl 5-methoxyindole-2-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2,4-difluorophenyl)-1,3-benzothiazole-6-carboxamide
Interactions	PUBCHEM	3-{3,5-Dimethyl-1-[6-(piperidin-1-YL)pyridazin-3-YL]-1H-pyrazol-4-YL}-N-(4-ethoxyphenyl)propanamide
Interactions	PUBCHEM	N-(3,4-Difluorophenyl)-3-{3,5-dimethyl-1-[6-(piperidin-1-YL)pyridazin-3-YL]-1H-pyrazol-4-YL}propanamide
Interactions	PUBCHEM	3-{3,5-Dimethyl-1-[6-(piperidin-1-YL)pyridazin-3-YL]-1H-pyrazol-4-YL}-N-(4-methylphenyl)propanamide
Interactions	PUBCHEM	2-[4-keto-2-(4-methoxyphenyl)-7-methyl-pyrazolo[1,5-d][1,2,4]triazin-5-yl]-N-[3-(4-piperidinopiperidino)propyl]acetamide
Interactions	PUBCHEM	N-isopropyl-4,5-dihydro-1H-benzo[g]indazole-3-carboxamide
Interactions	PUBCHEM	N-(4-{[(2-Chlorophenyl)methyl]carbamoyl}phenyl)-5,6-dihydro-1,4-oxathiine-2-carboxamide
Interactions	PUBCHEM	N-[2-chloro-5-methoxy-4-(propylcarbamoyl)phenyl]-2,3-dihydro-1,4-oxathiine-6-carboxamide
Interactions	PUBCHEM	N-[2-(dimethylamino)-2-[4-(dimethylamino)phenyl]ethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	1-[1-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2,5-dimethylpyrrol-3-yl]-2-(1-methyltetrazol-5-yl)sulfanylethanone
Interactions	PUBCHEM	N-[4-(difluoromethylsulfanyl)phenyl]-4-methoxybenzamide
Interactions	PUBCHEM	3-cyclopentyl-1-phenyl-1H-pyrazol-5-amine
Interactions	PUBCHEM	3-amino-2-(2,3-dihydro-1,4-benzodioxin-6-yl)-4H-chromen-4-one
Interactions	PUBCHEM	1-(4-chlorophenyl)-4-(1H-pyrrol-2-yl)butane-1,4-dione
Interactions	PUBCHEM	[2-[1-(2-Methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 1,3-benzothiazole-6-carboxylate
Interactions	PUBCHEM	N-(5-ethylsulfanyl-1,3,4-thiadiazol-2-yl)-3H-benzimidazole-5-carboxamide
Interactions	PUBCHEM	4-(1,3-benzothiazol-2-ylsulfanyl)-N-(2-methylbutan-2-yl)butanamide
Interactions	PUBCHEM	4-[(4-Propanoylphenoxy)methyl]benzonitrile
Interactions	PUBCHEM	N,N,4-trimethyl-2-[2-(trifluoromethyl)anilino]-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	Ketone, indol-3-yl p-methoxyphenyl (6Cl,8Cl)
Interactions	PUBCHEM	N-(4-(2-methylthiazol-4-yl)phenyl)-2-phenylacetamide
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-1-phenyl-4-pyrazolamine
Interactions	PUBCHEM	3-methoxy-N-(2,3,4-trifluorophenyl)benzamide
Interactions	PUBCHEM	5-ethylsulfanyl-N-phenyl-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	N"-p-toluoyl-2,3-dihydro-1,4-benzodioxin-6-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	2-[[2-(6-Methyl-1-benzofuran-3-yl)acetyl]amino]thiophene-3-carboxamide
Interactions	PUBCHEM	[2-(4-methylanilino)-1,3-thiazol-4-yl]methyl 2-[2-methoxy-4-[(E)-prop-1-enyl]phenoxy]acetate
Interactions	PUBCHEM	4-(2-Phenoxyethoxy)thieno[2,3-d]pyrimidine
Interactions	PUBCHEM	5-bromo-N-(1,3-thiazol-2-yl)pyridine-3-carboxamide
Interactions	PUBCHEM	2-[[4-(3,5-Dimethylpyrazol-1-yl)benzoyl]amino]thiophene-3-carboxamide
Interactions	PUBCHEM	[2-[2,5-Dimethyl-1-(thiophen-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl] 1,3-benzodioxole-5-carboxylate
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)-2-pyrimidin-2-ylsulfanylacetamide
Interactions	PUBCHEM	(2E)-2-[(5E)-3-(2-fluorophenyl)-4-oxo-5-(pyridin-2-ylmethylidene)-1,3-thiazolidin-2-ylidene]-3-(2-methyl-1H-indol-3-yl)-3-oxopropanenitrile
Interactions	PUBCHEM	(3-fluoro-4-methoxyphenyl)methyl 1H-indazole-3-carboxylate
Interactions	PUBCHEM	[2-[4-[(4-Methoxyphenyl)carbamoyl]anilino]-2-oxoethyl] 2-(4-methoxyphenyl)acetate
Interactions	PUBCHEM	N-(1H-benzo[d]imidazol-2-yl)-1-methyl-6-oxo-1,6-dihydropyridazine-3-carboxamide
Interactions	PUBCHEM	[2-(4-Methylanilino)-1,3-thiazol-4-yl]methyl cyclopropanecarboxylate
Interactions	PUBCHEM	6-(4-methoxyphenyl)-3-(p-tolyl)-3,4-dihydro-1,3,5-triazine-2(1H)-thione
Interactions	PUBCHEM	N-[6-(diethylsulfamoyl)-1,3-benzothiazol-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	(E)-N-(5-ethyl-1,3,4-thiadiazol-2-yl)-3-(furan-2-yl)acrylamide
Interactions	PUBCHEM	(E)-N-benzyl-3-(thiophen-2-yl)acrylamide
Interactions	PUBCHEM	5-(phenylsulfanylmethyl)-N-(1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	5-benzyl-3-(4-methylphenyl)-1H-1,2,4-triazole
Interactions	PUBCHEM	(2Z)-2-(6-methoxy-3-methyl-1,3-benzothiazol-2-ylidene)-1-pyridin-4-ylethanone
Interactions	PUBCHEM	3-cyclohexyl-N-(1,3-dimethyl-2,6-dioxo-4-pyrimidinyl)propanamide
Interactions	PUBCHEM	4-acetyl-N-(4-methoxy-3,7-dimethyl-1,3-benzothiazol-2-ylidene)benzamide
Interactions	PUBCHEM	N-(4-butylphenyl)-7H-purin-6-amine
Interactions	PUBCHEM	butyl 4-(9H-purin-6-ylamino)benzoate

Main Category	Category	Terms
Interactions	PUBCHEM	N-benzyl-N-butyl-9H-purin-6-amine
Interactions	PUBCHEM	2-(7H-purin-6-yl)-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	3-(4-methoxyphenyl)-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	4-fluoro-N-(3-phenylpropyl)benzamide
Interactions	PUBCHEM	2-methyl-N-(3-phenylpropyl)furan-3-carboxamide
Interactions	PUBCHEM	3-(2-chlorophenyl)-N-(4,6-dimethyl-2-pyridinyl)acrylamide
Interactions	PUBCHEM	3-bromo-N-(3-phenylpropyl)benzamide
Interactions	PUBCHEM	N-(3-phenylpropyl)-4-(propan-2-yl)benzamide
Interactions	PUBCHEM	Cambridge id 7111576
Interactions	PUBCHEM	3-(2-methoxyphenyl)-5-[(1,2,5-trimethyl-1H-pyrrol-3-yl)methylene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	N-(2-cyclohexylsulfanylethyl)-4-methoxybenzamide
Interactions	PUBCHEM	Methyl (2,4-dioxo-5-{[5-(1-piperidinyl)-2-furyl]methylene}-1,3-thiazolidin-3-yl)acetate
Interactions	PUBCHEM	2-[3-(4-Methoxyphenoxy)propylsulfanyl]pyrimidine
Interactions	PUBCHEM	2-[2-(4-Chlorophenoxy)ethylthio]pyrimidine
Interactions	PUBCHEM	3-Methyl-5-[3-methyl-4-(1-pyrrolidinyl)benzylidene]-2-thioxo-4-imidazolidinone
Interactions	PUBCHEM	2-(Butylthio)-5-(p-tolyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	(2E)-1-(4-fluorophenyl)-3-[(2-hydroxy-5-methylphenyl)amino]prop-2-en-1-one
Interactions	PUBCHEM	2-methyl-3-phenyl-N-1,3-thiazol-2-ylacrylamide
Interactions	PUBCHEM	ethyl 4-[((1E)-3-oxo-3-phenylprop-1-enyl)amino]benzoate
Interactions	PUBCHEM	(2E)-N-(5-chloropyridin-2-yl)-2-methyl-3-phenylprop-2-enamide
Interactions	PUBCHEM	4-tert-butyl-N-(2-methylsulfanylethyl)benzamide
Interactions	PUBCHEM	3-phenyl-N-1,3-thiazol-2-yl-2-butenamide
Interactions	PUBCHEM	N-(3-nitrophenyl)-2-oxo-2-(1-piperidinyl)acetamide
Interactions	PUBCHEM	8-methoxy-3-phenyl-2H-chromen-2-one
Interactions	PUBCHEM	2-[5-(4-Methylbenzyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	2-{5-[(Phenylthio)methyl]-1,2,4-oxadiazol-3-yl}pyridine
Interactions	PUBCHEM	N'-(3-chloro-4-fluorophenyl)-N,N-diethylethanediamide
Interactions	PUBCHEM	N-[2-(azepan-1-yl)-2-oxoethyl]-4-fluoro-N-methylbenzenesulfonamide
Interactions	PUBCHEM	5-(benzylthio)-1-(2-furoyl)-3-phenyl-1H-1,2,4-triazole

Main Category	Category	Terms
Interactions	PUBCHEM	1-[3-(4-Phenylphenoxy)propyl]-1,2,4-triazole
Interactions	PUBCHEM	N-[5-(1-cyclohexen-1-ylmethyl)-1,3,4-thiadiazol-2-yl]-2-thiophenecarboxamide
Interactions	PUBCHEM	1-{2-[2-(4-biphenylyloxy)ethoxy]ethyl}-1H-1,2,4-triazole
Interactions	PUBCHEM	1-(Benzenesulfonyl)-3-(4-methoxyphenyl)-5-(methylthio)-1,2,4-triazole
Interactions	PUBCHEM	N-[5-(ethoxymethyl)-1,3,4-thiadiazol-2-yl]-4-methoxybenzamide
Interactions	PUBCHEM	N-[5-(3-methoxyphenyl)-1,3,4-thiadiazol-2-yl]-2-thiophenecarboxamide
Interactions	PUBCHEM	N-[4-[5-(3,4,5-trimethoxyphenyl)-1,2,4-oxadiazol-3-yl]phenyl]-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	2-(3,4-Dimethylphenoxy)-1-(5,6,7,8-tetrahydro-2-naphthalenyl)ethanone
Interactions	PUBCHEM	3-phenyl-N-[2-(phenylthio)ethyl]propanamide
Interactions	PUBCHEM	methyl 4-{[N-(4-methoxyphenyl)-N-(methylsulfonyl)glycyl]amino}benzoate
Interactions	PUBCHEM	(3Z)-3-(morpholin-4-ylmethylidene)-5-phenylfuran-2-one
Interactions	PUBCHEM	3-[5-(2-Fluorophenyl)-1,2,4-oxadiazol-3-yl]-2-methoxy-6-(3-methoxyphenyl)pyridine
Interactions	PUBCHEM	N-allyl-2-{[(6-bromo-2-naphthyl)oxy]acetyl} hydrazinecarbothioamide
Interactions	PUBCHEM	1-(4-Bromo-2-chlorophenyl)-3-(pyridin-2-ylmethyl)thiourea
Interactions	PUBCHEM	N-benzyl-1-(3-nitrobenzoyl)-3-phenyl-1H-1,2,4-triazol-5-amine
Interactions	PUBCHEM	N-(4-methoxyphenyl)-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	N-cyclohexyl-5-(3-hydroxy-3-methylbut-1-yn-1-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	1-({3-Methoxy-4-[(4-methylbenzyl)oxy]phenyl} carbonothioyl)pyrrolidine
Interactions	PUBCHEM	N-[2-(1-naphthalenyl)-1,3-benzoxazol-5-yl]-1H-1,2,4-triazole-5-carboxamide
Interactions	PUBCHEM	[5-[(4-Methoxyphenyl)methylamino]-3-phenyl-1,2,4-triazol-1-yl]-(4-nitrophenyl)methanone
Interactions	PUBCHEM	3-(allylthio)-5-(4-butoxyphenyl)-4H-1,2,4-triazole
Interactions	PUBCHEM	5-(4-propoxyphenyl)-4H-1,2,4-triazole-3-thiol
Interactions	PUBCHEM	2-Butoxy-7-hydroxy-9-fluorenone
Interactions	PUBCHEM	N-1,3-benzodioxol-5-yl-N'-(4-methylcyclohexyl)ethanediamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-Benzyl-5-(benzylsulfanyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	5-{4-[(2-fluorobenzyl)oxy]phenyl}-2-isopropyl-2H-tetrazole
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-[(4-methyl-1,3-thiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	N-[2-(1-cyclohexenyl)ethyl]-5-methyl-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-propoxybenzamide
Interactions	PUBCHEM	3-chloro-N-(furan-2-ylmethyl)-6-methoxy-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	2-(2-bromophenoxy)-N-(2-pyridinylmethyl)acetamide
Interactions	PUBCHEM	2-(3-Fluorophenyl)-3-[4-(1-piperidinyl)phenyl]acrylonitrile
Interactions	PUBCHEM	5-[(5,6,7,8-Tetrahydronaphthalen-2-yloxy)methyl]-3-(thiophen-2-yl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(4-acetylphenyl)-2-[(6-amino-4-oxo-1-phenyl-1,4-dihydro-2-pyrimidinyl)thio]acetamide
Interactions	PUBCHEM	2-Methyl-n-phenyl-1h-imidazole-5-carboxamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-(2-methylbenzyl)urea
Interactions	PUBCHEM	N-(4-bromobenzyl)-6-quinolinamine
Interactions	PUBCHEM	3-(2-Oxo-2-phenylethyl)quinoxalin-2(1h)-one
Interactions	PUBCHEM	Methyl 3-[(3-chloro-4-methoxybenzoyl)amino]benzoate
Interactions	PUBCHEM	5-(4-methylphenyl)-N-(pyridin-2-ylmethyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-amino-2-[(4-methyl-1,3-thiazol-2-yl)amino]-N-phenyl-1,3-oxazole-5-carboxamide
Interactions	PUBCHEM	3-(2,4-dimethoxyphenyl)-4-oxo-N-(2-oxo-2-piperidin-1-ylethyl)phthalazine-1-carboxamide
Interactions	PUBCHEM	3-(3-Chloro-4-methoxyphenyl)-N-(2-{1,4-dioxa-8-azaspiro[4.5]decan-8-YL}-2-oxoethyl)-4-oxo-3,4-dihydrophthalazine-1-carboxamide
Interactions	PUBCHEM	3-(3,4-Dimethoxyphenyl)-N-{2-[4-(2-fluorophenyl)piperazin-1-YL]-2-oxoethyl}-4-oxo-3,4-dihydrophthalazine-1-carboxamide
Interactions	PUBCHEM	3-(3,4-Dimethoxyphenyl)-N-(2-{1,4-dioxa-8-azaspiro[4.5]decan-8-YL}-2-oxoethyl)-4-oxo-3,4-dihydrophthalazine-1-carboxamide
Interactions	PUBCHEM	2,3-Dimethyl-6-quinoxalinecarboxylic acid (2-bromophenyl)methyl ester
Interactions	PUBCHEM	Methyl {4-[(5-bromo-2-furoyl)amino]phenyl}acetate
Interactions	PUBCHEM	1-(2,3-dihydro-1H-indol-1-yl)-2-[(4,6-dimethylpyrimidin-2-yl)sulfanyl]ethanone

Main Category	Category	Terms
Interactions	PUBCHEM	1-Piperidinecarboxylic acid (4-phenylphenyl) ester
Interactions	PUBCHEM	3-chloro-N-{[(2-hydroxyethyl)amino]carbonothioyl}-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	2-[4-(Isopropylthio)butoxy]naphthalene
Interactions	PUBCHEM	4-chloro-N-(4-oxo-4H-pyrido[1,2-a]pyrimidin-3-yl)benzamide
Interactions	PUBCHEM	N-(9-Oxofluoren-2-yl)benzamide
Interactions	PUBCHEM	4-fluoro-N-(5-phenyl-1,2,4-thiadiazol-3-yl)benzamide
Interactions	PUBCHEM	2-(Benzo[1,3]dioxol-5-ylaminomethylene)-6-methoxy-3,4-dihydro-2H-naphthalen-1-one
Interactions	PUBCHEM	4-methoxy-N-(4-oxo-4H-pyrido[1,2-a]pyrimidin-3-yl)benzamide
Interactions	PUBCHEM	N
Interactions	PUBCHEM	1-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-([1,2,4]triazolo[4,3-a]pyridin-3-ylthio)ethanone
Interactions	PUBCHEM	4-(2-Chlorophenyl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	5-(5-methyl-1H-indazol-1-yl)-5-oxo-N-(1-phenylethyl)pentanamide
Interactions	PUBCHEM	N-(3-ethylphenyl)-4-methyl-2-oxo-6-thia-1,8-diazatricyclo[7.3.0.03,7]dodeca-3(7),4,8-triene-5-carboxamide
Interactions	PUBCHEM	N-{[(3-methoxypropyl)amino]carbonothioyl}-4-methylbenzamide
Interactions	PUBCHEM	4-chloro-N-[(2-methylpropylamino)-sulfanylidenemethyl]benzamide
Interactions	PUBCHEM	N-(6-Methanesulfonyl-benzothiazol-2-yl)-3-nitro-benzamide
Interactions	PUBCHEM	(E)-1-(4-methoxyphenyl)-3-[(5-methyl-1,2-oxazol-3-yl)amino]prop-2-en-1-one
Interactions	PUBCHEM	N-Cyclohexyl-2-{[2-(4-methoxyphenyl)imidazo[1,2-B]pyridazin-6-YL]sulfanyl}acetamide
Interactions	PUBCHEM	5-bromo-N-[(cycloheptylamino)carbonothioyl]nicotinamide
Interactions	PUBCHEM	N-(3-phenylpropyl)benzamide
Interactions	PUBCHEM	ethyl {5-[(1,3-dimethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)methylene]-2,4-dioxo-1,3-thiazolidin-3-yl}acetate
Interactions	PUBCHEM	N-cyclohexyl-N'-(4-methylphenyl)ethanediamide
Interactions	PUBCHEM	4-[5-(Phenoxymethyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	N-[4-(benzyloxy)phenyl]-3-(phenylthio)propanamide
Interactions	PUBCHEM	Cambridge id 6426789
Interactions	PUBCHEM	2-chloro-4-nitro-N-(3-phenylpropyl)benzamide

Main Category	Category	Terms
Interactions	PUBCHEM	8-[3-(2-Bromophenoxy)propoxy]quinoline
Interactions	PUBCHEM	1-[3-(2-Chlorophenoxy)propoxy]-2-methoxy-4-methylbenzene
Interactions	PUBCHEM	N-[2-(tert-butylthio)ethyl]-4-methyl-3-nitrobenzamide
Interactions	PUBCHEM	3-Methoxy-4-[3-(2-nitrophenoxy)propoxy]benzaldehyde
Interactions	PUBCHEM	2-chloro-N-[2-(phenylsulfanyl)ethyl]benzamide
Interactions	PUBCHEM	4-[(4-Methylphenyl)hydrazinylidene]pyrazole-3,5-diamine
Interactions	PUBCHEM	5-Imino-4-((4-methoxyphenyl)diazenyl)-2-methyl-2,5-dihydro-1H-pyrazol-3-amine
Interactions	PUBCHEM	2-(4-Fluorophenyl)-2-oxoethyl diethyldithiocarbamate
Interactions	PUBCHEM	N-[2-(tert-butylthio)ethyl]-2-[(4-methylphenyl)thio]acetamide
Interactions	PUBCHEM	N-[2-(phenylthio)ethyl]nicotinamide
Interactions	PUBCHEM	2-(4-Bromophenyl)-2-oxoethyl diethyldithiocarbamate
Interactions	PUBCHEM	2-(2-Phenoxyethylsulfanyl)pyrimidine-4,6-diamine
Interactions	PUBCHEM	3-(4-(5-(3-Chlorophenyl)furan-2-carbonothioyl)piperazin-1-yl)propanenitrile
Interactions	PUBCHEM	N-(4-methylphenyl)thiophene-2-carboxamide
Interactions	PUBCHEM	2-fluoro-N-(3-methoxyphenyl)benzamide
Interactions	PUBCHEM	2-Methyl-3-[4-[4-(3-methyloxiran-2-yl)phenyl]phenyl]oxirane
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-N'-isobutylethanediamide
Interactions	PUBCHEM	2-{[2-(4-Methoxyphenoxy)ethyl]thio}-4,6-pyrimidinediamine
Interactions	PUBCHEM	N-[(phenacylamino)-sulfanylidenemethyl]cyclohexanecarboxamide
Interactions	PUBCHEM	4-(dimethylsulfamoyl)-N-[2-(4-fluorophenoxy)ethyl]benzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-propoxybenzamide
Interactions	PUBCHEM	N-(4-methylbenzyl)-N'-phenylurea
Interactions	PUBCHEM	N-(2-bromo-4-methylphenyl)pyridine-2-carboxamide
Interactions	PUBCHEM	4-Methyl-3-(2-phenylhydrazinyl)-1,5-benzodiazepin-2-one
Interactions	PUBCHEM	2-phenoxy-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)acetamide
Interactions	PUBCHEM	4-morpholin-4-ylsulfonyl-N-(11H-pyrido[1,2-b][2,4]benzodiazepin-6-ylidene)benzamide
Interactions	PUBCHEM	2-bromo-N-(4-ethylphenyl)benzamide
Interactions	PUBCHEM	N-(4-bromophenyl)-3,4-dihydroquinolin-2-amine

Main Category	Category	Terms
Interactions	PUBCHEM	2-(4,6-Dimethyl-2-pyrimidinyl)-4-[(4-fluorophenyl)thio]-5-methyl-3-pyrazolamine
Interactions	PUBCHEM	(E)-3-[5-(4-fluorophenyl)furan-2-yl]-1-pyrrolidin-1-ylprop-2-en-1-one
Interactions	PUBCHEM	3-methyl-N,1-diphenyl-4-pyrazolecarbothioamide
Interactions	PUBCHEM	1-[(1-Ethyl-2-methylbenzimidazole-5-carbonyl)amino]-3-(4-fluorophenyl)thiourea
Interactions	PUBCHEM	1-(2-Chlorophenyl)-3-[[(1-ethyl-2-methyl-5-benzimidazolyl)-oxomethyl]amino]thiourea
Interactions	PUBCHEM	N-(4-acetylphenyl)-1-thiophen-2-ylsulfonylpiperidine-4-carboxamide
Interactions	PUBCHEM	4,4,6-trimethyl-N-(4-methylphenyl)-1,3-thiazin-2-amine
Interactions	PUBCHEM	(2-Morpholin-4-yl-2-oxoethyl) 2-benzylbenzoate
Interactions	PUBCHEM	N-cyclooctyl-4-methyl-3-morpholin-4-ylsulfonylbenzamide
Interactions	PUBCHEM	ethyl 4-[3-(3-nitrobenzoyl)imino-1H-isoindol-2-yl]benzoate
Interactions	PUBCHEM	N-(4-tert-butylphenyl)-2-[2-(trifluoromethyl)-1,3-dioxolan-2-yl]acetamide
Interactions	PUBCHEM	Urea, N-[(2,5-dimethylphenyl)methyl]-N'-phenyl-
Interactions	PUBCHEM	[2-Oxo-2-(4-phenylmethoxyanilino)ethyl] 5-methylpyrazine-2-carboxylate
Interactions	PUBCHEM	[5-(4-Chlorophenyl)-1,3,4-oxadiazol-2-yl]-cyclopentylmethanone
Interactions	PUBCHEM	2,4-difluoro-N-[2-(1H-indol-3-yl)ethyl]benzamide
Interactions	PUBCHEM	1-(3,4-dihydro-1H-isoquinolin-2-yl)-2-(3-fluoroanilino)ethanone
Interactions	PUBCHEM	T0511-3166
Interactions	PUBCHEM	2-[(5-amino-1H-1,2,4-triazol-3-yl)sulfanyl]-N-(4-phenylmethoxyphenyl)acetamide
Interactions	PUBCHEM	N-[(3-fluoro-4-methylphenyl)carbamothioyl]thiophene-2-carboxamide
Interactions	PUBCHEM	N,N-dimethyl-9-phenylpurin-6-amine
Interactions	PUBCHEM	4-[(1-methyltetrazol-5-yl)sulfanylmethyl]-N-phenyl-1,3-thiazol-2-amine
Interactions	PUBCHEM	ethyl 4-[3-(thiophene-2-carbonylimino)-1H-isoindol-2-yl]benzoate
Interactions	PUBCHEM	[2-(4-Methylpiperidin-1-yl)-2-oxoethyl] 1,3-benzodioxole-5-carboxylate
Interactions	PUBCHEM	2-[(6-ethoxy-1H-benzimidazol-2-yl)sulfanyl]-N,N-dimethylacetamide

Main Category	Category	Terms
Interactions	PUBCHEM	9H-Purine, 6-[(p-fluorobenzyl)thio]-9-(tetrahydropyran-2-yl)-
Interactions	PUBCHEM	4-methyl-N-(2-phenylethyl)piperidine-1-carbothioamide
Interactions	PUBCHEM	(4-Methoxycarbonylphenyl)methyl 2-methoxy-4-methylsulfanylbenzoate
Interactions	PUBCHEM	Methyl 4-[(4-oxo-4-thiophen-2-ylbutanoyl)oxymethyl]benzoate
Interactions	PUBCHEM	2-Methoxyphenazine
Interactions	PUBCHEM	GlyTouCan:G44059IP
Interactions	PUBCHEM	1-(1-Benzofuran-2-yl)-2-(4-methylpyrimidin-2-yl)sulfanylethanone
Interactions	PUBCHEM	[2-(3,4-dihydro-1H-isoquinolin-2-yl)-2-oxoethyl] 2-chloro-6-fluorobenzoate
Interactions	PUBCHEM	[2-(2-Methoxyphenyl)-2-oxoethyl] 4-(dimethylamino)benzoate
Interactions	PUBCHEM	Benzothiazol-2-yl-o-tolyl-amine
Interactions	PUBCHEM	5-{[4-(Propan-2-yl)phenyl]amino}-1,3,4-thiadiazole-2-thiol
Interactions	PUBCHEM	N-(5-methyl-1H-pyrazol-3-yl)-3-phenoxybenzamide
Interactions	PUBCHEM	2-(4-Methylpyrimidin-2-yl)sulfanyl-1-thiophen-2-ylethanone
Interactions	PUBCHEM	(2E)-2-cyano-N-1,3-thiazol-2-yl-3-(2-thienyl)acrylamide
Interactions	PUBCHEM	Ethyl 3-amino-5-(4-bromophenyl)thiophene-2-carboxylate
Interactions	PUBCHEM	3-chloro-N-(cyclopropylmethyl)-5H-indazolo[2,3-a][3,1]benzoxazine-9-carboxamide
Interactions	PUBCHEM	2-(1H-benzimidazol-2-ylthio)-N-(2,3-dihydro-1,4-benzodioxin-6-yl)acetamide
Interactions	PUBCHEM	Benzamide, N-[(4-methylphenyl)methoxy]-
Interactions	PUBCHEM	potassium trifluoro-[4-[(E)-3-[methoxy(methyl)amino]-3-oxoprop-1-enyl]phenyl]boranuide
Interactions	PUBCHEM	N-(4-propan-2-ylphenyl)-2-pyridin-2-yloxyacetamide
Interactions	PUBCHEM	N-(6-ethoxy-1,3-benzothiazol-2-yl)-4-oxo-4-thiophen-2-ylbutanamide
Interactions	PUBCHEM	N-(5-acetyl-4-phenyl-1,3-thiazol-2-yl)-2-fluorobenzamide
Interactions	PUBCHEM	3-[[(E)-3-[4-[(4-bromophenyl)methoxy]phenyl]-2-cyanoprop-2-enoyl]amino]benzoic acid
Interactions	PUBCHEM	2-(2-phenyl-2H-tetrazol-5-yl)thiazole
Interactions	PUBCHEM	5-[2-(4-chlorophenyl)-4-methyl-1,3-thiazol-5-yl]-5-methyl-3-phenyl-4H-1,2-oxazole
Interactions	PUBCHEM	2-chloro-N-{2-[(methylthio)acetyl]-1,2,3,4-tetrahydroisoquinolin-7-yl}benzamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-(3,4-dimethoxybenzyl)-N-[3-(methylthio)propyl]-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	2-(4-methoxybenzyl)-N-(2-methylprop-2-en-1-yl)-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	N-methyl-3-[5-(3-methylbenzyl)-1,3,4-oxadiazol-2-yl]-N-(2-phenylethyl)propanamide
Interactions	PUBCHEM	methyl N-{[2-(2-phenylethyl)-1,3-benzoxazol-5-yl]carbonyl}-D-alaninate
Interactions	PUBCHEM	2-(2-fluorobenzyl)-N-[2-(methylthio)ethyl]-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	2-(4-methoxybenzyl)-N-(2-methoxy-2-methylpropyl)-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	2-(5-{4-[(2-chlorobenzyl)oxy]phenyl}-2H-tetrazol-2-yl)-N'-(methylsulfonyl)acetohydrazide
Interactions	PUBCHEM	Oxalic acid;1-[(4-phenylmethoxyphenyl)methyl]piperidine-4-carboxamide
Interactions	PUBCHEM	oxalic acid;N-[(4-propan-2-ylphenyl)methyl]pyrimidin-2-amine
Interactions	PUBCHEM	1-[(3-Methoxy-4-phenylmethoxyphenyl)methyl]piperidine;oxalic acid
Interactions	PUBCHEM	1-[(3-Methoxy-4-phenylmethoxyphenyl)methyl]piperidine-4-carboxamide;oxalic acid
Interactions	PUBCHEM	4-methoxy-N-(2-pyridin-2-ylethyl)aniline;hydrochloride
Interactions	PUBCHEM	[2-(3,4-dihydro-1H-isoquinolin-2-yl)-2-oxoethyl] 3-methylthiophene-2-carboxylate
Interactions	PUBCHEM	2-(2-Furylmethylthio)-1-indolinylethan-1-one
Interactions	PUBCHEM	N-(2,5-dimethylphenyl)-3,4-dihydroisoquinoline-2(1H)-carboxamide
Interactions	PUBCHEM	(3Z,5E)-1-ethyl-3,5-bis[(3-hydroxy-4-methoxyphenyl)methylidene]piperidin-4-one
Interactions	PUBCHEM	5-((2-(4-Bromophenoxy)ethyl)thio)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	5-bromo-N-(4-tert-butyl-1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-6-oxo-1H-pyridazine-3-carboxamide
Interactions	PUBCHEM	2-(Pyridin-2-yl)-1H-indene-1,3(2H)-dione
Interactions	PUBCHEM	2-(3,4-dihydro-1H-isoquinolin-2-yl)-N-[4-(dimethylamino)phenyl]acetamide
Interactions	PUBCHEM	6-(benzylthio)-9-butyl-9H-purin-2-amine
Interactions	PUBCHEM	Methyl 4-[[2-[(4-methoxybenzoyl)amino]acetyl]oxymethyl]benzoate
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-3-oxo-3-phenylpropanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-fluorophenyl)-5-methylpyrazine-2-carboxamide
Interactions	PUBCHEM	N-(5-benzyl-6,7-dihydro-4H-[1,3]thiazolo[5,4-c]pyridin-2-yl)-2,2-dimethylpropanamide
Interactions	PUBCHEM	[2-[[4-(4-Methylphenyl)-1,3-thiazol-2-yl]amino]-2-oxoethyl] 3-morpholin-4-ylsulfonylbenzoate
Interactions	PUBCHEM	5-nitro-N-(1-phenylethylideneamino)pyridin-2-amine
Interactions	PUBCHEM	4-methoxy-N-[1-methyl-2-oxo-6-(trifluoromethyl)-3-pyridinyl]benzamide
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-3,4-dihydroisoquinoline-2(1H)-carboxamide
Interactions	PUBCHEM	1-(4-acetylphenyl)-3-(1H-indazol-6-yl)thiourea
Interactions	PUBCHEM	Ethyl 3-amino-5-(4-fluorophenyl)thiophene-2-carboxylate
Interactions	PUBCHEM	N,N-diethyl-4-[[5-(2-fluoroanilino)-1,3,4-thiadiazol-2-yl]sulfanyl]butanamide
Interactions	PUBCHEM	2-chloro-N-[2-(4-cyanophenyl)-2,3-dihydro-1H-isoindol-1-ylidene]pyridine-3-carboxamide
Interactions	PUBCHEM	2-[[2-Oxo-2-[3-(trifluoromethyl)phenyl]ethyl]thio]-3-pyridinecarboxylic acid
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-4-(trifluoromethyl)benzamide
Interactions	PUBCHEM	2-(chloromethyl)-N-(2,4-dimethylphenyl)-5-methyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-6-carboxamide
Interactions	PUBCHEM	N-(2-Phenylethyl)-2-benzothiazolamine
Interactions	PUBCHEM	Stk040058
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-[2-(2-pyridinyl)ethylamino]-4-oxazolecarbonitrile
Interactions	PUBCHEM	methyl (2R)-2-(1,3-benzodioxole-5-carbonylamino)-3-(1H-indol-3-yl)propanoate
Interactions	PUBCHEM	6-(Phenethylthio)-9-propyl-9H-purin-2-amine
Interactions	PUBCHEM	N-(4,6-difluorobenzo[d]thiazol-2-yl)-3-phenylpropanamide
Interactions	PUBCHEM	[2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-oxoethyl] 2-hydroxy-3-methylbenzoate
Interactions	PUBCHEM	6-((2-Fluorobenzyl)thio)-9-isobutyl-9H-purin-2-amine
Interactions	PUBCHEM	1-(6-methyl-2-pyridinyl)-N-(2-phenylethoxy)methanimine
Interactions	PUBCHEM	[2-Oxo-2-[(4-phenyl-1,3-thiazol-2-yl)amino]ethyl] 2-benzamidoacetate
Interactions	PUBCHEM	1-(4-Acetylphenyl)-3-(2-pyridin-2-ylethyl)thiourea
Interactions	PUBCHEM	2-(Pyridin-2-ylsulfanylmethyl)-1,3-benzothiazole
Interactions	PUBCHEM	6-[(2-Fluorophenyl)methylsulfanyl]-9-propylpurin-2-amine

Main Category	Category	Terms
Interactions	PUBCHEM	3-(cyclopropanecarbonylamino)-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	Ethyl 2-[[2-[(4-amino-5-cyclopropyl-1,2,4-triazol-3-yl)sulfanyl]acetyl]-benzylamino]-4-methyl-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	4-cyclohexyl-N-(2-hydroxy-4-methylphenyl)butanamide
Interactions	PUBCHEM	[2-(5-Bromothiophen-2-yl)-2-oxoethyl] 1-methylpyrrole-2-carboxylate
Interactions	PUBCHEM	6-[(2-Fluorophenyl)methylsulfanyl]-9-(oxolan-2-yl)purine
Interactions	PUBCHEM	[2-(Cyclohexylamino)-2-oxoethyl] 2-chloro-6-fluorobenzoate
Interactions	PUBCHEM	N-(4-Fluorophenyl)benzamide
Interactions	PUBCHEM	6-[(3-Chlorophenyl)methylsulfanyl]-9-(oxan-2-yl)purine
Interactions	PUBCHEM	2-fluoro-N-[2-oxo-2-(4-pyrimidin-2-ylpiperazin-1-yl)ethyl]benzamide
Interactions	PUBCHEM	[2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-oxoethyl] 4-hydroxybenzoate
Interactions	PUBCHEM	[2-[[4-(4-Methoxyphenyl)-1,3-thiazol-2-yl]amino]-2-oxoethyl] 2,3-dihydro-1,4-dioxine-5-carboxylate
Interactions	PUBCHEM	6-Benzylsulfanyl-9-(oxolan-2-yl)purin-2-amine
Interactions	PUBCHEM	[2-(Azepan-1-yl)-2-oxoethyl] 2,3-dimethylbenzoate
Interactions	PUBCHEM	[2-(Furan-2-yl)-2-oxoethyl] 4-(diethylamino)benzoate
Interactions	PUBCHEM	4-[[(E)-2-cyano-3-(4-phenylmethoxyphenyl)prop-2-enoyl]amino]benzoic acid
Interactions	PUBCHEM	N-[2-(4-benzylpiperazin-1-yl)-2-oxoethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	2-(1H-benzimidazol-2-ylsulfanyl)-1-(2-fluorophenyl)ethanone
Interactions	PUBCHEM	4-(4-Methylphenyl)-1,3-thiazol-2(3H)-imine
Interactions	PUBCHEM	1-(2-Hydroxy-5-methoxyphenyl)-3-pyridin-4-ylpropane-1,3-dione
Interactions	PUBCHEM	[2-(2,3-Dihydroindol-1-yl)-2-oxoethyl] 1-methylpyrrole-2-carboxylate
Interactions	PUBCHEM	N-(3-chloro-4-methoxyphenyl)-4-(2-oxo-1,3-benzoxazol-3-yl)butanamide
Interactions	PUBCHEM	3-(Naphthalen-1-yloxymethyl)-1,2,3-benzotriazin-4-one
Interactions	PUBCHEM	N-cyclohexyl-4-phenyl-1,3-thiazol-2-amine
Interactions	PUBCHEM	[2-[(6-Methyl-1,3-benzothiazol-2-yl)amino]-2-oxoethyl] pyridine-4-carboxylate
Interactions	PUBCHEM	(7-Methoxy-2-oxo-2H-chromen-4-yl)methyl 2H-indazole-3-

Main Category	Category	Terms
		carboxylate
Interactions	PUBCHEM	2-Phenylethyl 4-acetamidobenzoate
Interactions	PUBCHEM	N-(4-acetylphenyl)-3-(4-methylpiperazin-1-yl)sulfonylbenzamide
Interactions	PUBCHEM	N-(2,5-dimethylphenyl)-9-oxo-2,3-dihydro-1H-pyrrolo[2,1-b]quinazoline-6-carboxamide
Interactions	PUBCHEM	[4-Amino-6-(2-methylanilino)-1,3,5-triazin-2-yl]methyl furan-2-carboxylate
Interactions	PUBCHEM	1-(4-Butoxybenzenecarbothioyl)piperidine-4-carboxamide
Interactions	PUBCHEM	N-[2-(2,3-dihydro-1H-inden-5-ylamino)-2-oxoethyl]-2-fluorobenzamide
Interactions	PUBCHEM	3-(2-Fluorophenoxy)-1-[4-(2-hydroxyphenyl)piperazin-1-yl]propan-1-one
Interactions	PUBCHEM	6-[2-(3-methoxyphenyl)-1,3-thiazol-4-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	2-[4-(4-Methoxyphenyl)piperazin-1-yl]-1,3-thiazole
Interactions	PUBCHEM	1-(2,3-Dihydroindol-1-yl)-2-([1,2,4]triazolo[4,3-a]pyridin-3-ylsulfanyl)ethanone
Interactions	PUBCHEM	N-[(3-chlorophenyl)methyl]-2-pyrimidin-2-ylsulfanylacetamide
Interactions	PUBCHEM	(2E)-2-[(5Z)-3-(4-chlorophenyl)-4-oxo-5-(pyridin-2-ylmethylidene)-1,3-thiazolidin-2-ylidene]-3-(2-methyl-1H-indol-3-yl)-3-oxopropanenitrile
Interactions	PUBCHEM	N-(6-methoxy-3-pyridinyl)-3-methyl-2-thiophenecarboxamide
Interactions	PUBCHEM	N-[(2S)-1-(cycloheptylamino)-1-oxo-3-phenylpropan-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	N-(oxolan-2-ylmethyl)-4-(phenoxymethyl)benzamide
Interactions	PUBCHEM	5-ethylsulfanyl-N-(4-methylphenyl)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	ethyl 6-[[3-(dimethylamino)benzoyl]oxymethyl]-4-methyl-2-oxo-3,4-dihydro-1H-pyrimidine-5-carboxylate
Interactions	PUBCHEM	4-(dimethylamino)-N-(3-methyl-1,3-thiazol-2-ylidene)-3-nitrobenzamide
Interactions	PUBCHEM	4-chloro-N-[3-[(4-methylpyridin-2-yl)amino]-3-oxopropyl]benzamide
Interactions	PUBCHEM	[4-(2-Hydroxyphenyl)piperazin-1-yl]-[2-(5-methylfuran-2-yl)quinolin-4-yl]methanone
Interactions	PUBCHEM	[2-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-oxoethyl] 4-chloro-3-sulfamoylbenzoate
Interactions	PUBCHEM	[2-[2,5-Dimethyl-1-(oxolan-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl] 4-chloro-3-sulfamoylbenzoate

Main Category	Category	Terms
Interactions	PUBCHEM	[2-(Azepan-1-yl)-2-oxoethyl] 2-hydroxy-4-methylbenzoate
Interactions	PUBCHEM	3'-(4-Methoxyphenyl)-1'h-spiro[cyclopentane-1,2'-quinazolin]-4'(3'h)-one
Interactions	PUBCHEM	5-[[2-(4-Ethoxyphenyl)-1,3-thiazol-4-yl]methylsulfanyl]-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	4-((E)-2-Biphenyl-4-yl-vinyl)-1-methyl-1,2,3,6-tetrahydro-pyridine
Interactions	PUBCHEM	2-(3-Morpholinopropylamino)thioxanthen-9-one
Interactions	PUBCHEM	2-(3-chlorophenyl)-5-[3-(4-fluorophenyl)-5-methyl-4H-1,2-oxazol-5-yl]-1,3,4-oxadiazole
Interactions	PUBCHEM	3-Fluoro-N-{11-oxo-6H,7H,8H,9H,11H-pyrido[2,1-B]quinazolin-2-YL}benzamide
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-1-propylpyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	3-[2-(4-Aminophenyl)ethynyl]xanthen-9-one
Interactions	PUBCHEM	methyl 4-[(Z)-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-2-ylidene)methyl]benzoate
Interactions	PUBCHEM	1-Benzyl-4-(2-phenylsulfanylethyl)-1,4-diazepan-5-one
Interactions	PUBCHEM	[2-[1-(Furan-2-ylmethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 2-amino-5-chlorobenzoate
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-(2-nitrophenoxy)acetamide
Interactions	PUBCHEM	3-[2-(4-Ethoxyphenoxy)ethyl]-1,2,3-benzotriazin-4-one
Interactions	PUBCHEM	4-(4-Methoxyphenyl)-1-[(4-methylphenyl)methyl]triazole
Interactions	PUBCHEM	5-Tert-butyl-1-(2-phenoxyethyl)azepan-2-one
Interactions	PUBCHEM	5-[(4-acetyl-2-methoxyphenoxy)methyl]-N-methyl-N-[2-(oxan-2-yl)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-[(4-chloro-3,5-dimethylphenoxy)methyl]-N-methyl-N-[2-(1-methylpyrazol-4-yl)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-[(3,4-dimethylphenoxy)methyl]-N-(2-hydroxyethyl)-N-(2-thienylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-[1-methyl-2-(2-pyrazinyl)ethyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	[3-(2,3-Dihydro-1,4-benzodioxin-6-ylamino)piperidin-1-yl]-(furan-2-yl)methanone
Interactions	PUBCHEM	2-(2-fluorobenzyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	5-[(2,5-dimethylphenoxy)methyl]-N-ethyl-N-(2-pyrazol-1-ylethyl)isoxazole-3-carboxamide
Interactions	PUBCHEM	2-(3-chlorobenzyl)-N-(tetrahydro-2H-pyran-4-ylmethyl)-1,3-benzoxazole-6-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-[(2-fluorophenyl)methyl]-N-methyl-N-(1-pyridin-2-ylethyl)-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	5-[(2,6-difluorophenoxy)methyl]-N-(3-phenylpropyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	(2-Methyl-4-phenylpiperazin-1-yl)-[5-[(2-methylsulfanylphenoxy)methyl]-1,2-oxazol-3-yl]methanone
Interactions	PUBCHEM	5-[(3-methoxyphenoxy)methyl]-N-(2-pyridinylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N,3,5-trimethyl-N-(1,2-oxazol-3-ylmethyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	2-[(2-fluorophenyl)methyl]-N-methyl-N-[(1-methylimidazol-2-yl)methyl]-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	7-chloro-N,3,5-trimethyl-N-(3-oxolanyl)-2-benzofurancarboxamide
Interactions	PUBCHEM	(1R*,3s,6r,8S*)-4-({5-[(2-methoxyphenoxy)methyl]-3-isoxazolyl}carbonyl)-4-azatricyclo[4.3.1.1
Interactions	PUBCHEM	5-{[2-(methylthio)phenoxy]methyl}-N-[(3S)-2-oxo-3-azepanyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	4-({5-[(2,5-Dimethylphenoxy)methyl]-3-isoxazolyl} carbonyl)morpholine
Interactions	PUBCHEM	5-[(4-chloro-3,5-dimethylphenoxy)methyl]-N-ethyl-N-(tetrahydro-2-furanylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-ethyl-5-[(2-methylsulfanylphenoxy)methyl]-N-(2-pyrazol-1-ylethyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2-(2-fluorobenzyl)-N-[(6-methyl-2-pyridinyl)methyl]-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	6-[(2-Ethyl-1-piperidinyl)carbonyl]-2-(4-methoxybenzyl)-1,3-benzoxazole
Interactions	PUBCHEM	N-cyclopropyl-5-[(2-methoxy-4-methylphenoxy)methyl]-N-[(1,3,5-trimethyl-1H-pyrazol-4-yl)methyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-methyl-N-[(3-methyl-5-isoxazolyl)methyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(2-methoxy-4-methylphenoxy)methyl]-N-(4-pyridinylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(4-chloro-2-methoxyphenoxy)methyl]-N-methyl-N-(tetrahydro-3-furanyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	1-{[2-(3-Methoxyphenyl)-1,3-benzoxazol-6-yl]carbonyl}-3-piperidinol
Interactions	PUBCHEM	N-(2-chloro-4-methylphenyl)-2,1,3-benzothiadiazole-5-carboxamide
Interactions	PUBCHEM	[5-[(5-Chloro-3-pyridinyl)oxymethyl]-1,2-oxazol-3-yl]-(3-propoxypiperidin-1-yl)methanone

Main Category	Category	Terms
Interactions	PUBCHEM	5-[(3-acetylphenoxy)methyl]-N-[2-(cyclohexen-1-yl)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-5-[(2-methylsulfanylphenoxy)methyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-({5-[(2-Chloro-4-methoxyphenoxy)methyl]-3-isoxazolyl}carbonyl)thiomorpholine
Interactions	PUBCHEM	5-[(2-chloro-4-fluorophenoxy)methyl]-N-methyl-N-(2-phenylethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-methyl-N-[(5-methylfuran-2-yl)methyl]-5-[(2-methylsulfanylphenoxy)methyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-[(6-methyl-2-pyridinyl)methyl]-5-[(2-methylsulfanylphenoxy)methyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-(methoxymethyl)-N-[[1-[2-(4-methoxyphenyl)ethyl]piperidin-3-yl]methyl]-N-methylfuran-2-carboxamide
Interactions	PUBCHEM	(3-Cyclohexylpyrrolidin-1-yl)-[5-[(2,6-dimethylphenoxy)methyl]-1,2-oxazol-3-yl]methanone
Interactions	PUBCHEM	3-[5-(5-Acetylthiophen-2-yl)-1,3,4-oxadiazol-2-yl]-1-(3-propanoylpiperidin-1-yl)propan-1-one
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-[(5-ethyl-2-pyridinyl)methyl]-N-methyl-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(3,4-difluorophenoxy)methyl]-N-[(1,5-dimethyl-1H-pyrazol-3-yl)methyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	3,6,7-trimethyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-[1-(3-isoxazolyl)ethyl]-N,3,6,7-tetramethyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	2-[2-(1-Methylpyrrolidin-2-yl)ethylamino]xanthone
Interactions	PUBCHEM	3-(3-Morpholin-4-ylpropylamino)xanthen-9-one
Interactions	PUBCHEM	3-[2-(1-Methylpyrrolidin-2-yl)ethylamino]xanthen-9-one
Interactions	PUBCHEM	10-Methyl-3-(2-pyridin-2-ylethynyl)acridin-9-one
Interactions	PUBCHEM	N-(4-methoxyphenyl)-4-methyl-3,4-dihydro-2H-1,4-benzothiazine-6-carboxamide
Interactions	PUBCHEM	N-[(1,5-dimethyl-1H-pyrazol-3-yl)methyl]-2-(2-fluorobenzyl)-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	1-[(2-Butyl-1,3-benzoxazol-5-yl)carbonyl]-4-piperidinol
Interactions	PUBCHEM	5-[(3,4-dimethylphenoxy)methyl]-N-[2-(3-pyridinyl)ethyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(2-methylsulfanylphenoxy)methyl]-N-(oxolan-3-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	Ethyl 1-[3-(2-isoxazolidinyl)propanoyl]-3-(3-

Main Category	Category	Terms
		methoxybenzyl)-3-piperidinecarboxylate
Interactions	PUBCHEM	5-[(4-acetylphenoxy)methyl]-N-methyl-N-(oxolan-3-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3-methyl-N-[2-(1-methylpyrazol-4-yl)ethyl]-5-propyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	(1S*,4S*)-2-({5-[(4-chloro-2-methoxyphenoxy)methyl]-3-isoxazolyl}carbonyl)-2-azabicyclo[2.2.1]heptane
Interactions	PUBCHEM	3-({[1-({5-[(2-Methoxyphenoxy)methyl]-3-isoxazolyl} carbonyl)-3-piperidinyl]oxy}methyl)pyridine
Interactions	PUBCHEM	[(4S,6S,8S,13S)-9,9-dimethyl-12-oxo-1-azatricyclo[6.4.1.04,13]tridecan-6-yl] N-(1,3-benzodioxol-5-yl)carbamate
Interactions	PUBCHEM	5-Methyl-1-[2-(p-tolylthio)ethyl]azepan-2-one
Interactions	PUBCHEM	5-Tert-butyl-1-(2-phenylsulfanylethyl)azepan-2-one
Interactions	PUBCHEM	1-(Cyclohexylmethyl)-4-phenyltriazole
Interactions	PUBCHEM	3,6,7-trimethyl-N-[(4-methyl-1,3-thiazol-2-yl)methyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	5-[(3,4-dimethylphenoxy)methyl]-N-[1-(2,5-dimethyl-1,3-thiazol-4-yl)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	[5-[(2-Chloro-4-fluorophenoxy)methyl]-1,2-oxazol-3-yl]-thiomorpholin-4-ylmethanone
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-(oxan-2-ylmethyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-[(2-methoxy-4-methylphenoxy)methyl]-N-[1-methyl-2-(1H-1,2,4-triazol-1-yl)ethyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	[2-[(2-Fluorophenyl)methyl]-1,3-benzoxazol-6-yl]-pyrrolidin-1-ylmethanone
Interactions	PUBCHEM	1-[4-[[3-[(4aS,8aR)-3,4,4a,5,6,7,8,8a-octahydro-1H-isoquinoline-2-carbonyl]-1,2-oxazol-5-yl]methoxy]phenyl]ethanone
Interactions	PUBCHEM	2-(2-fluorobenzyl)-N-[2-(1-methyl-1H-pyrazol-4-yl)ethyl]-1,3-benzoxazole-6-carboxamide
Interactions	PUBCHEM	2-Butyl-5-(1-pyrrolidinylcarbonyl)-1,3-benzoxazole
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-methyl-N-(2-pyrazinylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-[(3,4-dimethylphenoxy)methyl]-N-methyl-N-[2-(2-pyridinyl)ethyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	1-[(3,5-Dimethyl-1-benzofuran-2-yl)carbonyl]azepane
Interactions	PUBCHEM	5-[(2-methoxy-4-methylphenoxy)methyl]-N-methyl-N-[3-(4-morpholinyl)propyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-{2-[1-({5-[(2,5-dimethylphenoxy)methyl]-3-isoxazolyl}

Main Category	Category	Terms
		carbonyl)-2-piperidinyl]ethyl}acetamide
Interactions	PUBCHEM	1-({5-[(2,5-Dimethylphenoxy)methyl]-3-isoxazolyl} carbonyl)-4-(3-methoxypropyl)piperidine
Interactions	PUBCHEM	Furan-2-yl-[4-[5-[(3-methoxyphenoxy)methyl]-1,2-oxazole-3-carbonyl]piperazin-1-yl]methanone
Interactions	PUBCHEM	5-[(4-chloro-3,5-dimethylphenoxy)methyl]-N-methyl-N-[1-(2-pyridinyl)ethyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-cyclohexyl-1-(3-fluorobenzyl)-6-keto-N-methyl-nipecotamide
Interactions	PUBCHEM	[(2R,6S)-2,6-dimethylmorpholin-4-yl]-(7-fluoro-3-methyl-1-benzofuran-2-yl)methanone
Interactions	PUBCHEM	5-[(4-chloro-2-methoxyphenoxy)methyl]-N-methyl-N-[2-(1-methylpyrazol-4-yl)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-[(4-chloro-3,5-dimethylphenoxy)methyl]-N-methyl-N-(tetrahydro-3-furanyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	5-{[4-(2-Methoxyethyl)-1-piperazinyl]carbonyl}-2-(3-phenylpropyl)-1,3-benzoxazole
Interactions	PUBCHEM	N'-[2-(2-fluorophenoxy)acetyl]-1-methylpyrrole-2-carbohydrazide
Interactions	PUBCHEM	N-({[(2-chlorophenyl)amino]thioxomethyl}amino)benzamide
Interactions	PUBCHEM	2-[(2-bromophenyl)carbonyl]-N-(2-chlorophenyl)hydrazinecarbothioamide
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-[2-(difluoromethoxy)-4-methylphenyl]urea
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(4-methoxyphenyl)urea
Interactions	PUBCHEM	1-Cyclooctyl-3-(3-fluorophenyl)urea
Interactions	PUBCHEM	1-(2-Chlorophenyl)-3-cyclooctylurea
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(2-methylphenyl)urea
Interactions	PUBCHEM	7-[2-(1-Aminocyclohexyl)ethynyl]-1-methoxyxanthen-9-one
Interactions	PUBCHEM	1-Methoxy-6-(2-pyridin-2-ylethynyl)xanthen-9-one
Interactions	PUBCHEM	5-[(2-chloro-4-methoxyphenoxy)methyl]-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	[1-(Cyclohexylmethyl)triazol-4-yl]-[2-methyl-4-(4-methylphenyl)piperazin-1-yl]methanone
Interactions	PUBCHEM	[(1S,4S)-2-azabicyclo[2.2.1]heptan-2-yl]-[5-[[3-(trifluoromethyl)phenoxy]methyl]-1,2-oxazol-3-yl]methanone
Interactions	PUBCHEM	[2-[(2-Fluorophenyl)methyl]-1,3-benzoxazol-6-yl]-[2-(2-methoxyethyl)piperidin-1-yl]methanone
Interactions	PUBCHEM	N-({1-[2-(4-methoxyphenyl)ethyl]-3-piperidinyl}methyl)-N,2,5-trimethyl-3-furamide

Main Category	Category	Terms
Interactions	PUBCHEM	[(2S)-4-methyl-2-phenyl-piperazino]-[5-(phenoxymethyl)isoxazol-3-yl]methanone
Interactions	PUBCHEM	5-[(4-chloro-3,5-dimethylphenoxy)methyl]-N-methyl-N-(2-pyridinylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	1-Cyclooctyl-3-(3-nitrophenyl)urea
Interactions	PUBCHEM	1-(3-acetylphenyl)-3-(2,3-dihydro-1H-inden-5-yl)urea
Interactions	PUBCHEM	2-(3-Phenylpropyl)-5-(1-pyrrolidinylcarbonyl)-1,3-benzoxazole
Interactions	PUBCHEM	4-[(5-{[2-(Methylthio)phenoxy]methyl}-3-isoxazolyl)carbonyl]thiomorpholine
Interactions	PUBCHEM	N-[2-(4,6-dimethyl-2-pyrimidinyl)ethyl]-5-(phenoxymethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	[(2S,6R)-2,6-dimethylmorpholin-4-yl]-[5-[(2,5-dimethylphenoxy)methyl]-1,2-oxazol-3-yl]methanone
Interactions	PUBCHEM	[5-[(2-Methoxyphenoxy)methyl]-3-isoxazolyl]-(4-methyl-3-phenyl-1-piperazinyl)methanone
Interactions	PUBCHEM	1-[2-(3-fluorophenyl)ethyl]-N-[2-(3-methylthiophen-2-yl)ethyl]-6-oxopiperidine-3-carboxamide
Interactions	PUBCHEM	3-[2-(1-Aminocyclohexyl)ethynyl]-10-methyl-9-acridinone
Interactions	PUBCHEM	N-[2-[1-[2-(4-methylsulfanylphenyl)acetyl]piperidin-4-yl]pyrazol-3-yl]cyclopropanecarboxamide
Interactions	PUBCHEM	2-(4-Methoxybenzyl)-6-(1-pyrrolidinylcarbonyl)-1,3-benzoxazole
Interactions	PUBCHEM	5-[(4-acetylphenoxy)methyl]-N-methyl-N-[2-(4-methylphenoxy)ethyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	1-({5-[(2,5-Dimethylphenoxy)methyl]-3-isoxazolyl} carbonyl)-4-phenylpiperazine
Interactions	PUBCHEM	Ethyl 1-{3-[5-(5-acetyl-2-thienyl)-1,3,4-oxadiazol-2-yl]propanoyl}-3-piperidinecarboxylate
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(4-methylphenyl)urea
Interactions	PUBCHEM	1-[(2-Chlorobenzoyl)amino]-3-(2-chlorophenyl)thiourea
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-ylamino)-3-oxopropyl]-2-chlorobenzamide
Interactions	PUBCHEM	N-[2-(4-methoxyphenyl)ethyl]-1-methyl-2-pyrrolecarboxamide
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-1-methylpyrrole-2-carboxamide
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(3-fluorophenyl)urea
Interactions	PUBCHEM	2,5-Bis(benzyloxy)aniline
Interactions	PUBCHEM	N-[2-(dimethylamino)ethyl]-N-{10,13-dioxa-4-thia-6-azatricyclo[7.4.0.0^{3,7}]trideca-1,3(7),5,8-tetraen-5-yl}

Main Category	Category	Terms
		thiophene-2-carboxamide hydrochloride
Interactions	PUBCHEM	N-(1-phenylpropan-2-yl)-1-[4-(trifluoromethyl)phenyl]methanimine oxide
Interactions	PUBCHEM	2-fluoro-N-{5-[({[(oxolan-2-yl)methyl]carbamoyl}methyl)sulfanyl]-1,3,4-thiadiazol-2-yl}benzamide
Interactions	PUBCHEM	N-(6-Chloro-1,3-benzothiazol-2-YL)-N-[2-(dimethylamino)ethyl]-5,6-dihydro-1,4-dioxine-2-carboxamide hydrochloride
Interactions	PUBCHEM	N-butyl-2-[4-(3-chlorophenyl)phenyl]imidazo[1,2-a]pyridin-3-amine;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	2-(2,4-dichlorophenoxy)-1-(1H-pyrrol-2-yl)ethanone
Interactions	PUBCHEM	N-tert-butyl-5-methoxy-3-methyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	4-isopropoxy-N-(2-thienylmethyl)benzamide
Interactions	PUBCHEM	2-[[2-(3-Acetamidophenoxy)acetyl]amino]thiophene-3-carboxamide
Interactions	PUBCHEM	[1-benzyl-3-(3-methoxyphenyl)-1H-pyrazol-4-yl]methanol
Interactions	PUBCHEM	2-[(5-Piperidin-1-ylsulfonyl-2-pyridinyl)oxy]benzonitrile
Interactions	PUBCHEM	5-chloro-3-methyl-N-(4-methylcyclohexyl)-1-(2-methylpropyl)pyrazole-4-carboxamide
Interactions	PUBCHEM	N-(2-acetylphenyl)-4-(2-oxopyrrolidin-1-yl)benzamide
Interactions	PUBCHEM	N-(4-methylcyclohexyl)-2,3-dihydro-1,4-benzodioxine-3-carboxamide
Interactions	PUBCHEM	N-(4-methylcyclohexyl)-4,5,6,7-tetrahydrobenzothiophene-2-carboxamide
Interactions	PUBCHEM	4-bromo-N-[3-[(4-methylcyclohexyl)amino]-3-oxopropyl]benzamide
Interactions	PUBCHEM	4-chloro-N-[4-[[2-(3-fluoroanilino)-2-oxoethyl]-methylamino]-4-oxobutyl]benzamide
Interactions	PUBCHEM	5-(2-chlorophenyl)-N-(2-methyl-2-morpholin-4-ylpropyl)furan-2-carboxamide
Interactions	PUBCHEM	2,4-dichloro-N-[2-(2,3-dihydro-1,4-benzodioxin-6-ylamino)-2-oxoethyl]-N-ethylbenzamide
Interactions	PUBCHEM	4-[(2-Cyanoacetyl)amino]benzoic acid [2-keto-2-[4-(p-phenetylcarbamoyl)anilino]ethyl] ester
Interactions	PUBCHEM	4-[2-(1-Amino-ethyl)-4-(4-methoxy-phenyl)-imidazol-1-ylmethyl]-N-propyl-benzamide
Interactions	PUBCHEM	2-N-(2-methylphenyl)-6-[(2-methylphenyl)methylsulfanylmethyl]-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	N-1,3-benzodioxol-5-yl-2-(2-nitrophenoxy)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-[[4-(2-phenyl-1,3-thiazol-4-yl)phenyl]carbamoyl]benzoic Acid
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-[[(4-methyl-2-thiazolyl)thio]methyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	1-methoxy-6-[2-[(2S)-1-methyl-2-pyrrolidinyl]ethylamino]-9-thioxanthenone
Interactions	PUBCHEM	1-Methoxy-6-(3-morpholin-4-ylpropylamino)thioxanthen-9-one
Interactions	PUBCHEM	2-(2-Thienyl)quinoline
Interactions	PUBCHEM	4-((4-(4-methoxyphenyl)-2-(pyridin-4-yl)-1H-imidazol-1-yl)methyl)benzamide
Interactions	PUBCHEM	[4-[5-(2-Chlorophenyl)furan-2-carbonyl]piperazin-1-yl]-(furan-2-yl)methanone
Interactions	PUBCHEM	1-[4-[5-(2-Chlorophenyl)furan-2-carbonyl]piperazin-1-yl]ethanone
Interactions	PUBCHEM	[5-(2-Chlorophenyl)furan-2-yl]-[3-(trifluoromethyl)piperidin-1-yl]methanone
Interactions	PUBCHEM	N-(2,3-dimethylcyclohexyl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	N-cyclohexyl-5-methyl-4,5,6,7-tetrahydro-1-benzo[b]thiophene-2-carboxamide
Interactions	PUBCHEM	N-(2-methylsulfanylphenyl)-4-(2-oxopyrrolidin-1-yl)benzamide
Interactions	PUBCHEM	5-Pyrimidinecarboxylic acid, 4-amino-2-[(phenylmethyl)thio]-, ethyl ester
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-ylmethylideneamino)cyclopropanecarboxamide
Interactions	PUBCHEM	2-[2-(2,3-Dihydro-1,4-benzodioxin-6-ylamino)-2-oxoethoxy]benzamide
Interactions	PUBCHEM	2-amino-N-(4-ethylphenyl)-1,3-benzothiazole-6-carboxamide
Interactions	PUBCHEM	N'-[(Z)-(2-{[(2E)-3-phenylprop-2-en-1-yl]oxy}phenyl)methylidene]acetohydrazide
Interactions	PUBCHEM	N'-[(Z)-(5-bromo-2-{[(2E)-3-phenylprop-2-en-1-yl]oxy}phenyl)methylidene]-2-cyanoacetohydrazide
Interactions	PUBCHEM	2-cyano-N'-[(Z)-(2-{[(2E)-3-phenylprop-2-en-1-yl]oxy}phenyl)methylidene]acetohydrazide
Interactions	PUBCHEM	2-cyano-N'-[(Z)-(4-{[(2E)-3-phenylprop-2-en-1-yl]oxy}phenyl)methylidene]acetohydrazide
Interactions	PUBCHEM	N'-[(E)-(4-tert-butylphenyl)methylidene]cyclopentanecarbohydrazide
Interactions	PUBCHEM	methyl (2Z)-2-(4-{[(2E)-3-phenylprop-2-en-1-yl]oxy}benzylidene)hydrazinecarboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	ethyl (2Z)-2-(4-{[(2E)-3-phenylprop-2-en-1-yl]oxy} benzylidene)hydrazinecarboxylate
Interactions	PUBCHEM	3-methyl-N'-[(1E)-1-(pyridin-3-yl)ethylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	methyl (2Z)-2-(2-{[(2E)-3-phenylprop-2-en-1-yl]oxy} benzylidene)hydrazinecarboxylate
Interactions	PUBCHEM	ethyl (2Z)-2-(2-{[(2E)-3-phenylprop-2-en-1-yl]oxy} benzylidene)hydrazinecarboxylate
Interactions	PUBCHEM	4-fluoro-N-{3-[(1E)-1-{2-[(3-hydroxyphenyl)carbonyl]hydrazinylidene}ethyl]phenyl} benzamide
Interactions	PUBCHEM	N-{4-[(1E)-1-{2-[(4-hydroxyphenyl)carbonyl]hydrazinylidene} ethyl]phenyl}-2-phenylacetamide
Interactions	PUBCHEM	N-{4-[(1E)-1-{2-[(2-hydroxy-3-methylphenyl)carbonyl]hydrazinylidene}ethyl]phenyl}-2-phenylacetamide
Interactions	PUBCHEM	1-(Benzthiazol-2-ylthio)-propan-2-one
Interactions	PUBCHEM	2-[[2-[(4-Methyl-1,3-thiazol-2-yl)sulfanyl]acetyl]amino]thiophene-3-carboxamide
Interactions	PUBCHEM	5-methyl-N-(1,3-thiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	N-Benzoyl-O-benzylhydroxylamine
Interactions	PUBCHEM	2-(2,5-dimethylanilino)-N-(3-methylphenyl)acetamide
Interactions	PUBCHEM	N-(4-methylcyclohexyl)-3H-benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-pyrimidin-2-ylsulfanylacetamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)-2-(1,3,4-thiadiazol-2-ylsulfanyl)acetamide
Interactions	PUBCHEM	N-cycloheptyl-1-methylpyrrole-2-carboxamide
Interactions	PUBCHEM	N-(3-acetamidophenyl)-4-(phenoxymethyl)benzamide
Interactions	PUBCHEM	1-[4-(4-Pyrimidin-2-ylpiperazin-1-yl)phenyl]ethanone
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-4-phenoxybutanamide
Interactions	PUBCHEM	4-[2-(4,5-dichloro-6-oxopyridazin-1-yl)acetyl]-3,3-dimethyl-1H-quinoxalin-2-one
Interactions	PUBCHEM	[2-[1-(2-Methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 4-[(2-cyanoacetyl)amino]benzoate
Interactions	PUBCHEM	N-[4-(diethylcarbamoyl)phenyl]-3-fluorobenzamide
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)-4-(methylsulfanylmethyl)benzamide
Interactions	PUBCHEM	4-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-methyl-1,3-thiazole
Interactions	PUBCHEM	[2-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-oxoethyl] 4-[(2-

Main Category	Category	Terms
		cyanoacetyl)amino]benzoate
Interactions	PUBCHEM	N-[2-(2,3-dimethoxyphenyl)ethyl]-5-[(3,4-dimethylphenoxy)methyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	(2E)-2-cyano-N-pyridin-2-yl-3-(2-thienyl)acrylamide
Interactions	PUBCHEM	[4-Amino-6-(2-methylanilino)-1,3,5-triazin-2-yl]methyl benzoate
Interactions	PUBCHEM	2-(azepan-1-yl)-N-(2,4-dibromophenyl)acetamide
Interactions	PUBCHEM	N-(2-methyl-1,3-benzothiazol-6-yl)-2-thiophen-3-ylacetamide
Interactions	PUBCHEM	N-(1-bromo-9H-fluoren-2-yl)acetamide
Interactions	PUBCHEM	1-(2-Methoxyphenyl)-3-(4-morpholin-4-ylphenyl)urea
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(2,4-difluorophenyl)urea
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2,5-dimethylfuran-3-carboxamide
Interactions	PUBCHEM	12H-Benzo(b)phenothiazine
Interactions	PUBCHEM	2-(2-acetyl-4-fluorophenoxy)-N-(1,3-benzodioxol-5-yl)acetamide
Interactions	PUBCHEM	N-(4-carbamoylphenyl)-4-(methylsulfanylmethyl)benzamide
Interactions	PUBCHEM	(2-Morpholin-4-yl-2-oxoethyl) 1-hydroxynaphthalene-2-carboxylate
Interactions	PUBCHEM	CID 256049
Interactions	PUBCHEM	N-(azepan-1-yl)-1-(4-chlorophenyl)methanimine
Interactions	PUBCHEM	N-(azepan-1-yl)-1-(3-nitrophenyl)methanimine
Interactions	PUBCHEM	N-(azepan-1-yl)-1-(2,3-dimethoxyphenyl)methanimine
Interactions	PUBCHEM	4-{[(Azepan-1-yl)imino]methyl}-N,N-dimethylaniline
Interactions	PUBCHEM	5-methoxy-3-methyl-N-(3-methylbutyl)-2-benzofurancarboxamide
Interactions	PUBCHEM	(7-methyl-2-oxochromen-4-yl)methyl 1H-indazole-3-carboxylate
Interactions	PUBCHEM	4-(Azepan-1-yliminomethyl)benzonitrile
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5-ethoxy-3-methyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	2-(4-bromo-2-chlorophenoxy)-N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)acetamide
Interactions	PUBCHEM	[2-(2,4-dichloroanilino)-2-oxoethyl] N,N-dimethylcarbamodithioate
Interactions	PUBCHEM	[2-[1-(2-Methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 2-methylsulfanylpyridine-3-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	N-[2-(1H-indol-3-yl)ethyl]-5-methylthiophene-2-carboxamide
Interactions	PUBCHEM	2-(2-methyl-1,3-thiazol-4-yl)-N-(4-phenyl-1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	2-(4-methylphenyl)sulfanyl-1-(1H-pyrrol-2-yl)ethanone
Interactions	PUBCHEM	2-[(4-phenyl-1,3-thiazol-2-yl)sulfanyl]-N-propan-2-ylacetamide
Interactions	PUBCHEM	N-(2-acetamidoethyl)-4-[(4-chlorophenyl)sulfanylmethyl]benzamide
Interactions	PUBCHEM	4-chloro-N-{3-[N-(4-hydroxybenzoyl)ethanehydrazonoyl]phenyl}benzamide
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-2-phenoxyacetamide
Interactions	PUBCHEM	n-(1h-Benzo[d]imidazol-2-yl)-2-cyclopentylacetamide
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-3,5-dimethylbenzamide
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-2-(4-methoxyphenoxy)acetamide
Interactions	PUBCHEM	2-[3-chloro-2-oxo-5-(trifluoromethyl)-1,2-dihydropyridin-1-yl]-N-[(4-fluorophenyl)methyl]acetamide
Interactions	PUBCHEM	5-Methoxy-2-phenyl-2-sulfanylidene-1,3-dihydro-1,3,2lambda5-benzodiazaphosphole
Interactions	PUBCHEM	2-[[2-(2-Fluorophenyl)sulfanylacetyl]amino]thiophene-3-carboxamide
Interactions	PUBCHEM	Mls002694924
Interactions	PUBCHEM	N-(5-ethyl-6,7-dihydro-4H-[1,3]thiazolo[5,4-c]pyridin-2-yl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	5-(4-acetylphenyl)-N-(4-pyridin-2-yl-1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-[(3-methoxyphenyl)methyl]-1H-indazole-3-carboxamide
Interactions	PUBCHEM	3-Chloro-4-[(4-chlorophenyl)sulfanylmethyl]aniline
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-naphthalen-2-yl-1,3,4-oxadiazole
Interactions	PUBCHEM	2,5-Bis(4-fluorophenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2-(4-Methylphenyl)-5-(2-naphthyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2-[(4-amino-5-methyl-1,2,4-triazol-3-yl)sulfanyl]-N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)acetamide
Interactions	PUBCHEM	(2-Methyl-1,3-thiazol-4-yl)methyl 3,5-dimethyl-1-phenylpyrazole-4-carboxylate
Interactions	PUBCHEM	2-(2,3-dihydro-1H-inden-5-yloxy)-1-(2,3-dihydroindol-1-yl)ethanone
Interactions	PUBCHEM	2-(2-fluorophenyl)-4H-chromen-4-one
Interactions	PUBCHEM	1-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-thieno[2,3-

Main Category	Category	Terms
		d]pyrimidin-4-yloxyethanone
Interactions	PUBCHEM	1-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-(2,3-dihydro-1,4-benzodioxin-6-ylsulfanyl)ethanone
Interactions	PUBCHEM	3-[(2,4-Dimethylphenyl)sulfanylmethyl]-1,2,3-benzotriazin-4-one
Interactions	PUBCHEM	3-[(2,4-Dichlorophenyl)methylsulfanyl]-[1,2,4]triazolo[4,3-a]pyridine
Interactions	PUBCHEM	3-([1,2,4]Triazolo[4,3-a]pyridin-3-ylsulfanylmethyl)-1,2,3-benzotriazin-4-one
Interactions	PUBCHEM	[2-[2,5-Dimethyl-1-(2,2,2-trifluoroethyl)pyrrol-3-yl]-2-oxoethyl] 4-hydroxybenzoate
Interactions	PUBCHEM	N-(cyclopentylcarbamoyl)-2-(2,4-dichlorophenoxy)acetamide
Interactions	PUBCHEM	N-(cyclopentylcarbamoyl)-2-(2,4-dibromophenoxy)acetamide
Interactions	PUBCHEM	[2-(2,4-dimethoxyphenyl)-2-oxoethyl] 2-oxo-1H-quinoline-4-carboxylate
Interactions	PUBCHEM	phenacyl (E)-3-(2,3-dimethoxyphenyl)prop-2-enoate
Interactions	PUBCHEM	(2-Oxo-2-pyrrolidin-1-ylethyl) 2-hydroxybenzoate
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-2-oxoethyl thiophene-2-carboxylate
Interactions	PUBCHEM	(5-Oxo-[1,3]thiazolo[3,2-a]pyrimidin-7-yl)methyl 2,4-dihydroxybenzoate
Interactions	PUBCHEM	N-(6-methoxy-1,3-benzothiazol-2-yl)-3,5-dimethyl-1,2-oxazole-4-carboxamide
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-3,5-dimethyl-1,2-oxazole-4-carboxamide
Interactions	PUBCHEM	1-Butanone, 1-phenyl-4-(4-pyridinyl)-
Interactions	PUBCHEM	N-(3-acetamidophenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	(E)-3-(5-methylfuran-2-yl)-N-(5-methyl-1,3-thiazol-2-yl)prop-2-enamide
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-methylsulfanylbenzamide
Interactions	PUBCHEM	2-chloro-N-(2,3-dihydro-1H-inden-5-yl)-6-fluorobenzamide
Interactions	PUBCHEM	2-cyclopentyl-N-(2,3-dihydro-1H-inden-5-yl)acetamide
Interactions	PUBCHEM	N-(thiophen-2-ylmethyl)-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	3-(difluoromethoxy)-N-(4,5-dihydrothiazol-2-yl)benzamide
Interactions	PUBCHEM	1-(2,3-Dihydroindol-1-yl)-2-(6-methoxy-1-benzofuran-3-yl)ethanone
Interactions	PUBCHEM	2-(2-chlorophenyl)-N-(4-methyl-1,3-thiazol-2-yl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(4-bromo-3-methylphenyl)-2-cyclopentylacetamide
Interactions	PUBCHEM	7,8-Dimethyl-4-phenyl-1,3-dihydro-2H-1,5-benzodiazepin-2-one
Interactions	PUBCHEM	2-[[5-[4-(Difluoromethoxy)phenyl]-1,3,4-oxadiazol-2-yl]sulfanyl]-1-morpholin-4-ylethanone
Interactions	PUBCHEM	N-[4-[4-(3-nitrophenyl)buta-1,3-dienyl]phenyl]acetamide
Interactions	PUBCHEM	N-(2-hydroxy-4-methylphenyl)-4-oxo-4-thiophen-2-ylbutanamide
Interactions	PUBCHEM	(E)-2-cyano-N-(2,4-dimethylphenyl)-3-thiophen-2-ylprop-2-enamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-(5-fluoro-2-nitrophenoxy)acetamide
Interactions	PUBCHEM	1-[4-(Morpholin-4-yl)phenyl]-2-phenylethanone
Interactions	PUBCHEM	3-[2-Keto-2-[1-(2-methoxyethyl)-2,5-dimethyl-pyrrol-3-yl]ethyl]-1,3-diazaspiro[4.6]undecane-2,4-quinone
Interactions	PUBCHEM	N-[2-(1,4-dimethyl-6,7,8,9-tetrahydrodibenzofuran-3-yl)ethyl]formamide
Interactions	PUBCHEM	N-(2-bromo-4-methylphenyl)-2-cyclopentylacetamide
Interactions	PUBCHEM	5-bromo-N-(4,5-dihydro-1,3-thiazol-2-yl)-2-thiophenecarboxamide
Interactions	PUBCHEM	N-[3-(2-oxopyrrolidin-1-yl)propyl]-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene-2-carboxamide
Interactions	PUBCHEM	N-(2-bromo-4-methylphenyl)-4-oxo-4-thiophen-2-ylbutanamide
Interactions	PUBCHEM	N-[1-(7-nitro-9H-fluoren-2-yl)ethylidene]hydroxylamine
Interactions	PUBCHEM	N-(7-methoxy-4,5-dihydrobenzo[e][1,3]benzothiazol-2-yl)-2-furancarboxamide
Interactions	PUBCHEM	(1-Methyl-2-benzo[e]benzofuranyl)-phenylmethanone
Interactions	PUBCHEM	2-methyl-N-(2-methylquinolin-6-yl)benzamide
Interactions	PUBCHEM	N-(2-methylquinolin-6-yl)-2-phenylacetamide
Interactions	PUBCHEM	4-ethyl-N-(2-methylquinolin-6-yl)benzamide
Interactions	PUBCHEM	N-(2-methyl-1,3-benzothiazol-6-yl)benzamide
Interactions	PUBCHEM	Ethyl ((4-(ethylthio)benzoyl)amino)acetate
Interactions	PUBCHEM	2-(2,6-dichlorobenzyl)-5-tetrahydro-1H-pyrrol-1-yl-2H-1,2,3,4-tetraazole
Interactions	PUBCHEM	N2-(3-chloro-4-methylphenyl)-4-(1H-pyrrol-1-yl)-1,3,5-triazin-2-amine
Interactions	PUBCHEM	4-[5-(4-Chlorophenyl)-1,3,4-oxadiazol-2-yl]morpholine

Main Category	Category	Terms
Interactions	PUBCHEM	3-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-sulfanylidene-1H-quinazolin-4-one
Interactions	PUBCHEM	N1-(4-methylphenyl)azepane-1-carbothioamide
Interactions	PUBCHEM	3-(4-Bromophenyl)-5-[(dimethylamino)methylidene]-2-thioxo-1,3-thiazolan-4-one
Interactions	PUBCHEM	4-(tert-butyl)-N-(morpholinocarbothioyl)benzamide
Interactions	PUBCHEM	Methyl 4-(phenylazo)benzoate
Interactions	PUBCHEM	6-(3-Bromophenyl)-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	13,14,15,16-Tetrahydrospiro[cyclopenta[a]phenanthrene-17,2'-[1,3]dioxolan]-11(12h)-one
Interactions	PUBCHEM	Methyl 4-amino(2,2'-bithiophene)-5-carboxylate
Interactions	PUBCHEM	N-{[2-(2-thienyl)-1,3-thiazol-4-yl]methyl} cyclopropanecarboxamide
Interactions	PUBCHEM	2-(2-methoxyphenyl)-N-[(2-thiophen-2-yl-1,3-thiazol-4-yl)methyl]acetamide
Interactions	PUBCHEM	4-(4,6-Dichloro-1,3-benzothiazol-2-yl)morpholine
Interactions	PUBCHEM	N-[4-(5-oxazolyl)phenyl]benzamide
Interactions	PUBCHEM	2,4-difluoro-N-[4-(1,3-oxazol-5-yl)phenyl]benzamide
Interactions	PUBCHEM	3-[(2,4-Dichlorophenoxy)methyl]-5-(3-thienyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-[(2,4-Dichlorophenoxy)methyl]-5-(2-methoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-Morpholino-5-[4-(trifluoromethyl)phenyl]isothiazole-4-carbonitrile
Interactions	PUBCHEM	3-(6-Methoxynaphthalen-2-yl)-1,2-oxazole
Interactions	PUBCHEM	4-methyl-N
Interactions	PUBCHEM	2-[4-[(4-Fluorophenyl)methoxy]phenyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	N-(1,1-Dimethyl-2-propyn-1-yl)-2'-fluoro[1,1'-biphenyl]-4-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydrobenzo[b]furan-5-ylmethyl)-N'-phenylurea
Interactions	PUBCHEM	4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-2-methylthiazole
Interactions	PUBCHEM	N-(4-methoxy-2-nitrophenyl)benzamide
Interactions	PUBCHEM	5-Isoxazol-5-yl-3-(4-methylphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(3-fluoro-4-methylphenyl)-5-methoxy-1H-indole-2-carboxamide
Interactions	PUBCHEM	5-(4-chlorophenyl)-2-(methylsulfanyl)-1H-imidazole

Main Category	Category	Terms
Interactions	PUBCHEM	3-[4-(Tert-butyl)phenyl]-5-(5-methylisoxazol-3-yl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(tert-butyl)-4-(6-chlorobenzo[d]thiazol-2-yl)piperazine-1-carboxamide
Interactions	PUBCHEM	N-(2-chlorophenyl)-5-methyl-2-[(4-methylphenyl)methyl]pyrazole-3-carboxamide
Interactions	PUBCHEM	3,7-Diamino-2-methoxyfluorene
Interactions	PUBCHEM	5-Ethoxy-2-(4-methoxyphenyl)-1,3-oxazole
Interactions	PUBCHEM	2-Amino-6-[4-(6-chloropyridin-2-yl)piperazin-1-yl]pyridine-3,5-dicarbonitrile
Interactions	PUBCHEM	N,N-dimethyl-4-[4-(trifluoromethyl)benzoyl]-1H-pyrrole-2-carboxamide
Interactions	PUBCHEM	4-(4-Methylphenyl)-1-(3-nitrophenyl)-1H-pyrazol-5-amine
Interactions	PUBCHEM	N-{2-[(4-fluorophenyl)sulfanyl]ethyl}-3-methoxybenzenecarboxamide
Interactions	PUBCHEM	1-{[3-(4-Chlorophenyl)-1,2,4-oxadiazol-5-yl]methyl}-4-methyl-1,4-diazepane
Interactions	PUBCHEM	ethyl 2-{[2-(3-chlorophenyl)-6-nitro-1H-1,3-benzimidazol-1-yl]oxy}acetate
Interactions	PUBCHEM	2-(Benzylsulfanyl)[1,2,4]triazolo[1,5-a]pyrimidine-6-carbonitrile
Interactions	PUBCHEM	2-(3-chloroanilino)-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	1-[3-(4-Methoxyphenyl)-2,1-benzisoxazol-5-yl]-1-ethanone
Interactions	PUBCHEM	1-Morpholin-4-yl-3-(2-naphthyloxy)propan-2-ol
Interactions	PUBCHEM	3,7-Diamino-2-methoxyfluoren-9-one
Interactions	PUBCHEM	1-(4-Fluorophenyl)-2-((5-(hydroxymethyl)-1-methyl-1H-imidazol-2-yl)sulfanyl)-1-ethanone
Interactions	PUBCHEM	Methyl 3-amino-5-(4-chlorophenyl)thiophene-2-carboxylate
Interactions	PUBCHEM	3-chloro-N-[2-[[2-(4-methoxyanilino)-2-oxoethyl]-methylamino]-2-oxoethyl]-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	3-(3-Acetylphenyl)-1-(4-methylphenyl)urea
Interactions	PUBCHEM	2-chloro-N-[(2-nitrophenyl)carbamothioyl]benzamide
Interactions	PUBCHEM	4-(4-Bromophenyl)-1,3-thiazol-2-amine hydrobromide
Interactions	PUBCHEM	1-(4-Chloro-phenyl)-3-(tetrahydro-furan-2-ylmethyl)-urea
Interactions	PUBCHEM	N4-(4-methoxyphenyl)-4-quinazolinamine 4-methoxyphenyl(4-quinazolinyl)amine hydrochloride
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)pentanamide
Interactions	PUBCHEM	(3-Methoxy-phenyl)-quinazolin-4-yl-amine

Main Category	Category	Terms
Interactions	PUBCHEM	3-chloro-1-(2-phenylethyl)-4-[(2-phenylethyl)amino]-1H-pyrrole-2,5-dione
Interactions	PUBCHEM	3,5-dimethoxy-N-[6-(methylsulfonyl)-1,3-benzothiazol-2-yl]benzamide
Interactions	PUBCHEM	3-[(4-bromophenyl)methylsulfanyl]-5-ethyl-1H-1,2,4-triazole
Interactions	PUBCHEM	4-{[(4-Methylphenyl)amino]carbonyl}phenyl 2-(4-chloro-2-methylphenoxy)propanoate
Interactions	PUBCHEM	3-(4-Fluorophenyl)-2-(2-hydroxy-3-methoxyphenyl)-1,2-dihydroquinazolin-4-one
Interactions	PUBCHEM	3-(4-Fluorophenyl)-2-(2-hydroxyphenyl)-1,2,3,4-tetrahydroquinazolin-4-one
Interactions	PUBCHEM	N-(4-bromophenyl)pyrazine-2-carboxamide
Interactions	PUBCHEM	6-Methyl-3-[(4-methylbenzyl)oxy]-2-nitropyridine
Interactions	PUBCHEM	4-chloro-5-[methyl(1H-pyrrol-1-yl)amino]-2-phenyl-2,3-dihydropyridazin-3-one
Interactions	PUBCHEM	4-chlorophenyl N-phenethylcarbamate
Interactions	PUBCHEM	1-{[3-(4-Chlorophenyl)-1,2,4-oxadiazol-5-yl]methyl}-4-methylpiperidine
Interactions	PUBCHEM	2-Methoxy-4-(3-oxobutyl)phenyl 2-chloro-6-fluorobenzoate
Interactions	PUBCHEM	N1-(3-chloro-4-fluorophenyl)-2-cyano-3-(dimethylamino)acrylamide
Interactions	PUBCHEM	3-benzo[b]furan-2-yl-1H-pyrazole
Interactions	PUBCHEM	4-chloro-N-(2-methyl-1,3-dithian-5-yl)benzamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-(1-methyl-1H-pyrazol-3-yl)urea
Interactions	PUBCHEM	7-Methyl-4-piperidinothieno[3,2-d]pyrimidine
Interactions	PUBCHEM	N2-{4-[3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl} thiophene-2-carboxamide
Interactions	PUBCHEM	N-bicyclo[2.2.1]hept-5-en-2-yl-N'-(4-isopropylphenyl)thiourea
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2,6-difluorobenzamide
Interactions	PUBCHEM	5-[4-(Tert-butyl)-2-methylanilino]-3,3-dimethyl-5-oxopentanoic acid
Interactions	PUBCHEM	3-(3-methyl-1H-indol-1-yl)-N-(4-morpholinophenyl)propanamide
Interactions	PUBCHEM	benzyl 4-[(4-morpholinoanilino)carbonyl]tetrahydro-1(2H)-pyridinecarboxylate
Interactions	PUBCHEM	1-benzyl-3-(tert-butyl)-N'-(2-methoxyphenyl)-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	N-(2-hydroxy-2-phenylethyl)-2-thiophenecarboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-phenyl-N'-{4-[3-(trifluoromethyl)-1H-pyrazol-1-yl]phenyl} urea
Interactions	PUBCHEM	N-(2-quinolinyl)cyclohexanecarboxamide
Interactions	PUBCHEM	3-(Allylsulfanyl)-6-[4-(tert-butyl)phenyl]-1,4-dihydro-1,2,4,5-tetraazine
Interactions	PUBCHEM	2-[(7-Chloro-4-quinazolinyl)oxy]-1-(2,3-dihydro-1,4-benzodioxin-6-yl)ethanone
Interactions	PUBCHEM	Ethyl 1-{[4-(trifluoromethoxy)anilino]carbonyl}-4-piperidinecarboxylate
Interactions	PUBCHEM	N-(1H-indol-5-yl)-2-thiophenecarboxamide
Interactions	PUBCHEM	N-(1H-indol-5-yl)-5-methyl-3-isoxazolecarboxamide
Interactions	PUBCHEM	(2-Anilino-4-methyl-1,3-thiazol-5-yl)-phenylmethanone
Interactions	PUBCHEM	N-phenyl-3,4-dihydro-2H-1,5-benzodioxepine-7-carboxamide
Interactions	PUBCHEM	N-(4-isopropylphenyl)-6-oxo-1,4,5,6-tetrahydro-3-pyridazinecarboxamide
Interactions	PUBCHEM	7,9-dimethyl-3-(2-oxopropyl)pyrido[3',2':4,5]thieno[3,2-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-(cyclopropylmethyl)urea
Interactions	PUBCHEM	1-(3-Chloro-4-methylphenyl)-3-pyridin-3-ylurea
Interactions	PUBCHEM	2-{[3-(4-methoxyphenyl)-4,5-dihydro-5-isoxazolyl]methyl}-1,2-benzisothiazol-3(2H)-one 1,1-dioxide
Interactions	PUBCHEM	2-{[3-(2-chlorophenyl)-4,5-dihydro-1,2-oxazol-5-yl]methyl}-1,2-benzothiazol-3(2H)-one 1,1-dioxide
Interactions	PUBCHEM	2-(2-chlorobenzyl)-2,4-dihydro-1H-[1,2,4]triazolo[3,4-c][1,4]benzothiazin-1-one
Interactions	PUBCHEM	2-(diethylamino)-N-(4-oxo-4H-thieno[3,4-c]chromen-3-yl)acetamide
Interactions	PUBCHEM	Pyrazolo[1,5-a]pyrimidin-7(4H)-one, 2-methyl-5-phenyl-
Interactions	PUBCHEM	5-bromo-N'-(2-chlorobenzoyl)-4-methoxythiophene-3-carbohydrazide
Interactions	PUBCHEM	5-(4-Chlorophenyl)-3-{[(2-furylmethyl)sulfonyl]methyl}-1,2,4-oxadiazole
Interactions	PUBCHEM	methyl 2-[(4-chlorobenzyl)sulfanyl]-1-methyl-1H-imidazole-5-carboxylate
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-2-ylmethyl)benzamide
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-{2-[(furan-2-ylmethyl)sulfanyl]ethyl} urea
Interactions	PUBCHEM	N-(3,5-dimethoxyphenyl)-1,2,3-benzothiadiazole-5-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-Piperidin-1-yl-5-thiophen-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-(2,4-difluorobenzoyl)urea
Interactions	PUBCHEM	5-(2-Chlorophenyl)-3-thiomorpholin-4-yl-1,2-thiazole-4-carbonitrile
Interactions	PUBCHEM	N1-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(2-pyridylthio)acetamide
Interactions	PUBCHEM	N-(3-methylphenyl)bicyclo[4.1.0]heptane-7-carboxamide
Interactions	PUBCHEM	1,1'-(9H-Fluorene-2,7-diyl)di(ethan-1-one)
Interactions	PUBCHEM	Propyl hydrogen [2,6-dinitro-4-(trifluoromethyl)phenyl]phosphonate-4-methylaniline (1:1)
Interactions	PUBCHEM	4-Ethylphenyl phenylcarbamate
Interactions	PUBCHEM	4'-Methyl-2'-nitro-2-furanilide
Interactions	PUBCHEM	3-Amino-6,7-dihydro-5H-cyclopenta[b]thieno[3,2-e]pyridine-2-carboxamide
Interactions	PUBCHEM	2-[3-(4-morpholinyl)-3-oxopropyl]-1H-benzo[de]isoquinoline-1,3(2H)-dione
Interactions	PUBCHEM	hexyl N-(2-hydroxy-2-phenylethyl)carbamate
Interactions	PUBCHEM	3-(4-Ethoxyphenyl)-6-propylcyclohex-2-en-1-one
Interactions	PUBCHEM	2-(2,3-Dihydro-1,4-benzodioxin-2-yl)-4-(4-ethoxyphenyl)-1,3-thiazole
Interactions	PUBCHEM	N-(4-sec-butylphenyl)nicotinamide
Interactions	PUBCHEM	N-(1-phenylpropan-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	Ethyl 4-amino-2-phenylpyrimidine-5-carboxylate
Interactions	PUBCHEM	2-(5-Nitropyridin-2-yl)-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	5-Nitro-2-(3-toluidino)pyridine
Interactions	PUBCHEM	N-[4-[2-(4-nitrophenyl)ethenyl]phenyl]acetamide
Interactions	PUBCHEM	Cambridge id 5538419
Interactions	PUBCHEM	N-(4-propan-2-ylphenyl)-3-bicyclo[2.2.1]heptanecarboxamide
Interactions	PUBCHEM	2-[[Oxo(thiophen-2-yl)methyl]amino]-6-propyl-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	ST075932
Interactions	PUBCHEM	5-Adamantanyl-3-(3-pyridyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2-(5-Adamantan-1-yl-[1,2,4]oxadiazol-3-yl)-pyridine
Interactions	PUBCHEM	2-(2,3-dihydro-1,4-benzodioxin-3-ylmethylsulfanyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-3-carbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	4-Methoxy-1-[5-(4-methylphenyl)(1,3,4-thiadiazolin-2-yl)]benzene
Interactions	PUBCHEM	N-[(2-chlorophenyl)methylideneamino]benzamide
Interactions	PUBCHEM	1-[5-(4-Methoxyphenyl)-3-phenyl-3,4-dihydropyrazol-2-yl]ethanone
Interactions	PUBCHEM	N-[4-(butan-2-yl)phenyl]morpholine-4-carboxamide
Interactions	PUBCHEM	N-(3,4-dihydro-1H-isochromen-1-ylmethyl)-2-hydroxy-4-methoxybenzamide
Interactions	PUBCHEM	(3-methylcyclohexylidene)[4-(2-oxo-2H-chromen-3-yl)-1,3-thiazol-2-yl]acetonitrile
Interactions	PUBCHEM	N-(4-methylphenyl)-N'-(tetrahydrofuran-2-ylmethyl)ethanediamide
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-3-(4-methylphenyl)sulfonyl-1-phenyl-1-propanone
Interactions	PUBCHEM	1-acetyl-5-(4-methoxyphenyl)-3-(5-methyl-2-furyl)-4,5-dihydro-1H-pyrazole
Interactions	PUBCHEM	2-[2-(1H-indol-3-yl)ethyl]-1H-Isoindole-1,3(2H)-dione
Interactions	PUBCHEM	2-(2-hydroxyphenyl)-3-(4-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one
Interactions	PUBCHEM	3-(1-Methyl-2-oxopropoxy)-7,8,9,10-tetrahydro-6H-benzo[C]chromen-6-one
Interactions	PUBCHEM	N-dibenzo[b,d]furan-3-yl-N'-ethylthiourea
Interactions	PUBCHEM	N-[4-(4-acetylpiperazin-1-yl)phenyl]-3-chlorobenzamide
Interactions	PUBCHEM	4-[(2-Chloro-4-nitrophenoxy)methyl]benzoic acid
Interactions	PUBCHEM	1-(2,4-Dihydroxyphenyl)-2-(4-nitrophenyl)ethan-1-one
Interactions	PUBCHEM	4-(Hydroxymethyl)-2-oxohexahydro-2H-cyclopenta[b]furan-5-yl [1,1'-biphenyl]-4-carboxylate
Interactions	PUBCHEM	N-[2-(3-methylphenoxy)ethyl]-2-nitro-4-(trifluoromethyl)aniline
Interactions	PUBCHEM	4-(3-Nitro-4-propoxyphenyl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-(4-bromo-2-chlorophenoxy)-N-(3-methoxypropyl)acetamide
Interactions	PUBCHEM	N-1-adamantyl-4-phenylbutanamide
Interactions	PUBCHEM	2-(2-Thienyl)benzothiazole
Interactions	PUBCHEM	2-Morpholin-4-ylethyl 2,3-dihydro-1,4-benzodioxine-6-carboxylate;hydrochloride
Interactions	PUBCHEM	5-(3-Imidazol-1-ylpropylamino)-2-(4-methylphenyl)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	3-Phenyl-1-(2-thienylcarbonyl)pyrrolidine

Main Category	Category	Terms
Interactions	PUBCHEM	4-methyl-N-(oxolan-2-ylmethylcarbamothioyl)benzamide
Interactions	PUBCHEM	N-(3-cyano-6-methyl-4,5,6,7-tetrahydro-1-benzothien-2-yl)tetrahydro-2-furancarboxamide
Interactions	PUBCHEM	2-(2-phenylethyl)-1H-benzimidazole
Interactions	PUBCHEM	2-(3-Methylphenoxy)-1-(3-phenylpyrrolidin-1-yl)ethanone
Interactions	PUBCHEM	2,3-Dihydro-benzo[1,4]dioxine-6-carboxylic acid 1-methyl-2-morpholin-4-yl-ethyl ester
Interactions	PUBCHEM	4-[[3-Methoxy-4-[(4-nitrophenyl)methoxy]phenyl]-(3-methyl-5-oxo-1,2-dihydropyrazol-4-yl)methyl]-5-methyl-1,2-dihydropyrazol-3-one
Interactions	PUBCHEM	2-{5-[1-(2,4-Dichlorophenoxy)ethyl]-1,2,4-oxadiazol-3-yl} pyridine
Interactions	PUBCHEM	Ethyl 1-(3-phenylbutanoyl)piperidine-3-carboxylate
Interactions	PUBCHEM	N-(2-nitrophenyl)-4-propoxybenzamide
Interactions	PUBCHEM	3-(3,4-Dimethylphenyl)-1,2,3-benzotriazin-4-one
Interactions	PUBCHEM	Mls002920660
Interactions	PUBCHEM	Ethyl 4-{[(4,7,7-trimethyl-3-oxo-2-oxabicyclo[2.2.1]hept-1-yl)carbonyl]amino}benzoate
Interactions	PUBCHEM	3-[2-(4-methyl-2-nitrophenoxy)ethyl]-4(3H)-quinazolinone oxalate
Interactions	PUBCHEM	1-[3-(2-Bromo-4-chlorophenoxy)propyl]piperidine oxalate
Interactions	PUBCHEM	5-Methoxy-2-phenylindole
Interactions	PUBCHEM	[2-Hydroxy-2-(4-nitrophenyl)ethyl] piperidine-1-carbodithioate
Interactions	PUBCHEM	Propyl 4-[(tetrahydro-2-furanylcarbonyl)amino]benzoate
Interactions	PUBCHEM	methyl 5-hydroxy-3-phenyl-5-(trifluoromethyl)-4,5-dihydro-1H-pyrazole-1-carboxylate
Interactions	PUBCHEM	1-(4-tert-butylbenzoyl)-N-(tetrahydro-2-furanylmethyl)-4-piperidinecarboxamide
Interactions	PUBCHEM	N-ethyl-N,1-diphenyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	3-chloro-1-(2-phenylethyl)-4-[(tetrahydro-2-furanylmethyl)amino]-1H-pyrrole-2,5-dione
Interactions	PUBCHEM	4-[1-(4-Chlorophenyl)-4-pyrazolo[3,4-d]pyrimidinyl]-2,6-dimethylmorpholine
Interactions	PUBCHEM	N-[4-(phenoxymethyl)-1,3-thiazol-2-yl]acetamide
Interactions	PUBCHEM	N-(6-bromo-1,3-benzothiazol-2-yl)-4,7,7-trimethyl-3-oxo-2-oxabicyclo[2.2.1]heptane-1-carboxamide
Interactions	PUBCHEM	N-(1,1-dioxidotetrahydrothiophen-3-yl)-3-(1,3-dioxo-1H-benzo[de]isoquinolin-2(3H)-yl)propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(4-isopropoxyphenyl)-4-quinazolinamine hydrochloride
Interactions	PUBCHEM	N-(2-methoxydibenzo[b,d]furan-3-yl)-2-(4-methylphenyl)acetamide
Interactions	PUBCHEM	3-Chloro-10-methylacridin-9(10h)-one
Interactions	PUBCHEM	3-methyl-N-(2-phenylethyl)piperidine-1-carbothioamide
Interactions	PUBCHEM	3-ethyl-7-methyl-5,6,7,8-tetrahydro[1]benzothieno[2,3-d][1,2,3]triazin-4(3H)-one
Interactions	PUBCHEM	4-(diethylamino)-3-nitro-N-phenylbenzamide
Interactions	PUBCHEM	N-(6-methyl-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-2-(2-thienyl)acetamide
Interactions	PUBCHEM	Pyridazine-3,6-diamine, N,N'-bis(2-methoxyphenyl)-
Interactions	PUBCHEM	3-(1,3-benzodioxol-5-yl)-5-(benzylsulfanyl)-4-methyl-4H-1,2,4-triazole
Interactions	PUBCHEM	2-{[3-(2-Naphthyloxy)propyl]thio}pyrimidine
Interactions	PUBCHEM	[3-(2,3-dihydro-1H-inden-5-yloxy)propyl]methylamine oxalate
Interactions	PUBCHEM	[4-(Benzyloxy)benzyl](3-pyridinylmethyl)amine hydrochloride
Interactions	PUBCHEM	1-(5-(furan-2-yl)-3-(p-tolyl)-4,5-dihydro-1H-pyrazol-1-yl)ethanone
Interactions	PUBCHEM	N-(4-anilinophenyl)-N'-phenylurea
Interactions	PUBCHEM	1-(2-Methoxyphenyl)-3-(4-methoxyphenyl)urea
Interactions	PUBCHEM	1-(4-Acetylphenyl)-3-[1-(3,4-dimethoxyphenyl)ethyl]urea
Interactions	PUBCHEM	N-1-adamantyl-N'-(2,3-dihydro-1,4-benzodioxin-6-yl)urea
Interactions	PUBCHEM	1-(2-Methoxy-5-methylphenyl)-3-[4-(pyrrolidin-1-ylcarbonyl)phenyl]urea
Interactions	PUBCHEM	7-isopropyl-2-oxo-1,5,7,8-tetrahydro-2H-pyrano[4,3-b]pyridine-3-carboxylic acid
Interactions	PUBCHEM	4-bromo-N-[5-(oxolan-2-yl)-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	1-acetyl-5-(4-bromophenyl)-3-(5-methyl-2-furyl)-4,5-dihydro-1H-pyrazole
Interactions	PUBCHEM	2-{[5-(1-adamantyl)-1,3,4-oxadiazol-2-yl]thio}-N,N-dimethylacetamide
Interactions	PUBCHEM	N-(5-methyl-3-isoxazolyl)-4-[(2-phenoxypropanoyl)amino]benzamide
Interactions	PUBCHEM	8-{[3-(3,4-Dichlorophenyl)-4,5-dihydro-5-isoxazolyl]carbonyl}-1,4-dioxa-8-azaspiro[4.5]decane
Interactions	PUBCHEM	N-{[3-(4-methoxyphenyl)-4,5-dihydro-5-isoxazolyl]methyl}thiourea

Main Category	Category	Terms
Interactions	PUBCHEM	N-[4-[3-(1,3-benzodioxol-5-yl)-2-methylsulfonyl-3,4-dihydropyrazol-5-yl]phenyl]methanesulfonamide
Interactions	PUBCHEM	Isopropyl 4-{[(5-oxo-4-oxatricyclo[4.2.1.0
Interactions	PUBCHEM	1-[3-(2-nitrophenoxy)propyl]-1H-benzimidazole oxalate
Interactions	PUBCHEM	1-[3-(2-Bromophenoxy)propyl]benzimidazole
Interactions	PUBCHEM	N-{2-[(4-ethyl-1-piperazinyl)methyl]phenyl}-N'-(4-methylphenyl)urea
Interactions	PUBCHEM	5-(phenoxymethyl)-N-(1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	2-[[(4-Chlorophenyl)thio]methyl]-5-methylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	5'-methoxy-1'-methyl-5H-spiro[benzimidazo[1,2-c]quinazoline-6,3'-indol]-2'(1'H)-one
Interactions	PUBCHEM	N-[(8-methylimidazo[1,2-a]pyridin-2-yl)methyl]aniline
Interactions	PUBCHEM	1-(4-Cyclohexylpiperazin-1-yl)-4-phenylbutan-1-one
Interactions	PUBCHEM	Methyl 4-methyl-2-{[(5-methyl-1,2-oxazol-3-yl)carbonyl]amino}-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	N-(1,2-oxazol-3-yl)-4,5,6,7,8,9-hexahydrocycloocta[b]thiophene-2-carboxamide
Interactions	PUBCHEM	5-methyl-N-(5-nitropyridin-2-yl)thiophene-3-carboxamide
Interactions	PUBCHEM	4,5-dimethyl-N-(2-methyl-4-nitrophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-Methyl-1-(5-methyl-2-furoyl)indoline
Interactions	PUBCHEM	N-[2-(5-{[(2-chlorophenyl)carbonyl]amino}-1-methyl-1H-benzimidazol-2-yl)ethyl]furan-2-carboxamide
Interactions	PUBCHEM	N-{2-[2-(acetylamino)ethyl]-1-methyl-1H-benzimidazol-5-yl}-2-methoxybenzamide
Interactions	PUBCHEM	N-(2-cyanophenyl)-2-{[1-(2-phenylethyl)-1H-imidazol-2-yl]thio}acetamide
Interactions	PUBCHEM	1-[5-(Furan-2-ylmethylamino)-3-(4-methylphenyl)-1,2,4-triazol-1-yl]ethanone
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-2-(2,3-dihydro-1,4-benzodioxin-6-yl)-5-nitro-2H-1,2,3-triazol-4-amine 3-oxide
Interactions	PUBCHEM	3-(5-(benzylthio)-4-methyl-4H-1,2,4-triazol-3-yl)-1H-indole
Interactions	PUBCHEM	1-[5-[(4-Fluorophenyl)methylamino]-3-(4-methylphenyl)-1,2,4-triazol-1-yl]ethanone
Interactions	PUBCHEM	3-benzylsulfonyl-N-(5-nitro-1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	N-(4-fluorobenzyl)-1-(methoxyacetyl)-3-(4-methylphenyl)-1H-1,2,4-triazol-5-amine
Interactions	PUBCHEM	2-(benzylamino)-N-cycloheptyl-2-thioxoacetamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(phenylsulfanyl)-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)propanamide
Interactions	PUBCHEM	{4-[(3,4-Dichlorobenzyl)oxy]-3-methoxybenzyl}(2-pyridinylmethyl)amine hydrochloride
Interactions	PUBCHEM	N-cyclohexyl-2-[(2-phenylethyl)amino]-2-thioxoacetamide
Interactions	PUBCHEM	1-(methoxyacetyl)-3-phenyl-N-(2-thienylmethyl)-1H-1,2,4-triazol-5-amine
Interactions	PUBCHEM	N-(4-methoxy-2-nitrophenyl)-2-(1-piperidinyl)acetamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)-3,4-dihydroisoquinoline-2(1H)-carboxamide
Interactions	PUBCHEM	N-(5-chloropyridin-2-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide
Interactions	PUBCHEM	4-(4-fluorophenyl)-N-phenyl-3,6-dihydro-1(2H)-pyridinecarboxamide
Interactions	PUBCHEM	3-[4-(4-Benzoylphenyl)-1-piperazinyl]-1-ethyl-2,5-pyrrolidinedione
Interactions	PUBCHEM	N-[(5-methyl-1,2-oxazol-3-yl)carbamoyl]benzamide
Interactions	PUBCHEM	N,N'-bis(2-fluorophenyl)urea
Interactions	PUBCHEM	N-(2-methyl-1,3-benzothiazol-6-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	1-[2-(3,4-Dimethylphenoxy)ethyl]benzotriazole
Interactions	PUBCHEM	1-[(5-Bromo-1-benzofuran-2-yl)carbonyl]piperidine
Interactions	PUBCHEM	N-(6-methyl-2-pyridinyl)-4-(propionylamino)benzamide
Interactions	PUBCHEM	5-bromo-N-cyclopentyl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-(3-fluorophenyl)-1-(methylsulfonyl)-2,3-dihydro-1H-indole-5-carboxamide
Interactions	PUBCHEM	1-(2,5-Dimethylphenyl)-3-(3-methylpyridin-2-yl)thiourea
Interactions	PUBCHEM	1-[2-(2-Chlorophenoxy)ethyl]benzotriazole
Interactions	PUBCHEM	N-cyclopentyl-2-(1H-indol-3-yl)-2-oxoacetamide
Interactions	PUBCHEM	4-[2-(4-Biphenylyloxy)ethyl]morpholine hydrochloride
Interactions	PUBCHEM	5-(2-nitrophenyl)-N-(2-thiazolyl)-2-furancarboxamide
Interactions	PUBCHEM	4-(cyclopropanecarbonylamino)-N-phenylbenzamide
Interactions	PUBCHEM	1-[2-(4-Biphenylyloxy)ethyl]-4-methylpiperazine hydrochloride
Interactions	PUBCHEM	2-O-cyclohexyl 5-O-methyl 3,6-dimethyl-4-oxo-1,5,6,7-tetrahydroindole-2,5-dicarboxylate
Interactions	PUBCHEM	N-[(2-phenyl-1,3-thiazol-4-yl)methyl]furan-2-carboxamide
Interactions	PUBCHEM	6-[(Phenylmethylthio)methyl]imidazo[2,1-b]thiazole

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2,5-diethoxy-4-morpholin-4-ylphenyl)-2-quinolin-8-yloxyacetamide
Interactions	PUBCHEM	N-(4-methylphenyl)-4-[(1-methyltetrazol-5-yl)sulfanylmethyl]-1,3-thiazol-2-amine
Interactions	PUBCHEM	1-(2-Ethylpiperidin-1-yl)-2-[[5-(furan-2-yl)-1,3,4-oxadiazol-2-yl]sulfanyl]ethanone
Interactions	PUBCHEM	2-[(5-amino-1H-1,2,4-triazol-3-yl)sulfanyl]-1-[1-(3-fluorophenyl)-2,5-dimethylpyrrol-3-yl]ethanone
Interactions	PUBCHEM	3-(1,3-Benzodioxol-5-yl)-3-(2-hydroxyethylsulfanyl)-1-thiophen-2-ylpropan-1-one
Interactions	PUBCHEM	N-Phenyl-4H-3,1-benzothiazin-2-amine
Interactions	PUBCHEM	3-(2-Furanyl)-3-oxo-2-(2-pyridinyl)propanenitrile
Interactions	PUBCHEM	2,3-Dihydro-1,4-benzodioxin-3-yl(2,3-dihydroindol-1-yl)methanone
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[[5-(4-methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]propanamide
Interactions	PUBCHEM	2-(4-Methylphenyl)-5-(2-pyridin-2-ylethylamino)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	2-(2-amino-4H-[1,3,5]triazino[2,1-b][1,3]benzoxazol-4-yl)propanedioic acid diethyl ester
Interactions	PUBCHEM	2-[(1-methyl-1H-imidazol-2-yl)thio]-N-(4-phenoxyphenyl)acetamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-[1-(furan-2-yl)ethylimino]pyridine-1-carboxamide
Interactions	PUBCHEM	4-Oxo-4-phenyl-2-(phenylamino)butanoic acid
Interactions	PUBCHEM	3-[2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-oxoethyl]-1,3-diazaspiro[4.6]undecane-2,4-dione
Interactions	PUBCHEM	N,N-dimethylformamide;3-(furan-2-yl)-1-methylpyrido[1,2-a]benzimidazole-4-carbonitrile
Interactions	PUBCHEM	3,6-Bis(2-methylphenoxy)pyridazine
Interactions	PUBCHEM	6-([1,2,4]Triazolo[4,3-a]pyridin-3-ylsulfanylmethyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-[3-(methylthio)phenyl]urea
Interactions	PUBCHEM	1-(1,3-Benzothiazol-2-yl)-3-ethylurea
Interactions	PUBCHEM	3,3-Dimethyl-1-(4-carbethoxyphenyl)triazene
Interactions	PUBCHEM	Isoflavone, 7-hydroxy-4',6-dimethoxy-, acetate
Interactions	PUBCHEM	4-(6-Nitro-1H-benzimidazol-2-yl)benzenamine
Interactions	PUBCHEM	N-[3-[(4-nitrophenyl)methoxy]phenyl]acetamide
Interactions	PUBCHEM	1-(1,3-Benzothiazol-2-yl)-3-butyl-1-methylurea

Main Category	Category	Terms
Interactions	PUBCHEM	1-Acetyl-4-(4-butoxyphenyl)-2-methylcyclohexane
Interactions	PUBCHEM	CID 3106397
Interactions	PUBCHEM	2-(9,9-dimethyl-11-oxo-10,12-dihydro-8H-benzo[a]xanthen-12-yl)-5,5-dimethylcyclohexane-1,3-dione
Interactions	PUBCHEM	3-Acetyl-2-(4-bromophenyl)-5-(4-methylphenyl)-2,3-dihydro-1,3,4-oxadiazole
Interactions	PUBCHEM	3-(4-Bromo-benzoyl)-1-phenyl-2-thioxo-imidazolidin-4-one
Interactions	PUBCHEM	1-methyl-2-{[(3-methylphenoxy)carbonyl]amino}ethyl N-(4-methylphenyl)carbamate
Interactions	PUBCHEM	N-[4-(1H-benzimidazol-2-yl)phenyl]-4-ethoxy-3-nitrobenzamide
Interactions	PUBCHEM	3,6-dichloro-N-(tetrahydro-2-furanylmethyl)-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	5(4H)-Oxazolone, 2-phenyl-4-[[(phenylmethyl)amino]methylene]-, (4E)-
Interactions	PUBCHEM	N-[4-(1H-benzimidazol-2-yl)phenyl]-1-methyl-4-nitropyrazole-3-carboxamide
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-5-(2-thienyl)-1,10B-dihydropyrazolo(1,5-C)(1,3)benzoxazine
Interactions	PUBCHEM	5-(3,4-dimethoxyphenyl)-3-(4-methoxyphenyl)-1-phenyl-4,5-dihydro-1H-pyrazole
Interactions	PUBCHEM	ethyl (2E)-2-cyano-3-[(2-methoxyphenyl)amino]prop-2-enoate
Interactions	PUBCHEM	N-(3-propylsulfanyl-1,2,4-thiadiazol-5-yl)butanamide
Interactions	PUBCHEM	GlyTouCan:G46140IH
Interactions	PUBCHEM	Diethyl-dithiocarbamic acid 2-oxo-2-phenyl-ethyl ester
Interactions	PUBCHEM	3-chloro-N-[3-(morpholin-4-yl)propyl]-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	4-Amino-2-(butylthio)-5-pyrimidinecarboxylic acid ethyl ester
Interactions	PUBCHEM	4-(Benzo[1,3]dioxol-5-ylmethoxy)-benzaldehyde
Interactions	PUBCHEM	N-[5-[(2-chlorophenyl)methyl]-1,3-thiazol-2-yl]oxolane-2-carboxamide
Interactions	PUBCHEM	N,N-Dimethyl-N'-(5-nitro-pyridin-2-yl)-benzene-1,4-diamine
Interactions	PUBCHEM	6-ethoxy-2-N-(2-fluorophenyl)-4-N-prop-2-enyl-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	1-methyl-4-nitro-N-(2-phenyl-1H-benzimidazol-5-yl)pyrazole-3-carboxamide
Interactions	PUBCHEM	3-methyl-4-nitro-N-(2-phenylethyl)benzamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-((5-(2-Fluorophenyl)-1,3,4-oxadiazol-2-yl)thio)-1-(2-methylpiperidin-1-yl)ethanone
Interactions	PUBCHEM	5-(3-Phenylprop-2-enylidene)-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	N-(4-Chloro-benzoyl)-N'-furan-2-ylmethyl-guanidine
Interactions	PUBCHEM	2,4-dichloro-N-(1,2-thiazol-3-yl)benzamide
Interactions	PUBCHEM	1-(4-Benzyloxy-phenyl)-5-oxo-pyrrolidine-3-carboxylic acid propylamide
Interactions	PUBCHEM	1-[4-(3,4-Dichloro-benzyloxy)-phenyl]-5-oxo-pyrrolidine-3-carboxylic acid amide
Interactions	PUBCHEM	1-(2,4-Dichloro-phenoxy)-3-(3,5-dimethyl-pyrazol-1-yl)-propan-2-ol
Interactions	PUBCHEM	N-(5,5-dimethyl-7-oxo-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-2,2-dimethylpropanamide
Interactions	PUBCHEM	2-(Benzooxazol-2-ylsulfanyl)-1-(3-methyl-piperidin-1-yl)-ethanone
Interactions	PUBCHEM	4-methoxy-N-[4-(4-methylpiperazin-1-yl)phenyl]benzamide
Interactions	PUBCHEM	[3-(2-Hydroxy-phenyl)-4,5-dihydro-isoxazol-5-yl]-piperidin-1-yl-methanone
Interactions	PUBCHEM	N-cyclohexyl-N-methyl-5-phenyl-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-[5-(2-methoxyethylsulfanyl)-1,3,4-thiadiazol-2-yl]-2,2-dimethylpropanamide
Interactions	PUBCHEM	N-[2-[1-methyl-5-[[(4-methylphenyl)-oxomethyl]amino]-2-benzimidazolyl]ethyl]-2-furancarboxamide
Interactions	PUBCHEM	N-[4-[(2-chlorobenzoyl)amino]-2-methoxyphenyl]thiophene-2-carboxamide
Interactions	PUBCHEM	2-[5-(4-Fluoro-benzylsulfanyl)-[1,3,4]oxadiazol-2-yl]-pyridine
Interactions	PUBCHEM	5-methyl 2-[2-(methylsulfanyl)ethyl] 3,6-dimethyl-4-oxo-4,5,6,7-tetrahydro-1H-indole-2,5-dicarboxylate
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-3-(phenylsulfonyl)propanamide
Interactions	PUBCHEM	5-[3-(2,4-dichlorophenoxy)propyl]-4-ethyl-4H-1,2,4-triazole-3-thiol
Interactions	PUBCHEM	3-(2-(4-methoxyphenoxy)ethyl)benzo[d]thiazol-2(3H)-one
Interactions	PUBCHEM	N-benzyl-6-(3-methylpiperidin-1-yl)pyridine-3-carboxamide
Interactions	PUBCHEM	3-[5-(4-Ethylphenyl)tetrazol-2-yl]propanenitrile
Interactions	PUBCHEM	{[2-(3-Fluoro-benzoylamino)-4-methyl-thiazole-5-carbonyl]-amino}-acetic acid ethyl ester
Interactions	PUBCHEM	3-[3-(2-methoxyethylamino)imidazo[1,2-a]pyridin-2-yl]-7,8-dimethyl-1H-quinolin-2-one
Interactions	PUBCHEM	Benzo[1,3]dioxol-5-ylmethyl-[2-(4-methoxy-phenyl)-

Main Category	Category	Terms
		imidazo[1,2-a]pyridin-3-yl]-amine
Interactions	PUBCHEM	Furan-2-carboxylic acid (2-methoxy-ethyl)-[5-(4-methoxy-phenyl)-[1,3,4]thiadiazol-2-yl]-amide
Interactions	PUBCHEM	N-Butyl-N-(5-pyridin-3-yl-[1,3,4]thiadiazol-2-yl)-2-thiophen-2-yl-acetamide
Interactions	PUBCHEM	Furan-2-carboxylic acid (4-methyl-5-pentanoylamino-pyridin-2-yl)-amide
Interactions	PUBCHEM	4-Hydroxy-8-methoxy-quinoline-3-carboxylic acid phenethyl-amide
Interactions	PUBCHEM	4-Hydroxy-8-methyl-quinoline-3-carboxylic acid (thiophen-2-ylmethyl)-amide
Interactions	PUBCHEM	4-Hydroxy-7-methyl-quinoline-3-carboxylic acid (thiophen-2-ylmethyl)-amide
Interactions	PUBCHEM	(2-Bromo-phenyl)-{3-[3-(5-methyl-furan-2-yl)-[1,2,4]oxadiazol-5-yl]-piperidin-1-yl}-methanone
Interactions	PUBCHEM	2-Methyl-4-[2-(4-methylphenyl)-2-oxoethyl]-1,4-benzoxazin-3-one
Interactions	PUBCHEM	7-Methyl-2-(3-methyl-butoxymethyl)-5,6,7,8-tetrahydro-3H-benzo[4,5]thieno[2,3-d]pyrimidin-4-one
Interactions	PUBCHEM	N-(2,3-dimethylcyclohexyl)-4-oxo-3,4-dihydrophthalazine-1-carboxamide
Interactions	PUBCHEM	1-(4,6-dimethyl-1,3-benzothiazol-2-yl)-N-(2-morpholin-4-ylethyl)piperidine-3-carboxamide
Interactions	PUBCHEM	2,6-Dimethyl-1-[(5-thien-2-ylisoxazol-3-yl)carbonyl]piperidine
Interactions	PUBCHEM	6-Fluoro-2-(piperidin-1-yl)benzo[d]thiazole
Interactions	PUBCHEM	5-methyl-N-(4-methylphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-{[4-(methylsulfanyl)phenyl]methyl}pyridin-2-amine
Interactions	PUBCHEM	N-(5-methyl-1H-pyrazol-3-yl)-2-{[4-oxo-3-(pyridin-2-ylmethyl)-3,4-dihydrothieno[3,2-d]pyrimidin-2-yl]thio} acetamide
Interactions	PUBCHEM	3-(2-oxo-2-phenylethyl)[1]benzofuro[3,2-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	5-(3-methoxyphenyl)-N-(1-methoxypropan-2-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2-(4-Bromophenyl)imidazo[1,2-a]pyrimidine
Interactions	PUBCHEM	(7-Methoxy-4,5-dihydrobenzo[g][1,2]benzoxazol-3-yl)-(4-morpholinyl)methanone
Interactions	PUBCHEM	2-Ethyl-1-{[(5-thien-2-yl-1,3,4-oxadiazol-2-yl)thio]acetyl} piperidine
Interactions	PUBCHEM	N

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-morpholin-4-ylethyl)-4,5-dihydrobenzo[g][1,2]benzoxazole-3-carboxamide
Interactions	PUBCHEM	3-amino-2-[(pyridin-2-ylthio)methyl]quinazolin-4(3H)-one
Interactions	PUBCHEM	4,6-Difluoro-2-(piperidin-1-yl)benzo[d]thiazole
Interactions	PUBCHEM	3-chloro-N-(5-chloro-2-pyridinyl)-4-ethoxybenzamide
Interactions	PUBCHEM	4-Fluoro-2-piperidin-1-yl-1,3-benzothiazole
Interactions	PUBCHEM	1-{[5-(3,4-Dichlorophenyl)isoxazol-3-yl]carbonyl}-2-ethylpiperidine
Interactions	PUBCHEM	3-acetamido-N-(3-methoxyphenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	6-Methoxy-2-(piperidin-1-ylcarbonyl)furo[2,3-b]quinoline
Interactions	PUBCHEM	4-butoxy-N-(6-methylpyridin-2-yl)benzamide
Interactions	PUBCHEM	2-(3-methylpiperidin-1-yl)-4H-thieno[3,2-d][1,3]thiazin-4-one
Interactions	PUBCHEM	4-(4-Chlorobenzo[d]thiazol-2-yl)morpholine
Interactions	PUBCHEM	5-isopropyl-N-(5-methylisoxazol-3-yl)isoxazole-3-carboxamide
Interactions	PUBCHEM	1-(4-Fluorophenyl)-5-(3-methylbutyl)-1H,4H,5H-pyrazolo[3,4-D]pyrimidin-4-one
Interactions	PUBCHEM	1-{3-[(2-Fluorobenzyl)thio]propanoyl}-4-pyridin-2-ylpiperazine
Interactions	PUBCHEM	5-(4-bromophenyl)-N,N-diethyl-3-isoxazolecarboxamide
Interactions	PUBCHEM	N,N-diethyl-6-(4-methoxyphenyl)-3-methylimidazo[2,1-b][1,3]thiazole-2-carboxamide
Interactions	PUBCHEM	2-(Hept-5-ynoylamino)benzoic acid
Interactions	PUBCHEM	1-(2-Methoxyethyl)-2-[(4-methylphenoxy)methyl]benzimidazole
Interactions	PUBCHEM	N-(6-ethoxy-3-methyl-1,3-benzothiazol-2-ylidene)cyclopropanecarboxamide
Interactions	PUBCHEM	1-{[5-(3,4-Dichlorophenyl)isoxazol-3-yl]carbonyl}-2-methylpiperidine
Interactions	PUBCHEM	(2Z)-2-amino-3-({(1E)-[4-(diethylamino)phenyl]methylene} amin o)but-2-enedinitrile
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-3-(hydroxymethyl)pyrazine-2-carboxamide
Interactions	PUBCHEM	6-ethyl-2-(4-methoxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-7(4H)-one
Interactions	PUBCHEM	Ethyl 4-[(2-phenylimidazo[2,1-b][1,3]benzothiazol-7-yl)carbonyl]piperazine-1-carboxylate
Interactions	PUBCHEM	5-(4-fluorophenyl)-N-(2-furylmethyl)isoxazole-3-

Main Category	Category	Terms
		carboxamide
Interactions	PUBCHEM	N-cyclopentyl-3-(4-fluorophenyl)-4,5-dihydro-1,2-oxazole-5-carboxamide
Interactions	PUBCHEM	N-[2-[2-(cyclopropylamino)-2-oxoethyl]sulfanyl-1,3-benzothiazol-6-yl]-2-(1-methylimidazol-2-yl)sulfanylacetamide
Interactions	PUBCHEM	4-(4,6-Difluoro-1,3-benzothiazol-2-yl)morpholine
Interactions	PUBCHEM	6-methyl-2-oxo-N-(pyridin-2-ylmethyl)-1,6,8-triazatricyclo[7.4.0.03,7]trideca-3(7),4,8,10,12-pentaene-5-carboxamide
Interactions	PUBCHEM	7-methoxy-N-(2-methoxyethyl)-4,5-dihydrobenzo[g][1,2]benzoxazole-3-carboxamide
Interactions	PUBCHEM	N-(3-chlorophenyl)-5-isopropylisoxazole-3-carboxamide
Interactions	PUBCHEM	2-[3-(2-chlorobenzyl)-2-oxoimidazolidin-1-yl]-N-cycloheptylacetamide
Interactions	PUBCHEM	N-[1-(4-methylbenzyl)-1H-pyrazol-3-yl]-4,5,6,7-tetrahydro-1,2-benzisoxazole-3-carboxamide
Interactions	PUBCHEM	1-{[5-(3,4-Dichlorophenyl)isoxazol-3-yl]carbonyl}piperidine
Interactions	PUBCHEM	2-(3-chlorophenyl)-4-N-methyltriazole-4,5-diamine
Interactions	PUBCHEM	1-{[(Thien-2-ylmethyl)thio]acetyl}pyrrolidine
Interactions	PUBCHEM	N-butyl-N'-(4-methyl-2-morpholin-4-ylquinolin-6-yl)succinamide
Interactions	PUBCHEM	2-methoxy-N-(4-oxoquinazolin-3(4H)-yl)benzamide
Interactions	PUBCHEM	N-(2-furylmethyl)-7-methoxy-4,5-dihydronaphtho[2,1-d]isoxazole-3-carboxamide
Interactions	PUBCHEM	1-methyl-N-(tetrahydrofuran-2-ylmethyl)-1H-[1]benzofuro[3,2-b]pyrrole-2-carboxamide
Interactions	PUBCHEM	5-amino-N-(furan-2-ylmethyl)-1-phenyltriazole-4-carboxamide
Interactions	PUBCHEM	1-{[5-(3-Methoxyphenyl)isoxazol-3-yl]carbonyl}-2-methylpiperidine
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5-oxo-2,3-dihydrothiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	5-butyl-1-(4-chlorophenyl)-1,5-dihydro-4H-pyrazolo[3,4-d]pyrimidin-4-one
Interactions	PUBCHEM	N-[2-(1H-indol-1-yl)ethyl]-2,4-dimethoxybenzamide
Interactions	PUBCHEM	N-benzyl-5-(2-furyl)isoxazole-3-carboxamide
Interactions	PUBCHEM	5-(4-bromophenyl)-N-propyl-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-ylmethyl)-2-(1-tert-butyl-4-oxopyrazolo[3,4-d]pyrimidin-5-yl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-(7-methyl-2-oxo-1,2-dihydroquinolin-3-yl)ethyl)furan-2-carboxamide
Interactions	PUBCHEM	(3Z)-1-ethyl-3-(4-oxo-2-piperidin-1-yl-1,3-thiazol-5(4H)-ylidene)-1,3-dihydro-2H-indol-2-one
Interactions	PUBCHEM	(3Z)-5-phenyl-3-(piperidin-1-ylmethylene)furan-2(3H)-one
Interactions	PUBCHEM	5-[(2-bromophenoxy)methyl]-N,N-dimethyl-2-furamide
Interactions	PUBCHEM	1-methyl-N-(thien-2-ylmethyl)-1H-[1]benzofuro[3,2-b]pyrrole-2-carboxamide
Interactions	PUBCHEM	N-(3,4-dichlorophenyl)-N'-[(1-methyl-1H-pyrrol-2-yl)methyl]urea
Interactions	PUBCHEM	N-(2-cyclohex-1-en-1-ylethyl)-1-methyl-4-oxo-1,4-dihydropyrido[1,2-a]pyrrolo[2,3-d]pyrimidine-2-carboxamide
Interactions	PUBCHEM	N-(4-methylphenyl)-N'-thien-2-ylurea
Interactions	PUBCHEM	N-(3-methoxyphenyl)-N'-thien-2-ylurea
Interactions	PUBCHEM	3-(4-methoxyphenyl)-3-(1-pyrrolyl)-N-(2-thiazolyl)propanamide
Interactions	PUBCHEM	N-(3-ethylphenyl)-N'-thien-2-ylurea
Interactions	PUBCHEM	N,N-diethyl-3-(4-methoxyphenyl)-4,5-dihydro-1,2-oxazole-5-carboxamide
Interactions	PUBCHEM	N-cyclohexyl-5-isopropylisoxazole-3-carboxamide
Interactions	PUBCHEM	4-methoxy-N-[2-[3-[2-[(5-methyl-1,3,4-thiadiazol-2-yl)amino]-2-oxoethyl]sulfanylindol-1-yl]ethyl]benzamide
Interactions	PUBCHEM	2-(Methyl(phenyl)amino)-4H-thieno[3,2-d][1,3]thiazin-4-one
Interactions	PUBCHEM	N-phenyloctahydroquinoline-1(2H)-carboxamide
Interactions	PUBCHEM	N-2,3-dihydro-1,4-benzodioxin-6-yl-2-(1,3-dioxo-1,3,3a,4,7,7a-hexahydro-2H-4,7-methanoisoindol-2-yl)acetamide
Interactions	PUBCHEM	1-(4-Methyl-3-oxo-1,4-benzothiazin-6-yl)-3-pyridin-2-ylurea
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-[[6-methyl-4-oxo-3-(phenylmethyl)-6,7-dihydrothieno[3,2-d]pyrimidin-2-yl]thio]acetamide
Interactions	PUBCHEM	2-(Furan-2-ylmethylamino)pyridazino[6,1-b]quinazolin-10-one
Interactions	PUBCHEM	N-[1-(2,3-dihydro-1,4-benzodioxin-6-ylamino)-3-methyl-1-oxobutan-2-yl]cyclohexanecarboxamide
Interactions	PUBCHEM	5-(Biphenyl-4-yl)-3-propyl-1,2,4-oxadiazole
Interactions	PUBCHEM	1-Tert-butyl-5-[2-(4-chlorophenyl)-2-oxoethyl]-4-pyrazolo[3,4-d]pyrimidinone
Interactions	PUBCHEM	N-(2-methylsulfanyl-[1,3]thiazolo[4,5-g][1,3]benzothiazol-7-yl)thiophene-2-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(8-methoxy-2-oxo-2H-chromen-3-yl)cyclohexanecarboxamide
Interactions	PUBCHEM	1-tert-butyl-5-(2-oxo-2-phenylethyl)-1,5-dihydro-4H-pyrazolo[3,4-d]pyrimidin-4-one
Interactions	PUBCHEM	N-(2-(cyclohex-1-en-1-yl)ethyl)-5-oxo-3,5-dihydro-2H-thiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	N-(2-furanylmethyl)-5-(3-methoxyphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-(7-methyl[1,3]thiazolo[5,4-e][1,3]benzothiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	N,3-diphenylpyrrolidine-1-carboxamide
Interactions	PUBCHEM	3-[(3-methylphenoxy)methyl]-2H-1,2,4-benzothiadiazine 1,1-dioxide
Interactions	PUBCHEM	3-(4-methylphenyl)-N-phenyl-1-pyrrolidinecarboxamide
Interactions	PUBCHEM	N-(2-phenylethyl)-5,6,7,8-tetrahydro-4H-cyclohepta[d]isoxazole-3-carboxamide
Interactions	PUBCHEM	Methyl 2-[(6-bromo-2-pyridin-2-ylimidazo[1,2-a]pyridin-3-yl)amino]acetate
Interactions	PUBCHEM	4-amino-N-[2-(cyclohexen-1-yl)ethyl]-3-prop-2-enyl-2-sulfanylidene-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	6-(4-Phenylpiperazin-1-yl)[1,3]dioxolo[4,5-f][1,3]benzothiazole
Interactions	PUBCHEM	(4E)-2-(4-methylphenyl)-4-(morpholin-4-ylmethylidene)-1,3-oxazol-5-one
Interactions	PUBCHEM	N-[2-(2,3-dihydro-1H-indol-1-yl)-2-oxoethyl]-N-methylthiophene-2-sulfonamide
Interactions	PUBCHEM	5-oxo-N-(3-phenylpropyl)-3,5-dihydro-2H-thiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	5-amino-N-(4-fluorophenyl)-1-(3-methylphenyl)-1H-1,2,3-triazole-4-carboxamide
Interactions	PUBCHEM	4-(2-oxopyrrolidin-1-yl)-N-(pyridin-2-ylmethyl)benzamide
Interactions	PUBCHEM	N-(7-methyl[1,3]thiazolo[4,5-g][1,3]benzothiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	5-(4-hydroxyphenyl)-N-[2-(trifluoromethyl)phenyl]isoxazole-3-carboxamide
Interactions	PUBCHEM	(3Z)-3-{[(3,4-Dimethoxyphenyl)amino]methylidene}-2,3-dihydro-1H-indol-2-one
Interactions	PUBCHEM	Ethyl 2,3-dihydrothieno[2,3-b]quinoline-6-carboxylate
Interactions	PUBCHEM	6-methyl-N-(tetrahydrofuran-2-ylmethyl)-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	2-(2-Methoxyphenyl)-1-oxo-N-[2-oxo-2-(4-phenylpiperazin-1-

Main Category	Category	Terms
		YL)ethyl]-1,2-dihydroisoquinoline-4-carboxamide
Interactions	PUBCHEM	2-(3-chlorophenyl)-5-methyl-4-(2-methylpropyliminomethyl)-1H-pyrazol-3-one
Interactions	PUBCHEM	[2-(2-methylpiperidin-1-yl)-2-oxoethyl] 1H-indazole-3-carboxylate
Interactions	PUBCHEM	4-(4-fluorophenyl)-5-methyl-2-(2-phenoxyethyl)-2,4-dihydro-3H-1,2,4-triazol-3-one
Interactions	PUBCHEM	(4-Amino-2-benzylsulfanyl-1,3-thiazol-5-yl)-piperidin-1-ylmethanone
Interactions	PUBCHEM	N-(1,1-dioxothiolan-3-yl)-2-[[5-(4-methoxyanilino)-1,3,4-thiadiazol-2-yl]sulfanyl]-N-(2-methylpropyl)acetamide
Interactions	PUBCHEM	5-(2-Methoxyphenyl)-3-(2-methylphenyl)-2,5-dihydro-1,2,4-oxadiazole
Interactions	PUBCHEM	4-[1,1'-Biphenyl]-4-yl-1,2,3-thiadiazole
Interactions	PUBCHEM	N-(4-(1-Methylpropyl)phenyl)bicyclo(2.2.1)heptane-2-carboxamide
Interactions	PUBCHEM	3-ethyl-5-[3-(N-methylanilino)prop-2-enylidene]-2-sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	2-chloro-N-[2-[(2-chloropyridine-3-carbonyl)amino]-4-(diethylsulfamoyl)phenyl]pyridine-3-carboxamide
Interactions	PUBCHEM	SB 204741
Interactions	PUBCHEM	5-benzylsulfanyl-N-cyclohexyl-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	4-{[3-(4-Chlorophenyl)-1,2,4-oxadiazol-5-yl]methyl} morpholine
Interactions	PUBCHEM	2-(4-Chlorophenyl)-4-(pyridin-2-ylsulfanylmethyl)-1,3-thiazole
Interactions	PUBCHEM	(4-Methoxycarbonylphenyl)methyl 2-chloropyridine-3-carboxylate
Interactions	PUBCHEM	N-(4-acetylphenyl)-2,5-dichlorothiophene-3-carboxamide
Interactions	PUBCHEM	N-(4-methoxy-2-nitrophenyl)-3-methylthiophene-2-carboxamide
Interactions	PUBCHEM	3-[2-(2,4-dimethylphenyl)-2-oxoethyl]-8-methoxy-2H-chromen-2-one
Interactions	PUBCHEM	[2-oxo-2-(1H-pyrrol-2-yl)ethyl] 3-methylthiophene-2-carboxylate
Interactions	PUBCHEM	2-N-methyl-5-nitro-2-N-phenyl-6-pyrrolidin-1-ylpyrimidine-2,4-diamine
Interactions	PUBCHEM	5-(1,3-benzodioxol-5-yl)-N-(2,4-dimethylphenyl)-1,3,4-oxadiazol-2-amine
Interactions	PUBCHEM	(5-Amino-3-triazolo[1,5-a]quinazolinyl)-(4-morpholinyl)methanone

Main Category	Category	Terms
Interactions	PUBCHEM	[2-(4-Methoxyphenyl)-2-oxoethyl] piperidine-1-carbodithioate
Interactions	PUBCHEM	ethyl 1-(4-chlorophenyl)-5-oxo-4,5-dihydro-1H-pyrazole-3-carboxylate
Interactions	PUBCHEM	N-[3-[4-(6-Methyl-benzothiazol-2-yl)-phenyl]-5,5-dioxo-hexahydro-5lambda*6*-thieno[3,4-d]thiazol-(2Z)-ylidene]-butyramide
Interactions	PUBCHEM	3-(4-methyl-3-nitrophenyl)-2,4(1H,3H)-quinazolinedione
Interactions	PUBCHEM	3-Hydroxy-4-[(4-methoxyphenyl)acetyl]phenyl hexopyranoside
Interactions	PUBCHEM	N-(9-ethylcarbazol-3-yl)piperidine-1-carboxamide
Interactions	PUBCHEM	3-[2-(2,4-dimethylphenyl)-2-oxoethyl]-2H-chromen-2-one
Interactions	PUBCHEM	4-(4-Bromophenyl)azo-5-keto-3-methyl-2-pyrazoline-1-carbothioamide
Interactions	PUBCHEM	N-{5-oxo-7-[4-(propan-2-yl)phenyl]-5,6,7,8-tetrahydroquinazolin-2-yl}furan-2-carboxamide
Interactions	PUBCHEM	2-fluoro-N-(4-nitrophenyl)benzamide
Interactions	PUBCHEM	[2-[1-(Furan-2-ylmethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 4-hydroxybenzoate
Interactions	PUBCHEM	N-benzyl-2-[(3-fluorobenzyl)thio]acetamide
Interactions	PUBCHEM	3-(3-phenyl-2-sulfanylidene-1H-imidazol-5-yl)chromen-2-one
Interactions	PUBCHEM	2-[(4-Methylphenyl)sulfanyl]quinoxaline
Interactions	PUBCHEM	[2-(1H-indol-3-yl)-2-oxoethyl] 2,2-dichloro-1-methylcyclopropane-1-carboxylate
Interactions	PUBCHEM	Ethyl 4-methyl-7-phenylpyrazolo[5,1-c][1,2,4]triazine-3-carboxylate
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-6,7-dimethyl-4,9-dihydrofuro[3,2-b]quinoxalin-3-one
Interactions	PUBCHEM	2,4-dichloro-N-(3-ethynylphenyl)benzamide
Interactions	PUBCHEM	4-chloro-1-(4-methylphenyl)-N-propyl-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	3-methyl-4-nitro-N-quinolin-3-ylbenzamide
Interactions	PUBCHEM	N-cyclopropylmethyl-N'-(2-fluorobenzoyl)urea
Interactions	PUBCHEM	2-[[5-(1H-indazol-3-yl)-1,3,4-oxadiazol-2-yl]sulfanyl]-N-(3-methylphenyl)acetamide
Interactions	PUBCHEM	N-[2-(4-chloroanilino)-2-oxoethyl]furan-2-carboxamide
Interactions	PUBCHEM	N-(2-chloro-3-pyridinyl)-3-oxo-3-phenylpropanamide
Interactions	PUBCHEM	N-(3,5-dichloropyridin-2-yl)-2-([1,2,4]triazolo[4,3-a]pyridin-3-ylsulfanyl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[(4-methoxyphenyl)methyl]-5-nitropyridin-2-amine
Interactions	PUBCHEM	6-Amino-3,4-benzocoumarin
Interactions	PUBCHEM	4-[4-(benzyloxy)phenyl]-5-methyl-2,4-dihydro-3H-1,2,4-triazol-3-one
Interactions	PUBCHEM	3-(1H-1,3-benzodiazol-2-yl)aniline
Interactions	PUBCHEM	N-(3,4-difluorophenyl)-2-(1-methyl-1H-pyrrol-2-yl)-2-oxoacetamide
Interactions	PUBCHEM	2-((Phenylmethyl)thio)-1H-benzimidazol-1-amine
Interactions	PUBCHEM	Mls000757212
Interactions	PUBCHEM	2-imino-6-methoxy-N-(3-methylphenyl)-2H-chromene-3-carboxamide
Interactions	PUBCHEM	2,3-dimethoxy-N-(5-phenyl-1,3,4-thiadiazol-2-yl)benzamide
Interactions	PUBCHEM	N-[5-(4-tert-butylphenyl)-1,2,4-thiadiazol-3-yl]-2-[(5-methyl-1,3,4-thiadiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	2-[[1-(phenylmethyl)-3-indolyl]thio]-N-(2-thiazolyl)acetamide
Interactions	PUBCHEM	8-Methyl-4-phenyl-1,3-dihydro-2H-1,5-benzodiazepin-2-one
Interactions	PUBCHEM	3-[4-(1H-pyrrol-1-yl)phenyl]-1H-pyrazole
Interactions	PUBCHEM	8-methoxy-3-(2-oxo-2-phenylethyl)-2H-chromen-2-one
Interactions	PUBCHEM	2-[3-(1,4-dioxa-8-azaspiro[4.5]dec-8-yl)-3-oxopropyl]-6-(4-methylphenyl)pyridazin-3(2H)-one
Interactions	PUBCHEM	N-(3-methoxyphenyl)-3,4-dihydroisoquinoline-2(1H)-carboxamide
Interactions	PUBCHEM	(2-Morpholin-4-yl-2-oxoethyl) 4-amino-3-nitrobenzoate
Interactions	PUBCHEM	1-[5-Benzylsulfanyl-3-(furan-2-yl)-1,2,4-triazol-1-yl]ethanone
Interactions	PUBCHEM	1-[5-Benzylsulfanyl-3-(furan-2-yl)-1,2,4-triazol-1-yl]-3-phenylpropan-1-one
Interactions	PUBCHEM	2-(4-Methoxyphenoxy)quinoxaline
Interactions	PUBCHEM	1-(3-Methylphenyl)-N-(prop-2-EN-1-YL)-1H-pyrazolo[3,4-D]pyrimidin-4-amine
Interactions	PUBCHEM	[2-(2,3-Dihydro-1,4-benzodioxin-6-ylamino)-2-oxoethyl] 1-methylpyrrole-2-carboxylate
Interactions	PUBCHEM	5-Chloro-8-[(2-chloro-1,3-thiazol-5-yl)methoxy]quinoline
Interactions	PUBCHEM	N-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-((3-(2-methoxyethyl)-6-methyl-4-oxo-3,4,6,7-tetrahydrothieno[3,2-d]pyrimidin-2-yl)thio)acetamide
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-3-carboxamide
Interactions	PUBCHEM	Hinokitiol

Main Category	Category	Terms
Interactions	PUBCHEM	6-methyl-N-(thiazol-2-yl)-4,5,6,7-tetrahydrobenzo[b]thiophene-3-carboxamide
Interactions	PUBCHEM	N-cyclohexyl-7-methylfuro[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	1-ethyl-N-[(4-ethylphenyl)methyl]benzimidazol-5-amine
Interactions	PUBCHEM	methyl 3-(4-hydroxyphenyl)-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)propanoate
Interactions	PUBCHEM	N-(4-butylphenyl)tetrahydrofuran-2-carboxamide
Interactions	PUBCHEM	7-{2-[(4-Chlorobenzyl)oxy]phenyl}[1,2,4]triazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	1-cyclopentyl-N-(3-methylbutyl)-1H-benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-{4-[(2Z)-2-(1-carbamothioyl-3-methyl-5-oxo-1,5-dihydro-4H-pyrazol-4-ylidene)hydrazinyl]phenyl}acetamide
Interactions	PUBCHEM	2-(4-Methoxyphenyl)acetic acid [2-[4-[(4-ethoxyanilino)-oxomethyl]anilino]-2-oxoethyl] ester
Interactions	PUBCHEM	1-[3-(4-methoxyphenyl)-4,5-dihydro-1H-pyrazol-1-yl]propan-1-one
Interactions	PUBCHEM	[2-oxo-2-(1H-pyrrol-2-yl)ethyl] 2,4-dimethoxybenzoate
Interactions	PUBCHEM	1H-Imidazol-2-yl(4-methylphenyl)methanone
Interactions	PUBCHEM	2-(1-hydroxy-3-oxo-3,4-dihydro-1,2,4-benzotriazin-2(1H)-yl)-4,5,6,7-tetrahydro-1-benzothiophene-3-carbonitrile
Interactions	PUBCHEM	[1-Oxo-1-[(4-phenyl-1,3-thiazol-2-yl)amino]propan-2-yl] 2-[(2-fluorobenzoyl)amino]acetate
Interactions	PUBCHEM	4-fluoro-N-(6-methyl-4-oxo-3,4-dihydro-2H-thiochromen-3-yl)benzenecarboxamide
Interactions	PUBCHEM	N-(3-bromophenyl)-2-(2-nitropyridin-3-yl)oxyacetamide
Interactions	PUBCHEM	5-methyl-4-(4-methylphenyl)-2-(2-phenoxyethyl)-2,4-dihydro-3H-1,2,4-triazol-3-one
Interactions	PUBCHEM	ethyl (2Z)-2-[(3,4-dimethylbenzoyl)imino]-3,4-dimethyl-2,3-dihydro-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	N-cyclohexyl-N-methyl-2-thieno[2,3-d]pyrimidin-4-ylsulfanylacetamide
Interactions	PUBCHEM	N-[2-[[2-(4-chlorophenyl)-2-oxoethyl]thio]-4-oxo-3-quinazolinyl]benzamide
Interactions	PUBCHEM	4-(4-methoxyphenyl)-5-methyl-2-(2-phenoxyethyl)-2,4-dihydro-3H-1,2,4-triazol-3-one
Interactions	PUBCHEM	4-(2,6-difluorophenyl)-5-methyl-2-(2-phenoxyethyl)-2,4-dihydro-3H-1,2,4-triazol-3-one
Interactions	PUBCHEM	(4-Fluorophenyl)(3-phenylpyrrolidin-1-yl)methanone
Interactions	PUBCHEM	1-(5-Benzo[1,3]dioxol-5-yl-3-p-tolyl-4,5-dihydro-pyrazol-1-yl)-

Main Category	Category	Terms
		ethanone
Interactions	PUBCHEM	8-[(4-Nitrophenyl)methoxy]quinoline
Interactions	PUBCHEM	N-allyl-4-[4-(2,4-dichlorophenyl)-1,3-thiazol-2-yl]benzenecarboxamide
Interactions	PUBCHEM	2-(2-Methoxyphenyl)-1-(4-phenylmethoxyphenyl)ethanone
Interactions	PUBCHEM	(3s,5s,7s)-N-(5-ethyl-1,3,4-thiadiazol-2-yl)tricyclo[3.3.1.1
Interactions	PUBCHEM	1-(4-methylbenzyl)-N-phenyl-1H-imidazole-2-carboxamide
Interactions	PUBCHEM	6-Phenyl-2-(pyrrolidine-1-carbonyl)thieno(2,3-b)pyridin-3-amine
Interactions	PUBCHEM	[2-(4-Methoxyphenyl)cyclopropyl](2-pyridinyl)methanone
Interactions	PUBCHEM	1-(4-Tert-butylphenyl)-2-(2-chloropyridin-1-ium-1-yl)ethanone
Interactions	PUBCHEM	2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2,3-dihydrochromen-4-one
Interactions	PUBCHEM	N-(5-Acetylamino-4-methyl-2-phenylazo-phenyl)-acetamide
Interactions	PUBCHEM	2-[3-(2-Methyl-allyl)-thioureido]-5,6,7,8-tetrahydro-quinoline-3-carboxylic acid ethyl ester
Interactions	PUBCHEM	N-(3-fluoro-4-morpholinophenyl)-2-(phenylsulfanyl)acetamide
Interactions	PUBCHEM	2-tert-Butoxycarbonylamino-3-methyl-pentanoic acid 3-(4-nitro-phenyl)-4-oxo-4H-chromen-7-yl ester
Interactions	PUBCHEM	4-[3-methoxy-3-oxo-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)propyl]phenyl 4-(trifluoromethyl)benzenecarboxylate
Interactions	PUBCHEM	4,6-Diamino-2-[(2-methylphenoxy)methyl]-2,3-dihydrofuro[2,3-b]pyridine-5-carbonitrile
Interactions	PUBCHEM	4,6-Diamino-2-(phenoxymethyl)-2,3-dihydrofuro[2,3-b]pyridine-5-carbonitrile
Interactions	PUBCHEM	3-(4-Methoxy-phenyl)-2-[4-methoxy-3-(pyridin-2-yloxymethyl)-phenyl]-2,3-dihydro-1H-quinazolin-4-one
Interactions	PUBCHEM	1-[2-(2,3-Dichloroanilino)-1,3-thiazol-5-yl]-1-ethanone
Interactions	PUBCHEM	3-bromo-N-(5-methyl-1H-pyrazol-3-yl)benzamide
Interactions	PUBCHEM	N
Interactions	PUBCHEM	4-[3-methoxy-3-oxo-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)propyl]phenyl 4-chlorobenzenecarboxylate
Interactions	PUBCHEM	N-[(3-cyano-6-methyl-4,5,6,7-tetrahydro-1-benzothiophen-2-yl)carbamothioyl]benzamide
Interactions	PUBCHEM	2-(1-methyl-1H-pyrrol-2-yl)-2-oxo-N-phenylacetamide
Interactions	PUBCHEM	2-(4-hydroxy-3-methoxyphenyl)-3-phenyl-2,3-dihydroquinazolin-4(1H)-one

Main Category	Category	Terms
Interactions	PUBCHEM	6,7-Dimethoxy-3-[4-(4-nitro-phenyl)-thiazol-2-ylamino]-3H-isobenzofuran-1-one
Interactions	PUBCHEM	N-cycloheptyl-1-(6-methyl-2-pyridinyl)-1H-imidazole-4-carboxamide
Interactions	PUBCHEM	4,6-dimethyl-3-(phenylsulfonyl)-1-(2-propynyl)-2(1H)-pyridinone
Interactions	PUBCHEM	N-(4-acetylphenyl)-2,2-dichloro-1-phenylcyclopropane-1-carboxamide
Interactions	PUBCHEM	3-Benzyl-6-ethyl-6-methyl-2-methylsulfanyl-3,5,6,8-tetrahydro-pyrano[4',3':4,5]thieno[2,3-d]pyrimidin-4-o ne
Interactions	PUBCHEM	2-[4-(3-Methoxyphenyl)piperazin-1-yl]quinoxaline
Interactions	PUBCHEM	3-(benzyloxy)-2-methyl-1-(4-methylbenzyl)-4(1H)-pyridinone
Interactions	PUBCHEM	4-{[(2Z)-3-[4-(6-methyl-1,3-benzothiazol-2-yl)phenyl]-5,5-dioxidotetrahydrothieno[3,4-d][1,3]thiazol-2(3H)-ylidene]amino}-4-oxobutanoic acid
Interactions	PUBCHEM	N-[1-(4-methoxyphenyl)-4-(4-methoxyphenyl)imino-3-phenyl-5-sulfanylideneimidazolidin-2-ylidene]benzenesulfonamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)-4-(2-pyrimidinyloxy)benzenecarboxamide
Interactions	PUBCHEM	4-(2-Oxo-2H-chromen-3-yl)phenyl acetate
Interactions	PUBCHEM	4-[7-(acetyloxy)-2-oxo-2H-chromen-3-yl]phenyl acetate
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-(1-methyl-1H-pyrrol-2-yl)-2-oxoacetamide
Interactions	PUBCHEM	2-Benzyl-1,2,3,4-tetrahydrobenzo[b][1,6]naphthyridine
Interactions	PUBCHEM	2-[(1,3-Benzoxazol-2-ylsulfanyl)methyl]benzoic acid
Interactions	PUBCHEM	methyl 7-fluoro-2-(methoxymethyl)-5-oxo-5H-chromeno[2,3-b]pyridine-3-carboxylate
Interactions	PUBCHEM	methyl [2-(benzylsulfanyl)-1H-benzimidazol-1-yl]acetate
Interactions	PUBCHEM	2-Chloro-5-hydrazinylbenzoic acid
Interactions	PUBCHEM	4-[(4-Methylphenoxy)methyl]-1,3-thiazol-2-amine
Interactions	PUBCHEM	4-(4-Methoxy-phenoxymethyl)-thiazol-2-ylamine
Interactions	PUBCHEM	2-Methyl-7,8,9,10-tetrahydro-3H,11H-[1]benzothieno[2',3':4,5]pyrimido[2,1-b][1,3,4]thiadiazin-11-one
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-yloxy)-1-(2-methyl-2,3-dihydroindol-1-yl)ethanone
Interactions	PUBCHEM	3-[2-(4-Bromophenoxy)ethoxy]-6-methyl-2-nitropyridine
Interactions	PUBCHEM	1-[5-(4-methylphenyl)-2-[4-(propan-2-yl)phenyl]-1,3,4-oxadiazol-3(2H)-yl]ethanone

Main Category	Category	Terms
Interactions	PUBCHEM	1-(3-p-anisyl-5-thioxo-1H-1,2,4-triazol-4-yl)-3-(p-tolyl)urea
Interactions	PUBCHEM	3-[2-[2,5-Dimethyl-1-(thiophen-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl]-6-methyl-1,3-diazaspiro[4.5]decane-2,4-dione
Interactions	PUBCHEM	2-hydroxy-N'-[(1E)-3-methyl-4-oxonaphthalen-1(4H)-ylidene]benzohydrazide
Interactions	PUBCHEM	2,2-dimethyl-N-[5-(2-phenylethyl)-1,3,4-thiadiazol-2-yl]butanamide
Interactions	PUBCHEM	4-[2-(2-Chloro-4-nitrophenoxy)acetyl]-1,3-dihydroquinoxalin-2-one
Interactions	PUBCHEM	6-Methyl-2-nitro-3-[(4-nitrophenyl)methoxy]pyridine
Interactions	PUBCHEM	N-[(4-fluorophenyl)methyl]-2,3-dihydro-1H-cyclopenta[b]quinoline-9-carboxamide
Interactions	PUBCHEM	2-[(4-chlorophenoxy)methyl]-1H-1,3-benzodiazole
Interactions	PUBCHEM	3-methoxy-N-{5-methyl-4H,5H,6H,7H-[1,3]thiazolo[5,4-c]pyridin-2-yl}benzamide
Interactions	PUBCHEM	1-methyl-N-[(5-methylfuran-2-yl)methyl]-1H-benzimidazol-2-amine
Interactions	PUBCHEM	5-Benzothiazoleacetic acid, 2-phenyl-, ethyl ester
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-3-carboxamide
Interactions	PUBCHEM	N-[2-(1H-indol-3-yl)ethyl]-N'-phenylethanediamide
Interactions	PUBCHEM	2-ethylsulfonyl-N-(3-methylphenyl)-3,4-dihydro-1H-isoquinoline-3-carboxamide
Interactions	PUBCHEM	7-(diethylamino)-3-(5-phenyl-1,3,4-oxadiazol-2-yl)-2H-chromen-2-one
Interactions	PUBCHEM	N-(3-(N-Methyl-N-phenylsulfamoyl)phenyl)-2-oxo-2H-chromene-3-carboxamide
Interactions	PUBCHEM	3-(5-Amino-[1,3,4]thiadiazol-2-yl)-chromen-2-one
Interactions	PUBCHEM	3-(5-Amino-1,3,4-thiadiazol-2-yl)-6-methoxy-2h-chromen-2-one
Interactions	PUBCHEM	ethyl 3-{[(8-methoxy-2-oxo-2H-chromen-3-yl)carbonyl]amino}-3-(4-methoxyphenyl)propanoate
Interactions	PUBCHEM	[2-[(9,10-Dioxoanthracen-2-yl)amino]-2-oxoethyl] 2-(benzimidazol-1-yl)acetate
Interactions	PUBCHEM	Cyclopropanecarboxylic acid, 2-oxo-2-[[4-(2-phenyldiazenyl)phenyl]amino]ethyl ester
Interactions	PUBCHEM	{5-Chloro-4-[3-(4-chlorophenyl)-4-oxo-1,2,3,4-tetrahydro-2-quinazolinyl]-2-methoxyphenoxy}acetic acid
Interactions	PUBCHEM	2-[(3-chlorophenyl)methylsulfanyl]-3H-imidazo[4,5-c]pyridine

Main Category	Category	Terms
Interactions	PUBCHEM	6-({[3-(Methoxycarbonyl)-4-(4-methylphenyl)-2-thienyl]amino}carbonyl)-3-cyclohexene-1-carboxylic acid
Interactions	PUBCHEM	Ethyl 2-benzamido-1,3-thiazole-4-carboxylate
Interactions	PUBCHEM	N-[5-(2-methoxyphenyl)-1,3,4-thiadiazol-2-yl]-2-[(4-methyl-1,2,4-triazol-3-yl)thio]acetamide
Interactions	PUBCHEM	1-(4-Acetylphenyl)-3-naphthalen-1-ylurea
Interactions	PUBCHEM	1-(1-azepanyl)-2-[(5-methyl-4-nitro-1H-pyrazol-3-yl)thio]ethanone
Interactions	PUBCHEM	N-[4-[(4-bromo-3-methylphenyl)carbamoyl]phenyl]oxolane-2-carboxamide
Interactions	PUBCHEM	3-(2-(4-Methoxyphenyl)-2-oxoethyl)-2H-chromen-2-one
Interactions	PUBCHEM	Ethyl 3-methyl-5-pivalamidothiophene-2-carboxylate
Interactions	PUBCHEM	N-(5-acetyl-4-phenyl-1,3-thiazol-2-yl)benzamide
Interactions	PUBCHEM	3-(4-chlorobenzyl)-6-morpholino-2-thioxo-2,3-dihydroquinazolin-4(1H)-one
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-(1-phenylimidazol-2-yl)sulfanylacetamide
Interactions	PUBCHEM	1-[[4-(Dimethylamino)phenyl]methylideneamino]-3-(4-fluorophenyl)thiourea
Interactions	PUBCHEM	4-(4-Ethoxyphenyl)-1-(4-methoxyphenyl)-2-(methylthio)imidazole
Interactions	PUBCHEM	N-(4-(thiophen-2-yl)thiazol-2-yl)-5,6-dihydro-1,4-dioxine-2-carboxamide
Interactions	PUBCHEM	3-methoxy-N-(3-methyl-6-methylsulfonyl-1,3-benzothiazol-2-ylidene)benzamide
Interactions	PUBCHEM	N-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-5-oxo-3,5-dihydro-2H-thiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	2-[(1-Methyl-2-imidazolyl)thio]-1-(2-naphthalenyl)ethanone
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-3,5-difluorobenzamide
Interactions	PUBCHEM	1-(3-Methyl-1-piperidinyl)-2-(2-quinoxalinylthio)ethanone
Interactions	PUBCHEM	5-[2-(1-Benzylpiperidin-4-ylidene)hydrazinyl]-2-chlorobenzoic acid
Interactions	PUBCHEM	N-(4-(benzo[d]thiazol-2-yl)thiazol-2-yl)-2-(2,5-dioxopyrrolidin-1-yl)acetamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-(4,4,6-trimethyl-2-sulfanylidene-1,3-diazinan-1-yl)butanamide
Interactions	PUBCHEM	N-(2-cyanophenyl)-4-oxo-4H-chromene-2-carboxamide
Interactions	PUBCHEM	7-bromo-2-({[4-oxo-3-(pyridin-2-ylmethyl)-3,4-dihydrothieno[3,2-d]pyrimidin-2-yl]thio}methyl)-4H-pyrido[1,2-a]pyrimidin-4-one

Main Category	Category	Terms
Interactions	PUBCHEM	(Z)-methyl 2-(6-methoxy-2-((3-methoxybenzoyl)imino)benzo[d]thiazol-3(2H)-yl)acetate
Interactions	PUBCHEM	ethyl 1,3,5-trimethyl-4-{[(2-phenylethyl)amino]carbonyl}-1H-pyrrole-2-carboxylate
Interactions	PUBCHEM	1-(2,4-Dichlorophenyl)-3-(pyridin-2-ylmethyl)urea
Interactions	PUBCHEM	4H-1-Benzopyran-4-one, 7-(beta-D-glucopyranosyloxy)-3-(4-hydroxyphenyl)-
Interactions	PUBCHEM	1-{7-Methoxyfuro[2,3-B]quinoline-2-carbonyl}-3,5-dimethylpiperidine
Interactions	PUBCHEM	Azepan-1-yl-(7-chlorofuro[2,3-b]quinolin-2-yl)methanone
Interactions	PUBCHEM	3-[(2,4-dimethylanilino)methylene]-2-benzothiophen-1(3H)-one
Interactions	PUBCHEM	3-(2-chlorophenyl)sulfanyl-N-(3-sulfamoylphenyl)propanamide
Interactions	PUBCHEM	ethyl 2,4-dimethyl-5-[C-methyl-N-(thiophene-2-carbonylamino)carbonimidoyl]-1H-pyrrole-3-carboxylate
Interactions	PUBCHEM	(3S)-4-[5-[(4-chloro-2-methoxyphenoxy)methyl]-1,2-oxazole-3-carbonyl]-1,3-dimethylpiperazin-2-one
Interactions	PUBCHEM	N-(4-chlorobenzyl)-2-(3,4-dimethoxyphenyl)-5-oxotetrahydrofuran-3-carboxamide
Interactions	PUBCHEM	N-cyclohexyl-5-[(3-methoxyphenoxy)methyl]-N-methyl-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	[(2S,5S)-5-[(6-methoxynaphthalen-2-yl)methyl]oxolan-2-yl]methanol
Interactions	PUBCHEM	(R)-ethyl 3-(5-(4-methoxyphenyl)-3-oxocyclohex-1-enyl)benzoate
Interactions	PUBCHEM	1-(4-but-3-ynylthiophen-3-yl)-N-(4-ethoxycarbonylphenyl)methanimine oxide
Interactions	PUBCHEM	1-(furan-3-yl)-N-(4-methoxyphenyl)methanimine oxide
Interactions	PUBCHEM	2-[(4-Ethyl-5-phenyl-1,2,4-triazol-3-yl)sulfanyl]-1-phenylethanol
Interactions	PUBCHEM	2-fluoro-6-[3-(4-methoxyphenyl)-1H-pyrazol-1-yl]pyridine
Interactions	PUBCHEM	N-(2,5-dichlorophenyl)-2-(2-nitropyridin-3-yl)oxyacetamide
Interactions	PUBCHEM	[2-[3-(Dimethylsulfamoyl)anilino]-2-oxoethyl] 2-oxochromene-3-carboxylate
Interactions	PUBCHEM	N-benzyl-2-[(2-fluorobenzyl)thio]acetamide
Interactions	PUBCHEM	2-Chlorophenyl 2-({[(2-chlorophenyl)carbamoyl]methyl} sulfanyl)pyridine-3-carboxylate
Interactions	PUBCHEM	3-[2-(2-methyl-3H-indol-3-ylidene)hydrazino]benzoic acid
Interactions	PUBCHEM	N-(5-((3-fluorobenzyl)thio)-1,3,4-thiadiazol-2-yl)pivalamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-Benzyl-1-aminobenzotriazole
Interactions	PUBCHEM	2-(2-bromo-4-chlorophenoxy)-N-(cyclopentylcarbamoyl)acetamide
Interactions	PUBCHEM	4-phenyl-1-[3-(trifluoromethyl)phenyl]-1H-pyrazol-5-amine
Interactions	PUBCHEM	2-((5-(Furan-2-yl)-1,3,4-oxadiazol-2-yl)thio)-1-(2-methylpiperidin-1-yl)ethanone
Interactions	PUBCHEM	3-chloro-N-(5-methyl-1H-pyrazol-3-yl)benzamide
Interactions	PUBCHEM	2-[[5-(cyclohexylamino)-1,3,4-thiadiazol-2-yl]thio]-N-(9,10-dioxo-2-anthracenyl)acetamide
Interactions	PUBCHEM	cyclohexyl N-(2-methyl-4-nitrophenyl)carbamate
Interactions	PUBCHEM	2-((5-(3-Chlorophenyl)-1,3,4-oxadiazol-2-yl)thio)-1-(2-ethylpiperidin-1-yl)ethanone
Interactions	PUBCHEM	2-(6,7-dimethoxy-3,4-dihydro-1H-isoquinolin-2-yl)quinoline
Interactions	PUBCHEM	N-(sec-butyl)-7-methoxyfuro[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	N-(1H-1,3-benzimidazol-5-yl)-N'-benzoylthiourea
Interactions	PUBCHEM	2-(4-fluorophenyl)-4-(2-methoxyphenyl)-5-methyl-2H-imidazole
Interactions	PUBCHEM	4-(2-methoxyphenyl)-5-methyl-2-(4-methylphenyl)-2H-imidazole
Interactions	PUBCHEM	1-(4-tert-butylbenzyl)-2-[(4-methoxyphenoxy)methyl]-1H-benzimidazole
Interactions	PUBCHEM	(4Z)-4-[(allylamino)methylene]-5-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one
Interactions	PUBCHEM	2-chloro-N-(4-methoxybenzyl)pyridin-3-amine
Interactions	PUBCHEM	2,4-Dimethoxy-N-(4-oxo-3,4-dihydroquinazolin-3-YL)benzamide
Interactions	PUBCHEM	1-Amino-3-(4-methoxyphenyl)pyrido[1,2-a]benzimidazole-2-carbonitrile
Interactions	PUBCHEM	[2-(2,4-Difluoroanilino)-2-oxoethyl] 2-oxochromene-3-carboxylate
Interactions	PUBCHEM	N-(3-carbamoyl-6-methyl-4,5,6,7-tetrahydro-1-benzothiophen-2-yl)-2,3-dihydro-1,4-dioxine-5-carboxamide
Interactions	PUBCHEM	2-(5-Bromofuran-2-yl)-3-hydroxy-1,2-dihydroquinazolin-4-one
Interactions	PUBCHEM	3-(Cyclohexen-1-yl)-7-methoxyisoquinoline
Interactions	PUBCHEM	7-[2-[4-(Dimethylamino)phenyl]ethynyl]-3-(3-hydroxypropyl)isochromen-1-one
Interactions	PUBCHEM	7-[2-(3,5-Dimethoxyphenyl)ethynyl]-3-(2-hydroxyethyl)isochromen-1-one
Interactions	PUBCHEM	10-Allyl-2-[2-(2-pyridyl)ethynyl]acridin-9-one

Main Category	Category	Terms
Interactions	PUBCHEM	2-[(4R)-4-hydroxypent-1-ynyl]-10-prop-2-enylacridin-9-one
Interactions	PUBCHEM	3-(3-hydroxypropyl)-7-[(E)-2-(3-nitrophenyl)ethenyl]isochromen-1-one
Interactions	PUBCHEM	1-(2,6-Difluorophenyl)sulfonyl-4-[(2,2-dimethyl-3,4-dihydrochromen-6-yl)sulfonyl]piperazine;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-ylmethyl)-4-morpholin-4-ylaniline;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	1-(4-Naphthalen-2-yl-1,3-thiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	1-[4-(3-Chlorophenyl)-1,3-thiazol-2-yl]piperidine-4-carboxamide;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	1-(4-Thiophen-2-yl-1,3-thiazol-2-yl)piperidine-4-carboxamide;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	1-[4-(1-Benzofuran-2-yl)-1,3-thiazol-2-yl]piperidine-4-carboxamide;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	N-(1-adamantyl)-6-(3,5-dimethyl-1-pyrazolyl)-1,2,4,5-tetrazin-3-amine
Interactions	PUBCHEM	5-(phenoxymethyl)-N-[3-(1H-pyrazol-1-yl)propyl]-3-isoxazolecarboxamide
Interactions	PUBCHEM	6-(1H-indol-6-yl)-2-thiophen-3-ylchromen-4-one
Interactions	PUBCHEM	Methyl 6-methoxy-2-(4-methylsulfonylphenyl)-1-benzothiophene-3-carboxylate
Interactions	PUBCHEM	2-(4-Mesylphenyl)-5-methoxy-benzothiophene-3-carboxylic acid methyl ester
Interactions	PUBCHEM	1-(4-{2-[Methyl(2-pyridinyl)amino]ethoxy}phenyl)-1-ethanol
Interactions	PUBCHEM	1-[1-(Furan-2-ylmethyl)-2,5-dimethylpyrrol-3-yl]-2-(1-methyltetrazol-5-yl)sulfanylethanone
Interactions	PUBCHEM	3-(4-ethoxyphenyl)-2-ethyl-2-methyl-2,3-dihydroquinazolin-4(1H)-one
Interactions	PUBCHEM	methyl (1S,3R,3aS,6aR)-5-benzyl-3-ethyl-1-[[(4-methoxyphenyl)carbamoyl-methylamino]methyl]-4,6-dioxo-1,2,3a,6a-tetrahydropyrrolo[3,4-c]pyrrole-3-carboxylate;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	Ononin
Interactions	PUBCHEM	N-(5-chloro-2-hydroxyphenyl)-5-(furan-2-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3-(2-Chloro-6-fluorophenyl)-6-(4-fluorophenyl)-5-methyl-[1,2]oxazolo[4,5-c]pyridin-4-one
Interactions	PUBCHEM	8-Methyl-1,2,3,4,7,8,9,10-octahydro-[1]benzothiolo[2,3-b]quinolin-11-amine
Interactions	PUBCHEM	2-chloro-N-(1H-indazol-5-yl)benzamide

Main Category	Category	Terms
Interactions	PUBCHEM	Resveratrol
Interactions	PUBCHEM	5-oxo-N-(2-phenylethyl)-2,3-dihydro-[1,3]thiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	1-[2-(1,3-benzodioxol-5-ylmethylamino)-2-oxoethyl]-N-(3,4-dimethylphenyl)-1,2,4-triazole-3-carboxamide
Interactions	PUBCHEM	methyl (2S)-2-[[2-[3-[(3,4-dimethylphenyl)carbamoyl]-1,2,4-triazol-1-yl]acetyl]amino]-4-methylpentanoate
Interactions	PUBCHEM	3-Oxo-2-phenyl-1,2-benzothiazole-5-carbonitrile
Interactions	PUBCHEM	N-(3-isoxazolyl)-3-nitro-4-(1-piperidinyl)benzamide
Interactions	PUBCHEM	Benzyl 5-(butylamino)-9-azatricyclo[6.3.1.02,7]dodeca-2(7),3,5-triene-9-carboxylate
Interactions	PUBCHEM	2-(Phenoxymethyl)-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	2-[(Acetylcarbamothioyl)amino]-6-methyl-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	N-[1-(4-fluorophenyl)ethyl]-5-{[4-(1H-1,2,4-triazol-1-yl)phenoxy]methyl}-3-isoxazolecarboxamide
Interactions	PUBCHEM	2-chloro-N-(5-methylpyridin-2-yl)-4-nitrobenzamide
Interactions	PUBCHEM	N-cyclohexyl-N,1-dimethyl-4-oxo-1,4-dihydropyrido[1,2-a]pyrrolo[2,3-d]pyrimidine-2-carboxamide
Interactions	PUBCHEM	Ethyl 3-benzyl-1-[(2-methoxyphenoxy)acetyl]-3-piperidinecarboxylate
Interactions	PUBCHEM	1-({5-[(3,4-Dimethylphenoxy)methyl]-3-isoxazolyl}carbonyl)-2-(methoxymethyl)piperidine
Interactions	PUBCHEM	1-[4-(4-Nitrobenzyl)oxybenzyl]piperidine
Interactions	PUBCHEM	3-(cyclopentanecarbonylamino)-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	4-Methyl-5-[[2-(trifluoromethyl)phenyl]diazenyl]-1,3-thiazol-2-amine
Interactions	PUBCHEM	N-(3-cyanothiophen-2-yl)-3-(4-methoxyphenyl)propanamide
Interactions	PUBCHEM	N-(2-(7-methoxy-2-oxo-1,2-dihydroquinolin-3-yl)ethyl)thiophene-2-carboxamide
Interactions	PUBCHEM	N-methyl-N-[(4-nitrophenyl)diazenyl]aniline
Interactions	PUBCHEM	4-(3-Phenyl-2,5-dihydro-1,2,4-oxadiazol-5-yl)benzonitrile
Interactions	PUBCHEM	N-(3-fluorophenyl)-2-[(5-pyridin-3-yl-1,3,4-oxadiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	Isoquinolylphenylmethyl 3-nitrobenzoate
Interactions	PUBCHEM	N'-[(E)-(4-methoxyphenyl)methylidene]cyclopentanecarbohydrazide
Interactions	PUBCHEM	4-[3-methoxy-3-oxo-2-(1-oxo-1,3-dihydro-2H-isoindol-2-

Main Category	Category	Terms
		yl)propyl]phenyl 2-chlorobenzenecarboxylate
Interactions	PUBCHEM	2-chloro-N'-(4-hydroxybenzyl)benzohydrazide
Interactions	PUBCHEM	N-{4-amino-3-nitrophenyl}-N'-cyclohexylurea
Interactions	PUBCHEM	Ethyl 3,4-dimethyl-2-(3-phenylsulfanylpropanoylimino)-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	Ethyl 3-phenylquinoxaline-6-carboxylate
Interactions	PUBCHEM	3-{(4Z)-4-[4-(benzyloxy)-3-methoxybenzylidene]-3-methyl-5-oxo-4,5-dihydro-1H-pyrazol-1-yl}benzoic acid
Interactions	PUBCHEM	3-(Adamantan-1-YL)-1-[(E)-[(2-fluorophenyl)methylidene]amino]urea
Interactions	PUBCHEM	(2Z)-2-(hydroxyimino)-N-(4-methoxyphenyl)chromane-3-carboxamide
Interactions	PUBCHEM	N,3-bis(4-methylphenyl)pyrrolidine-1-carbothioamide
Interactions	PUBCHEM	5-methyl-3-phenyl-N-(1-phenylethyl)pyrazolo[1,5-a]pyrimidin-7-amine
Interactions	PUBCHEM	3,4-dimethyl-N-(4-oxoquinazolin-3(4H)-yl)benzamide
Interactions	PUBCHEM	(3aR,6S,7aS)-6-(3'-fluorobiphenyl-4-yl)-1-methyloctahydroisoxazolo[4,3-c]pyridine
Interactions	PUBCHEM	3-Benzyl-7-methyl-2-phenylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	6,6-Dimethyl-2-(4-phenylphenyl)cyclohex-2-ene-1,4-dione
Interactions	PUBCHEM	2-(6-Methoxynaphthalen-2-yl)-6,6-dimethylcyclohex-2-ene-1,4-dione
Interactions	PUBCHEM	6,6-Dimethyl-2-[4-(4-methylphenyl)phenyl]cyclohex-2-ene-1,4-dione
Interactions	PUBCHEM	3-Benzyl-6-chloro-2-(4-methylphenyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	1-[5-(3-Methoxyanilino)-1,2,4-thiadiazol-3-yl]propan-2-one
Interactions	PUBCHEM	3-[2-(1-Hydroxy-1-phenylethyl)-1,3-thiazol-4-yl]benzoic acid
Interactions	PUBCHEM	phenyl-[4-[(E)-2-phenylethenyl]-1,3-thiazol-2-yl]methanol
Interactions	PUBCHEM	2-(2-chlorophenyl)-N-(3-imidazol-1-ylpropyl)pyrazolo[1,5-a]pyrimidin-5-amine
Interactions	PUBCHEM	4-(1-methylpyrazol-4-yl)-N-(3-phenoxyphenyl)-1-benzofuran-7-carboxamide
Interactions	PUBCHEM	(2R,3S,5R)-5-[3-(4-bromophenyl)-1,2,4-oxadiazol-5-yl]-2-(hydroxymethyl)oxolan-3-ol
Interactions	PUBCHEM	N-[5-[(2S,4S,5R)-4-hydroxy-5-(hydroxymethyl)oxolan-2-yl]-1,3,4-thiadiazol-2-yl]naphthalene-1-carboxamide
Interactions	PUBCHEM	[5-(3-methoxyphenyl)-1H-imidazol-2-yl]-phenylmethanol
Interactions	PUBCHEM	N-(2-phenylethyl)-4-pyridin-3-yl-1-benzofuran-7-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(3-Ethoxyphenyl)imidazo[1,2-b]pyridazine
Interactions	PUBCHEM	(2R,3S,5S)-5-[4-[3-(3,4-dimethoxyphenyl)-1,2,4-oxadiazol-5-yl]-1,3-thiazol-2-yl]-2-(hydroxymethyl)oxolan-3-ol
Interactions	PUBCHEM	N-[3-(dimethylamino)phenyl]-4-(4-methoxy-2-methylphenyl)-1-benzofuran-7-carboxamide
Interactions	PUBCHEM	N-(3-chloro-4-fluorophenyl)-5-[1-(cyclopropanecarbonyl)piperidin-3-yl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-chloro-N-[4-(morpholin-4-ylmethyl)phenyl]benzamide
Interactions	PUBCHEM	6,7-dimethoxy-2-[5-(trifluoromethyl)-2-pyridinyl]-3,4-dihydro-1H-isoquinoline
Interactions	PUBCHEM	N-(3-fluoro-4-methylphenyl)-2-[(6-methyl-2-nitro-3-pyridinyl)oxy]acetamide
Interactions	PUBCHEM	[2-Oxo-2-(1,2,5-trimethylpyrrol-3-yl)ethyl] 2-(2-chloro-6-fluorophenyl)acetate
Interactions	PUBCHEM	3-cyclopentyl-N-(2-methyl-1,3-benzothiazol-6-yl)propanamide
Interactions	PUBCHEM	5-ethyl-4-methyl-N-(2-methyl-1,3-benzothiazol-6-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	N-[1-[(4-methylcyclohexyl)amino]-4-methylsulfanyl-1-oxobutan-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(2-fluorophenyl)sulfanylpropanamide
Interactions	PUBCHEM	N-(3-fluoro-4-methylphenyl)-4-oxo-4-thiophen-2-ylbutanamide
Interactions	PUBCHEM	2-(2-fluorophenyl)sulfanyl-N-(4-morpholin-4-ylphenyl)acetamide
Interactions	PUBCHEM	1-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-(3-nitrophenoxy)ethanone
Interactions	PUBCHEM	4-[[(3-Fluorophenyl)methyl-methylamino]methyl]-6,7-dimethylchromen-2-one
Interactions	PUBCHEM	[2-[1-(2-methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 2-(4-oxo-3H-phthalazin-1-yl)acetate
Interactions	PUBCHEM	2-((2-Naphthalenylsulfonyl)amino)benzoic acid
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)-4-(tetrahydrofuran-2-ylmethoxy)benzamide
Interactions	PUBCHEM	N-[4-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,3-thiazol-2-yl]-5-methylfuran-2-carboxamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-(6-methyl-2-nitropyridin-3-yl)oxyacetamide
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-phenethylurea

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-pyridin-2-ylethyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	4-[(Quinolin-2-ylamino)methyl]benzenesulfonamide
Interactions	PUBCHEM	N-(3-acetamidophenyl)-2,3-dimethyl-1H-indole-5-carboxamide
Interactions	PUBCHEM	N'-(2-chlorobenzoyl)-2,3-dihydro-1,4-benzodioxine-6-carbohydrazide
Interactions	PUBCHEM	1-(2,3-dihydro-1H-inden-5-yl)-3-(2-methoxyphenyl)urea
Interactions	PUBCHEM	N-(4-ethylphenyl)-5-phenyl-4,5-dihydro-1,3-thiazol-2-amine
Interactions	PUBCHEM	N-cyclopropyl-3-(2,3,5-trimethyl-7-oxo-7H-furo[3,2-g]chromen-6-yl)propanamide
Interactions	PUBCHEM	1-(1,1-dioxothiolan-3-yl)-N-[4-(4-nitrophenyl)-1,3-thiazol-2-yl]-6-oxo-N-prop-2-enyl-4,5-dihydropyridazine-3-carboxamide
Interactions	PUBCHEM	3-(difluoromethoxy)-N-(3-methyl-1,3-thiazol-2-ylidene)benzamide
Interactions	PUBCHEM	2-(2-Methyl-allyl)-6,7,8,9-tetrahydro-2H-11-oxa-2,4,10-triaza-benzo[b]fluoren-1-one
Interactions	PUBCHEM	N-isopropyl-2-(4,8,8-trimethyl-2-oxo-2,6,7,8-tetrahydropyrano[3,2-g]chromen-3-yl)acetamide
Interactions	PUBCHEM	N-[3-(2,3-dihydroindol-1-yl)-3-oxopropyl]furan-2-carboxamide
Interactions	PUBCHEM	N-(4,6-dimethyl-1,3-benzothiazol-2-yl)oxolane-2-carboxamide
Interactions	PUBCHEM	2-methyl-N-(4-phenylphenyl)cyclopropane-1-carboxamide
Interactions	PUBCHEM	methyl 2-(3H-benzimidazole-5-carbonylamino)-3-(1H-indol-3-yl)propanoate
Interactions	PUBCHEM	2-(2-bicyclo[2.2.1]heptanyl)-N-(6-methoxypyridin-3-yl)acetamide
Interactions	PUBCHEM	N-[3-(4-methylphenyl)-5-oxopyrazolidin-4-yl]benzamide
Interactions	PUBCHEM	3,4-dihydro-1H-isoquinolin-2-yl-[4-(oxolan-2-ylmethoxy)phenyl]methanone
Interactions	PUBCHEM	5-[4-(Difluoromethoxy)phenyl]-3-phenyl-2,5-dihydro-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-2-[[1-(phenylmethyl)-2-imidazolyl]thio]acetamide
Interactions	PUBCHEM	N-{2-[2-(acetylamino)ethyl]-1-methyl-1H-benzimidazol-5-yl}-4-nitrobenzamide
Interactions	PUBCHEM	N-{1-methyl-2-[2-(propanoylamino)ethyl]-1H-benzimidazol-5-yl}-3-nitrobenzamide
Interactions	PUBCHEM	N-[2-(2-acetamidoethyl)-1-methylbenzimidazol-5-yl]-3-nitrobenzamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-{1-methyl-5-[(phenoxyacetyl)amino]-1H-benzimidazol-2-yl}ethyl)propanamide
Interactions	PUBCHEM	2-Hexyl-6,7,8,9-tetrahydro-2H-11-oxa-2,4,10-triaza-benzo[b]fluoren-1-one
Interactions	PUBCHEM	6-methoxy-N-(2-phenylethyl)-1H-indole-2-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(4-oxo-1,2,3-benzotriazin-3(4H)-yl)butanamide
Interactions	PUBCHEM	(4-ethylpiperazin-1-yl)(6-methoxy-1H-indol-2-yl)methanone
Interactions	PUBCHEM	N-(4-methylphenyl)-1-oxo-3,4-dihydroisochromene-3-carboxamide
Interactions	PUBCHEM	4-(5-Methyl-3-phenyl-6-prop-2-enylpyrazolo[1,5-a]pyrimidin-7-yl)morpholine
Interactions	PUBCHEM	5-[(2-Nitrophenoxy)methyl]-3-thien-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	4-(4-bromophenyl)-N-(1,1-dioxidotetrahydrothiophen-3-yl)-N-methyl-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-methoxy-N-[3-[(4-methylcyclohexyl)amino]-3-oxopropyl]benzamide
Interactions	PUBCHEM	(5-Phenyl-1,3,4-oxadiazol-2-yl)-thiophen-2-ylmethanol
Interactions	PUBCHEM	2-{[3-(4-chlorophenyl)-4,5-dihydro-1,2-oxazol-5-yl]methyl}-1,2-benzothiazol-3(2H)-one 1,1-dioxide
Interactions	PUBCHEM	N-(cyclopropylmethyl)-3-(3,4-difluorophenyl)-1-benzofuran-7-carboxamide
Interactions	PUBCHEM	6-[4-(2-Methylpropyl)phenyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	3-(4-Ethoxyphenyl)imidazo[1,2-b]pyridazine
Interactions	PUBCHEM	2-[(2-Thiophen-2-ylpyrazolo[1,5-a]pyrimidin-5-yl)amino]butan-1-ol
Interactions	PUBCHEM	1-(2-fluorophenyl)-3-[5-[(2S,4S,5R)-4-hydroxy-5-(hydroxymethyl)oxolan-2-yl]-1,3,4-thiadiazol-2-yl]urea
Interactions	PUBCHEM	2-[[2-(3-chlorophenyl)pyrazolo[1,5-a]pyrimidin-5-yl]amino]-N,N-dimethylacetamide
Interactions	PUBCHEM	3-(3,4-difluorophenyl)-N-propan-2-yl-1-benzofuran-7-carboxamide
Interactions	PUBCHEM	Methyl 3-[(7-chloro-2-methyl-3-oxo-1,4-benzothiazin-4-yl)methyl]benzoate
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-[(2R,4S,5R)-4-hydroxy-5-(hydroxymethyl)oxolan-2-yl]-1,3-benzothiazole-5-carboxamide
Interactions	PUBCHEM	1-(3-chloro-4-fluorophenyl)-3-[5-[(2R,4S,5R)-4-hydroxy-5-(hydroxymethyl)oxolan-2-yl]-1,3,4-thiadiazol-2-yl]urea
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-[(2R,3R,4S,5R)-3,4-dihydroxy-5-(hydroxymethyl)oxolan-2-yl]-1,3-benzothiazole-5-

Main Category	Category	Terms
		carboxamide
Interactions	PUBCHEM	[5-(2-chlorophenyl)-1H-imidazol-2-yl]-(4-fluorophenyl)methanol
Interactions	PUBCHEM	6-(2-fluoro-3-methoxyphenyl)-N-methylpyrazin-2-amine
Interactions	PUBCHEM	2-(furan-2-yl)-N-(2-phenoxyethyl)pyrazolo[1,5-a]pyrimidin-5-amine
Interactions	PUBCHEM	(2R,3S,5R)-5-[4-[3-(3,5-dimethoxyphenyl)-1,2,4-oxadiazol-5-yl]-1,3-thiazol-2-yl]-2-(hydroxymethyl)oxolan-3-ol
Interactions	PUBCHEM	[5-(2-chlorophenyl)-1H-imidazol-2-yl]-phenylmethanol
Interactions	PUBCHEM	[5-(2-methylphenyl)-1H-imidazol-2-yl]-phenylmethanol
Interactions	PUBCHEM	[4-(1-Benzofuran-2-yl)-1,3-thiazol-2-yl]-(4-fluorophenyl)methanol
Interactions	PUBCHEM	4-[[6-[3-(Dimethylamino)phenyl]-4-pyrimidinyl]amino]-3-methylphenol
Interactions	PUBCHEM	1-[5-(4-Chlorophenyl)-2-methylfuran-3-carbonyl]-2-methylazetidine-2-carboxylic acid
Interactions	PUBCHEM	(4-fluorophenyl)-[5-(3-methoxyphenyl)-1H-imidazol-2-yl]methanol
Interactions	PUBCHEM	3-(3-Methoxyphenyl)imidazo[1,2-b]pyridazine
Interactions	PUBCHEM	3-[6-(Methylamino)-2-pyridinyl]phenol
Interactions	PUBCHEM	1-[5-[6-(Methylamino)-2-pyridinyl]thiophen-2-yl]ethanone
Interactions	PUBCHEM	2-[(2R,4S,5R)-4-hydroxy-5-(hydroxymethyl)oxolan-2-yl]-N-(1,3-thiazol-2-yl)-1,3-benzothiazole-5-carboxamide
Interactions	PUBCHEM	N-cyclopropyl-4-imidazo[1,2-b]pyridazin-3-ylbenzamide
Interactions	PUBCHEM	[5-(4-methoxyphenyl)-1H-imidazol-2-yl]-phenylmethanol
Interactions	PUBCHEM	(Z)-5-[6-(methylamino)-3-pyridinyl]pent-4-en-1-ol
Interactions	PUBCHEM	(4-Fluorophenyl)-(4-quinolin-3-yl-1,3-thiazol-2-yl)methanol
Interactions	PUBCHEM	3-[2-[(4-Fluorophenyl)-hydroxymethyl]-1,3-thiazol-4-yl]benzonitrile
Interactions	PUBCHEM	2-[(2-Phenylpyrazolo[1,5-a]pyrimidin-5-yl)amino]butan-1-ol
Interactions	PUBCHEM	N-[(3-chlorophenyl)methyl]-2-thiophen-2-ylpyrazolo[1,5-a]pyrimidin-5-amine
Interactions	PUBCHEM	N-[5-(1,3-benzodioxol-5-yl)pyrazin-2-yl]acetamide
Interactions	PUBCHEM	[4-(6-Methoxy-3-pyridinyl)-1,3-thiazol-2-yl]-phenylmethanol
Interactions	PUBCHEM	(2R,3S,5S)-5-[4-[3-(3,5-dimethoxyphenyl)-1,2,4-oxadiazol-5-yl]-1,3-thiazol-2-yl]-2-(hydroxymethyl)oxolan-3-ol
Interactions	PUBCHEM	ethyl 1-[(5-methyl-1H-indol-2-yl)carbonyl]piperidine-4-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	N-(3-chlorophenyl)-5-(4-methoxyphenyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	1-(4-Nitrophenyl)-3-(1-thiophen-2-ylpropan-2-yl)urea
Interactions	PUBCHEM	2-chloro-N-(3-hydroxyphenyl)-4-nitrobenzamide
Interactions	PUBCHEM	1-(4-methoxyphenyl)-2-[(1-methyl-1H-imidazol-2-yl)sulfanyl]ethanone
Interactions	PUBCHEM	3-(5-(isopropylthio)-4-methyl-4H-1,2,4-triazol-3-yl)-1H-indole
Interactions	PUBCHEM	4-[(5-bromo-2-hydroxy-1H-indol-3-yl)diazenyl]benzoic acid
Interactions	PUBCHEM	Ethyl 4-[(benzylamino)methyl]benzoate
Interactions	PUBCHEM	5-(3,4-Dichlorophenyl)isoxazol-3-yl morpholin-4-yl ketone
Interactions	PUBCHEM	N-[5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,3,4-oxadiazol-2-yl]butanamide
Interactions	PUBCHEM	2-pyridin-2-ylethyl N-(4-nitrophenyl)carbamate
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-3-phenylpyrrolidine-1-carboxamide
Interactions	PUBCHEM	2-(4,5,6,7-Tetrahydro-1,2-benzisoxazol-3-ylcarbonyl)-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	N-(2,5-difluorophenyl)-4-methyl-3,4-dihydro-2H-1,4-benzothiazine-6-carboxamide
Interactions	PUBCHEM	N-[4-[5-[1-(2,4-dichlorophenoxy)ethyl]-1,2,4-oxadiazol-3-yl]phenyl]pyridine-2-carboxamide
Interactions	PUBCHEM	N-[4-(4-chlorophenyl)-1,3-thiazol-2-yl]oxolane-2-carboxamide
Interactions	PUBCHEM	N-[2-(1H-indol-1-yl)ethyl]-2H-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	1-cyclopentyl-N-(3-propan-2-yloxypropyl)benzimidazole-5-carboxamide
Interactions	PUBCHEM	benzyl N-(1,3-thiazol-2-yl)carbamate
Interactions	PUBCHEM	3-Isoxazolecarboxamide, N-(4-methoxyphenyl)-5-methyl-
Interactions	PUBCHEM	1-((2-methyl-1H-indol-5-yl)methyl)-3-phenylurea
Interactions	PUBCHEM	1-amino-5-(morpholin-4-yl)-N-phenyl-6,7,8,9-tetrahydrothieno[2,3-c]isoquinoline-2-carboxamide
Interactions	PUBCHEM	Ethyl 2-[(benzylcarbamothioyl)amino]-5,6,7,8-tetrahydroquinoline-3-carboxylate
Interactions	PUBCHEM	6-Methyl-3-[(4-methylphenyl)methyl]-2-propylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	3-Benzyl-2-propylimidazo[2,1-a]isoquinoline
Interactions	PUBCHEM	6-Methyl-2-phenyl-3-[[2-(trifluoromethyl)phenyl]methyl]imidazo[1,2-a]pyridine

Main Category	Category	Terms
Interactions	PUBCHEM	4-[[Benzyl(methyl)amino]methyl]-5,7-dimethylchromen-2-one
Interactions	PUBCHEM	6-Bromo-3-[(3-fluorophenyl)methyl]-2-(4-methylphenyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	(1Z)-1-[amino(phenyl)methylene]-3-(1,3-benzodioxol-5-yl)thiourea
Interactions	PUBCHEM	1-[3-(4-Bromoanilino)phenyl]ethanone
Interactions	PUBCHEM	2-[4-(2-Thiophen-2-ylethylamino)phenyl]ethanol
Interactions	PUBCHEM	1-[1H-benzimidazol-2-yl-(4-methylphenyl)methyl]-2-phenylbenzimidazole
Interactions	PUBCHEM	6-Bromo-2-(4-fluorophenyl)-3-[(4-methoxy-2-methylphenyl)methyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	6-Chloro-2-(3-chlorophenyl)-3-(thiophen-3-ylmethyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	2-((1-benzyl-1H-indol-3-yl)thio)-1-morpholinoethanone
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-(4,5-dimethyl-1,3-thiazol-2-yl)urea
Interactions	PUBCHEM	N-(4-methoxyphenyl)thieno[2,3-d]pyrimidin-4-amine
Interactions	PUBCHEM	N-(3-chloro-9,10-dioxoanthracen-2-yl)-2-(1-oxidopyridin-1-ium-2-yl)sulfanylacetamide
Interactions	PUBCHEM	2-[(4-Bromo-2-methylphenoxy)methyl]-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	5,6-Dihydro-6-methyl-6-propylbenzimidazo[1,2-c]quinazoline
Interactions	PUBCHEM	8,8-Dimethyl-2-pentyl-8,9-dihydro-2H,6H-7,11-dithia-2,4,10-triaza-benzo[b]fluoren-1-one
Interactions	PUBCHEM	2-allyl-6-{(E)-[(2-phenylimidazo[1,2-a]pyridin-8-yl)imino]methyl}phenol
Interactions	PUBCHEM	3-[2-(4-ethylphenyl)-2-oxoethyl]-8-methoxy-2H-chromen-2-one
Interactions	PUBCHEM	1,5-Diphenyl-3-methyl-1H-pyrazole
Interactions	PUBCHEM	N-(4-methoxyphenyl)-3-phenylpyrrolidine-1-carbothioamide
Interactions	PUBCHEM	Semustine
Interactions	PUBCHEM	N-(4-Methoxy-phenyl)-2-(3-methylsulfanyl-[1,2,4]thiadiazol-5-ylsulfanyl)-acetamide
Interactions	PUBCHEM	2-(1,3-benzodioxol-5-yl)-1-(4-methoxybenzoyl)-1,2-dihydro-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	5-[(4-ethoxyphenoxy)methyl]-N-(3-pyridinylmethyl)-2-furamide
Interactions	PUBCHEM	4-tert-butyl-N-(4-methoxybenzyl)benzamide
Interactions	PUBCHEM	3-[(2Z)-2-(5-ethoxy-1-methyl-2-oxo-1,2-dihydro-3H-indol-3-

Main Category	Category	Terms
		ylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	N-(azepan-1-yl)-1-(4-chloro-3-nitrophenyl)methanimine
Interactions	PUBCHEM	Apigenin
Interactions	PUBCHEM	Calycosin
Interactions	PUBCHEM	7-Hydroxyflavone
Interactions	PUBCHEM	5-Hydroxy-3-(4-Hydroxyphenyl)-7-(3,4,5-Trihydroxy-6-(Hydroxymethyl)Oxan-2-Yl)Oxychromen-4-One
Interactions	PUBCHEM	(5Z)-3-(2-fluorophenyl)-5-[[5-(4-fluorophenyl)-1H-pyrazol-4-yl]methylidene]-2-imino-1,3-thiazolidin-4-one
Interactions	PUBCHEM	(5Z)-5-[(2Z)-2-(1-methylpyrrolidin-2-ylidene)ethylidene]-2-thioxo-1,3-thiazolidin-4-one
Interactions	PUBCHEM	1-Propanone, 1-[4-[3-(1H-1,2,3-benzotriazol-1-yl)-2-hydroxypropoxy]phenyl]-
Interactions	PUBCHEM	methyl 1-(2-chlorobenzyl)-1H-pyrazole-3-carboxylate
Interactions	PUBCHEM	N-(4-bromophenyl)-1H-imidazole-4-carboxamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)pyridazine-3-carboxamide
Interactions	PUBCHEM	N-[2-(3-methylphenoxy)ethyl]-3-nitropyridin-2-amine
Interactions	PUBCHEM	2-[(2-furylmethyl)thio]-N-(4-methylphenyl)acetamide
Interactions	PUBCHEM	N-(3-chlorophenyl)-1H-imidazole-5-carboxamide
Interactions	PUBCHEM	(2Z)-2-(4-(dimethylamino)benzylidene)quinuclidin-3-one oxime hydrochloride
Interactions	PUBCHEM	N-[2-(furan-2-yl)ethyl]-2-methoxy-4-(trifluoromethyl)benzamide
Interactions	PUBCHEM	5-(2-Hydroxyphenyl)isoxazol-3-yl 2-1,2,3,4-tetrahydroisoquinolyl ketone
Interactions	PUBCHEM	N-(2-phenylethyl)(5-propylisoxazol-3-yl)carboxamide
Interactions	PUBCHEM	2-(2-Bromophenyl)-5-[(4-chlorophenyl)methyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	5-cyclopropyl-N-(5-methyl-1,2-oxazol-3-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	5-(2-methylpropyl)-N-(thiophen-2-ylmethyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2,3-Dihydroindol-1-yl(pyrazolo[1,5-a]pyridin-3-yl)methanone
Interactions	PUBCHEM	[5-(2-methylpropyl)isoxazol-3-yl]-N-(2-phenylethyl)carboxamide
Interactions	PUBCHEM	N-(2H-benzo[3,4-d]1,3-dioxolen-5-yl)(5-cyclopropylisoxazol-3-yl)carboxamide
Interactions	PUBCHEM	2-[(4-Fluorophenyl)methyl]-5-thiophen-2-yl-1,3,4-oxadiazole

Main Category	Category	Terms
Interactions	PUBCHEM	N-(3-acetylphenyl)-5-propan-2-yl-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	N-cycloheptyl-2-(5,6,7,8-tetrahydro-4H-cyclohepta[c]pyrazol-2-yl)acetamide
Interactions	PUBCHEM	N-(3-acetylphenyl)pyrazolo[1,5-a]pyridine-3-carboxamide
Interactions	PUBCHEM	2-(4-ethoxyphenyl)-3-hydroxy-3H-isoindol-1-one
Interactions	PUBCHEM	[5-(2-hydroxyphenyl)isoxazol-3-yl]-N-prop-2-enylcarboxamide
Interactions	PUBCHEM	Ethyl 5-[(5-chlorothiophene-2-carbonyl)amino]-3-methylthiophene-2-carboxylate
Interactions	PUBCHEM	4'-Fluoro-7-hydroxyisoflavone
Interactions	PUBCHEM	(Z)-N-(1-(6,6-dimethyl-3-oxobicyclo[3.1.0]hexan-2-ylidene)ethyl)benzamide
Interactions	PUBCHEM	(E)-3-(3,4-dimethylanilino)-1-pyridin-3-ylbut-2-en-1-one
Interactions	PUBCHEM	8-Amino-2-(2-chlorophenyl)-5-hydroxychromen-4-one
Interactions	PUBCHEM	4-[1-(1,3-Benzothiazol-2-yl)triazol-4-yl]butanenitrile
Interactions	PUBCHEM	2-[4-(Methoxymethyl)triazol-1-yl]-1,3-benzothiazole
Interactions	PUBCHEM	(S)-2-acetamido-3-((S)-2-((2S,3R)-1-((S)-1-amino-1-oxo-3-phenylpropan-2-ylamino)-3-hydroxy-1-oxobutan-2-ylcarbamoyl)pyrrolidin-1-yl)-3-oxopropyl dihydrogen phosphate
Interactions	PUBCHEM	(S)-2-acetamido-3-((S)-2-((S)-1-((S)-1-amino-1-oxo-3-phenylpropan-2-ylamino)-3-methyl-1-oxobutan-2-ylcarbamoyl)pyrrolidin-1-yl)-3-oxopropyl dihydrogen phosphate
Interactions	PUBCHEM	(S)-2-acetamido-3-((S)-2-((2S,3S)-1-((S)-1-amino-1-oxo-3-phenylpropan-2-ylamino)-3-methyl-1-oxopentan-2-ylcarbamoyl)pyrrolidin-1-yl)-3-oxopropyl dihydrogen phosphate
Interactions	PUBCHEM	(S)-2-((2S,3R)-2-((S)-1-((S)-2-acetamido-3-(phosphonooxy)propanoyl)pyrrolidine-2-carboxamido)-3-hydroxybutanamido)-3-phenylpropanoic acid
Interactions	PUBCHEM	(S)-2-((S)-2-((S)-1-((S)-2-acetamido-3-(phosphonooxy)propanoyl)pyrrolidine-2-carboxamido)-3-methylbutanamido)-3-phenylpropanoic acid
Interactions	PUBCHEM	3-(4-(Dimethylamino)phenyl)-1-(2-hydroxyphenyl)prop-2-en-1-one
Interactions	PUBCHEM	6-[2-(4-Fluorophenyl)-1,3-thiazol-4-yl]-1-azatricyclo[6.3.1.04,12]dodeca-2,4,6,8(12)-tetraen-2-ol
Interactions	PUBCHEM	2-[3-Methylidene-5-oxo-4-(4-phenylmethoxyphenyl)-1,2,4-triazolidin-1-yl]acetonitrile
Interactions	PUBCHEM	(1E)-1-benzylideneinden-5-amine

Main Category	Category	Terms
Interactions	PUBCHEM	4-[(E)-(5-nitroinden-1-ylidene)methyl]thiobenzaldehyde
Interactions	PUBCHEM	1-(3-Methoxyphenyl)ethanone [1-(3-methoxyphenyl)ethylidene]hydrazone
Interactions	PUBCHEM	3-(2-oxopyrrolidin-1-yl)-N-[(Z)-1-pyridin-4-ylethylideneamino]benzamide
Interactions	PUBCHEM	5-methyl-2-furaldehyde N-phenylsemicarbazone
Interactions	PUBCHEM	Methyl 4-[2-(3-fluorobenzoyl)carbonohydrazonoyl]benzoate
Interactions	PUBCHEM	N'-[(3-fluorobenzoyl)oxy]-3-nitrobenzenecarboximidamide
Interactions	PUBCHEM	N'-[(furan-2-ylcarbonyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	N-(5-Bromo-pyrimidin-2-yl)-N'-(3-nitro-benzylidene)-hydrazine
Interactions	PUBCHEM	2,4-Dimethoxybenzaldehyde (5-bromo-2-pyrimidinyl)hydrazone
Interactions	PUBCHEM	2-Methoxybenzaldehyde (3-chloro-2-pyrazinyl)hydrazone
Interactions	PUBCHEM	4-Fluorobenzaldehyde (3-chloro-2-pyrazinyl)hydrazone
Interactions	PUBCHEM	4-Ethoxy-3-methoxybenzaldehyde methyl(phenyl)hydrazone
Interactions	PUBCHEM	1,3-Benzodioxole-5-carbaldehyde methyl(phenyl)hydrazone
Interactions	PUBCHEM	2-fluoro-N-{2-oxo-2-[(2E)-2-(thien-2-ylmethylene)hydrazino]ethyl}benzamide
Interactions	PUBCHEM	2-[N'-(1-Thiophen-2-yl-ethylidene)-hydrazino]-benzoic acid
Interactions	PUBCHEM	N'-[3-(4-isopropylphenyl)-2-methyl-2-propen-1-ylidene]isonicotinohydrazide
Interactions	PUBCHEM	1-benzyl-N-[(E)-(4-phenylmethoxyphenyl)methylideneamino]pyridin-1-ium-4-carboxamide chloride
Interactions	PUBCHEM	N'-[(1E)-1-(3,4-dimethylphenyl)ethylidene]cyclopropanecarbohydrazide
Interactions	PUBCHEM	N-{(E)-[4-(benzyloxy)phenyl]methylidene}-4H-1,2,4-triazol-4-amine
Interactions	PUBCHEM	2-methyl-N'-(2-thienylmethylene)-3-furohydrazide
Interactions	PUBCHEM	benzyl (1R,4S,Z)-4-hydroxycyclooct-2-enylcarbamate
Interactions	PUBCHEM	N-(1H-Benzoimidazol-2-yl)-N'-thiophen-2-ylmethylene-hydrazine
Interactions	PUBCHEM	4-(dimethylamino)-N'-[1-(3-methoxyphenyl)ethylidene]benzohydrazide
Interactions	PUBCHEM	4-(pyridin-2-yl)-N-[(E)-pyridin-2-ylmethylidene]piperazin-1-amine
Interactions	PUBCHEM	(2E)-3-phenyl-1-(2,3,4,5-tetrahydro-1,6-benzodioxocin-8-yl)prop-2-en-1-one

Main Category	Category	Terms
Interactions	PUBCHEM	(2Z)-N-(4-chlorophenyl)-2-cyano-3-[5-(piperidin-1-yl)furan-2-yl]prop-2-enamide
Interactions	PUBCHEM	(2E)-2-cyano-3-[2,5-dimethyl-1-(4-methylphenyl)-1H-pyrrol-3-yl]-N-(tetrahydrofuran-2-ylmethyl)prop-2-enamide
Interactions	PUBCHEM	3-(2-Oxo-pyrrolidin-1-yl)-benzoic acid (3-methoxy-benzylidene)-hydrazide
Interactions	PUBCHEM	N'-[(4-methylbenzoyl)oxy]-3-nitrobenzenecarboximidamide
Interactions	PUBCHEM	N'-(cinnamoyloxy)benzenecarboximidamide
Interactions	PUBCHEM	Ethyl 2-(2-fluorobenzylidene)hydrazinecarboxylate
Interactions	PUBCHEM	3-(Benzylidene-amino)-5,6,7,8-tetrahydro-3H-benzo[4,5]thieno[2,3-d]pyrimidin-4-one
Interactions	PUBCHEM	N-(5-amino-1H-tetraazol-1-yl)-N-(4-methylbenzylidene)amine
Interactions	PUBCHEM	(E)-N-[(3Z)-4-(4-Ethoxyphenyl)but-3-EN-2-ylidene]hydroxylamine
Interactions	PUBCHEM	N-(3-nitrobenzylidene)-4-(2-pyridinyl)-1-piperazinamine
Interactions	PUBCHEM	4-Benzyl-N-(3-phenyl-2-propenylidene)-1-piperazinamine
Interactions	PUBCHEM	N'-{[2-(4-chlorophenyl)acetyl]oxy}pyridine-2-carboximidamide
Interactions	PUBCHEM	(2E)-4-[(9,10-dioxo-9,10-dihydroanthracen-2-yl)amino]-4-oxobut-2-enoic acid
Interactions	PUBCHEM	N'-[(4-fluorobenzoyl)oxy]-4-methylbenzenecarboximidamide
Interactions	PUBCHEM	1-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3-phenyl-1-propanone oxime
Interactions	PUBCHEM	(1E)-N-hydroxy-1-(2,3,4,9-tetrahydro-1H-carbazol-7-yl)ethanimine
Interactions	PUBCHEM	3-tert-butyl-N'-[(3-methyl-2-thienyl)methylene]-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	1-Benzo[1,3]dioxol-5-yl-3-(4-ethoxy-phenylamino)-propenone
Interactions	PUBCHEM	4-[[(Z)-3-(4-fluorophenyl)-3-oxoprop-1-enyl]amino]benzenesulfonamide
Interactions	PUBCHEM	N'-[(4-methyl-3-nitrobenzoyl)oxy]-3-pyridinecarboximidamide
Interactions	PUBCHEM	3,4-dimethoxy-N'-[(4-methoxybenzoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	N'-{[2,5-dimethyl-1-(3-methylphenyl)-1H-pyrrol-3-yl]methylene}-2-furohydrazide
Interactions	PUBCHEM	N-[3-(2-furyl)-2-propen-1-ylidene]-4-(2-methoxyphenyl)-1-piperazinamine

Main Category	Category	Terms
Interactions	PUBCHEM	N-[3-(2-furyl)-2-propen-1-ylidene]-4-phenyl-1-piperazinamine
Interactions	PUBCHEM	4-[(4-Phenyl-piperazin-1-ylimino)-methyl]-benzoic acid
Interactions	PUBCHEM	N'-{[(2-fluorophenyl)carbonyl]oxy}-4-nitrobenzenecarboximidamide
Interactions	PUBCHEM	5-[(E)-2-phenylethenyl]-3-pyridin-3-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-methyl-N'-[(3-phenylpropanoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	3-({3-(1,3-Benzodioxol-5-yl)-2-[(5-bromo-2-furoyl)amino]acryloyl}amino)benzoic acid
Interactions	PUBCHEM	N'-(cinnamoyloxy)-3-pyridinecarboximidamide
Interactions	PUBCHEM	N'-[(3-bromobenzoyl)oxy]-4-pyridinecarboximidamide
Interactions	PUBCHEM	4-[2-(Anilinocarbonothioyl)carbonohydrazonoyl]phenyl acetate
Interactions	PUBCHEM	N'-[(4-bromobenzoyl)oxy]-4-pyridinecarboximidamide
Interactions	PUBCHEM	ST041961
Interactions	PUBCHEM	Methyl 2-[3-(1,3-benzodioxol-5-yl)-2-propen-1-ylidene]hydrazinecarboxylate
Interactions	PUBCHEM	1-[4-[(2-fluorophenyl)methoxy]phenyl]-N-(1,2,4-triazol-4-yl)methanimine
Interactions	PUBCHEM	N'-(isonicotinoyloxy)-3-nitrobenzenecarboximidamide
Interactions	PUBCHEM	2-(allylthio)-5H-[1,3,4]thiadiazolo[2,3-b]quinazolin-5-one
Interactions	PUBCHEM	4-Hydroxy-2,3,6-trimethoxy-5H-benzocyclohepten-5-one
Interactions	PUBCHEM	4-(Hexyloxy)-N'-hydroxybenzenecarboximidamide
Interactions	PUBCHEM	6-methyl-N'-[(Z)-(2-nitrophenyl)methylidene]pyridine-3-carbohydrazide
Interactions	PUBCHEM	4-[(E)-2-(4-nitrophenyl)vinyl]pyridine
Interactions	PUBCHEM	Propenone, 1-(4-methyl-2-phenyl-5-thiazolyl)-3-dimethylamino-
Interactions	PUBCHEM	7-Hydroxyisoflavone
Interactions	PUBCHEM	3-(4-(Dimethylamino)phenyl)-2-phenylacrylonitrile
Interactions	PUBCHEM	N'-(1,3-benzodioxol-5-ylmethylene)-2-furohydrazide
Interactions	PUBCHEM	(2Z)-2-(3H-1,3-benzothiazol-2-ylidene)-3-oxo-3-piperidin-1-ylpropanenitrile
Interactions	PUBCHEM	N'-[(5-methyl-2-thienyl)methylene]-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N'-[(1Z)-1-(3-nitrophenyl)ethylidene]-1,3-benzodioxole-5-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	3-Hydroxy-4-morpholin-4-ylmethyl-benzo[c]chromen-6-one
Interactions	PUBCHEM	7-hydroxy-3-phenyl-2H-chromen-2-one
Interactions	PUBCHEM	4-fluoro-N'-[(1Z)-(4-fluorophenyl)methylene]benzohydrazide
Interactions	PUBCHEM	N'-[1-(3-aminophenyl)ethylidene]-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N-[(5-bromo-2-thienyl)methyleneamino]-2-methyl-3-furamide
Interactions	PUBCHEM	2,5-dimethyl-N'-[(1Z,2E)-2-methyl-3-phenylprop-2-en-1-ylidene]furan-3-carbohydrazide
Interactions	PUBCHEM	1-Morpholino-3-(1-naphthyl)prop-2-en-1-one
Interactions	PUBCHEM	(5E)-5-[(4-chlorophenyl)hydrazinylidene]-2,2-dimethyloxan-4-one
Interactions	PUBCHEM	2-Cyano-4-(3-ethyl-3H-benzothiazol-2-ylidene)-3-methyl-but-2-enoic acid ethyl ester
Interactions	PUBCHEM	(E)-1-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-(4-ethoxyanilino)but-2-en-1-one
Interactions	PUBCHEM	5-[N-(2-thienylcarbonyl)ethanehydrazonoyl]-2-thiophenecarboxylic acid
Interactions	PUBCHEM	3-(1,3-Benzodioxol-5-ylamino)-1-phenyl-2-buten-1-one
Interactions	PUBCHEM	(5Z)-2,2-dimethyl-5-[2-(3-methylphenyl)hydrazinylidene]tetrahydro-4H-pyran-4-one
Interactions	PUBCHEM	2-methyl-N-[(E)-1-phenylethylideneamino]furan-3-carboxamide
Interactions	PUBCHEM	8-amino-3-cyclohexyl-1H-benzo[g]pteridine-2,4-dione
Interactions	PUBCHEM	2-(pyridin-2-yl)-1H-benzo(d)imidazol-5-amine
Interactions	PUBCHEM	5-[(3,4-dimethylphenoxy)methyl]-N'-(2-methoxybenzylidene)-2-furohydrazide
Interactions	PUBCHEM	Thiabendazole
Interactions	PUBCHEM	4-[(4-fluorobenzoyl)amino]-N-[(Z)-1-phenylethylideneamino]benzamide
Interactions	PUBCHEM	N-(4-{N-[(4-bromo-1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]ethanehydrazonoyl} phenyl)cyclopentanecarboxamide
Interactions	PUBCHEM	N'-({5-[(4-methoxyphenoxy)methyl]-2-furyl}methylene)-3-methyl-2-thiophenecarbohydrazide
Interactions	PUBCHEM	H-Ile-Ser-Arg-Ser-Thr-Ser(PO3H2)-Pro-Thr-Phe-Asn-Lys-Gln-Thr-OH
Interactions	PUBCHEM	Ac-Ser-Arg-Ser-Thr-Ser(PO3H2)-Pro-Thr-Phe-Asn-Lys-NH2
Interactions	PUBCHEM	(E)-3-(4-methylphenyl)-N-prop-2-ynylprop-2-enamide

Main Category	Category	Terms
Interactions	PUBCHEM	(E)-3-(4-methoxyphenyl)-N-prop-2-ynylprop-2-enamide
Interactions	PUBCHEM	5-(tert-Butylsulfonyl)-2-(4-chlorophenyl)pyrimidin-4-amine
Interactions	PUBCHEM	Tiaprofenic Acid
Interactions	PUBCHEM	N-cyclooctyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxamide
Interactions	PUBCHEM	N'-(3-methylphenyl)-N-(oxolan-2-ylmethyl)oxamide
Interactions	PUBCHEM	N-Phenethyl-N'-(tetrahydro-furan-2-ylmethyl)-oxalamide
Interactions	PUBCHEM	N-(benzoyloxy)-N-{(E)-1-[3-(4-chlorophenyl)-5-isoxazolyl]ethylidene}amine
Interactions	PUBCHEM	(E)-3-anilino-1-[4-(2-pyrimidinyloxy)phenyl]-2-propen-1-one
Interactions	PUBCHEM	N'-[(Z)-(4-phenoxyphenyl)methylidene]-1,2,3-thiadiazole-4-carbohydrazide
Interactions	PUBCHEM	4-phenyl-N-(3-phenyl-2-propen-1-ylidene)-1-piperazinamine
Interactions	PUBCHEM	(4-[(E)-Phenyldiazenyl]phenyl)methanol
Interactions	PUBCHEM	3-nitro-N'-({3-nitrobenzoyl}oxy)benzenecarboximidamide
Interactions	PUBCHEM	Benzoic acid, 2-(2-hydroxy-1,4-dioxo-4-phenyl-2-butenyl)hydrazide, (Z)-
Interactions	PUBCHEM	2-Thiazolamine, N-methyl-4-(4-nitrophenyl)-
Interactions	PUBCHEM	3-(Benzylsulfanyl)-1,2,4-thiadiazol-5-amine
Interactions	PUBCHEM	3-Benzyl-2-(2-furyl)-3,4-dihydro-4-quinazolinone
Interactions	PUBCHEM	N-(Phenyl((4-toluidinocarbothioyl)amino)methylene)benzenesulfonamide
Interactions	PUBCHEM	N,N'-1,4-phenylenedi(2-furamide)
Interactions	PUBCHEM	N,N-Dimethyl-6-[2-(1-piperidinyl)ethoxy]-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	phenyl (2Z)-2-cyano-2-(1H-pyridin-2-ylidene)acetate
Interactions	PUBCHEM	N-[2-(3-methyl-4-nitro-5-isoxazolyl)vinyl]-N-(3-methylphenyl)amine
Interactions	PUBCHEM	3-methoxy-N-[(E)-2-(3-methyl-4-nitro-1,2-oxazol-5-yl)ethenyl]aniline
Interactions	PUBCHEM	4-methyl-N-[(E)-2-(3-methyl-4-nitro-1,2-oxazol-5-yl)ethenyl]aniline
Interactions	PUBCHEM	6-[(E)-2-(4-methylphenyl)ethenyl]-2,3-dihydropyridazin-3-one
Interactions	PUBCHEM	2-[(Z)-2-[4-(diethoxymethyl)phenyl]ethenyl]pyrimidin-4-amine
Interactions	PUBCHEM	3-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-1-(2-hydroxy-5-methylphenyl)prop-2-en-1-one

Main Category	Category	Terms
Interactions	PUBCHEM	(2E)-3-(4-Ethoxyphenyl)-1-phenylprop-2-en-1-one
Interactions	PUBCHEM	N-[(Z)-(2-chlorophenyl)methylideneamino]-2-nitroaniline
Interactions	PUBCHEM	5-(4-Nitrophenyl)-2-furaldehyde oxime
Interactions	PUBCHEM	N-[(E)-(2,4-dimethoxyphenyl)methylideneamino]-3-nitropyridin-2-amine
Interactions	PUBCHEM	2-[(2E)-2-(1,3-benzodioxol-5-ylmethylidene)hydrazinyl]-1H-benzimidazole
Interactions	PUBCHEM	4-[(E)-(pyridin-2-ylhydrazono)methyl]benzoic acid
Interactions	PUBCHEM	3-[(4-butoxybenzyl)thio]-4H-1,2,4-triazole
Interactions	PUBCHEM	(Z)-4-Butoxy-N'-hydroxybenzimidamide
Interactions	PUBCHEM	N-(4-methylbenzylidene)-4-phenyl-1-piperazinamine
Interactions	PUBCHEM	N-[4-(2-methoxyphenyl)piperazin-1-yl]-1-(4-nitrophenyl)methanimine
Interactions	PUBCHEM	N'-(2-bromo-3-phenyl-2-propen-1-ylidene)-2-(2-thienyl)acetohydrazide
Interactions	PUBCHEM	3-(2-phenylvinyl)-2(1H)-quinoxalinone
Interactions	PUBCHEM	2-(2-Fluoro-benzyl)-5-(4-methoxy-phenyl)-2H-tetrazole
Interactions	PUBCHEM	1-(4-Bromophenyl)-3-[(4-chlorophenyl)amino]-2-buten-1-one
Interactions	PUBCHEM	1-(4-Bromophenyl)-3-[(4-methoxyphenyl)amino]-2-buten-1-one
Interactions	PUBCHEM	3-[(4-Hydroxyphenyl)amino]-1-phenyl-2-buten-1-one
Interactions	PUBCHEM	5-[2-(3-Nitrophenyl)vinyl]-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	N-(2-methyl-4-nitrophenyl)-3-(2-thienyl)acrylamide
Interactions	PUBCHEM	Benzyl 2-[(4-methylbenzoyl)amino]-3-phenylacrylate
Interactions	PUBCHEM	N-(2,1,3-benzothiadiazol-4-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	(5E)-3-(3-chlorophenyl)-5-{[1-(2-methoxyethyl)-2,5-dimethyl-1H-pyrrol-3-yl]methylidene}imidazolidine-2,4-dione
Interactions	PUBCHEM	3-(4-chlorophenyl)-7-hydroxy-8-[(2-methylpiperidin-1-yl)methyl]-4H-chromen-4-one
Interactions	PUBCHEM	[(E)-4-amino-3-cyano-2-oxopent-3-enyl] 1-(4-fluorophenyl)-2,5-dimethylpyrrole-3-carboxylate
Interactions	PUBCHEM	CID 5742566
Interactions	PUBCHEM	N-(4-methoxy-2-nitrophenyl)thiophene-2-carboxamide
Interactions	PUBCHEM	N-(4-Benzyloxy-phenyl)-3-(4-methyl-piperazin-1-yl)-propionamide
Interactions	PUBCHEM	(5Z)-3-ethyl-5-[(2Z)-2-(1-methylpyrrolidin-2-ylidene)ethylidene]-2-sulfanylidene-1,3-oxazolidin-4-one

Main Category	Category	Terms
Interactions	PUBCHEM	Dimethyl-{4-[2-(1-phenyl-1H-tetrazol-5-yl)-vinyl]-phenyl}-amine
Interactions	PUBCHEM	N-(4-acetylphenyl)-2-{[1-(2-phenylethyl)-1H-imidazol-2-yl]sulfanyl}acetamide
Interactions	PUBCHEM	4-[2-(1H-Benzoimidazol-2-yl)-propenyl]-phenylamine
Interactions	PUBCHEM	3-Butyl-2-thioxo-5-[2-(1,4,4-trimethyl-pyrrolidin-2-ylidene)-ethylidene]-thiazolidin-4-one
Interactions	PUBCHEM	N-[4-[(Z)-3-(furan-2-yl)prop-2-enoyl]phenyl]furan-2-carboxamide
Interactions	PUBCHEM	(Z)-1-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-(4-ethoxyanilino)but-2-en-1-one
Interactions	PUBCHEM	(5Z)-3-butyl-5-[(2Z)-2-(3-methyl-1,3-thiazolidin-2-ylidene)ethylidene]-2-sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	3-Benzyl-5-[2-(3-methyl-thiazolidin-2-ylidene)-ethylidene]-2-thioxo-thiazolidin-4-one
Interactions	PUBCHEM	3-Bromo-N-[4-(3-thiophen-2-yl-acryloyl)-phenyl]-benzamide
Interactions	PUBCHEM	methyl 3-{3-[(Z)-(2,4-dioxo-1,3-thiazolidin-5-ylidene)methyl]-2,5-dimethyl-1H-pyrrol-1-yl}benzoate
Interactions	PUBCHEM	Morpholine, 4-[[[8-(1-methylethyl)-2H-1,2,4-triazino[5,6-B]indol-3-YL]thio]acetyl]-
Interactions	PUBCHEM	tert-butyl (2Z)-2-[4-(2-furoyloxy)benzylidene]hydrazinecarboxylate
Interactions	PUBCHEM	(2Z)-2-(furan-2-ylmethylidene)-6-methoxy-3,4-dihydronaphthalen-1-one
Interactions	PUBCHEM	N-methyl-N-[4-[(E)-2-phenylethenyl]phenyl]nitrous amide
Interactions	PUBCHEM	4-((1H-Inden-1-ylidene)methyl)-N,N-dimethylaniline
Interactions	PUBCHEM	(E)-3-(1,3-benzodioxol-5-yl)-1-(1H-pyrrol-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	N-(4-Chlorophenyl)bicyclo[4.1.0]heptane-7-carboxamide
Interactions	PUBCHEM	3-Benzyl-2-{[1-(4-methoxy-phenyl)-meth-(E)-ylidene]-hydrazono}-thiazolidin-4-one
Interactions	PUBCHEM	(2Z)-6-methoxy-2-(pyridin-2-ylmethylene)-3,4-dihydronaphthalen-1(2H)-one
Interactions	PUBCHEM	4-bromo-N'-[(furan-2-ylcarbonyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	(6Z)-6-[4-(benzyloxy)benzylidene]-5-imino-2-[2-(morpholin-4-yl)-2-oxoethyl]-5,6-dihydro-7H-[1,3,4]thiadiazolo[3,2-a]pyrimidin-7-one
Interactions	PUBCHEM	(E)-N'-(5-benzoyl-1,3-thiazol-2-yl)-N,N-dimethylmethanimidamide
Interactions	PUBCHEM	(E)-2-(4-fluorostyryl)-5-(thiophen-2-yl)-1,3,4-oxadiazole

Main Category	Category	Terms
Interactions	PUBCHEM	3-(4-Butoxyphenyl)-3-methylpyrrolidine-2,5-dione
Interactions	PUBCHEM	4-methoxy-N-(6-methoxy-1,3-benzothiazol-2-yl)benzamide
Interactions	PUBCHEM	(E)-3-(3-methoxyphenyl)-1-(1H-pyrrol-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	5-Bromo-N-(2-phenylsulfanyl-ethyl)-nicotinamide
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-yloxy)-N-[2-(trifluoromethyl)phenyl]acetamide
Interactions	PUBCHEM	(Z)-3-[4-(methylamino)-3-nitrophenyl]-2-pyridin-2-ylprop-2-enenitrile
Interactions	PUBCHEM	(2E)-3-(2-chloro-6-fluorophenyl)-1-morpholin-4-ylprop-2-en-1-one
Interactions	PUBCHEM	N-(2-Naphthyl)hexanamide
Interactions	PUBCHEM	4-O-[2-(benzhydrylamino)-2-oxoethyl] 1-O-ethyl (E)-but-2-enedioate
Interactions	PUBCHEM	ethyl 3-(4-methoxyphenyl)-1H-pyrazole-5-carboxylate
Interactions	PUBCHEM	2-chloro-5-[(2E)-2-(3-methylcyclohexylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	1-(2-Methoxyphenyl)-2-(1-methyl-1H-benzimidazol-2-yl)ethanol
Interactions	PUBCHEM	1-(4-Ethoxyphenyl)-2-(1-methyl-1H-benzimidazol-2-yl)ethanol
Interactions	PUBCHEM	N,N-Diethyl-4-(1H-inden-1-ylidenemethyl)aniline
Interactions	PUBCHEM	Quinoline, 4-(p-(methylthio)styryl)-
Interactions	PUBCHEM	N'-[(1E)-2,3-Dihydro-1H-inden-1-ylidene]-4-hydroxybenzohydrazide
Interactions	PUBCHEM	O1-[(5-methylisoxazol-3-yl)carbonyl]-4-(tert-butyl)benzene-1-carbohydroximamide
Interactions	PUBCHEM	1-(2-pyridinyl)-1-ethanone O-(4-bromobenzyl)oxime
Interactions	PUBCHEM	N-[5-[(E)-2-(4-methoxyphenyl)ethenyl]-1,3,4-thiadiazol-2-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-[1-(2-Methoxy-phenyl)-meth-(E)-ylidene]-N'-(2-nitro-phenyl)-hydrazine
Interactions	PUBCHEM	(2E)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-phenylprop-2-en-1-one
Interactions	PUBCHEM	2-[5-(2-Fluoro-phenyl)-tetrazol-2-yl]-1-piperidin-1-yl-ethanone
Interactions	PUBCHEM	N-2-Benzothiazolylbenzeneacetamide
Interactions	PUBCHEM	(E)-1-(3-furyl)-3-(2-naphthyl)-2-propen-1-one
Interactions	PUBCHEM	N-(3-chlorophenyl)-N'-[3-methyl-1,3-thiazol-2(3H)-yliden]urea
Interactions	PUBCHEM	(2E)-3-(2-chloro-6-fluorophenyl)-1-(4-hydroxyphenyl)prop-2-

Main Category	Category	Terms
		en-1-one
Interactions	PUBCHEM	3-(Dimethylamino)-1-(4-propylphenyl)-2-propen-1-one
Interactions	PUBCHEM	1-Isopropyl-2-((E)-styryl)-1H-benzoimidazole
Interactions	PUBCHEM	4-nitro-N'-{[(phenylthio)acetyl]oxy}benzenecarboximidamide
Interactions	PUBCHEM	6-[(2-phenylethyl)sulfanyl]-9H-purine
Interactions	PUBCHEM	methyl [(2E)-5-[(E)-2-(4-methoxyphenyl)ethenyl]-1,3,4-thiadiazol-2(3H)-ylidene]carbamate
Interactions	PUBCHEM	(E)-3-(dimethylamino)-1-[4-(1H-pyrrol-1-yl)phenyl]-2-propen-1-one
Interactions	PUBCHEM	1,2,3-Benzotriazin-4(3H)-one, 3-(4-bromophenyl)-
Interactions	PUBCHEM	(2Z)-N-(4-methoxybenzyl)-2-(1-phenylethylidene)hydrazinecarbothioamide
Interactions	PUBCHEM	(E)-N-(1-adamantyl)-3-(4-methylsulfanylphenyl)prop-2-enamide
Interactions	PUBCHEM	methyl (4Z)-4-[(2,5-dimethyl-1-phenyl-1H-pyrrol-3-yl)methylidene]-2-methyl-5-oxo-4,5-dihydro-1H-pyrrole-3-carboxylate
Interactions	PUBCHEM	(E)-3-(4-methoxyphenyl)-N-[2-(trifluoromethyl)phenyl]prop-2-enamide
Interactions	PUBCHEM	N'-(1,3-benzothiazol-2-yl)-2-methylpropanehydrazide
Interactions	PUBCHEM	2-[(E)-2-[4-(difluoromethoxy)-3-methoxyphenyl]ethenyl]quinoline-4-carboxylic acid
Interactions	PUBCHEM	N-[2-[(5Z)-5-[(4-methoxyphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]ethyl]bicyclo[2.2.1]hept-2-ene-5-carboxamide
Interactions	PUBCHEM	CID 5970670
Interactions	PUBCHEM	1-(5-tert-Butyl-thiophene-2-carbonyl)-3-(3-methyl-pyridin-2-yl)-urea
Interactions	PUBCHEM	N'-(5-isopropenyl-2-methyl-2-cyclohexen-1-ylidene)-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N-(4-{N-[(4-bromo-1-methyl-1H-pyrazol-5-yl)carbonyl]ethanehydrazonoyl}phenyl)-4-fluorobenzamide
Interactions	PUBCHEM	2-{3-[3-(4-amino-1,2,5-oxadiazol-3-yl)-1,2,4-oxadiazol-5-yl]propyl}-1H-isoindole-1,3(2H)-dione
Interactions	PUBCHEM	2-Chloro-N-cyclooctyl-4,5-difluorobenzamide
Interactions	PUBCHEM	N'-(3-cyano-6-methyl-4,5,6,7-tetrahydro-1-benzothien-2-yl)-N,N-dimethylimidoformamide
Interactions	PUBCHEM	(E)-2-(6-methyl-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-3-pyridin-4-ylprop-2-enenitrile
Interactions	PUBCHEM	3-(1-ethyl-5-methyl-1H-pyrazol-4-yl)-1-phenyl-2-propen-1-one

Main Category	Category	Terms
Interactions	PUBCHEM	N-{4-[N-(2-methyl-3-furoyl)ethanehydrazonoyl]phenyl} cyclopentanecarboxamide
Interactions	PUBCHEM	3-(2-chloro-6-fluorophenyl)-N-(2,3-dimethylcyclohexyl)acrylamide
Interactions	PUBCHEM	Benzamide, 2-bromo-N-(4-bromophenyl)-
Interactions	PUBCHEM	5-(tert-Butylsulfonyl)-2-(3-methylphenyl)pyrimidin-4-amine
Interactions	PUBCHEM	(3E)-3-[(4-Ethoxyphenyl)methylidene]-[1,1'-Bl(cyclopentane)]-2-one
Interactions	PUBCHEM	2-(4-Butoxyphenyl)pyrimidin-5-amine
Interactions	PUBCHEM	4-Oxo-4-phenyl-2-(3-trifluoromethyl-phenylamino)-but-2-enoic acid methyl ester
Interactions	PUBCHEM	(E)-3-(4-methoxyphenyl)-N-[3-(3,4,5,6-tetrahydro-2H-azepin-7-ylsulfamoyl)phenyl]prop-2-enamide
Interactions	PUBCHEM	C.I. Solvent Yellow 2
Interactions	PUBCHEM	(e)-N-methyl-2-(1-(4-morpholinophenyl)ethylidene)hydrazine-1-carbothioamide
Interactions	PUBCHEM	1-Phenethyl-3-[(3,5,5-trimethylcyclohex-2-en-1-ylidene)amino]thiourea
Interactions	PUBCHEM	N-(2-Phenazinyl)acetamide
Interactions	PUBCHEM	4-methyl-N'-[(2-thienylacetyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	(2E)-3-(1,3-benzodioxol-5-yl)-N-methyl-N-phenylprop-2-enamide
Interactions	PUBCHEM	3-(2,4-dimethylphenyl)-N-(2-thienylmethyl)acrylamide
Interactions	PUBCHEM	tert-butyl (2Z)-2-[(2E)-3-(1,3-benzodioxol-5-yl)prop-2-enylidene]hydrazinecarboxylate
Interactions	PUBCHEM	1-(3-Phenyl-2-propyn-1-yl)-1H-benzotriazole
Interactions	PUBCHEM	6-Amino-2-(2-chlorophenyl)-5-hydroxychromen-4-one
Interactions	PUBCHEM	2-chloro-N-[(E)-2,3-dihydroinden-1-ylideneamino]benzamide
Interactions	PUBCHEM	(3E)-3-[(4-Methylphenyl)methylidene]-[1,1'-Bl(cyclopentane)]-2-one
Interactions	PUBCHEM	1-phenyl-N-(2-phenylethyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	3-(4-Isobutylphenyl)-1-piperidino-2-propen-1-one
Interactions	PUBCHEM	2-Isopropenyl-2,3-dihydrofuro[3,2-g]chromen-7-one
Interactions	PUBCHEM	Ethyl 2,3-dimethyl-1H-indole-5-carboxylate
Interactions	PUBCHEM	2-Anilino-4-methyl-N-phenyl-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	N'-[(Z)-1,3-benzodioxol-5-ylmethylidene]-2,5-dimethoxybenzenesulfonohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	N'-(8-methyl-2,3-dihydro-4H-chromen-4-ylidene)-2-phenoxyacetohydrazide
Interactions	PUBCHEM	O1-acetyl-4-(1,2,3-thiadiazol-4-yl)benzene-1-carbohydroximamide
Interactions	PUBCHEM	N-[2-(2-chlorophenoxy)ethyl]-2-methoxy-4-(methylsulfanyl)benzamide
Interactions	PUBCHEM	N-[2-(4-fluorophenoxy)ethyl]-2-methoxy-4-(methylsulfanyl)benzamide
Interactions	PUBCHEM	3-piperidino-4H-chromen-4-one
Interactions	PUBCHEM	(4Z)-2-Phenyl-4-[(piperidin-1-YL)methylidene]-4,5-dihydro-1,3-oxazol-5-one
Interactions	PUBCHEM	N-[5-[(E)-2-(4-methoxyphenyl)ethenyl]-1,3,4-thiadiazol-2-yl]butanamide
Interactions	PUBCHEM	(5E)-5-[(2,5-dimethyl-1-pyridin-3-ylpyrrol-3-yl)methylidene]-3-phenylimidazolidine-2,4-dione
Interactions	PUBCHEM	3-(1,5-dimethyl-1H-pyrazol-4-yl)-1-(4-isopropylphenyl)-2-propen-1-one
Interactions	PUBCHEM	N-Propyl-4-isopropyl-trans-cinnamamide
Interactions	PUBCHEM	alpha-(p-Methoxyphenyl)-2-pyridineacrylonitrile
Interactions	PUBCHEM	5-bromo-N-(4-{N-[(4-chloro-1-methyl-1H-pyrazol-5-yl)carbonyl]ethanehydrazonoyl}phenyl)-2-furamide
Interactions	PUBCHEM	N-{5-[(E)-2-(4-Methoxy-phenyl)-vinyl]-[1,3,4]thiadiazol-2-yl}-2-m-tolyloxy-acetamide
Interactions	PUBCHEM	3-Acetyl-2-methyl-5H-[1]benzopyrano[2,3-b]pyridin-5-one
Interactions	PUBCHEM	2-Methoxythioxanthone
Interactions	PUBCHEM	4-methyl-N'-{[(phenylsulfanyl)acetyl]oxy} benzenecarboximidamide
Interactions	PUBCHEM	6-(4-Nitrophenyl)-2,3-dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	Quinazolin-4(3H)-one, 1,2-dihydro-3-(4-chlorophenyl)-2-(2-pyridyl)-
Interactions	PUBCHEM	(E)-3-(2-methoxyphenyl)-N-(2-pyridin-2-ylethyl)prop-2-enamide
Interactions	PUBCHEM	4-[(6E)-6-[(3-nitrophenyl)methylidene]-4,5-dihydrocyclopenta[c]pyrazol-1-yl]benzoic acid
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-5-(4-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2,3,4,7,8,9,10,11-Octahydro[1]benzothieno[2',3':4,5]pyrimido[1,2-a]azepin-13(1H)-one
Interactions	PUBCHEM	4-(dimethylsulfamoyl)-N-(pyridin-2-yl)benzamide
Interactions	PUBCHEM	4-methoxy-N'-[(2-

Main Category	Category	Terms
		thienylacetyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	4-(2-Pyridinylthio)benzofuro[3,2-d]pyrimidine
Interactions	PUBCHEM	4-Bromobenzaldehyde (5-acetyl-4-methyl-1,3-thiazol-2-yl)hydrazone
Interactions	PUBCHEM	2-(3-Nitrophenyl)-5-nitrobenzimidazole
Interactions	PUBCHEM	2-[4-(Azepan-1-yl)-3-nitrophenyl]-5-methyl-1,3,4-oxadiazole
Interactions	PUBCHEM	4-fluoro-N-{4-[N-(2-furoyl)ethanehydrazonoyl]phenyl} benzamide
Interactions	PUBCHEM	ethyl (2Z)-2-[(2E)-3-(1,3-benzodioxol-5-yl)prop-2-enylidene]hydrazinecarboxylate
Interactions	PUBCHEM	2-chloro-N'-[(2E)-3-methyl-1,3-benzothiazol-2(3H)-ylidene]benzohydrazide
Interactions	PUBCHEM	5-bromo-N-{4-[(dimethylamino)carbonyl]phenyl} nicotinamide
Interactions	PUBCHEM	ethyl N-[2-cyano-3-(2,4-dichloroanilino)acryloyl]carbamate
Interactions	PUBCHEM	(E)-3-[4-(3-fluoropropoxy)phenyl]-1-morpholino-2-propen-1-one
Interactions	PUBCHEM	N-[(Z)-(2-fluorophenyl)methylideneamino]-4-phenylbenzamide
Interactions	PUBCHEM	N-butyl-4-[(E)-inden-1-ylidenemethyl]aniline
Interactions	PUBCHEM	N'-[(2-phenoxyacetyl)oxy]pyridine-4-carboximidamide
Interactions	PUBCHEM	Cabreuvin
Interactions	PUBCHEM	4-[(E)-N-[(4-cyanophenyl)methoxy]-C-methylcarbonimidoyl]-N,N-dimethylbenzenesulfonamide
Interactions	PUBCHEM	3-Sec-butyl-5-[2-methyl-4-(4-morpholinyl)benzylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	4-Methyl-5-oxo-4,5-dihydro-1H-pyrazole-3-carboxylic acid (4-methoxy-benzylidene)-hydrazide
Interactions	PUBCHEM	(Z)-3-[4-[benzyl(ethyl)amino]phenyl]-2-pyridin-2-ylprop-2-enenitrile
Interactions	PUBCHEM	2-chloro-N'-(3,4-dihydro-1(2H)-naphthalenylidene)benzohydrazide
Interactions	PUBCHEM	N'-[(1Z)-1-(furan-2-yl)ethylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-{[(cyclopropylcarbonyl)oxy]ethanimidoyl}isoxazole
Interactions	PUBCHEM	(Z)-5-((E)-3-(furan-2-yl)allylidene)-3-phenylthiazolidine-2,4-dione
Interactions	PUBCHEM	Piperine
Interactions	PUBCHEM	N-[(Z)-1-thiophen-2-ylethylideneamino]thiophene-2-

Main Category	Category	Terms
		carboxamide
Interactions	PUBCHEM	5-Phenyl-3-(piperidin-1-yl)-1,2,4-triazine
Interactions	PUBCHEM	(1E)-2-imino-N-(4-methoxyanilino)-2-piperidin-1-ylethanimidoyl cyanide
Interactions	PUBCHEM	(2E)-2-[(4-bromophenyl)hydrazono]-3-imino-3-morpholin-4-ylpropanenitrile
Interactions	PUBCHEM	2-(6-chloro-3-pyridazinyl)-4-methyl-1(2H)-phthalazinone
Interactions	PUBCHEM	3-(3,5-Dimethylpyrazol-1-yl)-5-methyl-[1,2,4]triazino[5,6-b]indole
Interactions	PUBCHEM	(2Z)-2-(hydroxyimino)-2-phenyl-N-(2-phenylethyl)ethanamide
Interactions	PUBCHEM	(1E)-N-anilino-2-(azepan-1-yl)-2-iminoethanimidoyl cyanide
Interactions	PUBCHEM	N-(1,2-dimethyl-1H-benzimidazol-5-yl)-4-phenyl-1-phthalazinamine
Interactions	PUBCHEM	2-Chlorobenzyl 5,6-dihydrobenzo[h]cinnolin-3-yl sulfide
Interactions	PUBCHEM	Ilepcimide
Interactions	PUBCHEM	N,6-bis(4-fluorophenyl)pyridazin-3-amine
Interactions	PUBCHEM	1-[4-[[6-(2-Methylphenyl)pyridazin-3-yl]amino]phenyl]ethanone
Interactions	PUBCHEM	1-[3-[[6-(2-Fluorophenyl)pyridazin-3-yl]amino]phenyl]ethanone
Interactions	PUBCHEM	(2Z)-2-(2-hydroxybenzylidene)-6-methoxy-1-benzofuran-3(2H)-one
Interactions	PUBCHEM	3-Phenyl-benzo[c]isoxazole-5-carboxylic acid
Interactions	PUBCHEM	2-(2,4-dichlorophenoxy)-N-(2-furanylmethyl)acetamide
Interactions	PUBCHEM	N-(4-pentoxyphenyl)methanesulfonamide
Interactions	PUBCHEM	N-Ethyl-N-[4-(4-methoxy-phenyl)-thiazol-2-yl]-propionamide
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-1-benzofuran-3-carboxamide
Interactions	PUBCHEM	4-Amino-3-cyclohexylcarbamoyl-isothiazole-5-carboxylic acid ethyl ester
Interactions	PUBCHEM	4-[[2-(1-Benzotriazolyl)-1-oxoethyl]amino]benzoic acid methyl ester
Interactions	PUBCHEM	Pyrrolidine-1-carboxylic acid 1-chloro-naphthalen-2-yl ester
Interactions	PUBCHEM	1-Methanesulfonyl-2,3-dihydro-1H-indole-5-carboxylic acid 2-oxo-2-phenyl-ethyl ester
Interactions	PUBCHEM	5-(Ethylamino)-2-[(3-methylphenoxy)methyl]-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-5-[(4-

Main Category	Category	Terms
		methylphenoxy)methyl]furan-2-carboxamide
Interactions	PUBCHEM	N-m-Tolyl-2-(5-o-tolyl-[1,3,4]oxadiazol-2-ylsulfanyl)-acetamide
Interactions	PUBCHEM	CID 6456511
Interactions	PUBCHEM	N-[4-(phenylcarbamoylamino)phenyl]-2-pyrrolidin-1-ylacetamide
Interactions	PUBCHEM	N-[4-(1,3-benzodioxol-5-ylmethoxy)phenyl]acetamide
Interactions	PUBCHEM	2-(Benzo[1,3]dioxol-5-yloxy)-N-thiazol-2-yl-acetamide
Interactions	PUBCHEM	Ethyl 2-(benzylsulfanyl)-5-methyl[1,2,4]triazolo[1,5-a]pyrimidine-6-carboxylate
Interactions	PUBCHEM	N,N-Diethyl-2-[5-(3-methoxy-phenyl)-[1,3,4]oxadiazol-2-ylsulfanyl]-acetamide
Interactions	PUBCHEM	N-cyclopentyl-3-(phenylsulfonyl)propanamide
Interactions	PUBCHEM	[4-(4-Chloro-phenyl)-thiazol-2-yl]-ethyl-amine
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(2-methyl-1H-indol-3-yl)-2-oxoacetamide
Interactions	PUBCHEM	8-[(2-Fluorobenzyl)oxy]quinoline
Interactions	PUBCHEM	1-(4-methyl-6-phenylpyrimidin-2-yl)-N-propan-2-ylpiperidine-4-carboxamide
Interactions	PUBCHEM	4-(cyclopropanecarbonylamino)-N-(2-hydroxyphenyl)benzamide
Interactions	PUBCHEM	3-(Benzenesulfonyl)-1-(4-phenylpiperazin-1-yl)propan-1-one
Interactions	PUBCHEM	Pyrazine-2-carboxylic acid quinoxalin-6-ylamide
Interactions	PUBCHEM	7-Methoxy-2-(2-oxo-2-pyrrolidin-1-yl-ethylsulfanyl)-quinoline-3-carbonitrile
Interactions	PUBCHEM	4-methyl-3-(morpholin-4-ylsulfonyl)-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-5-(2-methylfuran-3-yl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(3-imidazo[1,2-a]pyrimidin-2-ylphenyl)-3,3-dimethylbutanamide
Interactions	PUBCHEM	1-(furan-2-carbonyl)-N-(6-methoxy-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	4-(1,3-dioxo-3a,4,7,7a-tetrahydroisoindol-2-yl)-N-(4-ethylphenyl)butanamide
Interactions	PUBCHEM	4-Methyl-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-carboxylic acid (thiophen-2-ylmethyl)-amide
Interactions	PUBCHEM	Tetrahydro-furan-3-carboxylic acid methyl-[5-(5-methyl-pyrazin-2-yl)-[1,3,4]thiadiazol-2-yl]-amide
Interactions	PUBCHEM	1-(2-Chlorophenyl)-3-[4-(1-piperidinylmethyl)phenyl]urea

Main Category	Category	Terms
Interactions	PUBCHEM	3-Methoxy-N-(5-propionylamino-pyridin-2-yl)-benzamide
Interactions	PUBCHEM	N-(4-methylbenzyl)-N'-(3-methylphenyl)urea
Interactions	PUBCHEM	N-(3-chloro-4-fluorophenyl)azepane-1-carboxamide
Interactions	PUBCHEM	N-(6-Methoxy-benzothiazol-2-yl)-2-[4-methyl-5-(2-methyl-furan-3-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-acetamide
Interactions	PUBCHEM	3-Methyl-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-carboxylic acid (thiophen-2-ylmethyl)-amide
Interactions	PUBCHEM	1-(4-Ethoxyphenyl)-3-(1,2-oxazol-3-yl)urea
Interactions	PUBCHEM	1-(2,3-Dichlorophenyl)-3-(pyridin-2-ylmethyl)urea
Interactions	PUBCHEM	5-methyl-N-[(2-phenyl-1,3-thiazol-4-yl)methyl]-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	1-Cyclooctyl-3-(2-fluorophenyl)urea
Interactions	PUBCHEM	Methyl 4-{[(2,4-difluorophenyl)carbamoyl]amino}benzoate
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-pyridin-2-ylurea
Interactions	PUBCHEM	1-(3,4-Dimethylphenyl)-3-(5-methyl-1,2-oxazol-3-yl)urea
Interactions	PUBCHEM	1-(3,4-Dimethoxyphenyl)-3-pyridin-2-ylurea
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(3-fluoro-4-methylphenyl)urea
Interactions	PUBCHEM	1-(5-Bromopyridin-2-yl)-3-(3-methoxyphenyl)urea
Interactions	PUBCHEM	1-Allyl-4-[(phenylthio)acetyl]piperazine
Interactions	PUBCHEM	Ethyl 4-(pyridin-2-ylcarbamoylamino)benzoate
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-[2-(4-fluorophenyl)ethyl]urea
Interactions	PUBCHEM	1-(4,6-Dimethylpyridin-2-yl)-3-(3-methylphenyl)urea
Interactions	PUBCHEM	N-(3-methoxyphenyl)-1,4-dioxa-8-azaspiro[4.5]decane-8-carboxamide
Interactions	PUBCHEM	N-(2-bromophenyl)-N'-(3-methoxyphenyl)urea
Interactions	PUBCHEM	1-(4-Ethylphenyl)-3-pyridin-4-ylurea
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-N'-(3-methoxyphenyl)urea
Interactions	PUBCHEM	N-(2,4-difluorophenyl)-N'-(4-methoxyphenyl)urea
Interactions	PUBCHEM	2-(2-Fluoro-benzylsulfanyl)-5-thiophen-2-yl-[1,3,4]oxadiazole
Interactions	PUBCHEM	2-chloro-N-(cyclohexylmethyl)-4-fluorobenzamide
Interactions	PUBCHEM	N-(3-fluorophenyl)-N'-(4-methyl-2-pyrimidinyl)urea
Interactions	PUBCHEM	1-(5-Chloropyridin-2-yl)-3-(4-methylphenyl)urea
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-methyl-3-pyrazolecarboxamide
Interactions	PUBCHEM	N-(cyclohexylmethyl)-2-(3-methylphenyl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(3,4-Dimethoxyphenyl)-5-(2-methylfuran-3-yl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2-Amino-5,6,7,8-tetrahydro-[1]benzothiolo[2,3-d][1,3]thiazin-4-one
Interactions	PUBCHEM	N-(3-ethylphenyl)-2-[(1-methyl-1H-imidazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	N-cyclohexyl-N,4-dimethyl-5-thieno[3,2-b]pyrrolecarboxamide
Interactions	PUBCHEM	2-(4-Bromo-phenyl)-5-(5-methyl-furan-2-yl)-[1,3,4]oxadiazole
Interactions	PUBCHEM	[3-[3-(5-Methyl-2-furanyl)-1,2,4-oxadiazol-5-yl]-1-piperidinyl]-phenylmethanone
Interactions	PUBCHEM	2,3-dihydro-1H-imidazo[1,2-a]benzimidazol-1-yl(thiophen-2-yl)methanone
Interactions	PUBCHEM	4-Methyl-2-(2-phenoxy-acetylamino)-thiazole-5-carboxylic acid methyl ester
Interactions	PUBCHEM	3-amino-N-(furan-2-ylmethyl)-7-methoxythieno[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	N-(3-Benzyl-2-cyclopropyl-4-oxo-3,4-dihydro-quinazolin-6-yl)-propionamide
Interactions	PUBCHEM	N-[4-(4-Methanesulfonyl-piperazin-1-yl)-phenyl]-2-methoxy-3-methyl-benzamide
Interactions	PUBCHEM	N-(2-phenyl-2H-benzotriazol-5-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	5-(2-Ethoxyphenyl)-3-(2-methoxy-6-methyl-3-pyridinyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-Oxo-4-(1-phenyl-1H-pyrazolo[3,4-d]pyrimidin-4-ylsulfanyl)-butyric acid ethyl ester
Interactions	PUBCHEM	N-(3-ethoxypropyl)-6-phenylpyridazin-3-amine
Interactions	PUBCHEM	4-Methyl-2-{[(pyridin-2-yl)amino]methyl}phenol
Interactions	PUBCHEM	4-(5-Cyclohexylmethylsulfanyl-[1,3,4]oxadiazol-2-yl)-phenol
Interactions	PUBCHEM	1-[2-(3,5-dimethylphenoxy)ethyl]-1H-benzotriazole
Interactions	PUBCHEM	2-Benzyl-5-(4-methoxy-phenyl)-2H-tetrazole
Interactions	PUBCHEM	6-Methoxy-2-piperidin-1-yl-quinoline-3-carbonitrile
Interactions	PUBCHEM	2-[(2-Fluorophenyl)methylsulfanyl]-3-methylimidazo[4,5-b]pyridine
Interactions	PUBCHEM	Furan-2-carboxylic acid [4-(4-methyl-1H-benzoimidazol-2-yl)-phenyl]-amide
Interactions	PUBCHEM	2-(3,4-Diethoxy-phenyl)-5-thiophen-2-yl-[1,3,4]oxadiazole
Interactions	PUBCHEM	2-(1,3-benzodioxol-5-yloxy)-N-(5-tert-butyl-1,3,4-thiadiazol-2-yl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-(Benzo[1,3]dioxol-5-yloxy)-N-(5-isopropyl-[1,3,4]thiadiazol-2-yl)-acetamide
Interactions	PUBCHEM	N-[6-(2-methylpropanoylamino)pyridin-3-yl]pyridine-2-carboxamide
Interactions	PUBCHEM	2,4-Dichloro-N-(2-propyl-2H-tetrazol-5-yl)-benzamide
Interactions	PUBCHEM	4-(2-Methyl-2,3-dihydro-benzofuran-5-yl)-thiazol-2-ylamine
Interactions	PUBCHEM	1-tert-butyl-N-{4-[(2-ethylpiperidin-1-yl)sulfonyl]phenyl}-5-oxopyrrolidine-3-carboxamide
Interactions	PUBCHEM	1-(4-Methoxy-6-methyl-pyrimidin-2-yl)-piperidine-3-carboxylic acid (4-methyl-cyclohexyl)-amide
Interactions	PUBCHEM	5-Amino-1-(2,3-dihydro-benzo[1,4]dioxin-6-yl)-1H-[1,2,3]triazole-4-carboxylic acid p-tolylamide
Interactions	PUBCHEM	2-(3-Methoxy-phenylamino)-nicotinic acid
Interactions	PUBCHEM	N-(3-dibenzofuranyl)-4-morpholinecarboxamide
Interactions	PUBCHEM	6-Oxo-5,6,7,8,9,10-hexahydro-cyclohepta[b]indole-2-carboxylic acid ethyl ester
Interactions	PUBCHEM	1-(3-Chlorophenyl)-3-[4-[4-morpholinyl(oxo)methyl]phenyl]urea
Interactions	PUBCHEM	4-Methyl-4H-thieno[3,2-b]pyrrole-5-carboxylic acid cyclohexylamide
Interactions	PUBCHEM	N-[4-(4-Methanesulfonyl-piperazin-1-yl)-phenyl]-2-methoxy-benzamide
Interactions	PUBCHEM	2-(Benzooxazol-2-ylsulfanyl)-cyclohexanone
Interactions	PUBCHEM	N-(3-quinoxalin-2-ylphenyl)acetamide
Interactions	PUBCHEM	2-[5-(4-Isobutoxy-phenyl)-tetrazol-2-yl]-1-pyrrolidin-1-yl-ethanone
Interactions	PUBCHEM	N-(2-Phenyl-benzooxazol-5-yl)-nicotinamide
Interactions	PUBCHEM	2-[(E)-3-methylbutylidene]-2,3,4,9-tetrahydro-1H-carbazol-1-one
Interactions	PUBCHEM	6-Methoxy-2-(4-methyl-piperidin-1-yl)-quinoline-3-carbonitrile
Interactions	PUBCHEM	(2E)-2-pentylidene-4,9-dihydro-3H-carbazol-1-one
Interactions	PUBCHEM	Nile Red
Interactions	PUBCHEM	4-chloro-N-(5-methyl-1,2-oxazol-3-yl)benzamide
Interactions	PUBCHEM	3-Chloro-6-methoxy-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	(4-Methylcyclohex-3-en-1-yl)methyl phenylcarbamate
Interactions	PUBCHEM	Furan-2-carboxylic acid (5-phenylacetylamino-pyridin-2-yl)-amide

Main Category	Category	Terms
Interactions	PUBCHEM	[5-(Benzothiazol-2-ylsulfanylmethyl)-[1,3,4]thiadiazol-2-yl]-methyl-amine
Interactions	PUBCHEM	N-[4-(1,3-thiazol-2-ylcarbamoyl)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	4-(2-Benzooxazol-2-yl-ethyl)-phenylamine
Interactions	PUBCHEM	2-cyano-3-[2,5-dimethyl-1-(2-methylphenyl)-1H-pyrrol-3-yl]-N-[(oxolan-2-yl)methyl]prop-2-enamide
Interactions	PUBCHEM	2-(2-Octynylidene)-2,3-dihydro[1,3]thiazolo[3,2-a]benzimidazole
Interactions	PUBCHEM	5-Propyl-2-p-tolyl-4H-pyrazolo[1,5-a]pyrimidin-7-one
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-(2-pyrimidinyl)-3-piperidinecarboxamide
Interactions	PUBCHEM	3,4,5,6-Tetrahydro-2H-[1,2']bipyridinyl-5'-carboxylic acid (thiophen-2-ylmethyl)-amide
Interactions	PUBCHEM	2-(4-Methyl-6-piperidin-1-yl-pyrimidin-2-ylsulfanyl)-1-phenyl-ethanone
Interactions	PUBCHEM	N-(5-methoxy-1,3-benzothiazol-2-yl)-3-methylbutanamide
Interactions	PUBCHEM	4-[4-(3,4-Dimethoxyphenyl)-1,3-thiazol-2-yl]morpholine
Interactions	PUBCHEM	Cyclohexyl-[6-(2-methoxy-phenyl)-pyridazin-3-yl]-amine
Interactions	PUBCHEM	3-(3,4-Dimethoxy-phenyl)-5-phenylsulfanylmethyl-[1,2,4]oxadiazole
Interactions	PUBCHEM	N-(4-Furan-2-yl-thiazol-2-yl)-benzamide
Interactions	PUBCHEM	2-[4-(Methylsulfonyl)piperazino]-1,3-benzothiazole
Interactions	PUBCHEM	(2-Amino-3-thienyl)(4-chlorophenyl)methanone
Interactions	PUBCHEM	N-methyl-N-(5-pyridin-2-yl-1,3,4-thiadiazol-2-yl)pyridine-2-carboxamide
Interactions	PUBCHEM	N-(5-cyclopentyl-1,3,4-thiadiazol-2-yl)cyclobutanecarboxamide
Interactions	PUBCHEM	2-Methyl-imidazo[1,2-a]pyridine-3-carboxylic acid (6-methyl-pyridin-2-yl)-amide
Interactions	PUBCHEM	1-[2-(2-Chloro-phenoxy)-ethyl]-3-methyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	N-[4-(propanoylamino)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	3-(5-Thiophen-2-yl-[1,3,4]oxadiazol-2-yl)-pyridine
Interactions	PUBCHEM	4-(5-Benzo[1,3]dioxol-5-yl-[1,3,4]oxadiazol-2-ylsulfanylmethyl)-pyridine
Interactions	PUBCHEM	N-(3-phenyl-2H-1,4-benzothiazin-2-yl)acetamide
Interactions	PUBCHEM	(2,6-Dimethylbenzo[1,2-b:4,5-b']difuran-3,7-diyl)bis(piperidin-1-ylmethanone)

Main Category	Category	Terms
Interactions	PUBCHEM	N-(3-methoxyphenyl)-4-(morpholin-4-ylmethyl)benzamide
Interactions	PUBCHEM	N-(4-Acetylamino-2-chloro-phenyl)-2-(3-methyl-piperidin-1-yl)-acetamide
Interactions	PUBCHEM	Ethyl 4-chloro-5-{[(2-hydroxyethyl)amino]methyl}-3-methyl-1-benzofuran-2-carboxylate
Interactions	PUBCHEM	2-Chloro-N-[5-(cyclopropanecarbonyl-amino)-pyridin-2-yl]-benzamide
Interactions	PUBCHEM	2-[5-(4'-Methoxy-biphenyl-4-yl)-tetrazol-2-yl]-1-morpholin-4-yl-ethanone
Interactions	PUBCHEM	2-Methoxy-3-(5-methoxymethyl-[1,2,4]oxadiazol-3-yl)-6-phenyl-pyridine
Interactions	PUBCHEM	2-(1-Benzyl-1H-tetrazol-5-ylsulfanyl)-1-phenyl-ethanone
Interactions	PUBCHEM	N-{4-[3-(2-Chloro-phenyl)-ureido]-phenyl}-2-pyrrolidin-1-yl-acetamide
Interactions	PUBCHEM	Ethyl 4-[[2-(benzotriazol-1-yl)acetyl]amino]benzoate
Interactions	PUBCHEM	Pifexole
Interactions	PUBCHEM	1H-Pyrrole-2,4-dicarboxylicacid,3,5-dimethyl-,2-[(4-fluorophenyl)methyl]4-methylester(9ci)
Interactions	PUBCHEM	8-Oxo-8,9,10,11-tetrahydroazepino[1,2-a]quinoline-7-carbonitrile
Interactions	PUBCHEM	3-(1,3-Benzothiazol-2-ylsulfanylmethyl)-1,3-benzoxazol-2-one
Interactions	PUBCHEM	4-(5-Piperidin-1-yl-1,2,4-oxadiazol-3-yl)-1,2,5-oxadiazol-3-amine
Interactions	PUBCHEM	Methyl 4-[3-(benzotriazol-1-yl)-2-hydroxypropoxy]benzoate
Interactions	PUBCHEM	5H-(1)Benzopyrano(2,3-b)pyridin-5-one, 3-acetyl-2,7-dimethyl-
Interactions	PUBCHEM	5H-chromeno(2,3-b)pyridin-5-one
Interactions	PUBCHEM	1,2-dimethoxy-4bH-isoindolo[1,2-b][1,3]benzothiazol-11-one
Interactions	PUBCHEM	5-(4-Propoxyphenyl)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	1-(4-Methoxyphenyl)-3-[5-(propan-2-yl)-1,3,4-thiadiazol-2-yl]urea
Interactions	PUBCHEM	N-(3-methoxyphenyl)-2-(2-pyridinylthio)acetamide
Interactions	PUBCHEM	(6Z)-6-[4-(3-aminopropylamino)-6-methyl-1H-pyrimidin-2-ylidene]cyclohexa-2,4-dien-1-one
Interactions	PUBCHEM	2-{[3-cyano-4-(methoxymethyl)-6-methylpyridin-2-yl]sulfanyl}-N-(3,4-dimethylphenyl)acetamide
Interactions	PUBCHEM	8-Methyl-2-phenylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	ethyl 5-amino-1-([1]benzofuro[3,2-d]pyrimidin-4-yl)-1H-

Main Category	Category	Terms
		pyrazole-4-carboxylate
Interactions	PUBCHEM	5-(4-Butoxyphenyl)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	6,7-dimethoxy-2-[3-(trifluoromethyl)phenyl]-3H-isoindol-1-one
Interactions	PUBCHEM	Methyl 4-methyl-2-{[(3-methyl-1-benzofuran-2-yl)carbonyl]amino}-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5-bromo-3-pyridinecarboxamide
Interactions	PUBCHEM	N-{(1E)-1-[(1S,5R)-6,6-dimethyl-3-oxobicyclo[3.1.0]hex-2-ylidene]ethyl}-2-fluorobenzamide
Interactions	PUBCHEM	methyl (2,7,9-trimethyl-4-oxopyrido[3',2':4,5]thieno[3,2-d]pyrimidin-3(4H)-yl)acetate
Interactions	PUBCHEM	2-[5-(4-Fluoro-phenyl)-1H-imidazol-2-ylsulfanyl]-1-piperidin-1-yl-ethanone
Interactions	PUBCHEM	4-(3-Chloro-4-pentyloxy-benzyl)-morpholine
Interactions	PUBCHEM	1-(2-methoxyphenyl)-3-[(2Z)-5-propyl-1,3,4-thiadiazol-2(3H)-ylidene]urea
Interactions	PUBCHEM	2-[(4-Benzylpiperazin-1-yl)carbonyl]pyrazolo[1,5-a]pyridine
Interactions	PUBCHEM	2-(diethylamino)-2-oxoethyl N'-cyano-N-(2-fluorophenyl)carbamimidothioate
Interactions	PUBCHEM	(2Z)-3-hydroxy-2-(1-methyl-1H-benzimidazol-2-yl)-4-[(4-methylphenyl)sulfanyl]but-2-enenitrile
Interactions	PUBCHEM	2-(2-Chlorophenyl)-5-(4-methylpiperidin-1-yl)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	1-(4-chlorophenyl)-N-(pyridin-2-ylmethyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	5-(Cyclopropylamino)-2-(4-ethoxyphenyl)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-[(2-methoxyethyl)amino]-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	5-[(2-Phenylethyl)amino]-2-(thiophen-2-yl)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	5-(Cyclohexylamino)-2-(3-methylphenyl)-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	5-(4-Methoxyanilino)-2-thiophen-2-yl-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	(3-Amino-5-methoxy-1-benzofuran-2-yl)(cyclopropyl)methanone
Interactions	PUBCHEM	N-[2-[(2-fluorophenyl)methylsulfanyl]-1,3-benzothiazol-6-yl]-2-[(4-methyl-1,2,4-triazol-3-yl)sulfanyl]acetamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-[(4-cyano-1-methyl-5,6,7,8-tetrahydroisoquinolin-3-yl)sulfanyl]acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(3-bromobenzyl)-2-thien-2-ylacetamide
Interactions	PUBCHEM	2-(Thiophen-2-ylmethylamino)pyridazino[6,1-b]quinazolin-10-one
Interactions	PUBCHEM	2-(1,3-Benzothiazol-2-yl)-4-chloro-5-(3-chloroanilino)-3-pyridazinone
Interactions	PUBCHEM	N-(4-propoxybenzyl)-2-thien-2-ylacetamide
Interactions	PUBCHEM	N-(2-methylbenzyl)-2-thien-2-ylacetamide
Interactions	PUBCHEM	[4-Amino-2-(ethylamino)-1,3-thiazol-5-yl]-(5-chlorothiophen-2-yl)methanone
Interactions	PUBCHEM	9-chloro-N-(2-cyanophenyl)-5,6,7,8-tetrahydroacridine-3-carboxamide
Interactions	PUBCHEM	9-chloro-N-methyl-N-phenyl-2,3-dihydro-1H-cyclopenta[b]quinoline-6-carboxamide
Interactions	PUBCHEM	7-(4-Ethoxyphenyl)-5-phenyl-4,7-dihydrotetrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	N-butyl-7-methoxy-N-methylfuro[2,3-b]quinoline-2-carboxamide
Interactions	PUBCHEM	3-Benzylsulfanyl-6-(furan-2-yl)pyridazine
Interactions	PUBCHEM	2-{5-[(4-fluorobenzyl)sulfanyl]-4-methyl-4H-1,2,4-triazol-3-yl}pyridine
Interactions	PUBCHEM	3-(2-oxopropoxy)-8,9,10,11-tetrahydrocyclohepta[c]chromen-6(7H)-one
Interactions	PUBCHEM	3-[6-(2-Furyl)[1,2,4]triazolo[3,4-b][1,3,4]thiadiazol-3-yl]phenyl methyl ether
Interactions	PUBCHEM	3-[(2-chloro-6-fluorobenzyl)sulfanyl]-4-methyl-5-(thiophen-2-yl)-4H-1,2,4-triazole
Interactions	PUBCHEM	2-(5-(3,4-dimethoxyphenyl)-1H-pyrazol-3-yl)-4-fluorophenol
Interactions	PUBCHEM	2-[(4-Ethyl-5-pyrazin-2-yl-1,2,4-triazol-3-yl)sulfanyl]-1-phenylethanone
Interactions	PUBCHEM	3-{[(4-fluorophenyl)methyl]sulfanyl}-4-methyl-5-(thiophen-2-yl)-4H-1,2,4-triazole
Interactions	PUBCHEM	3-[(6-Chloro-2-fluorophenyl)methylthio]-4-methyl-5-pyrazin-2-yl-1,2,4-triazole
Interactions	PUBCHEM	5-(3-Chlorophenyl)-3-(2-methylprop-2-enylthio)-1,2,4-triazole-4-ylamine
Interactions	PUBCHEM	3-(Furan-2-yl)-6-(2-methoxyphenyl)-[1,2,4]triazolo[3,4-b][1,3,4]thiadiazole
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-5-[(pyridin-4-ylmethyl)amino]-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	N-(5-methyl-1,3-thiazol-2-yl)-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)sulfanyl]acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	(5Z)-5-(2,3-dihydro-1H-indol-1-ylmethylidene)-3-ethyl-2-thioxo-1,3-thiazolidin-4-one
Interactions	PUBCHEM	4-(((furan-2-ylmethyl)amino)methyl)-7-methyl-2H-chromen-2-one
Interactions	PUBCHEM	2-(3,4-dihydroisoquinolin-2(1H)-yl)-7,7-dimethyl-7,8-dihydroquinazolin-5(6H)-one
Interactions	PUBCHEM	5-[(Methylethyl)amino]-2-naphthyl-1,3-oxazole-4-carbonitrile
Interactions	PUBCHEM	2-[(3-phenyl-4,5-dihydro-1,2-oxazol-5-yl)methyl]-1,2-benzothiazol-3(2H)-one 1,1-dioxide
Interactions	PUBCHEM	N-[5-(2-phenylethyl)-1,3,5-triazinan-2-ylidene]-1,3-benzoxazol-2-amine
Interactions	PUBCHEM	5-((4-fluorobenzyl)oxy)benzofuran-3(2H)-one
Interactions	PUBCHEM	2-Methoxy-6-phenyl-3-(5-phenyl-1,2,4-oxadiazol-3-yl)pyridine
Interactions	PUBCHEM	6-methoxy-3-(5-phenyl-1,2,4-oxadiazol-3-yl)quinolin-2(1H)-one
Interactions	PUBCHEM	5-Acetyl-2-[(2-methoxyphenyl)amino]-4-methylpyrimidine
Interactions	PUBCHEM	N-[2-(5-bromofuran-2-yl)-3H-benzimidazol-5-yl]thiophene-2-carboxamide
Interactions	PUBCHEM	1-methyl-2-[5-(piperidin-1-ylmethyl)furan-2-yl]-1H-benzimidazole
Interactions	PUBCHEM	N-[2-(5-bromofuran-2-yl)-3H-benzimidazol-5-yl]furan-2-carboxamide
Interactions	PUBCHEM	Ethanone, 2-[(2,6-dimethyl-4-pyrimidinyl)thio]-1-phenyl-
Interactions	PUBCHEM	N-[2-[[(1Z)-1-(3-oxo-1-benzothiophen-2-ylidene)ethyl]amino]ethyl]acetamide
Interactions	PUBCHEM	2-[3-(3-methylphenyl)-1,2,4-oxadiazol-5-yl]-N-(tetrahydrofuran-2-ylmethyl)benzamide
Interactions	PUBCHEM	7-methyl-2-[(3-methylphenyl)amino]-7,8-dihydroquinazolin-5(6H)-one
Interactions	PUBCHEM	1-{2-[2-(azepan-1-yl)ethyl]-1-methyl-1H-benzimidazol-5-yl}-3-phenylurea
Interactions	PUBCHEM	2-{[5-(2-methylfuran-3-yl)-1,3,4-oxadiazol-2-yl]sulfanyl}-N-(4-methyl-1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	3-methoxy-N-(5-propyl-1,3,4-thiadiazol-2-yl)benzamide
Interactions	PUBCHEM	4,8-dimethyl-N-[3-(3-morpholin-4-ylpropyl)-2,4-dihydro-1H-1,3,5-triazin-6-yl]quinazolin-2-amine
Interactions	PUBCHEM	3-(4-Ethoxy-3-methoxyphenyl)-5-pyridin-3-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	ethyl 3-amino-7,7-dimethyl-7,8-dihydro-5H-furo[2,3-b]pyrano[3,4-e]pyridine-2-carboxylate
Interactions	PUBCHEM	3-[5-(5-Bromofuran-2-yl)-1,2,4-oxadiazol-3-yl]pyridine

Main Category	Category	Terms
Interactions	PUBCHEM	N-(1-cyclohexylbenzimidazol-5-yl)furan-2-carboxamide
Interactions	PUBCHEM	2-methyl-3-phenyl-8,9-dihydropyrazolo[1,5-a]quinazolin-6(7H)-one
Interactions	PUBCHEM	3-(4-Methylphenyl)-6-oxo-8-(2,4,5-trimethoxyphenyl)-2,4,7,8-tetrahydropyrido[2,1-b][1,3,5]thiadiazine-9-carbonitrile
Interactions	PUBCHEM	1-{1-methyl-2-[2-(4-methylpiperidin-1-yl)ethyl]-1H-benzimidazol-5-yl}-3-phenylurea
Interactions	PUBCHEM	5-(3,4-Dimethoxyphenyl)-3-(2-methoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-[2-(cyclohex-1-en-1-yl)ethyl]-5-methyl-3,5-dihydro-4H-pyrimido[5,4-b]indol-4-one
Interactions	PUBCHEM	N-[2-[5-(furan-2-carbonylamino)-1-methylbenzimidazol-2-yl]ethyl]furan-2-carboxamide
Interactions	PUBCHEM	[1,1':3',1"-Terphenyl]-4,4"-diol
Interactions	PUBCHEM	N-(2-Chlorophenyl)-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	1-(2,3-Dihydro-indol-1-yl)-2-(4-methoxy-phenyl)-ethanone
Interactions	PUBCHEM	N-(1,3-thiazol-2-yl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	ST043827
Interactions	PUBCHEM	1-Amino-2-methylanthraquinone
Interactions	PUBCHEM	2-[(2-furylmethyl)amino]-N-(4-methylphenyl)-2-thioxoacetamide
Interactions	PUBCHEM	N-{4-[acetyl(methyl)amino]phenyl}-2-furamide
Interactions	PUBCHEM	3-Amino-2-(4-chloro-phenoxymethyl)-3H-quinazolin-4-one
Interactions	PUBCHEM	8-methoxy-3-[2-(4-methoxyphenyl)-2-oxoethyl]-2H-chromen-2-one
Interactions	PUBCHEM	4-(2-Naphthylmethoxy)benzaldehyde
Interactions	PUBCHEM	2-[(5-Amino-1,3,4-thiadiazol-2-yl)sulfanyl]-1-(2,4-dimethylphenyl)ethanone
Interactions	PUBCHEM	N-(4-phenyl-1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-[2-(3,4-dihydro-1H-isoquinolin-2-yl)-2-oxoethyl]benzenesulfonamide
Interactions	PUBCHEM	N-(4-pyrrolidin-1-ylphenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	1-benzyl-5-(benzylsulfanyl)-1H-1,2,4-triazole
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-ylmethyl)-3-(4-chlorophenyl)urea
Interactions	PUBCHEM	Thiourea, N-phenyl-N'-(5-propyl-1,3,4-thiadiazol-2-yl)-
Interactions	PUBCHEM	2-(furan-2-yl)-6-methyl-4H-chromen-4-one
Interactions	PUBCHEM	N-(4-acetylphenyl)-2-[(1-methyl-1H-imidazol-2-

Main Category	Category	Terms
		yl)sulfanyl]acetamide
Interactions	PUBCHEM	2-Benzyl-5-(4-bromophenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	1-(4-Phenylphenyl)imidazole
Interactions	PUBCHEM	2-(2-Bromo-phenoxymethyl)-1-methyl-1H-benzoimidazole
Interactions	PUBCHEM	1-methyl-2-(phenoxymethyl)-1H-benzo[d]imidazole
Interactions	PUBCHEM	2-(cyclohexylamino)-N-(4-ethylphenyl)-2-sulfanylideneacetamide
Interactions	PUBCHEM	4-methyl-N-[4-(4-morpholinyl)phenyl]benzamide
Interactions	PUBCHEM	(E)-1-morpholino-3-(3-phenoxyphenyl)-2-propen-1-one
Interactions	PUBCHEM	3-[2-(2-naphthyl)-2-oxoethyl]-4(3H)-quinazolinone
Interactions	PUBCHEM	N-Phenyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	N-(4-anilinophenyl)benzamide
Interactions	PUBCHEM	N-(2-chlorobenzoyl)-N'-(4-methoxyphenyl)thiourea
Interactions	PUBCHEM	1-[(2,4-Dichlorophenyl)methoxy]benzotriazole
Interactions	PUBCHEM	(5E)-5-[(Z)-2-methyl-3-phenylprop-2-enylidene]-2-morpholin-4-yl-1,3-thiazol-4-one
Interactions	PUBCHEM	6-phenyl-3H,4H-thieno[2,3-d]pyrimidin-4-one
Interactions	PUBCHEM	4-Fluorophenyl 4-piperidylphenyl ketone
Interactions	PUBCHEM	2-[(3-Fluoro-4-methoxyphenyl)methylsulfanyl]-5-methyl-1,3,4-thiadiazole
Interactions	PUBCHEM	5-Amino-2-(naphthalen-2-yl)isoindoline-1,3-dione
Interactions	PUBCHEM	N-(2-(1H-indol-3-yl)ethyl)benzamide
Interactions	PUBCHEM	N-(5-methyl-1,3,4-thiadiazol-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-(5-benzyl-1,3,4-thiadiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	4'-Methylbenzanilide
Interactions	PUBCHEM	N-{3-methoxy-4-[(4-methylbenzyl)oxy]benzylidene}-4H-1,2,4-triazol-4-amine
Interactions	PUBCHEM	N*1*-(2,3-Dimethoxy-benzylidene)-benzoimidazole-1,2-diamine
Interactions	PUBCHEM	1-[4-[(4-fluorophenyl)methoxy]phenyl]-N-(1,2,4-triazol-4-yl)methanimine
Interactions	PUBCHEM	4-benzyl-N-[(E)-(3-nitrophenyl)methylidene]-1-piperazinamine
Interactions	PUBCHEM	N-[(E)-(4-ethylphenyl)methylidene]-4-(pyridin-2-yl)piperazin-1-amine

Main Category	Category	Terms
Interactions	PUBCHEM	N'-((1E,2Z)-2-Chloro-3-phenylallylidene)-2-(thiophen-2-yl)acetohydrazide
Interactions	PUBCHEM	N'-[(E,2E)-2-methyl-3-phenyl-2-propenylidene]-2-(1-methyl-1H-pyrrol-2-yl)acetohydrazide
Interactions	PUBCHEM	2-[[5-[(2-chlorophenyl)methylsulfanyl]-1,3,4-thiadiazol-2-yl]sulfanyl]-N-[(E)-(3,5-dimethyl-1-phenylpyrazol-4-yl)methylideneamino]acetamide
Interactions	PUBCHEM	2-(1,3-benzoxazol-2-ylsulfanyl)-N'-[(E)-(4-methylphenyl)methylidene]acetohydrazide
Interactions	PUBCHEM	5-(1,3-Benzodioxol-5-yl)-2-[(2-chloro-6-fluorophenyl)methyl]tetrazole
Interactions	PUBCHEM	N-(4-Methoxyphenyl)-N'-(2-pyridinyl)thiourea
Interactions	PUBCHEM	4-({4-[(4-chlorobenzyl)oxy]benzylidene}amino)-5-methyl-4H-1,2,4-triazole-3-thiol
Interactions	PUBCHEM	ethyl 4-{5-[(E)-{2-[(5-amino-1,3,4-thiadiazol-2-yl)acetyl]hydrazinylidene}methyl]furan-2-yl}benzoate
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-2-pyridin-2-ylsulfanylethanone
Interactions	PUBCHEM	N-[(E)-1,3-benzodioxol-5-ylmethylideneamino]-2-phenylacetamide
Interactions	PUBCHEM	N'-[(1E,2Z)-3-(2-furyl)prop-2-enylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	3-[(E)-furan-2-ylmethylideneamino]-6-phenylthieno[2,3-d]pyrimidin-4-one
Interactions	PUBCHEM	N-[(E)-(5-chloro-3-methyl-1-phenylpyrazol-4-yl)methylideneamino]-2-fluorobenzamide
Interactions	PUBCHEM	N-[(E)-(1-methylpyrrol-2-yl)methylideneamino]pyridine-2-carboxamide
Interactions	PUBCHEM	3'-(4-hydroxyphenyl)-1'H-spiro[cyclohexane-1,2'-quinazolin]-4'(3'H)-one
Interactions	PUBCHEM	4-chloro-N'-(1,2-dihydro-5-acenaphthylenylmethylene)-1-methyl-1H-pyrazole-3-carbohydrazide
Interactions	PUBCHEM	N-[(E)-(4-methoxyphenyl)methylidene]-3-[(2-methylprop-2-en-1-yl)sulfanyl]-4H-1,2,4-triazol-4-amine
Interactions	PUBCHEM	ethyl 4-chloro-5-[(E)-(hydroxyimino)methyl]-3-methyl-1-benzofuran-2-carboxylate
Interactions	PUBCHEM	tert-butyl (2E)-2-(4-bromobenzylidene)hydrazinecarboxylate
Interactions	PUBCHEM	N'-(1,3-benzodioxol-5-ylmethylene)cyclopropanecarbohydrazide
Interactions	PUBCHEM	N'-[(E)-1,3-benzodioxol-5-ylmethylidene]-2-(4-methylphenyl)acetohydrazide
Interactions	PUBCHEM	4-chloro-N'-(4-isopropylbenzylidene)-1-methyl-1H-pyrazole-5-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	N'-(1,3-benzodioxol-5-ylmethylene)-2-(4-fluorophenyl)acetohydrazide
Interactions	PUBCHEM	N-[4-(benzyloxy)benzylidene]-4-methyl-1-piperazinamine
Interactions	PUBCHEM	5-[(2,3-dihydro-1H-inden-5-yloxy)methyl]-N'-(2-naphthylmethylene)-2-furohydrazide
Interactions	PUBCHEM	2-{[3-(2-Furyl)acryloyl]amino}-4,5-dimethyl-3-thiophenecarboxylic acid
Interactions	PUBCHEM	3-(dimethylamino)-N'-(3-thienylmethylene)benzohydrazide
Interactions	PUBCHEM	N'-[(3-methyl-2-thienyl)methylene]-4-(1H-pyrrol-1-yl)benzohydrazide
Interactions	PUBCHEM	2-(4-chlorophenyl)-N'-[(1-ethyl-3,5-dimethyl-1H-pyrazol-4-yl)methylene]acetohydrazide
Interactions	PUBCHEM	N'-[(5-chloro-2-thienyl)methylene]-4,5-dimethyl-3-thiophenecarbohydrazide
Interactions	PUBCHEM	1-(4-amino-1,2,5-oxadiazol-3-yl)-N'-[(E)-{4-[(3-chlorobenzyl)oxy]phenyl}methylidene]-5-(piperidin-1-ylmethyl)-1H-1,2,3-triazole-4-carbohydrazide
Interactions	PUBCHEM	N-[(1Z,2Z)-2-chloro-3-phenylprop-2-en-1-ylidene]-4-(2-methoxyphenyl)piperazin-1-amine
Interactions	PUBCHEM	N'-[(E)-pyridin-4-ylmethylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	2-methyl-N'-[(1E,2E)-3-phenylprop-2-en-1-ylidene]furan-3-carbohydrazide
Interactions	PUBCHEM	N'-(1-naphthylmethylene)-2-thiophenecarbohydrazide
Interactions	PUBCHEM	Pyridine-2-carboxylic acid (5-methyl-furan-2-ylmethylene)-hydrazide
Interactions	PUBCHEM	N-[(E)-(3-methylphenyl)methylideneamino]-2-thiophen-2-ylacetamide
Interactions	PUBCHEM	N'-(3-nitrobenzylidene)-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N-[(E,2E)-3-(2-furyl)-2-methyl-2-propenylidene]-4-phenyl-1-piperazinamine
Interactions	PUBCHEM	N-[(E)-[(E)-3-(2-methoxyphenyl)prop-2-enylidene]amino]pyridine-2-carboxamide
Interactions	PUBCHEM	4-[(E)-[(E)-3-(2-methoxyphenyl)prop-2-enylidene]amino]-3-pyridin-2-yl-1H-1,2,4-triazole-5-thione
Interactions	PUBCHEM	N,N-dimethyl-4-[(E)-2-pyridin-4-ylethenyl]aniline
Interactions	PUBCHEM	N-[(E)-(4-methoxyphenyl)methylidene]-3-(prop-2-en-1-ylsulfanyl)-4H-1,2,4-triazol-4-amine
Interactions	PUBCHEM	Benzeneethanol, 3-(2H-benzotriazol-2-yl)-4-hydroxy-
Interactions	PUBCHEM	N'-[(E)-(6-bromo-1,3-benzodioxol-5-yl)methylidene]pyridine-2-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[(5-methyl-2-thiophenyl)methylideneamino]-2,3-dihydro-1,4-benzodioxin-6-carboxamide
Interactions	PUBCHEM	N'-[(E)-(4-ethoxy-3-methoxyphenyl)methylidene]-2-methylfuran-3-carbohydrazide
Interactions	PUBCHEM	N-[(E)-(5-methylfuran-2-yl)methylidene]-4-(pyridin-2-yl)piperazin-1-amine
Interactions	PUBCHEM	methyl 4-[[4-[(E)-hydroxyiminomethyl]phenoxy]methyl]benzoate
Interactions	PUBCHEM	3-(4-Methoxy-benzyl)-2-{[1-phenyl-meth-(E)-ylidene]-hydrazono}-thiazolidin-4-one
Interactions	PUBCHEM	N'-[(E)-(2-chlorophenyl)methylidene]-3-(1-methyl-1H-pyrrol-2-yl)-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	N-[(E)-(2-chloro-6-fluorophenyl)methylideneamino]-5-cyclopropyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	3-methyl-N'-[(E)-(5-methylthiophen-2-yl)methylidene]-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	tert-butyl N-[6-oxo-6-[(2E)-2-[(4-oxochromen-3-yl)methylidene]hydrazinyl]hexyl]carbamate
Interactions	PUBCHEM	2-[(E)-(4-ethoxy-3-methoxyphenyl)methylideneamino]oxy-N-(4-phenylmethoxyphenyl)acetamide
Interactions	PUBCHEM	(Z)-N-(4-methoxyphenyl)-2-(2-tosylhydrazono)-2H-chromene-3-carboxamide
Interactions	PUBCHEM	N'-[(1E,2E)-2-methyl-3-phenylprop-2-enylidene]nicotinohydrazide
Interactions	PUBCHEM	2-[(4-nitrobenzyl)thio]-1H-benzimidazole
Interactions	PUBCHEM	2-{4-bromo-2-[(hydroxyimino)methyl]phenoxy}-N-(3-methylphenyl)acetamide
Interactions	PUBCHEM	2-Furaldehyde N-phenylsemicarbazone
Interactions	PUBCHEM	4,6-dimethyl-1-({(E)-[4-(methylsulfanyl)phenyl]methylidene}amino)pyridin-2(1H)-one
Interactions	PUBCHEM	3-(4-Bromophenyl)acrylaldehyde 1,3-benzothiazol-2-ylhydrazone
Interactions	PUBCHEM	3-Methyl-2-thiophenecarbaldehyde [(3-methyl-2-thienyl)methylene]hydrazone
Interactions	PUBCHEM	3-Phenylacrylaldehyde 1,3-benzothiazol-2-ylhydrazone
Interactions	PUBCHEM	N'-(4-methyl-3-nitrobenzylidene)-2-thiophenecarbohydrazide
Interactions	PUBCHEM	(NE)-N-[(3-chloro-4-phenylmethoxyphenyl)methylidene]hydroxylamine
Interactions	PUBCHEM	3-Chloro-4-[(2-fluorobenzyl)oxy]benzaldehyde oxime
Interactions	PUBCHEM	2-[(4-Chlorobenzyl)oxy]benzaldehyde oxime

Main Category	Category	Terms
Interactions	PUBCHEM	2-[(4-Nitrobenzyl)oxy]benzaldehyde oxime
Interactions	PUBCHEM	N-[(E)-[(Z)-2-chloro-3-phenylprop-2-enylidene]amino]-2-fluorobenzamide
Interactions	PUBCHEM	2-bromo-N-[(Z)-(3-methyl-1,3-benzothiazol-2-ylidene)amino]benzamide
Interactions	PUBCHEM	3-(2-nitrophenyl)-N-phenylacrylamide
Interactions	PUBCHEM	N-[(E)-[(Z)-2-chloro-3-phenylprop-2-enylidene]amino]-4,6-dimethylpyrimidin-2-amine
Interactions	PUBCHEM	(E)-1-(4-nitrophenyl)-N-piperidin-1-ylmethanimine
Interactions	PUBCHEM	5-[(E)-[2-ethylimino-4-(furan-2-yl)-1,3-thiazol-3-yl]iminomethyl]-2-methoxyphenol
Interactions	PUBCHEM	(E)-1-(3-methoxy-4-phenylmethoxyphenyl)-N-morpholin-4-ylmethanimine
Interactions	PUBCHEM	(E,E)-3-(2-nitrophenyl)-N-piperidin-1-ylprop-2-en-1-imine
Interactions	PUBCHEM	5,6-dimethyl-3-[(E)-(3-methylthiophen-2-yl)methylideneamino]thieno[2,3-d]pyrimidin-4-one
Interactions	PUBCHEM	5-Methyl-2-furaldehyde N-cyclohexylthiosemicarbazone
Interactions	PUBCHEM	N-[(1E)-2-(4-phenoxyphenyl)-1-azavinyl]methoxycarboxamide
Interactions	PUBCHEM	1-ethyl-3-[(E)-(3-methylphenyl)methylideneamino]thiourea
Interactions	PUBCHEM	N-Phenyl-6-(pyrimidin-2-ylsulfanylmethyl)-[1,3,5]triazine-2,4-diamine
Interactions	PUBCHEM	(2E)-N-(5-bromopyridin-2-yl)-3-phenylprop-2-enamide
Interactions	PUBCHEM	N-(5-chloro-2-pyridinyl)-3-phenylacrylamide
Interactions	PUBCHEM	3-chloro-6-fluoro-N-(furan-2-ylmethyl)-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-4-(oxolan-2-ylmethoxy)benzamide
Interactions	PUBCHEM	ethyl 4-(7H-purin-6-ylamino)benzoate
Interactions	PUBCHEM	N-[4-(difluoromethylsulfanyl)phenyl]-7H-purin-6-amine
Interactions	PUBCHEM	ethyl 2-[2-(4-methoxyphenyl)hydrazin-1-ylidene]-3,5-dimethyl-2H-pyrrole-4-carboxylate
Interactions	PUBCHEM	N-(furan-2-ylmethyl)naphthalene-2-carboxamide
Interactions	PUBCHEM	1-[(5-Chloro-2-thienyl)carbonyl]indoline
Interactions	PUBCHEM	N-cyclohexylbiphenyl-4-carboxamide
Interactions	PUBCHEM	6-Nitro-2-(pyrrolidin-1-yl)-1,3-benzothiazole
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-yl)-5-(3-nitrophenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2-[[2-[(E)-1-thiophen-2-

Main Category	Category	Terms
		ylethylideneamino]oxyacetyl]amino]benzoic acid
Interactions	PUBCHEM	3-methyl-N-[6-(methylsulfonyl)-1,3-benzothiazol-2-yl]benzamide
Interactions	PUBCHEM	N-(4-methylthiazol-2-yl)benzamide
Interactions	PUBCHEM	N-(5-(p-tolyl)-1,3,4-thiadiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	2-(3-Bromo-4-methoxyphenyl)imidazo[1,2-a]pyrimidine
Interactions	PUBCHEM	N-(4-chlorophenyl)-3-methyl-2-butenamide
Interactions	PUBCHEM	N-[2-(4-fluorophenyl)ethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	2-(1-Piperidinylcarbonyl)-5,6,7,8-tetrahydrothieno(2,3-B)quinolin-3-amine
Interactions	PUBCHEM	4-{[(1,3-diphenyl-1H-pyrazol-4-yl)methylene]amino}-5-(4-pyridinyl)-2,4-dihydro-3H-1,2,4-triazole-3-thione
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-chloro-6-fluorobenzamide
Interactions	PUBCHEM	5-[4-(benzyloxy)benzylidene]-2-thioxodihydropyrimidine-4,6(1H,5H)-dione
Interactions	PUBCHEM	2-[(2-hydroxyphenyl)imino]-1H-indene-1,3(2H)-dione
Interactions	PUBCHEM	N-[2-(1H-indol-3-yl)ethyl]-4-methoxybenzamide
Interactions	PUBCHEM	3-Pyridin-4-yl-5-thiophen-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-Amino-4,6-dimethyl-5-(2-oxo-2-phenylethyl)thieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	4-(5-Furan-2-yl-[1,2,4]oxadiazol-3-yl)-pyridine
Interactions	PUBCHEM	2-((p-Tolylthio)methyl)imidazo[1,2-a]pyrimidine
Interactions	PUBCHEM	3-(2-chlorophenyl)-N-(2-phenylethyl)acrylamide
Interactions	PUBCHEM	(E)-3-(furan-2-yl)-N-(4-phenyl-1,3-thiazol-2-yl)prop-2-enamide
Interactions	PUBCHEM	5-[(3-methyl-2-thienyl)methylene]-2-(4-morpholinyl)-1,3-thiazol-4(5H)-one
Interactions	PUBCHEM	5-(4-tert-butylphenyl)-4-methyl-4H-1,2,4-triazole-3-thiol
Interactions	PUBCHEM	Ethyl 5-amino-1-(4-methylphenyl)-1H-pyrazole-4-carboxylate
Interactions	PUBCHEM	Methyl 2-(2-furoylamino)-4-phenyl-3-thiophenecarboxylate
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-4-hydroxy-3-pyrazolecarboxylic acid ethyl ester
Interactions	PUBCHEM	6-Phenylthieno[2,3-d]pyrimidine-4-thiol
Interactions	PUBCHEM	2-methyl-N-[4-(2-phenyl-1,3-thiazol-4-yl)phenyl]propanamide
Interactions	PUBCHEM	4-Fluorophenyl 4-pyrrolidinylphenyl ketone
Interactions	PUBCHEM	(2-Methoxy-phenyl)-(4-pyridin-3-yl-thiazol-2-yl)-amine

Main Category	Category	Terms
Interactions	PUBCHEM	N-{4-[(furan-2-ylcarbonyl)amino]phenyl}pyrazine-2-carboxamide
Interactions	PUBCHEM	5-{[(4-ethyl-2-oxo-2H-chromen-7-yl)oxy]methyl}-2-furoic acid
Interactions	PUBCHEM	2-[5-(3,4,5-Trimethoxyphenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	6-phenyl-3-(1H-pyrrol-1-yl)thieno[2,3-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	2-[(4-Isopropylphenylamino)thiazol-4-yl]acetic acid
Interactions	PUBCHEM	hydrocinnamoyl-Ser(PO3H2)-Pro-Val-Phe-OH
Interactions	PUBCHEM	Ac-2Nal-Ser(PO3H2)-Pro-Thr-Phe-NH2
Interactions	PUBCHEM	deamino-Phe(3,4-diOMe)-Ser(PO3H2)-Pro-Val-Phe-OH
Interactions	PUBCHEM	Bz(3-Ph)-Ser(PO3H2)-Pro-Val-Phe-OH
Interactions	PUBCHEM	Ac-2Nal-Ser(PO3H2)-Pro-Val-Phe-NH2
Interactions	PUBCHEM	deamino-hPhe-Ser(PO3H2)-Pro-Val-Phe-OH
Interactions	PUBCHEM	Ac-2Nal-Ser(PO3H2)-Pro-Val-Phe-OH
Interactions	PUBCHEM	(2S)-2-[[(2S)-3-methyl-2-[[(2S)-1-[(2S)-2-[[(E)-4-phenylbut-3-enoyl]amino]-3-phosphonooxypropanoyl]pyrrolidine-2-carbonyl]amino]butanoyl]amino]-3-phenylpropanoic acid
Interactions	PUBCHEM	N-cyclohexyl-2,3-dihydroindole-1-carboxamide
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-(furan-2-yl)-1,3,4-oxadiazole
Interactions	PUBCHEM	N-[(3-nitroanilino)-sulfanylidenemethyl]benzamide
Interactions	PUBCHEM	6-methoxy-N-(4-methoxyphenyl)-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	6-methoxy-N-(3-methoxyphenyl)-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	2-(4-methoxyphenyl)-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	6-chloro-N-(4-(thiazolo[5,4-b]pyridin-2-yl)phenyl)nicotinamide
Interactions	PUBCHEM	1-cyclohexyl-3-[2-(1H-indol-3-yl)ethyl]thiourea
Interactions	PUBCHEM	2-Benzamido-5-phenylthiophene-3-carboxylic acid
Interactions	PUBCHEM	N-(3-acetylphenyl)-5,6,7,8-tetrahydronaphthalene-2-carboxamide
Interactions	PUBCHEM	N-[2-(thiophen-2-yl)ethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	N-(2,4-difluorophenyl)-4-methoxybenzamide
Interactions	PUBCHEM	4-(6-Fluorobenzo[d]thiazol-2-yl)morpholine
Interactions	PUBCHEM	Ethyl 4-[(furan-2-ylcarbonyl)amino]benzoate
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-(2-methyl-1H-indol-3-yl)-2-oxoacetamide
Interactions	PUBCHEM	1-Morpholin-4-yl-2-[(3-phenyl-1,2,4-thiadiazol-5-

Main Category	Category	Terms
		yl)sulfanyl]ethanone
Interactions	PUBCHEM	2-({5-[4-(methylthio)phenyl]-2H-tetrazol-2-yl}methyl)pyridine
Interactions	PUBCHEM	N-(4-methylphenyl)-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	1-(2,3-Dihydro-indol-1-yl)-2-(4-methyl-pyrimidin-2-ylsulfanyl)-ethanone
Interactions	PUBCHEM	2-[(E)-2-(1,3-benzodioxol-5-yl)ethenyl]-8-methoxyquinoline
Interactions	PUBCHEM	2-{5-[(2,4-Dichlorophenoxy)methyl]-1,3,4-oxadiazol-2-yl} phenol
Interactions	PUBCHEM	[4-(3,4-Dichlorophenyl)piperazin-1-yl](furan-2-yl)methanone
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-(4,5-dihydro-1,3-thiazol-2-ylsulfanyl)acetamide
Interactions	PUBCHEM	6-methyl-N-(4-methylphenyl)-2-phenylpyrimidin-4-amine
Interactions	PUBCHEM	3,4-dichloro-N-(1-oxo-1,3-dihydro-2-benzofuran-5-yl)benzamide
Interactions	PUBCHEM	ethyl (1-cyclohexyl-1H-benzimidazol-5-yl)carbamate
Interactions	PUBCHEM	1-(4-(Benzo[d]thiazol-2-yl)piperazin-1-yl)-2,2-dimethylpropan-1-one
Interactions	PUBCHEM	cyclohexyl N-(4-chlorobenzoyl)carbamate
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(4-oxo-3-quinazolinyl)acetamide
Interactions	PUBCHEM	6-[(4-methoxyphenoxy)methyl]-N-(4-methylphenyl)-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	6-[4-(Dimethylsulfamoylamino)phenyl]imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	1-methyl-N-[(1-methyl-1H-benzimidazol-2-yl)methyl]-1H-benzimidazol-2-amine
Interactions	PUBCHEM	1-(4-isopropylphenyl)-2-(4H-1,2,4-triazol-3-ylthio)ethanone
Interactions	PUBCHEM	2-Phenylquinoline
Interactions	PUBCHEM	3-(4-Ethoxyphenyl)-6-(pyridin-2-ylmethylsulfanyl)pyridazine
Interactions	PUBCHEM	3-(4-Ethylphenyl)-6-(pyridin-2-ylmethylsulfanyl)pyridazine
Interactions	PUBCHEM	3-(3-Methoxyphenyl)-6-((pyridin-2-ylmethyl)thio)pyridazine
Interactions	PUBCHEM	3-(1,3-Benzodioxol-5-yl)-6-(pyridin-3-ylmethylsulfanyl)pyridazine
Interactions	PUBCHEM	2-(4-(Pyrrolidin-1-ylsulfonyl)benzamido)thiophene-3-carboxamide
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-thiophen-2-ylacetamide
Interactions	PUBCHEM	5-(Phenoxymethyl)-3-(2-thienyl)-1,2,4-oxadiazole

Main Category	Category	Terms
Interactions	PUBCHEM	1-Ethyl-2-(4-methoxy-phenoxymethyl)-1H-benzoimidazole
Interactions	PUBCHEM	N-(4-morpholinophenyl)-2-(thiophen-2-yl)acetamide
Interactions	PUBCHEM	N-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-3-(2-ethoxyacetamido)benzofuran-2-carboxamide
Interactions	PUBCHEM	2-(4-Ethoxy-3-nitrophenyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	3-(Ethylthio)-6-(p-tolyl)pyridazine
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2-[6-(4-methylphenyl)pyridazin-3-yl]sulfanylacetamide
Interactions	PUBCHEM	3-(1,3-Benzodioxol-5-yl)-6-[(2-methylphenyl)methylsulfanyl]pyridazine
Interactions	PUBCHEM	4-(4-(4-Bromophenyl)Thiazol-2-yl)Morpholine
Interactions	PUBCHEM	3-((4-Fluorobenzyl)thio)-6-(furan-2-yl)pyridazine
Interactions	PUBCHEM	3-(Furan-2-yl)-6-((4-methylbenzyl)thio)pyridazine
Interactions	PUBCHEM	1-Thiophen-2-yl-2-(6-thiophen-2-ylpyridazin-3-yl)sulfanylethanone
Interactions	PUBCHEM	3-[(4-Chlorophenyl)methylthio]-6-(2-furanyl)pyridazine
Interactions	PUBCHEM	3-((2-Chloro-6-fluorobenzyl)thio)-6-(furan-2-yl)pyridazine
Interactions	PUBCHEM	N-benzyl-5-methoxy-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	N-(3-methylphenyl)-1-(4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	N-[4-[(4-chlorophenyl)carbamoylamino]phenyl]-N-methylacetamide
Interactions	PUBCHEM	2-((Imidazo[1,2-a]pyridin-2-ylmethyl)thio)-4,5-dihydrothiazole
Interactions	PUBCHEM	6-Hydroxyflavone
Interactions	PUBCHEM	Morpholin-4-yl-[5-(3-nitrophenyl)furan-2-yl]methanethione
Interactions	PUBCHEM	4-(3-Bromophenyl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	3-[2-(2,4-Dimethylphenyl)-2-oxoethyl]-1,3-diazaspiro[4.6]undecane-2,4-dione
Interactions	PUBCHEM	1-{5-[(4-Chlorophenyl)amino]-1,2,4-thiadiazol-3-yl}propan-2-one
Interactions	PUBCHEM	2-((4-fluorophenyl)sulfonyl)-N-(2-methylbenzo[d]thiazol-6-yl)acetamide
Interactions	PUBCHEM	2-[(2E)-2-[(2,5-Dimethyl-1-phenyl-1H-pyrrol-3-YL)methylidene]hydrazin-1-YL]-5-nitropyridine
Interactions	PUBCHEM	N-(4-methylphenyl)-3-phenoxypropanamide
Interactions	PUBCHEM	N-(4-methylphenyl)-1-benzofuran-2-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	3,4-dihydro-2H-1,5-benzodioxepin-7-yl(phenyl)methanone
Interactions	PUBCHEM	N-[3-(aminocarbonyl)-4-ethyl-5-methyl-2-thienyl]-2-thiophenecarboxamide
Interactions	PUBCHEM	(2-Phenyl-benzothiazol-5-yl)-acetic acid methyl ester
Interactions	PUBCHEM	ethyl (2-{[(2-methyl-5-oxo-5H-[1,3]thiazolo[3,2-a]pyrimidin-6-yl)carbonyl]amino}-1,3-thiazol-4-yl)acetate
Interactions	PUBCHEM	Ethyl 2-(thiophene-2-carbonylamino)-1,3-thiazole-4-carboxylate
Interactions	PUBCHEM	N-(2-methylsulfanyl-1,3-benzothiazol-6-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	2'-(2,4-Dichlorobenzoyl)-1-naphthohydrazide
Interactions	PUBCHEM	Methyl 3-(methylcarbamothioylamino)benzoate
Interactions	PUBCHEM	1-(3-Chloro-4-methylphenyl)-3-(4-fluorophenyl)urea
Interactions	PUBCHEM	1-(3-Chloro-4-methylphenyl)-3-(3-methoxyphenyl)urea
Interactions	PUBCHEM	N-(2-chlorobenzyl)-N'-(3-methoxyphenyl)urea
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-(1-pyrrolidinylmethyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	methyl 4-{[(4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]methyl} benzoate
Interactions	PUBCHEM	N-(furan-2-ylmethylideneamino)-5-nitropyridin-2-amine
Interactions	PUBCHEM	7-Benzyloxy-4-methylcoumarin
Interactions	PUBCHEM	Tert-butyl 2-(5-acetyl-3-cyano-6-methyl-2-pyridylthio)acetate
Interactions	PUBCHEM	N-[2-[2-(4-methoxyphenyl)-6-methyl-[1,3]thiazolo[3,2-b][1,2,4]triazol-5-yl]ethyl]propanamide
Interactions	PUBCHEM	N-(3-cyano-4,5-dimethylthiophen-2-yl)-2,3-dihydro-1,4-dioxine-5-carboxamide
Interactions	PUBCHEM	Furan-2-yl-[4-(6-piperidin-1-ylpyridazin-3-yl)piperazin-1-yl]methanone
Interactions	PUBCHEM	Ezetimibe Impurity 76
Interactions	PUBCHEM	1,3-Bis(2,4-difluorophenyl)urea
Interactions	PUBCHEM	2-(2-nitrophenoxy)-N-(5-propan-2-yl-1,3,4-thiadiazol-2-yl)acetamide
Interactions	PUBCHEM	3-phenyl-N-(4-(piperidin-1-yl)phenyl)propanamide
Interactions	PUBCHEM	1-(2-Furanyl)-2-([1,2,4]triazolo[3,4-b][1,3]benzothiazol-1-ylthio)ethanone
Interactions	PUBCHEM	2-[4-(4-Butylphenyl)-1,3-thiazol-2-yl]-3-(2-furyl)acrylonitrile
Interactions	PUBCHEM	5-methyl-N-(3-{N-[(1-methyl-1H-pyrazol-3-yl)carbonyl]ethanehydrazonoyl}phenyl)-2-thiophenecarboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	Picolinic acid, 2-benzylhydrazide
Interactions	PUBCHEM	N-(7-chloro-3,4-dihydro-2H-1,5-benzodioxepin-8-yl)-2-phenylacetamide
Interactions	PUBCHEM	2-methyl-N-[6-(methylsulfonyl)-1,3-benzothiazol-2-yl]propanamide
Interactions	PUBCHEM	4-(5-Phenyl-1,3,4-oxadiazol-2-yl)pyridine
Interactions	PUBCHEM	3-methyl-N-(4-phenylmethoxyphenyl)but-2-enamide
Interactions	PUBCHEM	N-(5-Ethanesulfonyl-2-hydroxy-phenyl)-3-phenyl-acrylamide
Interactions	PUBCHEM	N-(2H-benzo[3,4-d]1,3-dioxolen-5-yl)benzimidazol-5-ylcarboxamide
Interactions	PUBCHEM	2-(1H-benzimidazol-2-ylsulfanyl)-1-(4-methylpiperidin-1-yl)ethanone
Interactions	PUBCHEM	4-nitro-N-phenacylbenzamide
Interactions	PUBCHEM	4-chloro-N-[2-(4-chlorophenyl)-2-oxoethyl]benzamide
Interactions	PUBCHEM	[5-(3-Chlorophenyl)furan-2-yl]-morpholin-4-ylmethanethione
Interactions	PUBCHEM	[5-(2-Chlorophenyl)furan-2-yl]-morpholin-4-ylmethanethione
Interactions	PUBCHEM	4-bromo-5-(morpholin-4-yl)-2-phenylpyridazin-3(2H)-one
Interactions	PUBCHEM	1-Phenethyl-1H-benzo[d][1,2,3]triazole
Interactions	PUBCHEM	2-(1H-benzo[d][1,2,3]triazol-1-yl)-N-(p-tolyl)acetamide
Interactions	PUBCHEM	4-[(4-Oxo-5,6,7,8-tetrahydro-[1]benzothiolo[2,3-d]triazin-3-yl)methyl]benzoic acid
Interactions	PUBCHEM	6-ethyl-3-isobutylthieno[2,3-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	N-(5-propyl-1,3,4-thiadiazol-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	6-chloro-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[4-(dimethylamino)phenyl]imidazo[1,2-a]pyridin-3-amine
Interactions	PUBCHEM	N-(5-acetyl-4-methyl-1,3-thiazol-2-yl)-4-chlorobenzamide
Interactions	PUBCHEM	N-(4-Acetylphenyl)-N'-(3-chlorophenyl)urea
Interactions	PUBCHEM	Benzofuran-2-carboxylic acid (5-methoxymethyl-[1,3,4]thiadiazol-2-yl)-amide
Interactions	PUBCHEM	N-[4-(3-methoxyphenyl)-1,3-thiazol-2-yl]acetamide
Interactions	PUBCHEM	Phenyl [4-(3-methoxyphenyl)-1,3-thiazol-2-yl]carbamate
Interactions	PUBCHEM	N-[4-(4-ethylphenyl)-2-thiazolyl]carbamic acid phenyl ester
Interactions	PUBCHEM	2-Amino-4-(5,6,7,8-tetrahydro-2-naphthyl)thiazole
Interactions	PUBCHEM	2-(2-fluorophenyl)-1H-benzimidazole
Interactions	PUBCHEM	4-[2-(4-Methoxy-phenyl)-vinyl]-pyridine

Main Category	Category	Terms
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)morpholine-4-carboxamide
Interactions	PUBCHEM	5-Benzylsulfanyl-3-furan-2-yl-1H-[1,2,4]triazole
Interactions	PUBCHEM	5-(Pyridin-2-yl)thiophene-2-carboxylic acid
Interactions	PUBCHEM	4-[(Z)-3-(3-Methoxy-phenyl)-3-oxo-propenylamino]-benzoic acid ethyl ester
Interactions	PUBCHEM	2-{[2-(4-Chlorophenyl)-2-oxoethyl]sulfanyl}benzoic acid
Interactions	PUBCHEM	N-(5-bromopyridin-2-yl)-2-(4-chlorophenyl)acetamide
Interactions	PUBCHEM	5-bromo-N-[4-(diethylamino)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	3-[2-(4-Chlorophenyl)-2-oxoethyl]quinazolin-4-one
Interactions	PUBCHEM	1-[(4-Methoxyphenyl)methyl]-3-(3-methylphenyl)urea
Interactions	PUBCHEM	2,4-dimethoxy-N-(2-oxo-2,4,5,6-tetrahydro-1H-pyrrolo[3,2,1-ij]quinolin-8-yl)benzamide
Interactions	PUBCHEM	5-amino-1-benzyl-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-1H-1,2,3-triazole-4-carboxamide
Interactions	PUBCHEM	5-amino-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,3-triazole-4-carboxamide
Interactions	PUBCHEM	5-amino-1-[(3-chlorophenyl)methyl]-N-(2,3-dihydro-1,4-benzodioxin-6-yl)triazole-4-carboxamide
Interactions	PUBCHEM	5-amino-N-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-1-(2-methylbenzyl)-1H-1,2,3-triazole-4-carboxamide
Interactions	PUBCHEM	3-(4'-Fluorobiphenyl-4-yl)-5-propyl-1,2,4-oxadiazole
Interactions	PUBCHEM	2-nitro-N-(quinolin-8-yl)benzene-1-sulfonamide
Interactions	PUBCHEM	[3-(1-Benzofuran-2-yl)-1-phenylpyrazol-4-yl]methanol
Interactions	PUBCHEM	2-Ethylsulfanyl-1-(2-phenoxyethyl)benzimidazole
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-pyridin-3-yl-1,3,4-oxadiazole
Interactions	PUBCHEM	7-methoxy-6-propyl-3-(pyridin-2-yl)-4H-chromen-4-one
Interactions	PUBCHEM	N-(3-Chloro-4-pyrrolidin-1-yl-phenyl)-2-fluoro-benzamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-3-fluorobenzamide
Interactions	PUBCHEM	N-(6-chlorobenzothiazol-2-yl)(4-chloro-1-methylpyrazol-3-yl)carboxamide
Interactions	PUBCHEM	5-ethyl-3-[(4-methoxyphenyl)methylsulfanyl]-1H-1,2,4-triazole
Interactions	PUBCHEM	1-(3-Methyl-benzofuran-2-carbonyl)-3-(3-methyl-pyridin-2-yl)-thiourea
Interactions	PUBCHEM	2-methyl-N-[3-(6-morpholin-4-ylpyridazin-3-yl)phenyl]benzamide
Interactions	PUBCHEM	2-chloro-N-[3-(6-morpholin-4-ylpyridazin-3-

Main Category	Category	Terms
		yl)phenyl]benzamide
Interactions	PUBCHEM	3-chloro-N-(3-(6-morpholinopyridazin-3-yl)phenyl)benzamide
Interactions	PUBCHEM	4-methoxy-N-[2-(phenethylsulfamoyl)ethyl]benzamide
Interactions	PUBCHEM	2-(1,3-benzoxazol-2-ylsulfanyl)-N-(2-methylphenyl)acetamide
Interactions	PUBCHEM	[4-(4-Chloro-phenyl)-thiazol-2-yl]-cyclopentylidene-acetonitrile
Interactions	PUBCHEM	N-(3-chloro-4-methylphenyl)-N'-cyclohexylurea
Interactions	PUBCHEM	[2-[4-(Butanoylamino)phenyl]-2-oxoethyl] cyclopropanecarboxylate
Interactions	PUBCHEM	Methyl 4-[(3-methoxyphenyl)carbonylamino]benzoate
Interactions	PUBCHEM	4-chloro-N-[2-(1H-indol-3-yl)ethyl]benzamide
Interactions	PUBCHEM	1-(4-Methoxybenzoyl)indoline
Interactions	PUBCHEM	N-tert-Butyl-6-chloro-N'-phenyl-[1,3,5]triazine-2,4-diamine
Interactions	PUBCHEM	3-chloro-6-methyl-N-(2-phenylethyl)-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	(2Z)-2-[1-(4-bromoanilino)ethylidene]-1-benzothiophen-3-one
Interactions	PUBCHEM	N-(4-chlorophenyl)-3,6-dihydropyridine-1(2H)-carboxamide
Interactions	PUBCHEM	1-(3,4-Dimethoxyphenyl)-3-(2-hydroxyphenyl)propane-1,3-dione
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-4-methoxybenzamide
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	(4-Chloro-benzyl)-(1-methyl-1H-benzoimidazol-5-yl)-amine
Interactions	PUBCHEM	N-(2,6-difluorophenyl)-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	[5-(2,4-Dichloro-phenyl)-furan-2-yl]-piperidin-1-yl-methanethione
Interactions	PUBCHEM	7-(Acetyloxy)-3-phenyl-4H-1-benzopyran-4-one
Interactions	PUBCHEM	Ethanone, 1-[2-[(4-methoxyphenyl)amino]-4-methyl-5-thiazolyl]-
Interactions	PUBCHEM	1-(4-Methylbenzoyl)indoline
Interactions	PUBCHEM	(4-Ethoxy-phenyl)-(4-methyl-quinolin-2-yl)-amine
Interactions	PUBCHEM	1H-benzimidazol-2-yl-(2-nitrophenyl)methanone
Interactions	PUBCHEM	5,6-Dimethyl-2-(2-morpholin-4-yl-ethylsulfanyl)-1H-benzoimidazole

Main Category	Category	Terms
Interactions	PUBCHEM	(E)-N-(6-methoxy-3-pyridinyl)-3-phenylprop-2-enamide
Interactions	PUBCHEM	N-(5-acetyl-4-methyl-1,3-thiazol-2-yl)-2-methylbenzamide
Interactions	PUBCHEM	2-[[(4-Chlorophenyl)thio]methyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	6-Chloro-2-p-tolylsulfanylmethyl-imidazo[1,2-a]pyridine
Interactions	PUBCHEM	1-allyl-2-(4-methoxyphenyl)-1H-benzimidazole
Interactions	PUBCHEM	1-(2-Thienylsulfonyl)-1,2,3,4-tetrahydroquinolin-8-ol
Interactions	PUBCHEM	[2-(4-methylpiperidin-1-yl)-2-oxoethyl] 1H-indole-3-carboxylate
Interactions	PUBCHEM	2,5-dichloro-N-(6-quinolinyl)benzamide
Interactions	PUBCHEM	5-bromo-N-(2-phenylethyl)furan-2-carboxamide
Interactions	PUBCHEM	N-(pyridin-2-yl)pyridine-2-carbothioamide
Interactions	PUBCHEM	2-[5-(2,2-Dimethylpropyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	1,2,3,4,7,8,9,10-Octahydro[1]benzothieno[2,3-b]quinolin-11-amine
Interactions	PUBCHEM	4-[2-(Pyrimidin-2-ylamino)-1,3-thiazol-4-yl]benzene-1,3-diol
Interactions	PUBCHEM	Benzyl 4-methyl-2-(methylamino)-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	(3-(4-Methylphenyl)-1-phenyl-1H-pyrazol-4-YL)methanol
Interactions	PUBCHEM	2-[5-(3-Phenylpropyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	1-{[3-(4-Methylphenyl)-1,2,4-oxadiazol-5-yl]methyl}piperidine
Interactions	PUBCHEM	3-Allyl-4-amino-N-(4-methylphenyl)-2-thioxo-2,3-dihydro-1,3-thiazole-5-carboxamide
Interactions	PUBCHEM	(2E)-3-(4-methoxyphenyl)-N-(5-methyl-1,2-oxazol-3-yl)prop-2-enamide
Interactions	PUBCHEM	1-Benzo[1,2,5]thiadiazol-5-yl-3-(3-methoxy-phenyl)-urea
Interactions	PUBCHEM	1-Benzo[1,2,5]thiadiazol-5-yl-3-(4-methoxy-phenyl)-urea
Interactions	PUBCHEM	2-Allyl-3,8,8-trimethyl-8,9-dihydro-2H,6H-7-oxa-11-thia-2,4,10-triaza-benzo[b]fluoren-1-one
Interactions	PUBCHEM	1-[4-(6-Ethyl-1,3-benzothiazol-2-yl)piperazin-1-yl]-2,2-dimethylpropan-1-one
Interactions	PUBCHEM	1-[4-(6-Chloro-1,3-benzothiazol-2-yl)piperazin-1-yl]-2-methylpropan-1-one
Interactions	PUBCHEM	[4-(4,6-Dimethyl-1,3-benzothiazol-2-yl)piperazin-1-yl]-(furan-2-yl)methanone
Interactions	PUBCHEM	2-(6-methylpyridin-3-yl)-1H-benzimidazole
Interactions	PUBCHEM	2-(4,5-Dimethyl-1H-benzoimidazol-2-ylsulfanyl)-1-morpholin-4-yl-ethanone

Main Category	Category	Terms
Interactions	PUBCHEM	4-[(Z)-(1-oxo-3,4-dihydronaphthalen-2(1H)-ylidene)methyl]phenyl acetate
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3,5-dimethoxybenzamide
Interactions	PUBCHEM	3-(3-chlorophenyl)-8-methyl-2H-[1,3,5]triazino[2,1-b][1,3]benzothiazole-2,4(3H)-dione
Interactions	PUBCHEM	4,4'-(1,3,4-Oxadiazole-2,5-diyl)dianiline
Interactions	PUBCHEM	Benzenesulfonamide, p-((p-(dimethylamino)phenyl)azo)-
Interactions	PUBCHEM	3,3-dimethyl-1-[(5-phenyl-1H-1,2,4-triazol-3-yl)sulfanyl]butan-2-one
Interactions	PUBCHEM	1-[2-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-oxoethyl]-3-(2-methylpropyl)imidazolidine-2,4,5-trione
Interactions	PUBCHEM	1-Benzofuran-2-yl(3,4-dimethylphenyl)methanone
Interactions	PUBCHEM	Benzyl 4-hydroxyphenyl ketone
Interactions	PUBCHEM	2-(4-Chlorophenyl)-5-(4-fluorophenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	1-{5-[(4-Methoxyphenyl)amino]-1,2,4-thiadiazol-3-yl}propan-2-one
Interactions	PUBCHEM	N-[2-(cyclohexen-1-yl)ethyl]-7H-purin-6-amine
Interactions	PUBCHEM	1-Ethyl-2-o-tolyloxymethyl-1H-benzoimidazole
Interactions	PUBCHEM	Methanone, 2-benzofuranyl(4-fluorophenyl)-
Interactions	PUBCHEM	4-Amino-2-(3-methyl-benzylsulfanyl)-pyrimidine-5-carboxylic acid ethyl ester
Interactions	PUBCHEM	Ethyl4-amino-2-[(4-methylbenzyl)thio]-5-pyrimidinecarboxylate
Interactions	PUBCHEM	3-{4-methyl-5-[(2-nitrobenzyl)thio]-4H-1,2,4-triazol-3-yl}pyridine
Interactions	PUBCHEM	Pyridine-2-carbothioic acid phenylamide
Interactions	PUBCHEM	5-bromo-N-[4-(6-methoxypyridazin-3-yl)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	5-Nitro-2-phenyl-1,3-benzoxazole
Interactions	PUBCHEM	N-(3-methylphenyl)-4-(thietan-3-yloxy)benzamide
Interactions	PUBCHEM	2-[(3-Chlorobenzoyl)amino]-4,5,6,7-tetrahydro-1-benzothiophene-3-carboxylic acid
Interactions	PUBCHEM	6-ethyl-3-phenylthieno[2,3-d]pyrimidin-4(3H)-one
Interactions	PUBCHEM	N-(4-tert-butylphenyl)-2,2-dioxo-3,4-dihydropyrido[2,1-c][1,2,4]thiadiazine-9-carboxamide
Interactions	PUBCHEM	5-(1-Naphthylmethylene)-2-thioxo-4-imidazolidinone
Interactions	PUBCHEM	2-Piperidinobenzothiazole

Main Category	Category	Terms
Interactions	PUBCHEM	2-Benzotriazol-1-yl-1-p-tolyl-ethanone
Interactions	PUBCHEM	N-[4-(phenylcarbamoyl)phenyl]thiophene-2-carboxamide
Interactions	PUBCHEM	2-(2-Azepanylidene)-3-oxo-3-phenylpropanenitrile
Interactions	PUBCHEM	Methyl 4-{[2-amino-4-(propan-2-YL)phenyl]carbamoyl} benzoate
Interactions	PUBCHEM	3-(4-Methylphenyl)-6-phenyl-1,4-dihydro-1,3,5-triazine-2-thione
Interactions	PUBCHEM	(1,2-Dimethyl-1H-benzoimidazol-5-yl)-(4-ethoxy-benzyl)-amine
Interactions	PUBCHEM	4-Bromo-benzoic acid N'-(thiophene-2-carbonyl)-hydrazide
Interactions	PUBCHEM	1-(3,4-Dihydro-2H-benzo[b][1,4]dioxepin-7-yl)-3-phenyl-propan-1-one
Interactions	PUBCHEM	8-Methoxy-3-(7-methylimidazo[1,2-a]pyridin-2-yl)chromen-2-one
Interactions	PUBCHEM	2-[4-[(4-Bromo-2-fluorophenyl)methoxy]phenyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	4,7-dimethyl-2-phenyl-1H-1,5-benzodiazepine
Interactions	PUBCHEM	N-[(2-chloropyridin-3-yl)carbamothioyl]-4-methylbenzamide
Interactions	PUBCHEM	N-[(2-chloropyridin-3-yl)carbamothioyl]-4-fluorobenzamide
Interactions	PUBCHEM	N-[(2-chloropyridin-3-yl)carbamothioyl]furan-2-carboxamide
Interactions	PUBCHEM	1-(4-Ethoxyphenyl)-3-(5-methyl-1,2-oxazol-3-yl)urea
Interactions	PUBCHEM	Ethyl 4-{[(4-methylphenyl)carbamothioyl]amino}benzoate
Interactions	PUBCHEM	1-(3-Methoxyphenyl)-3-(6-methylpyridin-2-yl)urea
Interactions	PUBCHEM	1-(3-Chlorophenyl)-3-(pyridin-2-ylmethyl)urea
Interactions	PUBCHEM	N-[4-(1H-benzimidazol-2-yl)phenyl]-2-morpholin-4-ylacetamide
Interactions	PUBCHEM	2-[(3-Phenylpropanoyl)amino]benzamide
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2,4-difluorobenzamide
Interactions	PUBCHEM	Stk034174
Interactions	PUBCHEM	N'-[1-(propan-2-yl)piperidin-4-ylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	(E)-3-(4-fluorophenyl)-N-[(2-hydroxyphenyl)carbamothioyl]prop-2-enamide
Interactions	PUBCHEM	2-(4-Chloro-2-methylphenoxy)-1-(piperidin-1-yl)ethanone
Interactions	PUBCHEM	Thiophene-2-carboxylic acid (2-cyclopentyl-ethyl)-amide
Interactions	PUBCHEM	2-(4-Amino-3-chloro-phenyl)-1H-benzoimidazol-5-ylamine

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-pyridin-3-yl-1,3-benzoxazol-5-yl)propanamide
Interactions	PUBCHEM	5-(4-Hydroxy-3-methoxybenzylidene)-3-methyl-2-(methylimino)-1,3-thiazolidin-4-one
Interactions	PUBCHEM	5-chloro-N-(2-methyl-1,3-benzothiazol-6-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	1-(2-furoyl)-2,3-dihydro-1H-imidazo[1,2-a]benzimidazole
Interactions	PUBCHEM	2,3-dihydro-1H-imidazo[1,2-a]benzimidazol-1-yl(4-methoxyphenyl)methanone
Interactions	PUBCHEM	N-{2-[(4-methylphenyl)amino]-2-oxoethyl}furan-2-carboxamide
Interactions	PUBCHEM	4-[5-(3-Bromophenyl)-1,3,4-oxadiazol-2-yl]benzoic acid
Interactions	PUBCHEM	N-[(2-bromophenyl)carbamothioyl]furan-2-carboxamide
Interactions	PUBCHEM	2-(4-Hydroxyphenyl)-6,7-dimethoxyisoindolin-1-one
Interactions	PUBCHEM	2-{2-[(4-Tert-butylphenyl)sulfonyl]ethyl}pyridine
Interactions	PUBCHEM	1-(Methoxymethyl)-2-(phenoxymethyl)benzimidazole
Interactions	PUBCHEM	N-[5-(2,2-dimethylpropyl)-1,3,4-thiadiazol-2-yl]-4-nitrobenzamide
Interactions	PUBCHEM	4-(3-Fluorophenyl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-(4-Morpholinyl)benzothiazole
Interactions	PUBCHEM	1-(2-Thienylcarbonyl)indoline
Interactions	PUBCHEM	4-(4-Phenoxy-phenyl)-thiazol-2-ylamine
Interactions	PUBCHEM	N-(4-methoxyphenyl)-6-quinoxalinecarboxamide
Interactions	PUBCHEM	1-(4-Methylphenyl)-3-phenylpropane-1,3-dione
Interactions	PUBCHEM	2-[(2-Fluorobenzyl)thio]-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	N-[4-(4-Methoxy-phenyl)-thiazol-2-yl]-3-methyl-butyramide
Interactions	PUBCHEM	3-[5-(2-Phenylethyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	3,4-dimethoxy-N-(2-naphthyl)benzamide
Interactions	PUBCHEM	6-methoxy-2-oxo-N-(m-tolyl)-2H-chromene-3-carboxamide
Interactions	PUBCHEM	N-(4-methylphenyl)furan-2-carboxamide
Interactions	PUBCHEM	(4,5,6,7-Tetrahydro-benzothiazol-2-yl)-m-tolyl-amine
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-methylfuran-3-carboxamide
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-3,4-dimethoxybenzamide
Interactions	PUBCHEM	(4-Methyl-thiazol-2-yl)-p-tolyl-amine
Interactions	PUBCHEM	5-Methoxy-2-[[(1-methyl-2-benzimidazolyl)amino]methyl]phenol

Main Category	Category	Terms
Interactions	PUBCHEM	2-methoxy-6-{[(1-propyl-1H-benzimidazol-2-yl)amino]methyl}phenol
Interactions	PUBCHEM	3-(2-Bromo-4-methylphenyl)-1-phenylurea
Interactions	PUBCHEM	2-[(4-amino-5-tert-butyl-1,2,4-triazol-3-yl)sulfanyl]-N-(4-piperidin-1-ylphenyl)acetamide
Interactions	PUBCHEM	3-bromo-N-phenethylbenzamide
Interactions	PUBCHEM	2-(1,3-benzodioxol-5-yloxy)-N-(2-chloro-4-methylphenyl)acetamide
Interactions	PUBCHEM	(2E)-3-(furan-2-yl)-N-(2-phenylethyl)prop-2-enamide
Interactions	PUBCHEM	Ethyl [(4-anilino-6-chloro-1,3,5-triazin-2-yl)amino]acetate
Interactions	PUBCHEM	4-Acetamido-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	1-(4-Methylphenyl)-3-pyridin-3-ylurea
Interactions	PUBCHEM	N-[2-(cyclohex-1-en-1-yl)ethyl]-3-methyl-4-nitrobenzamide
Interactions	PUBCHEM	3-(1H-Benzoimidazol-2-yl)-8-methoxy-chromen-2-one
Interactions	PUBCHEM	N-(4-methylphenyl)azepane-1-carboxamide
Interactions	PUBCHEM	4-(1,3-Thiazol-2-ylcarbamoyl)phenyl acetate
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-phenylacetamide
Interactions	PUBCHEM	2-(4-Chloro-phenyl)-5-propyl-pyrazolo[1,5-a]pyrimidin-7-ol
Interactions	PUBCHEM	2-Fluoro-benzoic acid N'-(thiophene-2-carbonyl)-hydrazide
Interactions	PUBCHEM	N-[2-(4-methoxyphenyl)ethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	4-{5-[(4-Chlorophenoxy)methyl]-1,2,4-oxadiazol-3-yl}pyridine
Interactions	PUBCHEM	2-(Naphthalen-2-yloxy)-1-phenylethanone
Interactions	PUBCHEM	4-methoxy-N-(5-phenyl-1,3,4-thiadiazol-2-yl)benzamide
Interactions	PUBCHEM	(5-chloro-1H-indol-2-yl)(phenyl)methanone
Interactions	PUBCHEM	2-(4-fluorophenoxy)-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)acetamide
Interactions	PUBCHEM	1-[(2-Bromo-4-methylphenoxy)acetyl]piperidine
Interactions	PUBCHEM	N-[(2-methoxyphenyl)methyl]-2-phenylacetamide
Interactions	PUBCHEM	4-chloro-3-nitro-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	N-(2,4-dimethylphenyl)-6-(1H-pyrazol-1-yl)-4-pyrimidinamine
Interactions	PUBCHEM	(4-Methoxy-phenyl)-(1-methyl-1H-benzoimidazol-2-ylmethyl)-amine
Interactions	PUBCHEM	N-[(4-methoxyphenyl)carbamothioyl]cyclohexanecarboxamide
Interactions	PUBCHEM	N,N-diethyl-4-(7-methylimidazo[1,2-a]pyridin-2-

Main Category	Category	Terms
		yl)benzenesulfonamide
Interactions	PUBCHEM	3-Chloro-4-[(1-methylbenzimidazol-2-yl)sulfanylmethyl]benzonitrile
Interactions	PUBCHEM	N-[3-(5-phenyl-1,3,4-oxadiazol-2-yl)phenyl]acetamide
Interactions	PUBCHEM	3-amino-N-(3,5-dimethylphenyl)-4,6-dimethylthieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	3-Methyl-2-phenyl-5,6,7,8-tetrahydropyrazolo[5,1-b]quinazolin-9-ol
Interactions	PUBCHEM	1-[2-(4-Biphenylyl)-2-oxoethyl]-2,5-pyrrolidinedione
Interactions	PUBCHEM	2-Benzyl-5-(2-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	(3,4-dichlorophenyl)methyl 1H-pyrrole-2-carboxylate
Interactions	PUBCHEM	2-(2-Chlorophenoxy)-1-(1-cyclopropyl-2,5-dimethylpyrrol-3-yl)ethanone
Interactions	PUBCHEM	Thiourea, N-(2-phenylethyl)-N'-2-pyridinyl-
Interactions	PUBCHEM	4-(Piperidyldiazenyl)benzenesulfonamide
Interactions	PUBCHEM	N-[5-(4-tert-butylphenyl)-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	[4-[(2-Fluorophenyl)methoxy]phenyl]-(1-pyrrolidinyl)methanethione
Interactions	PUBCHEM	N-(5-methyl-2-pyridinyl)-3-oxo-4H-1,4-benzothiazine-6-carboxamide
Interactions	PUBCHEM	1,3-Bis(4-methylphenyl)-1H-pyrazol-5-amine
Interactions	PUBCHEM	1-(2,4-Dimethoxyphenyl)-3-pyridin-2-ylthiourea
Interactions	PUBCHEM	4-(2-Benzylsulfanyl-acetyl)-piperazine-1-carboxylic acid ethyl ester
Interactions	PUBCHEM	3-(5-Formyl-furan-2-yl)-2-methyl-benzoic acid
Interactions	PUBCHEM	9-Oxo-3-fluorenecarboxylic acid (phenylmethyl) ester
Interactions	PUBCHEM	methyl 3-amino-7,7-dimethyl-7,8-dihydro-5H-pyrano[4,3-b]thieno[3,2-e]pyridine-2-carboxylate
Interactions	PUBCHEM	[4-Amino-6-(4-methylanilino)-1,3,5-triazin-2-yl]methyl 2,3-dihydro-1,4-dioxine-5-carboxylate
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-5-(thiophen-2-ylmethyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2-{[2-Oxo-2-(1-piperidinyl)ethyl]thio}-1,3-benzoxazole-5-carboxylic acid
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)pyrazine-2-carboxamide
Interactions	PUBCHEM	N-[5-(ethylsulfanyl)-1,3,4-thiadiazol-2-yl]-2-methylbenzamide
Interactions	PUBCHEM	N-(4-anilinophenyl)-3,3-dimethylbutanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(5-acetyl-4-methyl-1,3-thiazol-2-yl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	7-(4-Methoxy-benzyloxy)-4-methyl-chromen-2-one
Interactions	PUBCHEM	5-Chloro-8-(imidazo[1,2-a]pyridin-2-ylmethoxy)quinoline
Interactions	PUBCHEM	2-(3-Methylphenyl)-5-nitro-1,3-benzoxazole
Interactions	PUBCHEM	2-fluoro-N-[4-(3-pyridinyloxy)phenyl]benzamide
Interactions	PUBCHEM	Benzenecarbothioamide, N-(4-methylphenyl)-
Interactions	PUBCHEM	N-[3-(isobutyrylamino)phenyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	Benzenecarbothioamide, N-(4-methoxyphenyl)-
Interactions	PUBCHEM	N-(3-pyridyl)benzo[e]benzofuran-2-carboxamide
Interactions	PUBCHEM	2-(1-phenyl-1H-pyrazol-4-yl)-1-(2,3,4-trihydroxyphenyl)ethanone
Interactions	PUBCHEM	1-(4-Bromophenyl)-3-cyclohexylthiourea
Interactions	PUBCHEM	4-[2-(4-Methyl-pyridin-2-ylamino)-thiazol-4-yl]-benzene-1,3-diol
Interactions	PUBCHEM	2-thiophen-2-yl-6,7,8,9-tetrahydro-5H-cyclohepta[2,3]thieno[2,4-b][1,3]oxazin-4-one
Interactions	PUBCHEM	N-[(4-ethoxyphenyl)carbamothioyl]furan-2-carboxamide
Interactions	PUBCHEM	N-(2-{[2-ethyl-5-(quinoxalin-2-yl)phenyl]amino}-2-oxoethyl)benzamide
Interactions	PUBCHEM	7-(3-Methoxyphenyl)-2-methyl-3-phenylpyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	N-[4-(2-furylcarbonylamino)-3-methoxyphenyl]-3-methylbutanamide
Interactions	PUBCHEM	5-(Phenylmethyl)-3-(2-pyridinyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(6-methoxy-1,3-benzothiazol-2-yl)-2-(phenylsulfanyl)acetamide
Interactions	PUBCHEM	1-[3-(3-Bromophenyl)-7-methylpyrazolo[1,5-a]pyrimidin-6-yl]ethanone
Interactions	PUBCHEM	1-(3-Fluorophenyl)-3-(5-methylpyridin-2-yl)urea
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-3-phenylpropanamide
Interactions	PUBCHEM	3-Methyl-N-[3-(methylsulfanyl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-A]thieno[2,3-D]pyrimidine-2-carboxamide
Interactions	PUBCHEM	3-Benzoyl-1-phenyl-2-thioxo-imidazolidin-4-one
Interactions	PUBCHEM	2-(4-Bromo-phenyl)-6-chloro-5-methyl-pyrazolo[1,5-a]pyrimidin-7-ol
Interactions	PUBCHEM	N-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-N'-phenylthiourea

Main Category	Category	Terms
Interactions	PUBCHEM	2-Bromo-N-quinolin-6-yl-benzamide
Interactions	PUBCHEM	2-(2-p-Tolylsulfanyl-acetylamino)-benzoic acid
Interactions	PUBCHEM	N-[(3-acetylphenyl)carbamothioyl]-4-methylbenzamide
Interactions	PUBCHEM	1-Phenyl-3-(thiophene-2-carbonyl)-thiourea
Interactions	PUBCHEM	3-Benzyl-5-(2-methylphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	5,7-Dimethyl-2-(3-methylphenyl)pyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	2-[(4-Methoxybenzoyl)amino]benzamide
Interactions	PUBCHEM	2,2-Dimethyl-N-(5-phenethyl-[1,3,4]thiadiazol-2-yl)-propionamide
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-4-methoxybenzamide
Interactions	PUBCHEM	1H-1,2,4-Triazole, 5-methyl-1-(4-nitrophenyl)-3-phenyl-
Interactions	PUBCHEM	Ethyl 5-(4-fluorophenyl)-7-methylpyrazolo[1,5-a]pyrimidine-3-carboxylate
Interactions	PUBCHEM	6-(4-Chlorophenyl)-2-methyl-3-pyridinecarboxylic acid methyl ester
Interactions	PUBCHEM	N-(3-chloro-4-methylphenyl)-2-(2-thienyl)acetamide
Interactions	PUBCHEM	2-(4-Bromophenyl)-5-pyridin-3-yl-1,3,4-oxadiazole
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-3-chlorobenzamide
Interactions	PUBCHEM	[1,2,5]oxadiazolo[3,4-d]pyrimidin-7(6H)-one O-(2-chlorobenzyl)oxime
Interactions	PUBCHEM	N-[(4-acetylphenyl)carbamothioyl]-3-methylbutanamide
Interactions	PUBCHEM	N-(phenylcarbamothioyl)-3-propan-2-yloxybenzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamothioyl)-4-ethylbenzamide
Interactions	PUBCHEM	2,2,2-trifluoro-N-(3-(2-oxo-2-phenylethyl)-1,3-thiazol-2(3H)-ylidene)acetamide
Interactions	PUBCHEM	4-Phenoxy-6-phenylpyrimidine
Interactions	PUBCHEM	1-(2-Naphthalenyl)hexane-1,4-dione
Interactions	PUBCHEM	1-Cyclopentyl-3-(4-methylphenyl)thiourea
Interactions	PUBCHEM	6-(Phenoxymethyl)-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	3,4-dimethyl-N-[(1-methyl-1H-benzimidazol-2-yl)methyl]aniline
Interactions	PUBCHEM	2-N-phenylbenzimidazole-1,2-diamine
Interactions	PUBCHEM	1-[3-(4-Chlorophenyl)-5-(methylthio)-1,2,4-triazol-1-yl]-1-propanone
Interactions	PUBCHEM	1-propyl-N-(pyridin-2-ylmethyl)benzimidazol-5-amine

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-furanylmethyl)-1-(4-methoxyphenyl)-5-benzimidazolamine
Interactions	PUBCHEM	N-(1-ethylbenzimidazol-5-yl)-2-thienylcarboxamide
Interactions	PUBCHEM	N-(3-methoxyphenyl)-3-(4-nitrophenyl)-3-oxopropanamide
Interactions	PUBCHEM	Quinazolino[2,3-a]phthalazin-8-one
Interactions	PUBCHEM	6-Methyl-2-pyridin-3-yl-1,3-benzoxazole
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-N-(1-methyl-1H-benzimidazol-2-yl)amine
Interactions	PUBCHEM	N-(2-methoxyphenyl)-N-(1-methyl-1H-benzimidazol-2-yl)amine
Interactions	PUBCHEM	N-(6-methyl-2-pyridinyl)-6-quinoxalinecarboxamide
Interactions	PUBCHEM	5-[(2-Chlorophenoxy)methyl]-3-pyridin-4-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	2-{[5-(2-fluorophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl}-N-methyl-N-phenylacetamide
Interactions	PUBCHEM	2-{[(2-fluorobenzyl)sulfanyl]methyl}-1H-benzimidazole
Interactions	PUBCHEM	4-(2H-1,2,3-benzotriazol-2-yl)-2,3-dimethylphenylamine
Interactions	PUBCHEM	2-Methyl-3,7-diphenylpyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	4-(4-Ethylphenoxy)-6-methylpyrimidin-2-amine
Interactions	PUBCHEM	2-Oxo-2-phenylethyl 3-aminobenzoate
Interactions	PUBCHEM	N-[4-(4-methylphenoxy)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	N-(6-methoxy-1,3-benzothiazol-2-yl)-2,5-dimethyl-3-furamide
Interactions	PUBCHEM	N-(2-phenyl-3H-benzimidazol-5-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-3-phenylpropanamide
Interactions	PUBCHEM	5-methyl-N-(3-nitrophenyl)-1-phenylpyrazole-4-carboxamide
Interactions	PUBCHEM	2-{[2-(2-Methyl-3-furoyl)hydrazino]carbonyl}benzoic acid
Interactions	PUBCHEM	N-[(2,4-dimethylphenyl)carbamothioyl]cyclopropanecarboxamide
Interactions	PUBCHEM	N-[(2,4-dichlorophenyl)carbamothioyl]cyclopropanecarboxamide
Interactions	PUBCHEM	3-Bromo-N-quinolin-6-yl-benzamide
Interactions	PUBCHEM	2-(2,4-Dichlorophenyl)-5-(2-phenylethyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	N-tert-butyl-2-[5-(2-chlorophenyl)-2H-tetrazol-2-yl]acetamide
Interactions	PUBCHEM	4-phenyl-N-(pyridin-2-ylmethyl)benzamide
Interactions	PUBCHEM	3-methoxy-N-(3-methylsulfanylphenyl)benzamide
Interactions	PUBCHEM	2-[[(5-Bromo-2-furanyl)-oxomethyl]amino]benzoic acid
Interactions	PUBCHEM	N-cyclohexyl-4-isopropoxybenzamide

Main Category	Category	Terms
Interactions	PUBCHEM	1H-Isoindole-1-thione, 2,3-dihydro-2-(4-methylphenyl)-
Interactions	PUBCHEM	N-(4-benzoylphenyl)-2-methylpropanamide
Interactions	PUBCHEM	N-cycloheptyl-2-(4-hydroxyphenyl)acetamide
Interactions	PUBCHEM	N-[2-(1-cyclohexen-1-yl)ethyl]-4-phenylbutanamide
Interactions	PUBCHEM	N-(5-methylpyridin-2-yl)-4-phenylbutanamide
Interactions	PUBCHEM	Ethyl 3-amino-5-phenylthiophene-2-carboxylate
Interactions	PUBCHEM	N-[4-(4-chlorophenyl)-3,5-dimethyl-2-thiazolylidene]-2-furancarboxamide
Interactions	PUBCHEM	2-(Ethylthio)-[1,3,4]thiadiazolo[2,3-b]quinazolin-5-one
Interactions	PUBCHEM	2-Imino-6-methoxy-2H-chromene-3-carboxylic acid (2-chloro-phenyl)-amide
Interactions	PUBCHEM	2-chloro-N-(4,5-dimethyl-1,3-thiazol-2-yl)nicotinamide
Interactions	PUBCHEM	N-cyclohexyl-N'-(4-methylbenzyl)urea
Interactions	PUBCHEM	N-(3-carbamoyl-4,5,6,7-tetrahydro-1-benzothiophen-2-yl)pyrazine-2-carboxamide
Interactions	PUBCHEM	N-(4-fluorophenyl)-N'-isobutylthiourea
Interactions	PUBCHEM	N-(2-chlorophenyl)-1-ethyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	ethyl 3-[(3-fluoro-4-methylanilino)carbonyl]-1-methyl-1H-pyrazole-5-carboxylate
Interactions	PUBCHEM	3-(difluoromethoxy)-N-(2,3-dihydro-1H-inden-5-yl)benzamide
Interactions	PUBCHEM	2-[(5-ethyl-3-thienyl)carbonyl]-N-(2-methylphenyl)hydrazinecarbothioamide
Interactions	PUBCHEM	N-(5-(isopropylthio)-1,3,4-thiadiazol-2-yl)benzo[d][1,3]dioxole-5-carboxamide
Interactions	PUBCHEM	3-Isobutylsulfanyl-[1,2,4]thiadiazol-5-ylamine
Interactions	PUBCHEM	N-(6-chloro-1,3-benzothiazol-2-yl)-5-methyl-2-furamide
Interactions	PUBCHEM	3-(1,3-benzodioxol-5-yl)-N-(5-methyl-2-pyridinyl)acrylamide
Interactions	PUBCHEM	2-[(3-Fluorophenyl)methylthio]pyrimidine-4,6-diamine
Interactions	PUBCHEM	8,9-Dimethyl-4,5-dihydro-10H-2-oxa-1,3,10-triaza-cyclopenta[a]fluorene
Interactions	PUBCHEM	N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-2-(thiophen-2-yl)acetamide
Interactions	PUBCHEM	N-(5-methyl-1,3,4-thiadiazol-2-yl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	N-(4,5-dihydro-1H-imidazol-2-yl)-N-(6-methoxy-1,3-benzothiazol-2-yl)amine

Main Category	Category	Terms
Interactions	PUBCHEM	8-methyl-6,11-dihydro-5H-pyrido[2,3-b][1,5]benzodiazepin-5-one
Interactions	PUBCHEM	1-[2-(3-Chlorophenyl)ethyl]-3-cyclohexylthiourea
Interactions	PUBCHEM	1-[2-(3-Chlorophenyl)ethyl]-3-(2-fluorophenyl)thiourea
Interactions	PUBCHEM	1-[2-(4-Methoxyphenyl)ethyl]-3,5-dimethyl-4-nitropyrazole
Interactions	PUBCHEM	2-[1-(furan-2-ylmethyl)imidazol-2-yl]sulfanyl-N-(4-methylphenyl)acetamide
Interactions	PUBCHEM	N-(6-ethoxy-1,3-benzothiazol-2-yl)butanamide
Interactions	PUBCHEM	4-(4-chlorophenyl)-1-phenyl-1H-1,2,3-triazol-5-amine
Interactions	PUBCHEM	4-(4-Phenylmethoxyphenyl)thiadiazole
Interactions	PUBCHEM	N-benzoyl-N'-(6-methoxy-3-pyridinyl)thiourea
Interactions	PUBCHEM	2,6-bis(3-methyl-1H-pyrazol-1-yl)pyridine
Interactions	PUBCHEM	2-(3-Methoxyphenyl)-5-[4-(trifluoromethyl)phenyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	5-Methyl-1-phenyl-4-pyrazolecarboxylic acid (4-methoxyphenyl) ester
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-5-methyl-1-phenyl-1H-pyrazole-4-carboxamide
Interactions	PUBCHEM	5-Methyl-3-[2-(3-methylphenoxy)ethyl]-1,3-benzoxazol-2-one
Interactions	PUBCHEM	2-((2-Chlorobenzyl)thio)-5-(pyridin-4-yl)-1,3,4-oxadiazole
Interactions	PUBCHEM	1-(4-Tert-butylphenyl)-2-(phenylsulfonyl)ethanone
Interactions	PUBCHEM	3-(3-phenyl-1,2,4-oxadiazol-5-yl)-2H-chromen-2-one
Interactions	PUBCHEM	2-methoxy-3-methyl-N-[4-(4-morpholinylmethyl)phenyl]benzamide
Interactions	PUBCHEM	5-Amino-6-benzylsulfanyl-1-phenylpyrazolo[3,4-d]pyrimidin-4-one
Interactions	PUBCHEM	1-(2,4-Dimethoxyphenyl)-2-(5-methyl-1,3,4-thiadiazol-2-yl)ethanone
Interactions	PUBCHEM	1-(4-Methoxyphenyl)-2-(5-methyl-1,3,4-thiadiazol-2-yl)ethanone
Interactions	PUBCHEM	4-Oxo-4-(2-{[(2-phenylethyl)amino]carbonyl}anilino)butanoic acid
Interactions	PUBCHEM	2-(4-Fluorophenoxy)-1-(2-hydroxy-4-methoxyphenyl)ethanone
Interactions	PUBCHEM	2-(3-Pyridyl)-5-(4-tolyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	(5-Fluoro-2-hydroxyphenyl)(1-phenyl-1H-pyrazol-4-yl)methanone
Interactions	PUBCHEM	ethyl N-(1,3-benzothiazol-2-yl)carbamate

Main Category	Category	Terms
Interactions	PUBCHEM	3-(4-ethoxyphenyl)-4-methyl-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	3,4-dimethyl-7-(2-oxo-2-phenylethoxy)-2H-chromen-2-one
Interactions	PUBCHEM	4-(4-Ethylphenyl)-5-methyl-1,3-thiazol-2-amine
Interactions	PUBCHEM	(2-Amino-3-thienyl)(4-methoxyphenyl)methanone
Interactions	PUBCHEM	Furan-2-carboxylic acid [4-(4-fluoro-phenyl)-thiazol-2-yl]-methyl-amide
Interactions	PUBCHEM	4-(5-Benzylsulfanyl-[1,3,4]oxadiazol-2-yl)-phenol
Interactions	PUBCHEM	Thiophene-2-carboxylic acid [2-(4-bromo-phenyl)-2-oxo-ethyl]-amide
Interactions	PUBCHEM	3-amino-N'-benzoyl-4,6-dimethylthieno[2,3-b]pyridine-2-carbohydrazide
Interactions	PUBCHEM	Benzophenone-6
Interactions	PUBCHEM	2-[(4-Chlorophenyl)methyl]-5-thiophen-2-yl-1,3,4-oxadiazole
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-ylmethyl)-3-(4-fluorophenyl)urea
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-(thiophen-2-ylmethyl)urea
Interactions	PUBCHEM	2-[5-(1H-Indol-3-yl)-[1,3,4]oxadiazol-2-ylsulfanyl]-1-phenyl-ethanone
Interactions	PUBCHEM	4-(1,3-benzothiazol-2-yl)-N-methylpiperazine-1-carbothioamide
Interactions	PUBCHEM	2-[[5-(4-Methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]-1-thiophen-2-ylethanone
Interactions	PUBCHEM	N-tert-Butyl-3-(5-p-tolyl-tetrazol-2-yl)-propionamide
Interactions	PUBCHEM	(2-oxo-2-piperidin-1-ylethyl) 1H-indole-3-carboxylate
Interactions	PUBCHEM	2-[[5-(2-Chlorophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]-1-pyrrolidin-1-ylethanone
Interactions	PUBCHEM	1-(Pyrrolidin-1-yl)-2-((5-(m-tolyl)-1,3,4-oxadiazol-2-yl)thio)ethanone
Interactions	PUBCHEM	N-(4-(benzo[d][1,3]dioxol-5-yl)thiazol-2-yl)cyclopropanecarboxamide
Interactions	PUBCHEM	N-(4-ethylphenyl)-4-methylpiperazine-1-carbothioamide
Interactions	PUBCHEM	N-[4-(4-methoxyphenyl)-1,3-thiazol-2-yl]-N-methylthiophene-2-carboxamide
Interactions	PUBCHEM	N-ethyl-N-[4-(4-methoxyphenyl)-1,3-thiazol-2-yl]thiophene-2-carboxamide
Interactions	PUBCHEM	Furan-2-carboxylic acid [4-(4-methoxy-phenyl)-thiazol-2-yl]-methyl-amide
Interactions	PUBCHEM	2-(1H-benzo[d][1,2,3]triazol-1-yl)-N-(m-tolyl)acetamide
Interactions	PUBCHEM	3-(benzotriazol-1-yl)-N-(4-methylphenyl)propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	2-[(5-Amino-1,3,4-thiadiazol-2-yl)sulfanyl]-1-(1-cyclopropyl-2,5-dimethylpyrrol-3-yl)ethanone
Interactions	PUBCHEM	1-(2,4-Dimethyl-phenyl)-2-(1-ethyl-1H-tetrazol-5-ylsulfanyl)-ethanone
Interactions	PUBCHEM	N-[4-(3,4-difluorophenyl)-1,3-thiazol-2-yl]-2-piperidin-1-ylacetamide
Interactions	PUBCHEM	4-Amino-2-isobutylsulfanyl-pyrimidine-5-carboxylic acid ethyl ester
Interactions	PUBCHEM	2-(5-Phenyl-[1,3,4]oxadiazol-2-ylsulfanyl)-1-piperidin-1-yl-ethanone
Interactions	PUBCHEM	2-[[5-(4-Fluorophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]-1-piperidin-1-ylethanone
Interactions	PUBCHEM	(3-Cyano-6-methyl-quinolin-2-ylsulfanyl)-acetic acid ethyl ester
Interactions	PUBCHEM	1-methyl-N-(4-methylbenzyl)-1H-benzimidazol-5-amine
Interactions	PUBCHEM	1-ethyl-N-(4-methylbenzyl)-1H-benzimidazol-5-amine
Interactions	PUBCHEM	N-(4-bromobenzyl)-1-ethyl-1H-benzimidazol-5-amine
Interactions	PUBCHEM	N-[(2-chlorophenyl)methyl]-1-methylbenzimidazol-5-amine
Interactions	PUBCHEM	1-ethyl-N-(2-thienylmethyl)-1H-benzimidazol-5-amine
Interactions	PUBCHEM	[1-(3-Methylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl](3-pyridylmethyl)amine
Interactions	PUBCHEM	4-({[5-(3-Methoxyphenyl)-1,3,4-oxadiazol-2-yl]thio} acetyl)morpholine
Interactions	PUBCHEM	5-(4-Nitrophenyl)-3-pyridin-4-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	5-Cyclohexyl-3-(p-tolyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2-(4,5-Dimethoxy-2-nitrophenyl)-1-(4-methoxyphenyl)ethanone
Interactions	PUBCHEM	5-methyl-N,1-diphenyl-1H-pyrazole-4-carbothioamide
Interactions	PUBCHEM	3-(2,4-dichlorophenyl)-N-(4,6-dimethyl-2-pyridinyl)acrylamide
Interactions	PUBCHEM	N-[4-(1H-Benzoimidazol-2-yl)-phenyl]-2-thiophen-2-yl-acetamide
Interactions	PUBCHEM	N-cycloheptyl-3-(dimethylamino)benzamide
Interactions	PUBCHEM	4-[2-(4-Chloro-3-methylphenoxy)ethyl]morpholine
Interactions	PUBCHEM	N-(5-chloropyridin-2-yl)-2-(2,4-dichlorophenoxy)acetamide
Interactions	PUBCHEM	1-[(6-methoxy-1H-benzimidazol-2-yl)sulfanyl]-3,3-dimethylbutan-2-one
Interactions	PUBCHEM	2-[(2,5-dimethylphenoxy)methyl]-1H-benzimidazole

Main Category	Category	Terms
Interactions	PUBCHEM	1-(3-Methoxyphenyl)-3-(4-methoxyphenyl)urea
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-phenylpropanamide
Interactions	PUBCHEM	4-tert-butyl-N-(2-methyl-3-nitrophenyl)benzamide
Interactions	PUBCHEM	4-chloro-N-[2-(cyclohexen-1-yl)ethyl]-3-nitrobenzamide
Interactions	PUBCHEM	5-(1-Methyl-2-benzimidazolyl)-2-thiophenecarboxaldehyde
Interactions	PUBCHEM	2-(1-methylindol-3-yl)-1H-benzimidazole
Interactions	PUBCHEM	3-chloro-N-ethyl-6-methyl-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	1-[3-(4-Tert-butylphenyl)acryloyl]piperidine
Interactions	PUBCHEM	2-(Naphthalen-2-yloxy)-1-(pyrrolidin-1-yl)ethanone
Interactions	PUBCHEM	N-[[(6-methoxy-1,3-benzothiazol-2-yl)amino]-sulfanylidenemethyl]-2-furancarboxamide
Interactions	PUBCHEM	1-(1-Azepanyl)-2-(4-bromophenyl)ethanone
Interactions	PUBCHEM	1-(4-{[(4-Chlorophenyl)thio]methyl}benzoyl)pyrrolidine
Interactions	PUBCHEM	(E)-2-cyano-3-(2,5-dimethyl-1-pyridin-3-ylpyrrol-3-yl)-N-phenylprop-2-enamide
Interactions	PUBCHEM	(4-Fluorophenyl)(5-hydroxy-2-methyl-1-benzofuran-3-yl)methanone
Interactions	PUBCHEM	N-phenyl-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	N-(2-chlorophenyl)-N'-(6-quinoxalinyl)urea
Interactions	PUBCHEM	N-(4-bromophenyl)-1-pyridin-3-ylmethanimine oxide
Interactions	PUBCHEM	N-(4-anilinophenyl)-2-fluorobenzamide
Interactions	PUBCHEM	3-[(4-Acetylphenyl)amino]-1-phenyl-1-propanone
Interactions	PUBCHEM	1-[(5-Phenyl-2-furyl)carbonothioyl]piperidine
Interactions	PUBCHEM	N-{5-[(4-chlorophenoxy)methyl]-1,3,4-thiadiazol-2-yl} acetamide
Interactions	PUBCHEM	(4Z)-2-(1,3-benzodioxol-5-yl)-4-[(dimethylamino)methylidene]-1,3-oxazol-5(4H)-one
Interactions	PUBCHEM	(4Z)-4-[(dimethylamino)methylidene]-2-(3-methoxyphenyl)-1,3-oxazol-5(4H)-one
Interactions	PUBCHEM	3-Benzoyl-1-benzofuran-5-yl acetate
Interactions	PUBCHEM	3-phenyl-N-quinolin-2-ylpropanamide
Interactions	PUBCHEM	N-3-pyridinyl-3-(2-thienyl)acrylamide
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-1-phenylpyrazole-4-carbonitrile
Interactions	PUBCHEM	N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}furan-2-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(cyclohexylcarbamothioyl)-4-fluorobenzamide
Interactions	PUBCHEM	N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}thiophene-2-carboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)-3-(4-methoxyphenyl)acrylamide
Interactions	PUBCHEM	N-(3-nitrophenyl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	1-(5-Ethyl-1,3,4-thiadiazol-2-yl)-3-(2-methoxyphenyl)urea
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-pyridin-2-ylsulfanylacetamide
Interactions	PUBCHEM	1-{3-[(4-Chlorophenyl)thio]propanoyl}azepane
Interactions	PUBCHEM	3-bromo-N-(tert-butylcarbamothioyl)-4-methoxybenzamide
Interactions	PUBCHEM	N-(2,4-dichlorophenyl)-N'-(2-furylmethyl)thiourea
Interactions	PUBCHEM	2-(Benzylthio)-1-(4-phenylpiperazin-1-yl)ethanone
Interactions	PUBCHEM	6-bromo-2-[(2-fluorobenzyl)thio]-3H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	1-{[(4-Chlorobenzyl)thio]acetyl}-4-methylpiperidine
Interactions	PUBCHEM	[3-(5-Methyl-furan-2-yl)-1-phenyl-1H-pyrazol-4-yl]-methanol
Interactions	PUBCHEM	3-ethoxy-N-(phenylcarbamothioyl)benzamide
Interactions	PUBCHEM	4-[(2,2-dimethylpropanoyl)amino]-N-(3-methoxyphenyl)benzamide
Interactions	PUBCHEM	N-cyclohexylnaphthalene-2-carboxamide
Interactions	PUBCHEM	(4-Methylpiperidin-1-yl)(naphthalen-2-yl)methanone
Interactions	PUBCHEM	2-(2-chlorophenoxy)-N-(5-chloro-2-pyridinyl)acetamide
Interactions	PUBCHEM	2-(4-bromophenyl)-N-(6-methylpyridin-2-yl)acetamide
Interactions	PUBCHEM	N-(2,4-dimethylphenyl)-2-methoxy-4-(methylsulfanyl)benzamide
Interactions	PUBCHEM	3-[4-(4-Methoxy-3-methylphenyl)-1,3-thiazol-2-yl]pyridine
Interactions	PUBCHEM	7-((3-methoxybenzyl)oxy)-4-methyl-2H-chromen-2-one
Interactions	PUBCHEM	2-chloro-N-(4-chloro-2-methylphenyl)-4-methylbenzamide
Interactions	PUBCHEM	N-(4-methyl-2-pyridinyl)-4-phenylbutanamide
Interactions	PUBCHEM	N-(3-nitrophenyl)-4-phenylbutanamide
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-4-phenylbutanamide
Interactions	PUBCHEM	2-(3-Bromo-4-methoxyphenyl)-8-methylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	N-[2-(5-bromo-2-furyl)-1H-benzimidazol-5-yl]acetamide
Interactions	PUBCHEM	3-(4-Tert-butylphenoxy)-1-benzothiophene 1,1-dioxide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-4-(4-methoxy-3-methylphenyl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-(2-Chlorophenyl)-2-oxoethyl 3-(propanoylamino)benzoate
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-3-(5-methyl-2-furyl)acrylamide
Interactions	PUBCHEM	3-cyclohexyl-N-(2-hydroxy-5-methylphenyl)propanamide
Interactions	PUBCHEM	Cambridge id 7354860
Interactions	PUBCHEM	5,7-Dimethoxyflavone
Interactions	PUBCHEM	5-Cyclohexyl-3-(3-methylphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2-(Benzylthio)-5-(2-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2-[2-(3,4-Dimethoxyphenyl)ethylamino]pyridine-3-carbonitrile
Interactions	PUBCHEM	(2E)-N-(3-methoxyphenyl)-3-(2-nitrophenyl)prop-2-enamide
Interactions	PUBCHEM	2-[(2-Methyl-5-nitro-1,2,4-triazol-3-yl)sulfanyl]-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	2-(4-methylphenyl)-N-(6-methylpyridin-2-yl)acetamide
Interactions	PUBCHEM	N-(4-bromophenyl)-3-phenoxypropanamide
Interactions	PUBCHEM	5-(4-Chloro-2-nitrophenyl)-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-Phenyl-5-(2-phenylethyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-(5-chloro-2-pyridyl)-1-ethyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	N-(2-phenylethyl)-3,4-dihydro-2(1H)-isoquinolinecarbothioamide
Interactions	PUBCHEM	5-(2-Furanylmethylamino)-2-(4-methoxyphenyl)-4-oxazolecarbonitrile
Interactions	PUBCHEM	4-chloro-N-[2-(4-methoxyphenyl)ethyl]-1-methyl-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	Acetic acid 4-[4-(1-cyano-cyclopentyl)-phenylcarbamoyl]-phenyl ester
Interactions	PUBCHEM	1-{2-[(4-Methylphenyl)methyl](1,2,3,4-tetraazol-5-yl)}-4-methylthiobenzene
Interactions	PUBCHEM	2-(3-chlorophenyl)-4-{[(2-furylmethyl)amino]methylene}-5-methyl-2,4-dihydro-3H-pyrazol-3-one
Interactions	PUBCHEM	N-(2-thiophen-2-yl-3H-benzimidazol-5-yl)acetamide
Interactions	PUBCHEM	N-[4-(4-morpholinylmethyl)phenyl]-2-phenylacetamide
Interactions	PUBCHEM	N-(2,4-dichlorophenyl)-1-ethyl-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	N-(2-fluorophenyl)-4-(2-methyl-1,3-thiazol-4-yl)benzamide
Interactions	PUBCHEM	ethyl 4-(1,3-dihydro-2H-isoindol-2-yl)-2-hydroxybenzoate

Main Category	Category	Terms
Interactions	PUBCHEM	2-chloro-N-(2-propyl-2H-tetrazol-5-yl)benzamide
Interactions	PUBCHEM	1-(4-Acetylphenyl)-3-(1,2-dimethylbenzimidazol-5-yl)urea
Interactions	PUBCHEM	1-(3,4-dimethylphenyl)-3-(1-methyl-1H-benzotriazol-5-yl)urea
Interactions	PUBCHEM	N-cyclohexyl-2-[(4-fluorophenyl)sulfanyl]acetamide
Interactions	PUBCHEM	1-(1,2-Dimethylbenzimidazol-5-yl)-3-(furan-2-ylmethyl)urea
Interactions	PUBCHEM	1-(4-Methoxyphenyl)-3-(2-methyl-1,3-benzoxazol-5-yl)urea
Interactions	PUBCHEM	4-{[2-Chloro-4-(hydroxymethyl)phenoxy]methyl}benzoic acid
Interactions	PUBCHEM	4-(Methoxycarbonyl)benzyl 4-(dimethylamino)benzoate
Interactions	PUBCHEM	N-(3-Chlorophenyl)-N'-((4-methoxyphenyl)methyl)urea
Interactions	PUBCHEM	N-(4-phenylmethoxyphenyl)carbamic acid methyl ester
Interactions	PUBCHEM	3-(3-Methylphenyl)-5-(phenylsulfanylmethyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	N-cyclooctyl-2-(phenylsulfanyl)acetamide
Interactions	PUBCHEM	5-(4-Methylbenzyl)-3-(3-methylphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	1-{4-[(4-Chlorophenoxy)methyl]benzoyl}piperidine
Interactions	PUBCHEM	(5E)-5-[(5-methylfuran-2-yl)methylidene]-3-phenylimidazolidine-2,4-dione
Interactions	PUBCHEM	N-cycloheptyl-3-(phenylthio)propanamide
Interactions	PUBCHEM	5-methoxy-N,3-dimethyl-N-(2-phenoxyethyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-3-(5-methyl-2-furyl)acrylamide
Interactions	PUBCHEM	3-(2-chlorophenyl)-N-(2-thienylmethyl)acrylamide
Interactions	PUBCHEM	1-[2-(2-chlorophenoxy)ethyl]-2(1H)-pyridinone
Interactions	PUBCHEM	1-(4-Fluorobenzyl)-3-phenylurea
Interactions	PUBCHEM	2-hydroxy-N-[(E)-3-(4-methylsulfanylphenyl)prop-2-enoyl]benzamide
Interactions	PUBCHEM	4-(4-Chlorophenyl)piperazinyl 2-furyl ketone
Interactions	PUBCHEM	Methyl 4-[2-(3-methoxyphenyl)-2-oxoethoxy]benzoate
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-2-methyl-3-furamide
Interactions	PUBCHEM	4-Phenacyloxybenzoic acid methyl ester
Interactions	PUBCHEM	3-(4-chlorophenyl)-N-(2-thienylmethyl)acrylamide
Interactions	PUBCHEM	3-(4-fluorophenyl)-N-(2-thienylmethyl)acrylamide
Interactions	PUBCHEM	2-(4-chlorophenyl)-N-(4-chloropyridin-2-yl)acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	4-tert-butyl-N-(4-methyl-3-nitrophenyl)benzamide
Interactions	PUBCHEM	N-(2,4-dimethylphenyl)-6-{[(1-methyl-1H-imidazol-2-yl)thio]methyl}-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	4-[[(4-Hydroxy-1-piperidinyl)-sulfanylidenemethyl]amino]benzoic acid ethyl ester
Interactions	PUBCHEM	ethyl 5-[(4-methoxyanilino)methylene]-2-methyl-4-oxo-4,5-dihydro-1H-pyrrole-3-carboxylate
Interactions	PUBCHEM	3-[(4-Chlorophenyl)sulfanyl]-1-(morpholin-4-yl)propan-1-one
Interactions	PUBCHEM	5-[(1-cyclopropyl-2,5-dimethyl-1H-pyrrol-3-yl)methylene]-1,3-dimethyl-2-thioxo-4-imidazolidinone
Interactions	PUBCHEM	4-Methylphenyl 3-(4-methyl-1-piperidinyl)-3-oxopropyl sulfide
Interactions	PUBCHEM	N2-(4-methylphenyl)-6-[(2-pyrimidinylthio)methyl]-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	1-methyl-N-phenyl-1H-benzotriazole-5-carboxamide
Interactions	PUBCHEM	1-methyl-N-(4-methylphenyl)-1H-1,2,3-benzotriazole-5-carboxamide
Interactions	PUBCHEM	(4-Bromophenyl)(5-hydroxy-1-benzofuran-3-yl)methanone
Interactions	PUBCHEM	N-(3-methoxyphenyl)-4-[(2-methyl-1-oxopropyl)amino]benzamide
Interactions	PUBCHEM	3-methylbenzyl 9H-purin-6-yl ether
Interactions	PUBCHEM	2-{3-Nitroanilino}nicotinamide
Interactions	PUBCHEM	2-(4-Chloro-2-methylanilino)-3-pyridinecarboxamide
Interactions	PUBCHEM	2-{3-Nitro-4-methylanilino}nicotinamide
Interactions	PUBCHEM	Isopropyl 4-(benzoylamino)benzoate
Interactions	PUBCHEM	Isopropyl 3-(benzoylamino)benzoate
Interactions	PUBCHEM	2-Chlorobenzyl 4-(propionylamino)benzoate
Interactions	PUBCHEM	2-[(4-Chlorophenyl)acetyl]-1,2,3,4-tetrahydroisoquinoline
Interactions	PUBCHEM	N-cyclooctyl-2-methyl-3-furamide
Interactions	PUBCHEM	3-chloro-N-cyclopropyl-6-methyl-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	N-(4,5-dimethyl-1,3-thiazol-2-yl)cyclohexanecarboxamide
Interactions	PUBCHEM	(E)-3-(1,3-benzoxazol-2-yl)-4-(3-methylthiophen-2-yl)but-3-enoic acid
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-ethyl-4-nitro-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	2-[2-(1H-indol-3-yl)ethyl]-1,3-dioxoisoindoline-5-carboxylic acid

Main Category	Category	Terms
Interactions	PUBCHEM	4-butoxy-3-methoxy-N-(3-methyl-1,3-thiazol-2-ylidene)benzamide
Interactions	PUBCHEM	N-(4-methyl-2-nitrophenyl)-2-pyrimidin-2-ylsulfanylacetamide
Interactions	PUBCHEM	3-methyl-N-(3-methyl-1,3-thiazol-2-ylidene)-2-nitrobenzamide
Interactions	PUBCHEM	[2-(2,4-Dimethoxyphenyl)-2-oxoethyl] 3-(tetrazol-1-yl)benzoate
Interactions	PUBCHEM	N-[2-(2-methoxyphenoxy)ethyl]-2,3-dihydro-1H-indene-5-carboxamide
Interactions	PUBCHEM	7-chloro-N-[2-(1H-indol-3-yl)ethyl]-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	4-[4-(2-fluorophenyl)sulfonyloxyphenyl]benzoic Acid
Interactions	PUBCHEM	4-(difluoromethylsulfonyl)-N-(3-methyl-1,3-thiazol-2-ylidene)benzamide
Interactions	PUBCHEM	N-[2-(cyclohexen-1-yl)ethyl]-4-(1,2,4-triazol-1-yl)benzamide
Interactions	PUBCHEM	N-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-2-(2,4-dioxo-1,3-diazaspiro[4.5]decan-3-yl)acetamide
Interactions	PUBCHEM	(2Z)-2-(4-nitrobenzylidene)-6,7-dihydro-5H-[1,3]thiazolo[3,2-a]pyrimidin-3(2H)-one
Interactions	PUBCHEM	5-(2,3-Dimethoxyphenyl)-3-(3,4-dimethoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-(2-Pyridyl)-5-(2,3-dimethoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	5-[(4-Methylphenoxy)methyl]-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-2,4,5-trimethoxybenzamide
Interactions	PUBCHEM	1-(5,5-dimethyl-4H-1,3-thiazol-2-yl)-1-(4-methylpyridin-2-yl)-3-phenylurea
Interactions	PUBCHEM	3-(2,4-Dichloro-phenyl)-N-furan-2-ylmethyl-acrylamide
Interactions	PUBCHEM	(4-Chlorophenyl)(5-hydroxy-1-benzofuran-3-yl)methanone
Interactions	PUBCHEM	3-(Benzothiazol-2-ylsulfanylmethyl)-6-chloro-3H-benzooxazol-2-one
Interactions	PUBCHEM	3-(4-methoxyphenyl)-2,2-dimethyl-1H-quinazolin-4-one
Interactions	PUBCHEM	7,8-Dimethoxy-2-p-tolyl-2H-phthalazin-1-one
Interactions	PUBCHEM	(E)-3-(4-methoxyphenyl)-N-(pyridin-2-ylcarbamothioyl)prop-2-enamide
Interactions	PUBCHEM	(2Z)-N-benzyl-2-cyano-3-[5-(dimethylamino)furan-2-yl]prop-2-enamide
Interactions	PUBCHEM	[2-Oxo-2-(4-phenylpiperazin-1-yl)ethyl] 2-nitrobenzoate
Interactions	PUBCHEM	(2E)-3-(3,4-dimethoxyphenyl)-N-phenylprop-2-enamide

Main Category	Category	Terms
Interactions	PUBCHEM	1H-Benzimidazol-2-amine, N-(4-methoxyphenyl)-1-methyl-
Interactions	PUBCHEM	Benzamide, 4-chloro-N-(4,5-dihydro-2-thiazolyl)-
Interactions	PUBCHEM	5-(4-chlorophenyl)-N-(4,5-dihydro-1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	6-Methyl-2-(4-pyridinyl)-1H-benzimidazole
Interactions	PUBCHEM	N-(3-Cyano-5,6-dihydro-4H-cyclopenta[b]thiophen-2-yl)-2-m-tolyloxy-acetamide
Interactions	PUBCHEM	5-(2,4-Dimethylphenyl)-3-pyridin-4-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-[5-(2,4-Dimethylphenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	4-methyl-N-[4-(4-methylpiperazin-1-yl)phenyl]benzamide
Interactions	PUBCHEM	(2Z)-N-benzyl-2-cyano-3-[5-(diethylamino)furan-2-yl]prop-2-enamide
Interactions	PUBCHEM	5-Methoxy-2-[[(1-prop-2-enylbenzimidazol-2-yl)amino]methyl]phenol
Interactions	PUBCHEM	3-Amino-6-(furan-2-yl)thieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	(2Z)-2-[1-(4-methoxyanilino)ethylidene]-1-benzothiophen-3-one
Interactions	PUBCHEM	1-Methyl-2-thiophen-2-ylbenzimidazole
Interactions	PUBCHEM	(E)-N-(2-chloropyridin-3-yl)-3-phenylprop-2-enamide
Interactions	PUBCHEM	4-bromo-N-(3-oxo-3-piperidin-1-ylpropyl)benzamide
Interactions	PUBCHEM	3-chloro-N-(2-oxo-2-piperidin-1-ylethyl)-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	3-((2-Fluorobenzyl)thio)-5-(3-pyridinyl)-4H-1,2,4-triazol-4-amine
Interactions	PUBCHEM	2-[4-(2-Chloro-4-fluoro-benzyl)oxyphenyl]-1,3,4-oxadiazole
Interactions	PUBCHEM	3-[(4-Fluorophenyl)methylthio]-4-methyl-5-pyrazin-2-yl-1,2,4-triazole
Interactions	PUBCHEM	N-[(3-methoxy-4-phenylmethoxyphenyl)methyl]cyclopropanecarboxamide
Interactions	PUBCHEM	3-[2-(3,4-Dimethyl-phenyl)-2-oxo-ethyl]-3H-quinazolin-4-one
Interactions	PUBCHEM	2-phenyl-N-spiro[1,3-benzodioxole-2,1'-cyclopentane]-5-ylacetamide
Interactions	PUBCHEM	N-[4-(azepan-1-yl)phenyl]-1H-pyrrole-2-carboxamide
Interactions	PUBCHEM	4-methyl-7-(2-oxopropoxy)-3-propyl-2H-chromen-2-one
Interactions	PUBCHEM	2-[5-[(2-Fluorophenyl)methylsulfanyl]-4-methyl-1,2,4-triazol-3-yl]pyridine
Interactions	PUBCHEM	2-(4-Bromo-phenoxy)-1-(2,3-dihydro-indol-1-yl)-ethanone

Main Category	Category	Terms
Interactions	PUBCHEM	2-Methyl-5-(naphthalen-1-ylmethylsulfanyl)-1,3,4-thiadiazole
Interactions	PUBCHEM	N-(9H-fluoren-2-yl)pyridine-3-carboxamide
Interactions	PUBCHEM	5-(Cyclohexylmethyl)-3-pyridin-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-(2,6-Difluoro-benzylsulfanyl)-5-pyridin-2-yl-[1,2,4]triazol-4-ylamine
Interactions	PUBCHEM	N-(2-chlorobenzyl)-1-methyl-1H-benzimidazol-2-amine
Interactions	PUBCHEM	N-(4-chlorobenzyl)-1-methyl-1H-benzimidazol-2-amine
Interactions	PUBCHEM	2-(4-Methyl-5-pyridin-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-1-phenyl-ethanone
Interactions	PUBCHEM	5-Amino-2-([1,3]oxazolo[4,5-b]pyridin-2-yl)phenol
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-ylcarbamothioyl)-4-chlorobenzamide
Interactions	PUBCHEM	1-[2-[[5-(3-Bromophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]acetyl]imidazolidin-2-one
Interactions	PUBCHEM	3,6-diamino-5-cyano-N-(3-methylphenyl)thieno[2,3-b]pyridine-2-carboxamide
Interactions	PUBCHEM	5-Amino-6-ethylsulfanyl-1-phenylpyrazolo[3,4-d]pyrimidin-4-one
Interactions	PUBCHEM	N-[2-(furan-2-yl)ethyl]-3-methylthiophene-2-carboxamide
Interactions	PUBCHEM	8-Methyl-2H-[1,2,4]triazino[4,5-a]indol-1-one
Interactions	PUBCHEM	(Z)-6-methoxy-2-(2-methylbenzylidene)benzofuran-3(2H)-one
Interactions	PUBCHEM	Akos bbs-00005555
Interactions	PUBCHEM	N-[2-(1,3-benzodioxol-5-ylamino)-2-oxoethyl]-2-fluorobenzamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)-6-{[(1-methyl-1H-imidazol-2-yl)sulfanyl]methyl}-1,3,5-triazine-2,4-diamine
Interactions	PUBCHEM	7,7-Dimethyl-2-(4-methylanilino)-6,8-dihydroquinazolin-5-one
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	[2-(4-Acetamido-2-fluorophenyl)-2-oxoethyl] thiophene-2-carboxylate
Interactions	PUBCHEM	N-(5-cyclopropyl-1,3,4-thiadiazol-2-yl)-2,5-dimethylthiophene-3-carboxamide
Interactions	PUBCHEM	Azetidin-1-yl-[5-(2-chlorophenyl)furan-2-yl]methanone
Interactions	PUBCHEM	3-(1,3-Benzothiazol-2-yl)-1,1-dimethylthiourea
Interactions	PUBCHEM	4-{5-[3-(Trifluoromethyl)phenyl]-2-furoyl}morpholine
Interactions	PUBCHEM	2-(2-Cycloheptylidenehydrazinyl)cyclohepta-2,4,6-trien-1-one

Main Category	Category	Terms
Interactions	PUBCHEM	N-[1-(4-methylphenyl)-1H-benzimidazol-5-yl]propanamide
Interactions	PUBCHEM	2-[(E)-(2,3-dihydro-1,4-benzodioxin-6-ylimino)methyl]-4-nitrophenol
Interactions	PUBCHEM	N-[2-(2-fluorophenyl)ethyl]quinoline-8-carboxamide
Interactions	PUBCHEM	1-(2-Methoxyphenyl)-3-(6-sulfamoyl-1,3-benzothiazol-2-yl)urea
Interactions	PUBCHEM	N-(2-methylbenzyl)-2-(2-nitrophenyl)acetamide
Interactions	PUBCHEM	4-[2-(3-Fluorophenyl)diazenyl]-N,N-dimethylbenzenamine
Interactions	PUBCHEM	2-methyl-N-(3-quinoxalin-2-ylphenyl)propanamide
Interactions	PUBCHEM	p-Phenylpropiophenone
Interactions	PUBCHEM	[2-[benzyl(methyl)amino]-2-oxoethyl] 1H-indole-3-carboxylate
Interactions	PUBCHEM	5-methyl-N-[2-[methyl-[(2-methylphenyl)methyl]amino]-2-oxoethyl]thiophene-2-carboxamide
Interactions	PUBCHEM	3-[2-(2-carboxyethyl)-5-(4-methylphenyl)-1H-pyrrol-1-yl]benzoic acid
Interactions	PUBCHEM	3-[2-(2-carboxyethyl)-5-phenyl-1H-pyrrol-1-yl]benzoic acid
Interactions	PUBCHEM	N-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-2-(3,5-dimethyl-piperidin-1-yl)-acetamide
Interactions	PUBCHEM	CID 9549551
Interactions	PUBCHEM	1,4-Dioxa-8-azaspiro[4.5]dec-8-YL[3-(4-fluorophenyl)-4,5-dihydro-5-isoxazolyl]methanone
Interactions	PUBCHEM	1-{5-[(4-Tert-butylphenoxy)methyl]furan-2-carbonyl}-4-methylpiperazine
Interactions	PUBCHEM	N-(2-methoxyethyl)-1-methyl-[1]benzofuro[3,2-b]pyrrole-2-carboxamide
Interactions	PUBCHEM	N'-{[(2-chlorophenoxy)acetyl]oxy}-2-(2-thienyl)ethanimidamide
Interactions	PUBCHEM	2-[(4-Chlorophenyl)methyl]-5-(4-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	2-(5-Methylpyridin-2-YL)-3-{[4-(morpholine-4-sulfonyl)phenyl]amino}-2,3-dihydro-1H-isoindol-1-one
Interactions	PUBCHEM	N'-{[(2,4-dichlorophenoxy)acetyl]oxy}-2-(2-thienyl)ethanimidamide
Interactions	PUBCHEM	Furan-2-ylmethyl-(1-isopropyl-1H-benzoimidazol-5-yl)-amine
Interactions	PUBCHEM	2-[(5-chloro-1,3-benzoxazol-2-yl)sulfanyl]-N-(4-morpholin-4-ylphenyl)acetamide;hydrochloride
Interactions	PUBCHEM	N-Furan-2-ylmethyl-2-(3-propionyl-indol-1-yl)-acetamide
Interactions	PUBCHEM	3-{[(E)-(2-chlorophenyl)methylidene]amino}-2-

Main Category	Category	Terms
		methylquinazolin-4(3H)-one
Interactions	PUBCHEM	5-Methyl-2-thiophenecarbaldehyde 2-pyridinylhydrazone
Interactions	PUBCHEM	(4-Diethylamino-benzylidene)-morpholin-4-yl-amine
Interactions	PUBCHEM	N'-(1,3-benzodioxol-5-ylmethylene)-5-bromo-2-furohydrazide
Interactions	PUBCHEM	N-[(E)-1-(3-bromophenyl)ethylideneamino]benzamide
Interactions	PUBCHEM	(1E)-5-methoxyindan-1-one O-(2-methylbenzoyl)oxime
Interactions	PUBCHEM	N'-[(E)-[4-(Benzyloxy)phenyl]methylidene]-2-methylfuran-3-carbohydrazide
Interactions	PUBCHEM	N'-[(E)-(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methylidene]furan-2-carbohydrazide
Interactions	PUBCHEM	N'-[(2E,3E)-4-(2-fluorophenyl)but-3-en-2-ylidene]benzohydrazide
Interactions	PUBCHEM	N'-(2-(Trifluoromethyl)benzylidene)-1H-benzimidazole-6-carbohydrazide
Interactions	PUBCHEM	4-(2-Chlorophenoxy)-3-nitrobenzenecarbaldehyde oxime
Interactions	PUBCHEM	N'-[(1E)-[4-(benzyloxy)phenyl]methylidene]-2-cyanoacetohydrazide
Interactions	PUBCHEM	(S)-2-[1-(6-Methoxy-quinolin-2-yl)-meth-(E)-ylidene-hydrazinocarbonyl]-pyrrolidine-1-carboxylic acid tert-butyl ester
Interactions	PUBCHEM	2-methyl-N'-[(1E)-1-naphthylmethylene]benzohydrazide
Interactions	PUBCHEM	4-methoxy-N'-(2-oxo-2-phenylethylidene)benzohydrazide
Interactions	PUBCHEM	N-[(E)-[4-(dimethylamino)phenyl]methylideneamino]-2-methylpyrazole-3-carboxamide
Interactions	PUBCHEM	4,5-dimethyl-N'-[1-(5-methyl-2-thienyl)ethylidene]-3-thiophenecarbohydrazide
Interactions	PUBCHEM	N'-[(1-methyl-1H-pyrrol-2-yl)methylene]-5-propyl-3-thiophenecarbohydrazide
Interactions	PUBCHEM	N-(3-{N-[(4-chloro-1-methyl-1H-pyrazol-5-yl)carbonyl]ethanehydrazonoyl}phenyl)-4-methylbenzamide
Interactions	PUBCHEM	N'-[(E)-(2,5-dimethyl-1-phenyl-1H-pyrrol-3-yl)methylidene]-3-nitrobenzohydrazide
Interactions	PUBCHEM	5-bromo-N'-(4-bromobenzylidene)-2-furohydrazide
Interactions	PUBCHEM	O3-[2-(trifluoromethyl)benzoyl]-4-chloro-1-methyl-1H-pyrazole-3-carbohydroximamide
Interactions	PUBCHEM	N'-[(2-chlorobenzoyl)oxy]-2-methyl-5-(trifluoromethyl)-1,3-oxazole-4-carboximidamide
Interactions	PUBCHEM	2-[(2E)-2-(1,3-benzodioxol-5-ylmethylidene)hydrazinyl]-4-methylquinoline

Main Category	Category	Terms
Interactions	PUBCHEM	2-[(2E)-2-(2,3-dimethoxybenzylidene)hydrazinyl]-1H-benzimidazole
Interactions	PUBCHEM	2-(2-(3,4-Dimethoxybenzylidene)hydrazineyl)pyridine
Interactions	PUBCHEM	N'-{[2-(2,4-dichlorophenoxy)acetyl]oxy}pyridine-4-carboximidamide
Interactions	PUBCHEM	4-methyl-2-[(2E)-2-(pyridin-4-ylmethylidene)hydrazinyl]quinoline
Interactions	PUBCHEM	4-chloro-N'-[(4-chlorobenzoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	N'-{[2-(2-bromo-4-chlorophenoxy)acetyl]oxy}pyridine-4-carboximidamide
Interactions	PUBCHEM	N'-[(3-cyclopentylpropanoyl)oxy]pyridine-2-carboximidamide
Interactions	PUBCHEM	N'-[(1,3-benzodioxol-5-ylcarbonyl)oxy]pyridine-3-carboximidamide
Interactions	PUBCHEM	N'-(Benzo[d][1,3]dioxol-5-ylmethylene)benzo[d][1,3]dioxole-5-carbohydrazide
Interactions	PUBCHEM	3-Chloro-N-[(E)-2,3-dihydro-1,4-benzodioxin-6-ylmethylideneamino]-4-methylaniline
Interactions	PUBCHEM	N-[(E)-6,7,8,9-tetrahydrobenzo[7]annulen-5-ylideneamino]pyridine-2-carboxamide
Interactions	PUBCHEM	5-(4-Methoxybenzyl)-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	O1-(1,2,3-thiadiazol-4-ylcarbonyl)-4-(trifluoromethyl)benzene-1-carbohydroximamide
Interactions	PUBCHEM	6-(ethylthio)-N'-[(2-thienylcarbonyl)oxy]pyridine-3-carboximidamide
Interactions	PUBCHEM	N'-hydroxy-6-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazino}pyridine-3-carboximidamide
Interactions	PUBCHEM	2-Benzoylbenzofuran
Interactions	PUBCHEM	O3-(4-chlorobenzoyl)-5-methylisoxazole-3-carbohydroximamide
Interactions	PUBCHEM	Methyl 2-(1-methyl-3-phenyl-2-propenylidene)-1-hydrazinecarboxylate
Interactions	PUBCHEM	N-(2,4-dichlorophenyl)-N'-[(dimethylamino)methylene]thiourea
Interactions	PUBCHEM	1-(4-Methyl-2-phenyl-1,3-thiazol-5-yl)-1-ethanone oxime
Interactions	PUBCHEM	5-{[(4-Fluorobenzoyl)oxy]ethanimidoyl}-4-methyl-2-phenyl-1,3-thiazole
Interactions	PUBCHEM	5-{[(4-Chlorobenzoyl)oxy]ethanimidoyl}-4-methyl-2-phenyl-1,3-thiazole
Interactions	PUBCHEM	5-({[(Isopropylamino)carbonyl]oxy}ethanimidoyl)-4-methyl-2-phenyl-1,3-thiazole

Main Category	Category	Terms
Interactions	PUBCHEM	Ethyl 4-methyl-2-[2-(3-methylbenzylidene)hydrazino]-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	N'-(4-isopropylbenzylidene)-N-methylcarbamohydrazonothioic acid
Interactions	PUBCHEM	N-[(E)-(2,6-dichlorophenyl)methylideneamino]-1-methylpyrrole-2-carboxamide
Interactions	PUBCHEM	O1-(2-chlorobenzoyl)-2-(2-pyridylsulfonyl)ethanehydroximamide
Interactions	PUBCHEM	4-[(2E)-2-benzylidenehydrazino]benzenesulfonamide
Interactions	PUBCHEM	6-Chloro-2-[N'-(2-nitro-benzylidene)-hydrazino]-pyrimidin-4-ylamine
Interactions	PUBCHEM	3-chloro-N-[(E)-(3-nitrophenyl)methylideneamino]pyrazin-2-amine
Interactions	PUBCHEM	3-chloro-N-[(E)-1-(4-fluorophenyl)ethylideneamino]pyrazin-2-amine
Interactions	PUBCHEM	3,4-dimethoxy-N'-[(thiophen-2-ylcarbonyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	N'-(2-furoyloxy)-3,4-dimethoxybenzenecarboximidamide
Interactions	PUBCHEM	N'-[(cyclohexylcarbonyl)oxy]pyridine-2-carboximidamide
Interactions	PUBCHEM	N'-[(phenylcarbonyl)oxy]pyridine-3-carboximidamide
Interactions	PUBCHEM	4-({4-[(4-fluorobenzyl)oxy]-3-methoxybenzylidene}amino)-5-methyl-4H-1,2,4-triazole-3-thiol
Interactions	PUBCHEM	N'-[(1-adamantylcarbonyl)oxy]-3-methylbenzenecarboximidamide
Interactions	PUBCHEM	N'-[(naphthalen-2-ylcarbonyl)oxy]pyridine-3-carboximidamide
Interactions	PUBCHEM	N'-{[2-(2,4-dichlorophenoxy)acetyl]oxy}-3-pyridinecarboximidamide
Interactions	PUBCHEM	(1Z)-N'-{[(2-methylphenyl)carbonyl]oxy}-2-(thiophen-2-yl)ethanimidamide
Interactions	PUBCHEM	N'-[(4-phenylbutanoyl)oxy]-2-pyridinecarboximidamide
Interactions	PUBCHEM	N-(2-oxochromen-6-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N'-[(3-cyclohexylpropanoyl)oxy]-2-pyridinecarboximidamide
Interactions	PUBCHEM	N'-[(1,3-benzodioxol-5-ylcarbonyl)oxy]pyridine-4-carboximidamide
Interactions	PUBCHEM	N'-[(3,3-dimethylbutanoyl)oxy]-2-pyridinecarboximidamide
Interactions	PUBCHEM	N'-[(1,3-benzodioxol-5-ylcarbonyl)oxy]-4-chlorobenzenecarboximidamide
Interactions	PUBCHEM	2-chloro-N'-[(phenylacetyl)oxy]benzenecarboximidamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-nitro-N'-{[(phenylthio)acetyl]oxy}benzenecarboximidamide
Interactions	PUBCHEM	[(Z)-[amino(pyridin-2-yl)methylidene]amino] 2-phenylsulfanylacetate
Interactions	PUBCHEM	[(Z)-[amino-(3,4-dimethoxyphenyl)methylidene]amino] cyclohexanecarboxylate
Interactions	PUBCHEM	N'-({2-[(1-bromo-2-naphthyl)oxy]acetyl}oxy)-2-pyridinecarboximidamide
Interactions	PUBCHEM	2,6-difluoro-N-(2-(methylthio)benzo[d]thiazol-6-yl)benzamide
Interactions	PUBCHEM	N-(6-Morpholin-4-yl-pyrimidin-4-yl)-N'-(1-phenyl-ethylidene)-hydrazine
Interactions	PUBCHEM	N'-[4-(benzyloxy)benzylidene]-2-(tert-butylamino)acetohydrazide
Interactions	PUBCHEM	4-[(E)-(dimethylhydrazinylidene)methyl]phenyl benzenesulfonate
Interactions	PUBCHEM	N-[4-(diethylamino)-2-methylphenyl]-2-methoxy-3-methylbenzamide
Interactions	PUBCHEM	N'-{[(3-methoxyphenyl)carbonyl]oxy}pyridine-4-carboximidamide
Interactions	PUBCHEM	2-Methoxy-5-[2-(4-nitrophenyl)carbonohydrazonoyl]phenol
Interactions	PUBCHEM	N-[(E)-(3-fluorophenyl)methylideneamino]-1H-benzimidazol-2-amine
Interactions	PUBCHEM	(E)-1-[4-[(4-chlorophenyl)methoxy]-3-methoxyphenyl]-N-morpholin-4-ylmethanimine
Interactions	PUBCHEM	1,3-Propanedione, 1-(4-methoxyphenyl)-3-phenyl-
Interactions	PUBCHEM	2-chloro-5-[(2E)-2-(1-thiophen-2-ylethylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	3-[(2E)-2-[(2-methoxynaphthalen-1-yl)methylidene]hydrazinyl]benzoic acid
Interactions	PUBCHEM	N-[(E)-(2-chloro-6-methoxyquinolin-3-yl)methylideneamino]pyridin-2-amine
Interactions	PUBCHEM	(E)-1-(4-chloro-3-nitrophenyl)-N-piperidin-1-ylmethanimine
Interactions	PUBCHEM	2-[(E)-1-(1-benzofuran-2-yl)ethylideneamino]oxy-N-(2,2,2-trifluoroethyl)acetamide
Interactions	PUBCHEM	N'-{(E)-[4-(1H-imidazol-1-yl)phenyl]methylidene}-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N-[(E)-(3,4,5-trimethoxyphenyl)methylideneamino]phthalazin-1-amine
Interactions	PUBCHEM	N-[(E)-1-(4-tert-butylphenyl)ethylideneamino]phthalazin-1-amine
Interactions	PUBCHEM	N'-[(1E)-1-(biphenyl-4-yl)ethylidene]furan-2-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	N'-{1-[4-(1-piperidinyl)phenyl]ethylidene}benzohydrazide
Interactions	PUBCHEM	N'-(1-pyridin-3-ylethylidene)-2-naphthohydrazide
Interactions	PUBCHEM	4-bromo-N'-(2-thienylmethylene)-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	1-(4-{[(4-Methylphenyl)thio]methyl}benzoyl)pyrrolidine
Interactions	PUBCHEM	4-amino-N'-[(E)-(5-bromofuran-2-yl)methylidene]-1,2,5-oxadiazole-3-carbohydrazonamide
Interactions	PUBCHEM	(E)-5-(2-(3-chlorobenzylidene)hydrazinyl)-2-methyloxazole-4-carbonitrile
Interactions	PUBCHEM	4-[(2E)-2-benzylidenehydrazinyl]-6-methylpyrimidin-2-amine
Interactions	PUBCHEM	N'-[(2-nitrobenzoyl)oxy]pyridine-2-carboximidamide
Interactions	PUBCHEM	2,4-difluoro-N-[(E)-pyridin-3-ylmethylideneamino]aniline
Interactions	PUBCHEM	5-({[(3-Methoxybenzoyl)oxy]imino}methyl)-2-[(4-methylphenyl)sulfanyl]pyridine
Interactions	PUBCHEM	Methyl 4-[(E)-(1H-benzimidazol-2-ylhydrazinylidene)methyl]benzoate
Interactions	PUBCHEM	2-Chloro-7-methoxyquinoline-3-carbaldehyde oxime
Interactions	PUBCHEM	2-Oxo-2-phenylethyl 2-(propionylamino)benzoate
Interactions	PUBCHEM	N-[(E)-1-(1,3-Benzodioxol-5-yl)ethylideneamino]-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	N'-(3-Cyano-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophen-2-yl)-N,N-diethyl-formamidine
Interactions	PUBCHEM	1-[(E)-1,3-benzodioxol-5-ylmethylideneamino]benzimidazol-2-amine
Interactions	PUBCHEM	[2-(4-Methoxyphenyl)cyclopropyl](phenyl)methanone oxime
Interactions	PUBCHEM	2-[({[[2-(4-Methoxyphenyl)cyclopropyl](phenyl)methylene]amino}oxy)carbonyl]thiophene
Interactions	PUBCHEM	N'-[(E)-(2-methyl-2H-chromen-3-yl)methylidene]benzohydrazide
Interactions	PUBCHEM	N-[(E)-(4-ethoxy-3-methoxyphenyl)methylideneamino]pyridin-2-amine
Interactions	PUBCHEM	5-[(2E)-2-(1,3-benzodioxol-5-ylmethylene)hydrazino]-3-(methylthio)isothiazole-4-carbonitrile
Interactions	PUBCHEM	2-chloro-5-[(2E)-2-[1-(3-nitrophenyl)ethylidene]hydrazinyl]benzoic acid
Interactions	PUBCHEM	N-[(E)-1-(2-bromophenyl)ethylideneamino]benzamide
Interactions	PUBCHEM	N'-[(2-phenoxyacetyl)oxy]pyridine-2-carboximidamide
Interactions	PUBCHEM	3,4-dichloro-N-[(E)-pyridin-4-ylmethylideneamino]aniline

Main Category	Category	Terms
Interactions	PUBCHEM	N'-[(1E)-1-(1,3-benzodioxol-5-yl)ethylidene]thiophene-2-carbohydrazide
Interactions	PUBCHEM	N'-{(1E)-[2,5-dimethyl-1-(3-nitrophenyl)-1H-pyrrol-3-yl]methylene}pyridine-2-carbohydrazide
Interactions	PUBCHEM	N'-{2-[(4-bromobenzyl)oxy]benzylidene}-2-(4-methoxyanilino)propanohydrazide
Interactions	PUBCHEM	tert-butyl (3-{(2E)-2-[(6-methoxyquinolin-2-yl)methylidene]hydrazinyl}-3-oxopropyl)carbamate (non-preferred name)
Interactions	PUBCHEM	N'-[(4-fluorobenzoyl)oxy]-2-(phenylsulfonyl)ethanimidamide
Interactions	PUBCHEM	4-Nitrobenzaldehyde 2-pyridinylhydrazone
Interactions	PUBCHEM	N-Benzyl-2-(3-cyclopropanecarbonyl-indol-1-yl)-acetamide
Interactions	PUBCHEM	N'-[(E)-(4-bromophenyl)methylidene]piperidine-1-carbothiohydrazide
Interactions	PUBCHEM	(1E)-1-benzylidene-2-(2-fluoro-4-nitrophenyl)hydrazine
Interactions	PUBCHEM	6-[(E)-(2-benzylhydrazinylidene)methyl]quinoxaline
Interactions	PUBCHEM	2,4-difluoro-N-[(E)-pyridin-4-ylmethylideneamino]aniline
Interactions	PUBCHEM	N'-{[(2E)-3-(2-chlorophenyl)prop-2-enoyl]oxy}pyridine-3-carboximidamide
Interactions	PUBCHEM	N'-{[2-(4-methylphenoxy)acetyl]oxy}-2-pyridinecarboximidamide
Interactions	PUBCHEM	N-[(E)-(3-fluorophenyl)methylideneamino]pyridin-2-amine
Interactions	PUBCHEM	N'-[(1E)-(2,5-dimethyl-1-phenyl-1H-pyrrol-3-yl)methylene]isonicotinohydrazide
Interactions	PUBCHEM	3-[(2E)-2-[1-(10H-phenothiazin-2-yl)ethylidene]hydrazinyl]benzoic acid
Interactions	PUBCHEM	N-[(E)-(2,3,4-trimethoxyphenyl)methylideneamino]pyridin-2-amine
Interactions	PUBCHEM	N'-[(2E)-1-phenylpropan-2-ylidene]pyridine-2-carbohydrazide
Interactions	PUBCHEM	4-[(2E)-2-(quinoxalin-5-ylmethylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	2-Thiophenecarbaldehyde {5-nitro-2-pyridinyl}hydrazone
Interactions	PUBCHEM	N-[(E)-1-(1,3-benzodioxol-5-yl)ethylideneamino]-3,5-dichloropyridin-2-amine
Interactions	PUBCHEM	3,5-dichloro-N-[(E)-1-(3-methoxyphenyl)ethylideneamino]pyridin-2-amine
Interactions	PUBCHEM	N-[(E)-(3-methoxy-4-prop-2-enoxyphenyl)methylideneamino]pyridin-2-amine
Interactions	PUBCHEM	N-[(E)-1-(4-morpholin-4-ylphenyl)ethylideneamino]pyridin-2-amine

Main Category	Category	Terms
Interactions	PUBCHEM	N-(2-cyanophenyl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	2-pyridinecarbaldehyde N-(1-adamantyl)semicarbazone
Interactions	PUBCHEM	5-(benzyloxy)-1,2-dimethyl-1H-indole-3-carbaldehyde
Interactions	PUBCHEM	2-[4-(Pyrrolidin-1-ylsulfonyl)phenyl]-1,3-benzothiazole
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-(2-furanylmethyl)-1-piperazinecarbothioamide
Interactions	PUBCHEM	2,3-Dihydro-2-phenyl-1H-isoindol-1-one
Interactions	PUBCHEM	N-(4-bromo-3-methylphenyl)-N'-(4-methoxyphenyl)urea
Interactions	PUBCHEM	4-(4-methoxyphenyl)-3-methyl-1-phenyl-1H-pyrazol-5-amine
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(thiophen-2-ylmethyl)urea
Interactions	PUBCHEM	1-[(2E)-2-(2-methoxybenzylidene)hydrazinyl]phthalazine
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-N'-(2-fluoro-5-methylphenyl)urea
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(5-bromopyridin-2-yl)urea
Interactions	PUBCHEM	N-(3-acetylphenyl)-3,4-dihydro-2(1H)-isoquinolinecarboxamide
Interactions	PUBCHEM	1-(1,3-Benzodioxol-5-yl)-3-(2-bromo-4-methylphenyl)urea
Interactions	PUBCHEM	1-(2,4-Difluorophenyl)-3-(4,6-dimethylpyrimidin-2-yl)urea
Interactions	PUBCHEM	N-(4-bromo-2-chlorophenyl)-N'-(2-furylmethyl)urea
Interactions	PUBCHEM	1-(4-Acetylphenyl)-3-[2-(3-chlorophenyl)ethyl]thiourea
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-N'-[2-(methylthio)phenyl]urea
Interactions	PUBCHEM	Pyridine, 3-((o-chlorophenyl)azo)-2,6-diamino-
Interactions	PUBCHEM	N-[4-[2-(pyrimidin-2-ylamino)-1,3-thiazol-4-yl]phenyl]acetamide
Interactions	PUBCHEM	[4-(3,4-Dimethoxy-phenyl)-thiazol-2-yl]-(6-methyl-pyridin-2-yl)-amine
Interactions	PUBCHEM	2-(5-acetyl-3-cyano-6-methylpyridin-2-yl)sulfanyl-N-(1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-ethoxy-3-methoxybenzamide
Interactions	PUBCHEM	3-(2-Furyl)acrylaldehyde (4-methylphenyl)hydrazone
Interactions	PUBCHEM	N-(2-methyl-1,3-benzothiazol-6-yl)-1-piperidinecarboxamide
Interactions	PUBCHEM	Phenethyl-(4-pyridin-3-yl-thiazol-2-yl)-amine
Interactions	PUBCHEM	N-(2,4-dimethoxyphenyl)-4-(pyridin-3-yl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-(2,3-dihydro-1H-indol-1-ylcarbonyl)-3,6,6-trimethyl-6,7-dihydro-1-benzofuran-4(5H)-one

Main Category	Category	Terms
Interactions	PUBCHEM	2-{[(6-Ethoxy-1,3-benzothiazol-2-yl)sulfanyl]methyl} benzonitrile
Interactions	PUBCHEM	4-(3,4-dimethoxyphenyl)-N-(3-methyl-2-pyridinyl)-2-thiazolamine
Interactions	PUBCHEM	4-[2-(3-Methyl-pyridin-2-ylamino)-thiazol-4-yl]-phenol
Interactions	PUBCHEM	3-[[(5-Bromo-2-furanyl)-oxomethyl]amino]-2-methylbenzoic acid
Interactions	PUBCHEM	Benzyl 1,3-benzodioxol-5-ylcarbamate
Interactions	PUBCHEM	4-[(2-Naphthyloxy)methyl]-1,3-thiazol-2-amine
Interactions	PUBCHEM	2-[(4-pyridinylmethyl)thio]-6,7-dihydro-5H-cyclopenta[b]pyridine-3-carbonitrile
Interactions	PUBCHEM	4-Methylpiperazinyl 5-phenylisoxazol-3-yl ketone
Interactions	PUBCHEM	5-phenyl-N-(2-thienylmethyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	2-[3-(2,2-dimethylpropanoyl)indol-1-yl]-N-(furan-2-ylmethyl)acetamide
Interactions	PUBCHEM	2-(5-{[(4-Methylphenyl)sulfanyl]methyl}-1,2,4-oxadiazol-3-yl)pyridine
Interactions	PUBCHEM	1-[3-(4-Methoxyphenoxy)propanoyl]piperidine
Interactions	PUBCHEM	5-(4-nitrophenyl)-N-(1,3-thiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-[methyl(methylsulfonyl)amino]benzamide
Interactions	PUBCHEM	N-(2,4-Dichloro-benzyl)-2-thiophen-2-yl-acetamide
Interactions	PUBCHEM	2-((4,5-Dihydrothiazol-2-yl)thio)-1-(indolin-1-yl)ethanone
Interactions	PUBCHEM	N-(1-ethyl-1H-benzimidazol-5-yl)-4-methylbenzamide
Interactions	PUBCHEM	Methyl 4-[(2,3-dimethylphenoxy)methyl]benzoate
Interactions	PUBCHEM	1-(2-furoyl)-3-(4-methoxyphenyl)-5-(methylthio)-1H-1,2,4-triazole
Interactions	PUBCHEM	N-[3-(5-phenyl-1,3,4-oxadiazol-2-yl)phenyl]cyclopropanecarboxamide
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-ylmethylsulfanyl)-5-methyl-1,3,4-thiadiazole
Interactions	PUBCHEM	N-{4-[(cyclopropylcarbonyl)amino]phenyl}furan-2-carboxamide
Interactions	PUBCHEM	Azepan-1-yl(1-benzofuran-2-yl)methanone
Interactions	PUBCHEM	1-(1-Benzofuran-2-ylcarbonyl)-4-methylpiperidine
Interactions	PUBCHEM	N-[(4-methoxyphenyl)carbamoyl]benzamide
Interactions	PUBCHEM	N-{4-[(cyclopropylcarbonyl)amino]phenyl}thiophene-2-carboxamide

Main Category	Category	Terms
Interactions	PUBCHEM	1-(4-Bromo-2-chlorophenyl)-3-(furan-2-ylmethyl)thiourea
Interactions	PUBCHEM	1-(3,4-Dimethoxyphenyl)-3-(3-methylpyridin-2-yl)thiourea
Interactions	PUBCHEM	N-(5-Ethyl-[1,3,4]thiadiazol-2-yl)-3-isobutyrylamino-benzamide
Interactions	PUBCHEM	2,3-dihydro-1H-inden-5-yl morpholine-4-carboxylate
Interactions	PUBCHEM	N-(4-bromophenyl)-4-{[(1-methyl-1H-tetrazol-5-yl)sulfanyl]methyl}benzamide
Interactions	PUBCHEM	5-bromo-N-[4-(2-methyl-1,3-thiazol-4-yl)phenyl]-2-furamide
Interactions	PUBCHEM	2-(Benzyloxyiminomethyl)pyridine
Interactions	PUBCHEM	2-(2-thienyl)-7,8,9,10-tetrahydro-3H,11H-[1]benzothieno[2',3':4,5]pyrimido[2,1-b][1,3,4]thiadiazin-11-one
Interactions	PUBCHEM	1-[4-(4-Bromophenyl)-2-thiazolyl]-4-piperidinecarboxamide
Interactions	PUBCHEM	2-[1-(Benzenesulfonyl)benzimidazol-2-yl]sulfanyl-1-piperidin-1-ylethanone
Interactions	PUBCHEM	4-ethyl-5-[2-(4-isopropoxyphenyl)-4-quinolinyl]-4H-1,2,4-triazol-3-yl hydrosulfide
Interactions	UP_KW_LIGAND	Metal-binding
Interactions	UP_KW_LIGAND	Zinc
Literature	GENERIF_SUMMARY	germline mutation analysis by RNA-based sequencing
Literature	GENERIF_SUMMARY	founder mutation in a highly homogeneous population from southern Italy
Literature	GENERIF_SUMMARY	BRCA1 protein can be evaluated by two-dimensional gene scanning and by single nucleotide polymorphism techniques.
Literature	GENERIF_SUMMARY	In BRCA1, two novel frame shift mutations were identified as 3761-3762delGA and 2616-2617ins10.
Literature	GENERIF_SUMMARY	These findings reveal a novel complex between BRCA1, LMO4, and CtIP and indicate a role for LMO4 as a repressor of BRCA1 activity in breast tissue.
Literature	GENERIF_SUMMARY	BRCA1 can up-regulate its targeted genes through protein-protein interactions and provide a novel mechanism by which BRCA1 participates in transcriptional regulation.
Literature	GENERIF_SUMMARY	Activation of the aromatic hydrocarbon receptor pathway is not sufficient for transcriptional repression of BRCA-1
Literature	GENERIF_SUMMARY	p300 Modulates the BRCA1 inhibition of estrogen receptor activity.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations in Russian familial breast cancer
Literature	GENERIF_SUMMARY	Germline mutation in BRCA1 associated with hypersensitivity to radiation

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	role in regulating G2M checkpoint by activating Chk1 kinase upon DNA damage
Literature	GENERIF_SUMMARY	A low frequency of recurrent BRCA1 mutations has been found in breast and ovarian cancers in Spain.
Literature	GENERIF_SUMMARY	A founder mutation of BRCA1 identified in the Chinese population is a recurrent BRCA1 germline mutation in ovarian cancer.
Literature	GENERIF_SUMMARY	plays similar role in both male and female breast carcinoma; loss of this protein associated with poor prognosis
Literature	GENERIF_SUMMARY	Structural determinants of BRCA1 translational regulation
Literature	GENERIF_SUMMARY	Distinct BRCA1 rearrangements involving the BRCA1 pseudogene suggest the existence of a recombination hot spot
Literature	GENERIF_SUMMARY	mutagenic sensitivity in blood of women carrying brca1 mutation
Literature	GENERIF_SUMMARY	complex with Nmi and c-Myc inhibits c-Myc-induced human telomerase reverse transcriptase gene promoter activity in breast cancer
Literature	GENERIF_SUMMARY	BARD1 induces BRCA1 intranuclear foci formation by increasing RING-dependent BRCA1 nuclear import and inhibiting BRCA1 nuclear export
Literature	GENERIF_SUMMARY	Autoubiquitination of the BRCA1*BARD1 RING ubiquitin ligase.
Literature	GENERIF_SUMMARY	Germline BRCA1 promoter deletions in UK and Australian familial breast cancer patients
Literature	GENERIF_SUMMARY	first evidence of a BRCA1 mutation specific to Native North Americans.
Literature	GENERIF_SUMMARY	germline mutations in breast and/or ovarian carcinoma patients
Literature	GENERIF_SUMMARY	Expression of BRCA1 and BRCA2 in different tumor cell lines with various growth status
Literature	GENERIF_SUMMARY	a component of the IFN-gamma-regulated signaling pathway and may play a role in the regulation of IFN-gamma-mediated apoptosis.
Literature	GENERIF_SUMMARY	results suggest the presence of one or more genes on chromosome 5q33-34 that modify breast cancer risk in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	Cells from carriers of mutations in one allele of the BRCA1 or BRCA2 genes have no gross defects in their ability to rejoin radiation-induced DNA breaks.
Literature	GENERIF_SUMMARY	Following exposure to ionizing radiation (IR), the BRCA1-c-Abl complex is disrupted in an ATM-dependent manner, which correlates temporally with ATM-dependent phosphorylation of BRCA1 and ATM-dependent

Main Category	Category	Terms
		enhancement of the tyrosine kinase activity of c-Abl
Literature	GENERIF_SUMMARY	BRCA1 selectively coactivates the p53 transcription factor towards genes that direct DNA repair and cell cycle arrest but not towards those that direct apoptosis
Literature	GENERIF_SUMMARY	Three additional mutations are reported.
Literature	GENERIF_SUMMARY	transcriptionally regulates genes involved in breast tumorigenesis
Literature	GENERIF_SUMMARY	A change in the last base of BRCA1 exon 23, 5586G-->A, results in abnormal RNA splicing.
Literature	GENERIF_SUMMARY	pathological splice mutations outside the invariant AG/GT splice sites of exon 5 increase alternative transcript levels in the 5' end of the gene
Literature	GENERIF_SUMMARY	JunB potentiates function of BRCA1 activation domain 1 (AD1) through a coiled-coil-mediated interaction
Literature	GENERIF_SUMMARY	BRCA1 transactivates the cyclin-dependent kinase inhibitor p27(Kip1). This may be a mechanism for BRCA1- induced growth inhibition.
Literature	GENERIF_SUMMARY	The BRCA1 suppressor hypothesis
Literature	GENERIF_SUMMARY	solution properties of the highly conserved C terminus of BRCA1, consisting of a tandem repeat of the BRCT domain (BRCT-tan), that plays a critical role in BRCA1-mediated tumor suppression
Literature	GENERIF_SUMMARY	BRCA1 exon 11 was studied by the protein truncation test, & BRCA1 exons 2, 3, 5, 13 & 20 by SSCP genomic DNA from early-onset breast cancer patients amplified by PCR. 3 frameshifts and a 12 bp duplication polymorphism were found.
Literature	GENERIF_SUMMARY	Findings demonstrate that a substantial proportion of Turkish ovarian cancer patients, both with and without a family history, carry BRCA1 mutations.
Literature	GENERIF_SUMMARY	Large rearrangements of exons 13 and 22 have been identified in the BRCA1 gene in German families with a strong history of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BARD1 are associated with the RNA polymerase II holoenzyme.
Literature	GENERIF_SUMMARY	3 mutations in the BRCA1 gene were identified
Literature	GENERIF_SUMMARY	Contribution of BRCA1 and BRCA2 mutations to breast and ovarian cancer in Pakistan.
Literature	GENERIF_SUMMARY	specifically enhances the global genomic repair pathway, independent of p53, and can induce p53-independent expression of the nucleotide excision repair genes XPC, DDB2, and GADD45
Literature	GENERIF_SUMMARY	eight of the most common reported missense mutations in BRCA1 and BRCA2 occurring in patients tested for hereditary risk of breast and ovarian cancers

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	relation of gene to various cancers, especially breast and ovarian cancers
Literature	GENERIF_SUMMARY	Cancer risks in carriers
Literature	GENERIF_SUMMARY	cancer incidence in mutation carriers
Literature	GENERIF_SUMMARY	Cancer risk estimates for mutation carriers identified in a risk evaluation program
Literature	GENERIF_SUMMARY	inactivated in ovarian cancer
Literature	GENERIF_SUMMARY	Survival in prospectively ascertained familial breast cancer
Literature	GENERIF_SUMMARY	interacts with FANCD2 in S phase cell lines
Literature	GENERIF_SUMMARY	recent findings regarding BRCA1 in breast cancer - review
Literature	GENERIF_SUMMARY	By confocal analysis of breast cancer cells, confirmed by immunogold electron microscopy, BRCA1 localizes to microtubules of the mitotic spindle, to the walls of the centrioles and to pericentriolar fibers at centrosomes.
Literature	GENERIF_SUMMARY	mutation sites of BRCA1 gene in Chinese patients with breast cancer
Literature	GENERIF_SUMMARY	germline mutations predisposing to breast and ovarian cancers in Upper Silesia population
Literature	GENERIF_SUMMARY	These results demonstrate a novel pathogenic mechanism whereby mutations in BRCA1, via their interaction with ER-alpha, could promote tumorigenesis through the hormonal regulation of mammary epithelial cell proliferation and impaired VEGF function
Literature	GENERIF_SUMMARY	BRCA1 supports XIST localization, loss of BRCA1 in female cells may lead to Xi perturbation and destabilization of its silenced state.
Literature	GENERIF_SUMMARY	cell cycle differences in DNA damage-induced BRCA1 phosphorylation affect its subcellular localization
Literature	GENERIF_SUMMARY	analysis of the cancer-causing BRCA1-BRCT missense mutation and models of the protein
Literature	GENERIF_SUMMARY	enhancement of BRCA1 E3 ubiquitin ligase activity through direct interaction with the BARD1 protein
Literature	GENERIF_SUMMARY	Purified RINGs, like BRCA1, self-assemble into supramolecular structures. Self-assembly controls & amplifies E3 ubiquitin conjugation activity of BARD1
Literature	GENERIF_SUMMARY	A substantial proportion of Mongolian women with ovarian cancer or early-onset breast cancer may be due to a founder BRCA1 mutation 3252delA.
Literature	GENERIF_SUMMARY	Two novel BRCA1 splice variants, 331+1G>T and 4476+2T>C in breast cancer patients in India.
Literature	GENERIF_SUMMARY	Two novel mutations in BRCA1, 1584G>T and 5028delC, likely to be disease-associated, were identified in breast cancer patients in China.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 3857delT mutation was identified in breast cancer patients in Mexico.
Literature	GENERIF_SUMMARY	Germline mutations in BRCA1 account for breast cancer predisposition in the majority of families.
Literature	GENERIF_SUMMARY	role in differentiation (review)
Literature	GENERIF_SUMMARY	BRCA1 functions in the signaling of DNA damage and its repair by homologous recombination, nucleotide-excision repair and possibly non-homologous end-joining. (review)
Literature	GENERIF_SUMMARY	Two percent of men with early-onset prostate cancer harbor germline mutations in the BRCA2 gene.
Literature	GENERIF_SUMMARY	BRCA1/BARD1 catalyses the formation of multiple polyubiquitin chains on itself and potentiates the E3 ubiquitin ligase activity of the BRCA1/BARD1 complex >20-fold
Literature	GENERIF_SUMMARY	BRCA1 AND VHL LOH is infrequent in sporadic breast carcinoma.
Literature	GENERIF_SUMMARY	BRCA1 upregulates DDB2 or XPC, with some evidence suggesting that p53 is involved in their regulation.
Literature	GENERIF_SUMMARY	BRCA1 germline mutations in Indian familial breast cancer.
Literature	GENERIF_SUMMARY	Analysis of BRCA1, TP53, and TSG101 germline mutations in German breast and/or ovarian cancer families.
Literature	GENERIF_SUMMARY	BRCA1 is downregulated by heregulin in the extracellular matrix in breast tumor cells
Literature	GENERIF_SUMMARY	role in heat shock response
Literature	GENERIF_SUMMARY	phylogenetic analysis of BRCA1 reveals that selection is acting most strongly on the role of BRCA1 in DNA repair
Literature	GENERIF_SUMMARY	BRCA1 expression was positively-correlated with Bcl-2 expression, but no relationship between BRCA1 expression and Bax or p53 expression could be established in breast carcinomas.
Literature	GENERIF_SUMMARY	mutational analysis in a case of familial endometriosis
Literature	GENERIF_SUMMARY	expression of the p210 BCR-ABL fusion protein leads to a down-regulation of BRCA1 protein, which is nearly undetectable in primary chronic myeloid leukemia cells
Literature	GENERIF_SUMMARY	The interindividual variability in ovarian cancer penetrance in BRCA1 carriers may be explained by a common BRCA1 Gly1038 wild-type allele, given its high frequency (0.27).
Literature	GENERIF_SUMMARY	Inhibition of BRCA1 via overexpressing the RHA fragment coincides with a reduction in PARP-1 protein expression, suggesting a possible mechanism for BRCA1 in the maintenance of genomic integrity.
Literature	GENERIF_SUMMARY	women aged less than 35 years with breast cancer have frequent loss of nuclear BRCA1 expression, which may be responsible for the specific tumor biology different from

Main Category	Category	Terms
		older women
Literature	GENERIF_SUMMARY	BRCA1 function is regulated by MDC1 in DNA damage checkpoint control
Literature	GENERIF_SUMMARY	BRCA1 is regulated by Ets-2 and components of mammalian SWI/SNF
Literature	GENERIF_SUMMARY	HMGA1 proteins are involved in transcriptional regulation of the BRCA1 gene, and their overexpression may have a role in BRCA1 downregulation observed in aggressive mammary carcinomas
Literature	GENERIF_SUMMARY	BRCA1 is involved in regulating cellular immortalization through the modulation of c-Myc on the hTERT promoter
Literature	GENERIF_SUMMARY	focus is transcriptional target genes and how BRCA1 could be linked to DNA repair and cell cycle regulation in breast cancer
Literature	GENERIF_SUMMARY	BRCA1 has roles in DNA damage repair and cellular responses that link development and cancer [review]
Literature	GENERIF_SUMMARY	Average cumulative risks in BRCA1-mutation carriers by age 70 years were 65% (95% confidence interval 44%-78%) for breast cancer and 39% (18%-54%) for ovarian cancer
Literature	GENERIF_SUMMARY	BRCA1 splice variants exhibit overlapping and distinct transcriptional transactivation activities in a non-tumorigenic mammary epithelial cell line
Literature	GENERIF_SUMMARY	germline BRCA1 mutations are not associated with an increased risk for lymphoid malignancies
Literature	GENERIF_SUMMARY	Mutation in BRCA1 cause a frameshift and generates a premature stop codon at 903.
Literature	GENERIF_SUMMARY	Founder mutations are present within the Scottish/Northern Irish population and have implications for the organisation of molecular screening services.
Literature	GENERIF_SUMMARY	BRCA1 protein has a significant role in both sporadic and hereditary breast cancers.
Literature	GENERIF_SUMMARY	Specific chemosensitivity profile of BRCA1-defective breast cancer cells in vitro, which is dependent on BRCA1 protein expression.
Literature	GENERIF_SUMMARY	BRCA1 Ser-1387 site phosphorylation is required for S-phase DNA damage checkpoint; Ser-1423 phosphorylation is specifically required for the G2/M checkpoint.
Literature	GENERIF_SUMMARY	p65/RelA, one of the two subunits of the transcription factor NF-kappaB, binds to the BRCA1 protein.
Literature	GENERIF_SUMMARY	Results identify factors involved in regulating BRCA1 transcription.
Literature	GENERIF_SUMMARY	A review of the genetics and expression of BRCA1, and its role in DNA damage and repair in its normal state.
Literature	GENERIF_SUMMARY	BRCA1 facilitates the ability of ATM and ATR to

Main Category	Category	Terms
		phosphorylate downstream substrates that directly influence cell cycle checkpoint arrest and apoptosis
Literature	GENERIF_SUMMARY	Both nucleus and cytoplasmic BRCA1 protein staining were detected in cells using four different antibodies.
Literature	GENERIF_SUMMARY	The loss of the androgen receptor expression together with the observed loss of other steroid hormone receptors in BRCA1-mutated tumors may lead to a hormone-independent growth or to anti-hormone resistant growth of these tumors.
Literature	GENERIF_SUMMARY	Both TopBP1 and BRCA1 specifically regulate the G(2)-M checkpoint, partially compensating each function.
Literature	GENERIF_SUMMARY	A putative splice site mutation (IVS6-2delA) in BRCA1 identified in a family attending a familial cancer center demonstrates a sequence variation that prevents normal splicing of the BRCA1 transcript and conveys an increased risk of breast cancer.
Literature	GENERIF_SUMMARY	Three novel disease-causing mutations identified in Chinese early onset breast cancer patients.
Literature	GENERIF_SUMMARY	analysis of BRCA1 missense mutations in breast-ovarian chancer families
Literature	GENERIF_SUMMARY	AS common deleterious frameshift mutations in unrelated Malay breast cancer patients with a common haplotype indicates a founder mutation in breast cancer patients of Malay ethnic background.
Literature	GENERIF_SUMMARY	germline 185delAG BRCA1 mutations are associated with an inherited predisposition to breast and ovarian carcinoma in non-Jewish Americans of Spanish ancestry
Literature	GENERIF_SUMMARY	Forms a heterodimer with the BARD1 protein, and the resulting complex functions as an E3 ubiquitin ligase that catalyzes the synthesis of polyubiquitin chains.
Literature	GENERIF_SUMMARY	results suggest that E2F6 represses transcription of the brca1, ctip, art27, hp1alpha, and the rbap48 genes and depletion of E2F6 resulted in the recruitment of E2F1 to the target promoters
Literature	GENERIF_SUMMARY	None of the BRCA 1 or 2 mutations were detected in the ovarian neoplasm patient group.
Literature	GENERIF_SUMMARY	exogenous nuclease-defective FEN-1 causes repeat instability and aberrant DNA repair. Inefficient flap processing blocks the formation of Rad51/BRCA1 complexes but invokes repair by other pathways
Literature	GENERIF_SUMMARY	Recurrent BRCA1 mutations have no role in predisposition to prostate cancer in Finland.
Literature	GENERIF_SUMMARY	mutations in BRCA1 were associated with a sex ratio skewed against male births.
Literature	GENERIF_SUMMARY	Fifteen novel BRCA1 mutations identified in breast and ovarian cancers may be deleterious cancer predisposing mutations.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Using chromosomal stability after ICL damage as the end point, we find that BRCA1 functions in more than just the FA pathway for genome maintenance, whereas BRCA2 appears to act predominantly in the FA pathway.
Literature	GENERIF_SUMMARY	Plays a role in breast cancer in conjunction with p53.
Literature	GENERIF_SUMMARY	interaction with processive RNA pol II in undamaged cells places BRCA1 in position to link late events in transcription with repair processes in eukaryotic cells
Literature	GENERIF_SUMMARY	study from South India, on BRCA1, BRCA2 & CHEK2 mutations in patients with a family history of breast and/or ovarian cancer and early onset breast/ovarian cancer
Literature	GENERIF_SUMMARY	Recent studies indicate that BRCA1 interacts with and regulates the activity of estrogen receptor alpha (ER alpha) and the androgen receptor. Its expression is regulated by carcinogens and anticarcinogens that modulate ER alpha signaling.
Literature	GENERIF_SUMMARY	the BRCT region of BRCA1 has a role in breast neoplasms
Literature	GENERIF_SUMMARY	-FHL2 interaction may be involved in transcriptional regulation and play a significant role in cancer cell growth
Literature	GENERIF_SUMMARY	BRCA1 acts as a differential modulator of apoptosis in a breast cancer cell line depending on the nature of the cellular insult caused by chemotherapy.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with serous carcinoma of ovary
Literature	GENERIF_SUMMARY	identified tandem BRCT (BRCA1 carboxyl-terminal) domains in BRCA1 as phosphoserine- or phosphothreonine-specific binding modules that recognize substrates phosphorylated by the kinases ATM and ATR in response to gamma-irradiation
Literature	GENERIF_SUMMARY	findings show that the BRCA1 BRCT domain directly interacts with phosphorylated BRCA1-Associated Carboxyl-terminal Helicase (BACH1); interaction is cell cycle regulated and required for DNA damage-induced checkpoint control
Literature	GENERIF_SUMMARY	risks of breast and ovarian cancer were determined for Ashkenazi Jewish women with inherited mutations in the tumor suppressor genes BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	BRCA1 COOH-terminal (BRCT) domains have a role in DNA damage
Literature	GENERIF_SUMMARY	an exogenous BRCA1 gene strongly inhibited telomerase enzymatic activity in human prostate and breast cancer cell lines
Literature	GENERIF_SUMMARY	Review. Decreased BRCA1 expression occurs frequently in sporadic tumors, and the magnitude of this decrease has been correlated with increased disease progression.
Literature	GENERIF_SUMMARY	Fallopian tube and primary peritoneal carcinomas associated with BRCA mutations

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data report the isolation of a holoenzyme complex termed BRCC containing BRCA1, BRCA2, and RAD51, which displays increased association with p53 following DNA damage and ubiquitinates p53 in vitro.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 mediates novel polyubiquitin chains that may be distinctly edited by 26 S proteasome from conventional Lys-48-linked polyubiquitin chains.
Literature	GENERIF_SUMMARY	Women with a BRCA1 mutation are at higher risk for the induction of mutations and secondary cancers by standard therapies.
Literature	GENERIF_SUMMARY	inactivation of the FANC-BRCA pathway is relatively common in solid tumors and may be related to tobacco and alcohol exposure
Literature	GENERIF_SUMMARY	BRCA1/BARD1 heterodimer formation is important for optimal nuclear targeting of BARD1 and its role in DNA repair and cell survival.
Literature	GENERIF_SUMMARY	examined the fidelity of double-strand break repair in four lymphoblastoid cell lines with BRCA1 missense mutations
Literature	GENERIF_SUMMARY	Cell cycle arrest after ionizing radiation (IR) of breast carcinoma cells may involve repression of the gene for polo-like kinase 1 by BRCA1.
Literature	GENERIF_SUMMARY	BRCA1 has a role as as a ZBRK1 co-repressor
Literature	GENERIF_SUMMARY	functional link between recombination control and breast cancer predisposition in carriers of Chk2 and BRCA1 germ line mutations
Literature	GENERIF_SUMMARY	Transcriptional activity depends on p53 and this protein
Literature	GENERIF_SUMMARY	Novel germline deleterious pathogenic, protein truncating frameshift and non-sense mutations were detected in exon 2, exon 11 of BRCA1 in breast-ovarian cancer families.
Literature	GENERIF_SUMMARY	Cancer-associated mutations in the BRCT domain of BRCA1 causes its cytoplasmic mislocalization.
Literature	GENERIF_SUMMARY	Heterozygosity for germ-line mutations in BRCA1 results in development of progesterone receptor A predominance.
Literature	GENERIF_SUMMARY	BRCA1 gene polymorphism increase the risk for breast neoplasms in Jordanian women.
Literature	GENERIF_SUMMARY	BRCA1-associated breast cancers involve MYC in disease progression
Literature	GENERIF_SUMMARY	BRCA1 directed ligation of ubiquitin occurs during S-phase
Literature	GENERIF_SUMMARY	BRCA1 downregulation in melanoma cells did not make them more aggressive and could lead to new therapeutic strategies for this tumor, which is so difficult to control once metastasized.
Literature	GENERIF_SUMMARY	The estrogen receptor-negative status of these cancers may reflect the cell of origin of BRCA1-related breast cancers.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 function contributes to maintenance of the proper heterochromatin superstructure on inactivated X chromosomes.
Literature	GENERIF_SUMMARY	A mutation in a pedigree of an Asian/Filipino family, with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations may have a role in progression of ovarian cancer
Literature	GENERIF_SUMMARY	BRCA mutations were present in 12.7% of the high risk patients, compared with 2.8% of the unselected patients.
Literature	GENERIF_SUMMARY	cytoplasmic relocalization of BRCA1 protein is a mechanism whereby BRCA1 function is regulated in response to DNA damage
Literature	GENERIF_SUMMARY	interaction with claspin regulates cell proliferation
Literature	GENERIF_SUMMARY	Our results suggest that there is a field effect of early genetic events preceding morphologic changes in the mammary glands of BRCA mutation carriers.
Literature	GENERIF_SUMMARY	BRCA1 cooperates with NUFIP and P-TEFb to activate transcription by RNA polymerase II
Literature	GENERIF_SUMMARY	single point mutations that disrupted the amino-terminal RING domain of BRCA1 caused significant suppression of cell growth
Literature	GENERIF_SUMMARY	The phosphorylated serine 990 and phenylalanine 993 of BACH1 anchor the binding to BRCA1 through specific interactions with a surface cleft at the junction of the two BRCT repeats.
Literature	GENERIF_SUMMARY	BRCA1 mutations could not be detected among unrelated non-Ashkenazi-Jewish high risk families in Israel.
Literature	GENERIF_SUMMARY	Geographical clustering suggest a founder effect for particular BRCA1 mutations and gene carrier detection in French families with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	the X-ray crystal structure at a resolution of 1.85 A of the BRCA1 tandem BRCT domains in complex with a phosphorylated peptide representing the minimal interacting region of the DEAH-box helicase BACH1.
Literature	GENERIF_SUMMARY	the N-terminal repeat harbors a conserved BRCT phosphoserine-binding pocket, while the interface between the repeats forms a hydrophobic groove that recognizes the PHE; the structural integrity of both binding sites is essential for peptide recognition.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 complexes act as an adaptor to mediate phosphorylation of p53, influencing G(1)/S cell cycle progression after DNA damage.
Literature	GENERIF_SUMMARY	data indicate that the cell cycle-dependent pattern of BRCA1 tumor suppressor expression is determined in part by ubiquitin-dependent proteasomal degradation
Literature	GENERIF_SUMMARY	Identification and evaluation of 55 genetic variations in the

Main Category	Category	Terms
		BRCA1 and the BRCA2 genes of patients from 50 Japanese breast cancer families
Literature	GENERIF_SUMMARY	RAD51D polymorphism is not associated with BRCA1 or 2 genes in breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 may have a role in pancreatic carcinogenesis of noninherited tumors
Literature	GENERIF_SUMMARY	The proliferation of MCF-7 cells induced by E2 was significantly inhibited by PD98059, a specific ERK inhibitor, or by dominant negative ERK2 expression and by expression of wt BRCA1 (but not mutant BRCA1).
Literature	GENERIF_SUMMARY	Brca1 and Chk1 are regulated by MCPH1 during DNA damage in tumor cell lines
Literature	GENERIF_SUMMARY	Taken together, these data suggest a direct link between the BRCA1 185delAG mutation and alterations in the caspase-mediated apoptotic pathway.
Literature	GENERIF_SUMMARY	BRCA1 is required for common-fragile-site stability via its G2/M checkpoint function
Literature	GENERIF_SUMMARY	Our findings identify a novel apoptosis inhibitory function of BARD1 and suggest that nuclear retention of BRCA1-BARD1 complexes contributes to both DNA repair and cell survival.
Literature	GENERIF_SUMMARY	Data show that the BRCA1 C-terminal region can negatively modulate phosphorylation levels of the RNA polymerase II carboxy-terminal domain by the Cdk-activating kinase (CAK) in vitro.
Literature	GENERIF_SUMMARY	Known hereditary mutations in the BRCA gene can efficiently be analyzed in serum samples collected and stored over several decades
Literature	GENERIF_SUMMARY	The occurrence of changes in BRCA1 gene mutation in women with familial ovarian cancer is more frequent than with familial breast neoplasms.
Literature	GENERIF_SUMMARY	2 cases of monoallelic BRCA1 expression were detected, one of which was only revealed by allele-specific expression analysis.
Literature	GENERIF_SUMMARY	Patients with bilateral breast cancer having BRCA1 mutations are significantly younger than non-carriers.
Literature	GENERIF_SUMMARY	We wanted to clarify the proportion of breast cancer attributable to mutations in BRCA1 in an unselected breast cancer population from the Stockholm region
Literature	GENERIF_SUMMARY	We report here the characterization of two novel BRCA1 mutations identified in families seen in our cancer risk evaluation clinic that alter splice donor sites of BRCA1
Literature	GENERIF_SUMMARY	M1628T had the same transcriptional activity as wild-type BRCA1 but V1804D and the empty vector control showed a 60% reduction. The latter is deleterious, the former is not.
Literature	GENERIF_SUMMARY	A novel pathogenic germline mutation, BRCA1 c.5445G>A, was found in a screening of sporadic Korean breast cancer

Main Category	Category	Terms
		patients, along with 3 new polymorphic and 6 new intronic variants of unknown clinical significance.
Literature	GENERIF_SUMMARY	The loss of the wild-type allele inherited from the unaffected parent (LOH), commonly observed in the primary breast and ovarian tumors in these susceptible women, represents the event that initiates the tumorigenesis process.
Literature	GENERIF_SUMMARY	BRCA1 truncating mutations do not account for the linkage evidence on chromosome 17 observed hereditary prostate cancer families
Literature	GENERIF_SUMMARY	we show a requirement for Rad17 and Hus1 to induce G(2) arrest as well as Vpr-induced phosphorylation of histone 2A variant X (H2AX) and formation of nuclear foci containing H2AX and breast cancer susceptibility protein 1
Literature	GENERIF_SUMMARY	BRCA1 protects cells against oxidative stress.
Literature	GENERIF_SUMMARY	C-terminal NMR structure of BRCA1
Literature	GENERIF_SUMMARY	RING and BRCT domains together target BRCA1 to large focal assemblies at DNA double-stranded breaks
Literature	GENERIF_SUMMARY	the central region of BRCA1 may act as a long flexible scaffold for intermolecular interactions, thereby helping to integrate multiple signals in the DNA damage response pathway
Literature	GENERIF_SUMMARY	Phosphorylated BRCA1 is predominantly located in the nucleus and mitochondria.
Literature	GENERIF_SUMMARY	the 4153delA BRCA1 mutation confers a comparatively low risk of breast cancer
Literature	GENERIF_SUMMARY	CDK2-BRCA1-Nucleophosmin pathway coordinately functions in cell growth and tumor progression pathways
Literature	GENERIF_SUMMARY	a partial BRCA1
Literature	GENERIF_SUMMARY	The c.3862delG (3981delG) frameshift mutation (p.E1288fsX1306) is a novel gene alteration.
Literature	GENERIF_SUMMARY	coordinating role of BRCA1 in gene expression may ensure the appropriate quantity and quality of the mature transcripts for certain breast and ovarian cancer-related genes, as well as the genetic integrity of the breast and ovary tissues
Literature	GENERIF_SUMMARY	results reveal unique characteristics of BRCA1/2 mutation, genotype-phenotype & prognosis in moderate- & low-risk individuals of Greek ancestry; breast cancer due to mutations in BRCA1 & BRCA2 appears to be a heterogeneous syndrome in Greek population
Literature	GENERIF_SUMMARY	ERK1/2 signaling has a critical role in the regulation of BRCA1 function on controlling the G2/M checkpoint responses
Literature	GENERIF_SUMMARY	BRCA1-dependent DNA repair in response to a DNA damaging agent is suppressed by TGFbeta1/Smad3

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 is rarely expressed in breast cancer of Kuwaiti patients and correlates with parameters of poor prognosis
Literature	GENERIF_SUMMARY	There may be a genetic predisposition toward pancreatic neoplasms via BRCA1.
Literature	GENERIF_SUMMARY	The BRCA1-IRIS is a novel product of the breast cancer susceptibility locus BRCA1.
Literature	GENERIF_SUMMARY	The BRCA1-IRIS is a novel product of the breast cancer susceptibility locus BRCA1.
Literature	GENERIF_SUMMARY	BRCA1 contains at least two leucine-dependent nuclear export sequences
Literature	GENERIF_SUMMARY	results lead to conclusion that, in colon epithelial cells, the expression level of the K18 gene is kept in check by a repression mechanism involving CtBP1, HDAC & BRCA1; mechanism is altered in SW613-S colon carcinoma cells that overexpress the K18 gene
Literature	GENERIF_SUMMARY	PCR assay was used for determining the prevalence of five BRCA1 rearrangement mutations that previously had been reported to occur in unrelated patients.
Literature	GENERIF_SUMMARY	Ab-1 is the most reliable antibody for detecting BRCA1 expression in formalin-fixed paraffin-embedded tissues
Literature	GENERIF_SUMMARY	Mutation of the BRCA1 gene is associated with Czech ovarian cancer patients
Literature	GENERIF_SUMMARY	BRCA1 and BARD1 can ubiquitinate phosphorylated RNA polymerase II
Literature	GENERIF_SUMMARY	BRCA1/2 mutation screening should be considered for all women diagnosed before age 41.
Literature	GENERIF_SUMMARY	There is no significant effect of AIB1 genetic variation on breast cancer risk in BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	role of BRCA1 and BRCA2 mutation in pre-disposition to ovarian cancer.
Literature	GENERIF_SUMMARY	The 1708E variant was associated with the disruption of different cellular functions of BRCA1.
Literature	GENERIF_SUMMARY	Germline mutations within breast cancer susceptibility genes, such as BRCA1 and BRCA2 are associated with a major risk of breast cancer during lifetime.
Literature	GENERIF_SUMMARY	BRCA1 participates in DNA decatenation and in the maintenance of genomic stability.
Literature	GENERIF_SUMMARY	BRCA1 is involved in secretion of certain paracrine/ autocrine factors that induce mammary epithelial cell differentiation in response to extracellular matrix signals
Literature	GENERIF_SUMMARY	the BRCA1 promoter is positively regulated by 53BP1
Literature	GENERIF_SUMMARY	Distribution of BRCA1 and BRCA2 mutations in a cohort of young women with breast cancer compared as a function with race.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 interacts with human papillomavirus oncoproteins.
Literature	GENERIF_SUMMARY	women with a BRCA1 protein mutation and 4 or more children had a 38% decrease in breast cancer risk compared to nulliparous women, while among BRCA2 protein carriers, increasing parity was associated with an increased risk of breast cancer
Literature	GENERIF_SUMMARY	BRCA1 has two evolutionarily conserved noncoding regulatory sequences (CNS) in intron 2, 5 kb downstream of the core BRCA1 promoter.
Literature	GENERIF_SUMMARY	nm23H1 protein could effectively restrain gastric cancer metastasis and development; and BRCA1 protein could restain tumor from becoming lower differentiation.
Literature	GENERIF_SUMMARY	BRCA1 mutations and polymorphisms were evaluated in a hospital-based consecutive series of breast cancer patients in Italy.
Literature	GENERIF_SUMMARY	analysis of Alu element insertions within the BRCA1/2 coding sequences
Literature	GENERIF_SUMMARY	Carboplatin caused slightly less damage at equimolar concentrations in cells than in cell-free BRCA1 fragment.
Literature	GENERIF_SUMMARY	BRCA1 promotes accurate DSB repair during various phases of the cell cycle [review]
Literature	GENERIF_SUMMARY	BRCA1 regulates the activity of progesterone, a major hormone of pregnancy that may also participate in mammary carcinogenesis.
Literature	GENERIF_SUMMARY	ASPM may be involved in mitotic spindle function, possibly, through regulation of BRCA1
Literature	GENERIF_SUMMARY	BRCA1-dependent ubiquitination inhibits centrosomal microtubule nucleation activity
Literature	GENERIF_SUMMARY	Mutational analysis of BRCA1/2 genes in 151 high-risk patients characterized the spectrum of gene alterations and demonstrated the dominant role of the BRCA1 c.5266dupC allele in hereditary breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Weight loss in early adult life (age 18 to 30) protects against early-onset BRCA1 associated breast cancers.
Literature	GENERIF_SUMMARY	BRCA1 is upregulated both in human male and female germ cells and in preimplantation embryos; its dysfunction might alter human embryogenesis or fertility.
Literature	GENERIF_SUMMARY	BRCA1 modulates aromatase expression in ovarian granulosa cells and primary preadipocytes; transient knockdown of BRCA1 enhances aromatase expression in both ovarian granulosa cells and primary preadipocytes
Literature	GENERIF_SUMMARY	Model for BRCA1 carcinogenesis in which genomic instability leads to the initiation of cancerous cell clones (review)
Literature	GENERIF_SUMMARY	We identify the first BRCA1 alternative splice variant containing an additional in-frame exon. This previously

Main Category	Category	Terms
		unknown exon 13A-containing transcript is generated by the insertion of 66 nucleotides between exons 13 and 14.
Literature	GENERIF_SUMMARY	Data suggest that the microcephaly observed in patients with MCPH1 deficiencies is due to disruption of the ATR-BRCA1-Chk1 signaling pathway that is also disrupted in Seckel syndrome patients.
Literature	GENERIF_SUMMARY	Individuals receiving BRCA1 test results who learn that they are not carriers of a deleterious mutation for breast or ovasrian cancer may experience psychologic benefits.
Literature	GENERIF_SUMMARY	TP53 mutations in BRCA1 mutation carriers do not appear to have a role in progression of ovarian neoplasms
Literature	GENERIF_SUMMARY	Our findings support a model in which an Estrogen Receptor alpha/AP-1 complex modulates BRCA-1 transcription under conditions of estrogen stimulation.
Literature	GENERIF_SUMMARY	these data implicate BRCA1 and the H2AX kinase in replication of facultative heterochromatin on the inactive X chromosome
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast and ovarian cancer
Literature	GENERIF_SUMMARY	testing of 4153delA, 5382insC, C61G BRCA1 mutations should be extremely effective and inexpensive tool in testing Lithuanian population aimed to identify individuals with high risk of breast and ovarian cancers
Literature	GENERIF_SUMMARY	Excludes the frequent occurrence of large genomic alterations in the BRCA1 gene in Finland amd concludes that there are still unknown breast cancer susceptibility gene(s) that are responsible for breast cancer predisposition.
Literature	GENERIF_SUMMARY	BRCA1 could play a role in telomere protection.
Literature	GENERIF_SUMMARY	The frequency of the hereditary ovarian carcinoma is attributed to BRCA1 gene mutation.
Literature	GENERIF_SUMMARY	BRCA1 affects lipogenesis through binding to P-ACCA, suggesting a new mechanism by which BRCA1 may exert a tumor suppressor function
Literature	GENERIF_SUMMARY	identifies high expression of FOXA1 in breast cancer cell lines and tissues; role for BRCA1 in the regulation of p27(Kip1) transcription and a possible interaction with BRCA1 discovered
Literature	GENERIF_SUMMARY	The data suggest applying an increased level of clinical alertness to those with defects in BRCA-related pathways.
Literature	GENERIF_SUMMARY	study proposes a new mechanism by which estrogen receptors and retinoic acid receptors regulate BRCA1-mediated DNA repair by means of CBP
Literature	GENERIF_SUMMARY	The telomere dysfunction phenotype in Brca1-deficient cells of transgenic mice suggests that loss of telomere integrity might contribute to chromosome end dysfunction and permit the formation of potentially oncogenic

Main Category	Category	Terms
		translocations.
Literature	GENERIF_SUMMARY	Salpingo-oophorectomy, despite being quite a radical preventive method, might offer protection for the carriers against life-threatening silently-developing cancer.
Literature	GENERIF_SUMMARY	results demonstrate that DNA damage-induced ATM activation requires a coordinated assembly of BRCA1, BAAT1, and ATM
Literature	GENERIF_SUMMARY	Prophylactic salpingo-oophorectomies from women with BRCA mutations (BRCA+) have identified the tube as a frequent site of early pelvic serous carcinoma (tubal intraepithelial carcinoma [TIC]).
Literature	GENERIF_SUMMARY	This review will survey the known ubiquitination substrates of BRCA1 and suggest how these reactions may influence the genomic stability and proliferation of breast cells.
Literature	GENERIF_SUMMARY	while the Norwegian haplotype including 1135insA represents an ancient Norwegian mutation, the same mutation has occurred independently in the other populations examined
Literature	GENERIF_SUMMARY	Low expression of BRCA1 was associated with colorectal cancer
Literature	GENERIF_SUMMARY	epidemiologic study of BRCA1-positive breast cancers in young women from Poland
Literature	GENERIF_SUMMARY	Self-assembly has profound consequences for the processive formation of polyubiquitin (poly-Ub) chains in ubiquitination reactions directed by the breast and ovarian cancer tumor susceptibility protein BRCA1.
Literature	GENERIF_SUMMARY	Normal amounts of BRCA1 function in hypoxia to regulate HIF-1alpha stability, probably by interacting with HIF-1alpha, leading to reduced levels of VEGF.
Literature	GENERIF_SUMMARY	Carrying a BRCA1 or BRCA2 mutation is not a risk factor for spontaneous abortions but may be associated with frequency of induced abortion.
Literature	GENERIF_SUMMARY	xenobiotic (TCDD) treatments of breast cancer cells containing reduced levels of BRCA1 cause the transcription factor ARNT to become unstable
Literature	GENERIF_SUMMARY	The effects of BRCA1 intron variants on mRNA splicing and expression.
Literature	GENERIF_SUMMARY	Our comparison of binding by wild-type and mutant domains indicates the sequence specificity of BRCA1-p53 interaction.
Literature	GENERIF_SUMMARY	the whole BRCA1 protein interacts with ACCA when phosphorylated on Ser1263.
Literature	GENERIF_SUMMARY	down regulation of BRCA1 protein and loss of heterozygosity correlated with the clinicopathological parameters in the pathogenesis of sporadic breast cancer women in Chennai (South India).

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	There is a low prevalence of BRCA1 exon rearrangements in familial and young sporadic breast cancer patients.
Literature	GENERIF_SUMMARY	Women who had developed breast cancer under the age of 40 and who were identified as BRCA1 or BRCA2 mutation carriers experienced devastation, loneliness and isolation.
Literature	GENERIF_SUMMARY	BRCA1 could act as a CTD kinase inhibitor and, as such, contribute to the regulation of p21 gene expression
Literature	GENERIF_SUMMARY	The G2/M checkpoint-mediated arrest of the cell cycle is critical for the prevention of both apoptosis and the accumulation of cells with rereplicated DNA, because the loss of ATR, BRCA1, or FANCA promotes apoptosis and suppresses the accumulation.
Literature	GENERIF_SUMMARY	Results suggest that the charge and stechiometry variations determined by the changes in the amino acids Y179C, F486L and N550H in BRCA1 might produce an effect on the conformation of the protein and, consequently, on its function in breast cancer.
Literature	GENERIF_SUMMARY	Analysis resulted in the identification of 25 and 52 variants in the BRCA1 and BRCA2 genes, respectively in breast or ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is common (9%) among unselected young breast cancer patients undergoing BCT.
Literature	GENERIF_SUMMARY	provide evidence that gross rearrangements within the breast and ovarian cancer susceptibility protein 1(BRCA1) gene locus may be as frequent as 3% in primarily mutation-negative tested high-risk familial breast and ovarian cancer of German ancestry
Literature	GENERIF_SUMMARY	Earlier menopause in carriers of the BRCA1 mutation is associated with hypergonadotropic activity and may predispose to ovarian cancer at a younger age
Literature	GENERIF_SUMMARY	BRCA1 modulates protein synthesis via its interaction with PABP, providing a novel mechanism by which BRCA1 may exert its tumor suppressor function
Literature	GENERIF_SUMMARY	No BRCA1/2 genomic rearrangements found in high-risk French-Canadian breast/ovarian cancer families.
Literature	GENERIF_SUMMARY	Results show that wild type BRCA1 specifically represses the expression of osteopontin, a multifunctional estrogen-responsive gene implicated in oncogenic transformation, particularly that of the breast.
Literature	GENERIF_SUMMARY	Describes genetic screening program for breast neoplasms based on BRCA1 mutations.
Literature	GENERIF_SUMMARY	BRCA1 can regulate the functions of its substrates through nonproteasomal pathways that do not involve substrate degradation.
Literature	GENERIF_SUMMARY	Study identified a specific spectrum of germline BRCA1/BRCA2 mutations in Portuguese families with inherited predisposition to breast/ovarian cancer and found evidence for genetic anticipation regarding age of diagnosis in

Main Category	Category	Terms
		succeeding generations.
Literature	GENERIF_SUMMARY	Microsatellite instability (MSI) of BRCA1 gene could be used as a molecular marker in early phases of sporadic gastric cancer in Chinese population.
Literature	GENERIF_SUMMARY	In present study one Ex20insC mutations of BRCA1 gene was identified in women with breast cancer.
Literature	GENERIF_SUMMARY	The objective in this study was to determine the frequency of large genomic rearrangements in BRCA1 and BRCA2 in a large group of Danish families with increased risk of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Results suggest that, besides its role in maintaining genomic stability, BRCA1 directly regulates the expression of angiogenic factors to modulate the tumor microenvironment.
Literature	GENERIF_SUMMARY	Identification of 13 novel variants including two deleterious truncating mutations and two potentially pathogenic missense mutations on the BRCA1 and BRCA2 genes
Literature	GENERIF_SUMMARY	A novel signaling pathway links BRCA1-IRIS to cellular proliferation through c-Jun/AP1 nuclear pathway; finally, this culminates in the increased expression of the cyclin D1 gene.
Literature	GENERIF_SUMMARY	Testing strategy with an initial test using a panel of reported recurrent mutations, followed by full sequencing predicts prevalence of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Breast cancer cells lacking cancer predisposition genes BRCA1 are more sensitive to cyclin-depende kinase inhibitors.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 mutations in breast cancer cases among racial and age groups and show key predictors of carrier status for both White and Black women and women.
Literature	GENERIF_SUMMARY	These results suggest that heregulin-mediated growth inhibition in HER4-postive breast cancer cells requires BRCA1.
Literature	GENERIF_SUMMARY	Selective inhibition of aromatase expression by BRCA1 binding to the I.3/II tumorigenic promoter region may be an important protective mechanism against breast cancer development.
Literature	GENERIF_SUMMARY	Role for BRCA1 in modulating estrogen biosynthesis in Adipose stem cells, contributing to its tissue-specific tumor suppressor function.
Literature	GENERIF_SUMMARY	Results show that in the presence of a premature termination codon at position 36 or 39, translation reinitiation occurs in the BRCA1 minigenes at position 128.
Literature	GENERIF_SUMMARY	We have compared the X inactivation pattern in lymphoblastoid cell lines from 38 females carrying heterozygous BRCA1 mutation to 41 controls. X inactivation analysis was assessed on the polymorphic CAG repeat within the human androgen receptor gene.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Ninteen percent of the women who developed both invasive breast and ovarian tumors carried one of the analyzed BRCA1 gene mutations but none of the women were positive for the analyzed BRCA2 mutation.
Literature	GENERIF_SUMMARY	BRCA1 is a tumor suppressor gene and is known to be responsible for breast cancer and breast-ovarian cancers running in families.
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 mutations from Korean breast cancer patients using denaturing HPLC
Literature	GENERIF_SUMMARY	distinct single nucleotide changes in the BRCT domain of BRCA1 affect binding of this protein to the tumor suppressor p53
Literature	GENERIF_SUMMARY	Cav-1 induced the cytoplasmic sequestration of BRCA1.
Literature	GENERIF_SUMMARY	infrequent presence of germline BRCA1 mutations in our study agree with the idea that a great proportion of moderate risk breast cancer population could be due to the susceptibility genes distinct from BRCA1
Literature	GENERIF_SUMMARY	Effective strategies have been developed to reduce the risk for the development of breast and ovarian cancer in women with BRCA1/2 mutations, making genetic testing for these mutations an important part of the management. [REview]
Literature	GENERIF_SUMMARY	Breast cancers arising in BRCA1 and BRCA2 mutation carriers appear to have specific pathological and gene expression profiles, which show a high level of concordance. BRCA1 tumors are high-grade and negative for hormone receptors. [REVIEW]
Literature	GENERIF_SUMMARY	Evidence for BRCA1 pathway dysfunction in sporadic basal-like breast cancers, and clinical significance of the basal-like phenotype for cancer genetics and treatment. [Review]
Literature	GENERIF_SUMMARY	Possible effects of BRCA1 transcriptional regulation on downstream targets with known roles in cell cycle control. [REVIEW]
Literature	GENERIF_SUMMARY	Findings show that BRCA1 mutations account for a substantial proportion of hereditary breast/ovarian cancer and early-onset breast and ovarian cancer cases in Pakistan.
Literature	GENERIF_SUMMARY	Tumor cells having disruptions in BRCA1/2 network genes and TP53 together are more sensitive to cisplatin than cells with either disruption alone.
Literature	GENERIF_SUMMARY	BRCA1 mutations appear to account for a lower proportion of breast cancer patients at increased risk of harboring such mutations in Northern India
Literature	GENERIF_SUMMARY	The P1812A and P25T BRCA1 mutations are not likely to be founder mutations in non-Ashkenazi Jewish families with high risk of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	in conclusion, the BRCA1-Gln356 allele presents risk factor in the onset and progression of breast cancer in Czech population

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that reduced BRCA1 expression owing to promoter hypermethylation is frequent in therapy-related acute myeloid leukemia and that this could contribute to secondary leukaemogenesis.
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 gene are associated with an increased risk of breast and ovarian cancer. Estimating the penetrance of a mutation using different approaches, we found that both the choice of study population and statistical method affect the results
Literature	GENERIF_SUMMARY	no evidence for poorer short-term survival in BRCA1 mutation carriers compared to non-carriers with breast cancer
Literature	GENERIF_SUMMARY	functional polymorphisms in the MTHFR gene modify the risk of breast and may potentially alter the risk of ovarian cancer in women with BRCA1, an inherited predisposition
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutation status have roles in inter-cell-line phenotypic variability after irradiation of lymphoblastoid cell lines
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 mutations in breast cancer patients from Brazil
Literature	GENERIF_SUMMARY	findings show that BRCA mutations account for a substantial proportion of hereditary breast/ovarian cancer in Colombia
Literature	GENERIF_SUMMARY	Repressors of BRCA1 expression may facilitate the development of strategies based on disruption of these interactions to rescue BRCA1 expression in human tumors.
Literature	GENERIF_SUMMARY	These findings implicate BRCA1 in replication-linked maintenance of centric/pericentric heterochromatin and suggest a novel means whereby BRCA1 loss may contribute to genomic instability and cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations may be more frequent in general populations than previously thought and may be associated with various types of cancers.
Literature	GENERIF_SUMMARY	These data suggest that BRCA2 mutation carriers with ovarian cancer may have better survival than BRCA1 carriers and non-carriers.
Literature	GENERIF_SUMMARY	analysis of nonconserved residues that enforced p53 core domain binding with BRCA1-BRCT in a way similar to p53-53BP1 binding
Literature	GENERIF_SUMMARY	The obtained results indicate that alteration in the RAD51 region may contribute to the disturbances of DNA repair involving RAD51 and BRCA1 and thus enhance the risk of breast cancer development.
Literature	GENERIF_SUMMARY	The ubiquitin-proteasome degradation pathway plays a significant role in the coordinated protein stability of BRCA1 and its partner BARD1 in ovarian granulosa cells.
Literature	GENERIF_SUMMARY	The ITGB3_Leu33Pro polymorphism may potentially increase the risk of ovarian cancer in Polish women with an

Main Category	Category	Terms
		inherited BRCA1 mutation.
Literature	GENERIF_SUMMARY	identified a BRCA1 mutation with a possible founder effect
Literature	GENERIF_SUMMARY	in response to irofulven, BRCA1 contributes to the control of S and G(2)/M cell cycle arrest and is critical for repairing DNA double-strand breaks and for RAD51-dependent homologous recombination
Literature	GENERIF_SUMMARY	found a novel BRCA1 mutation in a family of Palestinian origin with a history highly compatible with BRCA1 phenotype
Literature	GENERIF_SUMMARY	Identification of cancer-specific splice forms of BRCA1 protein.
Literature	GENERIF_SUMMARY	Epimutation is an unlikely explanation for hereditary breast cancer in women who test negative for BRCA mutations.
Literature	GENERIF_SUMMARY	investigation of the contribution of BRCA-1 and BRCA-2 germline mutations to the clinical features and outcome in 66 Italian women with early-onset breast cancer
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast ans ovarian cancer
Literature	GENERIF_SUMMARY	deregulated expression of BRCA1-IRIS is likely to reduce dependence on normal physiological growth stimuli
Literature	GENERIF_SUMMARY	BRCA1 plays a role in cellular repair of oxidatively induced DNA lesions
Literature	GENERIF_SUMMARY	low mRNA and protein expression in the BRCA1/BRCA2 and XRCC5 genes occur in lung adenocarcinoma and squamous cell carcinoma, respectively, and promoter hypermethylation is the predominant mechanism in deregulation of these genes
Literature	GENERIF_SUMMARY	A role for BRCA1/2 mutations in colorectal cancer risk in a subgroup of breast cancer and/or ovarian cancer affected carriers.
Literature	GENERIF_SUMMARY	analysis of BRCA1 gene was carried out in 56 Slovak breast/ovarian cancer families; 4 mutations accounted for 61.3% of all detected pathogenic mutations in BRCA1, and there also was a large scale of low frequency disease causing mutations
Literature	GENERIF_SUMMARY	These results suggest a possible role for BRCA1 in modulating cisplatin sensitivity in head and neck cancer cells.
Literature	GENERIF_SUMMARY	substantial levels of aberrant methylation, in the fluid from the breasts of healthy BRCA mutation carriers
Literature	GENERIF_SUMMARY	FANCD2 expression is absent in 10-20% of sporadic and BRCA1-related breast cancers, indicating that somatic inactivating (epi)genetic events in FANCD2 may be important in both sporadic and hereditary breast carcinogenesis
Literature	GENERIF_SUMMARY	BRCA1 genomic rearrangements is associated with breast

Main Category	Category	Terms
		and ovarian cancer
Literature	GENERIF_SUMMARY	Our findings suggest that in Central Sudan BRCA1/2 represent an important etiological factor of breast cancer in males and young women less exposed to pregnancy and lactation.
Literature	GENERIF_SUMMARY	Cyclin D1/cdk4-mediated phosphorylation of BRCA1 inhibits the ability of BRCA1 to be recruited to particular promoters in vivo.
Literature	GENERIF_SUMMARY	These data suggests that, at least part of the biological actions of insulin-like growth factor-I in mammary gland cells may be mediated through BRCA1.
Literature	GENERIF_SUMMARY	We show that BRCA1, signal transducer and activator of transcription (STAT)-1, and STAT2 are all required for the induction of IRF-7 following stimulation with IFN-gamma.
Literature	GENERIF_SUMMARY	BRCA1 splice variant BRCA1a/p110 can induce apoptosis of human breast, ovarian and prostatic cancer cells.
Literature	GENERIF_SUMMARY	BRCA1 is a ubiquitin ligase expressed in a wide range of tissues.
Literature	GENERIF_SUMMARY	BRCA1 C-terminal domain is implicated in recombination control.
Literature	GENERIF_SUMMARY	analysis of BRCA1 disease-associated haplotypes in Singapore Malay women with early-onset breast/ovarian cancer
Literature	GENERIF_SUMMARY	BRCA1 enzymatic activity regulates transcriptional repression, during which the ubiquitin moiety itself interferes with the assembly of basal transcription factors at the promoter.
Literature	GENERIF_SUMMARY	Study in Brca1 mice demonstrates a possible increase in cancer risk following radiation, given the differences of phenotypes of Brca1 heterozygous mutation in mice and human.
Literature	GENERIF_SUMMARY	unlikely that annual screening will reduce mortality from ovarian cancer in BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	common polymorphisms in the ATM, BRCA1, BRCA2, CHEK2 and TP53 cancer susceptibility genes are not shown to increase breast cancer risk
Literature	GENERIF_SUMMARY	These findings implicate Akt in upstream events leading to BRCA1 nuclear localization and function.
Literature	GENERIF_SUMMARY	Regulation of the BRCA1 promoter in ovarian cells.
Literature	GENERIF_SUMMARY	the genomic instability observed in normal cells from BRCA1 and BRCA2 mutation carriers is associated with a down-regulation of nuclear BRCA1 protein accumulation in dot like structures
Literature	GENERIF_SUMMARY	These findings point to the existence of an association of ERBB2 allelic variants at both loci with specific breast tumor phenotypes.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	two BRCA1 mutations, 5382insC and G1738R, both located in exon 20, account for 46% of the families found to carry a mutation in Greek breast/ovarian cancer families.
Literature	GENERIF_SUMMARY	presence of BRCA1 and BRCA2 rearrangements among Asian patients with early onset or familial history of breast or ovarian cancer
Literature	GENERIF_SUMMARY	Carriers of BRCA1 mutations fare significantly worse than carriers of BRCA2, even when their tumors are diagnosed at an apparently early stage.
Literature	GENERIF_SUMMARY	IGF1-19/-19 genotype was significantly more common among BRCA1 mutation carriers (14.2%) than among non-carriers (4.8%)
Literature	GENERIF_SUMMARY	Breast cancers among BRCA1 carriers frequently do not exhibit sensitivity to docetaxel in the neo-adjuvant setting. It is likely that normal BRCA1 is required for clinical response to mitotic spindle poisons.
Literature	GENERIF_SUMMARY	thermal unfolding of variant V1833M is only moderately affected relative to wild-type BRCT
Literature	GENERIF_SUMMARY	illustrate a molecular mechanism for estrogen/ERalpha signals in BRCA1-associated tissue-specific tumor formation, and identify key elements in estrogen/ERalpha-signaling cascade that may serve as therapeutic targets for BRCA1-associated tumorigenesis
Literature	GENERIF_SUMMARY	among carriers of BRCA1 or BRCA2 mutations, the cumulative lifetime risk of developing breast cancer is 50-60% and the equivalent risk of ovarian cancer is 20-40% in Australian women
Literature	GENERIF_SUMMARY	Regulates Akt signaling and the PI3K/Akt pathway modulates the ability of BRCA1 to repress estrogen receptor-alpha.
Literature	GENERIF_SUMMARY	roles for BRCA1 in both mammary gland development and in tumor suppression against mutagen-induced mammary gland neoplasia
Literature	GENERIF_SUMMARY	BRCA1 was present in brain tissue of all cases of Alzheimer disease.
Literature	GENERIF_SUMMARY	event free survival of women with familial breast cancer affected by a second primary cancer, who are BRCA1 mutation carriers is better
Literature	GENERIF_SUMMARY	The RAP80-Abraxas complex may help recruit BRCA1 to DNA damage sites in part through recognition of ubiquitinated proteins
Literature	GENERIF_SUMMARY	data support a model wherein ubiquitin chains at DNA damage sites are used as a targeting mechanism by specific BRCA1 complexes; RAP80 may represent a new class of DNA repair proteins that uses tandem UIM domains as part of its recruitment to DSBs
Literature	GENERIF_SUMMARY	identification of receptor-associated protein 80 (RAP80) as a BRCA1-interacting protein in humans

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 requires BARD1 for targeting to different types of DNA lesion, and that distinct C-terminal sequences mediate selective recruitment to sites of double- or single-strand DNA damage.
Literature	GENERIF_SUMMARY	by combining multiple approaches to assess the genetics and epigenetics of a large series of BRCA1 primary tumors, we can conclude definitively that BRCA1 is not required for XIST RNA coating of the X chromosome
Literature	GENERIF_SUMMARY	The mutation of BRCA1 gene may be related to Uigur women breast cancer and bilateral breast cancer.
Literature	GENERIF_SUMMARY	Screening for large genomic rearrangements in the BRCA1 gene in the Czech high-risk patients is highly supported by this study
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers without cancer had increased chromosome breaks as well as breaks and gaps per cell post irradiation
Literature	GENERIF_SUMMARY	Variation in the BRCA1 gene is associted with prostate cancer
Literature	GENERIF_SUMMARY	review of some of the most well-known and significant examples of founder mutations in BRCA genes found in European and non-European populations [review]
Literature	GENERIF_SUMMARY	4843delC, a deleterious mutation of the BRCA1 gene, is due to a founder effect originating in the Sicilian region of Italy.
Literature	GENERIF_SUMMARY	Correlation was observed between promoter methylation and loss of protein expression confirming our hypothesis that promoter methylation is an important mechanism for transcriptional silencing of these genes in breast cancer
Literature	GENERIF_SUMMARY	identify a new post-transcriptional regulatory axis and a novel mechanism for modulating the levels of BRCA1 protein, with possible implications for understanding the mechanisms underlying BRCA1 repression in breast cancer
Literature	GENERIF_SUMMARY	a direct physical interaction between BRCA1 and ATRIP is required for the checkpoint function of ATR
Literature	GENERIF_SUMMARY	BRCA1 activates a G2-M cell cycle checkpoint following 6-thioguanine-induced DNA mismatch damage
Literature	GENERIF_SUMMARY	the ubiquitin-interacting motif containing protein RAP80 interacts with BRCA1 and functions in DNA damage repair response
Literature	GENERIF_SUMMARY	High-risk patients with BRCA1-negative tumors should be screened first for BRCA2 gene.
Literature	GENERIF_SUMMARY	BRCA1- and p53-deficient mouse mammary tumors exhibit dramatic genomic instability, and their molecular signatures resemble those of human BRCA1-mutated breast cancers.
Literature	GENERIF_SUMMARY	Mutations found in a significant proportion of women with ductal carcinoma in situ who presented for hereditary risk assessment.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Duration of oral contraceptive use, especially before first full-term pregnancy, may be associated with an increasing risk of breast cancer among both BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Four BRCA1 mutations were found in a sample of 64 families with a pedigree of male breast neoplasms.
Literature	GENERIF_SUMMARY	families appear to exhibit features most consistent with BRCA1 and BRCA2 carrier status
Literature	GENERIF_SUMMARY	PTEN germline mutations are rare
Literature	GENERIF_SUMMARY	Individuals homozygous for the 17GT allele for BRCA1 D17S1323 were more likely to have spina bifida lesions located caudally, while heterozygotes with the 17GT allele for BRCA1 D17S1323 had a more rostral lesion.
Literature	GENERIF_SUMMARY	From a population database of BRCA1 and 2 mutation carriers in Southwestern Ontario, Canada, we identified three women with advanced-stage endometrial cancer.
Literature	GENERIF_SUMMARY	We identified and characterized a novel large BRCA1 deletion in five unrelated families-four of Mexican ancestry and one of African and Native American ancestry, suggesting the possibility of founder effect of Amerindian or Mestizo origin.
Literature	GENERIF_SUMMARY	BRCA1/2 rearrangements is not advantageous in male breast neoplasm (MBC) cases not belonging to high-risk breast cancer families and that common CHEK2 mutations play an irrelevant role in MBC predisposition in Italy.
Literature	GENERIF_SUMMARY	Report an SNP haplotype analysis of BRCA1 gene in members of a hereditary breast and ovarian cancer led to a long deletion at a minimum of expns 11 through 18.
Literature	GENERIF_SUMMARY	Results point to a critical role for BACH1 helicase activity not only in the timely progression through the S phase by association with BRCA1/BRCA2, but also in maintaining genomic stability.
Literature	GENERIF_SUMMARY	Higher BTAK expression was found in ovarian cancer cells compared to ovaries without cancer but with known BRCA1/2 mutation or strong family history.
Literature	GENERIF_SUMMARY	BRCA1 5589del8 mutation is likely to be the ""founder mutation"" in Chinese population, but it should be confirmed by further studies."
Literature	GENERIF_SUMMARY	Inactivation of a single gene within the BRCA1 pathway can increase risks for multiple cancers and inactivation of a different gene in the same pathway may have similar effects.
Literature	GENERIF_SUMMARY	Data indicate that BRCA1 are the major susceptibility genes for ovarian cancer but that other susceptibility genes may exist.
Literature	GENERIF_SUMMARY	BRCA1 truncated protein could not be detected, even when nonsense-mediated mRNA decay (NMD) mechanism was inhibited. This suggests that BRCA1 truncated protein is

Main Category	Category	Terms
		unstable
Literature	GENERIF_SUMMARY	A mutation in the 5' UTR of the BRCA1 gene downregulates translational efficiency of the protein in breast cancer.
Literature	GENERIF_SUMMARY	An nsSNP (rs1800751) could be an important candidate for the breast cancer caused by the BRCA1 gene.
Literature	GENERIF_SUMMARY	BRCA1 is one of molecular targets of trichostatin A
Literature	GENERIF_SUMMARY	The greatest proportion of serous cancer risk in BRCA mutation-positive women should be assigned to the fimbria rather than the ovary.
Literature	GENERIF_SUMMARY	Data suggests that the IGF-IR gene is a physiologically relevant downstream target for BRCA1 action.
Literature	GENERIF_SUMMARY	downregulation of BRCA1 expression in MDA-MB-468 cells reduced the apoptotic response to TRAIL
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 mutations in Eastern Finnish breast/ovarian cancer families
Literature	GENERIF_SUMMARY	The prevalence of BRCA1 and BRCA2 germline mutations in high-risk breast cancer patients of Chinese Han nationality.
Literature	GENERIF_SUMMARY	Data suggest that BRCA1 has the ability to direct the synthesis of specific polyubiquitin chain linkages, depending on the E2 bound to its RING.
Literature	GENERIF_SUMMARY	G1738R is a BRCA1 founder mutation in Greek breast/ ovarian cancer patients
Literature	GENERIF_SUMMARY	it would have been difficult to map BRCA1 in an Ashkenazi case-unrelated control association study using anonymous markers that were linked to the founder mutations
Literature	GENERIF_SUMMARY	Self-image and self-disclosure concerning prophylactic mastectomy (PM) for women with a BRCA1/2 mutation.
Literature	GENERIF_SUMMARY	BRCA1 function might be lost in breast tumor cells not only through mutation, but also via abnormal cytoplasmic location.
Literature	GENERIF_SUMMARY	These findings strongly implicate MTA1 in the transcriptional repression of BRCA1 leading to abnormal centrosome number and chromosomal instability.
Literature	GENERIF_SUMMARY	prevalence of BRCA1 & BRCA2 mutations in breast cancer patients with affected relatives in Tunisia; 4 mutations in BRCA1 were detected, a novel frame-shift mutation (c.211dupA) & 3 other frameshift mutations--c.4041delAG, c.2551delG and c.5266dupC
Literature	GENERIF_SUMMARY	role of disease associated germ line mutations in BRCA1 gene among Chinese early-onset breast cancer patients
Literature	GENERIF_SUMMARY	The clinical significance of 1,433 sequence variants of unknown significance (VUSs) in the BRCA genes, was assessed.
Literature	GENERIF_SUMMARY	Estrogen receptor alpha and BRCA1 are specifically

Main Category	Category	Terms
		targeted for methylation in sporadic breast cancers
Literature	GENERIF_SUMMARY	Overexpression of the homologous recombinase RAD51 in a DT40 BRCA1Delta/Delta mutant rescues defects in proliferation, DNA damage survival, and homologous recombination.
Literature	GENERIF_SUMMARY	The site of first distant metastasis is different between BRCA1- and BRCA2-associated and sporadic breast cancer patients.
Literature	GENERIF_SUMMARY	High frequency of BRCA1/2 and p53 somatic inactivation in sporadic ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 or BRCA2 mutations have roles in breast cancer in smokers
Literature	GENERIF_SUMMARY	In our current cohort of 36 consecutive patients with uterine papillary serous carcinoma (not yet published), we have identified six cases of BRCA carriers (16%)
Literature	GENERIF_SUMMARY	data showed high prevalence of BRCA1 gene mutation among breast or breast/ovarian cancer families in South India and breast cancer patients having BRCA1 mutations were associated with poor prognosis
Literature	GENERIF_SUMMARY	Two variants of nucleotide sequence observed in the number of patients were classified as DNA polymorphisms (P871L and S1436S) rather than mutations as they were not tightly associated with the increased risk of breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 is not required for the ubiquitylation of human RNA polymerase II.
Literature	GENERIF_SUMMARY	Authors identified BRCA1/2 germline mutations in 21 (13.9%) patients. Seventeen (81%) of carriers have BRCA1 and four (19%) have BRCA2 mutation. BRCA1/2 carriers have a distinctly longer overall survival than sporadic cases.
Literature	GENERIF_SUMMARY	BRCA1 alters the response of breast cancer cells to antiestrogen therapy by directly modulating ER alpha expression.
Literature	GENERIF_SUMMARY	MDM2 SNP309 accelerates breast and ovarian carcinogenesis in BRCA1 and BRCA2 carriers of Jewish-Ashkenazi descent.
Literature	GENERIF_SUMMARY	we estimate selection on BRCA1 alleles leading to susceptibility to late-onset breast and ovarian cancer. For this, we integrate estimates of the risk of developing a cancer for BRCA1-carriers into population genetics frameworks
Literature	GENERIF_SUMMARY	In BRCA1 germline mutation related breast cancer, functional HIF-1alpha overexpression is seen at a much higher frequency than in sporadic breast cancer.
Literature	GENERIF_SUMMARY	Germline mutations in the BRCA1 or BRCA2 tumour-suppressor genes are strong predictors of breast and/or ovarian cancer development.
Literature	GENERIF_SUMMARY	Brca1 regulates Activation-induced cytidine deaminase-

Main Category	Category	Terms
		dependent DNA lesion repair and is required to recruit ubiquitinated FancD2 to DNA damage.
Literature	GENERIF_SUMMARY	evaluation of the risks of developing breast carcinoma for male BRCA1 and BRCA2 mutation carriers; both the relative and cumulative risks were higher for BRCA2 mutation carriers than for BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	there is no evidence of sex ratio skewing in offspring of female BRCA mutation carriers
Literature	GENERIF_SUMMARY	Silent-RNA-mediated downregulation of BRCA1 in primary human breast cancer gland tumor cells triggers upregulation of endogenous intracellular IGF-I in vitro.
Literature	GENERIF_SUMMARY	BRCA1 large genomic rearrangement is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	COBRA1 and BRCA1 may engage in common gene regulatory pathways to suppress breast cancer progression.
Literature	GENERIF_SUMMARY	The data presented here provide new insight into the role of endogenous BRCA1 as a mediator of apoptosis and show that BRCA1 functions as a molecular determinant of response to a range of cytotoxic chemotherapeutic agents.
Literature	GENERIF_SUMMARY	BRCA1 is an important protein, which affects 5F-203-mediated cytotoxicity.
Literature	GENERIF_SUMMARY	the human Ubc13/Rnf8 ubiquitin ligases control foci formation of the Rap80/Abraxas/Brca1/Brcc36 complex in response to DNA damage
Literature	GENERIF_SUMMARY	By controlling gamma-TuRC localization, BRCA1 appropriately inhibits centrosome function.Loss of BRCA1 may result in centrosome hyperactivity, supernumerary centrosomes & aneuploidy.
Literature	GENERIF_SUMMARY	Risk of prostate cancer in BRCA1 carriers varies with the position of the mutation
Literature	GENERIF_SUMMARY	BRCA1/2 mutations are significantly more common in Italian women who developed breast cancer
Literature	GENERIF_SUMMARY	Tumors grow quickly in women with BRCA1 mutations and in young women.
Literature	GENERIF_SUMMARY	support a role for BRCA1 mRNA expression as a predictive marker of survival in sporadic epithelial ovarian cancer.
Literature	GENERIF_SUMMARY	the BRCA1 interacting protein CTIP has a role in breast cancer
Literature	GENERIF_SUMMARY	analysis of breast cancer genes that may modify risk in BRCA1/2 mutation carriers
Literature	GENERIF_SUMMARY	Sixty-four Polish families with a history of breast and/or ovarian cancer were screened for mutations in the

Main Category	Category	Terms
		BRCA1/2 genes
Literature	GENERIF_SUMMARY	models used to analyze age-incidence curve of breast cancer in women carrying gerrmline BRCA1 or BRCA2 mutations; results suggest in carriers there are 2 events which may occur at rates similar to mutation rates for normal cells leading to breast cancer
Literature	GENERIF_SUMMARY	A modified natural IVF cycle is an effective and safe solution for BRCA1 or BRCA2 mutation gene carrier women with couple infertility.
Literature	GENERIF_SUMMARY	Founder BRCA1 mutation is associated with male breast cancer
Literature	GENERIF_SUMMARY	Increased somatic mutation frequency from a manifesting carrier of the Q1200X mutation in BRCA1.
Literature	GENERIF_SUMMARY	Data suggest that ubiquitination of topoisomerase IIalpha is dependent on oxidative stress, and that BRCA1 may be involved in the ubiquitination.
Literature	GENERIF_SUMMARY	study confirms that, among Ashkenazi ovarian cancer patients, BRCA1/2 mutations are associated with improved long-term survival
Literature	GENERIF_SUMMARY	BRCA1 p.Val1688del is a deleterious mutation that recurs in breast and ovarian cancer
Literature	GENERIF_SUMMARY	cell cycle-dependent complex formation of BRCA1, CtIP, and MRN contributes to the activation of HR-mediated DSB repair in the S and G(2) phases of the cell cycle.
Literature	GENERIF_SUMMARY	The CHEK2 1100delC mutation is not present in Korean patients with breast cancer cases tested for BRCA1 and BRCA2 mutation
Literature	GENERIF_SUMMARY	heterogeneous ethnicity increases the variety of BRCA1 and BRCA2 mutations that can be found in Spanish populations
Literature	GENERIF_SUMMARY	Since BRCA1/2 mutation carrier status is associated with more aggressive disease, it is a prognostic factor for PRCA outcome.
Literature	GENERIF_SUMMARY	BRCA1 exerts its tissue-specific function through the regulation of progesterone receptor and estrogen receptor-alpha [review]
Literature	GENERIF_SUMMARY	Mutation of BRCA1 gene is an indication of susceptibility to breast and ovarian neoplasms.
Literature	GENERIF_SUMMARY	Allelic imbalance affecting BRCA1 and to a lesser extent BRCA2 may contribute to both familial and non-familial forms of breast cancer.
Literature	GENERIF_SUMMARY	early radiation exposure may be a risk factor for breast cancer in BRCA1 carriers
Literature	GENERIF_SUMMARY	Overexpression of p53 with loss of p21 expression occurred significantly more frequently in high grade serous carcinomas with epigenetic loss of BRCA1, compared to high grade serous tumors without loss of BRCA1

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The 1499insA mutation shared by the investigated subjects was estimated to be present in an individual living about 30 generations ago or 750 years.
Literature	GENERIF_SUMMARY	BRCA1-5083del19 mutation carriers of two neighboring regions of Italy (Calabria and Sicily) may make it possible to identify the real ancestor of this mutation.
Literature	GENERIF_SUMMARY	Loss of BRCA1 may result in the accumulation of genetically unstable breast stem cells, providing prime targets for further carcinogenic events.
Literature	GENERIF_SUMMARY	Brca1-deficient mouse mammary tumors harbor heterogeneous cancer stem cell populations, and CD44+/ CD24- cells represent a population that correlates with human breast cancer stem cells.
Literature	GENERIF_SUMMARY	described method proved to be simple, cost-effective, easy to perform and rapid enough for routine use as a screening method in high-risk families where 5382insC mutation is the most common BRCA1 mutation
Literature	GENERIF_SUMMARY	incidence of mutations in the BRCA1 and BRCA2 genes in the studied sampling of 74 patients with ovarian cancer was 19%; majority of mutations (86%) were detected in BRCA1 gene, where 5382insC mutation predominated (58%)
Literature	GENERIF_SUMMARY	review of BRCA1/2 associated hereditary breast cancer [review]
Literature	GENERIF_SUMMARY	we review the DNA-damage response network consisting of FA and BRCA proteins and what is known about their involvement in breast cancer susceptibility
Literature	GENERIF_SUMMARY	AhR, a transcription factor, can bind specifically to AD1 in the C-terminal region of BRCA1 and affect BRCA1's ability to regulate transcription activity.
Literature	GENERIF_SUMMARY	low-level promoter methylation of BRCA1 occurs in normal tissues of the body and is associated with the development of BRCA1-like breast cancer.
Literature	GENERIF_SUMMARY	Novel germline 3536delT mutation in BRCA1 gene, detected in a 43-year-old woman with bilateral ovarian adenocarcinoma.
Literature	GENERIF_SUMMARY	This article reviews the evidence of the association between BRCA1 polymorphisms and the risk of breast neoplasms.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer
Literature	GENERIF_SUMMARY	A combination of functional, crystallographic, biophysical, molecular and evolutionary techniques, and classical genetic segregation analysis were used to demonstrate that the BRCA1 missense variant M1775K is pathogenic.
Literature	GENERIF_SUMMARY	Association between BRCA1 mutations and the presence of breast cancer in a Cuban population.
Literature	GENERIF_SUMMARY	BRCA1 is transiently excluded from the nucleus during the

Main Category	Category	Terms
		early part of S phase in the absence of DNA damage. Breast cancer cells predominantly expressing nonnuclear BRCA1 correlate with the percentage of cells within early S phase.
Literature	GENERIF_SUMMARY	110 mutations were identified in BRCA1 in families containing at least one reported ovarian cancer diagnosed less than 50 years or at any age with family history of breast or ovarian cancer for mutations in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	32 unrelated Tunisian patients who had at least 1 first degree relative affected with breast &/or ovarian cancer were analysed; identified 4 BRCA1 frameshift mutations
Literature	GENERIF_SUMMARY	BRCA1 exon 11 sequences for the 2 breast cancer cases were found to be heterozygous for an A nucleotide insertion at position 2080 of the transcript
Literature	GENERIF_SUMMARY	Tubal p53 signature merits serious consideration as an important early event in serous carcinogenesis in BRCA+ women.
Literature	GENERIF_SUMMARY	The differences in the effects of the FGFR2 and MAP3K1 SNPs between BRCA1 and BRCA2 carriers point to differences in the biology of BRCA1 and BRCA2 breast cancer tumors and confirm the distinct nature of breast cancer in BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	defects in BRCA1 chromatin structure may contribute to dysregulated expression of BRCA1 seen in breast tumors
Literature	GENERIF_SUMMARY	We studied 10 BRCA1 and 12 BRCA2 variants identified in Australian families with breast cancer.
Literature	GENERIF_SUMMARY	The proximal BRCA1 promoter segment comprises cis-acting elements that are targeted by Sp-binding and CRE-binding proteins that contribute to regulation of BRCA1 transcription.
Literature	GENERIF_SUMMARY	The binding of the splicing factors hnRNPA1/A2 and DAZAP1 is the primary determinant of T6 BRCA1 exon 18 exclusion.
Literature	GENERIF_SUMMARY	Our data suggest that the PHB 3'UTR polymorphism does not modify ovarian cancer risk in women carrying one of the three Polish BRCA1 founder mutations.
Literature	GENERIF_SUMMARY	Immunohistochemical assessment of BRCA1 expression could provide additional clinically relevant information in routine classification of breast cancer.
Literature	GENERIF_SUMMARY	Survival from diagnosis of ovarian cancer was calculated using Kaplan-Meier and compared for proven BRCA1/2 carriers with non-carriers; 5 & 10 year survival in BRCA1/2 mutation carriers was 58.6% and 36%, which was sig. worse than for non-BRCA carriers.
Literature	GENERIF_SUMMARY	Secondary mutations in BRCA1 may mediate resistance to platinum in BRCA1-mutated ovarian tumors.
Literature	GENERIF_SUMMARY	A total of 14 BRCA1 and 17 BRCA2 sequence alterations, of

Main Category	Category	Terms
		which eight are novel, are reported.
Literature	GENERIF_SUMMARY	32 pathogenic rearrangements in the BRCA1 gene were found
Literature	GENERIF_SUMMARY	These observations are consistent with the idea that BRCA2, but not BRCA1, is a tumor suppressor of prostate cancer.
Literature	GENERIF_SUMMARY	biochemical analysis of human BRCA1 BRCT domains in complex with a phospho-peptide from human ACC1
Literature	GENERIF_SUMMARY	Our data should give confidence in using immunohistochemical detection of BRCA1 and its altered expression.
Literature	GENERIF_SUMMARY	The mutation distributions are comparable with those from Scandinavian and European studies and indicate that the Danish BRCA1 and BRCA2 mutations are a mixture of Scandinavian mutations and European mutations including two of the Ashkenazi mutations.
Literature	GENERIF_SUMMARY	deleterious genetic variants in the BRCA1 gene in the Czech population
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutation carriers had similar expression profiles, with some subclustering of missense mutation carriers.
Literature	GENERIF_SUMMARY	the BRCA1 nucleotide 234 T > G is a common Greenlandic Inuit founder mutation
Literature	GENERIF_SUMMARY	one large deletion in BRCA1, deleting the most part of the gene (exon 1A-13) in one family with family history of ovarian cancer in Finland
Literature	GENERIF_SUMMARY	A case-control study is reported on infertility, treatment of infertility, and the risk of breast neoplasms among women with BRCA1 mutations.
Literature	GENERIF_SUMMARY	Women who test positive for the familial BRCA1/BRCA2 mutation are likely to have cumulative breast cancer risks in keeping with the estimates obtained originally from large families. This is particularly true for women born after 1940.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation is an important factor to consider in predicting breast cancer survival.
Literature	GENERIF_SUMMARY	TGFB1 L10P genotype does not modify the risk of breast cancer in BRCA1 or BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	The promoter methylation status of a panel of critical growth regulatory genes, RASSF1A, RARbeta2, BRCA1 and HOXA5, in 54 breast cancers and 5 distant normal breast tissues of Indian patients, was analyzed.
Literature	GENERIF_SUMMARY	Large genomic rearrangements in BRCA1 and BRCA2 are common in East Denmark
Literature	GENERIF_SUMMARY	We analyzed the haplotypic profile of seven Brazilian carriers of 5382insC to characterize a possible founder

Main Category	Category	Terms
		effect of BRCA1 5382insC mutation
Literature	GENERIF_SUMMARY	There is a highly significant reduction in life expectancy in BRCA1 compared with BRCA2 carriers in ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutation prevalence and clinical characteristics of a population-based series of ovarian cancer cases from Denmark.
Literature	GENERIF_SUMMARY	Genes more highly expressed in BRCA1-associated tumors included stathmin, osteopontin, TGFbeta2 and Jagged 1
Literature	GENERIF_SUMMARY	Promoter hypermethylation of the BRCA1 gene was detected in 51% of our biopsies, among which 67% did not express the respective protein suggesting that hypermethylation could be considered as an inactivating mechanism for BRCA1 expression
Literature	GENERIF_SUMMARY	our findings suggest no difference in the occurrence of miscarriage between BRCA1 carriers and non-carriers when parental consanguinity was taken into consideration
Literature	GENERIF_SUMMARY	transcription-induced degradation of Top1 is Brca1 dependent, suggesting a role for Brca1 in the repair or removal of transcription-blocking Top1-DNA cleavage complexes.
Literature	GENERIF_SUMMARY	An important interaction between BRCA1 and ERK1/2 in the regulation of cellular response after IR-induced DNA damage in MCF-7 cells.
Literature	GENERIF_SUMMARY	truncated proteins arising from BRCA1 185delAG mutation increase Akt-mediated apoptosis, suggesting a possible mechanism by which ovarian cancer patients with this germline BRCA1 mutation may respond better to initial chemotherapy.
Literature	GENERIF_SUMMARY	Tip60 enables ultraviolet rays (UV)-induced dna damage response (DDR) signaling even in the absence of p53, whereas preaccumulated p53 suppresses UV-induced DDR by reducing the levels of BRCA1.
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 mutations in Malaysia
Literature	GENERIF_SUMMARY	we determined the methylation statuso f the promoter in putative modifier genes
Literature	GENERIF_SUMMARY	Data observed a much higher frequency of BRCA1 mutations among young breast cancer patients than observed in Europe, suggesting biological differences.
Literature	GENERIF_SUMMARY	BRCA1-associated breast cancers show less promoter methylation compared with sporadic breast carcinomas indicating a difference in diseases etiology.
Literature	GENERIF_SUMMARY	polymorphisms in BRCA1 gene have a role in breast cancer in Sri Lanka
Literature	GENERIF_SUMMARY	a limited role for the three Ashkenazi BRCA1/2 founder mutations in cutaneous malignant melanoma risk among the Ashkenazi Jewish population

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 Y101X is the first reported recurrent mutation occurring in patients of African ancestry for which prevalence has been determined
Literature	GENERIF_SUMMARY	By down-regulating ERCC1, BRCA1, hMLH1 genes, blocking G0/G1 phase, and increasing apoptosis rate, mifepristone could enhance anti-tumor effect of cisplatin.
Literature	GENERIF_SUMMARY	characterized BRCA1 and BRCA2 gene polymorphic variants in familial breast cancer
Literature	GENERIF_SUMMARY	BRCA1 overexpression sensitizes cancer cells to lovastatin via regulation of cyclin D1-CDK4-p21WAF1/CIP1 pathway
Literature	GENERIF_SUMMARY	Results show that p14ARF associates with Brca1, which may play a major role in tumor suppression.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 genomic rearrangement testing be considered in all non-Ashkenazi Jewish women with an estimated mutation prevalence >or=10%
Literature	GENERIF_SUMMARY	analysis of breast cancer risk variation in BRCA1 and BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	interactions that form two- and three-way networks in which BRCA1 plays a dominant and central role
Literature	GENERIF_SUMMARY	Our aim was to ascertain the pathological effect of the BRCA1 IVS6-1G>A (c. 302-1G>A) and the BRCA2 IVS15+1G>A (c. 7617+1G>A) variants detected in Spanish breast/ovarian cancer families
Literature	GENERIF_SUMMARY	this kinetic analysis is similar to the K d values measured using steady-state SPR, isothermal titration calorimetry, and fluorescence anisotropy. The nature of BRCA1-BRCT may facilitate the binding of BRCA1 to different phosphorylated protein targets.
Literature	GENERIF_SUMMARY	The study demonstrates for the first time that microsatellite-stable FHIT-negative sebaceous gland carcinomas accumulate mutations that target central components of the HRR network.
Literature	GENERIF_SUMMARY	BRCA1/2 in high-risk African-American women with breast cancer
Literature	GENERIF_SUMMARY	BRCA1 germline mutations likely predispose to the development of pancreatic cancer
Literature	GENERIF_SUMMARY	The results show complexity of BRCA1 gene mutation pattern in Lithuania
Literature	GENERIF_SUMMARY	overexpression of wild-type BRCA1 suppressed the expression of GRP78, whereas expression of mutant BRCA1 gene or targeted inhibition of endogenous BRCA1 using small-interfering RNA (siRNA) enhanced GRP78 expression.
Literature	GENERIF_SUMMARY	comprehensive study of BRCA1 promoter polymorphisms found four variants that altered promoter activity and with the most significant contribution from c.-2265C-->T, which could affect susceptibility to breast cancer in the Chinese

Main Category	Category	Terms
		population
Literature	GENERIF_SUMMARY	A high mutation detection rate and the frequent occurrence of a limited array of recurring mutations allow a simple and fast initial test for BRCA1/2 mutation screening in families with Slovenian ancestry
Literature	GENERIF_SUMMARY	Higher BRCA1 mRNA expression is significantly correlated with advanced disease and ERBB2 overexpression in breast cancers.
Literature	GENERIF_SUMMARY	In human breast cancer, BRCA1 is significantly involved in the pathogenesis of centrosome aberrations.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with male breast cancer.
Literature	GENERIF_SUMMARY	The results suggest that somatic mutations of BRCA1 are infrequent in sporadic breast cancer, and nucleotide alterations were more easily observed in the breast cancer tissue DNA.
Literature	GENERIF_SUMMARY	In a population well beyond the average age of breast/ovarian cancer onset, 21 different sequence variants in the BRCA1 gene (one novel) and 36 variants in the BRCA2 gene (7 novel) were detected.
Literature	GENERIF_SUMMARY	the presence of a CHEK2 mutation in women with a BRCA1 mutation may not increase their risk beyond that of the BRCA1 mutation alone.
Literature	GENERIF_SUMMARY	Results describe the response of BRCA1 at DNA double-strand breaks produced by laser microirradiation, and show that accumulation of the BRCA1 N terminus, but not the C terminus, at DSBs depended on Ku80.
Literature	GENERIF_SUMMARY	no association between duration of epithelial ovarian cancer symptoms and BRCA mutation status
Literature	GENERIF_SUMMARY	Ovarian cancer patient with germline mutations in both BRCA1 and NBN genes.
Literature	GENERIF_SUMMARY	EGFR and BRCA1 might be candidate therapeutic targets in triple-negative breast cancer
Literature	GENERIF_SUMMARY	Mutation of the PP1-binding motif affects BRCA1 redistribution in response to DNA damage.
Literature	GENERIF_SUMMARY	germ-line BRCA1 or BRCA2 mutations may have a role in response to primary platinum-based chemotherapy
Literature	GENERIF_SUMMARY	Skewed X inactivation occurs at an increased frequency in BRCA1 (and possibly BRCA2) mutation carriers compared with control subjects and is associated with a statistically significant increase in age at diagnosis of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Positive BRCA1 germline mutation in a woman with fallopian tube cancer following BRCA1 breast cancer.
Literature	GENERIF_SUMMARY	Among the genes showing perturbation of their expression, periostin was found to be up-regulated in HeLa/(5083del19)BRCA1 cells to an extent of 72-fold versus

Main Category	Category	Terms
		HeLa/(pcDNA3.1/empty) and 76-fold versus HeLa/(wt)BRCA1 cells
Literature	GENERIF_SUMMARY	Functional analysis indicated that BRCA1 variants S1613C, Q1826H, and M1652I are likely to be neutral, whereas variants V1833M, Delta exons 16/17, and 5673insC are likely to represent deleterious variants.
Literature	GENERIF_SUMMARY	decreased BRCA1 levels modify ERalpha-mediated transcription and regulation of cell proliferation in part by altering ERalpha-coregulator association.
Literature	GENERIF_SUMMARY	NFBD1, 53BP1 and BRCA1 have both unique and redundant functions in radiation-induced phosphorylation and localization events in the ATM-Chk2 pathway.
Literature	GENERIF_SUMMARY	The mRNA expression of BRCA1 is potentially a useful tool for selecting NSCLC patients for individualized chemotherapy
Literature	GENERIF_SUMMARY	AKT1 inhibits homologous recombination by inducing cytoplasmic retention of BRCA1 and RAD51.
Literature	GENERIF_SUMMARY	analysis of novel mutations identified in Slovak HBOC families, c.80 + 3del4 (IVS2 + 3delAGTC) in BRCA1 gene and mutation c.6589delA (6817delA) in BRCA2 gene [case report]
Literature	GENERIF_SUMMARY	Studied BRCA1 and BRCA2 exp'n in young breast cancer patients;BRCA1 & BRCA2 expression correlated in healthy, but not in tumor tissues. Neither BRCA1 nor BRCA2 exp'n was assoc'd with tumor histology, diff'n, nodal metastasis or p53 and HER-2 exp'n.
Literature	GENERIF_SUMMARY	the presence of the E1038G polymorphism in BRCA1 exon 11 was significantly associated with protein expression and immunohistochemistry of BRCA1 doesn't discriminate between familial and sporadic breast cancer.
Literature	GENERIF_SUMMARY	Cross-sectional analysis of germ-line BRCA1 mutations in Japanese patients suspected to have hereditary breast/ovarian cancer is reported.
Literature	GENERIF_SUMMARY	The findings of this study suggest that the AACC haplotype of the BRCA1 gene is an important prognostic marker in NSCLC patients treated with platinum combination chemotherapy.
Literature	GENERIF_SUMMARY	Absence of germline BRCA1 mutations in familial pancreatic cancer patients.
Literature	GENERIF_SUMMARY	Considering the low frequency of BRCA1 mutation in the group and the absence of features characterizing BRCA1-dependent tumours in the only BRCA1-positive case, pleomorphic adenoma of salivary glands should not be recognized as a BRCA1 dependent tumour.
Literature	GENERIF_SUMMARY	DNA repair proteins BRCA1 and ERCC1 have roles in inhibiting progression of ovarian cancer
Literature	GENERIF_SUMMARY	analysis of the effectiveness of screening in diagnosing early stage ovarian cancer in BRCA1 and BRCA2 mutation

Main Category	Category	Terms
		carriers
Literature	GENERIF_SUMMARY	The interaction between BRCA1 and acetyl-CoA-carboxylase is regulated during cell cycle progression.
Literature	GENERIF_SUMMARY	Founder mutations for BRCA1 and BRCA2 were identified in 5.5% of Ashkenazi patients operated on for pancreatic adenocarcinoma.
Literature	GENERIF_SUMMARY	analysis of novel BRCA1 transcripts, including mouse Brca1-Iris and human pseudo-BRCA1
Literature	GENERIF_SUMMARY	all analysed mutation carriers of the 4154delA mutation of the BRCA1 gene share a common ancestry.
Literature	GENERIF_SUMMARY	The presence of a heterozygous BRCA1 mutation is not associated with increased levels of indicators of oxidative stress in serum or lymphocytes.
Literature	GENERIF_SUMMARY	report provides a review on BRCA1, a promising gene determinant of response to different types of chemotherapy and its potential applications as a new molecular marker in lung cancer [review]
Literature	GENERIF_SUMMARY	EZH2 is important in ER-negative breast cancer growth in vivo and in vitro, and BRCA1 is required for the proliferative effects of EZH2
Literature	GENERIF_SUMMARY	The BRCA1 gene is located on the long arm of chromosome 17.BRCA 1 and 2 mutations account for 5% to 10% of breast cancer cases.
Literature	GENERIF_SUMMARY	study demonstrates that BRCA1 controls cell motility and invasion through its regulation of several key genes which are crucial in the progression of breast cancer
Literature	GENERIF_SUMMARY	Results suggest that BAP1 and BRCA1/BARD1 coordinately regulate ubiquitination during the DNA damage response and the cell cycle.
Literature	GENERIF_SUMMARY	Two novel BRCA1 splicing variants targeted to different subcellular compartments in the transfected tumor cell lines.
Literature	GENERIF_SUMMARY	disruption of alternative transcript ratios is the mechanism causing hereditary breast/ovarian cancer associated with the BRCA1 R71G mutation
Literature	GENERIF_SUMMARY	Three hundred and forty-five probands were examined for specific mutations of BRCA1/2 genes. The estimated penetrance for the age groups among BRCA1/2 carriers was 31.9% (or =50 years
Literature	GENERIF_SUMMARY	there is no relationship between BRCA1 mutation and pancreatic cancer development in Polish population
Literature	GENERIF_SUMMARY	BRCA1, ATR and gammaH2AX in the human may be part of a system which signals unsynapsed chromosomes at pachytene and may lead to their silencing.
Literature	GENERIF_SUMMARY	TP53 mutation is highly recurrent in basal-like carcinoma independently of BRCA1 status, but not a common feature

Main Category	Category	Terms
		of BRCA1 luminal tumors.
Literature	GENERIF_SUMMARY	Data suggest that LXR ligands prevent LXRalpha from ubiquitination and degradation by detaching BARD1/BRCA1, which may be critical for early transactivation of ligand-stimulated LXRalpha through binding of LXRalpha to the promoters of target genes.
Literature	GENERIF_SUMMARY	Evidence suggests BRCA1 is a potential marker of response to platinum chemotherapy in EOC with BRCA1 deficiency predicting enhanced response. Evidence suggests that loss of BRCA1 function results in reduced response to antimicrotubule-based chemotherapy.
Literature	GENERIF_SUMMARY	BRCA1 knockdown in mammary epithelial cells causes telomere dysfunction.
Literature	GENERIF_SUMMARY	It is possible that GATA3 mutations occur earlier in the evolution of breast tumors, compared to BRCA1, BRCA2 or sporadic tumors, and are therefore easier to detect by direct sequencing in the presence of some stromal contamination.
Literature	GENERIF_SUMMARY	Increasing number of full-term pregnancies among parous women, OC use, and tubal ligation are associated with a reduced risk of ovarian cancer for BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Altered growth and differentiation properties may render BRCA1-mutant mammary epithelial cells to be disposed to the development of epidermal growth facor receptor positive breast cancers.
Literature	GENERIF_SUMMARY	Four genes encoding BRCA1-interacting proteins were analyzed in a cohort of 96 breast cancer individuals from high-risk non-BRCA1/BRCA2 French Canadian families.
Literature	GENERIF_SUMMARY	Genetic variants in the BRCA1 gene is associated with breast cancer.
Literature	GENERIF_SUMMARY	There was no difference in mean parity between carriers (1.9) and noncarriers (1.9) of BRCA mutations.
Literature	GENERIF_SUMMARY	the CASP8 D302H polymorphism diminishes the high risk of breast cancer conferred by BRCA1 and BRCA2 mutations
Literature	GENERIF_SUMMARY	Histopathological criteria and selection algorithms for BRCA1 genetic testing.
Literature	GENERIF_SUMMARY	Elevated BRCA1 levels are associated with prostate cancer
Literature	GENERIF_SUMMARY	MDM2SNP309G/G main effect on BRCA1/2 positive mutation carriers is linked to its effect on patients survival.
Literature	GENERIF_SUMMARY	no codon-usage-changing variants could be identified in BRCA1
Literature	GENERIF_SUMMARY	the NBS1/ATR/BRCA1 repair machinery affects centrosome behavior, and this might be a crucial role in the prevention of malignances.
Literature	GENERIF_SUMMARY	The incidence of BRCA1 mutation is significantly lower in patients with early-onset breast cancer and their affected

Main Category	Category	Terms
		relatives in Guangdong province than in the Western populations.
Literature	GENERIF_SUMMARY	MERIT40 represents a novel factor that links BRCA1-Rap80 complex integrity, DSB recognition, and ubiquitin chain hydrolytic activities to the DNA damage response.
Literature	GENERIF_SUMMARY	A stable complex containing MERIT40 acts early in DNA damage response and regulates damage-dependent BRCA1 localization.
Literature	GENERIF_SUMMARY	four members of the BRCA1-A complex possess a polyubiquitin chain-binding capability, thus forming a complex that might facilitate the deubiquitinating activity of the deubiquitination enzyme BRCC36 or the E3 ligase activity of the BRCA1/BARD1 ligase.
Literature	GENERIF_SUMMARY	BRCA1 is an upstream regulator of BRCA2 in the DNA-damage response, and PALB2 is the linker between BRCA1 and BRCA2 in breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Results showed that the positive expressions of the mutated BCRA1 mRNA and p53 mRNA are involved in prostate cancer.
Literature	GENERIF_SUMMARY	Cisplatin-damaged BRCA1 exhibits altered thermostability and transcriptional transactivation.
Literature	GENERIF_SUMMARY	BRCA1/1a/1b fine tunes the dynamic complex interplay between SUMO-dependent/independent activities of Ubc9 on E2-induced ERalpha activation/repression and degradation in breast cancer cells
Literature	GENERIF_SUMMARY	analysis of the 190T>C missense mutation in BRCA1 codon 64 in a family pedigree
Literature	GENERIF_SUMMARY	High BRCA1 mRNA expression confers poor prognosis in early non-small-cell lung cancer, and the combination of high BRCA1 and low XPG expression still further increases the risk of shorter survival
Literature	GENERIF_SUMMARY	Women with early-onset triple-negative breast cancer are candidates for genetic testing for BRCA1, even in the absence of a family history of breast or ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1/2 mutations increased the chemosensitivity and radiosensitivity of large breast cancers.
Literature	GENERIF_SUMMARY	the spectra of the BRCA founder mutations differ between Hispanic families of Mexican origin from the United States and families from Colombia
Literature	GENERIF_SUMMARY	The presence of deleterious TP53 mutations in most, if not all, BRCA1-related breast cancers suggests that p53 loss of function is essential for BRCA1-associated tumorigenesis.
Literature	GENERIF_SUMMARY	promoter methylation is a not a frequent ""second-hit"" in tumors from BRCA1 or BRCA2 carriers."
Literature	GENERIF_SUMMARY	We identified seven (7/22, 31.8%) new deleterious mutations and also confirmed and reported a BRCA2 founder mutation in our Hong Kong Chinese cohort

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	specific polymorphisms do not influence breast or ovarian cancer risk in Polish women carrying one of the three common BRCA1 founder mutations
Literature	GENERIF_SUMMARY	Data suggest that BRCA1 is a general repressor of RNA pol III transcription.
Literature	GENERIF_SUMMARY	Wild-type BRCA1 (but not a cancer-associated mutant) significantly reduced ROS levels, determined by DCF fluorescence assays by flow cytometry and confocal microscopy
Literature	GENERIF_SUMMARY	impaired homologous recombination repair is one of the fundamental causes for genomic instability and tumorigenesis observed in patients carrying BRCA1, BRCA2, or PALB2 mutations
Literature	GENERIF_SUMMARY	parity appears to be associated with protection from breast cancer in women with mutations in BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	Premature senescence is a major response to DNA cross-linking agents in BRCA1-defective cells in breast cancer.
Literature	GENERIF_SUMMARY	It was shown that the presence of the mutations in the BRCA1/2 genes among patients with bilateral breast cancer is associated with an earlier occurrence of the first and the second breast cancer than in patients without hereditary mutations.
Literature	GENERIF_SUMMARY	Incidence of moderate and severe malocclusion is at least not increased among BRCA1 carriers.
Literature	GENERIF_SUMMARY	Short-term hormone replacement therapy use does not negate the protective effect of prophylactic adnexectomy on breast cancer risk reduction in BRCA1 gene mutation carriers.
Literature	GENERIF_SUMMARY	The prevalence of germline mutations in the BRCA1 and BRCA2 genes found was lower than reported on high-risk Brazilian populations.
Literature	GENERIF_SUMMARY	Our data suggest that early stage BRCA1-associated breast cancers are more frequently ERalpha and PR positive and low grade than advanced stages.
Literature	GENERIF_SUMMARY	Sequencing the RAD50, MRE11 and NBS1 genes of 8 patients from non-BRCA1/2 breast cancer families whose tumours showed concomitant reduction/loss of all three MRN-complex proteins revealed two germline mutations in MRE11
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	review of available data on ovarian cancers in the context of other investigations of BRCA-related transcriptional alterations
Literature	GENERIF_SUMMARY	BRCA1 inhibits progestin-stimulated PR activity, in part, by

Main Category	Category	Terms
		preventing PR from binding to the PRE and by promoting the formation of a corepressor complex rather than a coactivator complex
Literature	GENERIF_SUMMARY	This deletion that eliminates the ATG initiation site in exon 2 and the sequence located in exons 2 and 3 encoding part of the RING finger domain of BRCA1 protein, is expected to abolish the function of this protein.
Literature	GENERIF_SUMMARY	our work supports the model of the pathogenicity of the c.5242C>A BRCA1 variant that induces exon skipping by creating a sequence with silencer properties
Literature	GENERIF_SUMMARY	The BRCA1 3' UTR
Literature	GENERIF_SUMMARY	RAP80 was a significant factor for survival in patients treated according to BRCA1 levels
Literature	GENERIF_SUMMARY	Data provide evidence that in breast cancer cells BRCA1 is involved in XIST regulation on the active X chromosome.
Literature	GENERIF_SUMMARY	Lack of functional BRCA1 protein correlates with higher aromatase CYP19A1 levels of BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	The presented experimental results are one step towards the elucidation of the effect of various missense mutations on the structure and function of BRCA1-BRCT.
Literature	GENERIF_SUMMARY	Review states that referral criteria for BRCA1 genetic testing may differ between European countries based on BRCA1 mutation prevalence.
Literature	GENERIF_SUMMARY	results have confirmed that BRCA1, RASSF1, GSTP1 and EPHB2 promoter methylation was found in each prostate cancer sample
Literature	GENERIF_SUMMARY	BRCA1 and ZNF350 may jointly contribute to individuals' susceptibility of breast cancer in Chinese women.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 mutation and risk of secondary malignancies across diverse racial groups in young women with breast cancer are reported.
Literature	GENERIF_SUMMARY	Of the 987 patients, 26 were found to carry one of the above mutations in the BRCA1 gene
Literature	GENERIF_SUMMARY	Data demonstrate a preference for BRCA1 binding to supercoiled DNA, and show that the central region may contain at least two efficient DNA binding domains with strong affinity for sc DNA.
Literature	GENERIF_SUMMARY	The proportion of Korean ovarian cancer patients with a strong family history was significant, and the prevalence of BRCA1 and BRCA2 mutations in such patients was high.
Literature	GENERIF_SUMMARY	We have screened 2,869 persons from Greenland for the presence of a BRCA1 mutation (p.Cys39Gly) only found in the Inuit population.
Literature	GENERIF_SUMMARY	BRCA1 interaction of Nlp might be required for the successful mitotic progression, and abnormalities of Nlp lead to genomic instability.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation is associated with sporadic breast cancer.
Literature	GENERIF_SUMMARY	Two missense changes in the BRCA1 ring finger domain L22S and T37K, were predicted to be deleterious
Literature	GENERIF_SUMMARY	BRCA mutation carriers, as well as women with a significant family history of breast and ovarian cancer are more vulnerable to exogenous hormones in oral contraceptives.
Literature	GENERIF_SUMMARY	upregulation of BRCA1 has a role in senescence-like growth inhibition of U-2 OS cells
Literature	GENERIF_SUMMARY	Show here that PALB2 physically and functionally connects BRCA1 and BRCA2 into a DNA damage response network that also includes the RAD51 recombinase.
Literature	GENERIF_SUMMARY	Data show that variants in genes that interact biologically with BRCA1 and/or BRCA2 may be associated with modified ovarian cancer risk in women who carry BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	MCF-7 and MDA-MB-157 carry multiple copies of the BRCA1 gene
Literature	GENERIF_SUMMARY	The *BRCA1 missense mutation is a founder mutation that can be detected in geographically related populations.
Literature	GENERIF_SUMMARY	Since laryngeal carcinomas in men with BRCA-1 mutations show clinical features characteristic of BRCA-1 dependent tumors, it is reasonable to consider treatment modifications appropriate for this sub-group of tumors
Literature	GENERIF_SUMMARY	surveillance and prevention strategies may have different outcomes in BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Primary breast cancer with an unmethylated BRCA1 gene is prone to achieve a pathological complete response to anthracycline-based neoadjuvant chemotherapy than those with a methylated BRCA1 gene.
Literature	GENERIF_SUMMARY	The associations for FGFR2 (OR=1.20, p=0.046), TOX3 (OR=1.5, p
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 germline mutations in breast cancer susceptibility within Sardinian population
Literature	GENERIF_SUMMARY	BRCA1 methylation correlated with age at diagnosis (P = .015) and 5-years disease free survival (P = .016) while hMLH1 methylation was more frequent in larger tumors (P = .002) and in presence of distant metastasis (P = .004).
Literature	GENERIF_SUMMARY	An aberrant luminal progenitor population is a target for transformation in BRCA1-associated basal tumors .
Literature	GENERIF_SUMMARY	BRCA1/2 mutation is associated with ipsilateral-breast tumor recurrence after breast-conserving surgery.
Literature	GENERIF_SUMMARY	This study suggests the possibility of the first true founder mutation of BRCA1/BRCA2 identified in the Korean population.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	SNP rs13281615 at 8q24 was not associated with breast cancer for either BRCA1 or BRCA2 mutation.
Literature	GENERIF_SUMMARY	The novel mutation 1125delCT (exon 11) was identified in BRCA1 in a family with multiple members affected by breast cancer .
Literature	GENERIF_SUMMARY	Heterozygosity and homozygosity of any of the examined nine BRCA1 and BRCA2 missense polymorphisms cannot explain the increased risk of breast and/or ovarian cancer observed in families with hereditary breast and/or ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1/2 genomic rearrangement is likely to make only a small contribution to breast cancer in the Korean population.
Literature	GENERIF_SUMMARY	The successful detection of BRCA1, FANCD2, and RAD51 foci in breast cancer biopsies irradiated ex vivo, is reported.
Literature	GENERIF_SUMMARY	Risk associated with estrogen monotherapy was modified by BRCA1_rs799917. We observed a trend with increasing minor T alleles leading to the highest risk in homozygous carriers of the minor allele.
Literature	GENERIF_SUMMARY	The relationship between morphological characteristics and immunohistochemical profile of 14 BRCA1-positive breast tumors, was evaluated.
Literature	GENERIF_SUMMARY	There was no evidence that TP53 Arg72Pro or MDM2 309T>G, either singly or in combination, influence breast cancer risk in BRCA1 or BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	BRCA1-deficient cells are dependent on EZH2, whereas BRCA1-proficient cells are not.
Literature	GENERIF_SUMMARY	BRCA1 cancers with positive HIF-1alpha or cytoplasmic FIH had a significantly shorter relapse-free survival.
Literature	GENERIF_SUMMARY	BRCA1 and HSD17B2 genes may increase the risk of developing breast cancer via enhanced estradiol activity.
Literature	GENERIF_SUMMARY	Nomenclature for BRCA1/2 DNA test.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	indicate that BRCA1-BARD1 and 53BP1 are proximal but not overlapping at DNA break sites and are consistent with recent evidence for distinct roles of these proteins in the DNA damage response pathway.
Literature	GENERIF_SUMMARY	loss or reduction of BRCA1 alters TGF-beta growth inhibiting activity via Smad3 during oxidative stress responses
Literature	GENERIF_SUMMARY	BRCA1 associated cancers are predominantly high grade (G3), triple negative, highly proliferative (median Ki-67 55%) and only exceptionally accompanied by lobular intraepithelial neoplasia.
Literature	GENERIF_SUMMARY	The dispersal of nuclear BRCA1/BARD1 foci is part of the

Main Category	Category	Terms
		late response to genotoxic stress, and a mechanism for terminating BRCA1/BARD1-associated DNA repair complexes.
Literature	GENERIF_SUMMARY	Rad50 is required to localize BRCA1 at the telomere and that the association of BRCA1 with Rad50 does not require DNA.
Literature	GENERIF_SUMMARY	analysis of BRCA1/2 mutation-carrying and non-mutation-carrying high-grade serous carcinomas of ovary
Literature	GENERIF_SUMMARY	Data suggest KL-VS as a breast and ovarian cancer risk modifier among BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	BRCA1 ovarian tumors present a different type, number, and length of recurrent copy number alterations.
Literature	GENERIF_SUMMARY	BRCA1 germ-line mutation analysis among Indian women from south India identified novel mutations and a high frequency occurrence of a base-pairing gene deletion.
Literature	GENERIF_SUMMARY	AR allelotype length did not correlate with survival in this statistically representative cohort of patients with BRCA1/2 mutations. Associations between short AR and outcome in BRCA2-associated ovarian cancers remain to be determined.
Literature	GENERIF_SUMMARY	molecular complexity of BRCA1 breast tumours, which are found to display similarities to sporadic tumours, and suggests possible prognostic implications.
Literature	GENERIF_SUMMARY	Authors report the case of a woman in whom germline mutations in both MEN1 and BRCA1 were identified.
Literature	GENERIF_SUMMARY	genomic instability instigated by BRCA1 haploinsufficiency may be required for breast cancer initiation in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	BRCA1 mutation testing is associated with ovarian cancer prevention.
Literature	GENERIF_SUMMARY	Study investigated the role of genetic variation in IGF signaling and breast cancer risk in women carrying deleterious mutations in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers who underwent adnexectomy is associated with oxidative DNA damage in breast and ovarian neoplasms.
Literature	GENERIF_SUMMARY	BRCA1 expression is downregulated in uterine leiomyosarcoma.
Literature	GENERIF_SUMMARY	Examine contralateral breast cancer risk in BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	a predisposing mutation in BRCA1,is present in approximately 6% of French-Canadian women with early-onset breast cancer
Literature	GENERIF_SUMMARY	Two BRCA1 missense mutations (Asp67Glu and Thr1051Ser) alter gene expression in breast and ovarian cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	151 consecutive primary ovarian tumors (including 21 with BRCA1/2 mutations and 130 without the mutations) were screened for loss of heterozygosity at loci on chromosomes 17 and 13q.
Literature	GENERIF_SUMMARY	The ITGB3 Leu33Pro polymorphism does not modify breast or ovarian cancer risk in BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Presence of BRCA1/2 genes mutations are associated with more aggressiveness of the breast cancer and absence of the ER, PR, HER-2 receptors.
Literature	GENERIF_SUMMARY	5382insC and 185delAG mutations in BRCA1 and 6174delT in BRCA2 have much less frequency in Iranian breast cancer patients.
Literature	GENERIF_SUMMARY	In this prospective study of women who were unaffected at the time of genetic testing and who were negative for the known familial mutation in BRCA1/2, no excess risk of invasive breast cancer was observed.
Literature	GENERIF_SUMMARY	Our data imply a critical role of UBE2T in development and/or progression of breast cancer through the interaction with and the regulation of the BRCA1/BARD1 complex.
Literature	GENERIF_SUMMARY	Data suggest BRCA1 regulates post-translational modification (i.e., acetylation versus ubiquitination) of estrogen receptor-alpha (ESR1) and thus regulates ESR1 activity.
Literature	GENERIF_SUMMARY	Multistep level sections to detect occult fallopian tube carcinoma in risk-reducing salpingo-oophorectomies from women with BRCA mutations
Literature	GENERIF_SUMMARY	BRAt increases maspin expression with preferential nuclear localization of maspin. Further, Brat-mediated maspin expression is transcriptionally regulated through an AP1 site within the (-520) to (-297) region of the promoter.
Literature	GENERIF_SUMMARY	the role of a SNP in intron 1 of the ERCC4 gene (rs744154), previously reported to be associated with a reduced risk of breast cancer in the general population, as a breast cancer risk modifier in BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Promoter hypermethylation was observed in PRB 67%, ERalpha 64%, RASSF1A 63%, p16INK4A 51%, RARbeta2 22%, GSTP1 25% and BRCA1 27% of the breast cancers, respectively.
Literature	GENERIF_SUMMARY	UHRF1 regulates BRCA1 transcription by inducing DNA methylation, histone modifications, and recruitment of transcriptional complex on the BRCA1 promoter in breast neoplasms.
Literature	GENERIF_SUMMARY	Data found that HMGA2, along with a dozen of other genes, was co-repressed by ZBRK1, BRCA1, and CtIP.
Literature	GENERIF_SUMMARY	BRCA1 is modified by small ubiquitin-like modifier (SUMO) in response to genotoxic stress, and co-localizes at sites of DNA damage with SUMO1, SUMO2/3 and the SUMO-conjugating enzyme Ubc9

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Multifactorial likelihood analysis indicates that the BRCA1 c.135-1G>T and BRCA2 c.7977-1G>C variants are disease-associated mutations which should be managed clinically in the same fashion as classical truncating mutations.
Literature	GENERIF_SUMMARY	BRCA1 expression in tumors was significantly correlated with individual mitotic spindle protein expressions, and TERT and MAD2L1 expressions were moderately correlated in the tumor group.
Literature	GENERIF_SUMMARY	the population of Eastern Spain showed a great heterogeneity in the BRCA1 and BRCA2 mutations
Literature	GENERIF_SUMMARY	loss of BRCA1 function may contribute to the aggressiveness of Ras-MAPK driven breast cancer with associated increase in levels of cyclin D1 and c-myc, enhanced MAPK activity, angiogenic potential & invasiveness
Literature	GENERIF_SUMMARY	detailed morphological analysis of breast cancers of BRCA1 ins6kbEx13 mutation carriers demonstrated a rare histological variant of breast carcinomas that has never been described in patients carrying BRCA1 mutations
Literature	GENERIF_SUMMARY	p16 methylation may be a predictor of BRCA1 mutation status
Literature	GENERIF_SUMMARY	The aim of this study is to outline the uptake of risk-reducing surgery in the Danish population of BRCA mutation positive women and to search for factors affecting this decision.
Literature	GENERIF_SUMMARY	BRCA1 and BARD1 are required for estrogen receptor alpha ubiquitination and degradation, and repression of either one leads to ERalpha accumulation, suggesting a feedback loop between BRCA1-BARD1 and estrogen receptor alpha
Literature	GENERIF_SUMMARY	Results define a novel transcriptional mechanism of autoregulated homeostasis of BRCA1 that selectively titrates its levels to maintain genome integrity in response to genotoxic insult.
Literature	GENERIF_SUMMARY	The observed colocalization of BRCA1 and nucleolin raises new possibilities for the nucleoplasm-nucleolus pathways of these proteins and their functional significance.
Literature	GENERIF_SUMMARY	analysis of cancer predisposing missense and protein truncating BARD1 mutations in non-BRCA1 or BRCA2 breast cancer families
Literature	GENERIF_SUMMARY	DNA-bound BRCA1 C-terminal region from human replication factor C p140 and model of the protein-DNA complex
Literature	GENERIF_SUMMARY	Detection of 5382insC mutation in human BRCA1 gene using fluorescent labeled oligonucleotides
Literature	GENERIF_SUMMARY	Study established a robust assay system to analyze the function of BRCA1 in regulating homologous recombination, which is critical for its tumor suppressor function.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data build the connection between BRCA1 loss of function and AREG upregulation-a change in gene expression often observed in breast cancer.
Literature	GENERIF_SUMMARY	analysis of BRCA1 and BRCA2 deleterious mutations and variants of unknown clinical significance in unilateral and bilateral breast cancer
Literature	GENERIF_SUMMARY	The expression of BRCA1 may work to reduce the telomere length in precancerous lesions and offer new insight into the mechanism of carcinogenesis in gastric cancer.
Literature	GENERIF_SUMMARY	The prophylactic procedure is highly effective in preventing invasive breast cancer in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	Chemotherapy and tamoxifen reduced the risk of contralateral breast cancer in BRCA1/BRCA2 carriers and non-carriers to a similar relative degree.
Literature	GENERIF_SUMMARY	Report large genomic rearrangements in BRCA1 gene in Czech high-risk breast/ovarian cancer patients.
Literature	GENERIF_SUMMARY	Hypermethylation in the BRCA1 promoter is associated with sporadic breast tumours.
Literature	GENERIF_SUMMARY	structure & peptide binding specificity of BRCT domains of MDC1 & BRCA1; crystal structures of BRCA1 & MDC1 bound to peptides show differences in the environment of conserved arginines that determine affinity for peptides with -COO(-) vs -CO-NH(2) termini
Literature	GENERIF_SUMMARY	DBC1 may modulate the cellular functions of BRCA1 by direct interaction.
Literature	GENERIF_SUMMARY	in human cells BRCA1 binding to FANCJ is critical to regulate DNA repair choice and promote genomic stability.
Literature	GENERIF_SUMMARY	These results suggest that, compared to BRCA1 and BRCA2 mutation carriers, non-BRCA1/2 (BRCAX) individuals are genetically heterogeneous.
Literature	GENERIF_SUMMARY	BRCA1 alterations specifically correlate with clinicopathological characteristics of Bulgarian patients with breast cancer.
Literature	GENERIF_SUMMARY	Occult ovarian cancers may be found at the time of risk-reducing salpingo-oophorectomy in BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	analysis of transcriptional regulation of the base excision repair pathway by BRCA1
Literature	GENERIF_SUMMARY	The incidence of breast and ovarian cancer in BRCA2 mutation carriers and of ovarian cancer in BRCA1 mutation carriers is still high after 60 years.
Literature	GENERIF_SUMMARY	BRCA1 mRNA has a role in time to progression and overall survival of sporadic breast cancers treated with anthracycline-based chemotherapy
Literature	GENERIF_SUMMARY	This study provides evidence of a novel interaction between BRCA1 and beta-catenin, and that loss of BRCA1 leads to

Main Category	Category	Terms
		impaired expression of the nuclear form of beta-catenin, which may contribute to the pathogenesis of breast cancer
Literature	GENERIF_SUMMARY	BRCA2 mutation carriers had an increased risk of prostate cancer and a higher histologic grade, and BRCA1 or BRCA2 mutations were associated with a more aggressive clinical course.
Literature	GENERIF_SUMMARY	A high proportion of DNA variants of BRCA1 is associated with aberrant splicing in breast/ovarian cancer patients.
Literature	GENERIF_SUMMARY	Hereditary breast and ovarian cancer due to mutations in BRCA1(Review)
Literature	GENERIF_SUMMARY	Major gene rearrangements involving the BRCA1 and BRCA2 genes appear to contribute little to the burden of inherited predisposition to breast and ovarian cancer in the Ashkenazim.
Literature	GENERIF_SUMMARY	3% of identified BRCA1 mutations; one LGR was detected which is a novel deletion of both exons 23 and 24
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with increases in breast cancer worry in African American women.
Literature	GENERIF_SUMMARY	Rates of new primaries are predicted to some extent by mutation status
Literature	GENERIF_SUMMARY	The study results suggest that genes that act upstream of p53, or participate in the DNA damage response, may modify the risk of cancer in women with mutant BRCA1/2 alleles.
Literature	GENERIF_SUMMARY	Data suggest that the risk for breast cancer among BRCA1 or BRCA2 carriers may be modified by reproductive characteristics and alcohol use.
Literature	GENERIF_SUMMARY	We investigated methylation patterns in the promoter regions of ABCB1, ATM, BRCA1, CDH3, CDKN2A, CXCR4, ESR1, FBXW7, FOXC1, GSTP1, IGF2, HMLH1, PPP2R2B, and PTEN75 in well-described pre-treatment samples from locally advanced breast cancer
Literature	GENERIF_SUMMARY	prevalence of BRCA1 founder mutations in unselected cases of breast, ovarian and colon cancer in Lithuania; identified founder mutation(4153delA, 5382insC or C61G) in 6% of unselected cases of breast cancer and in 19% of unselected cases of ovarian cancer
Literature	GENERIF_SUMMARY	Data suggest that UBXN1 regulates the enzymatic function of BRCA1 in a manner that is dependent on its ubiquitination status.
Literature	GENERIF_SUMMARY	analysis of locally prevalent BRCA1/2 mutations in all breast cancer patients might extend substantially the percentage of identified mutation carriers.
Literature	GENERIF_SUMMARY	loss of BRCA1 or its Chk2-mediated phosphorylation leads to spindle formation defects and Chromosomal instability
Literature	GENERIF_SUMMARY	MyoD and c-myb are involved in regulation of basal and estrogen-induced transcription activity of the BRCA1 gene

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The risks of subsequent contralateral breast cancer are substantial for women who carry a BRCA1/BRCA2 mutation.
Literature	GENERIF_SUMMARY	Case Report
Literature	GENERIF_SUMMARY	Data show an association between deficient non-double strand breaks cluster repair and accumulation of chromatid breaks in BRCA1 deficient breast cancer cells.
Literature	GENERIF_SUMMARY	Case Reports
Literature	GENERIF_SUMMARY	BRCA1 mutation decreases short-term and long-term overall survival rates and short-term progresion-free survival rates in breast cancer. Review.
Literature	GENERIF_SUMMARY	Data show that majority of mutations cause loss of function by reducing the proportion of BRCA1 molecules that are in the folded state and increasing the proportion of molecules that are unfolded.
Literature	GENERIF_SUMMARY	Receipt of BRCA1/2 mutation test results impacts how carriers see the positive aspects of risk reducing oophorectomy/mastectomy and their surgical intentions.
Literature	GENERIF_SUMMARY	natural mutant allele of BRCA1 (Mut.BRCA1) can elicit some of the changes involved in metastatic progression in human breast cancer via the overexpression of osteopontin.
Literature	GENERIF_SUMMARY	BRCA1 plays a role in cell cycle control; BRCA1 is a marker of clinical prostate cancer prognosis
Literature	GENERIF_SUMMARY	HOXA9 restricts breast tumor aggression by modulating expression of the tumor suppressor gene BRCA1
Literature	GENERIF_SUMMARY	Lympho-vascular invasion is frequent in BRCA1 germline mutation related breast cancers, but seems to occur as often in sporadic controls matched for age, grade and tumor type.
Literature	GENERIF_SUMMARY	Data extend the ovarian BRCAness phenotype, imply BRCA1/2-deficient ovarian cancer is biologically distinct, and suggest that patients with visceral metastases should be considered for BRCA1/2 sequencing.
Literature	GENERIF_SUMMARY	study has informed the development of an appropriate support network based on a hub and spoke model to help BRCA1/BRCA2 carriers and their families adapt to living and coping with their genetic risk
Literature	GENERIF_SUMMARY	Genotyped a minor allele in the BRCA1 promoter; no evidence for an association between the variant and breast cancer risk was found.
Literature	GENERIF_SUMMARY	These data suggest that concomitant allelic losses of the BRCA1 and FHIT genes are associated with more aggressive breast tumors.
Literature	GENERIF_SUMMARY	New loci appeared to interact multiplicatively for breast cancer risk in BRCA1 and BRCA2 carriers.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Conclude that screening of Greenlandic Inuits with high risk of breast or ovarian cancer should include sequencing of the entire BRCA1 gene.
Literature	GENERIF_SUMMARY	BRCA1 rearrangements are associated with breast cancer.
Literature	GENERIF_SUMMARY	Authors studied 103 women with fallopian tube cancer (48 with a BRCA1 mutation, 12 with a BRCA2 mutation and 43 with no identified BRCA mutation) and 980 matched controls.
Literature	GENERIF_SUMMARY	find reduced 53BP1 expression in subsets of sporadic triple-negative and BRCA1-associated breast cancers
Literature	GENERIF_SUMMARY	we report the first identification of a Danish breast and ovarian cancer family heterozygote for mutations in the BRCA1 and BRCA2 genes
Literature	GENERIF_SUMMARY	Data suggest that breast cancer risk among mutation-negative women from BRCA1/2 mutation-positive families is similar to that observed in the general population.
Literature	GENERIF_SUMMARY	ERCC1, RRM1 and BRCA1 are promising predictive and prognostic biomarkers in advanced non-small cell lung cancer.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation was not associated with loss of its protein expression in breast cancer patients; GSTP1 and BRCA1 hypermethylation were found to be independent of other prognostic factors in predicting disease recurrence
Literature	GENERIF_SUMMARY	This study assessed the pathological mutation detection rates for BRCA1, BRCA2 and the CHEK2c.1100 delC mutation in 2022 women with breast cancer, including 100 with breast/ovary double primary and 255 with bilateral breast cancer.
Literature	GENERIF_SUMMARY	Hypermethylation of BRCA1 may play an important role in the chemosensitivity of ovarian cancer.
Literature	GENERIF_SUMMARY	Akt prevents the translocation of BRCA1 to DNA damage foci and, thereby, inhibits the activation of Chk1 following DNA damage
Literature	GENERIF_SUMMARY	In this study BRCA1 methylation level and frequency was higher in basal-like subtype compared to luminal or human epithelial growth factor receptor-2 breast cancer subtypes.
Literature	GENERIF_SUMMARY	study sought the presence of any of 3 founder mutations in BRCA1 (4153delA, 5382insC and C61G) in 500 unselected cases of breast cancer in Belarus; one of the three founder mutations in BRCA1 was present in 38 of 500 unselected cases of breast cancer
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian Neoplasms.
Literature	GENERIF_SUMMARY	Data identified splicing aberration for BRCA1c.4868C>G(p.Ala1623Gly) and BRCA2c.7988A>T(p.Glu2663Val) and c.8168A>G(p.Asp2723Gly).

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Interaction between BRCA1/BRCA2 and ATM/ATR associate with breast cancer susceptibility.
Literature	GENERIF_SUMMARY	The prevalence of BRCA1 mutations in families at high-risk of breast and/or ovarian cancer is relatively frequent.
Literature	GENERIF_SUMMARY	Missense variations in the BRCT domain of BRCA1 is associated with breast neoplasms
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer predisposition families from a North-Eastern Romanian population.
Literature	GENERIF_SUMMARY	Authors found three novel BRCA1 founder mutations 5382insC, 4153delA and Cys61Gly in a genetic association study of breast and ovarian cancers in Belarus which is where the 1986 Chernobyl accident took place.
Literature	GENERIF_SUMMARY	Approximately 30% of women with fallopian tube cancer have a mutation in BRCA1 or BRCA2.
Literature	GENERIF_SUMMARY	Early malignant transformation through FAK and STAT1 networking in BRCA1 mutant ovarian epithelium.
Literature	GENERIF_SUMMARY	BRCA1 genes mutations are responsible for a significant proportion of breast cancer.
Literature	GENERIF_SUMMARY	This feature item briefly reviews the relation of the tumor suppressor function of BRCA1 with DNA damage and repair.
Literature	GENERIF_SUMMARY	The benign stroma of BRCA1 mutation carriers shows higher ALDH1 expression than age-matched controls, implying that BRCA1 may be an (in)direct regulator of mammary stromal ALDH1 expression.
Literature	GENERIF_SUMMARY	Data suggest that while BRCA1 genomic rearrangement exists, they do not contribute significantly to BRCA1-associated risk in the Nigerian population.
Literature	GENERIF_SUMMARY	[REVIEW] functional classifications of risk-associated BRCA1 mutations and their molecular, cellular and clinical impact for mutation carriers.
Literature	GENERIF_SUMMARY	[REVIEW] the emerging role of BRCA1 in nonhomologous end-joining-mediated DNA repair following DNA damage, as well as the activation of apoptotic pathways.
Literature	GENERIF_SUMMARY	[REVIEW] the subcellular localization of BRCA1, with particular emphasis on its nuclear import and export processes
Literature	GENERIF_SUMMARY	results suggest that methylation may influence either the ability of BRCA1 to bind to specific promoters or protein-protein interactions which alters the recruitment of BRCA1 to these promoters
Literature	GENERIF_SUMMARY	Study in a multi-ethnic (Malay, Chinese, Indian) cohort suggests that large genomic rearrangements are present at a low frequency but should nonetheless be included in the routine testing for BRCA1 and BRCA2.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data suggest a novel role of cytoplasmic translocation of BRCA1, not only in controlling its DNA repair functions, but also in the regulation of cell death processes following DNA damage.
Literature	GENERIF_SUMMARY	Findings identify a function for HERC2 in regulating BRCA1 stability in opposition to BARD1.
Literature	GENERIF_SUMMARY	Reduced microcephalin also correlated with reduced nuclear BRCA1 staining
Literature	GENERIF_SUMMARY	Large genomic rearrangements in BRCA1 were strongly associated with positive family history of ovarian cancer among the Turkish population.
Literature	GENERIF_SUMMARY	among BRCA1/2 mutation carriers, prophylactic surgery is cost effective compared to chemoprevention and screening
Literature	GENERIF_SUMMARY	In sporadic breast carcinoma, a negative expression of BRCA1 is selectively associated with a higher expression rate of progesterone receptor A rather than progesterone receptor B.
Literature	GENERIF_SUMMARY	the minor allele del of CASP8 rs3834129 is associated under a dominant model with increased breast cancer risk in carriers of BRCA1 mutations but not in carriers of BRCA2 mutations
Literature	GENERIF_SUMMARY	data suggest that both the RING and BRCT domains of BRCA1 are required for an early step in the function of BRCA1 during DNA repair
Literature	GENERIF_SUMMARY	BRCA1 germline mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with very young age of onset of breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with pancreatic adenocarcinoma
Literature	GENERIF_SUMMARY	Prioritizing candidate genetic modifiers of BRCA1 and BRCA2 using a combinatorial analysis of global expression and polymorphism association studies.
Literature	GENERIF_SUMMARY	The coding sequence and exon-intron junctions of BRCA1 and BRCA2 were amplified in 24 multiplex PCRs using a single condition.
Literature	GENERIF_SUMMARY	Development of a scoring method to screen for BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	Developing functional assays for BRCA1 unclassified variants.
Literature	GENERIF_SUMMARY	Of the 173 patients, 43 (25%) were found to have a tubal lesion, including 23% of the BRCA1 mutation carriers and 27% of the BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Studies indicate that HOXA9 restrains breast cancer progression by upregulation of BRCA1.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that the non-founder mutations constitute the minority of BRCA1 defects in Russia.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with menopausal status modifying the association between body weight and breast cancer and disease progression.
Literature	GENERIF_SUMMARY	Testing women with triple negative breast cancers who were younger than 50 years for BRCA mutations is a cost-effective strategy and should be adopted into current guidelines for genetic testing.
Literature	GENERIF_SUMMARY	Report a recombination-based method to characterize human BRCA1 missense variants.
Literature	GENERIF_SUMMARY	Given the eightfold difference in reported frequency of BRCA1 inactivation by methylation in pioneering studies, a re-appraisal of the literature, techniques, samples used, and interpretations of BRCA1 inactivation is warranted.
Literature	GENERIF_SUMMARY	BRCA1-associated tumors are typically negative for estrogen receptor, progesterone receptor, but was detected in a patient with breast cancer.
Literature	GENERIF_SUMMARY	A common genetic variant in BRCA1 (3232A > G) was found to be over-represented in deleterious mutation carriers of breast cancer.
Literature	GENERIF_SUMMARY	Findings uncover a novel regulatory mechanism that supports the contribution of TAp73 as an important mediator of the response to platinum chemotherapy in a subset of ovarian carcinomas.
Literature	GENERIF_SUMMARY	MAP3K1 rs889312 polymorphism is associated with increased risk of breast cancer in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	CtBP1 represses Brca1 transcription by binding to the E2F4 site of the Brca1 promoter. The recruitment of CtBP1 to the Brca1 promoter increased at high NADH levels in hypoxic conditions.
Literature	GENERIF_SUMMARY	BRCA1 prevents global DNA hypomethylation through positively regulating DNMT1 expression, and this provides one of mechanisms for BRCA1-associated breast cancer formation.
Literature	GENERIF_SUMMARY	study identified one of six founder mutations in BRCA1 in 23% of Bahamian women with breast cancer
Literature	GENERIF_SUMMARY	The deletions of 4.4 and 3.2 kb identified in exons 24 and 20, respectively in the BRCA1 gene in Greek breast cancer patients appear to be founder mutations for the Greek population.
Literature	GENERIF_SUMMARY	Targeted prostate cancer screening in men with mutations in BRCA1 and BRCA2 detects aggressive prostate cancer.
Literature	GENERIF_SUMMARY	Ovarian high-grade serous carcinomas arise through oncogenic mechanisms that result in chromosomal instability, irrespective of BRCA1 status

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	breast cancer was induced in wild type p53 cells by BRCA1(breast cancer 1 early onset protein) overexpression
Literature	GENERIF_SUMMARY	analysis of two novel variants in the 3'UTR of the BRCA1 gene in familial breast and/or ovarian cancer
Literature	GENERIF_SUMMARY	A locus on 19p13 modifies risk of breast cancer in BRCA1 mutation carriers and is associated with hormone receptor-negative breast cancer.
Literature	GENERIF_SUMMARY	Mutations in BRCA1 is associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast cancer and/or ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation in PBCs may constitute a novel risk factor for breast cancer with BRCA1 promoter methylation.
Literature	GENERIF_SUMMARY	Besides BRCA1/2 further high-risk breast cancer genes are known; however they account only for a small fraction of inherited breast cancer cases. Most of them are involved in rare cancer predisposition syndromes.
Literature	GENERIF_SUMMARY	Suggest that the frequency of BRCA1/2 gene rearrangements is very low in Turkish breast/ovarian cancer patients.
Literature	GENERIF_SUMMARY	All individuals were heterozygote carriers and none had a double mutation of both founder mutations in the BRCA1 gene itself
Literature	GENERIF_SUMMARY	BRCA1-IRIS overexpression promotes cisplatin resistance in ovarian cancer
Literature	GENERIF_SUMMARY	found an overall increase of loss of heterozygosity (LOH) in carcinomas with simultaneous LOH of BRCA1
Literature	GENERIF_SUMMARY	there are no predominant recurring germline mutations in BRCA1 or BRCA2 genes among ethnically diverse Jewish and non Jewish high risk families in Israel.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Constitutional methylation of the BRCA1 promoter is specifically associated with BRCA1 mutation-associated pathology in early-onset breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 genetic test in high risk patients and families.
Literature	GENERIF_SUMMARY	BRCA1 founder mutations are associated with breast cancer and/or ovarian cancer.
Literature	GENERIF_SUMMARY	study found no difference in the prevalence of loss of wt BRCA1 between ER+ and ER- invasive BRCA1-associated breast cancers
Literature	GENERIF_SUMMARY	BRCA1 modulates the expression of hnRNPA2B1 and KHSRP involved in the processing of RNA, highlighting the complex nature of BRCA1-associated tumor suppressor function and disclosing a novel mechanism by which

Main Category	Category	Terms
		BRCA1 may affect transcription.
Literature	GENERIF_SUMMARY	Loss of CtBP from the BRCA1 promoter through estrogen induction, depletion by RNA interference or increased NAD+/NADH ratio leads to HDAC1 dismissal, elevated histone acetylation and increased BRCA1 transcription.
Literature	GENERIF_SUMMARY	Data show that inhibition of BRCA1/BARD1 downregulation is accompanied by the unscheduled recruitment of both proteins to chromatin along with Rad51.
Literature	GENERIF_SUMMARY	Gain of chromosome arm 3q is a marker for BRCA1 deficiency in hereditary and sporadic breast tumors.
Literature	GENERIF_SUMMARY	BRCA1-mutated and basal-like breast cancers have similar comparative genomic hybridization profiles and a high incidence of protein truncating TP53 mutations.
Literature	GENERIF_SUMMARY	study evaluated the associations of SNPs, rs4973768 in SLC4A7/NEK10, rs6504950 in STXBP4/COX11, and rs10941679 at 5p12, and reanalyzed the previous associations using additional carriers in a sample of 12,525 BRCA1 and 7,409 BRCA2 carriers
Literature	GENERIF_SUMMARY	Higher levels of AI in BRCA1/2 were associated with a 4.22-fold increased risk of familial ovarian cancer.
Literature	GENERIF_SUMMARY	This high rate of BRCA germline mutations in uterine serous carcinoma (USC) patients coupled with a high rate of personal and familial cancer histories may suggest that USC is associated with the hereditary breast-ovarian syndrome.
Literature	GENERIF_SUMMARY	BRCA1 c.5266dupC originated from a single common ancestor and was a common European mutation long before becoming an AJ founder mutation and is likely present in many other European countries where genetic testing of BRCA1 may not yet be common practice.
Literature	GENERIF_SUMMARY	A review of MEDLINE from 1989 through 2010 for the terms BRCA1, BRCA2, breast cancer, ovarian cancer, risk assessment, and genetic testing is presented.
Literature	GENERIF_SUMMARY	BRCA1-mutation is associated with treatment response in breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast carcinoma In Situ.
Literature	GENERIF_SUMMARY	analysis of germline mutations of BRCA1 and BRCA2 genes in Turkish breast, ovarian, and prostate cancer patients
Literature	GENERIF_SUMMARY	Higher BRCA1 mRNA expression was associated with higher response rate and increased progression-free, but not overall survival
Literature	GENERIF_SUMMARY	found no significant associations between any single-single-nucleotide polymorphisms or haplotypes of BRCA1 or BRCA2 and risk of contralateral breast cancer among all women
Literature	GENERIF_SUMMARY	By analyzing gene expression from histologically normal

Main Category	Category	Terms
		fallopian tube epithelium isolated from BRCA1-mutated fallopian tubes containing early neoplasms, authors identified a potential BRCA1 preneoplastic gene expression signature BRCA1 serous carcinoma.
Literature	GENERIF_SUMMARY	siParp1 inhibits cell growth, primarily by induction of apoptosis, in Brca1-deficient cells both in vitro and in vivo
Literature	GENERIF_SUMMARY	We identified novel truncating mutations in seven families; two in BRCA1, one in a site-specific breast cancer family and the other in a breast-ovarian cancer family
Literature	GENERIF_SUMMARY	Rare haplotypes present in the BRCA1 3'UTR region may represent new genetic markers of breast cancer risk.
Literature	GENERIF_SUMMARY	These results support the existence of a heterozygous phenotype of BRCA1 and suggest that the loss of one BRCA1 allele may suppress the fitness advantage caused by the inactivation of other tumor suppressor genes.
Literature	GENERIF_SUMMARY	In the molecular studies of hereditary breast cancer, BRCA1 promoter methylation should be recognized and considered together with gene mutation.
Literature	GENERIF_SUMMARY	there is a disruption of the FA/BRCA pathway in BCR/ABL cells
Literature	GENERIF_SUMMARY	role of BRCA1 in tumor suppression and DNA damage response, including DNA damage-induced cell cycle checkpoint activation and DNA damage repair is discussed.
Literature	GENERIF_SUMMARY	BRCA1 germline mutations are associated with uterine serous carcinoma.
Literature	GENERIF_SUMMARY	ubiquitin-proteasome plays an important role in regulating BRCA1 during genotoxic stress
Literature	GENERIF_SUMMARY	following a diagnosis of breast cancer, the annual risk of ipsilateral breast cancer risk in BRCA mutation carriers is 1.2% per year.
Literature	GENERIF_SUMMARY	Among the mutations detected in the Slovenian population, 5 mutations in BRCA1 and 4 mutations in BRCA2 have not been described in other populations until now.
Literature	GENERIF_SUMMARY	Results indicate that activation of Akt is involved in Brca1-deficiency mediated tumorigenesis and that the mTOR pathway can be used as a novel target for treatment of Brca1-deficient cancers.
Literature	GENERIF_SUMMARY	Recruitment of BRCA1 to the p53-binding region of the p21 promoter in response to DNA damage required methylation of Arg 754 of p300 by CARM1
Literature	GENERIF_SUMMARY	This multicenter study demonstrates a significant survival advantage in advanced stage ovarian cancer patients with non-AJ BRCA mutations, confirming the previous studies in the Jewish population.
Literature	GENERIF_SUMMARY	analysis of early BRCA1 and 2-associated ovarian and fallopian tube tumorigenesis

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	full-length BRCA1 expression in HCC1937 decreased motility
Literature	GENERIF_SUMMARY	High BRCA1 is associated with thymic epithelial tumors.
Literature	GENERIF_SUMMARY	BRCA1 stimulates the transcriptional activities of the CaSR gene and shRNA targeting CaSR circumvented the action of BRCA1.
Literature	GENERIF_SUMMARY	Results reveal a new splicing regulatory element in BRCA1 exon 6.
Literature	GENERIF_SUMMARY	40 novel sequence variations in BRCA1 and BRCA2 in high risk breast and/or ovarian cancer familiesin Denmark.
Literature	GENERIF_SUMMARY	AKT1/BRCA1 in the control of homologous recombination and genetic stability.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are common in women with invasive ovarian cancer. All women diagnosed with invasive non-mucinous ovarian cancer should be considered to be candidates for genetic testing.
Literature	GENERIF_SUMMARY	a model in which the BRCA1-RAP80 complex limits nuclease accessibility to DSBs, thus preventing excessive end resection and potentially deleterious homology-directed DSB repair mechanisms that can impair genome integrity.
Literature	GENERIF_SUMMARY	Studies indicate that most of these breast cancers are caused by mutations in the high penetrance genes BRCA1 and BRCA2 accounting for about 5% of all breast cancers.
Literature	GENERIF_SUMMARY	ALDH1 may therefore be a diagnostic marker and a therapeutic target of BRCA1 related breast cancer.
Literature	GENERIF_SUMMARY	Morphological predictors of BRCA1 germline mutations in young women with breast cancer.
Literature	GENERIF_SUMMARY	CDC25A, VAV1, TP73, BRCA1 and ZAP70 may be novel markers for predicting the effectiveness of radiotherapy in CRC patients.
Literature	GENERIF_SUMMARY	Binding of BRCA1 proteins to nuclear chaperone Ubc9 provides a novel mechanism for nuclear import and control of tumor growth.
Literature	GENERIF_SUMMARY	The BRCA1 gene was screened for mutations in well-characterized, Finnish, high-risk hereditary breast and/or ovarian cancer individuals.
Literature	GENERIF_SUMMARY	our findings establish that transcriptional upregulation of DeltaNp63 proteins is critical for BRCA1 suppressor function
Literature	GENERIF_SUMMARY	BRCA1 protein is a prognostic marker in sporadic ovarian carcinoma patients with minimal residual disease
Literature	GENERIF_SUMMARY	When specific point mutants of full length BRCA1 were expressed from co-transfected plasmids, the effect of the specific missense mutant could be scored.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	the rate of BRCA1/2 mutations in double primary breast and ovarian cancer (DPBOC) patients is probably less than 60%.
Literature	GENERIF_SUMMARY	Cases with EGFR overexpression showed high expression of RRM1 and BRCA1
Literature	GENERIF_SUMMARY	This study has assessed the possible pathogenicity of 26 intronic BRCA1 or BRCA2 variants in breast cancer.
Literature	GENERIF_SUMMARY	study identified a cooperative effect of loss of BRCA1 with gain of EGFR expression that leads to increased clonal proliferation of mammary epithelial cells and may render these cells vulnerable to malignant transformation
Literature	GENERIF_SUMMARY	A novel de novo BRCA1 mutation in a Chinese woman with early onset breast cancer.
Literature	GENERIF_SUMMARY	Results show the mechanism by which EZH2 regulates BRCA1 expression and genomic stability mediated by the PI3K/Akt-1 pathway.
Literature	GENERIF_SUMMARY	RAP80/BRCA1 complexes suppress excessive double-strand break end processing, HR-type double-strand break repair, and overt chromosomal instability
Literature	GENERIF_SUMMARY	TFII-I may modulate the cellular functions of BRCA1.
Literature	GENERIF_SUMMARY	An evaluation of the frequency and form of sequence alterations in BRCA1 gene in breast cancer patients from Kazakhstan showed a higher prevalence of BRCA1 sequence alterations in women with breast cancer compared with healthy controls.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with high risk of pelvic serous cancer.
Literature	GENERIF_SUMMARY	7-fold increase in Endometrial Cancer risk with tamoxifen exposure is asscoiated with female family members from BRCA1 mutation.
Literature	GENERIF_SUMMARY	An association was observed between p.Arg280His-rs25489 in XRCC1 and breast cancer risk for BRCA1/2 mutation carriers, with rare homozygotes at increased risk relative to common homozygotes.
Literature	GENERIF_SUMMARY	Zinc finger of P53 and Ring finger of BRCA1 are similar domains having mostly binding activity.
Literature	GENERIF_SUMMARY	Bcl-2 inhibits nuclear homologous recombination by localizing BRCA1 to the endomembranes
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutation carriers are associated with contralateral breast cancer.
Literature	GENERIF_SUMMARY	The authors report here the involvement of miR-146a and miR-146b-5p that bind to the same site in the 3'UTR of BRCA1 and down-regulate its expression as demonstrated using reporter assays.
Literature	GENERIF_SUMMARY	Mutations at Arg1699 (R1699W and R1699Q) significantly reduce peptide binding through loss of contacts to the main

Main Category	Category	Terms
		chain of the Phe(+3) residue and, in the case of R1699W, to a destabilization of the BRCT fold
Literature	GENERIF_SUMMARY	A significant association of DR4 683A > C with a higher risk for ovarian cancer in carriers of BRCA1 mutations.
Literature	GENERIF_SUMMARY	Loss of function of various proteins involved in double strand break repair other than BRCA1/2 has been suggested to be synthetically lethal with PARP inhibition.
Literature	GENERIF_SUMMARY	positive nuclear breast cancer susceptibility gene-1 (odds ratio, 0.3982; 95% confidence interval, 0.169-0.936), significantly correlated with family history of breast cancer
Literature	GENERIF_SUMMARY	Oral contraceptive use and paternal origin of mutation affect breast cancer penetrance in Jewish BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Our conclusive trial demonstrates the lack of association between Galician splicing mutation c.211A>G in the BRCA1 gene and prostate cancer risk.
Literature	GENERIF_SUMMARY	hierarchical statistical modeling of data observed in a case-control study of contralateral breast cancer in which all the participants were genotyped for variants in BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	These results suggest the possible implication of BRCA1 promoter methylation in the early onset of breast cancer
Literature	GENERIF_SUMMARY	A novel BRCA1 c.3494_3495delTT mutation was identified in a patient diagnosed with breast and ovarian cancer at the age of 52 and 53, respectively.
Literature	GENERIF_SUMMARY	The BRCA1 methylation is significantly decreased in ovarian cancer by comparison with the control group.
Literature	GENERIF_SUMMARY	Studies indicate that missense mutations within RING finger domain of BRCA1, which causes familial breast cancer, abolished the E3 activity.
Literature	GENERIF_SUMMARY	Epigenetic silencing of BRCA1 is uncommon and is associated with the triple-negative phenotype in women of north India.
Literature	GENERIF_SUMMARY	A lack of association of the rs2910164
Literature	GENERIF_SUMMARY	Single nucleotide polymorphisms in BRCA1 and BRCA2 mutation carriers from 42 studies from the Consortium of Investigators of Modifiers of BRCA1/2, were genotyped.
Literature	GENERIF_SUMMARY	these findings are consistent with a causative link between defects in the BRCA1 gene by CpG island hypermethylation and the development of TNBCs characterized by RB/p16 dysfunction in sporadic cases of the disease.
Literature	GENERIF_SUMMARY	More than 50% of the Ashkenazi Jewish chromosomes with the BRCA1 185delAG mutation share an identical 2.1 Mb haplotype and nearly 16% of Ashkenazi Jewish chromosomes carrying the BRCA2 6174delT mutation share a 1.4 Mb haplotype.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are observed with nearly equal distribution in Ashkenazi Jewish breast-pancreas cancer families, suggesting that both genes are associated with pancreatic cancer risk
Literature	GENERIF_SUMMARY	Common genetic variants in the AURKA and BRCA1 genes may contribute to breast cancer development.
Literature	GENERIF_SUMMARY	The Tunisian population has a spectrum of prevalent BRCA1 mutations, some of which appear as recurrent and founding mutations, as is the c.798_799delTT mutation.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Data suggest the therapeutic use of cordycepin for the treatment of BRCA1-deficient breast cancers by inhibiting poly(ADP-ribose) polymerase.
Literature	GENERIF_SUMMARY	Spectrum and characteristics of BRCA1/2 mutations in Chinese familial breast cancer exhibit some unique features, and Chinese women with familial breast cancer whose tumors are diagnosed at or before the age of 40 are good candidates for BRCA1/2 testing.
Literature	GENERIF_SUMMARY	evaluation of frequency and distribution of common BRCA1 and BRCA2 mutations which associated with breast cancer risk (Meta-Analysis)
Literature	GENERIF_SUMMARY	evaluation of prevalence of de novo mutations in BRCA1 and BRCA2 in a clinic-based cohort of women seeking risk assessment; results suggest de novo mutations in BRCA1 and BRCA2 are less common than in other hereditary cancer syndromes
Literature	GENERIF_SUMMARY	prevalence of BRCA2 mutations in triple negative breast cancer
Literature	GENERIF_SUMMARY	Data suggest that certain BRCA1 mutations that cause hyper-recombination instead of reduced DSB repair might lead to breast cancer.
Literature	GENERIF_SUMMARY	YY1 is a key regulator of BRCA1 expression and may be causally linked to the molecular etiology of human breast cancer.
Literature	GENERIF_SUMMARY	In the distal BRCA1 promoter, DNA sequence analysis revealed two tandem clusters with high similarity, and each cluster contained a possible c-Myc binding site. c-Myc bound to these regions in vivo.
Literature	GENERIF_SUMMARY	hypoxia is a driving force for long-term silencing of BRCA1, thereby promoting genome instability and tumor progression.
Literature	GENERIF_SUMMARY	Risk-reducing salpingo-oophorectomy (RRSO) in BRCA mutation carriers.
Literature	GENERIF_SUMMARY	KIAA0101 is a potential BRCA1 interactor.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	although genetic loss of Brca1 and E-cadherin are infrequent in breast cancer, they are down-regulated at the transcriptional level by CtBP1 expression.
Literature	GENERIF_SUMMARY	BRCA1 mutation was not shown to be an independent prognostic factor for breast cancer and its expression was not associated with breast cancer-specific survival in the triple-negative breast cancers.
Literature	GENERIF_SUMMARY	These findings define a novel transcriptional pathway through which BRCA1 orchestrates cell fate decisions in response to genotoxic insults.
Literature	GENERIF_SUMMARY	1 BRCA1 haplotype & in a polygenic model, the E1038G & Q356R BRCA1 SNPs were significantly associated with the mean number of breaks per irradiated lymphoblast in a DNA repair assay.
Literature	GENERIF_SUMMARY	Associations were found between risk of breast cancer and linkage disequilibrium blocks in IGF2 for BRCA1 and BRCA2 mutation carriers, HTRA1 for BRCA1 carriers, and MMP3 for BRCA2 carriers.
Literature	GENERIF_SUMMARY	Data show the function of BRCA1 missense mutations in the control of centrosome duplication, and indicate a new function of BRCA1 in the control of centriole pairing.
Literature	GENERIF_SUMMARY	BRCA1 2634delC mutation is associated with Wilms' tumor.
Literature	GENERIF_SUMMARY	12 novel BRCA1 and BRCA2 mutations, leading to aberrantly expressed transcripts, were identified in a cohort of hereditary breast and ovarian cancer syndrome patients.
Literature	GENERIF_SUMMARY	propose that targeting nuclear BRCA1 to the cytoplasm may offer a unique strategy to sensitize p53-deficient sporadic breast cancers to DNA damage-based therapy
Literature	GENERIF_SUMMARY	BRCA1 is involved in transcription-coupled repair and a BRCA1-dependent polyubiquitination pathway for Cockayne syndrome B protein exists alongside the CSA-dependent pathway to yield more efficient excision repair of lesions on the transcribed DNA strand.
Literature	GENERIF_SUMMARY	Our results confirm the existence of a central low BC risk region in BRCA1 (LR1) and one in BRCA2 (LR2).
Literature	GENERIF_SUMMARY	Data indicate that the c-Kit signalling network has potential as a target for therapy and/or prevention in BRCA1-associated breast cancer.
Literature	GENERIF_SUMMARY	Abnormal splicing patterns expected to lead to non-functional proteins were observed for 7 BRCA1 and BRCA2 variants in a cohort of patient screening for hereditary breast and ovarian cancer.
Literature	GENERIF_SUMMARY	The expression level of BRCA1 and class IIIbeta-tubulin in tumor tissue is probably a predictor for the efficacy of chemotherapy in non-small cell lung cancer patients.
Literature	GENERIF_SUMMARY	BRCA1 controls a physiological arrest at the M phase apart from its established role in DNA damage response.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	these data suggest that genomic variation at multiple loci that encode proteins that interact biologically with BRCA1 are associated with modified breast cancer and ovarian cancer risk in women who carry BRCA1 mutations.
Literature	GENERIF_SUMMARY	ATM and BRCA1 quantity plays an important role in determination of the fate of cells exposed to ionizing radiation and double heterozygosity increases the risk of tumorigen
Literature	GENERIF_SUMMARY	Identification of novel intronic BRCA1 variants of uncertain significance in a Thai hereditary breast cancer family
Literature	GENERIF_SUMMARY	The level of BRCA1 mRNA was negatively correlated with cisplatin chemosensitivity in patients with metastatic malignant effusions.
Literature	GENERIF_SUMMARY	The differential pattern of global gene expression due to stable expression of BRCA1 in ovarian cancer cells.
Literature	GENERIF_SUMMARY	Polymorphisms that alter the expression and/or function of BRCA1 carried on the wild-type (non-mutated) copy of the BRCA1 gene would modify the risk of breast cancer in carriers of BRCA1 mutations.
Literature	GENERIF_SUMMARY	Epithelial ovarian cancers with negative BRCA1 protein expression were identified in younger patients, showed a significantly better overall survival, prolonged treatment intervals and a tendency for an extended progression free time interval.
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 gene is associated with osteopenia and osteoporosis after risk-reducing salpingo-oophorectomy in breast cancer patients.
Literature	GENERIF_SUMMARY	proposal that the role of BRCA1 in maintaining global heterochromatin integrity accounts for many of its tumour suppressor functions
Literature	GENERIF_SUMMARY	both 53BP1 and SRC3 have a common function that converge at the BRCA1 promoter and possibly other genes important for DNA repair and genomic stability
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 gene is associated low with sporadic breast cancer of Spanish population.
Literature	GENERIF_SUMMARY	Germline mutations in the BRCA1 gene is associated with Iranian breast cancer patients.
Literature	GENERIF_SUMMARY	Exposure of HeLa-ADH1B cells to ethanol results in a significant increase in acetaldehyde-DNA adducts and the activation of BRCA1 and FANCD2.
Literature	GENERIF_SUMMARY	Absent/low BRCA1 protein expression is a favourable prognostic marker in ovarian cancer.
Literature	GENERIF_SUMMARY	Fifteen patients, five male, with a BRCA1 or BRCA2 mutation and PAC and one patient with a BRCA1 mutation and acinar cell carcinoma of the pancreas were identified.
Literature	GENERIF_SUMMARY	Women with BRCA-associated ovarian tumors demonstrate a greater sensitivity to cytotoxic therapy with Doxil.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Tumor suppressor BRCA1 epigenetically controls oncogenic microRNA-155.
Literature	GENERIF_SUMMARY	The probability of nipple involvement by premalignant or malignant lesions in the nipple-areolar complex of BRCA mutation carriers is low at time of prophylactic mastectomy, but higher (10%) in women undergoing therapeutic mastectomy.
Literature	GENERIF_SUMMARY	the BRCA1/BARD1 ubiquitin ligase complex was found to enhance SAFB protein expression and induce Tel2 nuclear translocation
Literature	GENERIF_SUMMARY	overexpression of Cdk1 or BRCA1 greatly expands the gamma-tubulin coating of microtubules, suggesting that the microtubule-bound gamma-tubulin is involved in DNA damage response.
Literature	GENERIF_SUMMARY	BRCA1 is required for postreplication repair after UV-induced DNA damage.
Literature	GENERIF_SUMMARY	Our results suggest an important role of BRCA1 and BRCA2 promoter methylation in breast cancer development in the Tunisian population.
Literature	GENERIF_SUMMARY	This study suggests that prior appendectomy is more frequently noted in BRCA1 carriers with breast and ovarian cancer than in unaffected mutation carriers.
Literature	GENERIF_SUMMARY	Mutation of a single allele of the cancer susceptibility gene BRCA1 leads to genomic instability in human breast epithelial cells.
Literature	GENERIF_SUMMARY	Germline mutations in the BRCA1 gene is associated with pancreatic cancer.
Literature	GENERIF_SUMMARY	among women with high-grade serous ovarian cancer, BRCA2 mutation, but not BRCA1 deficiency, was associated with improved survival, improved chemotherapy response, and genome instability compared with BRCA wild-type
Literature	GENERIF_SUMMARY	women who are carriers of BRCA1/2 mutations living in natural fertility conditions have excess fertility as well as excess post-reproductive mortality in relation to controls
Literature	GENERIF_SUMMARY	Women who had ductal carcinoma in situ and a family history of ovarian cancer or who had BRCAPRO scores >/=10% had a high rate of BRCA positivity regardless of age at diagnosis.
Literature	GENERIF_SUMMARY	among BRCA1 mutation carriers, as among noncarriers, there are unique characteristics associated with the triple-negative subtype.
Literature	GENERIF_SUMMARY	Data show no significant difference in the extent of CIN in BRCA1-mutated versus sporadic tumors.
Literature	GENERIF_SUMMARY	This data suggested that the carriers of the c.4034delA and c.5266dupC founder mutations have different risks of breast and ovarian cancer development, different age of onset and prognosis of breast cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Since BRCA1 and BACH1 mutations targeting the BRCA1-BACH1 interaction have been associated with breast cancer susceptibility, the results of the present study thus provide evidence for a novel role of BACH1 in tumour suppression.
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with unselected Nigerian breast cancer patients.
Literature	GENERIF_SUMMARY	An Asn372His homozygous variation was noted in the BRCA2 gene in the patient with medulloblastoma whereas the variation was heterozygous in the healthy father
Literature	GENERIF_SUMMARY	BRCA1 founder mutations are common in Colombian women with ovarian cancer.
Literature	GENERIF_SUMMARY	The associations of the 12 SNPs with risk for BRCA1 and BRCA2 carriers differ by ER-positive or ER-negative breast cancer status.
Literature	GENERIF_SUMMARY	report of four interactions between mutations in the breast cancer susceptibility genes ATM and CHEK2 with BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	results suggest that there might be different BRCA1 promoter methylation levels and patterns in sporadic and hereditary breast cancer in peripheral blood DNA
Literature	GENERIF_SUMMARY	Decrease in expression during neoadjuvant chemotherapy were more frequently observed for MGMT as compared to MLH1, MSH2 or BRCA1.
Literature	GENERIF_SUMMARY	FISH-positive EGFR expression is associated with gender and smoking status, but not correlated with the expression of ERCC1 and BRCA1 proteins in non-small cell lung cancer.
Literature	GENERIF_SUMMARY	Patients with hypermethylation in BRCA1 displayed favorable clinical status. Their tumors were smaller in size, lacked p53 gene mutations, were of lobular type, and had better overall survival.
Literature	GENERIF_SUMMARY	study depicts a molecular mechanism involving BRCA1 and RHAMM that regulates apicobasal polarity and, when perturbed, may increase risk of breast cancer
Literature	GENERIF_SUMMARY	The rate of phenocopy breast cancer in non-carriers from Israeli BRCA1 BRCA2 mutation carrier families is 2.26% with no increased breast cancer risk over the average-risk population.
Literature	GENERIF_SUMMARY	5 out of 144 sporadic breast cancer cases carried a BRCA1 somatic mutation, including two novel nonsense mutations (c.191_212del22 and c.2963C>G) and three missense mutations (c.114G>T, c.925A>C, and c.824G>A).
Literature	GENERIF_SUMMARY	the BRCA1-GATA3 interaction is important for the repression of genes associated with triple-negative and basal-like breast cancer (BLBCs) including FOXC1
Literature	GENERIF_SUMMARY	A1988G heterozygous AG genotype was associated with reduced differentiated thyroid cancer risk. AATAATA and ATAA haplotypes that carry C33420T variant allele were associated with reduced papillary thyroid cancer risk.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Downregulation of BRIP1, a physiological partner of BRCA1 in the DNA repair pathway, triggers BRCA1 chromatin dissociation.
Literature	GENERIF_SUMMARY	Promoter hypermethylation patterns of of BRCA1 germ line mutation carriers are associated with fallopian tube neoplasms.
Literature	GENERIF_SUMMARY	Pathologic characteristics of BRCA1 and BRCA2 tumors may be useful for improving risk-prediction algorithms and informing clinical strategies for screening and prophylaxis.
Literature	GENERIF_SUMMARY	BRCA1 had a profound effect of the gene expression profile in breast cancer cells includungregulation of TRAF2 expression.
Literature	GENERIF_SUMMARY	The results suggest that BRCA1 protects DNA from mutagenesis during nonhomologous DSB repair in plasmid-based assays.
Literature	GENERIF_SUMMARY	BRCA1 RING function is essential for tumor suppression but dispensable for therapy resistance
Literature	GENERIF_SUMMARY	Loss of heterozygosity at BRCA1 locus could be an independent prognostic biomarker useful in identifying a subgroup of breast cancer patients with poor prognosis.
Literature	GENERIF_SUMMARY	BRCA1 is a novel and essential adaptive response molecule shielding cardiomyocytes from DNA damage, apoptosis and heart dysfunction.
Literature	GENERIF_SUMMARY	Data suggest that BRCA1 plays a critical role in mediating apoptosis by vinorelbine in mesothelioma.
Literature	GENERIF_SUMMARY	Indicate potential strong associations between morphology and BRCA1/2 genotype in high-grade serous carcinomas.
Literature	GENERIF_SUMMARY	Resveratrol prevents Tetrachlorodibenzodioxin-dependent reduction of BRCA-1 expression in MCF-7 cells.
Literature	GENERIF_SUMMARY	functional KL gene variants had no discernable effect on either breast or ovarian cancer risk in a large group of ethnically diverse BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Endogenously expressed BRCA1 alternative splicing variants may negatively influence genome stability and support the growing evidence of the pathological potential of the sequence variants generated by an altered or misregulated alternative splicing.
Literature	GENERIF_SUMMARY	Overweight BRCA mutation carrier women seem to be at risk of developing more cortical invaginations than women of normal weight.
Literature	GENERIF_SUMMARY	Studies across multiple ethnicities demonstrate that BRCA1 and BRCA2 mutations not only increase the risk of prostate cancer, but also predispose patients to early onset of potentially lethal disease. (Review)
Literature	GENERIF_SUMMARY	The expression of DNA repair proteins, including PARP, FANCD2, BRCA1, PTEN, H2AX, ATM, as well as p53, was studied to see if it correlated with response to treatment,

Main Category	Category	Terms
		recurrence rate, and survival in ovarian cancer.
Literature	GENERIF_SUMMARY	The results from this study suggest that height, weight, or weight gain do not influence the risk of ovarian cancer among carriers of a BRCA1 or BRCA2 mutation.
Literature	GENERIF_SUMMARY	CRM1, BARD1 and Aurora A promote the targeting and function of BRCA1 at centrosomes.
Literature	GENERIF_SUMMARY	The C-terminal proteolytic fragment of the breast cancer susceptibility type 1 protein (BRCA1) is degraded by the N-end rule pathway.
Literature	GENERIF_SUMMARY	Among patients with invasive epithelial ovarian cancer, having a germline mutation in BRCA1 or BRCA2 was associated with improved 5-year overall survival. BRCA2 carriers had the best prognosis.
Literature	GENERIF_SUMMARY	there is a high prevalence of germ-line BRCA1 mutations in high-risk Taiwanese patients as in Caucasians.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations correlate with TP53 abnormalities and presence of immune cell infiltrates in ovarian high-grade serous carcinoma.
Literature	GENERIF_SUMMARY	Independently of breast cancer generation, BRCA1-encoded gene alterations are associated with changes in the expression of circulating proteins associated with thrombosis and coagulation.
Literature	GENERIF_SUMMARY	Women with triple negative breast cancer diagnosed below 50 years have more than 10 percent likelihood of carrying a BRCA1 mutation
Literature	GENERIF_SUMMARY	Treatment with 18.5 muM Genistein or 78.5 muM Daidzein might reverse DNA hypermethylation and restore the expression of the oncosuppressor genes BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	BRCA1 pathogenic germline mutations coupled with somatic loss of the wild-type allele are not sufficient for hereditary breast cancers to display an ER-negative phenotype.
Literature	GENERIF_SUMMARY	New pathogenic mutation in BRCA1 gene identified in women in Croatia.
Literature	GENERIF_SUMMARY	BRCA1 mutations for non-familial Korean breast cancer patients were detected at a high rate, particularly, in patients with early onset of less than 35 years of age, bilateral breast cancer, and breast and ovarian cancer.
Literature	GENERIF_SUMMARY	PARP inhibiton cytotoxicity in BRCA1-deficient tumor cells is enhanced >10-fold when combined with interferon-gamma.
Literature	GENERIF_SUMMARY	Authors searched for gene expression patterns that correlate with docetaxel or cisplatin response in a mouse model for breast cancer associated with BRCA1 deficiency.
Literature	GENERIF_SUMMARY	The rate of some seemingly recurring germline mutations (981delAT, A1708E, and 4153delA)in the BRCA1 gene in

Main Category	Category	Terms
		breast/ovarian high risk Israeli women of diverse ethnic origin were determined.
Literature	GENERIF_SUMMARY	The BRCA1/Chk1/p53 pathway mediated the upregulation of p21(Cip1/Waf1). We also demonstrated that the NO-mediated up-regulation of p21(Cip1/Waf1) was inversely correlated with the activation status of the p38MAPK pathway.
Literature	GENERIF_SUMMARY	The penetrance of the mutation and the aggressiveness of the related tumor could depend on a dosage effect of the mutated allele transcript.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation in PBCs increased significantly in breast cancer patients compared with controls, for age over 70 years (p=0.022), in post-menopausal status (p=0.013), for a body mass index
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations occurred more frequently in platinum-sensitive EOC than platinum-resistant disease.
Literature	GENERIF_SUMMARY	analysis of dynamics, retention, copy number and distribution of BRCA1-associated proteins at individual ionizing radiation-induced foci
Literature	GENERIF_SUMMARY	PWC has the potential to detect occult peritoneal carcinoma in patients with BRCA1 or BRCA2 mutations.
Literature	GENERIF_SUMMARY	Data suggest that BRCA1 and BRCA2 mutations are responsible for a significant proportion of familial breast cancer in Moroccan patients.
Literature	GENERIF_SUMMARY	The role of BRCA1 in breast cell differentiation and lineage determination
Literature	GENERIF_SUMMARY	Age and grade differed significantly between BRCA1 and BRCA2 carriers in our study population.
Literature	GENERIF_SUMMARY	BRCA1/p220 loss of expression or function triggers BRCA1-IRIS overexpression through a post-transcriptional mechanism, which in turn promotes formation of aggressive and invasive breast tumors.
Literature	GENERIF_SUMMARY	Several common alleles have been found to modify breast or ovarian cancer risk for BRCA1 and BRCA2 mutation carriers. These common alleles explain a small proportion of the genetic variability in breast or ovarian cancer risk for mutation carriers.
Literature	GENERIF_SUMMARY	The high frequency of loss of heterozygosity at the BRCA1 locus suggests that loss of heterozygosity may be an important mechanism of BRCA1 deficiency in ovarian carcinomas.
Literature	GENERIF_SUMMARY	No new rearrangements were found in the BRCA1 gene in 472 patients with breast cancer predisposition.
Literature	GENERIF_SUMMARY	The PI3K/AKT pathway can be an important signaling pathway for the survival of BRCA1-defective breast cancer cells.
Literature	GENERIF_SUMMARY	BRCA1 regulates miRNA biogenesis via the DROSHA

Main Category	Category	Terms
		microprocessor complex and Smad3/p53/DHX9.
Literature	GENERIF_SUMMARY	results suggest that polymorphic BRCA1, particularly T43893C polymorphism, may protect against salivary gland carcinoma
Literature	GENERIF_SUMMARY	BRCA1-IRIS overexpression triggers aggressive breast tumor formation, especially in patients with HER2(+) or TN/BL subtypes.
Literature	GENERIF_SUMMARY	increased risk of Prostate cancer (PrCa) in men who harbour germline mutations in BRCA1.
Literature	GENERIF_SUMMARY	Caucasian female with double heterozygosity for disease-causing BRCA1 and BRCA2 mutations carriers seem to develop breast cancer at a younger age and have a more severe disease than carriers of a single BRCA mutation.
Literature	GENERIF_SUMMARY	Id4 overexpression plays a role in the downregulation of BRCA1 in sporadic triple-negative breast carcinomas of patients without BRCA1 germline mutation, and provide new insight into the biology of these tumors
Literature	GENERIF_SUMMARY	Data suggest that the BRCA1-associated IRIF core corresponds to chromatin regions associated with repair by homologous recombination, and the enrichment of BRCA1 in IRIF represents a temporal switch in the DNA repair program.
Literature	GENERIF_SUMMARY	The aim is to determine whether DNA-direct is an acceptable procedure for BRCA1/2 testing, in order to provide customized care to patients with breast cancer
Literature	GENERIF_SUMMARY	Studies sugggest a role of diet, specifically iron and antimony, in the etiology of BRCA1-associated breast cancer.
Literature	GENERIF_SUMMARY	For breast cancer, BRCA mutation status is not associated with the rate of optimal tumor debulking at primary surgery after accounting for differences in patient age.
Literature	GENERIF_SUMMARY	PARP inhibitors may represent a new and promising targeted therapy for patients with BRCA1/2 -associated cancer.
Literature	GENERIF_SUMMARY	Patients with breast cancer and estrogen receptor-negative phenotype and high mitotic rate could be triaged specifically for BRCA1 testing.
Literature	GENERIF_SUMMARY	Estrogen receptor positive (ER+)BRCA1-related breast cancers show several morphologic and immunophenotypic differences from ER+ sporadic breast cancers.
Literature	GENERIF_SUMMARY	in patients with triple-negative breast cancer, BRCA1 mutation prevalence was lower, and BRCA2 mutation prevalence was higher, than previously described
Literature	GENERIF_SUMMARY	Using a hybrid minigene approach, we have experimentally validated the hypothesis that the need to maintain correct alternative splicing is a selective pressure against translationally silent sequence variations in the critical region of BRCA1 exon 11

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	This paper describes the analysis of BRCA1, PTEN, and p53 at the single cell level in 55 BRCA1-associated breast tumors and computational methods to predict the relative temporal order of somatic events
Literature	GENERIF_SUMMARY	High BRCA1 expression is associated witth high insulin-like growth factor I receptor gene expression and uterine serous carcinoma.
Literature	GENERIF_SUMMARY	the BRCA1 variants M1775R and A1789T affect the expression of many genes critical for cell proliferation and genome integrity maintenance.
Literature	GENERIF_SUMMARY	It is concluded that a proportion of patients with therapy related myeloid neoplasms carry cancer susceptibility mutations,including BRCA1 mutations, which is likely to contribute to therapy related leukaemogenesis.
Literature	GENERIF_SUMMARY	In patients diagnosed with breast and ovarian cancer the study found 4 novel deleterious mutations (c.2805_2808delAGAT and c.3124_3133delAGCAATATTA in BRCA1; c.2639_2640delTG and c.5114_5117delTAAA in BRCA2).
Literature	GENERIF_SUMMARY	BrCa1 might help to control fatty acid biosynthesis in adipocytes and adipose tissue from obese subjects
Literature	GENERIF_SUMMARY	Article presents a comprehensive review of the relevant literature on the role of BRCAness in ovarian cancer with respect to BRCA function.
Literature	GENERIF_SUMMARY	Data suggest that if survival rates are based on tested patients, all of whom are alive at the time of testing, then the survival experience will be overestimated, both for women who test positive for BRCA1 or BRCA2 mutations and for non-carriers.
Literature	GENERIF_SUMMARY	The first report identifying BRCA1 mutations in Puerto Rico.
Literature	GENERIF_SUMMARY	8 new missense unclassified variants were identified in the BRCA1 and BRCA2 genes in Algerian breast/ovarian cancer families.
Literature	GENERIF_SUMMARY	Findings suggest a function for breast cancer susceptibility gene 1 (BRCA1) as a regulator of follistatin (FST) expression and function in ovarian cells.
Literature	GENERIF_SUMMARY	Screened DNA copy number changes in BRCA1 in 23 breast cancer patients. Detected in one patient a 36.4 Kb BRCA1 microdeletion.
Literature	GENERIF_SUMMARY	RB1 was identified as a major target for genomic disruption in tumors arising in BRCA1 mutation carriers and in sporadic tumors with BRCA1 promoter methylation but rarely in other breast cancers.
Literature	GENERIF_SUMMARY	Invasive tubal carcinoma and TIC were limited to BRCA-mutation carriers, whereas hyperplasia and minor epithelial atypia were commonly found in both BRCA-mutation carriers and controls.
Literature	GENERIF_SUMMARY	IRS1 Gly972Arg single-nucleotide polymorphism, which

Main Category	Category	Terms
		affects insulin-like growth factor and insulin signaling, modifies ovarian cancer risk in BRCA1 and BRCA2 mutation carriers and breast cancer risk in BRCA1 class II mutation carriers.
Literature	GENERIF_SUMMARY	Among the 1017 women referred for BRCA testing, 63 women younger than 52 years of age who had been diagnosed with breast cancer were found, subsequent to this diagnosis, to have BRCA1 or BRCA2 gene mutations.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 defectiveness keeps turning on IGF-1/PI3K/AKT signaling, which significantly contributes to increase cell survival and proliferation.
Literature	GENERIF_SUMMARY	study genotyped recurrent BRCA1/BRCA2 mutations among Nigerian, African American, and Barbadian breast cancer patients
Literature	GENERIF_SUMMARY	These data reveal that BRCA1 facilitates Chk1 phosphorylation and its partial chromatin dissociation following replication inhibition that is likely to be required for S-phase checkpoint signaling.
Literature	GENERIF_SUMMARY	studies suggest substantial mortality benefits in using MRI to screen BRCA1/2 mutation carriers aged 25 to 60 years
Literature	GENERIF_SUMMARY	High BRCA1 methylation frequency was associated with drug response in breast cancer
Literature	GENERIF_SUMMARY	Eidence suggests that RAS-induced suppression of DNA repair response via dissociation of BRCA1 from chromatin promotes senescence while predisposing cells to senescence bypass and transformation by allowing for secondary hits.
Literature	GENERIF_SUMMARY	study examined BRCA1/BRCA2 gene mutations/SNPs and BRCA1 haplotypes in early-onset breast cancer patients of Indian ethnicity; findings indicate a high incidence of BRCA1/BRCA2 gene mutations in the Indian patients
Literature	GENERIF_SUMMARY	Identification and analysis of BRCA1 3'UTR variants in breast cancer reveals a novel mutation introducing a functional miR-103 binding site.
Literature	GENERIF_SUMMARY	We conclude that the 185delAG* BRCA1 mutation resides on a common haplotype among Ashkenazi Jews, and arose about 61 generations ago and arose independently at least twice in non-Jews.
Literature	GENERIF_SUMMARY	A locus on chromosome 6q22.33 (rs2180341) was evaluated to see if it modifies breast cancer risk in 3,361 BRCA1 and 2,020 BRCA2 carriers.
Literature	GENERIF_SUMMARY	Germline BRCA1 and BRCA2 mutations in ovarian (pelvic) cancer are associated with high-grade serous histology; genetic assessment of all women diagnosed with high-grade serous ovarian carcinoma will improve detection rates and capture mutation carriers.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Low doses of mammography X-rays have the potential to induce chromosomal instability in fibroblasts from BRCA mutation carriers.
Literature	GENERIF_SUMMARY	show a repair-independent requirement for FA genes, including FANCD2, and BRCA1 in protecting stalled replication forks from degradation
Literature	GENERIF_SUMMARY	identified 5 morphologic features associated with BRCA1 mutation status in a series of 20 ovarian cancers
Literature	GENERIF_SUMMARY	characteristics of BRCA1/2 germline mutations in Korean patients with breast and ovarian cancer; 420 (150 distinct) pathogenic mutations were identified, 211(73 distinct)in BRCA1 and 209 (77 distinct)in BRCA2; majority of distinct mutations resulted in premature termination codon of the BRCA1/2 translation
Literature	GENERIF_SUMMARY	Germline BRCA1 mutations in uterine serous carcinoma (USC) is higher than expected in a nonfounder population, suggesting that USC is associated with hereditary breast and ovarian carcinoma.
Literature	GENERIF_SUMMARY	in the absence of DNA damage, the DSB repair factors RNF8 and BRCA1 are associated with the nucleolus
Literature	GENERIF_SUMMARY	BRCA1 overexpression increases ATM transcription and this enhancement is abolished by BRCA1 depletion.
Literature	GENERIF_SUMMARY	BRCA1 is specifically associated with mother centrioles in unduplicated centrosomes, and daughter centrioles acquire BRCA1 prior to initiation of duplication, and thus duplicated centrosomes are both bound by BRCA1.
Literature	GENERIF_SUMMARY	We propose that analogous to germline genetic mutations constitutive epimutations in BRCA1 and RAD51C may serve as the first hit of tumor development.
Literature	GENERIF_SUMMARY	Description of a large family showing co-segregation of the BRCA1 S1715N variant with breast and/or ovarian cancer.
Literature	GENERIF_SUMMARY	findings identify claspin as an in vivo substrate for the BRCA1 E3 ligase and suggest that its modification selectively triggers CHK1 activation for the homology-directed repair of a subset of genotoxic lesions
Literature	GENERIF_SUMMARY	High frequency of BRCA1 founder mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	Data indicate that RNF8-dependent chromatin ubiquitination is required for RAD51 assembly in BRCA1/53BP1-depleted cells.
Literature	GENERIF_SUMMARY	BRCA1 and HSP90 cooperate in homologous and non-homologous DNA double-strand-break repair and G2/M checkpoint activati
Literature	GENERIF_SUMMARY	Studied E2F3 and its two isoforms E2F3a and E2F3b in wild-type ovarian carcinomas and ovarian carcinomas associated with germline BRCA1 and BRCA2 mutations.
Literature	GENERIF_SUMMARY	BRCA1 c.5096G>A p.Arg1699Gln (R1699Q) variant is

Main Category	Category	Terms
		associated with intermediate risk of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 as a new predictive marker for chemotherapy and radiotherapy of non-small cell lung cancer
Literature	GENERIF_SUMMARY	The combination of a PI3K inhibitor with a PARP inhibitor provides in vivo synergy for treatment of an endogenous mouse model for BRCA1-related breast cancers.
Literature	GENERIF_SUMMARY	In TNBC cells that PI3K inhibition leads to DNA damage, downregulation of BRCA1/2, gain in poly-ADP-ribosylation, and subsequent sensitization to PARP inhibition.
Literature	GENERIF_SUMMARY	Novel BRCA1 and BRCA2 pathogenic mutations in Slovene hereditary breast and ovarian cancer families.
Literature	GENERIF_SUMMARY	Decreased BRCA1 expression can enhance progesterone-stimulated tumor cell proliferation and migration in sporadic breast cancer.
Literature	GENERIF_SUMMARY	increased ALDH1 is inversely correlated with decreased BRCA1 in a series of unselected breast carcinomas.
Literature	GENERIF_SUMMARY	Higher frequencies of these mutations in the patient group compared to the control sample (1.95 versus 0.25% for BRCA1 5382insC, and 1.78 versus 0.40% for CHEK2 1100delC) were observed, pointing to their association with susceptibility to breast cancer
Literature	GENERIF_SUMMARY	in human sporadic breast cancer cells with functional BRCA1 and proficient double-strand break repair, a transient nuclear depletion of BRCA1 and subsequent homologous recombination repair deficit was induced with either truncated BRCA1 or irradiation
Literature	GENERIF_SUMMARY	BRCA1/2 mutation carriers exhibited no significant increase in proliferation in the fallopian tube epithelial cells either in the ampulla or fimbriated ends of the tube.
Literature	GENERIF_SUMMARY	BRCA mutations account for a substantial proportion of hereditary breast/ovarian cancer in Southern Chinese population.
Literature	GENERIF_SUMMARY	Evidence based on spontaneous chromosome abnormalities and epidemiologic data indicates strong effects from exogenous mutagens and does not support the inevitability of cancer in all BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	These data suggest that elevated CA IX protein in TNBC is associated with a BRCA1 mutant signature and loss of BRCA1 function.
Literature	GENERIF_SUMMARY	BRCA1/2 mutations appear embryo-lethal unless rescued by low (CGG n
Literature	GENERIF_SUMMARY	Data suggest that, compared to stage I/control, BRCA1 promoter methylation is up-regulated in stage II/III ovarian cancers; BRCA1 hypermethylation correlates with loss of BRCA1 expression; BRCA1 promoter in stage I tumors exhibits hypo-methylation.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	No association with ovarian cancer risk for BRCA1 or BRCA2 mutation carriers or with breast cancer risk for BRCA1 mutation carriers was observed
Literature	GENERIF_SUMMARY	Findings establish unique functional links between canonical Wnt signaling, Slug expression, EMT, and BRCA1 regulation.
Literature	GENERIF_SUMMARY	PALB2 localization depends on the presence of MDC1, RNF8, RAP80 and Abraxas upstream of BRCA1.
Literature	GENERIF_SUMMARY	Results indicate that the MDM2 SNP309G allele to increase and the SNP285C allele to reduce the risk of BRCA1 related ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 deficiency in the tumor stroma metabolically promotes cancer progression, via ketone production.
Literature	GENERIF_SUMMARY	BRCA1-null mutations and loss of expression drives hydrogen peroxide generation, accompanied by metabolic coupling and stromal glycolysis, as well as high autophagy and a loss of Cav-1 in the tumor stroma.
Literature	GENERIF_SUMMARY	In BRCA1 mutation carriers no association was found between overall breast cancer risk SNP score and age at breast cancer onset.
Literature	GENERIF_SUMMARY	RNF168 is important for defects in homologous recombination caused by loss of the BRCA1 in breast cancer cells.
Literature	GENERIF_SUMMARY	review of progress in understanding of BRCA1 and BRCA2 mutations in ovarian cancers and how these findings affect therapeutics; differing prognostic effects of BRCA2 and BRCA1 mutations is likely due to differing roles of BRCA1 and BRCA2 in homologous recombination repair and stronger association between the BRCA2 mutation and hypermutator phenotype
Literature	GENERIF_SUMMARY	The risk of breast cancer was modestly higher in women with a paternal BRCA1 mutation compared to women with a maternal BRCA1 mutation.
Literature	GENERIF_SUMMARY	BRCA1 hypermethylation-associated silencing predicts enhanced sensitivity to platinum-derived drugs to the same extent as BRCA1 mutations
Literature	GENERIF_SUMMARY	Sixty-two patients (index cases) with invasive breast cancer belonging to sixty families and their asymptomatic female first-degree relatives (300 cases) were studied for germline mutations of BRCA1 and BRCA2 genes.
Literature	GENERIF_SUMMARY	FBXO44 mediates BRCA1 ubiquitination and degradation
Literature	GENERIF_SUMMARY	found BRCA1/2 mutations in 15/103 probands. Among these, a BRCA2 gene mutation has not been described previously. In addition, we identified five novel BRCA2 variants
Literature	GENERIF_SUMMARY	NO/RNS stimulates genetic instability by inhibiting BRCA1 expression and shifting DNA repair from high fidelity to error-prone mechanisms.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show a substantial proportion of germ-line mutations in triple-negative breast cancer (TNBC), with a preponderance of BRCA1 mutations over mutations in BRCA2 or PALB2, but no evidence to implicate BRD7 mutations in the etiology of TNBC.
Literature	GENERIF_SUMMARY	this study sustain that the deletion of exons 3-5 of BRCA1, g.8097_22733del14637, identified in families of southeastern of the Valencian Community is the first founder rearrangement until now reported in Spanish population, confirming the hypothesis that this mutation could have Iberian ancestry.
Literature	GENERIF_SUMMARY	Our findings do not support the usefulness of X chromosome inactivation analysis for the identification of BRCA mutation carriers and cancer risk assessment.
Literature	GENERIF_SUMMARY	We assessed the relation of mRNA levels of ERCC1, RRM1, and BRCA1 to survival in surgically-resected tumor tissues from patients who underwent adjuvant chemotherapy
Literature	GENERIF_SUMMARY	Loss of BRCA1 function leads to hydrogen peroxide generation in both epithelial breast cancer cells and neighboring stromal fibroblasts, and promotes the onset of a reactive glycolytic stroma, with increased MCT4 and decreased Cav-1 expression.
Literature	GENERIF_SUMMARY	Suggest that recurrent BRCA1 mutations may exist in eastern Chinese women with familial breast cancer and PCR-sequencing assay is a useful tool to screen these mutations.
Literature	GENERIF_SUMMARY	Combined SEER database and retrospective study data analysis of lifetime risk of developing ductal carcinoma in situ and BRCA1 and BRCA2 carrier status.
Literature	GENERIF_SUMMARY	The prevalence and nature of germline mutations in the BRCA1 gene in a cohort of triple negative breast cancer patients.
Literature	GENERIF_SUMMARY	connect ubiquitin- and SUMO-dependent DSB recognition, revealing that RNF4-synthesized hybrid SUMO-ubiquitin chains are recognized by RAP80 to promote BRCA1 recruitment and DNA repair.
Literature	GENERIF_SUMMARY	A low level of BRCA1 protein expression is a favorable prognostic indicator in uterine serous carcinoma, similar to what is observed in high-grade serous ovarian carcinoma.
Literature	GENERIF_SUMMARY	Classified 88 missense VUS in BRCA1 and BRCA2 on the basis of an in silico analysis and compared the classification of a subset of 60 VUS of which additional information including family, genetic and tumour data was available.
Literature	GENERIF_SUMMARY	Data indicate that the median levels of Ang-1, Ang-2 and VEGF mRNA were significantly higher in patients harboring BRCA1/2 germline mutations.
Literature	GENERIF_SUMMARY	BRCA1 immunohistochemistry appears to be an effective approach to stratify patients for germline genetic testing and to detect other mechanisms of BRCA1 dysfunction in

Main Category	Category	Terms
		high-grade serous ovarian carcinomas.
Literature	GENERIF_SUMMARY	BRCA1 5382insC mutation is associated with familial breast cancer.
Literature	GENERIF_SUMMARY	in a study of US Hispanics, deleterious BRCA mutations were detected in 189 of 746 clinic patients(124 BRCA1, 65 BRCA2); a significant proportion were large rearrangement mutations; first Mexican founder mutation (BRCA1 ex9-12del)was documented
Literature	GENERIF_SUMMARY	we investigated 30 unclassified BRCA1 variants with putative effects on splicing, 25 of which were experimentally proven spliceogenic in peripheral blood leukocytes (PBL).
Literature	GENERIF_SUMMARY	BRCA1 targets G2/M cell cycle proteins for ubiquitination and proteasomal degradation.
Literature	GENERIF_SUMMARY	Results indicate that this workflow performed analysis of BRCA1 and BRCA2 genes point mutations with a specificity of 100% and a sensitivity >/=97.5%.
Literature	GENERIF_SUMMARY	for women with invasive ovarian cancer, the short-term survival advantage of carrying a BRCA1 or BRCA2 mutation does not lead to a long-term survival benefit
Literature	GENERIF_SUMMARY	Older age, absence of a strong family history, and poor survival are all associated with decreased clinical identification of inherited BRCA1/2 mutations in women with ovarian cancer.
Literature	GENERIF_SUMMARY	the decreased expression of BRCA1 gene suggests the possible role of methylation in gene silencing.
Literature	GENERIF_SUMMARY	Data indicate that younger patients with BRCA1 and BRCA2 (BRCA1/2)-mutated ovarian cancers (BMOC) (
Literature	GENERIF_SUMMARY	The ectopic expression of BRCA1 is associated with the genesis, progression, and prognosis of young breast cancer patients.
Literature	GENERIF_SUMMARY	The BRCA1 c.5194-12G>A variant was detected in two sisters, one of whom has been diagnosed with bilateral breast cancer at 47 and 57 years of age and the other sister diagnosed at 42 years of age.
Literature	GENERIF_SUMMARY	CBP and p300 histone acetyltransferases contribute to homologous recombination by transcriptionally activating the BRCA1 and RAD51 genes.
Literature	GENERIF_SUMMARY	Our BRCA1 patients carrying c.5095C>T mutation had a strong family history of breast and/or ovarian cancers.
Literature	GENERIF_SUMMARY	The positive correlation between BRCA1 expression and overall survival suggests that patients with BRCA1 expression have a better prognosis in gastric cancer
Literature	GENERIF_SUMMARY	CtBP1 is expressed in melanoma and represses the transcription of p16INK4a and Brca1.
Literature	GENERIF_SUMMARY	polymorphisms within XRCC1 and BRCA1 were associated

Main Category	Category	Terms
		with radiation sensitivity of the lungs.
Literature	GENERIF_SUMMARY	185DelAG, 1014DelGT and 3889DelAG BRCA1 mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	in a sample of Black women with early onset breast cancer, study evaluated BRCA mutations; BRCA mutation prevalence and the high prevalence of variants of uncertain significance in participants are consistent with prior studies
Literature	GENERIF_SUMMARY	Data suggest that BRCA1 mRNA expression could be used as a predictive and prognostic marker in esophageal cancer who underwent first-line cisplatin- or docetaxel-based treatments.
Literature	GENERIF_SUMMARY	Data indicate an increase of VEGF, HIF-1alpha expression and microvessel density (MVD) in BRCA1-2 carriers and BRCAX compared to the sporadic control group.
Literature	GENERIF_SUMMARY	RIF1 accumulation at DSB sites is strongly antagonized by BRCA1 and its interacting partner CtIP
Literature	GENERIF_SUMMARY	Methylation of breast cancer susceptibility gene 1 (BRCA1) predicts recurrence in patients with curatively resected stage I non-small cell lung cancer.
Literature	GENERIF_SUMMARY	The expression of BRCA1 is related to the occurrence and development of esophageal carcinoma.
Literature	GENERIF_SUMMARY	BRCA1 loss activates cathepsin L (CTSL)-mediated degradation of 53BP1.
Literature	GENERIF_SUMMARY	a microenvironmental change that is manifested during the initial stages of ovarian carcinoma dissemination may, potentially, help suppress BRCA1 expression in sporadic tumors and thus promote their progression.
Literature	GENERIF_SUMMARY	BRCA1-Ku80 protein interaction enhances end-joining fidelity of chromosomal double-strand breaks in the G1 phase of the cell cycle
Literature	GENERIF_SUMMARY	LOH at the locus of BRCA1 was explained in relation to clinicopathological factors and prognosis of breast cancer.
Literature	GENERIF_SUMMARY	Nrf2 has a role in regulating the basal transcription activity of the BRCA1 gene
Literature	GENERIF_SUMMARY	review summarizes the recent findings on the epidemiology of BRCA1/2 mutations among ovarian carcinoma patients in various geographical areas with special reference to racial/ethnic groups and the common founder mutations
Literature	GENERIF_SUMMARY	data indicate that BRCA1 carriers diagnosed with MBC have worse outcomes compared to BRCA2 carriers and non-carriers. However, the differences in outcome did not reach statistical significance likely due to small sample sizes
Literature	GENERIF_SUMMARY	The frequencies of four mutations in the BRCA1 gene (185delAG, T300G, 4153delA, and 5382insC) were estimated in the Russian population.
Literature	GENERIF_SUMMARY	acetylation regulates relative BRCA1 and 53BP1 DNA

Main Category	Category	Terms
		double strand breaks chromatin occupancy to direct DNA repair mechanism
Literature	GENERIF_SUMMARY	Methylation of BRCA1 promoter region is associated with early-stage breast cancer.
Literature	GENERIF_SUMMARY	BRCA1-methylated breast neoplasms are sensitive to adjuvant chemotherapy and have a favorable survival compared to BRCA1-unmethylated tumors.
Literature	GENERIF_SUMMARY	High BRCA1 mRNA levels were associated with response to erlotinib in non-small-cell lung cancer.
Literature	GENERIF_SUMMARY	Impairment of BRCA1-related DNA double-strand break repair leads to ovarian aging in mice and humans.
Literature	GENERIF_SUMMARY	findings support the hypothesis that the majority of non-BRCA1/BRCA2 breast cancer families might be explained by the action of moderate and/or low penetrance susceptibility alleles
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 germline mutation-related DCIS show a high frequency of overexpression of HIF-1alpha.
Literature	GENERIF_SUMMARY	The idea that BRCA1/2 mutations have antagonistic pleiotropic effects (enhancing fertility while reducing survival) was supported in the natural fertility study.
Literature	GENERIF_SUMMARY	The mean age at menopause in BRCA1-positive women is 45.5 years compared with 48.2 years among women who do not carry a mutation.
Literature	GENERIF_SUMMARY	These data collectively highlight a previously unrecognized role of BRCA1 as a gatekeeper of inflammation-induced endothelial cell function and a target to limit atherosclerosis.
Literature	GENERIF_SUMMARY	This study characterises the mutation, expression and methylation status of BRCA1/2 in 41 ovarian cancer cell lines.
Literature	GENERIF_SUMMARY	overexpression of BRCA1Delta17-19 impairs homologous recombination repair, delays repair of ionizing radiation-induced DNA damage and dynamics of the ionizing radiation-induced foci formation, and undermines also the non-homologous end joining repair.
Literature	GENERIF_SUMMARY	present the proof of principle of a NGS-based mutation screening procedure allowing the detection of inherited Alu insertions within any predefined sequence by investigating 2 cases
Literature	GENERIF_SUMMARY	Study identifies a novel BRCA1-p50 complex, and demonstrates for the first time that NF-kappaB is required for BRCA1-mediated resistance to DNA damage.
Literature	GENERIF_SUMMARY	BRG1 enhances senescence induced by BRCA1 knockdown.
Literature	GENERIF_SUMMARY	TNRC9 and BRCA1 expression are inversely correlated in breast cancer. TNRC9 binds to CREB and BRCA1 promoter and downregulates BRCA1 promoter activity.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Eleven variants in BRCA1 and 8 in BRCA2, including 8 not previously characterized at transcript level, were ascertained to affect mRNA splicing
Literature	GENERIF_SUMMARY	The study identified one of seven founder mutations in BRCA1 and BRCA2 in 27% of breast cancer patients in the Bahamas.
Literature	GENERIF_SUMMARY	High BRCA1 expression is associated with treatment response in ovarian cancer.
Literature	GENERIF_SUMMARY	Germline BRCA1 and BRCA2 mutations were detected in 13% and 7% of the early-onset breast cancer Brazilian patients.
Literature	GENERIF_SUMMARY	Sporadic tumors with deranged BRCA1 protein expression like familial tumors have more unfavorable histopathology and are likely to be of higher grade and estrogen receptor negative.
Literature	GENERIF_SUMMARY	Recurrent BRCA1 gene mutation is associated with breast and ovarian cancers.
Literature	GENERIF_SUMMARY	Genotypes of AIB1 polyglutamine polymorphism analyzed do not appear to be associated to a modified risk of breast cancer development in BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	RIF1 not only acts downstream of 53BP1 and counteracts BRCA1-mediated end resection but also has a secondary role in promoting BLM function in DNA repair.
Literature	GENERIF_SUMMARY	Results show that age of onset in carriers of BRCA mutations is earlier than expected. Especially for BRCA1
Literature	GENERIF_SUMMARY	ERCC1 and BRCA1 mRNA expression levels correlate inversely to CRC metastasis. ERCC1 and BRCA1 might serve as biomarkers for lymphatic metastasis and as prognostic indicators for CRC; their down-expressions are predictors of poor outcome in CRC patients
Literature	GENERIF_SUMMARY	BRCA1 gene mutation is associated with breast and ovarian cancers.
Literature	GENERIF_SUMMARY	Our data confirm the previously reported highly skewed distribution of FMR1 genotypes and sub-genotypes toward a high preponderance of low FMR1 alleles in BRCA1/2 carriers.
Literature	GENERIF_SUMMARY	6 (BRCA1) and 8 (BRCA2) microsatellite markers in a multiplex PCR.
Literature	GENERIF_SUMMARY	BRCA1 has a predictive role in gastric cancer diagnosis.
Literature	GENERIF_SUMMARY	Based on the joint distribution of the known BRCA1 breast cancer risk-modifying loci, we estimated that the breast cancer lifetime risks for the 5% of BRCA1 carriers at lowest risk are 28%-50% compared to 81%-100% for the 5% at highest risk
Literature	GENERIF_SUMMARY	Data indicate that interruption of ATR signaling strikingly further sensitized BRCA1- and BRCA2-deficient ovarian

Main Category	Category	Terms
		cancer cells to PARP inhibition.
Literature	GENERIF_SUMMARY	Positive expression of BRCA1 protein was found in ovarian tissue in 83.3 % cases in BRCA1 mutation carriers and in 72.7 % in the control group.
Literature	GENERIF_SUMMARY	The risk of endometrial cancer is higher in BRCA1 mutation carriers than in the general population.
Literature	GENERIF_SUMMARY	Tumor size estimation using breast MRI in high risk patients is comparable to its performance in sporadic cancers.
Literature	GENERIF_SUMMARY	BRCA1/2 germ-line mutations confer a more aggressive prostate cancer phenotype with a higher probability of nodal involvement, distant metastasis and poor survival.
Literature	GENERIF_SUMMARY	Heterogeneous nuclear ribonucleoprotein C is a key regulator of BRCA gene expression and homologous recombination-based DNA repair.
Literature	GENERIF_SUMMARY	variants Y1703S, W1718L and G1770V can be classified as likely pathogenic BRCA1 mutations.
Literature	GENERIF_SUMMARY	In patients with breast cancer neoplasm grade and expression of BRCA1, Lys27H3, vimentin, and KI67 can be used to predict BRCA1 germline mutations.
Literature	GENERIF_SUMMARY	All patients with BRCA1 and BRCA2 risk factors need large genomic rearrangement screening for breast cancer.
Literature	GENERIF_SUMMARY	Authors indicate that this report is the first of a family with some members clinically affected by neurofibromatosis type 1 and breast cancer, being carriers of both BRCA1 and NF1 mutations.
Literature	GENERIF_SUMMARY	BRCA1 is a key negative modulator of PRC2 and that loss of BRCA1 inhibits embryonic stem (ES) cell differentiation and enhances an aggressive breast cancer phenotype by affecting PRC2 function.
Literature	GENERIF_SUMMARY	The results show that BRCA1-mutant tumors are associated with a specific molecular subtype of high-grade serous carcinoma and have a distinct gene expression signature, which is heavily influenced by specific amplification events at 8q24 and on the X chromosome.
Literature	GENERIF_SUMMARY	Genomic rearrangements at the BRCA1 locus account for a subset of breast cancer cases in an Iranian cohort.
Literature	GENERIF_SUMMARY	BRCA1 promoter polymorphism rs11655505 is associated with the risk of familial breast and/or ovarian cancer.
Literature	GENERIF_SUMMARY	We show a high prevalence of BRCA1/2 mutations with LOH in an Ashkenazi Jewish cohort of surgically resected PDAC and neoplastic lesions, suggesting that these germline mutations are causal in selected individuals.
Literature	GENERIF_SUMMARY	Level of ROS is correlated with increase of DNA damage in BRCA1 defective cells and several environmental factors might increase the risk of tumorigenesis in BRCA1 defective breast epithelial cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with response to therapy in high-grade serous ovarian cancer
Literature	GENERIF_SUMMARY	the existence of a previously unreported non-canonical nuclear localization signal contained within the first 39 amino acids of exon 11 of BRCA1 protein, is reported.
Literature	GENERIF_SUMMARY	BRCA1 protein associates to GADD153 promoter after DNA damage in the presence of p53.
Literature	GENERIF_SUMMARY	study concluded that although genetic variation in BRCA1 may be associated with etiology of hereditary breast cancer, BRCA1 genetic variation by itself may also play a role in etiology of sporadic breast cancer in the context of some breast cancer risk factors and for triple negative breast cancers
Literature	GENERIF_SUMMARY	BRCA1 is recruited to DNA damage sites using a PAR-dependent mechanism.
Literature	GENERIF_SUMMARY	We detected 28 distinct pathogenic mutations (16 in BRCA1 and 12 in BRCA2), of which 3 mutations in BRCA1 and 5 in BRCA2 had not been previously described.
Literature	GENERIF_SUMMARY	One common mutation c.798_799delTT was identified in the BRCA1 gene with a frequency of 5.12% [review]
Literature	GENERIF_SUMMARY	Rare variants of uncertain significance affecting phosphorylation may be a novel and important mechanism for which BRCA1 and BRCA2 functions are disrupted in breast cancer.
Literature	GENERIF_SUMMARY	Breast tumors from BRCA1 and BRCA2 mutation carriers display characteristic RNA expression patterns.
Literature	GENERIF_SUMMARY	Findings suggest treatment decisions and the clinical management for patients harbouring deleterious BRCA1/ BRCA2 mutations.
Literature	GENERIF_SUMMARY	BRCA1 expression is epigenetically repressed in sporadic ovarian cancer cells by overexpression of C-terminal binding protein 2.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 can directly interact with the androgen receptor (AR) and Janus kinase (JAK), and can differentially regulate insulin-like growth factor 1 receptor (IGF-IR) expression in an AR-dependent manner
Literature	GENERIF_SUMMARY	BRCA1 functional rs799917 polymorphism is involved in susceptibility to developing ESCC, alone and in a gene-environment interaction manner.
Literature	GENERIF_SUMMARY	Four BRCA2 mutations including three novel BRCA2 frameshift mutations and one previously known BRCA2 frameshift mutation and one BRCA1 splicing mutation were identified in a group of consecutive breast cancer patients.
Literature	GENERIF_SUMMARY	This study indicates that genetic polymorphisms of AURKA, BRCA1 and CCNE1 may affect ovarian cancer susceptibility

Main Category	Category	Terms
		in Chinese Han women.
Literature	GENERIF_SUMMARY	High BRCA1 expression is associated with non-small cell lung cancer.
Literature	GENERIF_SUMMARY	the BRCA1-dependent translation of mRNAs participating in unexpected functions such as cellular movement, nucleic acid metabolism or protein trafficking is indicative of novel functions for BRCA1.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with response to therapy in sporadic cancer.
Literature	GENERIF_SUMMARY	pol beta and BRCA1 appeared to have a functional interaction, observed in both DT40 and human cell lines, in protecting cells against alkylating MMS-induced cytotoxicity; but pol beta had no protective effect in the absence of BRCA1. In vivo and in vitro assays for a base excision repair role of BRCA1 were negative.
Literature	GENERIF_SUMMARY	Segregation analysis revealed that Y1853C, but not A1752G, was cosegregated in affected with breast cancer family members. Conservation, transcription and structure analyses also supported the pathogenic potential of Y1853C.
Literature	GENERIF_SUMMARY	Studies indicate that germline mutations in BRCA1/2 and related genes, such as PALB2, are associated with pancreatic cancer.
Literature	GENERIF_SUMMARY	Data indicate that an increase in cytosolic BRCA1 distribution was associated with higher pathologic stage of pancreatic ductal adenocarcinoma (PDAC).
Literature	GENERIF_SUMMARY	the role of BRCA1 in regulating Nrf2 activity suggests important implications for both the etiology and treatment of BRCA1-related cancers.
Literature	GENERIF_SUMMARY	Data indicate that patients negative for BRCA1 protein were more often with pathological tumor-node-metastasis stage III, positive for lymph node metastasis and MYC overexpression than BRCA1-positive tumors.
Literature	GENERIF_SUMMARY	Deleterious BRCA1 mutation in women with ovarian cancer was an independent risk factor for carboplatin hypersensitivity reactions.
Literature	GENERIF_SUMMARY	Germline mutations in two major genes, BRCA1 and BRCA2, may have an important influence on the predisposition and development of familial breast cancer.
Literature	GENERIF_SUMMARY	Multiplex ligation-dependent probe amplification of Egyptian breast cancer patients showed 18.2% with BRCA1 mutation. Those with 1st and 2nd-degree relatives showed a significant difference between the percentage with positive versus negative BCRA1 LGRs.
Literature	GENERIF_SUMMARY	Progesterone receptor A stability is mediated by glycogen synthase kinase-3beta in the Brca1-deficient mammary gland.
Literature	GENERIF_SUMMARY	Less well known are data that intact BRCA1 function may

Main Category	Category	Terms
		be important for an optimal response to taxane-based therapy
Literature	GENERIF_SUMMARY	BRCA1 promotes the ubiquitination of PCNA and recruitment of translesion polymerases in response to replication blockade.
Literature	GENERIF_SUMMARY	provides evidence that tamoxifen use is associated with a reduction in contralateral breast cancer risk for BRCA1 and BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	This article reviews current recommendations and limitations of using MR imaging of the breast to screen asymptomatic women at high risk for breast cancer. [review]
Literature	GENERIF_SUMMARY	The goal of this study was to determine the prevalence of PALB2 mutations in a population of BRCA1/BRCA2 negative breast cancer patients selected from either a personal or family history of pancreatic cancer.
Literature	GENERIF_SUMMARY	BRCA2 mutations confer a survival advantage compared with the BRCA1 mutation in BRCA-mutated epithelial ovarian cancer patients.
Literature	GENERIF_SUMMARY	BRCA1 frameshift mutation associated with multiple sclerosis and cancer.
Literature	GENERIF_SUMMARY	Our results indicate that carriers of BRCA1/2 mutations among non-Caucasian breast cancer patients showed no enhancement in radiation sensitivity.
Literature	GENERIF_SUMMARY	results indicate that BRCA1 5382insC is a common mutation in Romanian women with breast cancer
Literature	GENERIF_SUMMARY	The risk of finding a BRCA1/2 mutation in women 40 years or younger is comparable to women of all ages with epithelial ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Age at treatment and use of tamoxifen are important predictors of chemotherapy-induced amenorrhea in women who carry a BRCA1 or BRCA2 mutation.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Patients with apparently sporadic triple-negative breast cancer younger than 50 years and a non-informative family history are candidates for germline genetic testing of BRCA1
Literature	GENERIF_SUMMARY	The importance of BRCA1 haplotypes and the BRCA1 intron 7 polymorphism in familial breast cancer was studied.
Literature	GENERIF_SUMMARY	Germline BRCA1 mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1/CtIP-mediated processing of the second end of the break controls the annealing step that normally terminates synthesis-dependent strand annealing, thereby suppressing

Main Category	Category	Terms
		the error-prone long-tract gene conversion outcome.
Literature	GENERIF_SUMMARY	Triple-negative phenotype significantly increases the risk of having BRCA1 mutation in high-risk breast cancer patients compared with non-TNBC.
Literature	GENERIF_SUMMARY	study screened 473 breast/ovarian cancer patients with family history, aiming to define the prevalence and enrich the spectrum of BRCA1/2 pathogenic mutations occurring in the Greek population; an overall mutation prevalence of 32% was observed. 6 BRCA1 recurrent/founder mutations dominate the observed spectrum
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation is a common mechanism of BRCA1 gene aberration in sporadic breast cancer and is predictive for better response to anthracycline-based therapies.
Literature	GENERIF_SUMMARY	The distribution of FMR1 CGG repeat numbers in BRCA mutation carriers and non-carriers is similar in contrast to previous reports.
Literature	GENERIF_SUMMARY	The first comprehensive analysis of large mutations in BRCA1 and BRCA2 genes in Poland, is reported.
Literature	GENERIF_SUMMARY	In response to replication stress and DNA damage, BRCA1 plays a critical role in down-regulating the kinase activity of both cyclin-dependent kinases and PLK1.
Literature	GENERIF_SUMMARY	Data on crystal structure of BRCA1 binding with phosphopeptides suggest that C-terminal domain of BRCA1 interacts with ATRIP and BAAT1 with preferences for specific side chains; phospho-Ser269 and Phe272 in BAAT1; phospho-Ser239 and Phe242 in ATRIP.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with response to chemotherapy in ovarian cancer.
Literature	GENERIF_SUMMARY	found no evidence that BRCA1 and BRCA2 mutation carriers are at higher risk of natural menopause at a given age than their noncarrier relatives
Literature	GENERIF_SUMMARY	Stabilization of mutant BRCA1 protein confers PARP inhibitor and platinum resistance.
Literature	GENERIF_SUMMARY	With upregulation of BRCA1, downregulation of CTSL, stabilization of 53BP1, and 53BP1 IRIF formation throughout the cycle, indicating that BRCA1 and 53BP1 are important in replicating cells and dispensable in non-cycling cells.
Literature	GENERIF_SUMMARY	As 60%-80% of all advanced ovarian cancers are high-grade serous type, exhibiting HRD in at least 50% (BRCA1/2 mutations) future antitumor strategies may depend on identifying these defects through molecular testing
Literature	GENERIF_SUMMARY	Our data demonstrate a wide variety of BRCA mutations in a highly ethnically diverse EOC population, and confirm that EOC BRCA mutation carriers have better prognosis with longer median survival than patients with nonhereditary disease.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	We propose that the increased proliferation due to in large part to increased IGF-1 activity is key and is a potential entree for preventing breast cancer in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	Pregnancy concurrent with or after a diagnosis of breast cancer does not appear to adversely affect survival among BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	Carriers of BRCA1/BRCA2 mutations are exposed to higher titres of oestradiol and progesterone-known risk-factors for breast cancer.
Literature	GENERIF_SUMMARY	endogenous BRCA190575281 p220 aberrantly directs at least one DNA repair protein, RAD51, to damage sites, where their action contributes to the development of de novo DNA damage
Literature	GENERIF_SUMMARY	Studies suggest that associations between ever use of oral contraceptive (OC) and ovarian and breast cancer among women who are BRCA1 or BRCA2 mutation carriers are similar to those reported for the general population.
Literature	GENERIF_SUMMARY	these data support the hypothesis that the presence of BRCA mutations does not alter the clinical outcome for hereditary breast cancer patients.
Literature	GENERIF_SUMMARY	BRCA1-mediated inflammation and growth activated and inhibited transition mechanisms between no-tumor hepatitis/cirrhotic tissues and hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	genetic associations studies in populations of women in South Korea
Literature	GENERIF_SUMMARY	BRCA1 regulates glucocorticoid receptor expression and activity.Loss of glucocorticoid receptor activation is a hallmark of BRCA1-mutated breast tissue.
Literature	GENERIF_SUMMARY	miR-9 mediates the downregulation of BRCA1 and impedes DNA damage repair in ovarian cancer. miR-9 may improve chemotherapeutic efficacy by increasing the sensitivity of cancer cells to DNA damage and may impact ovarian cancer therapy.
Literature	GENERIF_SUMMARY	Preventive surgery should be considered especially in BRCA1 gene mutation carriers previously treated for breast cancer because of the increased risk of ovarian cancer
Literature	GENERIF_SUMMARY	BRCA1 promoter hypermethylation, 53BP1 protein expression and PARP-1 activity as biomarkers of DNA repair deficit in breast cancer.
Literature	GENERIF_SUMMARY	Consequently, the p53/Ki-67 ratio showed an age-dependent increase, which was accelerated in the BRCA1-positive patients.
Literature	GENERIF_SUMMARY	BRCA1/2 mutation carriers seemed to be more at risk of neutropenia after the first cycle of the treatment in early breast cancer patients
Literature	GENERIF_SUMMARY	BRCA1 and members of the ubiquitin pathway are selectively required in cancers that harbor CCNE1

Main Category	Category	Terms
		amplification.
Literature	GENERIF_SUMMARY	BRCA1 is a novel and previously unrecognized target that may shield vascular smooth muscle cells from oxidative stress by inhibiting NADPH Nox1-dependent ROS production.
Literature	GENERIF_SUMMARY	LUDLU-1 contains somatic mutations in TP53 and BRCA2, allelic imbalance in the expression of two cancer-associated BRCA1 germline polymorphisms and reduced transcription of a potentially endogenous PARP2 inhibitor.
Literature	GENERIF_SUMMARY	results establish a novel mechanism underlying the cooperative antileukemic activities of these drug combinations in which panobinostat suppresses expression of BRCA1, CHK1, and RAD51 to enhance cytarabine and daunorubicin sensitivities in AML cells.
Literature	GENERIF_SUMMARY	L63X may be one of the founder mutations in Japan.
Literature	GENERIF_SUMMARY	the present meta-analysis provides evidence that BRCA1 methylation is associated with a poor survival of breast cancer patients.
Literature	GENERIF_SUMMARY	the total mutation burden coupled with BRCA1 or BRCA2 mutations in ovarian cancer is a genomic marker of prognosis and predictor of treatment response.
Literature	GENERIF_SUMMARY	No association between FMR1 low genotypes and BRCA1/2 mutations in a cohort of 125 Ashkenazi women.
Literature	GENERIF_SUMMARY	both BRCA1 and PALB2 are required for BRCA2-focus formation when the DBD is absent.
Literature	GENERIF_SUMMARY	Noncarriers remain at risk in the prospective follow-up of women who are negative for BRCA1/2.
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers conferred lower overall breast and ovarian cancer risks than reported so far, while the estimates of BRCA2 mutations were among the lowest in a Dutch cohort.
Literature	GENERIF_SUMMARY	Neither BRCA1 nor the BRCA2 studied variant show any significant association with the disease.
Literature	GENERIF_SUMMARY	OLA1 plays an important role in centrosome regulation together with BRCA1.
Literature	GENERIF_SUMMARY	The SIR for BRCA1 carriers was 0.92.
Literature	GENERIF_SUMMARY	BRCA1 promoter constructs that carry the variants wild type or g.3988C showed a higher level of gene expression when estrogen is present.
Literature	GENERIF_SUMMARY	Detected is a novel mutation, p.His1746 Pro (c.5237A>C), which was found in BRCA1 exon 20 of a breast cancer patient. This mutation could alter the stability and orientation of the BRCT domain and the differential binding of the BACH1 substrate.
Literature	GENERIF_SUMMARY	Studies suggest that in the majority of cases with BRCA1 and BRCA2 negative familial breast cancer the etiology is

Main Category	Category	Terms
		due to interactions of intermediate or low risk alleles with environmental and lifestyle factors.
Literature	GENERIF_SUMMARY	the global spectrum of BRCA1 mutations in breast cancer (Review)
Literature	GENERIF_SUMMARY	EGFR expression was higher in normal tissues of BRCA1-mutated patients, and was further increased in cancer tissues; EGFR levels were also significantly elevated in ovarian cancer with promoter hypermethylation-mediated inactivation of BRCA1.
Literature	GENERIF_SUMMARY	The expression of BRCA1 is modulated by EZH2 in epithelial ovarian cancer and BRCA1 is required for the effects of EZH2 downregulation on biological behaviors of tumor cells.
Literature	GENERIF_SUMMARY	BRCA1 CpG island hypermethylation is sensitive to PARP1 inhibitors.
Literature	GENERIF_SUMMARY	data indicate that HUWE1 is a critical negative regulator of BRCA1 and suggest a new molecular mechanism for breast cancer pathogenesis
Literature	GENERIF_SUMMARY	Twelve pathogenic mutations were detected (25%); three in BRCA1 (c.211dupA in four families, c.5266dupC in three families and c.1504_1508delTTAAA in one family) and two novel mutations in BRCA2 (c.1313dupT in two families and c.7654dupT in two families).
Literature	GENERIF_SUMMARY	CDK1 inhibition represents a plausible strategy for expanding the utility of PARP inhibitors to BRCAproficient breast cancers.
Literature	GENERIF_SUMMARY	This pilot study evaluates the relation between carrying a BRCA1/2 mutation and fertility, using the level of anti-mullerian hormone (AMH), which has been previously shown to be an accurate marker of ovarian reserve and fertility potential.
Literature	GENERIF_SUMMARY	These findings highlight a novel role for BRCA1 in protective autophagy, which may make its essential contribution to tumorigenesis and prognosis.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation plays an important role in the functional inactivation of BRCA1.
Literature	GENERIF_SUMMARY	We demonstrate that circulating PE and EM are strongly and positively correlated with tissue-specific PE and EM measured in NAF and DLS among postmenopausal BRCA1/2 mutation carriers
Literature	GENERIF_SUMMARY	Our results suggest that ERCC1 and BRCA1 mRNA expressions are associated with progression-free survival and overall survival in advanced non-small cell lung cancer patients treated with platinum-based chemotherapy.
Literature	GENERIF_SUMMARY	Among BRCA1 mutation carriers, oral contraceptive use was significantly associated with an increased risk of breast cancer for women who started the pill prior to age 20

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Overexpression of DNMT1/3a was correlated with promoter hypermethylation and reduced expression of estrogen receptor-alpha and BRCA1.
Literature	GENERIF_SUMMARY	Data indicate that in mammary tumors, the mRNA expression of GPRC5A significantly correlated with that of BRCA1.
Literature	GENERIF_SUMMARY	our study did not find association between the three most common BRCA1 & BRCA2 mutations and endometriosis
Literature	GENERIF_SUMMARY	HUWE1 promotes BRCA1 ubiquitination.
Literature	GENERIF_SUMMARY	poor prognosis of young BRCA1/2 mutation carriers with breast cancer is mainly explained by the prevalent occurrence of negative prognostic factors rather than mutation status
Literature	GENERIF_SUMMARY	This finding indicates involvement of hereditary factors in non-BRCA1/2 breast cancer families.
Literature	GENERIF_SUMMARY	analysis suggests that classification methods for BRCA1 variants based on sequence conservation might be useful in a clinical setting
Literature	GENERIF_SUMMARY	There was no evidence for association between developing breast/ prostate cancer or being a BRCA1 or BRCA2 mutation carrier and telomere length.
Literature	GENERIF_SUMMARY	This study used multifactorial likelihood analysis and/or bioinformatically-directed mRNA assays to assess pathogenicity of 19 BRCA1 or BRCA2 variants.
Literature	GENERIF_SUMMARY	The BRCA1 c.190T>C is a pathogenic founder mutation present in the Italian population.
Literature	GENERIF_SUMMARY	BRCA mutations in prostate cancer patients.[review]
Literature	GENERIF_SUMMARY	women who are positive for BRCA mutations and who are treated for stage I or II breast cancer with bilateral mastectomy are less likely to die from breast cancer than women who are treated with unilateral mastectomy.
Literature	GENERIF_SUMMARY	A novel association between BRCA1 and NUSAP1 is revealed and a mechanism whereby NUSAP1 is involved in carcinogenesis was elusidated.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	Polish women with breast cancer diagnosed at age of 50 or below should be screened with a panel of six founder mutations of BRCA1 (C61G, 4153delA, 5382insC, 3819del5, 185delAG and 5370C>T).
Literature	GENERIF_SUMMARY	BRCA1/2 mutation carriers are potentially at higher risk of cardiovascular diseases due to early surgical menopause, and cardiotoxic effects of adjuvant treatment for breast cancer.
Literature	GENERIF_SUMMARY	These data demonstrate the importance of S100A2 downstream of the BRCA1/DeltaNp63 signalling axis in

Main Category	Category	Terms
		modulating transcriptional responses and enforcing growth control mechanisms through destabilisation of mutant p53.
Literature	GENERIF_SUMMARY	BRCA1 plays a critical role in the regulation of metabolic function in skeletal muscle.
Literature	GENERIF_SUMMARY	In conclusion, our result shows that large genomic rearrangement in the BRCA1 and BRCA2 genes account for a very low proportion of BRCA mutations and does not seem like a major determinant of breast cancer susceptibility in Korean, breast cancer patients.
Literature	GENERIF_SUMMARY	Preventive oophorectomy was associated with an 80% reduction in the risk of ovarian, fallopian tube, or peritoneal cancer in BRCA1 or BRCA2 carriers and a 77% reduction in all-cause mortality.
Literature	GENERIF_SUMMARY	Study characterized a total of 63 BRCA1 alternative splicing events, including 35 novel findings.
Literature	GENERIF_SUMMARY	Metastatic high-grade serous carcinomas with BRCA1 deficiency exhibit characteristic morphological features that appear more sensitive and specific for BRCA1 and BRCA2 mutations than two other morphologically based prediction systems
Literature	GENERIF_SUMMARY	Taken together, these results highlight an important role for breast cancer proteins BRCA1 and PALB2 in the regulation of diverse growth regulatory pathways.
Literature	GENERIF_SUMMARY	The findings implicate an important role of variants in the ATM- CHEK2- BRCA1 axis in modification of the genetic predisposition to papillary thyroid carcinoma and its clinical manifestations.
Literature	GENERIF_SUMMARY	present study suggests that the AA genotype of BRCA1 K1183R polymorphism is associated with a favorable survival in HER2 positive familial breast cancer patients
Literature	GENERIF_SUMMARY	This work highlights the contribution of DNA, RNA, and in silico data to assess the pathogenicity of BRCA1/2 variants of uncertain significance, which, in turn, allows more accurate genetic counseling and clinical management of the families carrying them.
Literature	GENERIF_SUMMARY	Analysis of a larger population is required in order to highlight the relevance of the Q356R and T327T mutations in BRCA1 gene in young Moroccan breast cancer patients.
Literature	GENERIF_SUMMARY	Data suggest the BRCA1 Deficient-Like (BD-L)signature as a biomarker to identify sporadic breast cancer patients who might benefit from a combination of PARP inhibitor and temozolomide and may be indicative of a dysfunctional BRCA1-associated pathway.
Literature	GENERIF_SUMMARY	results indicate that BRCA1 may be a potential regulator of GR in ovarian cancer cells.
Literature	GENERIF_SUMMARY	The BRCA1 founder mutation and polymorphisms in CYP1A1 and CYP17 can increase the breast cancer risk among Inuit women, and the risk increases with higher serum levels of perfluorooctane sulfonate and

Main Category	Category	Terms
		perfluorooctanoic acid.
Literature	GENERIF_SUMMARY	We report a novel mutation (c.1918C>T) in the exon 11 of the BRCA1 gene
Literature	GENERIF_SUMMARY	Findings provide pivotal new insights into why BRCA1 mutation drives the formation of tumors in estrogen-regulated tissues, despite the general role of BRCA1 in DNA repair in all cell types.
Literature	GENERIF_SUMMARY	MERIT40 interacts with ABRAXAS which is adaptor molecule of BRCA1-complex.
Literature	GENERIF_SUMMARY	depletion of genes within the ataxia telangiectasia and Rad3 related (ATR) and BRCA1/BRCA2 pathways, chromatin modification, and transcription-coupled repair reduced the synergy between mitomycin C and MLN4924
Literature	GENERIF_SUMMARY	this study argues that tumor suppression by BRCA1 and BRCA2 originates from their fundamental role in controlling the assembly and activity of macromolecular complexes that monitor chromosome duplication, maintenance, and segregation across the cell cycle.
Literature	GENERIF_SUMMARY	This study therefore sheds light on the mechanisms underlying AZA resistance, and will enable better understanding of AZA resistance in patients undergoing AZA treatment.
Literature	GENERIF_SUMMARY	A subset of uterine serous carcinomas shows the loss of BRCA1 protein and is associated with germline mutation.
Literature	GENERIF_SUMMARY	All the BRCA1 LGRs arose from unequal homologous recombination events involving Alu elements.
Literature	GENERIF_SUMMARY	Co-precipitation analysis further demonstrated that it has a reduced ability to interact with BARD1.
Literature	GENERIF_SUMMARY	May be associated with cancer risk in BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	The assessment of FANCD2, RAD51, BRCA1 and BRIP1 nuclear proteins could provide important information about the patients at risk for treatment failure.
Literature	GENERIF_SUMMARY	Genomic aberrations of BRCA1-mutated fallopian tube carcinomas.
Literature	GENERIF_SUMMARY	Mutations were most frequent in BRCA1 and BRCA2, with 84 EOC cases (3.8%) carrying a BRCA1 mutation and 94 epithelial ovarian cancer cases (4.2%) carrying a BRCA2 mutation.
Literature	GENERIF_SUMMARY	We report here 33 BRCA1 point mutations, among which 2 novel missense variants, found in 59 Central Sudanese premenopausal breast cancer patients.
Literature	GENERIF_SUMMARY	Regulation of splicing by the BRCA1-mRNA splicing complex plays an important role in the cellular response to

Main Category	Category	Terms
		DNA damage.
Literature	GENERIF_SUMMARY	Low expression of BRCA1 was associated with serous ovarian cancer.
Literature	GENERIF_SUMMARY	We found that 16 % of unselected cases of ovarian cancer in Belarus carried one of three founder mutations in the BRCA1 gene
Literature	GENERIF_SUMMARY	A model designed to yield optimal intervention strategies including prophylactic surgeries and breast screening for BRCA1/2 mutations carriers is presented.
Literature	GENERIF_SUMMARY	The negative interplay between Aur A/B and BRCA1/2 inversely controls the cell proliferation, cell cycle progression, cell multinuclearity, and tetraploidization to modulate tumorigenesis.
Literature	GENERIF_SUMMARY	BRCA1 mutations are associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation remains a favorable factor in regard to PFS.
Literature	GENERIF_SUMMARY	Data indicate that BRCA mutation status did not influence the generational difference in age at diagnosis .
Literature	GENERIF_SUMMARY	we found that low expression of ERCC1 and BRCA1 can be useful for selecting NSCLC patients who would benefit from chemotherapy and warrants further investigation in prospective studies
Literature	GENERIF_SUMMARY	Report genome instability in the genomes of non-breast cells in the BRCA1+ familial breast cancer family.
Literature	GENERIF_SUMMARY	Findings contribute significantly to the types of germline BRCA1/BRCA2 mutations and their biological effects in Turkish women.
Literature	GENERIF_SUMMARY	Our data suggest that BRCA1 methylation determines the earlier onset of high-grade serous ovarian cancer and supports the idea that BRCAness is not only due to mutations but also to epigenetic changes in BRCA1 promoter gene.
Literature	GENERIF_SUMMARY	TNBC is a strong predictor for the presence of a BRCA1 mutation in this population, but additional risk factors should also be evaluated to ascertain a 10 % or higher prior probability of BRCA1/2 mutation testing.
Literature	GENERIF_SUMMARY	A variant in the 3'UTR of BRCA1 is functional, leading to decreased BRCA1 expression, modest increased breast cancer risk, and most importantly, presentation with stage IV breast cancer, likely due to aggressive tumor biology.
Literature	GENERIF_SUMMARY	No association between BRCA1 immunohistochemical expression and tumor grade, stage or overall survival was noted in platinum-treated epithelial ovarian cancer patients.
Literature	GENERIF_SUMMARY	Data show that in 70 samples of young patients, BRCA1 protein was positive 85.7% in cytoplasm and 41.4% in nuclear, and nuclear expression is not significantly

Main Category	Category	Terms
		associated with clinicopathological characteristics in young patients.
Literature	GENERIF_SUMMARY	conclude that contralateral risk-reducing mastectomy is associated with improved overall survival in BRCA1/2 mutation carriers with a history of primary breast cancer
Literature	GENERIF_SUMMARY	In sporadic breast carcinomas, BRCA1 protein depicts different prognostic significance, according to its subcellular distribution.
Literature	GENERIF_SUMMARY	we found the first recurrent large deletion in BRCA1 in Poland in 3 unrelated patients diagnosed with ovarian cancer
Literature	GENERIF_SUMMARY	single copy loss of BRCA1 function may impact differentiation, rendering cells more susceptible to undergoing malignant processes
Literature	GENERIF_SUMMARY	Intentions to undergo PND or PGD do not appear to change after disclosure of BRCA results. Additional counseling for patients who have undergone BRCA testing may be warranted to educate patients about available fertility preservation options.
Literature	GENERIF_SUMMARY	The prevalence of BRCA1 mutations in Uighur women.
Literature	GENERIF_SUMMARY	Data suggest that the Fanconi anemia group F protein/ BRCA1/2 proteins pathway may be a new target to reverse adriamycin (ADR) resistance in leukemia treatment.
Literature	GENERIF_SUMMARY	Our study suggests a new function for BRCA1 in cell metabolic regulation, globally resulting in reversion of the Warburg effect.
Literature	GENERIF_SUMMARY	Study validates the finding of positive selection of BRCA1 in humans and their closest ape relatives, chimpanzees and bonobos. Also show that specific codons in BRCA1 have experienced recurrent positive selection over evolutionary time, within and outside of exon 11, resulting in a small number of highly variable residue positions in an otherwise highly conserved protein.
Literature	GENERIF_SUMMARY	absence of BRCA/FMR1 correlations in women with ovarian cancers
Literature	GENERIF_SUMMARY	Mutations in BRCA1 gene is associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is not associated with nodal metastasis in breast cancer.
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 gene is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	The BRCA1 K898E variant may render carriers susceptible to DNA damage and malignant transformation.
Literature	GENERIF_SUMMARY	A recurrent BRCA1 exon 21-22 genomic rearrangement identified in Malay breast cancer patients.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Genetic analysis revealed 32 different pathogenic germline BRCA1/2 mutations
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 contribute to a genetic predisposition for breast cancer.
Literature	GENERIF_SUMMARY	Patients with high RRM1 expression benefited more from a platinum-containing regimen, and patients with high BRCA1 expression showed a high response rate to a platinum-containing regimen and reduced disease progression.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Results suggest that BRCA1 participates in ALT through its interactions with RAD50 and BLM.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Cell lines derived from basal-like breast cancers are BRCA1 mutant breast cancer cells phenocopies with respect to a subset of BRCA1 functions that direct the repair of stalled and collapsed replication forks.
Literature	GENERIF_SUMMARY	TGFbeta can induce ""BRCAness"" in certain breast cancers carrying wild-type BRCA genes and enhance the responsiveness to PARP inhibition."
Literature	GENERIF_SUMMARY	Platinum-based chemotherapy is effective in a high proportion of patients with BRCA1-associated breast cancer.
Literature	GENERIF_SUMMARY	Double strand break-associated chromatin reorganization is a critical modulator of BRCA1-dependent genome maintenance.
Literature	GENERIF_SUMMARY	BRCA1/BARD1 as a histone-H2A-specific E3 ligase, helping to explain its localization and activities on chromatin in cells.
Literature	GENERIF_SUMMARY	data show that BRCA1-IRIS, in addition to promoting ovarian cancer proliferation and survival, helps dislodged tumor cells to survive in the ascites by suppressing anoikis in them by inducing the autocrine loop 'BDNF/TrkB'.
Literature	GENERIF_SUMMARY	A new role of FANCG in Homologous recombination repair of interstrand crosslinks through K63Ub-mediated interaction with the Rap80-BRCA1 complex.
Literature	GENERIF_SUMMARY	This review is aimed at exploring the current knowledge on epidemiological and molecular aspects of BRCA-associated (BRCA1 and BRCA2) Ovarian cancer predisposition
Literature	GENERIF_SUMMARY	a small proportion of normal breast epithelial cells with BRCA1 promoter methylation can be precursor cells from which BRCA1-methylated breast tumors may originate
Literature	GENERIF_SUMMARY	patients with low RAP80 expression received gemcitabine/cisplatin, those with intermediate/high RAP80 expression and low/intermediate BRCA1 expression received docetaxel/cisplatin
Literature	GENERIF_SUMMARY	Study showed that large genomic rearrangements were

Main Category	Category	Terms
		found in 3.7% of the patients who had mutations in BRCA1 or BRCA2, and 7.5% of patients with mutations in BRCA1 only.
Literature	GENERIF_SUMMARY	new roles for BRCA1 in the restart of transcription after UV damage and in preventing or repairing damage caused by stabilized R loops were identified
Literature	GENERIF_SUMMARY	The association between the BRCA1 rs799917 polymorphism and breast cancer risk.
Literature	GENERIF_SUMMARY	the analysis of studies to date that have evaluated the risk of BRCA1 and BRCA2 mutations for colorectal cancer (Review)
Literature	GENERIF_SUMMARY	BRCA1-BER deficient cells could be targeted by ATM or DNA-PKcs inhibitors for personalized therapy.
Literature	GENERIF_SUMMARY	report here a novel function of BRCA1 in maintaining chromosomal stability through its contribution to the mitotic centromere integrity necessary for faithful segregation of sister-chromatids during cell division
Literature	GENERIF_SUMMARY	CD338 expression is specific to the tumor-initiating luminal progenitor subpopulation of BRCA1-mutated cells and is a novel antigen with which to sort this subpopulation.
Literature	GENERIF_SUMMARY	This work offers a preclinical proof-of-concept for a wholly new approach to chemoprevention in carriers of BRCA1 mutations as a strategy to reduce the prevalence of BRCA1-associated malignancy
Literature	GENERIF_SUMMARY	concomitant low expression levels of ERCC1, RRM1, and RRM2 and the high expression level of BRCA1 were predictive of a better outcome.
Literature	GENERIF_SUMMARY	miR-638 plays an important role in triple-negative breast cancer progression via BRCA1 deregulation.
Literature	GENERIF_SUMMARY	our work offers the first genetic evidence that Brca1 directly suppresses EMT and LSC dedifferentiation during breast tumorigenesis
Literature	GENERIF_SUMMARY	The observed age difference may allow a greater understanding of mechanisms associated with the differences in cancer penetrance in BRCA1/2 mutation carriers, some of which may depend on paternal origin.
Literature	GENERIF_SUMMARY	hyperfunctioning BRCA1 can elicit genomic abnormalities similar to those observed in the absence of certain BRCA1 functions.
Literature	GENERIF_SUMMARY	findings show BRCA1 carriers may have a decreased ovarian reserve, as evidenced by lower antimullerian hormone serum levels, compared with women without BRCA mutations
Literature	GENERIF_SUMMARY	The observed rate of 3 of 5754 cases (0.052%) of head and neck cancers in BRCA-positive probands warrants further investigation into the nature of a possible linkage between germline BRCA mutations and salivary gland cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The functional BRCA1 rs799917 polymorphism contributes to gastric cancer susceptibility.
Literature	GENERIF_SUMMARY	We hereby report two cases of male breast cancer with neurofibromatosis.
Literature	GENERIF_SUMMARY	Combination of TT genotype and miR-1179 over-expression generates a lack of BRCA1 protein leading to a high risk of familial breast cancer with distant metastases.
Literature	GENERIF_SUMMARY	BRCA1 interaction with CtIP is not essential for DNA-end resection. BRCA1 interaction with CtIP affects resection speed.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	miR-185 suppresses tumor proliferation by directly targeting E2F6 and DNMT1 and indirectly upregulating BRCA1 in triple-negative breast cancer.
Literature	GENERIF_SUMMARY	these results highlight a novel interaction between BRCA1 and SIRT1, which may be beneficial for the dynamic balance between BRCA1-related biologic processes and SIRT1-related energy metabolism and stress response.
Literature	GENERIF_SUMMARY	MCF-7 cell BRCA1 levels increased upon treatment with a high dose of adriamycin, but gradually decreased over time.
Literature	GENERIF_SUMMARY	The four most frequent BRCA1 mutations found in female breast cancer cases in Guangxi are all located in exon 10. BRCA1-associated breast cancer cases have earlier onset age, higher nuclear grade and negative ER and CerbB-2 expression.
Literature	GENERIF_SUMMARY	Genetic variations in miRNA-binding sites of BRCA1 and BRCA2 genes as risk factors for the development of early-onset and/or familial breast cancer
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Our analyses suggest that BRCA mutations(BRCA1 and BRCA2) are robust predictors of outcomes in both ovarian and breast cancers and these mutations should be taken into account when devising appropriate therapeutic strategies
Literature	GENERIF_SUMMARY	Germ-line DNA samples from 727 unrelated probands with positive family history (521 met criteria for familial pancreatic cancer) were tested for mutations in BRCA1 and BRCA2, PALB2, and CDKN2A.
Literature	GENERIF_SUMMARY	The risk of metachronous breast cancer is low in patients with known BRCA mutations and EOC.
Literature	GENERIF_SUMMARY	Methylation of the promoter of the BRCA1 gene detectable in peripheral blood DNA may be a marker of increased susceptibility to triple-negative or medullary breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 rs71361504 SNP may modify the endometriosis risk in Indian women. In addition, decreased expression of

Main Category	Category	Terms
		BRCA1 may play an important role in the pathophysiology of endometriosis in Indian population.
Literature	GENERIF_SUMMARY	Patients with breast cancer display high levels of miR-218 and low levels of BRCA1 expression.
Literature	GENERIF_SUMMARY	analysis of effect of germline mutations in BRCA1 and BRCA2 on mortality in ovarian cancer patients; BRCA1/2 mutations are associated with better short-term survival, but this advantage decreases over time and, in BRCA1 carriers is eventually reversed
Literature	GENERIF_SUMMARY	haploinsufficiency and replication stress suppression
Literature	GENERIF_SUMMARY	The present results suggest the presence of a strong link between aberrant methylation of the BRCA1 promoter in WBC and breast cancer -related molecular changes, which indicate the potential predisposition of the carriers for developing breast cancer.
Literature	GENERIF_SUMMARY	This study provides evidence for distinct sensitivity of BRCA1 and CHEK2 mutation-driven breast carcinomas to standard chemotherapeutic schemes.
Literature	GENERIF_SUMMARY	Results show that cabazitaxel resistance mechanisms involve alterations in microtubule dynamicity, as manifested by higher expression of TUBB3 and decreased BRCA1.
Literature	GENERIF_SUMMARY	EGFR expression correlates negatively with BRCA1, whereas miR-146a levels increase with BRCA1.
Literature	GENERIF_SUMMARY	targeting relevant exons in BRCA1 and BRCA2 genes allows detection of a substantial percentage of mutations in the Tunisian population.
Literature	GENERIF_SUMMARY	The methylation status of BRCA1 in EOC was positive in 89.9%, with clear protein expression of BRCA1 in 31.9%.
Literature	GENERIF_SUMMARY	The study concluded that ovarian tumors with mutations closer to the N-terminal of BRCA1 may have a higher risk of DNA aneuploidy
Literature	GENERIF_SUMMARY	Mutations in BRCA1 and BRCA2 or another breast cancer gene occur in one in four African American breast cancer patients with early onset disease, family history of breast or ovarian cancer, or TNBC
Literature	GENERIF_SUMMARY	genomic instability score in discriminating nonequivalent outcomes of BRCA1/2 mutations and in predicting outcomes of ovarian cancer treated with platinum-based chemotherapy
Literature	GENERIF_SUMMARY	The study shows evidence of the modulation effect of BRCA mutation on the expression of microRNA-200c in Triple negative breast cancer progression.
Literature	GENERIF_SUMMARY	A role for BRCA1 in induction of Pol III genes by alcohol and a novel mechanism of alcohol-associated breast cancer.
Literature	GENERIF_SUMMARY	Prostate cancer patients with germline BRCA mutations had worse outcomes than noncarriers when conventionally treated with surgery or radiation therapy.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 expression is critical for mediating the biological impact of vitamin D3 in breast tumor cells.
Literature	GENERIF_SUMMARY	This study indicates that genetic polymorphisms of AURKA, BRCA1 and CCNE1 may contribute to endometrial carcinoma susceptibility or progression in Chinese Han women.
Literature	GENERIF_SUMMARY	Non-founder mutations make up between 7.2 and 13.0 % of all BRCA1 and BRCA2 mutations in Ashkenazi Jews. A wide range of mutations are present, most of which are also seen in non-AJ individuals
Literature	GENERIF_SUMMARY	Results provide a set of genetic and biologic proofs that TUSC4 functions as a bona fide tumor suppressor by regulating the protein stability and function of BRCA1 in breast cancer.
Literature	GENERIF_SUMMARY	BRCA1, in cooperation with FancJ, promote centrosome amplification in DNA damaged cells.
Literature	GENERIF_SUMMARY	Most primary AML analyzed were characterized by low BRCA1 mRNA level and undetectable protein expression that likely contributed to explain their sensitivity to olaparib.
Literature	GENERIF_SUMMARY	BRCA1 can regulate PARP1 levels and NAD-dependent PARP1 activity in breast cancer cells.
Literature	GENERIF_SUMMARY	The results highlight a novel link between BRCA1 and NAD. The findings imply that genetic (e.g., BRCA1 inactivation) and NAD-dependent metabolic pathways are jointly involved in the malignant progression of ovarian cancer.
Literature	GENERIF_SUMMARY	There were significant correlations between plasma and tumor mRNA levels of BRCA1 and TS. BRCA1 levels in plasma and tumor were positively associated with docetaxel sensitivity
Literature	GENERIF_SUMMARY	Thus, Fulvestrant but not Tamoxifen, antagonist against ER-alpha, can restore the Taxol sensitivity in VHL- or BRCA1-deficient cells. Our results suggest that pVHL-mediated ER-alpha suppression is important for regulation of MTOC as well as drug resistance.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1/BRCA2 mutation carriers experienced a sense of disorientation about the most appropriate way of dealing with genetic risk
Literature	GENERIF_SUMMARY	the frequency of BRCA1 hypermethylation reached 82.1% in the cases. hypermethylation of this candidate gene could be used as the promising biomarker application with Vietnamese breast cancer patients.
Literature	GENERIF_SUMMARY	BRCA1 regulated cell cycle checkpoints in a manner dependent on the 26S proteasome activity.
Literature	GENERIF_SUMMARY	Tumor-associated inflammation density was the strongest predictor for recurrence-free survival in this series of BRCA1/2 breast cancer patients

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Germline mutations in DICER1 are rare or absent in familial breast cancer patients with BRCA1/BRCA2-negative familial breast cancers.
Literature	GENERIF_SUMMARY	FOXA1 expression is regulated by methylation and chromatin silencing and that BRCA1 maintains FOXA1 expression through suppressing FOXA1 gene methylation in breast cancer
Literature	GENERIF_SUMMARY	Data indicate that three microRNAs hsa-miR-146a, hsa-miR-148a and hsa-miR-545 targeting BRCA1/2 and were associated with overall survival and progression-free survival in patients with wild-type BRCA1/2.
Literature	GENERIF_SUMMARY	BRCA mutation carriers exhibit a distinct CGG FMR1 repeat size pattern compared with the general population, but it is unlikely to account for the reported diminished ovarian reserve or act as a modifier breast cancer gene in BRCA mutation carriers.
Literature	GENERIF_SUMMARY	Report roles BRCA1 status and tubual intraepithelial carcinoma on prognosis in women with high grade serous carcinoma.
Literature	GENERIF_SUMMARY	BRCA1-IRIS inactivation overcomes paclitaxel resistance in triple negative breast cancers
Literature	GENERIF_SUMMARY	c.68_69delAG, c.211A >G, deletion of exons 11-15, c.5123 C >A mutations were identified in a cohort of Spanish breast cancer patients.
Literature	GENERIF_SUMMARY	BRCA1 promoter hypermethylation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Taking into account modifier factors, location of mutation might be important for the clinical management of BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	The BRCA1-associated genomic aberrations identified in this study provide possible leads to a better understanding of BRCA1-associated oncogenesis.
Literature	GENERIF_SUMMARY	BRCA1 mislocalization is associated with breast carcinogenesis
Literature	GENERIF_SUMMARY	BARD1 interacts with H3K9me2 through HP1 and plays a critical role in retention of a BRCA1/BARD1 complex at the site of DNA damage.
Literature	GENERIF_SUMMARY	Studies indicate that each of the three neoplasm protein variants in BRCA1, BRCA2 and MSH2 would normally be reported as pathogenic based on widely accepted guidelines.
Literature	GENERIF_SUMMARY	Describes a tool for online visualization of BRCA1 missense mutations.
Literature	GENERIF_SUMMARY	BRCA1 binds to the inositol 1,4,5-trisphophate receptor calcium channel at the endoplasmic reticulum to stimulate apoptotic calcium release.
Literature	GENERIF_SUMMARY	The recruitment of mutp53/E2F4 complex onto specific

Main Category	Category	Terms
		regions of BRCA1 and RAD17 promoters leads to the inhibition of their expression.
Literature	GENERIF_SUMMARY	BRCA1 mutation associated functional variants predict pathogenicity in the BRCA1 DNA double-strand break repair pathway.
Literature	GENERIF_SUMMARY	Expression of the peptide in human cells led to defects in DNA repair by homologous recombination, a process BRCA1 is known to coordinate
Literature	GENERIF_SUMMARY	BRCA1 gene mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Thirty-six large genomic rearrangements were detected; 32/122 (26%) BRCA1 and 4/132 (3%) BRCA2 mutations.
Literature	GENERIF_SUMMARY	study identified a BRCA1 or BRCA2 germline mutation in 74 of 774 (9.6 %) triple-negative breast cancer patients; mutation prevalence was 9.3 % in Australia and was 9.9 % in Poland
Literature	GENERIF_SUMMARY	AR, EGFR, and BRCA1 might be unique biomarkers for targeted therapy and prognosis in TNBC.
Literature	GENERIF_SUMMARY	BRCA1/SETX complexes support a DNA repair mechanism that addresses R-loop-based DNA damage at transcriptional pause sites.
Literature	GENERIF_SUMMARY	In this review, we compare the available structural data for BRCA1 BRCT domains in complex with phosphopeptides in order to gain a more complete understanding of the interaction between phosphopeptides and BRCA1-BRCT domains. [review]
Literature	GENERIF_SUMMARY	BRCA1 germ-line mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	There is a high prevalence of BRCA1 mutations among young triple-negative breast cancer patients in Mexico.
Literature	GENERIF_SUMMARY	Patients with recurrent ovarian cancer carrying the BRCA1(mut) had improved outcomes with trabectedin + pegylated liposomal doxorubicin.
Literature	GENERIF_SUMMARY	Classification of nine BRCA1 variants as pathogenic in breast cancer.
Literature	GENERIF_SUMMARY	Localized correlated spectroscopy recorded significant changes in women with BRCA1 and BRCA2 gene mutations when compared with control subjects. If these changes are ultimately proven to be a premalignant stage, this method may prove useful in screening.
Literature	GENERIF_SUMMARY	BRCA1 gene mutations are associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 tumors were less likely to be ER and HER2 positive than non-BRCA familial breast cancers. Fewer cases of lobular carcinoma were found with BRCA1 than with non-BRCA familial breast cancers.
Literature	GENERIF_SUMMARY	FOXK2 might act as a negative regulator of ERalpha, and its association with both ERalpha and BRCA1/BARD1 could lead to the down-regulation of ERalpha transcriptional

Main Category	Category	Terms
		activity, effectively regulating the function of ERalpha.
Literature	GENERIF_SUMMARY	BRCA1 gene mutation is associated with gynecologic cancer.
Literature	GENERIF_SUMMARY	BRCA1 is upregulated by depletion of the eIF2.GTP.Met-tRNAi translation initiation complex
Literature	GENERIF_SUMMARY	A prevalence rate of 5.6% for having deleterious BRCA1 or BRCA2 mutations among Lebanese Arab women with breast cancer
Literature	GENERIF_SUMMARY	Results show that BRCA1 methylation was significantly higher in basal-like breast cancer subtype and closely associated with a significant decrease in overall survival and disease-free survival.
Literature	GENERIF_SUMMARY	Study shows that Jewish BRCA1/2 mutation carriers are at an increased risk for breast and pancreatic, but not prostate cancer.
Literature	GENERIF_SUMMARY	Fertility treatments are not associated with an increased risk of invasive epithelial ovarian cancer in Jewish Israeli BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	This review summarizes recent progress in studying the correlation between BRCA1 predisposition and epigenetic alterations in BRCA1-type familial breast cancer. [review]
Literature	GENERIF_SUMMARY	By binding and destabilizing a histone acetyltransferase, p300, beta-HPV 5 and 8 E6 reduce the enrichment of the transcription factor at the promoter of two genes critical to the homology dependent repair of DSBs (BRCA1 and BRCA2)
Literature	GENERIF_SUMMARY	Hypermethylation at promoters of RARB, Dietary folate and cobalamin intake is inversely associated with methylated RARB and BRCA1. High dietary intake of riboflavin and pyridoxine is associated with increased methylation in the RARB promoter.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers are not associated with worse breast cancer prognosis.
Literature	GENERIF_SUMMARY	BRCA1 gene mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	Mutations in BRCA1 gene is associated with breast cancer.
Literature	GENERIF_SUMMARY	genomic regions that define our BRCA1-like classifier are robustly measured by different CN profiling technologies, providing the possibility to retro- and prospectively investigate BRCA1-like classification across a wide range of CN platforms
Literature	GENERIF_SUMMARY	a causative link between altered function of AURKA-HMMR-TPX2-TUBG1 and breast carcinogenesis in BRCA1/2 mutation carriers
Literature	GENERIF_SUMMARY	Two novel heterozygous mutations predicted to alter the function of PALB2 were identified (c.2014G>C, p.E672Q and

Main Category	Category	Terms
		c.2993G>A, p.G998E). Notably, both of these mutations co-existed in BRCA1 and BRCA2 families
Literature	GENERIF_SUMMARY	Breast and ovarian cancer risks varied by type and location of BRCA1/2 mutations. With appropriate validation, these data may have implications for risk assessment and cancer prevention decision making for carriers of BRCA1 and BRCA2 mutations.
Literature	GENERIF_SUMMARY	The Russian carriers of BRCA1, BRCA2 and CHEK2 germline mutations have genetic predisposition to breast, ovarian, and colorectal cancer.
Literature	GENERIF_SUMMARY	From an analysis of the mutation spectrum, 63 BRCA1 and 90 BRCA2 different mutations, including 44 novel mutations, were identified.BRCA mutations in familial breast cancer patients is similar to that among Western cohorts
Literature	GENERIF_SUMMARY	Report autoimmune response to BRCA1 in tumors.
Literature	GENERIF_SUMMARY	our findings demonstrate that among young Black breast cancer survivors, socioeconomic factors and physician referral patterns contribute to disparities in access to BRCA testing(BRCA1 and BRCA2 mutation detection)
Literature	GENERIF_SUMMARY	Report discordant methylation of BRCA1 between mothers and daughters. Epimutation is unlikely transmitted from mother to daughters and hence may be a consequence of environmental exposure.
Literature	GENERIF_SUMMARY	Our results demonstrate in a subset of cases that decline in BRCA1 expression that may be associated with potentially compensatory increase in BRCA2 protein, which may depend on tumor grade as well as menopausal status.
Literature	GENERIF_SUMMARY	Cells that lack BRCA1 displayed severely reduced HIV-1 Tat-dependent transcription.
Literature	GENERIF_SUMMARY	Our data show that BRCA1 expression is maintained in glioblastoma at the protein and the mRNA levels, suggesting that loss of heterozygosity (LOH) did not occur in these cases.
Literature	GENERIF_SUMMARY	somatic inactivation of BRCA1 through spliciogenic mutations is, at best, a rare mechanism in breast carcinogenesis, albeit our data detects an excess of likely inactivating AS events in breast tumor samples.
Literature	GENERIF_SUMMARY	Women with mutations in BRCA1 and BRCA2 have different risks of developing ovarian and breast cancer, depending on the nature of the mutations
Literature	GENERIF_SUMMARY	BRCA1 and CtIP contribute to DSB resection by recruiting Dna2 to damage sites, thus ensuring the robust DSB resection necessary for efficient homologous recombination.
Literature	GENERIF_SUMMARY	Data show that expression of MFF protein, miR-593-5p and BRCA1 protein correlates with cisplatin sensitivity and survival of tongue squamous cell carcinoma (TSCC).

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	differences in associations of common breast cancer susceptibility alleles between BRCA1 and BRCA2 carriers and the general population are explained to a large extent by differences in the prevalence of ER-positive and ER-negative tumors
Literature	GENERIF_SUMMARY	Prevalence of founder mutations in the BRCA1 and BRCA2 genes among unaffected women from the Bahamas was studied.
Literature	GENERIF_SUMMARY	BRCA1 deficiency in ovarian cancer may have a role in alteration in expression of several key regulators of cell motility
Literature	GENERIF_SUMMARY	Findings illustrate that spatially distinct fractions of BRCA1 exist at the DSB site, which are recruited by different mechanisms and execute different functions in the DDR.
Literature	GENERIF_SUMMARY	Pathogenic BRCA1/2 mutations were identified in 4.6% of a large cohort of clinic-based pancreatic adenocarcinoma patients.
Literature	GENERIF_SUMMARY	analysis of novel A1/2 mutations in Polish patients with familial breast/ovarian cancer
Literature	GENERIF_SUMMARY	Men carrying genetic mutations in the BRCA gene(BRCA1 and BRCA2) have a greater risk than the general population of developing certain types of cancer, including breast, pancreatic, and prostate cancer.
Literature	GENERIF_SUMMARY	The relationship between BRCA1 expression and base excision repair may be used to assess risk or predict prognosis for BRCA1 mutation carriers. (Review)
Literature	GENERIF_SUMMARY	The study results indicated that BRCA1 positively regulates miR-143-miR-145 expression and miR-143-miR-145 can serve as promising novel biomarkers for breast cancer subtyping
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 gene in breast cancer patients from Siberia confirmed data on the high frequency of ""founder mutation"" BRCA1 5382insC in Slavic population."
Literature	GENERIF_SUMMARY	the prevalence of BRCA1 and BRCA2 mutations is high in triple-negative breast cancer patients and BRCA1/2 mutations are not restricted to young women or patients with a positive family history.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with ovarian cancer.
Literature	GENERIF_SUMMARY	They also imply that therapeutic applicability of PARP-1 inhibitors is not limited to BRCA mutation carriers but can be extended to patients harboring deficiencies in other components of the pathway(s).
Literature	GENERIF_SUMMARY	Homozygote haplotype of BRCA1 gene SNPs are associated with consanguinity Protecting effect Against Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with pancreatico-biliary neoplasms.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Triple negative breast tumors can be further divided into two major subgroups, BRCA1-like and non-BRCA1-like with different mutation and expression patterns and prognoses.
Literature	GENERIF_SUMMARY	IGF1 level is significantly lower in cancer-free BRCA mutation carriers versus BRCA-negative controls, and there is a potential association between estradiol and IGF1 in cancer-free BRCA mutation carriers
Literature	GENERIF_SUMMARY	BRCA pathway germline mutation (in BRCA1, BRCA2 or BARD1 genes) was present in 10 of the 42 investigated triple-negative breast cancer patients rendering them susceptible to homologous recombination deficiency.
Literature	GENERIF_SUMMARY	thus, report a Tyrolean BRCA1 founder mutation that correlates to a local increase in the breast and ovarian cancer risks.
Literature	GENERIF_SUMMARY	BRCA1 may act as an important negative regulator in cell cycle progression and tumorigenesis through regulating the stability of Smad4; this defines a novel link that connects BRCA1 to TGF-beta1/Smad pathway.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with familial breast and ovarian cancer syndrome.
Literature	GENERIF_SUMMARY	Breast and ovarian cancer predisposition due to de novo BRCA1 and BRCA2 mutations
Literature	GENERIF_SUMMARY	The current study aimed to investigate whether TRs may be specifically expressed in BRCA1 associated cancer cases.
Literature	GENERIF_SUMMARY	BRCA mutations that survive selection pressure seem to provide significant fertility advantages.
Literature	GENERIF_SUMMARY	The review highlights recent insights into the BRCA1 tumor suppressor network and stress the connections between basic molecular knowledge of these proteins and their roles in genome integrity, tumor suppression, and response to therapy. [review]
Literature	GENERIF_SUMMARY	A model where BRCA1 cytosolic mislocalisation promotes breast cancer metastasis, making it a potential biomarker of metastatic disease.
Literature	GENERIF_SUMMARY	Our findings offer insight into how various heterozygous mutations in BRCA1 could lead to impairment of BRCA1 function and provide strong evidence of haploinsufficiency in BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Mutations in BRCA1 were most frequent in patients with triple-negative breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 gene variant p.P142H is associated with male breast cancer.
Literature	GENERIF_SUMMARY	Results identify a novel form of cellular senescence and provide a potential molecular basis for the rapid cell- and tissue- specific predisposition of breast cancer development associated with BRCA1 haploinsufficiency.
Literature	GENERIF_SUMMARY	These results demonstrate BAP1 as a major link with the

Main Category	Category	Terms
		BCR-ABL-induced downregulation of BRCA1 in CML.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancers.
Literature	GENERIF_SUMMARY	p53 was involved in inhibiting recombination by both BRCA1-dependent and -independent mechanisms.
Literature	GENERIF_SUMMARY	Interlocus gene conversion event identified in a breast and ovarian cancer family involving exactly the same segment as that involved in the 37-kb deletions.
Literature	GENERIF_SUMMARY	Oophorectomy is associated with a decrease in mortality in women with breast cancer and a BRCA1 mutation.
Literature	GENERIF_SUMMARY	Mutation profile of the BRCA1/2 genes in breast cancer Bulgarian patients show 13 disease causing mutations with 4 new. Mutations in BRCA1 gene were found in 14% and in BRCA2, in 5.5% of the cases. The inherited predisposition was identified in 19.5%.
Literature	GENERIF_SUMMARY	the current pathogenic mutation spectrum of the BRCA1 gene in patients with breast cancer in various Asian populations (review).
Literature	GENERIF_SUMMARY	BRCA1 5382insC may not have a strong recurrent effect in Romanian population comparing to neighboring countries.
Literature	GENERIF_SUMMARY	Breast cancer risk for Korean women with germline mutations in BRCA1.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation is an important mechanism that leads to functional loss of BRCA1 in triple-negative breast cancer
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	Mutation in the BRCA1 gene is associated with Breast and/or Ovarian Cancers.
Literature	GENERIF_SUMMARY	established a new function for BRCA1 in the survival and fate of prostate tumor cells, orchestrating oxidative stress and mounting a transcriptional regulatory machinery commanding HO-1 transcriptional activation
Literature	GENERIF_SUMMARY	Brca1 protein is specifically expressed in human spinal microglia and is up-regulated in ALS patients.
Literature	GENERIF_SUMMARY	BRCA1 single nucleotide polymorphism is associated with ontralateral breast cancer.
Literature	GENERIF_SUMMARY	Functional isogenic modeling of BRCA1 alleles could aid in classifying BRCA1 mutations and VUS, and determining BRCA allele cancer risk.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	Oophorectomy benefits breast cancer patients survival rate.
Literature	GENERIF_SUMMARY	BRCA1 or BRCA2 overexpression is a significant predictive factor for biochemical recurrence (BCR), in prostate cancer (PC) patients.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Restoration of BRCA1 function stabilizes the genome compared with mutant BRCA1 that results in enhanced polyploid population after combination treatment with epigenetic modulating antineoplastic agents.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with risk of breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Differential Gene Expression of BRCA1,ERBB2 and TP53 biomarkers between Human Breast Tissue and Peripheral Blood Samples of Breast Cancer
Literature	GENERIF_SUMMARY	CEP72 represents a putative oncogene in colorectal cancer that might negatively regulate the mitotic function of BRCA1 to ensure chromosomal stability
Literature	GENERIF_SUMMARY	BRCA1 SQ-cluster mutation results in aberrant mitosis, reduced homologous recombination, and a compensatory increase in non-homologous end joining
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers demonstrated normal ovarian response in IVF cycles.
Literature	GENERIF_SUMMARY	The data identifies IL-1beta as a novel target in ovarian surface epithelial cells expressing the 185delAG BRCA1 mutation.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with invasive breast cancer.
Literature	GENERIF_SUMMARY	Using small interfering RNA (siRNA), knockdown of FANCF, FANCL, or FANCD2 inhibited function of the FA/BRCA pathway in A549, A549/DDP and SK-MES-1 cells, and potentiated sensitivity of the three cells to cisplatin.
Literature	GENERIF_SUMMARY	Data indicate tumor suppressors TP73, RASSF1A, MLH1 and BRCA1 as possible biomarkers to distinguish Pleomorphic invasive lobular cancer (pleomorphic ILC} from classic ILC and infiltrative ductal cancer (IDC).
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with Korean ovarian cancer.
Literature	GENERIF_SUMMARY	The results showed that the methylation levels of both BRCA1 and FHIT promoters were higher in the serum of the breast ductal carcinoma group than those of the breast fibroadenoma group.
Literature	GENERIF_SUMMARY	A novel lncRNA, DDSR1 (DNA damage-sensitive RNA1)was identified and it interacts with BRCA1 and hnRNPUL1, an RNA-binding protein involved in DNA end resection.
Literature	GENERIF_SUMMARY	Data indicate major association with DNA damage response (DDR) genes, including the first common coding variant in breast cancer 1 protein (BRCA1) associated with any complex trait.
Literature	GENERIF_SUMMARY	pathogenic germline mutation in a patient with HER2-positive breast cancer
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian Neoplasms.
Literature	GENERIF_SUMMARY	In this unselected Japanese population, approximately 13%

Main Category	Category	Terms
		of the cases with ovarian cancer appeared to be associated with an inherited risk, BRCA1/2 mutation, regardless of a family history.
Literature	GENERIF_SUMMARY	The age of breast cancer diagnosis in the first-degree relative did not affect the annual breast cancer risks for BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	In this cohort of BRCA1/2-associated breast cancer (BC) patients, no association between radiotherapy for primary BC and risk of (BC) contralateral breast cancer was observed in the total group, nor in the patients irradiated before the age of 40 years
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with Pancreatic Cancer.
Literature	GENERIF_SUMMARY	Brca1 Mutations Enhance Mouse Reproductive Functions by Increasing Responsiveness to Male-Derived Scent.
Literature	GENERIF_SUMMARY	In situ BRCA1-related expression parameters could be used for clinical purposes at the time of diagnosis. In contrast, miR-548c-5p showed a promising potential as a prognostic factor in Triple negative breast cancers .
Literature	GENERIF_SUMMARY	BRCA1-associated DCIS did not express ER, PR or HER2, while most BRCA2-associated DCIS did express ER and PR. BRCA1- as well as BRCA2-associated DCIS had expression of HER3 and C-MET
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with perturbation in telomere biology resulting in breast cancer.
Literature	GENERIF_SUMMARY	prolonged periods of sedentary behavior are associated with significantly lower BRCA1 mRNA expression
Literature	GENERIF_SUMMARY	Our results provide novel insights regarding the physician-patient interaction and the organizational aspects of the health-care system that may significantly impact the cancer screening practices of BRCA1/2 noncarriers.
Literature	GENERIF_SUMMARY	Data suggest that, similar to Caucasians, a significant proportion of Asian ovarian cancer was attributed to germline mutations in BRCA1 and to a lesser extent in BRCA2.
Literature	GENERIF_SUMMARY	BRCA1 and SETDB1 stand out as the most significant prognostic markers in this group of patients
Literature	GENERIF_SUMMARY	DNA from 120 subjects was used to sequence the entirety of BRCA1 and BRCA2 coding regions and splice sites, and validate pathogenic mutations, with a total material cost of
Literature	GENERIF_SUMMARY	Recognition of different invasion patterns of metastatic extrauterine high grade serous carcinoma with BRCA germline mutations has prognostic implications.
Literature	GENERIF_SUMMARY	The aim of this study was to determine the frequency and spectrum of germline mutations in BRCA1, BRCA2 and PALB2 and to evaluate the presence of the CHEK2 c.1100delC allele in these patients.
Literature	GENERIF_SUMMARY	Studies suggest that the clinical management of cancer

Main Category	Category	Terms
		risk in breast cancer 1/2 proteins (BRCA1 and BRCA2) mutation carriers is complex and should consider patient preferences.
Literature	GENERIF_SUMMARY	the interplay between 53BP1/NHEJ and BRCA1/HR is of great relevance for tumor treatment, as the 53BP1 status would be highly important for the treatment response of BRCA1-associated tumors.
Literature	GENERIF_SUMMARY	Levels of BRCA1 is reduced in the brains of Alzheimer's disease patients.
Literature	GENERIF_SUMMARY	most prominent alterations observed were the changes in BRCA1-mediated signaling and G1/S cell cycle checkpoint pathways
Literature	GENERIF_SUMMARY	study to estimate the carrier frequency of BRCA1 185delAG and BRCA2 6174delT mutations in eastern Indian breast cancer patients; findings suggest that these BRCA mutations may not have a strong recurrent effect on breast cancer among the eastern Indian populations
Literature	GENERIF_SUMMARY	Osteoprotegerin (OPG), The Endogenous Inhibitor of Receptor Activator of NF-kappaB Ligand (RANKL), is Dysregulated in BRCA Mutation Carriers
Literature	GENERIF_SUMMARY	we show that XIST and 53BP1 can be used to identify BRCA1-like breast cancer patients that have higher event rates and poor outcome after HD chemotherapy.
Literature	GENERIF_SUMMARY	BRCA1 promoter methylation appeared to be a useful predictive or prognostic biomarker for breast cancers in clinical assessment.
Literature	GENERIF_SUMMARY	There was no difference in overall response rate, progression-free survival and overall survival according to BRCA 1-2 status nor any association between single-nucleotide polymorphisms of genes involved in DNA repair and nucleotide excision repair machinery and response to trabectedin was reported.
Literature	GENERIF_SUMMARY	Treatment for infertility does not significantly increase the risk of ovarian cancer among women with a BRCA1 mutation.
Literature	GENERIF_SUMMARY	Overall, these results indicate that Rad51 and BRCA1 are required for the process of human papillomavirus 31 genome amplification and suggest that productive replication occurs in a manner dependent upon recombination.
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	results established a cell type-specific function of DeltaNp63alpha in induction of quiescence and downregulation of the BRCA1 pathway which suggested a role of DeltaNp63alpha in the dormancy of luminal breast cancers.
Literature	GENERIF_SUMMARY	Neuronal activity seemed to regulate BRCA1 levels, and accumulation of amyloid-beta depleted BRCA1 levels.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Results determined that constitutive AhR expression coupled to BRCA-1 promoter CpG hypermethylation may be predictive markers of ERalpha-negative breast tumor development.
Literature	GENERIF_SUMMARY	This study showed that UHRF1 interacts directly with BRCA1 and is involved in DNA double-strand break repair.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with Familial Pancreatic Cancer.
Literature	GENERIF_SUMMARY	treatment response, survival, and the associations between KRAS mutation status and tumour expression levels of BRCA1, TYMS and SRC retrospectively in a cohort of patients with non-small cell lung cancer, were evaluated.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	mutation of Plk1 sites on BRCA1 significantly delays BRCA1 foci formation following double-strand breaks, recapitulating the phenotype observed upon Plk1 inhibition. The data then assign a key function to Plk1 in BRCA1 foci formation at double-strand breaks, emphasizing Plk1 importance in the homologous recombination repair of human cells.
Literature	GENERIF_SUMMARY	Data indicate that pathogenic mutations were found in 13/47 (28%) ovarian cancers
Literature	GENERIF_SUMMARY	G4-quadruplex stabilizing drugs target tumors with BRCA1/2 deficiencies.
Literature	GENERIF_SUMMARY	Combined effect of dynamic recruitment of RNF4 to KAP1 regulates the relative occupancy of 53BP1 and BRCA1 at double-strand break sites to direct DNA repair in a cell cycle-dependent manner.
Literature	GENERIF_SUMMARY	Demonstrate a mechanism involving IR-induced phosphorylation and dimerization of the BRCT/Abraxas complex for regulating Abraxas-mediated recruitment of BRCA1 in response to IR.
Literature	GENERIF_SUMMARY	Five rare variants in BRCA1 3'UTR were identified in 716 breast cancer cases and 619 controls. Identified variants give no convincing evidence of potential pathogenicity.
Literature	GENERIF_SUMMARY	The effect of BRCA1-haploinsufficiency in different cells and tissues
Literature	GENERIF_SUMMARY	Germline mutation in BRCA1 gene is associated with familial breast cancer.
Literature	GENERIF_SUMMARY	loss of CHK2 or PP6C-SAPS3 promotes Aurora-A activity associated with BRCA1 in mitosis
Literature	GENERIF_SUMMARY	Founder mutations in BRCA1 contribute to an increased risk of ovarian cancer in the western Danish population.
Literature	GENERIF_SUMMARY	Results show that XPG partners with BRCA1 and BRCA2 to maintain genomic stability through homologous recombination, and its loss causes DNA breaks,

Main Category	Category	Terms
		chromosome aberrations, and replication fork stalling.
Literature	GENERIF_SUMMARY	BRCA1-dysfunctional tumors are hypersensitive to DNA damaging chemotherapeutic agents.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations accounted for a considerable proportion of hereditary breast/ovarian cancer patients from eastern China and the spectrum of the mutations of these two genes exhibited some unique features
Literature	GENERIF_SUMMARY	BRCA1/2 male breast cancers display distinct pathologic characteristics compared with BRCA1/2 female breast cancers , and we identified a specific BRCA2-associated MBC phenotype characterised by a variable suggesting greater biological aggressiveness
Literature	GENERIF_SUMMARY	Breast neoplasm recurrence is associated with BRCA1 germ-line mutation.
Literature	GENERIF_SUMMARY	Rates of BRCA1 and BRCA2 mutation testing are increasing in young women with breast cancer. Given that knowledge and concern about genetic risk influence surgical decisions and may affect systemic therapy trial eligibility, all young women with breast cancer should be counseled and offered genetic testing, consistent with the National Comprehensive Cancer Network guidelines.
Literature	GENERIF_SUMMARY	The number of patients with uninformative BRCA genetic test(BRCA1 and BRCA2) results in this study is typical of reported high-risk screening populations. Next-generation sequencing has ushered in a new era of broad-spectrum testing for the growing list of potential genetic etiologies for breast cancer beyond BRCA
Literature	GENERIF_SUMMARY	This HCR-based genosensor is also capable of probing low-abundance BRCA-1 gene sequence directly in complex matrices, such as 50% human serum, with minimal interference.
Literature	GENERIF_SUMMARY	The DNA binding domain of BRCA1 modulates genetic stability through the intra-S-phase checkpoint activated by replication stress.
Literature	GENERIF_SUMMARY	The study concluded that true HER2-amplified breast cancers are rare amongst BRCA1 mutation carriers and are less common in BRCA2 than background rates
Literature	GENERIF_SUMMARY	This study reveals the important role of EZH2-regulated DNA damage-repair genes via histone methylation in fibroid biology, and may provide novel therapeutic targets for the medical treatment of women with symptomatic uterine fibroids.
Literature	GENERIF_SUMMARY	overexpression of BRCA1 significantly inhibited expression of AR through activation of SIRT1 in breast cancer cells
Literature	GENERIF_SUMMARY	Authors investigated the effects of miR-342 transfection in the triple-negative breast cancer cell lines MDA-MB-231 and HCC1937, the latter carrying a germ-line BRCA1 mutation.
Literature	GENERIF_SUMMARY	Common variation in BRCA1 may influence clinical outcomes in patients receiving RT for localized prostate

Main Category	Category	Terms
		cancer by modifying the response to RT.
Literature	GENERIF_SUMMARY	The overall BRCA1/2 mutation prevalence was 24.0% (95% CI 23.4% to 24.6%).
Literature	GENERIF_SUMMARY	Low expression level of BRCA1 is associated with triple negative breast cancer.
Literature	GENERIF_SUMMARY	Data show a consistent NFkappaB hyperactivity associated with BRCA1 dysfunction as a consequence of increased reactive oxygen species (ROS) in a subset of BRCA1-mutant and triple negative breast cancer.
Literature	GENERIF_SUMMARY	These findings suggest that BRCA1-like status is a predictor for benefit of tandem HD chemotherapy with epirubicin-thiotepa-cyclophosphamide.
Literature	GENERIF_SUMMARY	primary skin fibroblasts from healthy tissue exist in a cancer-associated fibroblast-like state, which was probably induced by epigenetically mediated BRCA1 haploinsufficiency
Literature	GENERIF_SUMMARY	A small subset of TNBC patients carried a BRCA1 deleterious somatic mutation; BRCA1 somatic mutation carriers are likely to respond to neoadjuvant chemotherapy
Literature	GENERIF_SUMMARY	Durable responses to olaparib were observed in patients with relapsed germline BRCA1/2 mutation ovarian cancer who had received >/=3 lines of prior chemotherapy
Literature	GENERIF_SUMMARY	prolactin activation of Stat5 results in the formation of a complex between phospho-Stat5 and BRCA1. Formation of this complex does not interfere with nuclear translocation or binding of BRCA1 to the p21 promoter
Literature	GENERIF_SUMMARY	BRCA1/2 mutation carriers who have been treated with PS have a substantially reduced breast cancer incidence and mortality.
Literature	GENERIF_SUMMARY	Genomic profiling of the tumors showed specific alterations associated to BRCA1 or 2 mutation status, and BRCA1 expression in the tumors, affecting relevant cellular processes. Similar cellular functions were found affected in BRCA1 not expressing and BRCA1 or 2 mutated tumors.
Literature	GENERIF_SUMMARY	Comparison of male breast cancer tumors with female breast cancer tumors demonstrates that male breast cancer tumors arise more frequently from BRCA2 mutations and less frequently from BRCA1 mutations than female breast cancer tumors.
Literature	GENERIF_SUMMARY	Pre-test genetic counselling prior to BRCA1/2 testing.
Literature	GENERIF_SUMMARY	Findings show eight distinct pathogenic mutations in eight unrelated families and suggest that BRCA1/2 mutations are responsible for a significant proportion of hereditary and sporadic breast cancer among Algerian young women.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	high success rate of 81 % (21/26 test centers)

Main Category	Category	Terms
		demonstrates that BRCA1/2 multicenter mutation testing is well feasible in FFPE tumor tissue
Literature	GENERIF_SUMMARY	results from our detailed mRNA analysis suggest that BRCA-associated cancer risk is likely not markedly increased for individuals who carry a truncating variant in BRCA1 exons 9 or 10, or any other BRCA1 allele that permits 20-30% of tumor suppressor function.
Literature	GENERIF_SUMMARY	findings suggest that BRCA1 is a novel modulator of PP6 signalling via its interaction with ANKRD28.
Literature	GENERIF_SUMMARY	Pyrosequencing is a precise and efficient method to quantify BRCA1 promoter methylation level, with a high potential for future clinical implication, as it identifies subgroups of patients with poorer prognosis.
Literature	GENERIF_SUMMARY	In this review, we will discuss the emerging importance of somatic and epigenetic alterations of BRCA- and BRCA-related genes(BRCA1 and BRCA2) in the management of ovarian cancer.
Literature	GENERIF_SUMMARY	Very high level of BRCA mutations in breast cancer cases point to involvement of autophagic and apoptotic machinery activation in response to chemotherapy.
Literature	GENERIF_SUMMARY	BRCA1 Gene Mutation is associated with Hereditary Breast and/or Ovarian Cancer Syndrome.
Literature	GENERIF_SUMMARY	Ras-induced senescent cells are hindered in their ability to recruit BRCA1 and 53BP1 to DNA damage sites. Whereas BRCA1 is downregulated at transcripts levels, 53BP1 loss is caused by activation of cathepsin L-mediated degradation of 53BP1 protein. we discovered a marked downregulation of vitamin D receptor (VDR) during OIS, and a role for the vitamin D/VDR axis regulating the levels of these DNA repair
Literature	GENERIF_SUMMARY	Association of BRCA1 single nucleotide polymorphisms with the breast cancer risk in the Bangladeshi population
Literature	GENERIF_SUMMARY	Study provides evidence that the prevalence of BRCA1 and BRCA2 mutations is high in triple-negative breast cancer patients.
Literature	GENERIF_SUMMARY	Women with a germline mutation in BRCA1 have reduced ovarian reserve as measured by Anti-Mullerian hormone.
Literature	GENERIF_SUMMARY	Sixteen VUS from 51 BRCA1 variants of uncertain significance (VUS) carriers and 28 VUS from 62 BRCA2 VUS carriers were analyzed. There was a slight agreement between the two analyses, with a kappa value of 0.14 (95% confidence interval (CI) = -0.34 to 0.62) for the BRCA1 VUS and a kappa value of 0.17 (95% CI = -0.10 to 0.49) for the BRCA2 VUS
Literature	GENERIF_SUMMARY	Data show that 11 breast cancer patients were mutated in BRCA1/2 genes, and 29 were not associated to BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	It is a factor closely associated with relapse-free survival

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	By monitoring DNA double-strand breaks mis-repair using a sensitive bioassay, it was found that depletion of homologous recombination proteins, including BRCA2, BRCA1 or RPA1, resulted in a distinct mutational signature associated with significant increases in break-induced mutation frequencies.
Literature	GENERIF_SUMMARY	ER-expression appears to be an effect modifier in patients with BRCA1 mutations, but not among those with BRCA2 mutations
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	The heterogeneity of the detected mutations confirms the necessity of simultaneous analysis of BRCA1/2 genes in all patients diagnosed with serous ovarian carcinoma. Moreover, the use of tumor tissue for mutational analysis allowed the detection of both somatic and germline BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	We show that BRCA1 mutations are associated with a radiosensitive phenotype related to a compromised DNA repair and G2 arrest capacity after exposure to either 2 or 4 Gy.
Literature	GENERIF_SUMMARY	Cdk-dependent phosphorylation of TRF1 on threonine 371 promotes TRF1 to interact with APBs in S and G2 phases independently of its binding to telomeric DNA. We have demonstrated that the interaction of (pT371)TRF1 with APBs is dependent upon ATM and homologous-recombination-promoting factors such as Mre11 and BRCA1.
Literature	GENERIF_SUMMARY	the primary goal of this study was to use multiplex PCR with morphological and immunohistochemical methods for the detection of BRCA mutation(BRCA1 or BRCA2), mtDNA 4977 deletion, and HPV genotyping in familial and nonfamilial breast cancers
Literature	GENERIF_SUMMARY	Results indicate that COUP-TFII may play an oncogenic role in RCC, and COUP-TFII may promote tumor progression through inhibiting BRCA1.
Literature	GENERIF_SUMMARY	In a population without strong germline founder mutations, the likelihood of a BRCA1/2 mutation found in a breast carcinoma being somatic was approximately 1/3 and germline 2/3. This may have implications for treatment and genetic counseling
Literature	GENERIF_SUMMARY	our results provided evidence that cancer cells employ a strategy to remove deleterious germline BRCA1 mutations through alternative mRNA splicing, giving rise to isoforms that retain residual activity and contribute to therapeutic resistance
Literature	GENERIF_SUMMARY	Del 185 AG and 4627C>A BRCA1 Mutations are associated with Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Mutations were associated with Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Our aim was to set up a cost-effective and low time-consuming BRCA1-BRCA2 mutation detection workflow using the Ion Torrent PGM technology. A retrospective cohort of 40 patients with familial breast/ovarian cancer previously tested by Sanger sequencing and a prospective cohort of 72 patients (validation set) were analyzed.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 ligase activity and subsequent SMARCAD1-dependent chromatin remodeling are critical regulators of DNA repair in cancer cells.
Literature	GENERIF_SUMMARY	Using Kaplan-Meier analysis, we assessed rates of BRCA testing over time. We found substantial differences in testing rates according to year of diagnosis; for example, only 35% of women who were age 40 years or younger when they received a breast cancer diagnosis in 2005 had undergone BRCA testing by 5 years after their surgical date
Literature	GENERIF_SUMMARY	For BRCA1 mutation carriers, cumulative estimates of developing cancer by age 70 vary by population, ranging from 40% to 85% for breast cancer and 10% to 59% for ovarian cancer. For BRCA2 mutation carriers, cumulative estimates of developing cancer are 45% to 57% for breast cancer and 11% to 18% for ovarian cancer.
Literature	GENERIF_SUMMARY	Data suggest that metabolic rewiring of the breast epithelium towards increased anabolism might constitute an unanticipated and inherited form of metabolic reprogramming linked to increased risk of oncogenesis in women bearing pathogenic germline BRCA1 mutations.
Literature	GENERIF_SUMMARY	These results reveal a synthetic lethal relationship between FANCD2 and BRCA1/2.
Literature	GENERIF_SUMMARY	results suggests that BRCA1 mutation carriers with breast cancer are more likely to have P53 overexpression compared with BRCA2 mutation carriers and non-carriers (Meta-analysis).
Literature	GENERIF_SUMMARY	No association between the thyroid hormones and breast cancer in BRCA1/2-mutation carriers was found
Literature	GENERIF_SUMMARY	Using electrophoretic retardation assay, atomic force microscopy and DNA binding competition assay, the study showed the greatest preference of the BRCA1 DNA-binding domain to cruciform structure, followed by DNA quadruplex, with the weakest affinity to double stranded B-DNA and single stranded DNA.
Literature	GENERIF_SUMMARY	ERCC1 and BRCA1 were overexpressed in A549/DDP compared with A549 (P
Literature	GENERIF_SUMMARY	the aberrant proliferative capacity of Brca1(-/-) luminal progenitor cells is linked to the replication-associated DNA damage response, where proliferation of mammary progenitors is perpetuated by damage-induced, autologous NF-kappaB signaling.
Literature	GENERIF_SUMMARY	We report here elevated recombination rates at telomeres in cells from human BRCA1 mutation carriers and in mouse embryonic stem cells lacking both copies of functional Brca1.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that mutations in BRCA1 exon 11 were found in 18 out of 263 breast cancer patients.
Literature	GENERIF_SUMMARY	have confirmed previous reports of an association between breast, ovarian, and pancreatic cancers with BRCA1 and 2 mutations
Literature	GENERIF_SUMMARY	Of note is the recent U.S. Food and Drug Administration breakthrough therapy designation of olaparib for the treatment of BRCA1/2- or ATM-mutated metastatic castration-resistant prostate cancer. The implications of this new knowledge for clinical practice now and in the future are discussed.
Literature	GENERIF_SUMMARY	Germline mutation in BRCA1 gene is associated with neoadjuvant therapy response in triple negative breast patients.
Literature	GENERIF_SUMMARY	In order to characterize this deletion as a founder mutation, haplotype analysis was conducted in 60 carriers from 35 families, using three BRCA1 intragenic microsatellite markers and four markers surrounding the BRCA1 locus. Our results demonstrate a common shared core disease-associated haplotype of 2.89Mb
Literature	GENERIF_SUMMARY	immunohistochemical BRCA1 expression in epithelial ovarian cancer holds considerable prognostic information, whereas PARP expression did not influence the outcome
Literature	GENERIF_SUMMARY	A breakdown in a BRCA/FANCD2/BRG1/SNF-DeltaNP63-mediated DNA repair and differentiation maintenance process in mammary epithelial cells may contribute to sporadic breast cancer development.
Literature	GENERIF_SUMMARY	In these tumors, we found de novo gene fusions that placed BRCA1 under the transcriptional control of a heterologous promoter, resulting in re-expression of BRCA1 and acquisition of therapy resistance.
Literature	GENERIF_SUMMARY	miR-151-5p, targeting chromatin remodeler SMARCA5, may act as a useful biomarker for BRCA-related and sporadic breast cancers.
Literature	GENERIF_SUMMARY	Results show the overall prevalence of BRCA1/2 mutations at 3.9 % in the current large cohort of Chinese women with breast cancer, which is comparable with previous findings. Also, 41 % of the BRCA1/2 mutations detected have not been previously reported, suggesting that these mutations could be specific for Chinese women.
Literature	GENERIF_SUMMARY	Several lines of evidence suggest ID4 may suppress BRCA1 function in basal-like breast cancer (BLBC) and in doing so, define a subset of BLBC patients who may respond to therapies traditionally used in BRCA1-mutant cancers. This review highlights recent advances in our understanding of the requirement for ID4 in mammary lineage commitment and the role for ID4 in BLBC.
Literature	GENERIF_SUMMARY	uptake of risk-reducing salpingo-oophorectomy among BRCA1/2 mutation carriers who were counseled at our Family Cancer Clinic is extremely high

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 mutation carriers are at increased risk developing insulin resistance and type-II diabetes mellitus; have an altered expression of circulating proteins associated with venous thrombo-embolism (Review)
Literature	GENERIF_SUMMARY	both murine Brca1185stop tumors and human BRCA1185delAG breast cancer cells express a new gene domain-less (RING-less) BRCA1 protein that mediated resistance to homologous recombination deficient-targeted therapies
Literature	GENERIF_SUMMARY	RING-deficient BRCA1 proteins are hypomorphic and capable of contributing to PARPi and platinum resistance when expressed at high levels
Literature	GENERIF_SUMMARY	candidate causal in BRCA1 mutation carriers did not include the strongest associated variant at this locus in the general population. In sum, we identified a set of candidate causal variants in a region that encompasses the BNC2 transcription start site
Literature	GENERIF_SUMMARY	The levels of tumour BRCA1 promoter DNA methylation were significantly higher in triple negative tumours, and in tumours with high BRCA-like histopathological scores.
Literature	GENERIF_SUMMARY	Low BRCA1 mRNA is associated with head and neck cancer.
Literature	GENERIF_SUMMARY	Study have shown that mutations in BRCA1, BRCA2, and PALB2 account for more than 10 % of breast cancer in Trinidad and Tobago. 25 different mutations identified; of these, four mutations were seen in two patients each.
Literature	GENERIF_SUMMARY	this study strengthens the use of yeast as model system to characterize the mechanisms leading to cancer in humans carrying the BRCA1 missense variant.
Literature	GENERIF_SUMMARY	Patientswith BRCA1/2 mutation had longer OS than thosewith BRCA1/2wild type. Patients with BRCA1/2 mutation and BRCA1/2 VUS displayed similar prognoses.
Literature	GENERIF_SUMMARY	53BP1/RIF1 has a role in limiting BRCA1/CtIP-mediated end resection to control double strand break repair pathway choice
Literature	GENERIF_SUMMARY	BRCA1 c.5434C>G and c.213-5T>A pathogenic mutations from Norwegian breast or ovarian cancer cohort do not have trans-activation ability.
Literature	GENERIF_SUMMARY	Women with the BRCA1 mutation had a significant decline in AMH with age (p = 0.0011). BRCA1-positive women >35 years had 10 times the odds of a low AMH (
Literature	GENERIF_SUMMARY	BRCA1 germline mutation is associated with triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Data show that BRCA1 interacts directly with the basal RNA polymerase I (Pol-I) transcription factors as well as interacting with RNA Pol-I itself.
Literature	GENERIF_SUMMARY	We examined the intratumor variability of BRCA1/2 mutation, BRCA1 promoter methylation status, and the

Main Category	Category	Terms
		overall HRD score in small samples from different areas of the same cancer. We observed highly concordant HRD scores across different regions of the same cancer suggesting that HRD, when present, is a homogeneous feature of primary breast cancers
Literature	GENERIF_SUMMARY	As BRCA1-mutated ER(+) tumors show a BRCAness copy number profile and LOH, it is likely that the loss of a functional BRCA1 protein plays a role in tumorigenesis in BRCA1-mutated ER(+) tumors. Therefore, we hypothesize that these tumors are sensitive to drugs targeting the BRCA1 gene defect, providing new targeted treatment modalities for advanced BRCA-deficient, ER(+) breast cancer
Literature	GENERIF_SUMMARY	We conclude that the prophylactic oophorectomies performed between 1999 and 2010 as a result of widespread BRCA1 mutation testing have reduced the incidence of ovarian cancer in Pomerania by a small amount (about 1.6%), and that the impact of genetic testing will increase in the coming years.
Literature	GENERIF_SUMMARY	study demonstrates that the individual and combined expression patterns of the DDR molecules PARP1, gammaH2AX, BRCA1, and BRCA2 could be predictive of the prognosis of STS patients and suggests that controlling the activity of these DDR molecules could be employed in new therapeutic stratagems for the treatment of STS
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations were associated with poor OS in patients with breast cancer.
Literature	GENERIF_SUMMARY	Embryos carrying paternally inherited BRCA1 or 2 pathogenic variants were shown to develop more slowly compared with the embryos with maternally inherited BRCA1 or 2 pathogenic mutations.
Literature	GENERIF_SUMMARY	In patients with ovarian cancer, BRCA mutation, irrespective of its subtypes (BRCA1/2, BRCA1 and BRCA2) carriers had better overall survival and progression-free survival than non-carriers.[meta-analysis]
Literature	GENERIF_SUMMARY	From a mechanistic standpoint, hsa-miR-125a-3p directly targeted 3'-untranslated regions (3'-UTRs) of breast cancer early onset gene 1 (BRCA1) and inhibits its protein expression via translational repression mechanism.
Literature	GENERIF_SUMMARY	Data show that breast cancer BRCA1 carriers have distinctive tumour features as compared to BRCA2 carriers and non-carriers. The majority of BRCA1 carriers were diagnosed with tumour size >20 mm, poor differentiation tumour and negative oestrogen and progesterone hormonal receptors.
Literature	GENERIF_SUMMARY	No association was found between genetic ancestry and BRCA1/2 mutational status in a Brazilian population sample at-risk for hereditary breast cancer.
Literature	GENERIF_SUMMARY	our results indicate that carriers of different BRCA1 mutations could benefit from olaparib in a distinct way and show different toxicities to the agent, which could be especially relevant for a potential future use of PARPi as

Main Category	Category	Terms
		prophylactic agents in BRCA1 mutation carriers
Literature	GENERIF_SUMMARY	BRCA1/2-associated EOC patients with a previous BC have a worse outcome.
Literature	GENERIF_SUMMARY	We showed that loss of HERC2 function leads to the accumulation of XPA and BRCA1 in the patient's fibroblasts and generates decreased sensitivity to apoptosis and increased level of DNA repair
Literature	GENERIF_SUMMARY	Results show that amplification of targetable oncogenes is frequent in BRCA1/2 mutation negative MBCs and may identify MBC subsets characterized by aggressive phenotype that may benefit from potential targeted therapeutic approaches.
Literature	GENERIF_SUMMARY	we show that this combined approach allows the rapid and reliable detection of both germline and somatic aberrations affecting BRCA1 and BRCA2 in DNA derived from FFPE OCs, enabling improved hereditary cancer risk assessment and clinical treatment of ovarian cancer patients.
Literature	GENERIF_SUMMARY	Cells redox environment mediated by NOX1 isozymes activation down-regulates BRCA1 expression and promotes DNA homologous recombination repair in cancer.
Literature	GENERIF_SUMMARY	Report reliable detection of BRCA1 and BRCA2 mutations in fresh frozen ovarian and breast tumor samples.
Literature	GENERIF_SUMMARY	polygenic risk scores (PRS) may be used to refine risk assessment for women at increased familial risk who test negative/have low likelihood of BRCA1/2 mutations. They may alter the recommended prevention strategy for many women attending family history clinics.
Literature	GENERIF_SUMMARY	Manipulation of key H2Bub1 E3 ubiquitin ligases, RNF20, RNF40 and BRCA1, in ovarian cancer cell line models modulated H2Bub1 levels, indicative of the role of these RING finger ligases in monoubiquitination of H2Bub1 in vitro
Literature	GENERIF_SUMMARY	misfolding mutations impair the nuclear targeting of BRCA1 in yeast cells and in a human cell line. In
Literature	GENERIF_SUMMARY	Our findings suggest that BRCA1 exons 1-2 deletion and exons 21-24 deletion should be included in the recurrent BRCA1/2 mutations panel for genetic testing of high-risk Pakistani breast/ovarian cancer patients.
Literature	GENERIF_SUMMARY	Data suggest that targeting of breast cancer 1, early onset protein (BRCA1)-ribonucleotide reductase regulatory subunit M2 (RRM2) axis may represent a paradigm for therapeutic intervention in glioblastoma (GBM).
Literature	GENERIF_SUMMARY	Brca1-Wwox interaction supports non-homologous end-joining as the dominant DSB repair pathway in Wwox-sufficient cells
Literature	GENERIF_SUMMARY	Women at high familial risk and BRCA1/2 mutation carries develop tumors with different clinical-pathological characteristics and, consequently, are influenced by different protective and risk factors.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	This is the largest study in Cyprus evaluating the prevalence and spectrum of BRCA1/2 mutations. Thirteen percent of the patients tested were positive for deleterious mutations which are within the range reported in other countries
Literature	GENERIF_SUMMARY	Data indicate a significant inverse relationship between plasma osteoprotegerin (OPG) levels and breast cancer risk among women with an inherited BRCA1 or BRCA2 mutation.
Literature	GENERIF_SUMMARY	Statistically significant correlations were identified between breast cancer and 3 not described previously single nucleotide polymorphisms of homologous recombination repair genes BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	BRCA1/2 mutations are common in Taiwanese patients with ovarian carcinoma and occur at mutation rates similar to those seen in other ethnic groups.
Literature	GENERIF_SUMMARY	Misfolding mutations impair the nuclear targeting of a breast neoplasm protein BRCA1 in yeast cells and in a human cell line.
Literature	GENERIF_SUMMARY	Study showed that the prevalence of BRCA1/2 germline mutations was 19% in epithelial ovarian cancer, mostly detected in different gene locations. Two novel frameshift mutations were identified, one in BRCA1 and one in BRCA2, as well as two large deletions.
Literature	GENERIF_SUMMARY	our findings suggested that methylation at the BRCA1 gene is not the ""second"" event in the development of BC in patients with germline mutations in BRCA1 and, although rare, BRCA1 epimutations can constitute an explanation for a fraction of HBOC families."
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 pathogenic mutations and their prediction have been characterized in the Italian breast and ovarian cancer pedigrees using two genetic models.
Literature	GENERIF_SUMMARY	Approximately 73% of hereditary triple-negative breast cancers were BRCA1/2-associated and 27% were BRCA1/2-negative. The expression levels of the analyzed genes showed no significant differences between these two subgroups indicating the BRCAness of the BRCA1/2-negative hereditary TNBCs
Literature	GENERIF_SUMMARY	Studies indicate almost 20% of women with high-grade serous ovarian cancer are now recognized to harbour a germ line BRCA mutation, and of these, >40% might not have a family history of cancer and would not have received BRCA1 and BRCA2 testing.
Literature	GENERIF_SUMMARY	The Single-molecule molecular inversion probes (smMIP)-based genetic testing enables automated and reliable analysis of the coding sequences of BRCA1.
Literature	GENERIF_SUMMARY	substitutions that create a structurally intact BRCA1/BARD1 heterodimer that is inactive in vitro with all E2 enzymes. Other substitutions in BRCA1 or BARD1 RING domains result in hyperactivity, revealing that both proteins have evolved attenuated activity. Loss of attenuation results in decreased product specificity, providing a rationale for why

Main Category	Category	Terms
		nature has tuned BRCA1 activity.
Literature	GENERIF_SUMMARY	Anticancer activity was observed in BC and OC and in gBRCAm (BRCA1 or BRCA2)and gBRCA wild-type (gBRCAwt) patient. BKM120 and olaparib can be co-administered, but the combination requires attenuation of the BKM120 dose. Clinical benefit was observed in both gBRCAm and gBRCAwt pts.
Literature	GENERIF_SUMMARY	Combined SSO and PARP inhibitor treatment increased gammaH2AX expression indicating that SSO-dependent skipping of BRCA1 exon 11 was able to promote double strand DNA breaks and therefore synthetic lethality in breast tumor cell lines
Literature	GENERIF_SUMMARY	NPM1 downregulation by P-STAT5 is mediated by impairing the BRCA1-BARD1 ubiquitin ligase, which controls the stability of NPM1. In turn, decreased NPM1 levels led to suppression of p53 expression, resulting in enhanced cell survival.
Literature	GENERIF_SUMMARY	Our data also suggest how ataxia telangiectasia mutated (ATM)-dependent BRCA1 dimerization may stabilize self-association of the entire BRCA1-A complex.
Literature	GENERIF_SUMMARY	Novel pathogenic BRCA1 mutation causes the partial retention of 156 bp of intron 21 in the patient's transcript.
Literature	GENERIF_SUMMARY	Germline BRCA1 mutation was found in patients with hereditary and sporadic gastric cancer.
Literature	GENERIF_SUMMARY	Histone deacetylases 1 and 2 cooperate in regulating BRCA1, CHK1, and RAD51 expression in acute myeloid leukemia cells.
Literature	GENERIF_SUMMARY	Our data suggest that in both BRCA1-mutant and BRCA1-wild-type TNBCs, CSCs are relatively resistant to PARP inhibition. This resistance is mediated by RAD51, suggesting that strategies aimed at targeting RAD51 may increase the therapeutic efficacy of PARPi
Literature	GENERIF_SUMMARY	Report multiple novel splice variants of long non-coding RNA GAS5, which differentially regulate cell cycle arrest and apoptosis through activation of BRCA1 and p53 in human neuroblastoma cells.
Literature	GENERIF_SUMMARY	Data from our systematic review and meta-analysis suggests a causal relationship between germline BRCA1/2-pathogenic mutations and the development of Uterine serous carcinoma.
Literature	GENERIF_SUMMARY	BRCA1-IRIS is an oncogene produced by the alternative usage of the BRCA1 locus and in involved in induction of replication, transcription of selected oncogenes, to promote breast cancer cells aggressiveness.
Literature	GENERIF_SUMMARY	Low BRCA1 gene expression is associated with breast cancer.
Literature	GENERIF_SUMMARY	we saw no increased risk of cardiotoxicity among breast cancer patients with BRCA1 and/or BRCA2 gene mutations treated with standard doses of anthracycline compared to

Main Category	Category	Terms
		the general population.
Literature	GENERIF_SUMMARY	These data demonstrate the added benefit of combining Topo I inhibition mediated by IMMU-132 with synthetic lethality provided by PARPi in triple-negative breast cancer, regardless of BRCA1/2 status, thus supporting the rationale for such a combination clinically
Literature	GENERIF_SUMMARY	BRCA1 promotes PP4C-dependent 53BP1 dephosphorylation and RIF1 release, directing repair toward homologous recombination.
Literature	GENERIF_SUMMARY	Data suggest that RAD51, BRCA2, and BRCA1 promote stability of nascent DNA at replication forks; RAD51 prevents MRE11 nuclease-mediated degradation of nascent ssDNA; BRCA2 displaces RPA (replication protein A) complex by recruiting RAD51 to protect ssDNA; BRCA1 promotes repair foci following DNA damage and is essential for cell survival. (BRCA = breast cancer recombination protein; RAD51 = Rad51 recombinase) [REVIEW]
Literature	GENERIF_SUMMARY	In this study, we evaluated this novel mechanism of drug resistance in newly diagnosed, early-stage BRCA1/2-mutant breast cancer patients who had a poor response to platinum-based neoadjuvant chemotherapy.We report a BRCA1 reversion mutation in a patient newly diagnosed with triple-negative breast cancer that developed over 18 weeks of platinum-based neoadjuvant therapy.
Literature	GENERIF_SUMMARY	We found an approximately approximately 3 fold increased rate of high RS among BRCA1 and 2 carriers with ER positive breast cancer (BC)compared with the general BC population
Literature	GENERIF_SUMMARY	Study found a high mutational prevalence of rs80350973 in BRACA1 gene in Chinese patients with triple-negative breast cancer, indicating a mutational prevalence of this variant.
Literature	GENERIF_SUMMARY	BRCA1 was methylated in 9.33% of breast tumors and was associated with lymphatic metastasis.
Literature	GENERIF_SUMMARY	We recommend BRCA1/2 genetic testing to all Chinese women diagnosed with EOC to identify HBOC families, to provide genetic counseling and clinical management for at-risk relatives. Mutation carriers may also benefit from PARP-targeted therapies.
Literature	GENERIF_SUMMARY	high-accuracy and low-cost testing for mutations in BRCA1 and BRCA2 by using small amounts of input DNA, is reported.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with pancreatic cancer.
Literature	GENERIF_SUMMARY	BRCA1 mutation is associated with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 p.His1673del is a pathogenic mutation associated with ovarian cancer.
Literature	GENERIF_SUMMARY	Even if a BRCA1 mutation is already identified within a family, the presence of early onset breast cancer affected

Main Category	Category	Terms
		non-carriers hampers accurate risk estimates for both mutation carriers and other negative family members.
Literature	GENERIF_SUMMARY	In this study, Multiplex ligation-dependent probe amplification (MLPA) assay was used for detection of large rearrangements of BRCA1 and BRCA2 genes in 36 unrelated high-risk breast/ovarian cancer patients negative for BRCA1/2 point mutations. Overall BRCA1/2 LGRs prevalence among high-risk Tunisian patients was 5.5%.
Literature	GENERIF_SUMMARY	Study suggests that BRCA1 p.Arg762Ser is likely to be associated with breast cancer risk in Malaysian population.
Literature	GENERIF_SUMMARY	In the olaparib LT group, 244 genetic alterations were detected, with TP53, BRCA1, and BRCA2 mutations being most common (90%, 25%, and 35%, respectively). BRCA2 mutations were enriched among the LT responders. BRCA methylation was not associated with response duration. High myriad HRD score (>42) and/or BRCA1/2 mutation was associated with LT response to olaparib
Literature	GENERIF_SUMMARY	We studied effect of food on ABT-767 bioavailability in subjects with advanced BRCA1 or BRCA2 mutated solid tumors or high grade serous ovarian, primary peritoneal or fallopian tube cancer
Literature	GENERIF_SUMMARY	The results reveal new information for the manner in which full-length BRCA1 engages its binding partner, BARD1, under oxidative stress conditions.
Literature	GENERIF_SUMMARY	Evidence from this study indicates that the tumor suppressor functions of BRCA1 extend beyond DNA repair to include metabolic endpoints
Literature	GENERIF_SUMMARY	Rucaparib was tolerable and had activity in patients with platinum-sensitive germline BRCA1/2-mutated high-grade ovarian carcinoma
Literature	GENERIF_SUMMARY	the study included all BRCA1/2 germline missense mutations identified in breast and ovarian cancer patients; in BRCA1, the majority of mutations were located in the BRCA C-terminus (48.8%), leading to a disruption of function (Systematic Review)
Literature	GENERIF_SUMMARY	CDK9 is a player in the DNA damage response and is consistent with its participation in homology-directed recombination pathway by modulating BRCA1 response.
Literature	GENERIF_SUMMARY	The frequency of the BRCA1 5382insC mutation in ovarian cancer patients from Ukraine
Literature	GENERIF_SUMMARY	This study shows that BRCA mutation carriers could be frequently identified among breast cancer patients with multiple risk factors. Importantly, we established an NGS-based pipeline for BRCA1/2 testing in clinical practice and strongly suggest that breast cancer patients of premier- and moderate-grade risks receive BRCA1/2 mutations testing in China
Literature	GENERIF_SUMMARY	Risk-reducing bilateral salpingo-oophorectomy is currently the most effective method for reducing the risk of ovarian cancer in BRCA mutation (BRCA1 and BRCA2) carriers.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Findings establish L35P as the first pathogenic missense mutation in PALB2 and directly demonstrate the requirement of the PALB2-BRCA1 interaction for breast cancer suppression.
Literature	GENERIF_SUMMARY	Breast cancers in BRCA1 mutation carriers are associated with more aggressive tumor characteristics compared to BRCA2 and are less well seen on mammography. Mammography rarely identified cancers not visible on MRI. Thus, the omission of mammography in BRCA1 mutation carriers screened with MRI can be considered.
Literature	GENERIF_SUMMARY	A heterozygous deletion of exon 19 of BRCA1 and the other was a heterozygous duplication of exon 4-6 of BRCA1 were identified in large genomic rearrangements.
Literature	GENERIF_SUMMARY	BRCA1- and BRCA2- (BRCA)-associated tumors respond to both platinum compounds and PARP inhibitors (PARPi). Potential synergism for carboplatin and the PARPi veliparib was demonstrated in preclinical studies. In a companion phase II trial, veliparib was demonstrated to be active as a single agent in both BRCA1- and BRCA2-associated MBC patients
Literature	GENERIF_SUMMARY	Tumor-treating fields elicit a conditional vulnerability to ionizing radiation via the downregulation of BRCA1 signaling and reduced DNA double-strand break repair capacity in non-small cell lung cancer cell lines
Literature	GENERIF_SUMMARY	We identified the BRCA1/2 genetic mutation test results of 1223 breast cancer patients and 174 patients with ovarian cancer. Of the 160 BRCA 1/2 variant unknown significance, 16 patients were identified as having the L1780P variant. Among them, 10 had breast cancer, 4 had ovarian cancer, and 2 had both breast and ovarian cancer. Thirteen (81.3%) patients with this variant had family histories of breast or ovarian cancer.
Literature	GENERIF_SUMMARY	High BRCA1 expression is associated with Lung Adenocarcinoma.
Literature	GENERIF_SUMMARY	Data show that there are large differences in the absolute cancer risks between breast cancer 1, early onset protein (BRCA1) and breast cancer 2, early onset protein (BRCA2) mutation carriers with higher vs lower values of the polygenic risk scores (PRS).
Literature	GENERIF_SUMMARY	Neoadjuvant chemotherapy for BRCA1-associated ovarian carcinoma is accompanied by a rapid expansion of pre-existing BRCA1-proficient tumor clones suggesting that continuation of the same therapy after NACT and surgery may not be justified.
Literature	GENERIF_SUMMARY	Results show that BRCA1 haploinsufficiency leads to the specific up-regulation of RANKL but not RANK and suggest that breast epithelium-specific mono-allelic inactivation of BRCA1 might suffice to cell-autonomously generate RANKL-addicted, denosumab-responsive CSC-like states.
Literature	GENERIF_SUMMARY	The results of Ion PGM with OTG-snpcaller, a pipeline based on Torrent mapping alignment program and Genome Analysis Toolkit, from 75 clinical samples and 14 reference

Main Category	Category	Terms
		DNA samples were compared with Sanger sequencing for BRCA1/BRCA2.
Literature	GENERIF_SUMMARY	function of BRCA1 variants or mutants in homology-directed repair mechanisms, homologous recombination (HR) and single strand annealing (SSA) and in conferring resistance to cisplatin and olaparib in cancer cells; results define functionality of the top 22 patient-derived BRCA1 missense variants and the contribution of different domains of BRCA1 and its E3 ubiquitin ligase activity to HDR and drug resistance
Literature	GENERIF_SUMMARY	in nasopharyngeal carcinoma patients, ERCC1 and BRCA1 may be a predictor of response to platinum-based chemotherapy and concurrent radiochemotherapy.
Literature	GENERIF_SUMMARY	Implementing germline BRCA testing in all patients with ovarian cancer would be cost-effective in the United Kingdom.
Literature	GENERIF_SUMMARY	Five patients were identified with intragenic mutations predicted to restore BRCA1/2 open reading frames, including two patients with multiple independent reversion alleles.
Literature	GENERIF_SUMMARY	this study identified a germline missense variant on BRCA1 significantly associated with poor prognosis of pancreatic cancer patients in China
Literature	GENERIF_SUMMARY	Findings reveal a previously unknown effect of BRCA1 suppression on mechanisms that regulate the cell division axis in proliferating, non-transformed human mammary epithelial cells and consequent downstream effects on the mitotic integrity and phenotype control of their progeny.
Literature	GENERIF_SUMMARY	this comprehensive meta-analysis suggests that BRCA1 P871L polymorphism may be associated with decreased susceptibility to cancer.
Literature	GENERIF_SUMMARY	Germline BRCA1/2 gene mutations could result in genomic instability and an elevated gene mutation rate (such as the p53 gene) in breast luminal cells compared with the general population, predisposing BRCA carriers to develop p53-positive/triple-negative breast carcinomas.
Literature	GENERIF_SUMMARY	In summary, Nestin was strongly associated with germline BRCA1 related breast cancer, a basal-like phenotype, reduced survival, and stemness characteristics.
Literature	GENERIF_SUMMARY	Knowing a patient's BRCA mutation status is important for prevention and treatment decision-making. Improving the characterization of mutations will lead to better management, treatment, and BCa prevention efforts in African Americans who are disproportionately affected with aggressive BCa and may inform future precision medicine genomic-based clinical studies.
Literature	GENERIF_SUMMARY	polygenic risk scores may provide informative cancer risk stratification for male carriers of BRCA1/2 mutations that might enable these men and their physicians to make informed decisions on the type and timing of breast and prostate cancer risk management.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Propose that E2F1 interacts with BRCA1 indirect pathway to induce two different small molecule metabolic pathways or cell cycle regulation pathways in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	Molecular subtype triple negative breast cancer was strongly associated with BRCA1 mutation in patients from Murcia (south-eastern Spain).
Literature	GENERIF_SUMMARY	Results identified a large new rearrangement in BRCA1 gene in patient with hereditary breast and ovarian cancer syndrome. It shows a tandem duplication of exon 3 causing an in frame insertion of 18 amino acids within the protein.
Literature	GENERIF_SUMMARY	BRCA1*R1699Q confers an intermediate risk for breast cancer and ovarian cancer.
Literature	GENERIF_SUMMARY	This is the first report that describes FANC as a causative gene for CVID. We propose here that FA should be considered in the differential diagnosis of CVID.
Literature	GENERIF_SUMMARY	triple negative breast cancer/BRCA1-IRIS-overexpressing tumors are more aggressive than triple negative breast cancer/BRCA1-IRIS-negative or non-triple negative breast cancer/BRCA1-IRIS-overexpressing or both negative tumors.
Literature	GENERIF_SUMMARY	Clinical outcomes between placebo- and olaparib-treated patients with somatic BRCA1/2 mutations were similar to those with germline BRCA1/2 mutations, indicating that patients with somatic BRCA1/2 mutations benefit from treatment with olaparib.
Literature	GENERIF_SUMMARY	Women with BRCA1/2 mutations show at diagnosis higher peritoneal tumor load and increased frequency of bulky lymph nodes compared to patients without germline BRCA mutations. Primary debulking surgery seems to ensure a longer progression-free survival in women with BRCA wild type genotype compared to neoadjuvant chemotherapy.
Literature	GENERIF_SUMMARY	Being a male BRCA1 or a BRCA2 mutation carrier or even being clinically defined as having high cancer risk with no known BRCA mutation in men is not associated with any clinically significant risk for developing this rare entity.
Literature	GENERIF_SUMMARY	Findings indicate a transcriptional axis of FOXP3-BRCA1-miR-155 in breast cancer cells and show that plasma miR-155 may serve as a non-invasive biomarker for detection of early stage breast cancer.
Literature	GENERIF_SUMMARY	The diagnostic value of BRCA promoter methylation analysis in distinguishing BRCA1/2-related and sporadic breast carcinomas is considerably dependent on the targeted CpG sites. These findings are important for adequate use of BRCA methylation analysis as a prescreening tool for germline genetic testing
Literature	GENERIF_SUMMARY	RAP80-BRCA1 complex foci formation is regulated by USP13.BRCA1 role in the DNA damage response.
Literature	GENERIF_SUMMARY	Male carrying BRCA mutations have significantly lower QMAX than healthy men. BRCA1 patients have on average larger prostate glands and higher PSA than BRCA2 patients.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	This study implicates novel risk loci as well as highlights the clinical utility for retesting BRCA1/2 negative ovarian cancer patients by genomic sequencing and analysis of genes in relevant pathways.
Literature	GENERIF_SUMMARY	Three new isogenic ovarian cancer cell lines were developed from a patient with a germ line BRCA1 mutation.
Literature	GENERIF_SUMMARY	Clonal analysis suggested that TP53 mutations and methylation of CpG dinucleotides in the BRCA1 promoter were early events of carcinogenesis
Literature	GENERIF_SUMMARY	This report summarizes the results of BRCA testing in South-Eastern Norway according to these revised Norwegian guidelines from 1st of January 2014 to 31st of August 2015 -it was to calculate the prevalence of BRCA mutations in this cohort of breast cancer (BC)patients that as a whole had an a priori low risk of being mutation carriers anddescribe the spectrum of mutations
Literature	GENERIF_SUMMARY	Pol II pausing is an important contributor to BRCA1-associated R-loop accumulation and breast cancer development.
Literature	GENERIF_SUMMARY	BRCA1 is actively recruited to the alternative lengthening of telomeres that are experiencing replication stress and that the recruitment of BRCA1 to these damaged telomeres is interdependent and is regulated by both ATR and Chk1.
Literature	GENERIF_SUMMARY	Results found that among unselected breast cancer cases, 3.3% tested positive for BRCA1/3450del4 and 2.2% for BRCA1/A1708E. The estimated cumulative risk of breast cancer by age 70 years for BRCA1 mutations carriers was 14% (95% CI 5-38) compared to 3% for the general Colombian population (relative risk of breast cancer 4.05).
Literature	GENERIF_SUMMARY	Study reports a novel frameshift mutation LRG_292t1
Literature	GENERIF_SUMMARY	Hypermethylation in BRCA1 is associated with earlier occurrence of ovarian cancer.
Literature	GENERIF_SUMMARY	The integrated network analysis identified BRCA1 and CRISP2 differentially methylated regions (DMR) as the most central disease-associated DNA methylation biomarkers. Moreover, methylation changes at BRCA1 and CRISP2 specific CpG sites were consistently associated with subclinical atherosclerosis measures.
Literature	GENERIF_SUMMARY	Study identified consensus binding motifs for the bile acid-responsive FXR in the BRCA1 and estrogen receptors 1 and 2 (ESR1 and ESR2) genes. Bile acids treatment resulted in induction of BRCA1 transcript levels and decrease in ESR1 expression in OVCAR3 ovarian cancer cells.
Literature	GENERIF_SUMMARY	Inactivation of homologous recombination factors BRCA1, BRCA2, or RAD51 hypersensitizes cells to acetaldehyde treatment, in spite of the Fanconi anemia pathway being functional.
Literature	GENERIF_SUMMARY	USP21 interacts with, deubiquitinates and stabilizes BRCA2 to promote efficient RAD51 loading at DNA double-strand breaks.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	a functional-inherited variation in BRCA1 were significantly associated with PFS of TNBC. Our findings may potentially have several clinical implications. For example, the BRCA1 rs799917 genotypes may act as prognostic tools in clinic management of TNBC, especially in patients receiving radiotherapy.
Literature	GENERIF_SUMMARY	results further highlight the antagonistic relationship between 53BP1 and BRCA1, and place Nup153 and Nup50 in a molecular pathway that regulates 53BP1 function by counteracting BRCA1-mediated events.
Literature	GENERIF_SUMMARY	Putative BRCA1/2 reversion mutations can be detected by cfDNA sequencing analysis in patients with ovarian and breast cancer. Our findings warrant further investigation of cfDNA sequencing to identify putative BRCA1/2 reversion mutations and to aid the selection of patients for PARP inhibition therapy
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	Carboplatin and talazoparib showed efficacy in DNA damage mutation carriers, but hematologic toxicity was more pronounced in gBRCA(gBRCA1/2) carriers. Carboplatin is best combined with intermittent talazoparib dosing differentiated by germline and somatic DNA damage mutation carriers
Literature	GENERIF_SUMMARY	Studies suggest that people with high risk of breast cancer and negative BRCA1/BRCA2 should be tested for PALB2 mutations.
Literature	GENERIF_SUMMARY	Evidence does not support routine risk-reducing hysterectomy for BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	The BRCA1-like profile is not associated with survival benefit for a non-myeloablative, intensified regimen in this study population. Considering the limited cohort size, capecitabine might have additional benefit for triple negative breast cancer patients patients.
Literature	GENERIF_SUMMARY	The work-flow represents a robust and easy-to-use method for full BRCA1/2 screening, which can be easily implemented in routine diagnostic testing and adapted to genes other than BRCA1/2.
Literature	GENERIF_SUMMARY	Data suggest that locus-specific LOH may be a clinically useful biomarker to predict primary resistance to DNA damaging agents in patients with germline BRCA1 and BRCA2 mutations.
Literature	GENERIF_SUMMARY	Ovarian response to stimulation, expressed as the number of mature oocytes, was reduced in BRCA1 but not in BRCA2 mutation carriers. Although oocyte yield was in correspondence to a normal response in all subgroups, this finding points to a possible negative influence of the BRCA1 gene on ovarian reserve

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Here the authors present evidence that Ape1 facilitates BRCA1-mediated homologous recombination repair (HR), while counteracting error-prone non-homologous end joining of DNA double-strand breaks.
Literature	GENERIF_SUMMARY	somatic BRCA1 mutations were common in Southeast European nasopharyngeal carcinoma patients... and appeared to affect patient outcome according to tumor genomic stability status
Literature	GENERIF_SUMMARY	We performed the genotyping of the polymorphisms BRCA1/P871L and BRCA1/Q356R by Polymerase Chain Reaction-Restriction Fragment Length Polymorphism, and of variant allele BRCA2/N372H through direct sequencing.
Literature	GENERIF_SUMMARY	loss of BRCA1 function results in an increase in UBE2C expression and chemical resistance to doxorubicin in breast cancer cells.
Literature	GENERIF_SUMMARY	BRCA1 role in homologous recombination repair, replication, involvement in checkpoint regulation, transcription, chromatin remodeling, and cytoplasmic function (centrosome regulation, apoptosis, selective autophagy), also BRCA1 role in ovarian and breast cancer. [review]
Literature	GENERIF_SUMMARY	this family depicts the intertwining cancer spectrum of with hereditary breast and ovarian cancer (HBOC) and familial pancreatic cancer (FPC) in BRCA1 families and raises awareness for the significance of considering pancreatic (head) adenocarcinoma (PAC)as differential phenotypic representation of the HBOC tumor spectrum. (Fig. 1a) and one pancreatic (head) adenocarcinoma (PAC)
Literature	GENERIF_SUMMARY	Among BRCA mutation(BRCA1 or BRCA2) carriers, the mortality benefit of preventive mastectomy at age 25 is substantial, but the expected benefit declines rapidly with increasing age at surgery.
Literature	GENERIF_SUMMARY	Direct evidence of diminished ovarian reserve as well as accelerated primordial follicle loss and oocyte DNA damage in women with BRCA mutations.
Literature	GENERIF_SUMMARY	Although no founder mutations were identified in this study, two recurrent mutations, BRCA1 (c.3607C>T) and BRCA2 (c.5164_5165 delAG), were found
Literature	GENERIF_SUMMARY	We report that CTSO reduces the protein levels of BRCA1 and ZNF423 through cysteine proteinase-mediated degradation. We also have identified a series of transcription factors of BRCA1 that are regulated by CTSO at the protein level.
Literature	GENERIF_SUMMARY	The present data in this small cohort of 68 mutation carriers suggest that smoking and low physical activity during adolescence are risk factors for developing breast cancer in women with BRCA1 or BRCA2 mutation.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 mutants with weakened RAD51 interactions show compromised DNA joint formation and impaired mediation of homologous recombination and DNA repair in cells; results identify a late role of BRCA1-BARD1 in

Main Category	Category	Terms
		homologous recombination, an attribute of the tumour suppressor complex that could be targeted in cancer therapy
Literature	GENERIF_SUMMARY	Five per cent of unselected Asian patients with breast cancer carry deleterious variants in BRCA1 in Malaysia.
Literature	GENERIF_SUMMARY	We describe twenty-nine novel BRCA1 and BRCA2 variants detected in Italian individuals suffering from hereditary breast and ovarian cancer syndrome (HBOC).
Literature	GENERIF_SUMMARY	BRCA1 downregulation combined with CHK1 inhibition induced excessive amounts of DNA damage, resulting in an inability to complete the S-phase. Therefore, we suggest CHK1 inhibition as a strategy for targeting BRCA1- or CDK12-deficient tumors.
Literature	GENERIF_SUMMARY	14 had pathogenic variants in the BRCA1 gene and 5 had pathogenic variants in the BRCA2 gene
Literature	GENERIF_SUMMARY	observations indicate that nascent DNA degradation in BRCA1/2-deficient cells occurs as a consequence of MRE11-dependent nucleolytic processing of reversed forks generated by fork remodelers
Literature	GENERIF_SUMMARY	Data indicate there was high genetic correlation between risk of estrogen receptor (ER)-negative breast cancer and breast cancer risk for BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Overall, 5152 oncogenetic tests were reviewed in the present study, of which 4452 had no a priori known familial mutation. The majority of participants (68.6%) were genotyped because of personal history of cancer; 20.6% were tested because of family history of cancer, and details for the remaining 10.7% were missing. Overall, 256/4452 (5.8%) carriers were detected, 141 BRCA1 and 115 BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	patient-derived xenografts capture the molecular and phenotypic heterogeneity of triple-negative breast cancer . Here we show that PARP inhibition can have activity beyond germline BRCA1/2 altered tumors, causing regression in a variety of molecular subtypes. These models represent an opportunity for the discovery of rational combinations with targeted therapies and predictive biomarkers
Literature	GENERIF_SUMMARY	These results reveal two distinct fork restart pathways, which are antagonistically controlled by 53BP1 and BRCA1 in a double-strand DNA break repair-independent manner.
Literature	GENERIF_SUMMARY	The present study demonstrates a clear protective effect of early first pregnancy on breast cancer risk in both BRCA1 and BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	BRCA1 deficiency was recurrent in early-onset triple-negative breast cancer in Brazilian patients and associated with improved survival
Literature	GENERIF_SUMMARY	These results will form the basis for a larger randomized trial (LIBRE-2) with an estimated sample size of 600 BRCA1 and BRCA2 mutation carriers aiming at improvement of BMI, aerobic and maximal exercise capacity and adherence

Main Category	Category	Terms
		to a Mediterranean diet
Literature	GENERIF_SUMMARY	We conclude that BRCA1 and BRCA2 could be used as clinicopathological biomarkers to evaluate the prognosis of digestive system cancers.
Literature	GENERIF_SUMMARY	Homozygous loss of function BRCA1 variant causes a Fanconi-anemia-like phenotype.
Literature	GENERIF_SUMMARY	The mechanism by which RAD52 depletion causes synthetic lethality in BRCA1 mutant cancer cells depends on the 5' endonuclease EEPD1, which normally functions to cleave stressed replication forks to initiate HR repair.
Literature	GENERIF_SUMMARY	This is the largest study of comprehensive BRCA testing(BRCA1 and BRCA2) among Brazilians to date. Several criteria that are not included in the NCCN achieved a higher predictive value. Identification of the most informative criteria for each population will assist in the development of a rational approach to genetic testing
Literature	GENERIF_SUMMARY	Authors provide evidence of the roles of the polyadenylation factor cleavage stimulation factor 50 (CstF-50) and the ubiquitin (Ub) escort factor p97 as cofactors of BRCA1/BARD1 E3 Ub ligase, facilitating chromatin remodeling during the DNA damage response (DDR).
Literature	GENERIF_SUMMARY	Our results highlight complexity in BRCA1 transcript structure that has not been described previously. This finding has key implications for predicting the translation frame of splicing transcripts, important for interpreting the clinical significance of spliceogenic variants.
Literature	GENERIF_SUMMARY	We show a strong association between Triple Negative Breast Cancer and mutations in BRCA1/2 genes and the poor outcome of these patients. The survival curve analysis showed that the presence of AKT1, TP53, KDR, KIT, BRCA1 and BRCA2 mutations is correlated with a poor prognosis.
Literature	GENERIF_SUMMARY	The estimated penetrance of breast cancer to age 80 years was 60.8% for BRCA1 and 63.1% for BRCA2. For all BRCA carriers, the penetrance of breast cancer to age 80 for those with no first-degree relative with breast cancer was 60.4% and 63.3% for those with at least 1 first-degree relative with breast cancer
Literature	GENERIF_SUMMARY	The authors assessed whether BRCA1 promoter hypermethylation like mutation was associated with increased survival or increased sensitivity to platinum chemotherapy. However the results showed that neither outcomes were met
Literature	GENERIF_SUMMARY	The 2 identified likely pathogenic Unclassified variants in BRCA1 and BRCA2 require further verification with clinical evidence.
Literature	GENERIF_SUMMARY	RANK/RANKL were identified as crucial regulators for BRCA1 mutation-driven breast cancer. Current prevention strategies for BRCA1 mutation carriers are associated with wide-ranging risks; therefore, the search for alternative, non-invasive strategies is of paramount importance

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Both BRCA1 and BRCA2 mutations are associated with an increased risk for Prostate cancer(PC). BRCA2 in particular confers a more aggressive PC phenotype with a higher probability of locally advanced and metastatic disease, and should be considered a prognostic marker associated with poorer survival
Literature	GENERIF_SUMMARY	We have developed an algorithm, which can differentiate between healthy women and OC patients and have for the first time shown, that such an algorithm can also be used in BRCA mutation carriers. To clarify a suggested benefit to the existing early detection program, large prospective trials with mainly early stage OC cases are warranted.
Literature	GENERIF_SUMMARY	We demonstrate that homologous recombination deficiency (HRD)mutation signatures may offer clinically relevant information independently of BRCA1/2 mutation status and hope this work will guide the development of clinical trials
Literature	GENERIF_SUMMARY	They might be considered as BRCA1-like biomarkers for TNBC and HBOC syndrome.
Literature	GENERIF_SUMMARY	All patients in our centre were tested using next-generation sequencing (NGS) panels that included full gene sequencing as well as coverage for large deletions/ duplications in BRCA1/2. We calculated MSS1-3 scores for index patients between 2014 and 2017 who had undergone BRCA1/2 genetic testing and recorded their genetic test results
Literature	GENERIF_SUMMARY	Among BRCA1/2 mutation wild-type patients, homologous recombination (HR) deficient(HRD) patients were more likely to achieve a pathologic complete response (OR 16, 95% CI 1.65-160.41, p = 0.0041) compared with HR non-deficient patients. Further, HRD scores were highly concordant pre- and post-therapy
Literature	GENERIF_SUMMARY	Reduced BRCA1 expression was associated with ER and PR negative status resulting in Breast Carcinoma.
Literature	GENERIF_SUMMARY	The overall frequencies of the BRCA germline mutations (BRCA1 and BRCA2)were 10.2% in breast and 30.7% in ovarian cancer patients. These data shed new light into the prevalence of BRCA mutations in the Arab women population
Literature	GENERIF_SUMMARY	BRCA1 SNP rs1799950 is associated with Enhanced response rate to pegylated liposomal doxorubicin in high grade serous ovarian carcinomas.
Literature	GENERIF_SUMMARY	It is possible that mutant BRCA1/2 genes are associated with a reduction in ovarian reserve (review)
Literature	GENERIF_SUMMARY	Carriers of BRCA1/BRCA2 mutation with sporadic Pancreatic Ductal Adenocarcinoma had a worse survival after pancreatectomy than their BRCA wild-type counterparts. However, platinum-based chemotherapy regimens were associated with markedly improved survival in patients with BRCA1/BRCA2 mutations, with survival differences no longer appreciated with wild-type patients.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Eligible patients for this study were healthy women with >/= 17% lifetime risk of breast cancer or with a mutation in BRCA1 or BRCA2. A total of 632 women were screened between 2002 and 2012 (each for 6 years). During the study, 30 women were diagnosed with breast cancer, with 10 of these diagnoses occurring between screening visits, and six of the 10 diagnosed women were gene carriers
Literature	GENERIF_SUMMARY	Results identify BRCA1 as an Oct1 ubiquitin ligase that catalyzes Oct1 degradation to promote oxidative metabolism and restrict tumorigenicity.
Literature	GENERIF_SUMMARY	Data suggest that ubiquitin specific protease-48 (USP48) promotes genome stability by antagonizing BRCA1 E3 ligase function. as a H2A deubiquitinating enzymes (DUBs), specific for the C-terminal BRCA1 ubiquitination site.
Literature	GENERIF_SUMMARY	We found a positive association between mosaic normal tissue (WBC) BRCA1 methylation status and the risk for ovarian cancer, particularly HGSOC. Also, WBC BRCA1 methylation was detected in newborns and among women of all ages. Taken together, these observations indicate that normal tissue BRCA1 methylation is probably an embryonic event that might influence the risk for HGSOC later in life.
Literature	GENERIF_SUMMARY	This study provides a comprehensive view of known and novel BRCA1/2 mutations in breast cancer (BC)patients from the Republic of Macedonia and contributes to the global spectrum of BRCA1/2 mutations in breast cancer.
Literature	GENERIF_SUMMARY	Our findings, using the largest gene panel for Male breast cancer (MBC) patients so far, indicate that BRCA testing (BRCA1 and BRCA2)should be the primary concern for MBC patients.
Literature	GENERIF_SUMMARY	In this study, we used comprehensive multigene panels that included 35 known or suspected cancer susceptibility genes to examine BRCA1/2 mutation-negative Korean patients who had clinical features indicative of hereditary breast cancer
Literature	GENERIF_SUMMARY	High levels of TACC3 in human mammary epithelial cells can cause genomic instability possibly in part through destabilizing BRCA1.
Literature	GENERIF_SUMMARY	Results provide evidence that BRCA1 undergoes intronic premature polyadenylation (pPA) following large internal exons, and that N(6)-methyladenosine levels in this exon are reduced in pPA-activated breast cancer cells.
Literature	GENERIF_SUMMARY	Neither the patients tested nor the control subjects showed germline hypermethylation of the BRCA1 and BRCA2 promoter regions analyzed
Literature	GENERIF_SUMMARY	Data indicate that BRCA1/2 mutations are not uncommon among selected Jordanian females with breast cancer.
Literature	GENERIF_SUMMARY	Data show that male BRCA1/2 mutation carriers with breast and prostate cancer indicated a favorable 5-year survival.
Literature	GENERIF_SUMMARY	Acetylation of BRCA1 on lysine 830 activates BRCA1

Main Category	Category	Terms
		function at the intra-S checkpoint after DNA damage.
Literature	GENERIF_SUMMARY	This study comprehensively describes the characteristics of the 1,650 unique BRCA1 and 1,731 unique BRCA2 deleterious (disease-associated) mutations identified in the CIMBA database.
Literature	GENERIF_SUMMARY	Report on genetic variants reported in BRCA1 found in various ethnic groups, their functional implications if known; and involvement of BRCA1 in various cellular pathways/processes (review).
Literature	GENERIF_SUMMARY	Three of 32 tumors had pathogenic BRCA1 gene alterations
Literature	GENERIF_SUMMARY	Low coexpression of BRCA1 and MAD2 was also significantly associated with overall survival and was driven by BRCA1 expression.
Literature	GENERIF_SUMMARY	Neoadjuvant versus adjuvant with standard anthracycline- and taxane-containing regimens results in similar disease-free survival and overall survival among patients with stage I and II triple-negative breast cancer regardless of BRCA status
Literature	GENERIF_SUMMARY	Our findings indicate that in the Indian population, there is a high prevalence of mutations in the high-risk breast cancer genes
Literature	GENERIF_SUMMARY	High Promoter Methylation of BRCA1 gene is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	BRCA1/2 mutations were associated with improved overall survival (OS) and progression-free survival (PFS), but the improved OS was only seen in patients with primary and recurrent ovarian cancer, not in those with advanced state disease. When examined separately, BRCA1 mutations remained significantly associated with improved OS, but not PFS, and BRCA2 mutations alone were not associated with either improved OS or PFS.
Literature	GENERIF_SUMMARY	In this review, we will discuss the molecular interactions between BRCA1 and the key molecules of Epithelial to Mesenchymal Transition (EMT) associated with metastasis, its associated drug resistance and the possible treatment strategy for BRCA1 mutated breast cancer. [review]
Literature	GENERIF_SUMMARY	association between family history (FH) of Breast cancer(BC) and ovarian cancer(OC) risks was slightly smaller in magnitude (HR
Literature	GENERIF_SUMMARY	We identified a speculative association of germ-line BRCA1/2 alterations with brain metastases in pancreas ductal adenocarcinoma
Literature	GENERIF_SUMMARY	BRCA1 germ line mutation is associated with ovarian cancer.
Literature	GENERIF_SUMMARY	Lack-of-function mutations in EDC4 were detected in BRCA1/2-mutation-negative breast cancer cases, suggesting a role in breast cancer susceptibility.
Literature	GENERIF_SUMMARY	Ewing sarcoma cells display alterations in regulation of

Main Category	Category	Terms
		damage-induced transcription, accumulation of R-loops and increased replication stress; homologous recombination is impaired in Ewing sarcoma owing to an enriched interaction between BRCA1 and the elongating transcription machinery; also, a role is found for EWSR1 in the transcriptional response to damage, suppressing R-loops and promoting homologous recombination
Literature	GENERIF_SUMMARY	BRCA1 germ line mutation is associated with unilateral triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Our results did not provide evidence for elevated risks of invasivebreast cancer (BC) or epithelial ovarian cancer in BRCA1/BRCA2 predictive test negatives
Literature	GENERIF_SUMMARY	The combination of immunohistochemical expression of BRCA1, ER, PR, and HER-2/neu and clinicopathological details may be helpful in predicting the individuals more likely to carry BRCA1 mutations and thus selecting the candidate and family members for genetic screening for BRCA1 mutations.
Literature	GENERIF_SUMMARY	Different mechanisms inactivating the wild type allele are present within the same tumor sample at various extents. Results indicate that BRCA1/2-linked breast and ovarian cancer cells are predominantly characterized by LOH, but harbor a complex combination of second hits at various frequencies.
Literature	GENERIF_SUMMARY	Germline Mutation in the BRCA1 3'UTR Variant is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	p53 status determines PARP inhibitor sensitization by ionizing radiation in multiple BRCA1 and HR-proficient tumor types and may predict which patients are most likely to benefit from combination therapy
Literature	GENERIF_SUMMARY	This study reports familial communication in a BRCA1/ BRCA2 screening setting... This suggests that universal BRCA screening does not differentially affect communication or the use of familial genetic information
Literature	GENERIF_SUMMARY	chimerism in breast/ovarian cancers in BRCA non-carriers from BRCA-positive families
Literature	GENERIF_SUMMARY	Although ATM is involved in the DNA damage response, ATM-associated tumours are distinct from BRCA1-associated tumours in terms of morphological characteristics and genomic alterations, and they are also distinguishable from sporadic breast tumours, thus opening up the possibility to identify ATM variant carriers outside the ataxia-telangiectasia disorder and direct them towards effective cancer risk management and therap
Literature	GENERIF_SUMMARY	Among Korean women with the BRCA1/2 mutation, the location of the mutations may influence the risk of breast and ovarian cancers according to the putative functional domain regions
Literature	GENERIF_SUMMARY	Authors found that BRCA1/2 germline mutations in China exhibit distinct characteristics compared to those in Western populations.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Study shows that tamoxifen-resistant breast cancer cells are resistant to DNA-damaging chemo- and radiotherapy because of upregulated BARD1 and BRCA1, which is caused by activated PI3K/AKT pathway.
Literature	GENERIF_SUMMARY	analysis confirmed association between BRCA1 promoter methylation and breast cancer in Asia
Literature	GENERIF_SUMMARY	A novel electrochemical DNA (E-DNA) biosensing strategy was designed and used for the detection of breast cancer susceptibility gene (BRCA-1).
Literature	GENERIF_SUMMARY	Homozygous nonsense mutations in the tumor suppressor gene BRCA1 is associated with breast and ovarian cancer.
Literature	GENERIF_SUMMARY	The silencing of BRCA1 through hypermethylation seems to play an important role in meningioma.
Literature	GENERIF_SUMMARY	homologous recombination deficiency (HRD), tumor BRCA1/2 mutations, and absence of CCNE1 amplification are associated with improved survival of ovarian cancer patients treated with platinum monotherapy and HRD-positive patients may benefit from platinum dose intensification.
Literature	GENERIF_SUMMARY	BRCA1/2 mutation status leads to better responses to neoadjuvant chemotherapy in breast cancer. Pathological complete response is the main predictor of disease-free survival and overall survival, independently of BRCA1/2 mutation status.
Literature	GENERIF_SUMMARY	In 7657 consecutive unselected breast cancer patients without BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	Our results, together with the available literature, provide reassurance that breast-conserving therapy is a safe local treatment option to offer to BRCA1 mutation carriers with invasive breast cancer.
Literature	GENERIF_SUMMARY	Pre-menopausal BRCA1/2 mutation carriers aged 30 to 47years chose screening, RRSO, or BS/DO. For those undergoing BS/DO, the delayed oophorectomy was recommended at age 40years for BRCA1 and age 45years for BRCA2 patients.
Literature	GENERIF_SUMMARY	Despite calls for BRCA1/2 population screening, there remains a critical need to identify those most at risk who should receive cancer genetics services. B-RSTtrade mark version 3.0 demonstrates high sensitivity for BRCA1/2 mutations, yet remains a simple and quick screening tool for at-risk individuals.
Literature	GENERIF_SUMMARY	BRCA1 Mutations are associated With Increased Risk of Brain Metastases in Breast Cancer.
Literature	GENERIF_SUMMARY	Based on a cumulative risk of 0.55% to age 35 for BRCA1 mutation carriers and of 0.56% to age 45 for BRCA2 mutation carriers, we recommend bilateral salpingo-oophorectomy before age 40, but by age 35, for women with a BRCA1 mutation and by age 45 for those with a BRCA2 mutation to maximize prevention and to minimize adverse effects.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Mutations in BRCA1, BRCA2, and PALB2, and a panel of 50 cancer-associated genes in pancreatic ductal adenocarcinoma
Literature	GENERIF_SUMMARY	these data reveal that the OLA1-BARD1 interaction is important for the regulation of centrosome number. Regulation of centrosome number by BRCA1/BARD1 together with OLA1 is important for the genome integrity to prevent tumor development.
Literature	GENERIF_SUMMARY	Significant increase in frequencies ofTP53 (rs1042522 G/C), BRCA1 (rs71361504 -/GTT, rs3092986T/C) genotypes and alleles in polycystic ovary patients compared to controls.
Literature	GENERIF_SUMMARY	Tumor suppressor functions of MCPH1/BRIT1 and BRCA1; links with the inactivation of the functional form of hTERT and the activation of dominant negative splice variants of hTERT.
Literature	GENERIF_SUMMARY	BRCA1/2 mutation testing thus has important and expanding roles in treatment planning for subsets of patients with breast cancer..Determining BRCA1/2 mutation status in this breast cancer subgroup could potentially expand treatment options beyond the current standard of taxane and anthracycline-based chemotherapy
Literature	GENERIF_SUMMARY	In adjusted analysis, age >/=80 years (odds ratio [OR] 0.10; P = 0.002), psychiatric disorders (OR 0.46; P = 0.006), occupation requiring at least 3 years of university or college education (OR 2.03; P = 0.003), and breast cancer or ovarian cancer in first-degree or second-degree relatives (OR 1.66; P = 0.02) were independently associated with uptake of BRCA1/2 testing.
Literature	GENERIF_SUMMARY	The recalibrated algorithms and new metapredictors significantly improved upon current models for predicting the impact of variants in cancer risk-associated domains of BRCA1 and BRCA2. Prediction of the functional impact of all possible variants in BRCA1 and BRCA2 provides important information about the clinical relevance of variants in these genes.
Literature	GENERIF_SUMMARY	BRCA methylation is rare in breast and ovarian carcinomas of BRCA germline mutation carriers, although the frequency of BRCA promoter methylation may be underestimated. This could have major implications for clinical practice, including referral for genetic testing and BRCAness analysis for treatment decision-making.
Literature	GENERIF_SUMMARY	The germline mutational landscape of BRCA1 and BRCA2 in Brazil.
Literature	GENERIF_SUMMARY	These results suggest a modest association between BRCA1 and BRCA2 and Nonsyndromic cleft lip with or without cleft palate.
Literature	GENERIF_SUMMARY	BRCA1/2 genes are the most commonly mutated pancreatic cancer susceptibility genes that should be considered in all pancreatic cancer cases with young age at onset or a family history of cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	High BRCA1 promoter methylation is linked to tumor grade and lymph node metastasis in breast cancer.
Literature	GENERIF_SUMMARY	findings provided the evidence that gBRCA1/2 mutation was not associated with survival in Chinese EOC patients, which possibly attributed to more than 37% of the patients without gross residual disease. Survival benefit of gBRCA1/2 mutation was prominent in ovarian cancer patients with gross residual disease.
Literature	GENERIF_SUMMARY	Account for the site specificity of the cancers associated with the BRCA1 mutation carrier state.
Literature	GENERIF_SUMMARY	The present study aimed to clarify the clinicopathological features, including the level of p53 protein expression and BRCA mutations, of primary fallopian tube cancer (PFTC) in Japanese women.
Literature	GENERIF_SUMMARY	his study reveals for the first time that estrogen promotes BRCA1-deficient tumor initiation and progression by stimulation of cell proliferation and activation of EMT, which are dependent on AKT activation and independent of ER.
Literature	GENERIF_SUMMARY	We have collected, curated, and structured the molecular and cellular phenotypic impact of 3654 distinct BRCA1 variants. The data was modeled in triple format, using the variant as a subject, the studied function as the object, and a predicate describing the relation between the two. Each annotation is supported by a fully traceable evidence
Literature	GENERIF_SUMMARY	CTSS interacted with the BRCT domain of BRCA1 and facilitated ubiquitin-mediated proteolytic degradation of BRCA1, which was tightly associated with decreased BRCA1-mediated DNA repair activity.
Literature	GENERIF_SUMMARY	The overall yield of comprehensive BRCA1/2 testing in ethnically diverse high-risk Israeli individuals is 3.3%. This is lower than expected by probability models. A slightly higher rate of BRCA1/2 carriers was seen among ovarian cancer cases. These data should guide BRCA1/2 optimal testing strategy in Israel.
Literature	GENERIF_SUMMARY	BRCA1 Mutation is associated With Colorectal Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Interacting Protein COBRA1 Facilitates Adaptation to Castrate-Resistant Growth Conditions.
Literature	GENERIF_SUMMARY	This is the first study linking BRCA1 hypermethylation variability to PD-L1 protein expression and the clinicopathologic features of OC. The data demonstrated that an epigenetic alteration of BRCA1 was closely associated with serous OC. The expression of PD-L1 was unrelated to the clinicopathologic features or BRCA1 hypermethylation in sporadic OC.
Literature	GENERIF_SUMMARY	methylation of BRCA1 was found to be significantly associated with tumor grade
Literature	GENERIF_SUMMARY	Study demonstrates that BRCA1 promoter methylation is present from the early life of the carriers and transmitted from mother to daughter suggesting a possible demethylation of BRCA1 during pregnancy.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Overall, 65/648 (10%) study participants were BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	Soma-wide BRCA1 promoter hypermethylation was confirmed in blood, buccal mucosa, and hair follicles.
Literature	GENERIF_SUMMARY	our study provides novel data on ovarian BRCA1/2 mutation prevalence worldwide, enhances adequate patient selection for family counseling and prevention, and sheds light on the benefits of iPARP treatment.
Literature	GENERIF_SUMMARY	We provide evidence that BRCA1 c.5309G>T p.(Gly1770Val), previously described as a Moroccan founder variant, should be treated as a disease-causing variant despite a lack of evolutionary conservation at this amino acid position.
Literature	GENERIF_SUMMARY	Data found higher BRCA1/2 mRNA-expression in ovarian cancer (OC). BRCA1 mutated OCs exhibited lower BRCA1 but higher BRCA2 mRNA-expression. Low BRCA1-expression was associated with favorable overall survival and low BRCA2-expression with better progression-free and overall survival.
Literature	GENERIF_SUMMARY	A novel role for BRCA1 during early human placental development.
Literature	GENERIF_SUMMARY	CLDN3 expression and negative EGFR expression are associated with BRCA1 mutations in triple-negative breast cancers.
Literature	GENERIF_SUMMARY	BRCA1/2 mutation prevalence in unselected breast cancer patients was 1.8%.
Literature	GENERIF_SUMMARY	duplication from BRCA1 intron 19 to DHX9 intron 3 phased in trans with a pathogenic deletion of exon 15 of the BRCA1 gene in a non-syndromic patient with hereditary breast and ovarian cancer syndrome.
Literature	GENERIF_SUMMARY	The current study identified an unreported mutation in BRCA1 (c.5512dupG) in two patients with BC from one family, a 28-year-old daughter and her mother diagnosed 2 years apart, both with TNBC. This novel mutation, along with other reported founder mutations in Saudi Arabia, may contribute to the potentially disease-associated etiology of BC in Saudi Arabia.
Literature	GENERIF_SUMMARY	Study identified rare single nucleotide variants and small indels mapping to the 5' non-coding region of BRCA1 through targeted sequencing of over 6000 early onset/familial breast cancer patients. Four variants in minimal promoter regions seem to alter gene activity; two others disrupt the binding with NFYA.
Literature	GENERIF_SUMMARY	Be used to functionally characterize BRCA1 missense variants at scale.
Literature	GENERIF_SUMMARY	these results provide a significant insight into certain mutations and proteins involved in the interaction network of BRCA1 and BRCA2, which may have common roles in breast cancer and ovarian cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The IRIS-driven metastatic mechanism results from IRIS-dependent suppression of phosphatase and tensin homolog (PTEN) transcription, which in turn perturbs the PI3K/AKT/GSK-3beta pathway leading to prolyl hydroxylase-independent HIF-1alpha stabilization and activation in a normoxic environment.
Literature	GENERIF_SUMMARY	BRCA1 Promoter hypermethylation is associated with breast Cancer.
Literature	GENERIF_SUMMARY	A high-throughput structural and functional analysis was performed on a large set of BRCA1 VUS. The analysis of the current study on BRCA1 structural and functional defects on cancer risk and classification presented may improve clinical interpretation and therapeutic selection.
Literature	GENERIF_SUMMARY	The direct relationship between bromodomain containing 4 (BRD4) and breast cancer 1, early onset protein (BRCA1)/ Rad51 Recombinase (RAD51) expression was confirmed in triple negative breast cancer (TNBC) cells.
Literature	GENERIF_SUMMARY	BRCA1 losses correlated to higher T stage (p = 0.027), Gleason score (p = 0.039), shorter time to biochemical recurrence in patients with Gleason score > 7 independently of other factors (multivariate analysis, p = 0.005) as well as expression of proteins regulating stemness and epithelial-mesenchymal transition, that is, ALDH1 (p = 0.021) and EGFR (p = 0.011), respectively.
Literature	GENERIF_SUMMARY	A decreased expression of MLH1 protein was estimated in EC [Endometrial carcinomas] type I. Type II EC may be connected to BRCA1 mutation.
Literature	GENERIF_SUMMARY	Neither pathogenic mutations nor variants of unknown significance within BRCA1.
Literature	GENERIF_SUMMARY	Study confirmed the clinical relevance of BRCA1/2 mutations in Korean ovarian cancer (KoOC) patients but not for the early age-of-onset. Possible inconsistency in the ratio of BRCA1-to-BRCA2 mutations and the most common mutation between KoOC and Korean breast cancer (KoBC) may probably suggest presence of mutation sequence-associated penetrance tendency in hereditary Korean breast and ovarian cancer.
Literature	GENERIF_SUMMARY	The c.5332G>A allele causes significantly aberrant splicing of the BRCA1 exon 21. Evaluation of the c.5332A allele in tumor tissue highlights a possible loss of heterozygosity, supporting her pathogenic effect.
Literature	GENERIF_SUMMARY	These findings enhance our understanding of how loss of BRCA1 disrupts mitosis regulation through dysregulation of cyclin B1 and provide evidence suggesting that targeting cyclin B1 may be useful in BRCA1-associated breast cancer therapy.
Literature	GENERIF_SUMMARY	Study shows that BRCA1, PALB2 and BRCA2 can all play a significant role in both checkpoint activation and checkpoint maintenance, depending on cell type and context, and that PALB2 links BRCA1 and BRCA2 in the checkpoint response. The BRCA1-PALB2 interaction can be important for checkpoint activation, whereas PALB2-BRCA2

Main Category	Category	Terms
		complex appears to be more critical for checkpoint maintenance.
Literature	GENERIF_SUMMARY	The aims of our study were to assess the clinical validity of BRCA1/2 promoter methylation and BRCA1-like genomic profile to identify BRCAness and to evaluate its correlations with clinicopathological features in triple-negative breast cancers
Literature	GENERIF_SUMMARY	The total number of Ovarian Cancer patients captured was 802; of these, 53 and five families carry 22 mutations in BRCA1/2 genes. Of these, eight mutations were unique to the Arab populations, and five mutations were commonly circulated among Arabs (BRCA1
Literature	GENERIF_SUMMARY	BRCA1 suppresses tumorigenesis by removing estrogen-induced pathological TOP2ccs throughout the cell cycle.
Literature	GENERIF_SUMMARY	The study of BRCA1/2 gene in Southern Mediterranean countries revealed low penetrance recurrent mutations in sporadic and familial breast cancer.
Literature	GENERIF_SUMMARY	The meta-analysis results provide clinicians and health-care regulatory agencies with evidence of the increased risk of colorectal cancer in BRCA1 mutation carriers, but not in BRCA2.
Literature	GENERIF_SUMMARY	BRCA1 germline mutations do not predispose to the invasive lobular breast carcinoma.
Literature	GENERIF_SUMMARY	BRCA1 variant (rs80356932, 4491C/T) is significantly associated with high breast cancer risk in the Pakistani population. The mutation alters the protein interactions of BRCA complex that results in tumor genesis.
Literature	GENERIF_SUMMARY	PARP3, a new therapeutic target to alter Rictor/mTORC2 signaling and tumor progression in BRCA1-associated cancers.
Literature	GENERIF_SUMMARY	we demonstrated that overriding this defense by WEE1 inhibition in combination with cisplatin, which causes DNA damage, serves as a promising therapeutic approach for killing BRCA1-deficient cancer cells.
Literature	GENERIF_SUMMARY	Alteration of BRCA-1 tumor suppressor gene expression in serous and mucinous ovarian neoplasms in the benign-borderline-malignant pathway.
Literature	GENERIF_SUMMARY	Pathogenic BRCA1 mutations appear necessary but may not be sufficient for the establishment of t-HET. t-HET may be associated with worse outcome.
Literature	GENERIF_SUMMARY	DYNLL1 as an inhibitor of DNA end resection; the loss of DYNLL1 enables DNA end resection and restores homologous recombination in BRCA1-mutant cells, thereby inducing resistance to platinum drugs and inhibitors of poly(ADP-ribose) polymerase
Literature	GENERIF_SUMMARY	BRCA1 deep intronic variant c.4185+4105C>T associated with hereditary breast and ovarian cancer by pseudoexon activation.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Among BRCA carrier(BRCA1/2) patients treated for early breast cancer, the addition of contralateral breast irradiation was associated with a significant reduction of subsequent contralateral breast cancers and a delay in their onset.
Literature	GENERIF_SUMMARY	Results found that Israeli BRCA1 or BRCA2 mutation carriers are at an increased risk for developing uterine cancer, especially serous papillary and sarcoma.
Literature	GENERIF_SUMMARY	Disrupting the NAD+ recognition site in the BRCT domain(BRCA1 C-terminal domain) impairs non-homologous end joining (NHEJ) in cell. Taken together, our study reveals that in addition to ATP, Ligase IV may use NAD+ as an alternative adenylation donor for NHEJ repair and maintaining genomic stability.
Literature	GENERIF_SUMMARY	a prevalent cancer-related mutation in the C-terminal region of the full-length protein, BRCA1(5382insC), affects its structural properties, yet can be biochemically corrected to restore its functional capacity
Literature	GENERIF_SUMMARY	N-terminal BRCA1 mutations in epithelial ovarian cancer patients are associated with favourable primary progression-free survival, a trend observed only in primary progression-free survival, not in overall survival.
Literature	GENERIF_SUMMARY	Although it was not possible to perform a familial segregation analysis and more direct evidence of the relationship between genotype and phenotype is necessary, both of the novel reported rearrangements cause the loss of crucial functional domains of the BRCA1 protein and this event supports their pathogenicity.
Literature	GENERIF_SUMMARY	Data indicate that patients with a combined profile of uracil DNA glycosylase (UDG)/breast cancer 1, early onset protein (BRCA1) had the poorest outcome.
Literature	GENERIF_SUMMARY	BRCA carriers with and without malignancy exhibit comparable ovarian reserve and responses to ovarian stimulation compared with women with BRCA-negative cancers and cancer-free controls.
Literature	GENERIF_SUMMARY	common genetic variants can be evolutionarily selected in BRCA1 mutation carrier population to counterpart the oncogenic effects imposed by mutation predisposition in BRCA1, contributing to the incomplete penetrance
Literature	GENERIF_SUMMARY	Study show that damage-induced long non-coding RNAs (dilncRNAs) play a role in DNA double-strand breaks (DSBs) repair by homologous recombination (HR) by contributing to the recruitment of the HR proteins BRCA1, BRCA2, and RAD51, without affecting DNA-end resection. Specifically, in the S/G2 cell-cycle phase dilncRNAs pair to the resected DNA ends to form DNA
Literature	GENERIF_SUMMARY	Although BRCA mutations are known to alter DNA repair mechanism, BRCA 1/2 gene mutations do not affect the capacity of oocytes from breast cancer candidates for fertility preservation to mature in vitro.
Literature	GENERIF_SUMMARY	USP1 exhibits DNA-mediated activation at the replication fork, protects the fork, and promotes survival in BRCA1-

Main Category	Category	Terms
		deficient tumor cells.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1/2 germline pathogenic (P) and likely pathogenic (LP) variants is slightly higher than previously described by the largest occidental studies, with a high prevalence of variant c.5266dupC (p.Gln1756Profs*74) in BRCA1 observed. Moreover, we identified a new LP variant
Literature	GENERIF_SUMMARY	Results find that Polish BRCA1 mutation carriers face high annual risks of incident breast cancer between the age of 35 and 65.
Literature	GENERIF_SUMMARY	This is dependent on the BRCA1-RACK1 interaction.
Literature	GENERIF_SUMMARY	Frequency of BRCA1 breast cancer pathogenic mutations in the Mexican population.
Literature	GENERIF_SUMMARY	Results provide evidence that BRCA1 germline mutations is associated with greater acute hematological toxicity in breast cancer patients.
Literature	GENERIF_SUMMARY	Detection of disease-associated variants in the BRCA1 and BRCA2 (BRCA1/2) genes allows for cancer prevention and early diagnosis in high-risk individuals.
Literature	GENERIF_SUMMARY	Applying established referral criteria for genetic testing in Serbia will help identify BRCA1/2 mutation carriers but will not help identify mutations in other cancer susceptibility genes. Until better predictors emerge we should be performing wider genetic testing of EOC in order to identify all mutation carriers.
Literature	GENERIF_SUMMARY	We propose that BRCA1-CTIP and MRE11 prepare nascent DNA ends, blocked from synthesis by CTNAs, for further repair.
Literature	GENERIF_SUMMARY	Arsenic exposure in estrogen receptor-alpha (ERalpha)-positive breast cancer MCF7 cells reduces breast cancer 1 (BRCA1) and ERalpha expression. Xenografts of arsenic-exposed MCF7 cells into the mammary fat pads of nude mice produce a larger tumor volume and are more refractory to tamoxifen in association with the reduced expression of BRCA1 and ERalpha, CpG hypermethylation of estrogen receptor 1 (ESR1) and BRCA1.
Literature	GENERIF_SUMMARY	The increased prevalence of BRCA1 promoter methylation, resulting in repressed BRCA1, may have an additional role in leukemogenesis by increasing miR-155 expression, which then inhibits transcription factors associated with normal myeloid differentiation.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 play essential roles in maintaining the genome stability.
Literature	GENERIF_SUMMARY	E3 ubiquitin ligase RNF168, in addition to its canonical role in inhibiting end resection, acts in a redundant manner with BRCA1 to load PALB2 onto damaged DNA. Loss of RNF168 negates the synthetic rescue of BRCA1 deficiency by 53BP1 deletion.
Literature	GENERIF_SUMMARY	BRCA1 forms a co-repressor complex with ZBRK1 that coordinately represses GOT2 expression via a ZBRK1

Main Category	Category	Terms
		recognition element in the promoter of GOT2.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 Germline Mutation Analysis in Hereditary Breast/Ovarian Cancer Families from the Aures Region (Eastern Algeria)
Literature	GENERIF_SUMMARY	chemical inhibition of AhR activity sensitizes human BC models to Erlotinib, a selective EGFR tyrosine kinase inhibitor, suggesting a promising combinatorial anticancer effect of AhR and EGFR pathway inhibition. Thus, AhR represents an attractive target to inhibit redox homeostasis and modulate the tumor promoting microenvironment of basal-like and BRCA1-associated breast cancer
Literature	GENERIF_SUMMARY	we conducted a prospective study of the relationship between oophorectomy and the risk of contralateral breast cancer in 1781 BRCA1 and 503 BRCA2 mutation carriers with breast cancer.
Literature	GENERIF_SUMMARY	Increased BRCA1 mRNA expression (but not PARP1 mRNA) occurs early in the development of breast cancer. Ductal carcinoma in situ and normal breast tissue share highly similar BRCA1 and PARP1 expression level.
Literature	GENERIF_SUMMARY	Analyses reveal that BRCA(wt) and BRCA(mut) TNBC are similar except for a significant increase of TIL(pos) tumors in the BRCA(mut) group. While BRCA gene mutations may not directly drive immune infiltration, the greater number of TIL(pos) tumors could signal greater immunogenicity in this group.
Literature	GENERIF_SUMMARY	Data indicate that breast cancer 1 protein (BRCA1)-BRCA1 associated RING domain 1 (BARD1) monitors the replicative state of the genome.
Literature	GENERIF_SUMMARY	Germ line intronic mutation in the BRCA1 gene (IVS17-27delA) is associated with Breast Cancer.
Literature	GENERIF_SUMMARY	Study shows for the first time that the BRCA1 mutation affects the adipose-derived stem cell phenotype. Moreover, CRISPR/Cas9-generated BRCA1-knockdown adipose-derived stem cells stimulate a more aggressive behavior in breast cancer cells than wild-type adipose-derived stem cells.
Literature	GENERIF_SUMMARY	In pancreatic ductal adenocarcinoma, analysis of persevered tissue, analysis of BRCA expression offered the benefit of yielding results in a short period of time and at a low cost.
Literature	GENERIF_SUMMARY	12 pathogenic variants (PVs) were identified in 26 cases (9%), 22 cases harboring BRCA1, and four cases in BRCA2. Eight out of these twelve PVs were reported. report one novel mutation (c.5152+2T>G) in BRCA1 gene. Also, two mutations (c.4136_4137delCT and c.1140dupG) shares the same haplotypes thus representing founder mutations in the Middle Eastern population.
Literature	GENERIF_SUMMARY	BRCA1polymorphisms rs799917 and rs1799966 were not significantly associated with breast cancer risk (Meta-Analysis)

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Because BRCA1 is highly expressed in neuronal progenitor cells during early development and MYC is less efficient than MYCN in recruiting BRCA1, our findings indicate that a cell-lineage-specific stress response enables MYCN-driven tumours to cope with deregulated RNAPII function
Literature	GENERIF_SUMMARY	Meta-analysis of cohort, 7 case-control, 4 case-series, 28 frequency, and 11 survival studies shows being a BRCA mutation carrier (BRCA1 and/or BRCA2) was associated with a significant increase in prostate cancer (PCa) risk (OR = 1.90, 95% CI = 1.58-2.29), with BRCA2 mutation being associated with a greater risk of PCa than BRCA1 (OR = 1.35, 95% CI = 1.03-1.76).
Literature	GENERIF_SUMMARY	Involvement of BRCA1 and BARD1 in chromosome damage repair by homologous recombination has been summarized. (Review)
Literature	GENERIF_SUMMARY	Epigenetic modulation of BRCA-1 and MGMT genes, and histones H4 and H3 are associated with breast tumors.
Literature	GENERIF_SUMMARY	Study demonstrates that EZH2 tightly cooperates with genome caretaker BRCA1 in the regulation of the phenotype and properties of prostate cancer stem cells.
Literature	GENERIF_SUMMARY	These results confirm a noticeable contribution of BRCA1 5382inC mutation in triple negative breast cancer development in Tunisia.
Literature	GENERIF_SUMMARY	BRCA1-dependent R-loop mitigation contributes to luminal cell-specific transcription and differentiation, which could in turn suppress BRCA1-associated tumorigenesis
Literature	GENERIF_SUMMARY	Our findings offer new mechanistic insights into BRCA1 mutation-associated transcriptional and epigenetic abnormality in breast epithelial cells and tissue/cell lineage-specific tumorigenesis.
Literature	GENERIF_SUMMARY	The bi-directional interactions between BRCA1-IRIS-overexpressing cells and MSCs generate fast growing metastatic TNBC tumors
Literature	GENERIF_SUMMARY	Among the patients with low BRCA1 or CCND1 expression, the Activation group showed better overall survival than the Exhaustion group. Adjusted hazards ratios were 0.43 (95% CI
Literature	GENERIF_SUMMARY	This review summarizes the current evidence for screening/imaging protocols, as well as screening for breast and ovarian cancer susceptibility protein 1 (BRCA1) and breast and ovarian cancer susceptibility protein 2(BRCA2) gene mutations, in breast and ovarian cancer diagnosis in the clinical setting.
Literature	GENERIF_SUMMARY	BRCA 1/2 mutations are associated with a higher hematologic toxicity in patients with ovarian cancer who underwent platinum-based chemotherapy.
Literature	GENERIF_SUMMARY	There was no statistically significant association between sperm DNA fragmentation and the methylation status of the promoter of either BRCA1 or BRCA2 genes in infertile men with oligoasthenoteratozoospermia.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	This is the largest study to date comparing outcomes in patients with EOC and BM by mutation status. mBRCA1 and mBCRA2 patients were more likely to have isolated BM, which may be a factor in their long survival.
Literature	GENERIF_SUMMARY	The identified heterozygous BRCA1 nonsense variant c.4850C>A creates a premature stop codon at amino acid 1617 leading to premature trun- cated protein and may contribute to the pathogenesis of familial breast cancer.
Literature	GENERIF_SUMMARY	Screening, Active Surveillance, and Treatment of Localized Prostate Cancer Among Carriers of Germline BRCA Mutations.
Literature	GENERIF_SUMMARY	Previving
Literature	GENERIF_SUMMARY	systematic genomic analysis of breast tumors with BRCA1 and BRCA2 mutations
Literature	GENERIF_SUMMARY	results demonstrate a relationship between BRCA1 and steroid hormones signal transduction pathways in breast cancer cells and point out to the importance of complex BRCA1 and ERa expression regulation mechanisms studies including epigenetic gene expression regulation
Literature	GENERIF_SUMMARY	observation of a positive association between body mass index and ovarian cancer risk in premenopausal BRCA1/2 mutation carriers is consistent with findings in the general population
Literature	GENERIF_SUMMARY	BRCA1 promoter hypermethylation in human placenta
Literature	GENERIF_SUMMARY	Here we show that in the BRCA1-A complex structure, ABRAXAS integrates the DNA repair protein RAP80 and provides a high-affinity binding site that sequesters the tumor suppressor BRCA1 away from the break site. In the BRISC structure, ABRO1 binds SHMT2alpha, a metabolic enzyme enabling cancer growth in hypoxic environments, which we find prevents BRCC36 from binding and cleaving ubiquitin chains
Literature	GENERIF_SUMMARY	findings reveal a BRCA1-mediated pathway that governs replication fork protection
Literature	GENERIF_SUMMARY	mutant BRCA is an indispensable founding event for some tumours, but in a considerable proportion of other cancers, it appears to be biologically neutral--a difference predominantly conditioned by tumour lineage--with implications for disease pathogenesis, screening, design of clinical trials and therapeutic decision-making
Literature	GENERIF_SUMMARY	A high degree of correlation of Rad51 with BRCA1, while the exclusion of 53BP1 from the actual resection-zone is demonstrated by anti-correlation of Rad51 and 53BP1.
Literature	GENERIF_SUMMARY	BRRM was associated with lower mortality than surveillance for BRCA1 mutation carriers, but for BRCA2 mutation carriers, BRRM may lead to similar BC-specific survival as surveillance. Our findings support a more individualized counseling based on BRCA mutation type.
Literature	GENERIF_SUMMARY	BRCA1/2 pathogenic variants have become associated with

Main Category	Category	Terms
		familial breast and ovarian cancers, and hereditary cancer-predisposition syndrome.
Literature	GENERIF_SUMMARY	While BRCA1-depleted or -mutated cells were hypersensitive to the clinically approved PARPi olaparib, its toxicity was significantly attenuated by depletion of OGG1 or MYH DNA glycosylases, as well as by treatment with reactive oxygen species scavengers, growth under hypoxic conditions or chemical OGG1 inhibition.
Literature	GENERIF_SUMMARY	The role of BRCA1 and BRCA2 mutations in cancer susceptibility is REVIEWED.
Literature	GENERIF_SUMMARY	Outcome of Pancreatic Cancer Surveillance Among High-Risk Individuals Tested for Germline Mutations in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	Our data expand the clinical spectrum associated with biallelic BRCA1 mutations, ranging from embryonic lethality to a mild FA-like phenotype and no chromosome fragility.
Literature	GENERIF_SUMMARY	women carrying a BRCA mutation have an increased risk of developing breast and ovarian cancer. The most effective strategy to reduce this risk is the bilateral salpingo-oophorectomy, with or without additional risk-reducing mastectomy. Risk-reducing bilateral salpingo-oophorectomy (RRBSO) is recommended between age 35 and 40 and between age 40 and 45 years for women carriers of BRCA1 and BRCA2 mutations, respectively. Con
Literature	GENERIF_SUMMARY	The study highlights these recent discoveries, which include mechanisms of RFP regulation, DNA damage checkpoint proteins, as well as kinases that regulate BRCA1/2 function. [review]
Literature	GENERIF_SUMMARY	These data suggest that BRCA1 is an important regulator of the oncofetal protein HMGA2 and promotes cell survival in human placental cells.
Literature	GENERIF_SUMMARY	BRCA1/2 mutation prevalence in Chinese ovarian cancer patients is higher than the international rate.
Literature	GENERIF_SUMMARY	Since 2015, we have identified eight seemingly unrelated individuals with a BRCA1 sequence variant
Literature	GENERIF_SUMMARY	BRCA2, but not BRCA1 mutations may have a role in uveal melanoma susceptibility that represents a rare source of increased risk
Literature	GENERIF_SUMMARY	our results show that CRISPR-mediated base editor is a powerful tool for the reclassification of variants of uncertain significance (VUSs) in BRCA1.
Literature	GENERIF_SUMMARY	BRCA1 methylation in peripheral blood cells was strongly associated with the risk of triple-negative breast cancer (TNBC), but not of estrogen-receptor positive breast cancer with significant concordance of BRCA1 promoter methylation in peripheral blood and paired tumor tissue. BRCA1 promoter methylation in peripheral blood cells is associated with approximately five times greater risk of TNBC.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Two mutations in BRCA1 c.224_227delAAAG and c.5431C > T and one mutation in BRCA2 c.5576_5579delTTAA were identified.
Literature	GENERIF_SUMMARY	GWAS of five gynecologic diseases and cross-trait analysis in Japanese.
Literature	GENERIF_SUMMARY	Germline BRCA-Associated Endometrial Carcinoma Is a Distinct Clinicopathologic Entity.
Literature	GENERIF_SUMMARY	CSB interacts with BRCA1 to promote DNA end resection
Literature	GENERIF_SUMMARY	BRCA2 deletion triggers TERRA hyperexpression and alternative lengthening of telomeres in HCT116 cells.
Literature	GENERIF_SUMMARY	Germline BRCA1 and BRCA2 testing for breast cancer survivors.
Literature	GENERIF_SUMMARY	USP9X stabilizes BRCA1 and confers resistance to DNA-damaging agents in human cancer cells.
Literature	GENERIF_SUMMARY	Data suggest that the detection of the exons 9-12 deletion breast cancer 1, early onset protein (BRCA1) is useful as a first molecular diagnostic strategy in the Mexican population.
Literature	GENERIF_SUMMARY	In the randomized, double-blind, phase III POLO trial progression-free survival was significantly longer with maintenance olaparib, a poly(ADP-ribose) polymerase inhibitor, than placebo in patients with a germline BRCA1 and/or BRCA2 mutation (gBRCAm) and metastatic pancreatic cancer whose disease had not progressed during first-line platinum-based chemotherapy. The prespecified HRQoL evaluation is reported here.
Literature	GENERIF_SUMMARY	Loss of BRCA1, induced by downregulation of either BRCA1 or CDK12, impairs mitochondrial respiration and reduces ATP levels. These metabolic changes are dependent on and phenocopied by NNMT overexpression. Metabolic changes induced by BRCA1 dysfunction and NNMT overexpression might be therapeutically exploited in BRCA1-deficient or NNMT-overexpressing high-grade serous ovarian cancer.
Literature	GENERIF_SUMMARY	Authors demonstrate in patient-derived cells that the Finnish ABRAXAS1 founder mutation (c.1082G > A, Arg361Gln), even in the heterozygous state leads to decreased BRCA1 protein levels as well as reduced nuclear localization and foci formation of BRCA1 and CtIP.
Literature	GENERIF_SUMMARY	RBBP8/CtIP suppresses P21 expression by interacting with CtBP and BRCA1 in gastric cancer.
Literature	GENERIF_SUMMARY	Functional characterization of 84 PALB2 variants of uncertain significance.
Literature	GENERIF_SUMMARY	These RAD6B activities are unaffected by BRCA1 status.
Literature	GENERIF_SUMMARY	in the present study we set out to characterize the clinical features of platinum sensitivity that are associated with BRCA 1/2 mutations in ovarian cancer in both primary debulking and interval debulking surgery.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Promoter Hypermethylation of BRCA1 in Circulating Cell-Free tumor DNA is associated with Ovarian Carcinoma.
Literature	GENERIF_SUMMARY	BRCA1 c.4096+3A>G variant is associated with hereditary breast and ovarian cancer in Icelandic pedigrees.
Literature	GENERIF_SUMMARY	BRCA1-driven OCs demonstrate the plasticity of BRCA1 status during the treatment course. NACT results in rapid selection of pre-existing BRCA1-proficient cells. However, BRCA1 proficiency appears to be disadvantageous in the absence of platinum exposure, as tumor relapses usually re-acquire BRCA1 LOH during therapy holidays.
Literature	GENERIF_SUMMARY	The gBRCA mutation detection rate in serous tubal intra-epithelial carcinoma-positive patients was nearly double that of serous tubal intra-epithelial carcinoma-negative patients. Factors such as a positive family history of BRCA-related cancers were seen at a higher proportion in the mutation positive women.
Literature	GENERIF_SUMMARY	Clinicopathologic features and genetic characteristics of the BRCA1/2 mutation in Turkish breast cancer patients.
Literature	GENERIF_SUMMARY	Association of Genomic Domains in BRCA1 and BRCA2 with Prostate Cancer Risk and Aggressiveness.
Literature	GENERIF_SUMMARY	Triple negative breast cancer
Literature	GENERIF_SUMMARY	DNA damage response dysfunction due to cytoplasmic sequestration of BRCA1 could be involved in the pathogenesis of tauopathies
Literature	GENERIF_SUMMARY	The mutation profile of whole BRCA1 gene in our population for cancer risk prediction.
Literature	GENERIF_SUMMARY	Women with ovarian cancer at an older age, with few or no affected family members, or with a lower Manchester Score are more likely to carry a BRCA2 PV than a BRCA1 PV, irrespective of the overall higher risk of ovarian cancer associated with BRCA1 PVs.
Literature	GENERIF_SUMMARY	Effect of BRCA1 missense variants on gene reversion in DNA double-strand break repair mutants and cell cycle-arrested cells of Saccharomyces cerevisiae.
Literature	GENERIF_SUMMARY	These data show that BRCA1 mutation influences hormone response and in particular PR activity which differs from that of non-carrier organoids. Our organoid model system revealed important insights into the role of PR in BRCA1-mutated benign breast cells and the critical paracrine actions that modify hormone receptor (HR)-negative cells.
Literature	GENERIF_SUMMARY	Do BRCA1 and BRCA2 gene mutation carriers have a reduced ovarian reserve? Protocol for a prospective observational study.
Literature	GENERIF_SUMMARY	Anti-mullerian hormone curves according to BRCA status and adjusted by age showed that BRCA2 mutation-positive patients have lower levels of anti-mullerian hormone as compared with BRCA-negative and BRCA1 mutation-positive.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	consensus guide represents a collection of technical recommendations to address the detection of BRCA1/2 mutations in the molecular diagnostic testing strategy for ovarian carcinomas[review]
Literature	GENERIF_SUMMARY	Mechanistically, cancers with BRCT domain mutations harbor BRCA1 gene breakpoints within or adjacent to Alu elements in intron 15; producing partial gene duplications, inversions and translocations.
Literature	GENERIF_SUMMARY	Mutations of genes BRCA1 and BRCA2 in women with ovarian cancer exposed to factors of Chornobyl nuclear accident have been reported.
Literature	GENERIF_SUMMARY	Impact of BRCA1 and BRCA2 mutations on ovarian reserve and fertility preservation outcomes in young women with breast cancer.
Literature	GENERIF_SUMMARY	Impact of proactive high-throughput functional assay data on BRCA1 variant interpretation in 3684 patients with breast or ovarian cancer.
Literature	GENERIF_SUMMARY	BRCA1
Literature	GENERIF_SUMMARY	The Immunosuppressive Microenvironment in BRCA1-IRIS-Overexpressing TNBC Tumors Is Induced by Bidirectional Interaction with Tumor-Associated Macrophages.
Literature	GENERIF_SUMMARY	Germline and somatic mutations in prostate cancer
Literature	GENERIF_SUMMARY	Studies indicate the dependence on tumor protein p53 (p53) and BRCA1 protein (BRCA1) co-inactivation in tumor formation and development and the relationship between these two proteins for future personalized pharmacological interventions in cancer prevention [Review].
Literature	GENERIF_SUMMARY	BRCA1 poly-ADP ribosylation (PARsylation) and the presence of BRCA1-bound RAP80 are critical for the normal interaction of BRCA1 with some of its partners (e.g., CtIP and BACH1).
Literature	GENERIF_SUMMARY	BRCA1-BRCA2 mutation analysis results in 910 individuals
Literature	GENERIF_SUMMARY	BRCA1 c.5470_5477del, a founder mutation in Chinese Han breast cancer patients.
Literature	GENERIF_SUMMARY	Oxidative DNA Damage Modulates DNA Methylation Pattern in Human Breast Cancer 1 (BRCA1) Gene via the Crosstalk between DNA Polymerase beta and a de novo DNA Methyltransferase.
Literature	GENERIF_SUMMARY	Identification of immune-enhanced molecular subtype associated with BRCA1 mutations, immune checkpoints and clinical outcome in ovarian carcinoma.
Literature	GENERIF_SUMMARY	Curcumin induces reexpression of BRCA1 and suppression of gamma synuclein by modulating DNA promoter methylation in breast cancer cell lines.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 germline testing in Cretan isolates reveals novel and strong founder effects.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Multifocal breast cancers are more prevalent in BRCA2 versus BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Longitudinal outcomes with cancer multigene panel testing in previously tested BRCA1/2 negative patients.
Literature	GENERIF_SUMMARY	Association of Germline Genetic Testing Results With Locoregional and Systemic Therapy in Patients With Breast Cancer.
Literature	GENERIF_SUMMARY	Germline mutations of multiple breast cancer-related genes are differentially associated with triple-negative breast cancers and prognostic factors.
Literature	GENERIF_SUMMARY	Contralateral breast cancer risk in BRCA1 and BRCA2 mutation carriers in a large cohort of unselected Chinese breast cancer patients.
Literature	GENERIF_SUMMARY	BRCA1, an E3 ubiquitin ligase with a key role in several DNA repair pathways, directly affects L1 retrotransposition frequency and structure and plays a distinct role in controlling L1 ORF2 protein translation through L1 mRNA binding.
Literature	GENERIF_SUMMARY	BRCA and PALB2 mutations in a cohort of male breast cancer with one bilateral case.
Literature	GENERIF_SUMMARY	Homologous recombination deficiency status-based classification of high-grade serous ovarian carcinoma.
Literature	GENERIF_SUMMARY	Salvage lymphadenectomy in recurrent ovarian cancer patients
Literature	GENERIF_SUMMARY	miRNA expression profiling of hereditary breast tumors from BRCA1- and BRCA2-germline mutation carriers in Brazil.
Literature	GENERIF_SUMMARY	next-generation sequencing BRCA1/2 assay could detect most large genomic rearrangements including BRCA1 promoter-region deletion
Literature	GENERIF_SUMMARY	Association of BRCA Mutations and BRCAness Status With Anticancer Drug Sensitivities in Triple-Negative Breast Cancer Cell Lines
Literature	GENERIF_SUMMARY	we discuss recent advances in elucidating the mechanisms by which BRCA1-BARD1 functions in DNA repair, replication fork maintenance and tumour suppression, and its therapeutic relevance.
Literature	GENERIF_SUMMARY	Germline BRCA, chemotherapy response scores, and survival in the neoadjuvant treatment of ovarian cancer.
Literature	GENERIF_SUMMARY	Mutation landscape of germline and somatic BRCA1/2 in patients with high-grade serous ovarian cancer.
Literature	GENERIF_SUMMARY	Executive function after risk-reducing salpingo-oophorectomy in BRCA1 and BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	Analysis of 3297 individuals suggests that the pathogenic germline 5'-UTR variant BRCA1 c.-107A > T is not common in south-east Germany.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Knowledge and attitude of hereditary breast cancer among Japanese university female students.
Literature	GENERIF_SUMMARY	Germline BRCA Mutation Rates in Latina Women Presenting for Gynecologic Oncology Care.
Literature	GENERIF_SUMMARY	BRCA1 and VDR gene polymorphisms are associated with prostate cancer risk in Mexican men.
Literature	GENERIF_SUMMARY	Consistency of the Tools That Predict the Impact of Single Nucleotide Variants (SNVs) on Gene Functionality
Literature	GENERIF_SUMMARY	MUC1 promotes glycolysis through inhibiting BRCA1 expression in pancreatic cancer
Literature	GENERIF_SUMMARY	Uncovering the Translational Regulatory Activity of the Tumor Suppressor BRCA1.
Literature	GENERIF_SUMMARY	Risk of colorectal cancer associated with BRCA1 and/or BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	Founder BRCA1/BRCA2/PALB2 pathogenic variants in French-Canadian breast cancer cases and controls.
Literature	GENERIF_SUMMARY	Extended in vitro culture of primary human mesenchymal stem cells downregulates Brca1-related genes and impairs DNA double-strand break recognition.
Literature	GENERIF_SUMMARY	Immunohistochemical Expression of BRCA1 Protein, ER, PR and Her2/neu in Breast Cancer
Literature	GENERIF_SUMMARY	Clinical outcome of breast cancer in carriers of BRCA1 and BRCA2 mutations according to molecular subtypes.
Literature	GENERIF_SUMMARY	BGL3 lncRNA mediates retention of the BRCA1/BARD1 complex at DNA damage sites.
Literature	GENERIF_SUMMARY	Case report
Literature	GENERIF_SUMMARY	BRCA1 Mutational Complementation Induces Synthetic Viability.
Literature	GENERIF_SUMMARY	The contribution of large genomic rearrangements in BRCA1 and BRCA2 to South African familial breast cancer.
Literature	GENERIF_SUMMARY	Double mutation of APC and BRCA1 in an Italian family.
Literature	GENERIF_SUMMARY	Predictors of long-term cancer-related distress among female BRCA1 and BRCA2 mutation carriers without a cancer diagnosis
Literature	GENERIF_SUMMARY	A new founder BRCA1 haplotype identified in the Puglia region is associated with a specific age-related cancer onset in three unrelated families.
Literature	GENERIF_SUMMARY	Bioinformatics Approaches to Explore the Phylogeny and Role of BRCA1 in Breast Cancer.
Literature	GENERIF_SUMMARY	Our results suggest that single-nucleotide variant rs2910164 does not influence the colorectal cancer risk in Brazilian patients; however, the GG genotype could act as a factor of worse prognosis in patients with advanced

Main Category	Category	Terms
		disease due to suppression of BRCA1/2 modulated by miR-146a.
Literature	GENERIF_SUMMARY	Increased prevalence of BRCA1/2 mutations in women with macrotextured breast implants and anaplastic large cell lymphoma of the breast.
Literature	GENERIF_SUMMARY	The FANC/BRCA Pathway Releases Replication Blockades by Eliminating DNA Interstrand Cross-Links.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1/BRCA2 pathogenic variation in Chinese Han population.
Literature	GENERIF_SUMMARY	PFKP is transcriptionally repressed by BRCA1/ZBRK1 and predicts prognosis in breast cancer.
Literature	GENERIF_SUMMARY	Similar response rates and survival with PARP inhibitors for patients with solid tumors harboring somatic versus Germline BRCA mutations
Literature	GENERIF_SUMMARY	Association of gBRCA1/2 mutation locations with ovarian cancer risk in Japanese patients from the CHARLOTTE study.
Literature	GENERIF_SUMMARY	Effects of BRCA gene mutation on female reproductive potential
Literature	GENERIF_SUMMARY	Validation of a next generation sequencing assay for BRCA1, BRCA2, CHEK2 and PALB2 genetic testing.
Literature	GENERIF_SUMMARY	Functional Categorization of BRCA1 Variants of Uncertain Clinical Significance in Homologous Recombination Repair Complementation Assays.
Literature	GENERIF_SUMMARY	Clinical Characteristics and Exploratory Genomic Analyses of Germline BRCA1 or BRCA2 Mutations in Breast Cancer.
Literature	GENERIF_SUMMARY	Tumor protein expression of the DNA repair gene BRCA1 and lethal prostate cancer.
Literature	GENERIF_SUMMARY	Retrospective reinterpretation and reclassification of BRCA1/2 variants from Chinese population.
Literature	GENERIF_SUMMARY	Identification of Somatically Acquired BRCA1/2 Mutations by cfDNA Analysis in Patients with Metastatic Breast Cancer.
Literature	GENERIF_SUMMARY	NOTCH1 activation compensates BRCA1 deficiency and promotes triple-negative breast cancer formation.
Literature	GENERIF_SUMMARY	Characterization and in silico analyses of the BRCA1/2 variants identified in individuals with personal and/or family history of BRCA-related cancers.
Literature	GENERIF_SUMMARY	Characterization of the Cancer Spectrum in Men With Germline BRCA1 and BRCA2 Pathogenic Variants
Literature	GENERIF_SUMMARY	METTL3 and N6-Methyladenosine Promote Homologous Recombination-Mediated Repair of DSBs by Modulating DNA-RNA Hybrid Accumulation.
Literature	GENERIF_SUMMARY	Complex Characterization of Germline Large Genomic

Main Category	Category	Terms
		Rearrangements of the BRCA1 and BRCA2 Genes in High-Risk Breast Cancer Patients-Novel Variants from a Large National Center.
Literature	GENERIF_SUMMARY	Presymptomatic Awareness of Germline Pathogenic BRCA Variants and Associated Outcomes in Women With Breast Cancer.
Literature	GENERIF_SUMMARY	A Phase I/II Study of Veliparib (ABT-888) in Combination with 5-Fluorouracil and Oxaliplatin in Patients with Metastatic Pancreatic Cancer.
Literature	GENERIF_SUMMARY	Effect of BRCA1 on the Concurrent Chemoradiotherapy Resistance of Cervical Squamous Cell Carcinoma Based on Transcriptome Sequencing Analysis.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 pathogenic variant carriers and endometrial cancer risk
Literature	GENERIF_SUMMARY	Germline and Somatic BRCA1/2 Gene Mutational Status and Clinical Outcomes in Epithelial Peritoneal, Ovarian, and Fallopian Tube Cancer
Literature	GENERIF_SUMMARY	Comprehensive molecular comparison of BRCA1 hypermethylated and BRCA1 mutated triple negative breast cancers.
Literature	GENERIF_SUMMARY	L ARP7 Is a BRCA1 Ubiquitinase Substrate and Regulates Genome Stability and Tumorigenesis.
Literature	GENERIF_SUMMARY	Investigation into the origins of an ancient BRCA1 founder mutation identified among Chinese families in Singapore.
Literature	GENERIF_SUMMARY	LncRNA AY343892 inhibits breast cancer development by positively regulating BRCA1-mediated transcription of PTEN.
Literature	GENERIF_SUMMARY	PRMT1-dependent methylation of BRCA1 contributes to the epigenetic defense of breast cancer cells against ionizing radiation.
Literature	GENERIF_SUMMARY	Olaparib and durvalumab in patients with germline BRCA-mutated metastatic breast cancer (MEDIOLA)
Literature	GENERIF_SUMMARY	Genetic testing in Poland and Ukraine
Literature	GENERIF_SUMMARY	Rucaparib in Men With Metastatic Castration-Resistant Prostate Cancer Harboring a BRCA1 or BRCA2 Gene Alteration.
Literature	GENERIF_SUMMARY	FANCJ compensates for RAP80 deficiency and suppresses genomic instability induced by interstrand cross-links.
Literature	GENERIF_SUMMARY	An overview of cancer genetics with focus on involvement of BRCA1/2 genes in breast carcinomas.
Literature	GENERIF_SUMMARY	Clinical phenotypes combined with saturation genome editing identifying the pathogenicity of BRCA1 variants of uncertain significance in breast cancer.
Literature	GENERIF_SUMMARY	A Preclinical Trial and Molecularly Annotated Patient Cohort Identify Predictive Biomarkers in Homologous

Main Category	Category	Terms
		Recombination-deficient Pancreatic Cancer.
Literature	GENERIF_SUMMARY	Proteosomal degradation of NSD2 by BRCA1 promotes leukemia cell differentiation.
Literature	GENERIF_SUMMARY	Biallelic variants in BRCA1 gene cause a recognisable phenotype within chromosomal instability syndromes reframed as BRCA1 deficiency.
Literature	GENERIF_SUMMARY	Next generation sequencing analysis of BRCA1 and BRCA2 identifies novel variations in breast cancer.
Literature	GENERIF_SUMMARY	Novel variations of BRCA1 and BRCA2 genes were identified in breast cancer and might be useful predisposing factors in breast cancer diagnosis.
Literature	GENERIF_SUMMARY	Mutation in Exon2 of BRCA1 Gene in Adult Bengali Bangladeshi Female Patients with Breast Cancer
Literature	GENERIF_SUMMARY	Recurrent BRCA1 Mutation, but no BRCA2 Mutation, in Vietnamese Patients with Ovarian Carcinoma Detected with Next Generation Sequencing.
Literature	GENERIF_SUMMARY	Prevalence of Tissue BRCA Gene Mutation in Ovarian, Fallopian Tube, and Primary Peritoneal Cancers
Literature	GENERIF_SUMMARY	Promoter Hypermethylation and Expression Changes of BRCA1 Gene in a Cohort of Sporadic Breast Cancer Cases among Pakistani Population.
Literature	GENERIF_SUMMARY	Genetic screening results of individuals with high risk BRCA-related breast/ovarian cancer in Trakya region of Turkey.
Literature	GENERIF_SUMMARY	Identification of Recurrent Variants in BRCA1 and BRCA2 across Multiple Cancers in the Chinese Population.
Literature	GENERIF_SUMMARY	Contribution of BRCA1 and BRCA2 germline mutations to early onset breast cancer
Literature	GENERIF_SUMMARY	Prevalence of pancreaticobiliary cancers in Irish families with pathogenic BRCA1 and BRCA2 variants.
Literature	GENERIF_SUMMARY	A Survey of Rare Epigenetic Variation in 23,116 Human Genomes Identifies Disease-Relevant Epivariations and CGG Expansions.
Literature	GENERIF_SUMMARY	RAD52 aptamer regulates DNA damage repair and STAT3 in BRCA1/BRCA2deficient human acute myeloid leukemia.
Literature	GENERIF_SUMMARY	Ethnic-specific BRCA1/2 variation within Asia population
Literature	GENERIF_SUMMARY	Pathogenicity reclassification of two BRCA1/BRCA2 exonic duplications after identification of genomic breakpoints and tandem orientation.
Literature	GENERIF_SUMMARY	Characterization of BRCA1-deficient premalignant tissues and cancers identifies Plekha5 as a tumor metastasis suppressor.
Literature	GENERIF_SUMMARY	Suppression of DDX39B sensitizes ovarian cancer cells to DNA-damaging chemotherapeutic agents via destabilizing

Main Category	Category	Terms
		BRCA1 mRNA.
Literature	GENERIF_SUMMARY	[Molecular pathways of autophagy regulation by BRCA1
Literature	GENERIF_SUMMARY	Germline BRCA 1-2 status prediction through ovarian ultrasound images radiogenomics
Literature	GENERIF_SUMMARY	Targeting MALAT1 induces DNA damage and sensitize non-small cell lung cancer cells to cisplatin by repressing BRCA1.
Literature	GENERIF_SUMMARY	Incidence of contralateral and ipsilateral breast cancers and prognosis in BRCA1/2 pathogenic variant carriers based on the Japanese HBOC Consortium registration.
Literature	GENERIF_SUMMARY	Retrospective evaluation of risk-reducing salpingo-oophorectomy for BRCA1/2 pathogenic variant carriers among a cohort study in a single institution.
Literature	GENERIF_SUMMARY	The """"Brescia panel"""" (Claudin-4 and BRCA-associated protein 1) in the differential diagnosis of mesotheliomas with epithelioid features versus metastatic carcinomas."
Literature	GENERIF_SUMMARY	Genetic and clinical landscape of breast cancers with germline BRCA1/2 variants.
Literature	GENERIF_SUMMARY	EBV-encoded miRNAs can sensitize nasopharyngeal carcinoma to chemotherapeutic drugs by targeting BRCA1.
Literature	GENERIF_SUMMARY	Haplotype analysis of the internationally distributed BRCA1 c.3331_3334delCAAG founder mutation reveals a common ancestral origin in Iberia.
Literature	GENERIF_SUMMARY	Prevalence of germline BRCA mutations in HER2-negative metastatic breast cancer
Literature	GENERIF_SUMMARY	Expression of HER2 and BRCA1 Correlates with Prognosis in Patients with Breast Cancer After Radiotherapy
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 associated breast cancer and the roles of current modelling systems in drug discovery.
Literature	GENERIF_SUMMARY	BRCA1-A and BRISC
Literature	GENERIF_SUMMARY	BRCA1/MAD2L1 Deficiency Disrupts the Spindle Assembly Checkpoint to Confer Vinorelbine Resistance in Mesothelioma.
Literature	GENERIF_SUMMARY	Gastric Cancer in BRCA1 Germline Mutation Carriers
Literature	GENERIF_SUMMARY	Glycolytic phenotypes in an evaluation of ovarian carcinoma based on carcinogenesis and BRCA mutation.
Literature	GENERIF_SUMMARY	Glucose Concentration in Cell Culture Medium Influences the BRCA1-Mediated Regulation of the Lipogenic Action of IGF-I in Breast Cancer Cells.
Literature	GENERIF_SUMMARY	Association between BRCA mutations and endometrial carcinoma
Literature	GENERIF_SUMMARY	Impact of BRCA1/2 Mutations on the Efficacy of Secondary Cytoreductive Surgery.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	PARP inhibitor resistance and TP53 mutations in patients treated with olaparib for BRCA-mutated cancer
Literature	GENERIF_SUMMARY	Deregulated estrogen receptor signaling and DNA damage response in breast tumorigenesis.
Literature	GENERIF_SUMMARY	Novel poly (ADP-ribose) polymerases inhibitor DHC-1 exhibits in vitro and in vivo anticancer activity on BRCA-deficient pancreatic cancer cells.
Literature	GENERIF_SUMMARY	BRCAness as a prognostic indicator in patients with early breast cancer.
Literature	GENERIF_SUMMARY	Five Italian Families with Two Mutations in BRCA Genes.
Literature	GENERIF_SUMMARY	PARP Theranostic Auger Emitters Are Cytotoxic in BRCA Mutant Ovarian Cancer and Viable Tumors from Ovarian Cancer Patients Enable Ex-Vivo Screening of Tumor Response.
Literature	GENERIF_SUMMARY	Germinal BRCA1-2 pathogenic variants (gBRCA1-2pv) and pancreatic cancer
Literature	GENERIF_SUMMARY	Modulation of Early Mitotic Inhibitor 1 (EMI1) depletion on the sensitivity of PARP inhibitors in BRCA1 mutated triple-negative breast cancer cells.
Literature	GENERIF_SUMMARY	Double heterozygosity for TP53 and BRCA1 mutations
Literature	GENERIF_SUMMARY	Prevalence and reclassification of BRCA1 and BRCA2 variants in a large, unselected Chinese Han breast cancer cohort.
Literature	GENERIF_SUMMARY	Four novel BRCA variants found in Chinese hereditary breast cancer patients by next-generation sequencing.
Literature	GENERIF_SUMMARY	Homologous recombination deficiency
Literature	GENERIF_SUMMARY	PDGFRbeta is an essential therapeutic target for BRCA1-deficient mammary tumors.
Literature	GENERIF_SUMMARY	Germline copy number variations in BRCA1/2 negative families
Literature	GENERIF_SUMMARY	iPSC-Derived Hereditary Breast Cancer Model Reveals the BRCA1-Deleted Tumor Niche as a New Culprit in Disease Progression.
Literature	GENERIF_SUMMARY	Transcriptome Patterns of BRCA1- and BRCA2- Mutated Breast and Ovarian Cancers.
Literature	GENERIF_SUMMARY	The disease sites of female genital cancers of BRCA1/2-associated hereditary breast and ovarian cancer
Literature	GENERIF_SUMMARY	Satisfaction with prophylactic risk-reducing salpingo-oophorectomy in BRCA mutation carriers is very high and little dependent on the participants' characteristics at surgery
Literature	GENERIF_SUMMARY	BRCA1 and RNAi factors promote repair mediated by small RNAs and PALB2-RAD52.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Genomic Analysis of Circulating Tumor DNA in 3,334 Patients with Advanced Prostate Cancer Identifies Targetable BRCA Alterations and AR Resistance Mechanisms.
Literature	GENERIF_SUMMARY	Surgical decision making in premenopausal BRCA carriers considering risk-reducing early salpingectomy or salpingo-oophorectomy
Literature	GENERIF_SUMMARY	Uptake and efficacy of bilateral risk reducing surgery in unaffected female BRCA1 and BRCA2 carriers.
Literature	GENERIF_SUMMARY	TERRA G-quadruplex RNA interaction with TRF2 GAR domain is required for telomere integrity.
Literature	GENERIF_SUMMARY	Nipple Sparing Mastectomy as a Risk-Reducing Procedure for BRCA-Mutated Patients.
Literature	GENERIF_SUMMARY	Low levels of BRCA1 protein expression predict a worse prognosis in stage I-II colon cancer.
Literature	GENERIF_SUMMARY	BRCA1/BARD1 site-specific ubiquitylation of nucleosomal H2A is directed by BARD1.
Literature	GENERIF_SUMMARY	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers.
Literature	GENERIF_SUMMARY	Dysregulation of the centrosome induced by BRCA1 deficiency contributes to tissue-specific carcinogenesis.
Literature	GENERIF_SUMMARY	Comprehensive Mutational Analysis of the BRCA1-Associated DNA Helicase and Tumor-Suppressor FANCJ/BACH1/BRIP1.
Literature	GENERIF_SUMMARY	Generation and characterization of induced pluripotent stem cells from a family carrying the BRCA1 mutation c.3612delA.
Literature	GENERIF_SUMMARY	Time-resolved single-cell analysis of Brca1 associated mammary tumourigenesis reveals aberrant differentiation of luminal progenitors.
Literature	GENERIF_SUMMARY	Endometrial Cancer Risk in Women With Germline BRCA1 or BRCA2 Mutations
Literature	GENERIF_SUMMARY	Novel and recurrent BRCA1/BRCA2 germline mutations in patients with breast/ovarian cancer
Literature	GENERIF_SUMMARY	Single-Cell RNA Sequencing Reveals the Cellular Origin and Evolution of Breast Cancer in BRCA1 Mutation Carriers.
Literature	GENERIF_SUMMARY	Structural Variants at the BRCA1/2 Loci are a Common Source of Homologous Repair Deficiency in High-grade Serous Ovarian Carcinoma.
Literature	GENERIF_SUMMARY	A comprehensive reference for BRCA1/2 genes pathogenic variants in Iran
Literature	GENERIF_SUMMARY	Frequency of Contralateral Prophylactic Mastectomy in Breast Cancer Patients with a Negative BRCA1 and BRCA2 Rapid Genetic Test Result.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	SIRT2 promotes BRCA1-BARD1 heterodimerization through deacetylation.
Literature	GENERIF_SUMMARY	Replicated chromatin curtails 53BP1 recruitment in BRCA1-proficient and BRCA1-deficient cells.
Literature	GENERIF_SUMMARY	Mutations in BRCA1 and BRCA2 differentially affect the tumor microenvironment and response to checkpoint blockade immunotherapy.
Literature	GENERIF_SUMMARY	Characteristics and outcome of BRCA mutated epithelial ovarian cancer patients in Italy
Literature	GENERIF_SUMMARY	Association of Germline BRCA Pathogenic Variants With Diminished Ovarian Reserve
Literature	GENERIF_SUMMARY	BRCA1/2 Mutation Detection in the Tumor Tissue from Selected Polish Patients with Breast Cancer Using Next Generation Sequencing.
Literature	GENERIF_SUMMARY	Predicting Ovarian/Breast Cancer Pathogenic Risks of Human BRCA1 Gene Variants of Unknown Significance.
Literature	GENERIF_SUMMARY	Detection of Molecular Signatures of Homologous Recombination Deficiency in Bladder Cancer.
Literature	GENERIF_SUMMARY	BRCA1 Protein Expression Predicts Survival in Glioblastoma Patients from an NRG Oncology RTOG Cohort.
Literature	GENERIF_SUMMARY	Endometrial Cancer, BRCA1, and BRCA2 in the UK Biobank Cohort.
Literature	GENERIF_SUMMARY	Immunohistochemical analysis of BRCA1 and acetyl-histone H3 in squamous cell carcinoma of the mobile tongue.
Literature	GENERIF_SUMMARY	Optimization of prediction methods for risk assessment of pathogenic germline variants in the Japanese population.
Literature	GENERIF_SUMMARY	BRCA1/2 signaling and homologous recombination deficiency in breast and ovarian cancer.
Literature	GENERIF_SUMMARY	Making Sense of a Health Threat
Literature	GENERIF_SUMMARY	BRCA1-BRCT Mutations Alter the Subcellular Localization of BRCA1 In Vitro.
Literature	GENERIF_SUMMARY	Double heterozygotes of BRCA1/BRCA2 and mismatch repair gene pathogenic variants
Literature	GENERIF_SUMMARY	Skeletal Muscle Function Is Dependent Upon BRCA1 to Maintain Genomic Stability.
Literature	GENERIF_SUMMARY	Clinicopathological Features of BRCA1/2 Mutation-Positive Breast Cancer.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 and BRCA2 Mutations Among Patients With Ovarian, Primary Peritoneal, and Fallopian Tube Cancer in India
Literature	GENERIF_SUMMARY	Structural insight into BRCA1-BARD1 complex recruitment to damaged chromatin.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	CDCA2 protects against oxidative stress by promoting BRCA1-NRF2 signaling in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	Prevalence and clinical impact of tumor BRCA1 and BRCA2 mutations in patients presenting with localized or metastatic hormone-sensitive prostate cancer.
Literature	GENERIF_SUMMARY	BRCA1 binds TERRA RNA and suppresses R-Loop-based telomeric DNA damage.
Literature	GENERIF_SUMMARY	The predictive ability of the 313 variant-based polygenic risk score for contralateral breast cancer risk prediction in women of European ancestry with a heterozygous BRCA1 or BRCA2 pathogenic variant.
Literature	GENERIF_SUMMARY	BRCA 1, 2 mutation and earlier menopause
Literature	GENERIF_SUMMARY	Cavin3 released from caveolae interacts with BRCA1 to regulate the cellular stress response.
Literature	GENERIF_SUMMARY	A novel BRCA1 duplication and new insights on the spectrum and frequency of germline large genomic rearrangements in BRCA1/BRCA2.
Literature	GENERIF_SUMMARY	Towards a New, Endophenotype-Based Strategy for Pathogenicity Prediction in BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	Mutations in BRCA-related breast and ovarian cancer in the South African Indian population
Literature	GENERIF_SUMMARY	DHX9-dependent recruitment of BRCA1 to RNA promotes DNA end resection in homologous recombination.
Literature	GENERIF_SUMMARY	Interactions of BRCA1-mutated Breast Cancer Cell Lines with Adipose-derived Stromal Cells (ADSCs).
Literature	GENERIF_SUMMARY	Next-generation sequencing of BRCA1 and BRCA2 genes in Moroccan prostate cancer patients with positive family history.
Literature	GENERIF_SUMMARY	Case-case analysis addressing ascertainment bias for multigene panel testing implicates BRCA1 and PALB2 in endometrial cancer.
Literature	GENERIF_SUMMARY	Germline and tumor BRCA1/2 pathogenic variants in Chinese triple-negative breast carcinomas.
Literature	GENERIF_SUMMARY	BRCA-mutant pancreatic ductal adenocarcinoma.
Literature	GENERIF_SUMMARY	Abraxas suppresses DNA end resection and limits break-induced replication by controlling SLX4/MUS81 chromatin loading in response to TOP1 inhibitor-induced DNA damage.
Literature	GENERIF_SUMMARY	Cell-autonomous inflammation of BRCA1-deficient ovarian cancers drives both tumor-intrinsic immunoreactivity and immune resistance via STING.
Literature	GENERIF_SUMMARY	Prevalence and predictors of germline BRCA1 and BRCA2 mutations among young patients with breast cancer in Jordan.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Preliminary results of targeted sequencing of BRCA1 and BRCA2 in a cohort of breast cancer families
Literature	GENERIF_SUMMARY	ATR/ATM-Mediated Phosphorylation of BRCA1 T1394 Promotes Homologous Recombinational Repair and G2-M Checkpoint Maintenance.
Literature	GENERIF_SUMMARY	Anti-mullerian hormone levels and antral follicle count in women with a BRCA1 or BRCA2 germline pathogenic variant
Literature	GENERIF_SUMMARY	Breast and Prostate Cancer Risks for Male BRCA1 and BRCA2 Pathogenic Variant Carriers Using Polygenic Risk Scores.
Literature	GENERIF_SUMMARY	Mechanisms of BRCA1-BARD1 nucleosome recognition and ubiquitylation.
Literature	GENERIF_SUMMARY	BRCA2 deficiency reveals that oxidative stress impairs RNaseH1 function to cripple mitochondrial DNA maintenance.
Literature	GENERIF_SUMMARY	Tumour-infiltrating CD4-, CD8- and FOXP3-positive immune cells as predictive markers of mortality in BRCA1- and BRCA2-associated breast cancer.
Literature	GENERIF_SUMMARY	A transcription-based mechanism for oncogenic beta-catenin-induced lethality in BRCA1/2-deficient cells.
Literature	GENERIF_SUMMARY	RNF168-mediated localization of BARD1 recruits the BRCA1-PALB2 complex to DNA damage.
Literature	GENERIF_SUMMARY	Altered regulation of BRCA1 exon 11 splicing is associated with breast cancer risk in carriers of BRCA1 pathogenic variants.
Literature	GENERIF_SUMMARY	BRCA1 Antibodies Matter.
Literature	GENERIF_SUMMARY	PARP Inhibitors Display Differential Efficacy in Models of BRCA Mutant High-Grade Serous Ovarian Cancer.
Literature	GENERIF_SUMMARY	Multitumor Case Series of Germline BRCA1, BRCA2 and CHEK2-Mutated Patients Responding Favorably on Immune Checkpoint Inhibitors.
Literature	GENERIF_SUMMARY	Vaginal NOTES approach for risk-reducing salpingo-oophorectomy in BRCA mutation carriers
Literature	GENERIF_SUMMARY	Analysis of mutation status and homologous recombination deficiency in tumors of patients with germline BRCA1 or BRCA2 mutations and metastatic breast cancer
Literature	GENERIF_SUMMARY	Is olaparib cost effective in metastatic castration-resistant prostate cancer patients with at least one favorable gene mutation in BRCA1, BRCA2 or ATM?
Literature	GENERIF_SUMMARY	Physical activity and Mediterranean diet as potential modulators of osteoprotegerin and soluble RANKL in gBRCA1/2 mutation carriers
Literature	GENERIF_SUMMARY	Detection of hypermethylation BRCA1/2 gene promoter in

Main Category	Category	Terms
		breast tumours among Moroccan women.
Literature	GENERIF_SUMMARY	The BRCA1/BARD1 ubiquitin ligase and its substrates.
Literature	GENERIF_SUMMARY	BRCA1 prevents R-loop-associated centromeric instability.
Literature	GENERIF_SUMMARY	BRCA1 promoter hypermethylation on circulating tumor DNA correlates with improved survival of patients with ovarian cancer.
Literature	GENERIF_SUMMARY	The Prognostication Potential of BRCA Genes Expression in Gliomas
Literature	GENERIF_SUMMARY	BRCA1-BARD1 regulates transcription through modulating topoisomerase IIbeta.
Literature	GENERIF_SUMMARY	Setting a diagnostic benchmark for tumor BRCA testing
Literature	GENERIF_SUMMARY	Tumor BRCA testing in ovarian cancer and EQA scheme
Literature	GENERIF_SUMMARY	Prevalence and clinical characterization of BRCA1 and BRCA2 mutations in Korean patients with epithelial ovarian cancer.
Literature	GENERIF_SUMMARY	The Importance of Extended Analysis Using Current Molecular Genetic Methods Based on the Example of a Cohort of 228 Patients with Hereditary Breast and Ovarian Cancer Syndrome.
Literature	GENERIF_SUMMARY	Clinicopathological features and BRCA1 and BRCA2 mutation status in a prospective cohort of young women with breast cancer.
Literature	GENERIF_SUMMARY	Breast cancer in West Africa
Literature	GENERIF_SUMMARY	Basal expression of RAD51 foci predicts olaparib response in patient-derived ovarian cancer xenografts.
Literature	GENERIF_SUMMARY	Sirtuin inhibition is synthetic lethal with BRCA1 or BRCA2 deficiency.
Literature	GENERIF_SUMMARY	Some subgroups might get less benefit from adjuvant olaparib trial in high-risk, HER2-negative and germline BRCA2 BRCA1- or BRCA2-mutated early breast cancer patients.
Literature	GENERIF_SUMMARY	RNF19A-mediated ubiquitination of BARD1 prevents BRCA1/BARD1-dependent homologous recombination.
Literature	GENERIF_SUMMARY	Closing the gap
Literature	GENERIF_SUMMARY	Double heterozygous pathogenic variants in the BRCA1 and BRCA2 genes in a patient with bilateral metachronous breast cancer.
Literature	GENERIF_SUMMARY	Genomic mutation features identify distinct BRCA-associated mutation characteristics in endometrioid carcinoma and endometrioid ovarian carcinoma.
Literature	GENERIF_SUMMARY	Roles of RACK1 in centrosome regulation and carcinogenesis.
Literature	GENERIF_SUMMARY	Cockayne syndrome group B protein regulates fork restart,

Main Category	Category	Terms
		fork progression and MRE11-dependent fork degradation in BRCA1/2-deficient cells.
Literature	GENERIF_SUMMARY	Loss of MED12 activates the TGFbeta pathway to promote chemoresistance and replication fork stability in BRCA-deficient cells.
Literature	GENERIF_SUMMARY	BRCA Mutations in Prostate Cancer
Literature	GENERIF_SUMMARY	Comparing breast cancer imaging characteristics of CHEK2 with BRCA1 and BRCA2 gene mutation carriers.
Literature	GENERIF_SUMMARY	Risks of breast and ovarian cancer for women harboring pathogenic missense variants in BRCA1 and BRCA2 compared with those harboring protein truncating variants.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 and BRCA2 pathogenic sequence variants in ovarian cancer patients in the Gulf region
Literature	GENERIF_SUMMARY	BRCA1/2 NGS Somatic Testing in Clinical Practice
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 pathogenic variants and prostate cancer risk
Literature	GENERIF_SUMMARY	High BRCA1 gene expression increases the risk of early distant metastasis in ER(+) breast cancers.
Literature	GENERIF_SUMMARY	BRCA1 deficiency specific base substitution mutagenesis is dependent on translesion synthesis and regulated by 53BP1.
Literature	GENERIF_SUMMARY	Analysis of pathogenic variants in BRCA1 and BRCA2 genes using next-generation sequencing in women with triple negative breast cancer from South India.
Literature	GENERIF_SUMMARY	Mutations of BRCA1/2 Genes in the West of Turkey and Genotype-Phenotype Correlations.
Literature	GENERIF_SUMMARY	53BP1-shieldin-dependent DSB processing in BRCA1-deficient cells requires CST-Polalpha-primase fill-in synthesis.
Literature	GENERIF_SUMMARY	Increased co-expression of MEST and BRCA1 is associated with worse prognosis and immune infiltration in ovarian cancer.
Literature	GENERIF_SUMMARY	Rare germline heterozygous missense variants in BRCA1-associated protein 1, BAP1, cause a syndromic neurodevelopmental disorder.
Literature	GENERIF_SUMMARY	Screening and identification of phytochemical drug molecules against mutant BRCA1 receptor of breast cancer using computational approaches.
Literature	GENERIF_SUMMARY	Cancer Risks Associated With BRCA1 and BRCA2 Pathogenic Variants.
Literature	GENERIF_SUMMARY	Mutations in exon region of BRCA1-related RING domain 1 gene and risk of breast cancer.
Literature	GENERIF_SUMMARY	Single-cell tumor-immune microenvironment of BRCA1/2 mutated high-grade serous ovarian cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA1 and RAD51C promotor methylation in human resectable pancreatic adenocarcinoma.
Literature	GENERIF_SUMMARY	Epidemiology and geographic distribution of BRCA1-2 and DNA Damage response genes pathogenic variants in pancreatic ductal adenocarcinoma patients.
Literature	GENERIF_SUMMARY	Predictors of cardiopulmonary fitness in cancer-affected and -unaffected women with a pathogenic germline variant in the genes BRCA1/2 (LIBRE-1).
Literature	GENERIF_SUMMARY	Association of BRCA Mutations and Pancreatic Cancer
Literature	GENERIF_SUMMARY	The functional impact of BRCA1 BRCT domain variants using multiplexed DNA double-strand break repair assays.
Literature	GENERIF_SUMMARY	BRCA1/2 Mutations in Vietnamese Patients with Hereditary Breast and Ovarian Cancer Syndrome.
Literature	GENERIF_SUMMARY	Pancreatic Cancer with Mutation in BRCA1/2, MLH1, and APC Genes
Literature	GENERIF_SUMMARY	Prevalence of specific and recurrent/founder pathogenic variants in BRCA genes in breast and ovarian cancer in North Africa.
Literature	GENERIF_SUMMARY	Prevalent versus incident breast cancers
Literature	GENERIF_SUMMARY	Incidence and Prevalence of Intraductal Papillary Mucinous Neoplasms in Individuals With BRCA1 and BRCA2 Pathogenic Variant.
Literature	GENERIF_SUMMARY	Immunohistochemical Evaluation of BAP1 Expression in Breast Cancer with Known BRCA1 and BRCA2 Mutations and Comparison with Histopathological Features.
Literature	GENERIF_SUMMARY	PTEN alterations in sporadic and BRCA1-associated triple negative breast carcinomas.
Literature	GENERIF_SUMMARY	Genetic anticipation of breast cancer among BRCA1/ BRCA2 mutation carriers
Literature	GENERIF_SUMMARY	Germline Pathogenic Variants in BRCA1 and BRCA2
Literature	GENERIF_SUMMARY	BRCA1 mutations in high-grade serous ovarian cancer are associated with proteomic changes in DNA repair, splicing, transcription regulation and signaling.
Literature	GENERIF_SUMMARY	G-Quadruplex Matters in Tissue-Specific Tumorigenesis by BRCA1 Deficiency.
Literature	GENERIF_SUMMARY	Population-based screening of Uruguayan Ashkenazi Jews for recurrent BRCA1 and BRCA2 pathogenic sequence variants.
Literature	GENERIF_SUMMARY	Anxiety and depression among racial/ethnic minorities and impoverished women testing positive for BRCA1/2 mutations in the United States.
Literature	GENERIF_SUMMARY	Identification and Management of Pathogenic Variants in BRCA1, BRCA2, and PALB2 in a Tumor-Only Genomic Testing Program.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Germline BRCA variants, lifestyle and ovarian cancer survival.
Literature	GENERIF_SUMMARY	Habitat Analysis of Breast Cancer-Enhanced MRI Reflects BRCA1 Mutation Determined by Immunohistochemistry.
Literature	GENERIF_SUMMARY	Expansion of Cancer Risk Profile for BRCA1 and BRCA2 Pathogenic Variants.
Literature	GENERIF_SUMMARY	Case Review
Literature	GENERIF_SUMMARY	Pathogenic BRCA1 variants disrupt PLK1-regulation of mitotic spindle orientation.
Literature	GENERIF_SUMMARY	BRCA mutations lead to XIAP overexpression and sensitise ovarian cancer to inhibitor of apoptosis (IAP) family inhibitors.
Literature	GENERIF_SUMMARY	Breast cancer susceptibility gene 1 regulates oxidative damage via nuclear factor erythroid 2-related factor 2 in oral cancer cells.
Literature	GENERIF_SUMMARY	Computational structural assessment of BReast CAncer type 1 susceptibility protein (BRCA1) and BRCA1-Associated Ring Domain protein 1 (BARD1) mutations on the protein-protein interface.
Literature	GENERIF_SUMMARY	TRIM44 promotes BRCA1 functions in HR repair to induce Cisplatin Chemoresistance in Lung Adenocarcinoma by Deubiquitinating FLNA.
Literature	GENERIF_SUMMARY	Concurrent BRAFV600E and BRCA Mutations in MSS Metastatic Colorectal Cancer
Literature	GENERIF_SUMMARY	Mutational spectrum of BRCA1/2 genes in Moroccan patients with hereditary breast and/or ovarian cancer, and review of BRCA mutations in the MENA region.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 and BRCA2 Germline Mutations in Patients of African Descent with Early-Onset and Familial Colombian Breast Cancer.
Literature	GENERIF_SUMMARY	Discovery of BRCA1/BRCA2 founder variants by haplotype analysis.
Literature	GENERIF_SUMMARY	CNV assessments associated with outcome distinctions for adult and pediatric cancers
Literature	GENERIF_SUMMARY	Understanding and predicting the functional consequences of missense mutations in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	Risk reducing surgery with peritoneal staging in BRCA1-2 mutation carriers. A prospective study.
Literature	GENERIF_SUMMARY	DNA nicks induce mutational signatures associated with BRCA1 deficiency.
Literature	GENERIF_SUMMARY	Effect of BRCA1/2 Mutational Status on Survival Outcomes According to Secondary Cytoreductive Surgery and Maintenance Therapy in Platinum-Sensitive Relapsed Ovarian Cancer

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Physical activity and sleep behaviour in women carrying BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	Contribution of BRCA1 5382insC mutation to triplene-gative and luminal types of breast cancer in Ukraine.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 and BRCA2 pathogenic variants in 8627 unselected patients with breast cancer
Literature	GENERIF_SUMMARY	Heterozygous BRCA1 and BRCA2 and Mismatch Repair Gene Pathogenic Variants in Children and Adolescents With Cancer.
Literature	GENERIF_SUMMARY	Strong founder effect for BRCA1 c.3629_3630delAG pathogenic variant in Chechen patients with breast or ovarian cancer.
Literature	GENERIF_SUMMARY	A comprehensive literature review and meta-analysis of the prevalence of pan-cancer BRCA mutations, homologous recombination repair gene mutations, and homologous recombination deficiencies.
Literature	GENERIF_SUMMARY	Constitutional BRCA1 Methylation and Risk of Incident Triple-Negative Breast Cancer and High-grade Serous Ovarian Cancer.
Literature	GENERIF_SUMMARY	Dissection of transcriptome dysregulation and immune characterization in women with germline BRCA1 mutation at single-cell resolution.
Literature	GENERIF_SUMMARY	BRCA1 transports the DNA damage signal for CDDP-induced centrosome amplification through the centrosomal Aurora A.
Literature	GENERIF_SUMMARY	Identifying the BRCA1 c.-107A > T variant in Dutch patients with a tumor BRCA1 promoter hypermethylation.
Literature	GENERIF_SUMMARY	Clinical characteristics of patients with Breast and / or Ovarian Cancer with mutations in the BRCA1 and BRCA2 genes in Cordoba, Argentina"", trans ""[Caracteristicas clinicas de pacientes con Cancer de Mama y / o Cancer de Ovario con mutaciones en los genes BRCA1 y BRCA2 en Cordoba, Argentina.]"
Literature	GENERIF_SUMMARY	Characterization of lung cancers in patients with BRCA germline variants
Literature	GENERIF_SUMMARY	Effects of the Methylation Levels for the Breast Cancer Associated Genes BCSG1 and BRCA1 on Cellular Proliferation and Migration.
Literature	GENERIF_SUMMARY	BRCA1/2 Variants Identified Through Tumor Genomic Profiling
Literature	GENERIF_SUMMARY	Copy number variants as modifiers of breast cancer risk for BRCA1/BRCA2 pathogenic variant carriers.
Literature	GENERIF_SUMMARY	BRCA Reversion Mutations in Metastatic Castration-Resistant Prostate Cancer.
Literature	GENERIF_SUMMARY	Methylation of promoter region of BRCA1 gene versus pathogenic variants of gene

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The avoiding late diagnosis of ovarian cancer (ALDO) project; a pilot national surveillance programme for women with pathogenic germline variants in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	Familial history and prevalence of BRCA1, BRCA2 and TP53 pathogenic variants in HBOC Brazilian patients from a public healthcare service.
Literature	GENERIF_SUMMARY	Prognostic impact of germline BRCA1/2 pathogenic variants in breast cancer.
Literature	GENERIF_SUMMARY	Partial Reduction in BRCA1 Gene Dose Modulates DNA Replication Stress Level and Thereby Contributes to Sensitivity or Resistance.
Literature	GENERIF_SUMMARY	A spectrum of BRCA1 and BRCA2 germline deleterious variants in ovarian cancer in Russia.
Literature	GENERIF_SUMMARY	Concurrent Pathogenic Variants of BRCA1, MUTYH and CHEK2 in a Hereditary Cancer Family.
Literature	GENERIF_SUMMARY	Racial and ethnic variation in BRCA1 and BRCA2 genetic test results among individuals referred for genetic counseling at a large urban comprehensive cancer center.
Literature	GENERIF_SUMMARY	Immune cells are increased in normal breast tissues of BRCA1/2 mutation carriers.
Literature	GENERIF_SUMMARY	Ethnic-specificity, evolution origin and deleteriousness of Asian BRCA variation revealed by over 7500 BRCA variants derived from Asian population.
Literature	GENERIF_SUMMARY	Association Between Family History and Risk of Pancreatic Cancer in Patients With BRCA1 and BRCA2 Pathogenic Variants.
Literature	GENERIF_SUMMARY	Evaluation of promoter hypermethylation of tumor suppressor gene BRCA1 in epithelial ovarian cancer.
Literature	GENERIF_SUMMARY	Clinicopathological features, genetic alterations, and BRCA1 promoter methylation in Japanese male patients with breast cancer.
Literature	GENERIF_SUMMARY	Elbracht M, Meyer R, Kricheldorf K, et al. Germline variants in DNA repair genes, including BRCA1/2, may cause familial myeloproliferative neoplasms. Blood Adv. 2021;5(17)
Literature	GENERIF_SUMMARY	BAP1 loss induces mitotic defects in mesothelioma cells through BRCA1-dependent and independent mechanisms.
Literature	GENERIF_SUMMARY	BRCA1/2 Reversion Mutations in Patients Treated with Poly ADP-Ribose Polymerase (PARP) Inhibitors or Platinum Agents.
Literature	GENERIF_SUMMARY	Ovarian cancer onset across different BRCA mutation types
Literature	GENERIF_SUMMARY	Contralateral Breast Cancer Risk Among Carriers of Germline Pathogenic Variants in ATM, BRCA1, BRCA2, CHEK2, and PALB2.
Literature	GENERIF_SUMMARY	The expression and mutation of BRCA1/2 genes in ovarian cancer

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	BRCA, infertility, and fertility preservation
Literature	GENERIF_SUMMARY	Distinct breast cancer phenotypes in BRCA 1/2 carriers based on ER status.
Literature	GENERIF_SUMMARY	BRCA1 deficiency in mature CD8[+] T lymphocytes impairs antitumor immunity.
Literature	GENERIF_SUMMARY	PARylation of BRCA1 limits DNA break resection through BRCA2 and EXO1.
Literature	GENERIF_SUMMARY	BRCA1/2 Pathogenic Variants Are Not Common in Merkel Cell Carcinoma
Literature	GENERIF_SUMMARY	Functional Analyses of Rare Germline Missense BRCA1 Variants Located within and outside Protein Domains with Known Functions.
Literature	GENERIF_SUMMARY	BRCA1/ATF1-Mediated Transactivation is Involved in Resistance to PARP Inhibitors and Cisplatin.
Literature	GENERIF_SUMMARY	Cancer risk in relatives of BRCA1/2 pathogenic variant carriers in a large series of unselected patients with breast cancer.
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 germline mutation analysis from a cohort of 1267 patients at high risk for breast cancer in Brazil.
Literature	GENERIF_SUMMARY	MSH2 is the very young onset ovarian cancer predisposition gene, not BRCA1.
Literature	GENERIF_SUMMARY	Preneoplastic stromal cells promote BRCA1-mediated breast tumorigenesis.
Literature	GENERIF_SUMMARY	Clinical case study meets population cohort
Literature	GENERIF_SUMMARY	Excessive transcription-replication conflicts are a vulnerability of BRCA1-mutant cancers.
Literature	GENERIF_SUMMARY	Increased prevalence of the founder BRCA1 c.5309G>T and recurrent BRCA2 c.1310_1313delAAGA mutations in breast cancer families from Northerstern region of Morocco
Literature	GENERIF_SUMMARY	Ovarian cancer pathology characteristics as predictors of variant pathogenicity in BRCA1 and BRCA2.
Literature	GENERIF_SUMMARY	Functional analyses of rare germline BRCA1 variants by transcriptional activation and homologous recombination repair assays.
Literature	GENERIF_SUMMARY	High-grade serous ovarian carcinoma with a sertoliform pattern associated with BRCA mutation
Literature	GENERIF_SUMMARY	An overview of the research progress of BRCA gene mutations in breast cancer.
Literature	GENERIF_SUMMARY	Association of common BRCA1 variants with predisposition to breast tumors in Pakistan.
Literature	GENERIF_SUMMARY	ABRAXAS1 orchestrates BRCA1 activities to counter genome destabilizing repair pathways-lessons from breast

Main Category	Category	Terms
		cancer patients.
Literature	GENERIF_SUMMARY	Overcoming therapeutic resistance in pancreatic cancer
Literature	GENERIF_SUMMARY	BRCA1 VUS
Literature	GENERIF_SUMMARY	Hybrid-seq deciphers the complex transcriptional profile of the human BRCA1 DNA repair associated gene.
Literature	GENERIF_SUMMARY	Prevalence of BRCA1 and BRCA2 Mutations Among High-risk Bahraini Patients with Breast Cancer.
Literature	GENERIF_SUMMARY	Changes in Bone Density in Carriers of BRCA1 and BRCA2 Pathogenic Variants After Salpingo-Oophorectomy.
Literature	GENERIF_SUMMARY	Significant association of BRCA1 (rs1799950), BRCA2 (rs144848) and TP53 (rs1042522) polymorphism with breast cancer risk in Pashtun population of Khyber Pakhtunkhwa, Pakistan.
Literature	GENERIF_SUMMARY	Associations of height, body mass index, and weight gain with breast cancer risk in carriers of a pathogenic variant in BRCA1 or BRCA2
Literature	GENERIF_SUMMARY	p18INK4C and BRCA1 inhibit follicular cell proliferation and dedifferentiation in thyroid cancer.
Literature	GENERIF_SUMMARY	Contralateral breast cancer risk in patients with breast cancer and a germline-BRCA1/2 pathogenic variant undergoing radiation.
Literature	GENERIF_SUMMARY	LCK facilitates DNA damage repair by stabilizing RAD51 and BRCA1 in the nucleus of chemoresistant ovarian cancer.
Literature	GENERIF_SUMMARY	Clinical significance of determining the hypermethylation of the RUNX3 gene promoter and its cohypermethylation with the BRCA1 gene for patients with breast cancer.
Literature	GENERIF_SUMMARY	FBL promotes cancer cell resistance to DNA damage and BRCA1 transcription via YBX1.
Literature	GENERIF_SUMMARY	A HUWE1 defect causes PARP inhibitor resistance by modulating the BRCA1-11q splice variant.
Literature	GENERIF_SUMMARY	Possible impact of HLA class I and class II on malignancies driven by a single germ-line BRCA1 mutation.
Literature	GENERIF_SUMMARY	Contribution of constitutional BRCA1 promoter methylation to early-onset and familial breast cancer patients from Pakistan.
Literature	GENERIF_SUMMARY	Association of BRCA mutation status with the efficacy of poly (ADP-ribose) polymerase inhibitors in cancer
Literature	GENERIF_SUMMARY	BRCA-deficient metastatic prostate cancer has an adverse prognosis and distinct genomic phenotype.
Literature	GENERIF_SUMMARY	Long-molecule scars of backup DNA repair in BRCA1- and BRCA2-deficient cancers.
Literature	GENERIF_SUMMARY	Exome sequencing identifies breast cancer susceptibility

Main Category	Category	Terms
		genes and defines the contribution of coding variants to breast cancer risk.
Literature	GENERIF_SUMMARY	BRCA1/2 Haploinsufficiency
Literature	GENERIF_SUMMARY	BRCA1 frameshift variants leading to extended incorrect protein C termini.
Literature	GENERIF_SUMMARY	Mosaic BRCA1 promoter methylation contribution in hereditary breast/ovarian cancer pedigrees.
Literature	GENERIF_SUMMARY	The Tumor Suppressor BRCA1/2, Cancer Susceptibility and Genome Instability in Gynecological and Mammary Cancers.
Literature	GENERIF_SUMMARY	Immunohistochemical Detection of the Expressed BRCA1 and BRCA2 Proteins in Microenvironment of Malignant Breast Cancerous Tissues Infected with Human Mammary Tumor Virus.
Literature	GENERIF_SUMMARY	Deleterious and ethnic-related BRCA1/2 mutations in tissue and blood of Egyptian colorectal cancer patients and its correlation with human papillomavirus.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 combines multiple chromatin recognition modules to bridge nascent nucleosomes.
Literature	GENERIF_SUMMARY	ABERRANT METHYLATION OF CANCER-RELATED GENES IN VIETNAMESE BREAST CANCER PATIENTS
Literature	GENERIF_SUMMARY	Subset of retinoblastoma tumours is associated with BRCA1/2 mutations.
Literature	GENERIF_SUMMARY	Causality and functional relevance of BRCA1 and BRCA2 pathogenic variants in non-high-grade serous ovarian carcinomas.
Literature	GENERIF_SUMMARY	Identification of BRCC3 and BRCA1 as Regulators of TAZ Stability and Activity.
Literature	GENERIF_SUMMARY	The Impact of BRCA1 Expression on Survival Status in Ovarian Serous Carcinoma of Egyptian Patients.
Literature	GENERIF_SUMMARY	Association between BRCA Gene Variants and the Response to Modified FOLFIRINOX in Patients with Unresectable Pancreatic Cancer.
Literature	GENERIF_SUMMARY	CRISPR/Cas9-mediated knock-in of BRCA1/2 mutations restores response to olaparib in pancreatic cancer cell lines.
Literature	GENERIF_SUMMARY	Low rate of complications in nipple-sparing mastectomy for patients with BRCA1 and BRCA2 mutation.
Literature	GENERIF_SUMMARY	Pathogenic germline variants in BRCA1 and TP53 increase lung cancer risk in Chinese.
Literature	GENERIF_SUMMARY	Correlates of Circulating Osteoprotegerin in Women with a Pathogenic or Likely Pathogenic Variant in the BRCA1 Gene.
Literature	GENERIF_SUMMARY	Frequencies of Diagnostically Significant Polymorphisms of Hereditary Breast Cancer Forms in BRCA1 and BRCA2

Main Category	Category	Terms
		Genes in the Kazakh Population.
Literature	GENERIF_SUMMARY	Risk-reducing mastectomy and breast cancer mortality in women with a BRCA1 or BRCA2 pathogenic variant
Literature	GENERIF_SUMMARY	NMR-identification of the interaction between BRCA1 and the intrinsically disordered monomer of the Myc-associated factor X.
Literature	GENERIF_SUMMARY	Prenatal BRCA1 epimutations contribute significantly to triple-negative breast cancer development.
Literature	GENERIF_SUMMARY	Presence of crown-like structures in breast adipose tissue; differences between healthy controls, BRCA1/2 gene mutation carriers and breast cancer patients.
Literature	GENERIF_SUMMARY	Inherited BRCA1 and RNF43 pathogenic variants in a familial colorectal cancer type X family.
Literature	GENERIF_SUMMARY	Male breast cancer
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 germline mutations in Chinese Hakka breast cancer patients.
Literature	GENERIF_SUMMARY	Beyond BRCA
Literature	GENERIF_SUMMARY	Simulation and Computational Study of RING Domain Mutants of BRCA1 and Ube2k in AD/PD Pathophysiology.
Literature	GENERIF_SUMMARY	Variant of uncertain significance Arg866Cys enhances disorderedness of h-BRCA1 (759-1064) region.
Literature	GENERIF_SUMMARY	Longitudinal profiling identifies co-occurring BRCA1/2 reversions, TP53BP1, RIF1 and PAXIP1 mutations in PARP inhibitor-resistant advanced breast cancer.
Literature	GENERIF_SUMMARY	BLM and BRCA1-BARD1 coordinate complementary mechanisms of joint DNA molecule resolution.
Literature	GENERIF_SUMMARY	EXO1 protects BRCA1-deficient cells against toxic DNA lesions.
Literature	GENERIF_SUMMARY	BRCA1 methylation in breast duct carcinoma, a practical study in Duhok-Iraq.
Literature	GENERIF_SUMMARY	Reclassifying BRCA1 c.4358-2A > G and BRCA2 c.475 + 5G > C variants from ""Uncertain Significance"" to ""Pathogenic"" based on minigene assays and clinical evidence."
Literature	GENERIF_SUMMARY	BRCA1, BRCA2, and TP53 germline and somatic variants and clinicopathological characteristics of Brazilian patients with epithelial ovarian cancer.
Literature	GENERIF_SUMMARY	Central nervous system metastases in breast cancer patients with germline BRCA pathogenic variants compared to non-carriers
Literature	GENERIF_SUMMARY	Protein-folding chaperones predict structure-function relationships and cancer risk in BRCA1 mutation carriers.
Literature	GENERIF_SUMMARY	Prevalence and spectrum of germline BRCA1 and BRCA2 in

Main Category	Category	Terms
		a cohort of ovarian cancer patients from the Salento peninsula (Southern Italy)
Literature	GENERIF_SUMMARY	BRCA1 deficiency enhances the aggressiveness of breast cancer cells expressing HPV16 oncoproteins.
Literature	GENERIF_SUMMARY	Preliminary insights on the mutational spectrum of BRCA1 and BRCA2 genes in Pakhtun ethnicity breast cancer patients from Khyber Pakhtunkhwa (KP), Pakistan.
Literature	GENERIF_SUMMARY	Constitutional BRCA1 and MGMT Methylation Are Significant Risk Factors for Triple-Negative Breast Cancer and High-Grade Serous Ovarian Cancer in Saudi Women.
Literature	GENERIF_SUMMARY	BRCA1 and 53BP1 regulate reprogramming efficiency by mediating DNA repair pathway choice at replication-associated double-strand breaks.
Literature	GENERIF_SUMMARY	Assessing the Impact of Novel BRCA1 Exon 11 Variants on Pre-mRNA Splicing.
Literature	GENERIF_SUMMARY	Mutation spectra of the BRCA1/2 genes in human breast and ovarian cancer and germline.
Literature	GENERIF_SUMMARY	Featuring BRCA1 and BRCA2 germline mutational landscape from Asturias (North Spain).
Literature	GENERIF_SUMMARY	BRCA1 secondary splice-site mutations drive exon-skipping and PARP inhibitor resistance.
Literature	GENERIF_SUMMARY	DOT1L-mediated RAP80 methylation promotes BRCA1 recruitment to elicit DNA repair.
Literature	GENERIF_SUMMARY	Incidence of endometrial cancer in BRCA mutation carriers.
Literature	GENERIF_SUMMARY	Hypermethylation of the BRCA2 gene promoter and its co-hypermethylation with the BRCA1 gene promoter in patients with breast cancer.
Literature	GENERIF_SUMMARY	Mechanism of BRCA1-BARD1 function in DNA end resection and DNA protection.
Literature	GENERIF_SUMMARY	Promotion of DNA end resection by BRCA1-BARD1 in homologous recombination.
Literature	GENERIF_SUMMARY	Exploring Molecular Drivers of PARPi Resistance in BRCA1-Deficient Ovarian Cancer
Literature	GENERIF_SUMMARY	The amino terminal RING finger motif and the granin consensus sequence are conserved between human, canine, and murine BRCA1 genes.
Pathways	KEGG_PATHWAY	Platinum drug resistance
Pathways	KEGG_PATHWAY	Homologous recombination
Pathways	KEGG_PATHWAY	Fanconi anemia pathway
Pathways	KEGG_PATHWAY	Ubiquitin mediated proteolysis
Pathways	KEGG_PATHWAY	PI3K-Akt signaling pathway
Pathways	KEGG_PATHWAY	MicroRNAs in cancer

Main Category	Category	Terms
Pathways	KEGG_PATHWAY	Breast cancer
Pathways	REACTOME_PATHWAY	Meiotic synapsis
Pathways	REACTOME_PATHWAY	Developmental Biology
Pathways	REACTOME_PATHWAY	Reproduction
Pathways	REACTOME_PATHWAY	Meiosis
Pathways	REACTOME_PATHWAY	Cell Cycle
Pathways	REACTOME_PATHWAY	Disease
Pathways	REACTOME_PATHWAY	Generic Transcription Pathway
Pathways	REACTOME_PATHWAY	Cellular responses to stress
Pathways	REACTOME_PATHWAY	SUMOylation
Pathways	REACTOME_PATHWAY	SUMOylation of DNA damage response and repair proteins
Pathways	REACTOME_PATHWAY	SUMO E3 ligases SUMOylate target proteins
Pathways	REACTOME_PATHWAY	Transcriptional Regulation by TP53
Pathways	REACTOME_PATHWAY	Metabolism of proteins
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity
Pathways	REACTOME_PATHWAY	HDR through Single Strand Annealing (SSA)
Pathways	REACTOME_PATHWAY	HDR through Homologous Recombination (HRR)
Pathways	REACTOME_PATHWAY	Deubiquitination
Pathways	REACTOME_PATHWAY	Metalloprotease DUBs
Pathways	REACTOME_PATHWAY	DNA Double-Strand Break Repair
Pathways	REACTOME_PATHWAY	Resolution of D-Loop Structures
Pathways	REACTOME_PATHWAY	Homology Directed Repair
Pathways	REACTOME_PATHWAY	Resolution of D-loop Structures through Synthesis-Dependent Strand Annealing (SDSA)
Pathways	REACTOME_PATHWAY	Recruitment and ATM-mediated phosphorylation of repair and signaling proteins at DNA double strand breaks
Pathways	REACTOME_PATHWAY	HDR through Homologous Recombination (HRR) or Single Strand Annealing (SSA)
Pathways	REACTOME_PATHWAY	Resolution of D-loop Structures through Holliday Junction Intermediates
Pathways	REACTOME_PATHWAY	Nonhomologous End-Joining (NHEJ)
Pathways	REACTOME_PATHWAY	Homologous DNA Pairing and Strand Exchange
Pathways	REACTOME_PATHWAY	DNA Double Strand Break Response
Pathways	REACTOME_PATHWAY	Processing of DNA double-strand break ends

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	Presynaptic phase of homologous DNA pairing and strand exchange
Pathways	REACTOME_PATHWAY	Post-translational protein modification
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of DNA Repair Genes
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity through Phosphorylation
Pathways	REACTOME_PATHWAY	G2/M DNA damage checkpoint
Pathways	REACTOME_PATHWAY	G2/M Checkpoints
Pathways	REACTOME_PATHWAY	Cell Cycle Checkpoints
Pathways	REACTOME_PATHWAY	RNA Polymerase II Transcription
Pathways	REACTOME_PATHWAY	DNA Repair
Pathways	REACTOME_PATHWAY	Gene expression (Transcription)
Pathways	REACTOME_PATHWAY	Neddylation
Pathways	REACTOME_PATHWAY	Transcriptional Regulation by E2F6
Pathways	REACTOME_PATHWAY	Cellular responses to stimuli
Pathways	REACTOME_PATHWAY	Meiotic recombination
Pathways	REACTOME_PATHWAY	Defective DNA double strand break response due to BRCA1 loss of function
Pathways	REACTOME_PATHWAY	Diseases of DNA repair
Pathways	REACTOME_PATHWAY	Diseases of DNA Double-Strand Break Repair
Pathways	REACTOME_PATHWAY	Defective DNA double strand break response due to BARD1 loss of function
Pathways	REACTOME_PATHWAY	Defective homologous recombination repair (HRR) due to BRCA2 loss of function
Pathways	REACTOME_PATHWAY	Defective homologous recombination repair (HRR) due to BRCA1 loss of function
Pathways	REACTOME_PATHWAY	Defective homologous recombination repair (HRR) due to PALB2 loss of function
Pathways	REACTOME_PATHWAY	Defective HDR through Homologous Recombination Repair (HRR) due to PALB2 loss of BRCA1 binding function
Pathways	REACTOME_PATHWAY	Defective HDR through Homologous Recombination Repair (HRR) due to PALB2 loss of BRCA2/RAD51/RAD51C binding function
Pathways	REACTOME_PATHWAY	Impaired BRCA2 binding to RAD51
Pathways	REACTOME_PATHWAY	Impaired BRCA2 binding to PALB2
Pathways	REACTOME_PATHWAY	Cellular response to chemical stress
Pathways	REACTOME_PATHWAY	MITF-M-regulated melanocyte development

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	KEAP1-NFE2L2 pathway
Pathways	REACTOME_PATHWAY	Regulation of MITF-M-dependent genes involved in DNA replication, damage repair and senescence
Pathways	REACTOME_PATHWAY	MITF-M-dependent gene expression
Pathways	WIKIPATHWAYS	Androgen receptor signaling
Pathways	WIKIPATHWAYS	miRNA regulation of DNA damage response
Pathways	WIKIPATHWAYS	Integrated cancer pathway
Pathways	WIKIPATHWAYS	Integrated breast cancer pathway
Pathways	WIKIPATHWAYS	Glioblastoma signaling
Pathways	WIKIPATHWAYS	Androgen receptor network in prostate cancer
Pathways	WIKIPATHWAYS	ATM signaling
Pathways	WIKIPATHWAYS	Hepatitis C and hepatocellular carcinoma
Pathways	WIKIPATHWAYS	Pathways affected in adenoid cystic carcinoma
Pathways	WIKIPATHWAYS	DNA IR double strand breaks and cellular response via ATM
Pathways	WIKIPATHWAYS	DNA IR damage and cellular response via ATR
Pathways	WIKIPATHWAYS	PI3K Akt signaling
Pathways	WIKIPATHWAYS	Breast cancer pathway
Pathways	WIKIPATHWAYS	DNA repair pathways full network
Pathways	WIKIPATHWAYS	Pleural mesothelioma
Pathways	WIKIPATHWAYS	Nucleotide excision repair in xeroderma pigmentosum
Pathways	WIKIPATHWAYS	SMC1 SMC3 role in DNA damage Cornelia de Lange Syndrome
Pathways	WIKIPATHWAYS	5q35 copy number variation
Pathways	WIKIPATHWAYS	Fanconi anemia
Pathways	WIKIPATHWAYS	DNA damage response
Protein Domains	INTERPRO	BRCT_dom
Protein Domains	INTERPRO	Znf_RING
Protein Domains	INTERPRO	BRCA1
Protein Domains	INTERPRO	Znf_RING/FYVE/PHD
Protein Domains	INTERPRO	Znf_RING_CS

Main Category	Category	Terms
Protein Domains	INTERPRO	Znf_C3HC4_RING-type
Protein Domains	INTERPRO	BRCA1_serine_dom
Protein Domains	INTERPRO	Znf-RING_euk
Protein Domains	INTERPRO	BRCA1-associated
Protein Domains	INTERPRO	BRCT_dom_sf
Protein Domains	PIR_SUPERFAMILY	BRCA1
Protein Domains	SMART	RING
Protein Domains	SMART	BRCT
Protein Domains	UP_KW_DOMAIN	Coiled coil
Protein Domains	UP_KW_DOMAIN	Repeat
Protein Domains	UP_KW_DOMAIN	Transmembrane
Protein Domains	UP_KW_DOMAIN	Zinc-finger
Protein Domains	UP_KW_DOMAIN	Transmembrane helix