

Main Category	Category	
Disease	OMIM_DISEASE	Breast cancer, somatic
Disease	OMIM_DISEASE	Colorectal cancer
Disease	OMIM_DISEASE	Hepatocellular carcinoma, somatic
Disease	OMIM_DISEASE	Glioma susceptibility 1
Disease	OMIM_DISEASE	Li-Fraumeni syndrome
Disease	OMIM_DISEASE	Adrenocortical carcinoma, pediatric
Disease	OMIM_DISEASE	Osteosarcoma
Disease	OMIM_DISEASE	Choroid plexus papilloma
Disease	OMIM_DISEASE	Nasopharyngeal carcinoma, somatic
Disease	OMIM_DISEASE	Basal cell carcinoma 7
Disease	OMIM_DISEASE	Bone marrow failure syndrome 5
Disease	OMIM_DISEASE	Pancreatic cancer, somatic 260350
Disease	UP_KW_DISEASE	Tumor suppressor
Disease	UP_KW_DISEASE	Disease variant
Disease	UP_KW_DISEASE	Li-Fraumeni syndrome
Disease	UP_KW_DISEASE	Li-Fraumeni syndrome
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Apoptosis
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Biological rhythms
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Cell cycle
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription regulation
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Host-virus interaction
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Necrosis
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Cytoskeleton
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Endoplasmic reticulum
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Membrane
Functional	UP_KW_CELLULAR_COMPONENT	Mitochondrion

Main Category	Category	
Annotations		
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Nucleus
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Cytoplasm
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Activator
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	DNA-binding
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Repressor
Functional Annotations	UP_KW_PTM	Acetylation
Functional Annotations	UP_KW_PTM	Glycoprotein
Functional Annotations	UP_KW_PTM	Methylation
Functional Annotations	UP_KW_PTM	Phosphoprotein
Functional Annotations	UP_KW_PTM	Ubl conjugation
Functional Annotations	UP_KW_PTM	Isopeptide bond
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Basic and acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Basic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Low complexity
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Polar residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Pro residues
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cter of another protein)
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cter of another protein)
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:Cellular tumor antigen p53 transactivation
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:PFU
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:p53 DNA-binding

Main Category		Category
Annotations		
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:p53 tetramerisation
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:p53 transactivation
Functional Annotations	UP_SEQ_FEATURE	MOTIF:Bipartite nuclear localization signal
Functional Annotations	UP_SEQ_FEATURE	MOTIF:Nuclear export signal
Functional Annotations	UP_SEQ_FEATURE	MOTIF:TADI
Functional Annotations	UP_SEQ_FEATURE	MOTIF:TADII
Functional Annotations	UP_SEQ_FEATURE	MOTIF:[KR]-[STA]-K motif
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:E->A: Abolishes SUMO1 conjugation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:F->A: Reduced SUMO1 conjugation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:G->E: Abolishes binding to USP7.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->A: Abolishes SUMO1 conjugation, in vitro and in vivo
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->A: Abolishes acetylation by CREBBP.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->A: Loss of nuclear localization; when associated with
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->A: Loss of nuclear localization; when associated with
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->A: Loss of nuclear localization; when associated with
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->Q: Mimics acetylation, leading to increased stability.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Abolishes dimethylation by EHMT1 and EHMT2.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Abolishes monomethylation by KMT5A.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Abolishes ubiquitination by MUL1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Decreased acetylation.
Functional	UP_SEQ_FEATURE	MUTAGEN:K->R: Induces a decrease in methylation by SMYD2.

Main Category	Category	
Annotations		
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Induces a decrease in protein stabilization.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:KK->RR: Abolishes polyubiquitination by MKRN1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Abolishes S-315 phosphorylation by CDK2/cyclin
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:LW->QS: Loss of interaction with MDM2, leading to con
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:Missing: Alters interaction with WWOX.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:P->D: Abolishes binding to USP7.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:R->S: Does not induce SNAI1 degradation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:RGRR->KGKEK: Reduced methylation by PRMT5. Redu
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes binding to USP7.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes phosphorylation by DYRK2 and HIPK2 a
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes phosphorylation site. Abolishes increas
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes phosphorylation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes strongly phosphorylation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Loss of interaction with PPP2R5C, PPP2CA AND I
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->D: Abolishes phosphorylation by MAPKAPK5.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->D: Constitutively increased TP53 protein levels.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->D: Mimics phosphorylation; promotes ability to unde
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->E: Abolished ability to undergo liquid-liquid phase se
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->E: Inhibits slightly its transcriptional activity.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->E: Inhibits strongly its transcriptional activity.
Functional	UP_SEQ_FEATURE	MUTAGEN:T->A: Blocks phosphorylation by TAF1.

Main Category		Category
Annotations		
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->A: No effect SUMO1 conjugation.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->A: No effect on interaction with MDM2 and increase
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->E: Inhibits strongly its transcriptional activity.
Functional Annotations	UP_SEQ_FEATURE	REGION:Basic (repression of DNA-binding)
Functional Annotations	UP_SEQ_FEATURE	REGION:Disordered
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with AXIN1
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with CARM1
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with CCAR2
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with DNA
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with E4F1
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with HIPK1
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with HIPK2
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with HRMT1L2
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with MORN3
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with USP7
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with WWOX
Functional Annotations	UP_SEQ_FEATURE	REGION:Interaction with the 53BP2 SH3 domain
Functional Annotations	UP_SEQ_FEATURE	REGION:Oligomerization
Functional Annotations	UP_SEQ_FEATURE	REGION:Required for interaction with FBXO42
Functional Annotations	UP_SEQ_FEATURE	REGION:Required for interaction with ZNF385A
Functional	UP_SEQ_FEATURE	REGION:Transcription activation (acidic)

Main Category		Category
Annotations		
Functional Annotations	UP_SEQ_FEATURE	SITE:Interaction with DNA
Functional Annotations	UP_SEQ_FEATURE	TRANSMEM:Helical
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	mitophagy
Gene Ontology	GOTERM_BP_DIRECT	in utero embryonic development
Gene Ontology	GOTERM_BP_DIRECT	somitogenesis
Gene Ontology	GOTERM_BP_DIRECT	release of cytochrome c from mitochondria
Gene Ontology	GOTERM_BP_DIRECT	hematopoietic progenitor cell differentiation
Gene Ontology	GOTERM_BP_DIRECT	T cell proliferation involved in immune response
Gene Ontology	GOTERM_BP_DIRECT	B cell lineage commitment
Gene Ontology	GOTERM_BP_DIRECT	T cell lineage commitment
Gene Ontology	GOTERM_BP_DIRECT	response to ischemia
Gene Ontology	GOTERM_BP_DIRECT	nucleotide-excision repair
Gene Ontology	GOTERM_BP_DIRECT	double-strand break repair
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	protein import into nucleus
Gene Ontology	GOTERM_BP_DIRECT	autophagy
Gene Ontology	GOTERM_BP_DIRECT	apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	DNA damage response
Gene	GOTERM_BP_DIRECT	response to oxidative stress

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	ER overload response
Gene Ontology	GOTERM_BP_DIRECT	transforming growth factor beta receptor signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	Ras protein signal transduction
Gene Ontology	GOTERM_BP_DIRECT	regulation of mitotic cell cycle
Gene Ontology	GOTERM_BP_DIRECT	gastrulation
Gene Ontology	GOTERM_BP_DIRECT	neuroblast proliferation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of neuroblast proliferation
Gene Ontology	GOTERM_BP_DIRECT	central nervous system development
Gene Ontology	GOTERM_BP_DIRECT	heart development
Gene Ontology	GOTERM_BP_DIRECT	circadian rhythm
Gene Ontology	GOTERM_BP_DIRECT	intracellular protein localization
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of DNA replication
Gene Ontology	GOTERM_BP_DIRECT	cell population proliferation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of cell population proliferation
Gene Ontology	GOTERM_BP_DIRECT	determination of adult lifespan
Gene Ontology	GOTERM_BP_DIRECT	mRNA transcription
Gene Ontology	GOTERM_BP_DIRECT	rRNA transcription
Gene Ontology	GOTERM_BP_DIRECT	response to xenobiotic stimulus
Gene Ontology	GOTERM_BP_DIRECT	response to UV
Gene Ontology	GOTERM_BP_DIRECT	response to salt stress
Gene	GOTERM_BP_DIRECT	embryo development ending in birth or egg hatching

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	response to X-ray
Gene Ontology	GOTERM_BP_DIRECT	response to ionizing radiation
Gene Ontology	GOTERM_BP_DIRECT	response to gamma radiation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	cardiac muscle cell apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of cardiac muscle cell apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	programmed cell death
Gene Ontology	GOTERM_BP_DIRECT	glial cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	viral process
Gene Ontology	GOTERM_BP_DIRECT	glucose catabolic process to lactate via pyruvate
Gene Ontology	GOTERM_BP_DIRECT	cerebellum development
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of cell growth
Gene Ontology	GOTERM_BP_DIRECT	DNA damage response, signal transduction by p53 class mediator
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of transforming growth factor beta receptor signaling
Gene Ontology	GOTERM_BP_DIRECT	mitotic G1 DNA damage checkpoint signaling
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of telomere maintenance via telomerase
Gene Ontology	GOTERM_BP_DIRECT	T cell differentiation in thymus
Gene Ontology	GOTERM_BP_DIRECT	tumor necrosis factor-mediated signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	cellular response to stress
Gene	GOTERM_BP_DIRECT	regulation of tissue remodeling

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	cellular response to UV
Gene Ontology	GOTERM_BP_DIRECT	multicellular organism growth
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of mitochondrial membrane permeability
Gene Ontology	GOTERM_BP_DIRECT	regulation of cell population proliferation
Gene Ontology	GOTERM_BP_DIRECT	cellular response to glucose starvation
Gene Ontology	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway in response to DNA damage
Gene Ontology	GOTERM_BP_DIRECT	regulation of apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	entrainment of circadian clock by photoperiod
Gene Ontology	GOTERM_BP_DIRECT	mitochondrial DNA repair
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA damage response, signal transduction by p53 cl
Gene Ontology	GOTERM_BP_DIRECT	regulation of neuron apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of neuron apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	transcription initiation-coupled chromatin remodeling
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of proteolysis
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of RNA polymerase II transcription preinitiation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of mitotic cell cycle
Gene	GOTERM_BP_DIRECT	positive regulation of transcription by RNA polymerase II

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	response to antibiotic
Gene Ontology	GOTERM_BP_DIRECT	fibroblast proliferation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of fibroblast proliferation
Gene Ontology	GOTERM_BP_DIRECT	rhythmic process
Gene Ontology	GOTERM_BP_DIRECT	circadian behavior
Gene Ontology	GOTERM_BP_DIRECT	bone marrow development
Gene Ontology	GOTERM_BP_DIRECT	embryonic organ development
Gene Ontology	GOTERM_BP_DIRECT	protein stabilization
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of DNA metabolic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of helicase activity
Gene Ontology	GOTERM_BP_DIRECT	protein tetramerization
Gene Ontology	GOTERM_BP_DIRECT	chromosome organization
Gene Ontology	GOTERM_BP_DIRECT	neuron apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	regulation of cell cycle
Gene Ontology	GOTERM_BP_DIRECT	hematopoietic stem cell differentiation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of glial cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	type II interferon-mediated signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	cardiac septum morphogenesis
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of programmed necrotic cell death
Gene Ontology	GOTERM_BP_DIRECT	protein-containing complex assembly
Gene	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway in response to endoplasmic r

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	thymocyte apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	regulation of thymocyte apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of thymocyte apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	necroptotic process
Gene Ontology	GOTERM_BP_DIRECT	cellular response to hypoxia
Gene Ontology	GOTERM_BP_DIRECT	cellular response to xenobiotic stimulus
Gene Ontology	GOTERM_BP_DIRECT	cellular response to ionizing radiation
Gene Ontology	GOTERM_BP_DIRECT	cellular response to gamma radiation
Gene Ontology	GOTERM_BP_DIRECT	cellular response to UV-C
Gene Ontology	GOTERM_BP_DIRECT	stem cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	signal transduction by p53 class mediator
Gene Ontology	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway by p53 class mediator
Gene Ontology	GOTERM_BP_DIRECT	reactive oxygen species metabolic process
Gene Ontology	GOTERM_BP_DIRECT	cellular response to actinomycin D
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of release of cytochrome c from mitochondria
Gene Ontology	GOTERM_BP_DIRECT	cellular senescence
Gene Ontology	GOTERM_BP_DIRECT	replicative senescence
Gene Ontology	GOTERM_BP_DIRECT	oxidative stress-induced premature senescence
Gene Ontology	GOTERM_BP_DIRECT	apoptotic signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway
Gene	GOTERM_BP_DIRECT	oligodendrocyte apoptotic process

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of execution phase of apoptosis
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of mitophagy
Gene Ontology	GOTERM_BP_DIRECT	regulation of mitochondrial membrane permeability involved in apoptosis
Gene Ontology	GOTERM_BP_DIRECT	regulation of intrinsic apoptotic signaling pathway by p53 class member
Gene Ontology	GOTERM_BP_DIRECT	regulation of cell cycle G2/M phase transition
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of miRNA transcription
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of G1 to G0 transition
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of miRNA processing
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of glucose catabolic process to lactate via pyruvate
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of pentose-phosphate shunt
Gene Ontology	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway in response to hypoxia
Gene Ontology	GOTERM_BP_DIRECT	regulation of fibroblast apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of reactive oxygen species metabolic process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of reactive oxygen species metabolic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of stem cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	regulation of cellular senescence
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of cellular senescence
Gene Ontology	GOTERM_BP_DIRECT	regulation of intrinsic apoptotic signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of intrinsic apoptotic signaling pathway
Gene Ontology	GOTERM_CC_DIRECT	chromatin
Gene Ontology	GOTERM_CC_DIRECT	nucleus

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_CC_DIRECT	nucleoplasm
Gene Ontology	GOTERM_CC_DIRECT	replication fork
Gene Ontology	GOTERM_CC_DIRECT	transcription regulator complex
Gene Ontology	GOTERM_CC_DIRECT	nucleolus
Gene Ontology	GOTERM_CC_DIRECT	cytoplasm
Gene Ontology	GOTERM_CC_DIRECT	mitochondrion
Gene Ontology	GOTERM_CC_DIRECT	mitochondrial matrix
Gene Ontology	GOTERM_CC_DIRECT	endoplasmic reticulum
Gene Ontology	GOTERM_CC_DIRECT	centrosome
Gene Ontology	GOTERM_CC_DIRECT	cytosol
Gene Ontology	GOTERM_CC_DIRECT	cytoskeleton
Gene Ontology	GOTERM_CC_DIRECT	membrane
Gene Ontology	GOTERM_CC_DIRECT	nuclear matrix
Gene Ontology	GOTERM_CC_DIRECT	nuclear body
Gene Ontology	GOTERM_CC_DIRECT	PML body
Gene Ontology	GOTERM_CC_DIRECT	transcription repressor complex
Gene Ontology	GOTERM_CC_DIRECT	protein-containing complex
Gene Ontology	GOTERM_CC_DIRECT	site of double-strand break
Gene Ontology	GOTERM_CC_DIRECT	germ cell nucleus
Gene Ontology	GOTERM_MF_DIRECT	transcription cis-regulatory region binding
Gene	GOTERM_MF_DIRECT	RNA polymerase II transcription regulatory region sequence-specific

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_MF_DIRECT	RNA polymerase II cis-regulatory region sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity, RNA polymerase II-specific
Gene Ontology	GOTERM_MF_DIRECT	cis-regulatory region sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	core promoter sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	TFIID-class transcription factor complex binding
Gene Ontology	GOTERM_MF_DIRECT	transcription coactivator binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription repressor activity, RNA polymerase II-sp
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription activator activity, RNA polymerase II-spe
Gene Ontology	GOTERM_MF_DIRECT	protease binding
Gene Ontology	GOTERM_MF_DIRECT	p53 binding
Gene Ontology	GOTERM_MF_DIRECT	DNA binding
Gene Ontology	GOTERM_MF_DIRECT	chromatin binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity
Gene Ontology	GOTERM_MF_DIRECT	mRNA 3'-UTR binding
Gene Ontology	GOTERM_MF_DIRECT	copper ion binding
Gene Ontology	GOTERM_MF_DIRECT	protein binding
Gene Ontology	GOTERM_MF_DIRECT	zinc ion binding
Gene Ontology	GOTERM_MF_DIRECT	enzyme binding
Gene Ontology	GOTERM_MF_DIRECT	receptor tyrosine kinase binding
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin protein ligase binding
Gene	GOTERM_MF_DIRECT	histone deacetylase regulator activity

Main Category	Category	
Ontology		
Gene Ontology	GOTERM_MF_DIRECT	ATP-dependent DNA/DNA annealing activity
Gene Ontology	GOTERM_MF_DIRECT	identical protein binding
Gene Ontology	GOTERM_MF_DIRECT	histone deacetylase binding
Gene Ontology	GOTERM_MF_DIRECT	metal ion binding
Gene Ontology	GOTERM_MF_DIRECT	protein heterodimerization activity
Gene Ontology	GOTERM_MF_DIRECT	protein-folding chaperone binding
Gene Ontology	GOTERM_MF_DIRECT	protein phosphatase 2A binding
Gene Ontology	GOTERM_MF_DIRECT	RNA polymerase II-specific DNA-binding transcription factor binding
Gene Ontology	GOTERM_MF_DIRECT	14-3-3 protein binding
Gene Ontology	GOTERM_MF_DIRECT	MDM2/MDM4 family protein binding
Gene Ontology	GOTERM_MF_DIRECT	disordered domain specific binding
Gene Ontology	GOTERM_MF_DIRECT	general transcription initiation factor binding
Gene Ontology	GOTERM_MF_DIRECT	molecular function activator activity
Gene Ontology	GOTERM_MF_DIRECT	molecular condensate scaffold activity
Gene Ontology	GOTERM_MF_DIRECT	promoter-specific chromatin binding
General Annotations	CHROMOSOME	17
General Annotations	CYTOGENETIC_LOCATION	17p13.1
General Annotations	ENTREZ_GENE_SUMMARY	This gene encodes a tumor suppressor protein containing transcri responds to diverse cellular stresses to regulate expression of targ changes in metabolism. Mutations in this gene are associated with syndrome. Alternative splicing of this gene and the use of alternate have also been shown to result from the use of alternate translation (20937277). [provided by RefSeq, Dec 2016]
General Annotations	UP_COMMENT_ALTERNATIVE_PRODUCTS	Event=Alternative promoter usage, Alternative splicing; Named iso Sequence=Displayed; Name=2; Synonyms=I9RET, p53beta; Isold=

Main Category	Category	
		Isold=P04637-3; Sequence=VSP_040560, VSP_040561; Name=4; S Sequence=VSP_040832; Name=5; Synonyms=Del40-p53beta; Iso Synonyms=Del40-p53gamma; Isold=P04637-6; Sequence=VSP_0 p53alpha; Isold=P04637-7; Sequence=VSP_040833; Name=8; Syn VSP_006536; Name=9; Synonyms=Del133-p53gamma; Isold=P04
General Annotations	UP_COMMENT_COFACTOR	Name=Zn(2+); Xref=ChEBI:CHEBI:29105; Evidence={ECO:000025
General Annotations	UP_COMMENT_COFACTOR	Name=Zn(2+); Xref=ChEBI:CHEBI:29105; Evidence={ECO:000025 ion per subunit. {ECO:0000256 PIRSR:PIRSR602117-1, ECO:00002
General Annotations	UP_COMMENT_COFACTOR	Name=Zn(2+); Xref=ChEBI:CHEBI:29105; Evidence={ECO:000025 PIRSR:PIRSR602117-1};
General Annotations	UP_COMMENT_COFACTOR	Name=Zn(2+); Xref=ChEBI:CHEBI:29105; Evidence={ECO:000026 PubMed:17015838, ECO:0000269 PubMed:18650397, ECO:00002 PubMed:20364130}; Note=Binds 1 zinc ion per subunit. {ECO:0000 PubMed:17015838, ECO:0000269 PubMed:18650397, ECO:00002 PubMed:20364130};
General Annotations	UP_COMMENT_DISEASE	Adrenocortical carcinoma (ADCC) [MIM:202300]: A malignant neo frequency in patients with Beckwith-Wiedemann syndrome and Li- caused by variants affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DISEASE	Basal cell carcinoma 7 (BCC7) [MIM:614740]: A common malignan sun-exposed areas. It is slow growing and rarely metastasizes, but firm, pale area that is small, raised, pink or red, translucent, shiny, a few millimeters to several centimeters in diameter. {ECO:0000269 affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DISEASE	Bone marrow failure syndrome 5 (BMFS5) [MIM:618165]: A form o disorders characterized by hematopoietic defects in association w dominant form characterized by infantile onset of severe red cell a poor growth with microcephaly, developmental delay, and seizures affecting the gene represented in this entry.
General Annotations	UP_COMMENT_DISEASE	Esophageal cancer (ESCR) [MIM:133239]: A malignancy of the esop adenocarcinoma. Cancer of the esophagus remains a devastating incurable stage. Note=The disease is caused by variants affecting
General Annotations	UP_COMMENT_DISEASE	Li-Fraumeni syndrome (LFS) [MIM:151623]: An autosomal domina proband affected by a sarcoma before 45 years with a first degree with any tumor before 45 years or a sarcoma at any age. Other clin (LFL). In these families affected relatives develop a diverse set of tumors occurring in TP53 germline mutation carriers: breast cance adrenocortical carcinomas. Less frequent tumors include choroid the age of 5, leukemia, Wilms tumor, malignant phyllodes tumor, co PubMed:1565144, ECO:0000269 PubMed:1737852, ECO:0000269 PubMed:2259385, ECO:0000269 PubMed:36108750, ECO:0000269 PubMed:9452042}. Note=The disease is caused by variants affect
General Annotations	UP_COMMENT_DISEASE	Lung cancer (LNCR) [MIM:211980]: A common malignancy affecti cancer (NSCLC) that can be divided into 3 major histologic subtype is often diagnosed at an advanced stage and has a poor prognosis entry.
General Annotations	UP_COMMENT_DISEASE	Note=TP53 is found in increased amounts in a wide variety of tran TP53 defects are found in Barrett metaplasia a condition in which a metaplastic columnar epithelium. The condition develops as a co disease and predisposes to the development of esophageal adeno

Main
Category

Category

IntAct=EBI-366083, EBI-711221; P04637; Q9BX70: BTBD2; NbExp=1;
IntAct=EBI-366083, EBI-307461; P04637; P55212: CASP6; NbExp=1;
IntAct=EBI-366083, EBI-711501; P04637; P48643: CCT5; NbExp=3;
IntAct=EBI-366083, EBI-375077; P04637; P17676: CEBPB; NbExp=1;
IntAct=EBI-366083, EBI-81215; P04637; P55060: CSE1L; NbExp=5;
IntAct=EBI-366083, EBI-308606; P04637; Q8IWT3: CUL9; NbExp=1;
IntAct=EBI-366083, EBI-949911; P04637; Q9UER7: DAXX; NbExp=1;
IntAct=EBI-366083, EBI-746012; P04637; P17844: DDX5; NbExp=6;
IntAct=EBI-366083, EBI-528367; P04637; Q9BV47: DUSP26; NbExp=1;
IntAct=EBI-366083, EBI-740850; P04637; Q09472: EP300; NbExp=2;
IntAct=EBI-366083, EBI-1646991; P04637; Q86XK2: FBXO11; NbExp=1;
IntAct=EBI-366083, EBI-9641086; P04637; P51114: FXR1; NbExp=2;
IntAct=EBI-366083, EBI-373586; P04637; P32780: GTF2H1; NbExp=1;
IntAct=EBI-366083, EBI-301834; P04637; Q86Z02: HIPK1; NbExp=2;
IntAct=EBI-366083, EBI-389432; P04637; P41235: HNF4A; NbExp=1;
IntAct=EBI-366083, EBI-304185; P04637; P61978-2: HNRNPK; NbExp=1;
IntAct=EBI-366083, EBI-354932; P04637; P04792: HSPB1; NbExp=1;
IntAct=EBI-366083, EBI-466029; P04637; Q7Z6Z7: HUWE1; NbExp=1;
IntAct=EBI-366083, EBI-6273540; P04637; O14920: IKBKB; NbExp=1;
IntAct=EBI-366083, EBI-747509; P04637; Q6NYC1: JMJD6; NbExp=1;
IntAct=EBI-366083, EBI-399080; P04637; Q9H7Z6: KAT8; NbExp=2;
IntAct=EBI-366083, EBI-15599570; P04637; Q8IZD2: KMT2E; NbExp=1;
IntAct=EBI-366083, EBI-21591415; P04637; P43356: MAGEA2B; NbExp=1;
IntAct=EBI-366083, EBI-741835; P04637; Q9UBF1: MAGEC2; NbExp=1;
IntAct=EBI-366083, EBI-764611; P04637; Q15759: MAPK11; NbExp=1;
IntAct=EBI-366083, EBI-1201460; P04637; Q00987: MDM2; NbExp=1;
IntAct=EBI-366083, EBI-398437; P04637; Q9UHC7: MKRN1; NbExp=1;
IntAct=EBI-366083, EBI-821405; P04637; P04731: MT1A; NbExp=3;
IntAct=EBI-366083, EBI-346967; P04637; Q9Y618: NCOR2; NbExp=1;
IntAct=EBI-366083, EBI-718177; P04637; P23511: NFYA; NbExp=1;
IntAct=EBI-366083, EBI-389728; P04637; Q9Y3T9: NOC2L; NbExp=1;
IntAct=EBI-366083, EBI-740992; P04637; P06748: NPM1; NbExp=6;
IntAct=EBI-366083, EBI-354150; P04637; Q15466: NR0B2; NbExp=1;
IntAct=EBI-366083, EBI-721550; P04637; O43847: NRDC; NbExp=6;
IntAct=EBI-366083, EBI-1046789; P04637; P49757: NUMB; NbExp=1;
IntAct=EBI-366083, EBI-1058491; P04637; Q8TEW0: PARD3; NbExp=1;
IntAct=EBI-366083, EBI-355676; P04637; Q96KB5: PBK; NbExp=7;
IntAct=EBI-366083, EBI-752057; P04637; P35232: PHB1; NbExp=6;
IntAct=EBI-366083, EBI-629434; P04637; Q8N2W9: PIAS4; NbExp=1;
IntAct=EBI-366083, EBI-79893; P04637; Q13526: PIN1; NbExp=12;
IntAct=EBI-366083, EBI-476768; P04637; P29590: PML; NbExp=4;
IntAct=EBI-366083, EBI-50433196; P04637; P30405: PPIF; NbExp=1;
IntAct=EBI-366083, EBI-356289; P04637; Q8WUF5: PPP1R13L; NbExp=1;
IntAct=EBI-366083, EBI-302388; P04637; Q13362: PPP2R5C; NbExp=1;
IntAct=EBI-366083, EBI-704279; P04637; P61289: PSME3; NbExp=1;
IntAct=EBI-366083, EBI-702142; P04637; Q06609: RAD51; NbExp=1;
IntAct=EBI-366083, EBI-632552; P04637; Q96PM5: RCHY1; NbExp=1;
IntAct=EBI-366083, EBI-2129159; P04637; Q06587: RING1; NbExp=1;
IntAct=EBI-366083, EBI-351193; P04637; Q9Y265: RUVBL1; NbExp=1;
IntAct=EBI-366083, EBI-752324; P04637; P23297: S100A1; NbExp=1;
IntAct=EBI-366083, EBI-701862; P04637; P29034: S100A2; NbExp=1;
IntAct=EBI-366083, EBI-1044747; P04637; P26447: S100A4; NbExp=1;
IntAct=EBI-366083, EBI-7211732; P04637; P06703: S100A6; NbExp=1;
IntAct=EBI-366083, EBI-458391; P04637; P25815: S100P; NbExp=2;
IntAct=EBI-366083, EBI-348298; P04637; Q8WTS6: SETD7; NbExp=1;
IntAct=EBI-366083, EBI-476295; P04637; Q96ST3: SIN3A; NbExp=2;
IntAct=EBI-366083, EBI-1802965; P04637; Q15796: SMAD2; NbExp=1;
IntAct=EBI-366083, EBI-1055671; P04637; Q95863: SNAI1; NbExp=1;
IntAct=EBI-366083, EBI-6672525; P04637; P08047: SP1; NbExp=3;
IntAct=EBI-366083, EBI-465059; P04637; Q96SB4: SRPK1; NbExp=1;
IntAct=EBI-366083, EBI-1054052; P04637; P63165: SUMO1; NbExp=1;

Main Category	Category	
Annotations		Monomethylated at Lys-370 by SMYD2, leading to decreased DNA (PubMed:17108971). Lys-372 monomethylation prevents interaction with DNMT3A and DNMT3B (PubMed:20118234) and leading to repress transcriptional activity (PubMed:17707234). Stabilizing association with the methyl reader PHF20 (PubMed:22864287) with TP53BP1 and represses TP53-mediated transcriptional activity. Arg-335 and Arg-337 by PRMT5; methylation is increased after DNA damage (PubMed:19011621). {ECO:0000269 PubMed:15525938, ECO:0000269 PubMed:17707234, ECO:0000269 PubMed:17805299, ECO:0000269 PubMed:22864287}.
General Annotations	UP_COMMENT_PTM	Phosphorylation on Ser residues mediates transcriptional activation and increases repression activity on BIRC5 promoter. Phosphorylated on Ser-20 (PubMed:10951572, PubMed:31527692). Phosphorylated on Ser-20 by PLK3 in response to reactive oxygen species (PubMed:17707234). Phosphorylated on Thr-55 by TAF1, which promotes MDM2-mediated degradation. Phosphorylated on Ser-46 by HIPK2 upon UV irradiation. Phosphorylation following UV but not gamma irradiation. Phosphorylated by NUA1. It was later shown that it is indirect and that STK11/LKB1-dependent (PubMed:21317932). It is unclear whether AMP directly mediates phosphorylation by VRK2. Phosphorylation on Thr-18 by isoform 2 of VRK2 results in a stable complex. Stabilized by CDK5-mediated phosphorylation in response to genotoxic stress of p53/TP53, particularly in the nucleus, thus inducing the transactivation to genotoxic stress. Phosphorylated at Ser-315 and Ser-392 by CDK5 in interaction with DDX3X and gamma-tubulin (PubMed:28842590). Phosphorylation separates by increasing fluidity of TP53/p53 condensates (PubMed:10606744, PubMed:10884347, ECO:0000269 PubMed:11447225, ECO:0000269 PubMed:11546806, ECO:0000269 PubMed:11740489, ECO:0000269 PubMed:11780126, ECO:0000269 PubMed:15053879, ECO:0000269 PubMed:15866171, ECO:0000269 PubMed:1705009, ECO:0000269 PubMed:17108107, ECO:0000269 PubMed:17591690, ECO:0000269 PubMed:17967874, ECO:0000269 PubMed:20124405, ECO:0000269 PubMed:20959462, ECO:0000269 PubMed:22214662, ECO:0000269 PubMed:28842590, ECO:0000269 PubMed:28842590).
General Annotations	UP_COMMENT_PTM	Sumoylated with SUMO1. Sumoylated at Lys-386 by UBC9. {ECO:0000269 PubMed:17108107, ECO:0000269 PubMed:17591690, ECO:0000269 PubMed:17967874, ECO:0000269 PubMed:20124405, ECO:0000269 PubMed:20959462, ECO:0000269 PubMed:22214662, ECO:0000269 PubMed:28842590, ECO:0000269 PubMed:28842590}. Ref.37}.
General Annotations	UP_COMMENT_PTM	Ubiquitinated by MDM2 and SYVN1, which leads to proteasomal degradation (PubMed:17170702, PubMed:19880522, PubMed:29681526). Ubiquitinated by MDM2 leading to formation of short polyubiquitin chains on p53/TP53 that are not targeted to proteasome (PubMed:20173098). Ubiquitinated by MKRN1 at Lys-291 and Lys-292 by USP10, leading to its stabilization (PubMed:20096447). Ubiquitinated by MDM2 leading to degradation (PubMed:19556538). Ubiquitination by TOPORS induces stabilization (PubMed:15053880). Isoform 4 is monoubiquitinated by MDM2 which leads to proteasomal degradation (PubMed:19837670). Ubiquitinated by CCAR2 (PubMed:25732823). Polyubiquitinated by C10orf90/FATS2 leading to TP53 stabilization (By similarity). Polyubiquitinated by MUL1 at Lys-291 by USP3, leading to stabilization (PubMed:28807825). Ubiquitinated by MDM2 ubiquitinated by the SCF(FBXO22)-KDMA4A complex; leading to proteasomal degradation (ECO:0000269 PubMed:10722742, ECO:0000269 PubMed:12810722, ECO:0000269 PubMed:17170702, ECO:0000269 PubMed:18206962, ECO:0000269 PubMed:19536131, ECO:0000269 PubMed:19556538, ECO:0000269 PubMed:20096447, ECO:0000269 PubMed:20173098, ECO:0000269 PubMed:25732823, ECO:0000269 PubMed:26868142).
General Annotations	UP_COMMENT_SIMILARITY	Belongs to the p53 family. {ECO:0000256 ARBA:ARBA00006167, ECO:0000256 ARBA:ARBA00006167}.
General Annotations	UP_COMMENT_SIMILARITY	Belongs to the p53 family. {ECO:0000256 ARBA:ARBA00006167}.

Main Category	Category	
General Annotations	UP_COMMENT_SIMILARITY	Belongs to the p53 family. {ECO:0000305}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm {ECO:0000256 ARBA:ARBA00004496}. Mitochondrion {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm {ECO:0000256 RuleBase:RU003304}. Nucleus {ECO:0000256 ARBA:ARBA00004305}. Nucleus, PML body {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm {ECO:0000269 PubMed:15340061, ECO:0000269 PubMed:15340061, ECO:0000269 PubMed:21597459, ECO:0000269 PubMed:22726440, ECO:0000269 PubMed:15340061, ECO:0000269 PubMed:17170702, ECO:0000269 PubMed:19011621, ECO:0000269 PubMed:21597459, ECO:0000269 PubMed:11025664, ECO:0000269 PubMed:17170702}. Mitochondrion matrix {ECO:0000269 PubMed:27323408}. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, PML bodies together with CHEK2 (PubMed:12810724). Translocation of mitochondria in response to mitomycin C treatment (PubMed:27323408) results in increased protein abundance and subsequent translocation of PML bodies to mitochondria {ECO:0000269 PubMed:22726440, ECO:0000269 PubMed:24625970}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm, cytoskeleton {ECO:0000256 ARBA:ARBA00004245}. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome {ECO:0000256 RuleBase:RU003304}. Mitochondrion matrix {ECO:0000256 ARBA:ARBA00004305}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm, cytoskeleton {ECO:0000256 ARBA:ARBA00004245}. Mitochondrion matrix {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome {ECO:0000256 RuleBase:RU003304}. Nucleus {ECO:0000256 RuleBase:RU003304}. Mitochondrion matrix {ECO:0000256 ARBA:ARBA00004305}. Nucleus, PML body {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome {ECO:0000256 RuleBase:RU003304}. Nucleus {ECO:0000256 RuleBase:RU003304}. Mitochondrion matrix {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome {ECO:0000256 ARBA:ARBA00004305}. Nucleus, PML body {ECO:0000256 ARBA:ARBA00004322}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Mitochondrion matrix {ECO:0000256 ARBA:ARBA00004305}. Nucleus {ECO:0000256 ARBA:ARBA00004123}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 1]: Nucleus {ECO:0000269 PubMed:23752197}. Cytoplasm {ECO:0000256 ARBA:ARBA00004322}. isoform 4.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 2]: Nucleus. Cytoplasm. Note=Localized mainly in the nucleus in some cells.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 3]: Nucleus. Cytoplasm. Note=Localized in the nucleus in some cells.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 4]: Nucleus. Cytoplasm. Note=Predominantly nuclear but also found in cytoplasm.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 7]: Nucleus. Cytoplasm. Note=Localized mainly in the nucleus in some cells.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 8]: Nucleus. Cytoplasm. Note=Localized in both nucleus and cytoplasm, but different from nucleoli.

Main Category	Category	
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 9]: Cytoplasm.
General Annotations	UP_COMMENT_SUBUNIT	(Microbial infection) Interacts (via N-terminus) with human adenovirus 12S or its degradation. {ECO:0000269 PubMed:25772236}.
General Annotations	UP_COMMENT_SUBUNIT	(Microbial infection) Interacts with Kaposi's sarcoma-associated herpesvirus 1 localization of TP53 thereby decreasing its transcriptional activity.
General Annotations	UP_COMMENT_SUBUNIT	(Microbial infection) Interacts with cancer-associated/HPV E6 viral oncoprotein model for cell growth regulation. This complex formation requires E6. {ECO:0000269 PubMed:2175676}.
General Annotations	UP_COMMENT_SUBUNIT	(Microbial infection) Interacts with human cytomegalovirus/HHV-5 protein.
General Annotations	UP_COMMENT_SUBUNIT	Binds DNA as a homotetramer. {ECO:0000256 RuleBase:RU003304}.
General Annotations	UP_COMMENT_SUBUNIT	Forms homodimers and homotetramers (PubMed:19011621). Binds to the DNA as part of a complex consisting of TP53, HIPK2 and AXIN1 (By similarity). Interacts with HRMT1L2 and CARM1, and recruits them to promoters. Interacts (via C-terminal domain) with ING4; this interaction may be indirect. Found in a complex with CAAT-1 and WWOX. May interact with HCV core protein. Interacts with USP7 and MDM2, and H1 and prevent transactivation activity (By similarity). Interacts with YWHAZ; the interaction enhances TP53 transcriptional activity. Phosphorylated (phosphorylation domain) with MAML1 (via N-terminus). Interacts with MKI67, leading to ubiquitination and proteasomal degradation of TP53. Directly interacts with (phosphorylated at Ser-15 by ATM) with the phosphatase PP2A-PP2C complex, promoting proliferation. Interacts with PPP2R2A. Interacts with AURKA, DAXX and ATRX. Isoform 1 interacts with isoform 2 and with isoform 4. Interacts with MDM2 in response to DNA damage. Interacts with CDK5 in neurons. Interacts with AURKB, SEI1 and MDM2, leading to ubiquitination by MDM2. Interacts with PTK2B/PYK2; this promotes transcriptional activity. Association implicates preferentially tetrameric TP53, is induced by DNA damage. Interaction induces SNAI1 degradation via MDM2-mediated ubiquitination. Interacts with ZNF385B; the interaction is direct. Interacts (via DNA-binding domain) with p53/TP53 transcriptional functions on cell-cycle arrest target genes, resulting in p53/TP53 ubiquitination. Interacts with MTA1 and COP1. Interacts with MDM2. Interacts (via C-terminus) with POU4F2 isoform 1 (via C-terminus). Interacts with MDM2; this interaction is direct and may prevent the MDM2-mediated proteasomal degradation of TP53 mitochondrial translocation of TP53 (PubMed:27323408). Interacts with MDM2 (PubMed:20096117). Interacts with C10orf90/FATS; the interaction is direct. This interaction is stress-dependent (PubMed:18690848). Forms a complex with MDM2, leading to transcriptional induction of CDKN1A (PubMed:18690848). Interacts with MDM2 in a DNA-dependent manner (PubMed:19011621). Interacts with PPP1R13L (via SH3 domain) and TP53 (PubMed:12524540). Interacts with PPP1R13B/ASPP1 and TAF11 (PubMed:12524540). When phosphorylated at Ser-15, interacts with MDM2, leading to inhibit histone acetyltransferase activity of KAT7/HBO1. Interacts with MDM1 and MUL1; the interaction results in ubiquitination of cytoplasmic TP53. Interacts with S100A4; this interaction promotes TP53 degradation. Interacts with TTC5/STRAP; the interaction may result in increased transcriptional activity. This interaction is NADH-dependent, stabilizes TP53 in response to DNA damage. Interacts with 20S proteasome (PubMed:15687255). Interacts with DAZAP2 at TAF11, leading to modulation of the expression of a subset of TP53 target genes, and to the repression of TP53 target genes (PubMed:33591310). Interacts (via N-terminus) with MDM2 by TP53 oligomerization state (PubMed:34404770). Forms a ternary complex with MDM2 and G6PD inhibiting G6PD activity and keeping oxidative pentose phosphate cycle post-transcriptional modifications of TP53 by MDM2 and SIRT1 (PubMed:24625977). Interacts with FBXO22; this interaction promotes TP53 degradation. {ECO:0000250 UniProtKB:P02340, ECO:0000250 UniProtKB:P10362, ECO:0000269 PubMed:12810724, ECO:0000269 PubMed:12851400}.

Main Category	Category	
		ECO:0000269 PubMed:15053879, ECO:0000269 PubMed:1510930 ECO:0000269 PubMed:15687255, ECO:0000269 PubMed:1585517 ECO:0000269 PubMed:16376338, ECO:0000269 PubMed:1637762 ECO:0000269 PubMed:16793544, ECO:0000269 PubMed:1684538 ECO:0000269 PubMed:17121812, ECO:0000269 PubMed:1714571 ECO:0000269 PubMed:17317671, ECO:0000269 PubMed:1733250 ECO:0000269 PubMed:17904127, ECO:0000269 PubMed:1795456 ECO:0000269 PubMed:18650397, ECO:0000269 PubMed:1869084 ECO:0000269 PubMed:19509332, ECO:0000269 PubMed:1951572 ECO:0000269 PubMed:19837670, ECO:0000269 PubMed:1988052 ECO:0000269 PubMed:20142040, ECO:0000269 PubMed:2022880 ECO:0000269 PubMed:20660729, ECO:0000269 PubMed:2087072 ECO:0000269 PubMed:21952639, ECO:0000269 PubMed:2221466 ECO:0000269 PubMed:22945289, ECO:0000269 PubMed:2343117 ECO:0000269 PubMed:25168243, ECO:0000269 PubMed:2542246 ECO:0000269 PubMed:27323408, ECO:0000269 PubMed:2884259 ECO:0000269 PubMed:33591310, ECO:0000269 PubMed:3440477 ECO:0000269 PubMed:8875929, ECO:0000269 PubMed:9840937}
General Annotations	UP_COMMENT_TISSUE_SPECIFICITY	Ubiquitous. Isoforms are expressed in a wide range of normal tissues but is not detected in brain, lung, prostate, muscle, fetal brain, not detected in lung, spleen, testis, fetal brain, spinal cord and fetal prostate, uterus, skeletal muscle and breast. Isoform 8 is detected in most normal tissues but is not detected in brain, heart, lung, fetal
Identifiers	ENTREZ_GENE_ID	7157
Identifiers	ENSEMBL_GENE_ID	ENSG00000141510
Identifiers	UNIPROT_ID	U6BHT9_HUMAN
Identifiers	UNIPROT_ID	U6BGT3_HUMAN
Identifiers	UNIPROT_ID	U6BHU6_HUMAN
Identifiers	UNIPROT_ID	U6BKV7_HUMAN
Identifiers	UNIPROT_ID	U6BI14_HUMAN
Identifiers	UNIPROT_ID	S5M706_HUMAN
Identifiers	UNIPROT_ID	S5LME3_HUMAN
Identifiers	UNIPROT_ID	S5LQQ1_HUMAN
Identifiers	UNIPROT_ID	S5M713_HUMAN
Identifiers	UNIPROT_ID	S5M224_HUMAN
Identifiers	UNIPROT_ID	S5LJ61_HUMAN
Identifiers	UNIPROT_ID	S5LMI5_HUMAN
Identifiers	UNIPROT_ID	S5LQX7_HUMAN
Identifiers	UNIPROT_ID	S5LQU3_HUMAN
Identifiers	UNIPROT_ID	S5LJ04_HUMAN
Identifiers	UNIPROT_ID	S5LMG1_HUMAN
Identifiers	UNIPROT_ID	S5M207_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	S5LJ49_HUMAN
Identifiers	UNIPROT_ID	S5LMC6_HUMAN
Identifiers	UNIPROT_ID	S5LQU8_HUMAN
Identifiers	UNIPROT_ID	S4R334_HUMAN
Identifiers	UNIPROT_ID	Q53GA5_HUMAN
Identifiers	UNIPROT_ID	Q2XSC7_HUMAN
Identifiers	UNIPROT_ID	Q1MSX0_HUMAN
Identifiers	UNIPROT_ID	Q1MSW8_HUMAN
Identifiers	UNIPROT_ID	Q1MSW9_HUMAN
Identifiers	UNIPROT_ID	Q19RW6_HUMAN
Identifiers	UNIPROT_ID	Q1HGV3_HUMAN
Identifiers	UNIPROT_ID	Q1HGV1_HUMAN
Identifiers	UNIPROT_ID	Q19RW5_HUMAN
Identifiers	UNIPROT_ID	Q1HGV0_HUMAN
Identifiers	UNIPROT_ID	Q1HGV2_HUMAN
Identifiers	UNIPROT_ID	Q0ZAJ9_HUMAN
Identifiers	UNIPROT_ID	Q0ZAK1_HUMAN
Identifiers	UNIPROT_ID	Q0ZAK0_HUMAN
Identifiers	UNIPROT_ID	P53_HUMAN
Identifiers	UNIPROT_ID	L0EQV3_HUMAN
Identifiers	UNIPROT_ID	L0EQS1_HUMAN
Identifiers	UNIPROT_ID	L0ERJ3_HUMAN
Identifiers	UNIPROT_ID	L0ERS6_HUMAN
Identifiers	UNIPROT_ID	L0EQX3_HUMAN
Identifiers	UNIPROT_ID	L0EQP9_HUMAN
Identifiers	UNIPROT_ID	L0EQY4_HUMAN
Identifiers	UNIPROT_ID	L0EPZ1_HUMAN
Identifiers	UNIPROT_ID	L0ENG9_HUMAN
Identifiers	UNIPROT_ID	L0EQT1_HUMAN
Identifiers	UNIPROT_ID	L0EQQ9_HUMAN
Identifiers	UNIPROT_ID	L0EQJ1_HUMAN
Identifiers	UNIPROT_ID	L0EPW3_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	L0ESB7_HUMAN
Identifiers	UNIPROT_ID	L0EQ92_HUMAN
Identifiers	UNIPROT_ID	L0EQU5_HUMAN
Identifiers	UNIPROT_ID	L0ES73_HUMAN
Identifiers	UNIPROT_ID	L0EQX9_HUMAN
Identifiers	UNIPROT_ID	L0ES54_HUMAN
Identifiers	UNIPROT_ID	L0ERK8_HUMAN
Identifiers	UNIPROT_ID	L0EPX4_HUMAN
Identifiers	UNIPROT_ID	L0EQ03_HUMAN
Identifiers	UNIPROT_ID	L0EQ89_HUMAN
Identifiers	UNIPROT_ID	L0EQE2_HUMAN
Identifiers	UNIPROT_ID	L0ESQ5_HUMAN
Identifiers	UNIPROT_ID	L0ENF7_HUMAN
Identifiers	UNIPROT_ID	L0ENG6_HUMAN
Identifiers	UNIPROT_ID	L0EPV7_HUMAN
Identifiers	UNIPROT_ID	L0ERL2_HUMAN
Identifiers	UNIPROT_ID	L0EQP1_HUMAN
Identifiers	UNIPROT_ID	L0ERI9_HUMAN
Identifiers	UNIPROT_ID	L0ES92_HUMAN
Identifiers	UNIPROT_ID	L0EPY0_HUMAN
Identifiers	UNIPROT_ID	L0ERB4_HUMAN
Identifiers	UNIPROT_ID	L0EQ05_HUMAN
Identifiers	UNIPROT_ID	L0EQ52_HUMAN
Identifiers	UNIPROT_ID	L0EP99_HUMAN
Identifiers	UNIPROT_ID	L0EP82_HUMAN
Identifiers	UNIPROT_ID	K7PPA8_HUMAN
Identifiers	UNIPROT_ID	K7PPU4_HUMAN
Identifiers	UNIPROT_ID	J3KP33_HUMAN
Identifiers	UNIPROT_ID	I3LOW9_HUMAN
Identifiers	UNIPROT_ID	H2EHT1_HUMAN
Identifiers	UNIPROT_ID	E9PCY9_HUMAN
Identifiers	UNIPROT_ID	E9PFT5_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	E7EMR6_HUMAN
Identifiers	UNIPROT_ID	E7ESS1_HUMAN
Identifiers	UNIPROT_ID	E7EQX7_HUMAN
Identifiers	UNIPROT_ID	E5RMA8_HUMAN
Identifiers	UNIPROT_ID	E2G6R5_HUMAN
Identifiers	UNIPROT_ID	D5KL89_HUMAN
Identifiers	UNIPROT_ID	D5KL88_HUMAN
Identifiers	UNIPROT_ID	D5KL86_HUMAN
Identifiers	UNIPROT_ID	D5KL87_HUMAN
Identifiers	UNIPROT_ID	D5KL90_HUMAN
Identifiers	UNIPROT_ID	B5AKF7_HUMAN
Identifiers	UNIPROT_ID	B5AKF5_HUMAN
Identifiers	UNIPROT_ID	B5AKF6_HUMAN
Identifiers	UNIPROT_ID	B4XAK8_HUMAN
Identifiers	UNIPROT_ID	B4XAL0_HUMAN
Identifiers	UNIPROT_ID	B1PZ15_HUMAN
Identifiers	UNIPROT_ID	A4GW74_HUMAN
Identifiers	UNIPROT_ID	A4GW67_HUMAN
Identifiers	UNIPROT_ID	A4GWB5_HUMAN
Identifiers	UNIPROT_ID	A4GWB8_HUMAN
Identifiers	UNIPROT_ID	A4GW75_HUMAN
Identifiers	UNIPROT_ID	A4GWD0_HUMAN
Identifiers	UNIPROT_ID	A4GW76_HUMAN
Identifiers	UNIPROT_ID	A4GWB4_HUMAN
Identifiers	UNIPROT_ID	A4GW97_HUMAN
Identifiers	UNIPROT_ID	A2I9Y7_HUMAN
Identifiers	UNIPROT_ID	A2I9Z2_HUMAN
Identifiers	UNIPROT_ID	A2I9Z0_HUMAN
Identifiers	UNIPROT_ID	A2I9Z1_HUMAN
Identifiers	UNIPROT_ID	A0AAQ5BHX5_HUMAN
Identifiers	UNIPROT_ID	A0AAQ5BHY1_HUMAN
Identifiers	UNIPROT_ID	A0AAQ5BHZ9_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	A0A514TT40_HUMAN
Identifiers	UNIPROT_ID	A0A514TSZ9_HUMAN
Identifiers	UNIPROT_ID	A0A514TSZ6_HUMAN
Identifiers	UNIPROT_ID	A0A514TT49_HUMAN
Identifiers	UNIPROT_ID	A0A514TSZ1_HUMAN
Identifiers	UNIPROT_ID	A0A514TT23_HUMAN
Identifiers	UNIPROT_ID	A0A514TT34_HUMAN
Identifiers	UNIPROT_ID	A0A514TT61_HUMAN
Identifiers	UNIPROT_ID	A0A514TT08_HUMAN
Identifiers	UNIPROT_ID	A0A514TT13_HUMAN
Identifiers	UNIPROT_ID	A0A514TT20_HUMAN
Identifiers	UNIPROT_ID	A0A514TT50_HUMAN
Identifiers	UNIPROT_ID	A0A3Q8QC73_HUMAN
Identifiers	UNIPROT_ID	A0A386NDB3_HUMAN
Identifiers	UNIPROT_ID	A0A386NCA6_HUMAN
Identifiers	UNIPROT_ID	A0A386NFX3_HUMAN
Identifiers	UNIPROT_ID	A0A386NCW8_HUMAN
Identifiers	UNIPROT_ID	A0A386NCB1_HUMAN
Identifiers	UNIPROT_ID	A0A386NDA8_HUMAN
Identifiers	UNIPROT_ID	A0A386NC25_HUMAN
Identifiers	UNIPROT_ID	A0A386NCX4_HUMAN
Identifiers	UNIPROT_ID	A0A386NC20_HUMAN
Identifiers	UNIPROT_ID	A0A386NBZ1_HUMAN
Identifiers	UNIPROT_ID	A0A386NC62_HUMAN
Identifiers	UNIPROT_ID	A0A386NFY2_HUMAN
Identifiers	UNIPROT_ID	A0A386NC22_HUMAN
Identifiers	UNIPROT_ID	A0A386NC55_HUMAN
Identifiers	UNIPROT_ID	A0A386NCU2_HUMAN
Identifiers	UNIPROT_ID	A0A386YR42_HUMAN
Identifiers	UNIPROT_ID	A0A386NG45_HUMAN
Identifiers	UNIPROT_ID	A0A346XLS9_HUMAN
Identifiers	UNIPROT_ID	A0A346XLR1_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	A0A346XLP6_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP8_HUMAN
Identifiers	UNIPROT_ID	A0A346XLT3_HUMAN
Identifiers	UNIPROT_ID	A0A346XLQ1_HUMAN
Identifiers	UNIPROT_ID	A0A346XLN9_HUMAN
Identifiers	UNIPROT_ID	A0A346XM38_HUMAN
Identifiers	UNIPROT_ID	A0A346XLS8_HUMAN
Identifiers	UNIPROT_ID	A0A346XLT2_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP1_HUMAN
Identifiers	UNIPROT_ID	A0A346XM39_HUMAN
Identifiers	UNIPROT_ID	A0A346XLX0_HUMAN
Identifiers	UNIPROT_ID	A0A346XM06_HUMAN
Identifiers	UNIPROT_ID	A0A346XLS6_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP0_HUMAN
Identifiers	UNIPROT_ID	A0A346XLX2_HUMAN
Identifiers	UNIPROT_ID	A0A346XLS7_HUMAN
Identifiers	UNIPROT_ID	A0A346XLX5_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP9_HUMAN
Identifiers	UNIPROT_ID	A0A346XLT1_HUMAN
Identifiers	UNIPROT_ID	A0A346XLX3_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP3_HUMAN
Identifiers	UNIPROT_ID	A0A346XLT0_HUMAN
Identifiers	UNIPROT_ID	A0A346XM51_HUMAN
Identifiers	UNIPROT_ID	A0A346XM05_HUMAN
Identifiers	UNIPROT_ID	A0A346XLU1_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP7_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP5_HUMAN
Identifiers	UNIPROT_ID	A0A346XLW8_HUMAN
Identifiers	UNIPROT_ID	A0A346XM50_HUMAN
Identifiers	UNIPROT_ID	A0A346XLY6_HUMAN
Identifiers	UNIPROT_ID	A0A346XM56_HUMAN
Identifiers	UNIPROT_ID	A0A346XM28_HUMAN

Main Category		Category
Identifiers	UNIPROT_ID	A0A346XM43_HUMAN
Identifiers	UNIPROT_ID	A0A346XLP2_HUMAN
Identifiers	UNIPROT_ID	A0A346XLW0_HUMAN
Identifiers	UNIPROT_ID	A0A346XM34_HUMAN
Identifiers	UNIPROT_ID	A0A346XLY3_HUMAN
Identifiers	UNIPROT_ID	A0A346XLT4_HUMAN
Identifiers	UNIPROT_ID	A0A346XLS5_HUMAN
Identifiers	UNIPROT_ID	A0A346XM49_HUMAN
Identifiers	UNIPROT_ID	A0A346XLN8_HUMAN
Identifiers	UNIPROT_ID	A0A346XLR9_HUMAN
Identifiers	UNIPROT_ID	A0A346XM22_HUMAN
Identifiers	UNIPROT_ID	A0A346XLW4_HUMAN
Identifiers	UNIPROT_ID	A0A346XM40_HUMAN
Identifiers	UNIPROT_ID	A0A223PQI5_HUMAN
Identifiers	UNIPROT_ID	A0A218MJE1_HUMAN
Identifiers	UNIPROT_ID	A0A218MJD5_HUMAN
Identifiers	UNIPROT_ID	A0A218MJC8_HUMAN
Identifiers	UNIPROT_ID	A0A218MJB0_HUMAN
Identifiers	UNIPROT_ID	A0A218MJE5_HUMAN
Identifiers	UNIPROT_ID	A0A218MJD9_HUMAN
Identifiers	UNIPROT_ID	A0A218MJF3_HUMAN
Identifiers	UNIPROT_ID	A0A1D8V7A7_HUMAN
Identifiers	UNIPROT_ID	A0A1B1PFC7_HUMAN
Identifiers	UNIPROT_ID	A0A1B1PFD4_HUMAN
Identifiers	UNIPROT_ID	A0A0U1RQC9_HUMAN
Identifiers	UNIPROT_ID	A0A0R9RRX7_HUMAN
Identifiers	UNIPROT_ID	A0A0M4B4Y9_HUMAN
Identifiers	UNIPROT_ID	A0A0A0U7X4_HUMAN
Identifiers	UNIPROT_ID	A0A087WXZ1_HUMAN
Identifiers	UNIPROT_ID	A0A087WT22_HUMAN
Identifiers	UNIPROT_ID	A0A087X1Q1_HUMAN
Interactions	DRUGBANK	Acetylsalicylic acid

Main Category		Category
Interactions	DRUGBANK	Zinc
Interactions	DRUGBANK	Triethyl phosphate
Interactions	DRUGBANK	AZD 3355
Interactions	DRUGBANK	1-(9-ethyl-9H-carbazol-3-yl)-N-methylmethanamine
Interactions	DRUGBANK	Zinc acetate
Interactions	DRUGBANK	Zinc chloride
Interactions	DRUGBANK	Zinc sulfate, unspecified form
Interactions	PUBCHEM	4-(difluoromethoxy)-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-methoxy
Interactions	PUBCHEM	1-[4-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)
Interactions	PUBCHEM	[3-Amino-6-(3-methoxyphenyl)thieno[2,3-b]pyridin-2-yl](4-bromophe
Interactions	PUBCHEM	3-amino-N-(2-ethoxyphenyl)-6-(4-methoxyphenyl)thieno[2,3-b]pyrid
Interactions	PUBCHEM	(-)-Averantin
Interactions	PUBCHEM	2-[(7-cyano-3,4-dihydro-2H-1,4-ethano-1,5-naphthyridin-6-yl)sulfany
Interactions	PUBCHEM	Pazopanib
Interactions	PUBCHEM	N-(4-anilinophenyl)-5-bromo-2-furamide
Interactions	PUBCHEM	Pimobendan hydrochloride
Interactions	PUBCHEM	{4-[4-(Acetylamino)-2-oxopyrimidin-1(2H)-yl]-1,3-dioxolan-2-yl}meth
Interactions	PUBCHEM	Tenovin-1
Interactions	PUBCHEM	Rhein
Interactions	PUBCHEM	Terphenyl scaffold, 18
Interactions	PUBCHEM	Quinofuracin A
Interactions	PUBCHEM	Quinofuracin C
Interactions	PUBCHEM	Plumbagin
Interactions	PUBCHEM	Binapacryl
Interactions	PUBCHEM	Ninhydrin
Interactions	PUBCHEM	Oxycinchophen
Interactions	PUBCHEM	3-amino-N-(2,5-dimethoxyphenyl)-5,6,7,8,9,10-hexahydrocycloocta
Interactions	PUBCHEM	3-amino-N-(4-ethoxyphenyl)-5,6,7,8,9,10-hexahydrocycloocta[b]thie
Interactions	PUBCHEM	alpha-Kainic acid
Interactions	PUBCHEM	Alexidine dihydrochloride
Interactions	PUBCHEM	[2-(3-Methoxyphenyl)quinolin-4-yl]-(4-pyrimidin-2-ylpiperazin-1-yl)m
Interactions	PUBCHEM	Benzohydroxamic acid

Main Category		Category
Interactions	PUBCHEM	N-(4-chlorobenzyl)-2-cyclohexylacetamide
Interactions	PUBCHEM	thallium(I) acetate
Interactions	PUBCHEM	Benzodiazepinedione, 2
Interactions	PUBCHEM	Picoxystrobin
Interactions	PUBCHEM	Pararosaniline Hydrochloride
Interactions	PUBCHEM	Pirarubicin
Interactions	PUBCHEM	6-Aminoquinoline
Interactions	PUBCHEM	Nutlin 3
Interactions	PUBCHEM	7-benzyl-8-(cyclohexylamino)-1,3-dimethyl-2,3,6,7-tetrahydro-1H-pyrazolo[4,3-c]pyridine
Interactions	PUBCHEM	3',4'-Dichlorobenzamil
Interactions	PUBCHEM	Diphenylmercury
Interactions	PUBCHEM	(2'R,3S,4'S,5'R) 6-chloro-4'-(3-chloro-2-fluoro-phenyl)-2'-(2,2-dimethyl-2-oxo-1,3-dioxolane-5-yl-ethyl)-amide
Interactions	PUBCHEM	Carfilzomib
Interactions	PUBCHEM	4-bromo-N-[7-(phenylcarbonyl)-2,3-dihydro-1,4-benzodioxin-6-yl]benzamide
Interactions	PUBCHEM	3-(4-Chlorophenyl)-3-(4-hydroxy-3,5-dimethoxybenzyloxy)-2-propyl-2-oxoacetate
Interactions	PUBCHEM	1-[4-[(4S,5R)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxy)-5-oxo-1,3-dioxane-1-carbonyl]-phenyl]-3-methyl-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	Trifloxystrobin
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-3-[[4-(4-methoxyphenyl)-6-(trifluoromethyl)-2-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	[(4S,5R)-2-(4-tert-butyl-2-ethoxyphenyl)-4,5-bis(4-chlorophenyl)-4,5-dimethoxy-2-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	N-(3-cyano-5,6,7,8-tetrahydro-4H-cyclohepta[b]thien-2-yl)[1,2,4]triazole
Interactions	PUBCHEM	5Hpp-33
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethoxy-4-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethoxy-1-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethoxy-1-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-hydroxybenzoyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(cyclopropylmethyl)-2-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-methoxy-2-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(2-methoxy-2-oxo-1,3-dioxane-1-carbonyl)-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[(1-cyano-2-oxo-1,3-dioxane-1-carbonyl)-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-1-[(2S)-1-[(1-carbamoylcyclopropyl)methoxy]butan-2-yl]-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3S,5R)-1-[(2S)-1-[(1-carbamoylcyclopropyl)methoxy]butan-2-yl]-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide
Interactions	PUBCHEM	2-[(3R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylmethyl)-2-oxo-1,3-dioxane-1-carbonyl]-phenyl]-2-oxo-1,3-dioxane-1-carboxamide

Main Category		Category
Interactions	PUBCHEM	3-{1-[3-(dipropylamino)-2-hydroxypropyl]-1H-indol-3-yl}-1-(4-methoxyphenyl)-4-methyl-1H-pyrazole
Interactions	PUBCHEM	Trimethylolpropane tris(3-mercaptopropionate)
Interactions	PUBCHEM	1-[2,5-Dimethyl-1-(4-methylphenyl)-3-pyrrolyl]-2-([1,2,4]triazolo[4,3-a]pyridin-5-yl)-1H-imidazole
Interactions	PUBCHEM	(3aS,5S,6S,6aS)-6'-chloro-6-(3-chloro-2-fluorophenyl)-4-(cyclopropyl)-2,3,4,5-tetrahydro-1H-benzothiazole
Interactions	PUBCHEM	4-[(2S,3S,4S,5S,6S)-6-chloro-2-methyl-2,3,4,5-tetrahydro-1H-benzothiazol-4-yl]benzamide
Interactions	PUBCHEM	2-[(3S,3'aS,6'S,6'aS)-6-chloro-6'-(3-chloro-2-fluorophenyl)-4'-[(3-ethoxyphenyl)pyrrole]-1'-yl]acetic acid
Interactions	PUBCHEM	2-[(3S,3'aS,6'S,6'aS)-6-chloro-6'-(3-chloro-2-fluorophenyl)-4'-(cyclopropyl)pyrrole]-1'-yl]acetic acid
Interactions	PUBCHEM	4-[(2R,3aS,5S,6S,6aS)-6'-chloro-6-(3-chloro-2-fluorophenyl)-4-(cyclopropyl)indole]-2-yl]benzamide
Interactions	PUBCHEM	(3S,3'aS,6'S,6'aS)-1'-acetyl-6-chloro-6'-(3-chloro-2-fluorophenyl)-4'-[(3-ethoxyphenyl)pyrrole]-2-one
Interactions	PUBCHEM	3,4,5-Trichlorophenol
Interactions	PUBCHEM	4-(4-bromophenyl)-2-(3-indolylidene)-3H-thiazole
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-N-[2-(4-carbamoyl-2-methoxyphenyl)phenyl]-6-chloro-1,2,3,4-tetrahydropyridine-2'-carboxamide
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamide)
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(1S,2S)-2-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamido]ethyl]-1,2,3,4-tetrahydropyridine-6-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamide]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(1S,2S)-2-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamido]ethyl]-1,2,3,4-tetrahydropyridine-6-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(1S,2S)-2-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamido]ethyl]-1,2,3,4-tetrahydropyridine-6-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamide]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-6-carboxamide]
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-(2,2-dimethyl-1,3-dioxane-5-carboxamido)-1,2,3,4-tetrahydropyridine-2'-carboxamide
Interactions	PUBCHEM	(3S)-3-(1-acetylpiperidin-3-yl)-6-chloro-3-[(3-chlorophenyl)methyl]-1,2,3,4-tetrahydropyridine-2-carboxamide
Interactions	PUBCHEM	Quinofuracin B
Interactions	PUBCHEM	Quinofuracin D
Interactions	PUBCHEM	Quinofuracin E
Interactions	PUBCHEM	Methyl 4-[[2-(4-methylphenyl)quinazolin-4-yl]amino}benzoate
Interactions	PUBCHEM	3-Ethyl 6-methyl 4-[[4-(morpholin-4-yl)phenyl]amino}quinoline-3,6-dicarboxylate
Interactions	PUBCHEM	US10246467, Example I-9
Interactions	PUBCHEM	1-Acetyl-3-[[2-(3-methylphenyl)quinazolin-4-yl]amino}benzene

Main Category		Category
Interactions	PUBCHEM	Clofarabine
Interactions	PUBCHEM	Methylethyl 2-[2-(4-methoxyphenyl)-4-oxochromen-6-yloxy]acetate
Interactions	PUBCHEM	2-(4-Chloro-3-methylphenoxy)acetic acid [4-[(4-methylanilino)-oxo
Interactions	PUBCHEM	3,3'-Dichlorobenzidine dihydrochloride
Interactions	PUBCHEM	2-Aminoanthracene
Interactions	PUBCHEM	1,2-Phenylenediamine dihydrochloride
Interactions	PUBCHEM	N'-(2-{4-[bis-(4-chlorophenyl)methyl]piperazin-1-ylmethyl}quinazolin
Interactions	PUBCHEM	2-Phenyl-6-propylsulfanyl-imidazo[1,2-a]pyridine
Interactions	PUBCHEM	Benzo[1,3]dioxole-5-carboxylic acid benzothiazol-2-ylamide
Interactions	PUBCHEM	(2E,5E)-2-[4-(dimethylamino)benzylidene]-5-(2-methylpropylidene)ox
Interactions	PUBCHEM	N-1,3-benzodioxol-5-yl-7-methyl-2-pyridin-2-ylimidazo[1,2-a]pyridin
Interactions	PUBCHEM	N-butyl-4-oxo-4-[2-(2-phenyl[1,2,4]triazolo[1,5-c]quinazolin-5-yl)hyd
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)-2-phenyl-1H-benzimidazole-5-sulfonamide
Interactions	PUBCHEM	6-Bromo-2-(3,4-dichloro-phenyl)-imidazo[1,2-a]pyridine
Interactions	PUBCHEM	4-(((4,6-Dimethylpyrimidin-2-yl)thio)methyl)-2-phenylthiazole hydro
Interactions	PUBCHEM	4-(3-Bromo-phenyl)-2-(2-methyl-tetrahydro-pyran-4-yl)-thiazole
Interactions	PUBCHEM	CID 12005557
Interactions	PUBCHEM	2-[4-(2,3-Dihydro-1,4-benzodioxin-3-yl)-1,3-thiazol-2-yl]guanidine;hy
Interactions	PUBCHEM	3-(benzenesulfonyl)-N-[4-(1,3-benzothiazol-2-yl)phenyl]propanamic
Interactions	PUBCHEM	4-isopropoxy-N-(5-((2-morpholino-2-oxoethyl)thio)-1,3,4-thiadiazol-
Interactions	PUBCHEM	2-[3-[(4-Fluorobenzyl)thio]indol-1-yl]-1-morpholino-ethanone
Interactions	PUBCHEM	1-(2-(4-Bromophenoxy)ethoxy)-3-(2,2,6,6-tetramethylpiperidin-1-yl)
Interactions	PUBCHEM	2-(3-{[(3-Chlorophenyl)methyl]sulfanyl}-1H-indol-1-YL)-1-(morpholin
Interactions	PUBCHEM	6-Methoxy-3-[(6-methylquinolin-8-yl)methyl]-1,3-benzothiazol-3-ium
Interactions	PUBCHEM	Maxacalcitol Impurity 8
Interactions	PUBCHEM	2-(Quinolin-4-yl)-1H-indene-1,3(2H)-dione
Interactions	PUBCHEM	Ethyl [3-(3-bromophenyl)-5-methyl-7-oxo-4,7-dihydropyrazolo[1,5-a]
Interactions	PUBCHEM	5-(3-chlorophenyl)-N-[2-(4-ethoxyphenyl)benzotriazol-5-yl]furan-2-o
Interactions	PUBCHEM	Mercury, chloro(4-hydroxyphenyl)-
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-2-oxoethyl 3-[(3,4-dimethoxybenzoyl)amino]b
Interactions	PUBCHEM	2-(4-Methylphenyl)-2-oxoethyl 3-[(4-bromobenzoyl)amino]benzoate
Interactions	PUBCHEM	2-Oxo-2-phenylethyl 4-(5-phenyl-1,3,4-oxadiazol-2-yl)benzoate

Main Category		Category
Interactions	PUBCHEM	2-(4-Methylphenyl)-2-oxoethyl 2-thiophenecarboxylate
Interactions	PUBCHEM	Zoxamide
Interactions	PUBCHEM	2-(3-Chlorophenyl)-1-(4-chlorophenyl)-6,7-diethoxy-1,4-dihydroisoq
Interactions	PUBCHEM	3-[[[(2S,5S,8S,11S,14S,17S,20S,23E,33S)-33-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-phenylpropanoyl]amino]-20-[[[(2S)-1-[[[(2S)-1-[[[(2S)-1-amino-1-oxopropyl]carbamoyl]-14-(3-amino-3-oxopropyl)-17-(cyclobutylmethyl)-5-[[[(4S,6S,10S,13S,16S,19S,22S,25S,28S,31S,34S,37S,40S,43S,46S,49S,52S,55S,58S,61S,64S,67S,70S,73S,76S,79S,82S,85S,88S,91S,94S,97S,100S)-100-oxo-1,4,7,10,13,16,19-heptazacycl
Interactions	PUBCHEM	(3
Interactions	PUBCHEM	(3
Interactions	PUBCHEM	2-(1,3-benzodioxol-5-yl)-N-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro
Interactions	PUBCHEM	Isovaleronitrile
Interactions	PUBCHEM	2-(2-Furyl)-5-(3-methoxyphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	1-(2-Bromo-4-methylphenyl)-3-(3-methylphenyl)urea
Interactions	PUBCHEM	N-(6-methanesulfonyl-1,3-benzothiazol-2-yl)-5-methylthiophene-2-c
Interactions	PUBCHEM	1H-Indole-1-carboxamide, 2,3-dihydro-N-(4-methylphenyl)-
Interactions	PUBCHEM	N-(4,5-dimethyl-1,3-thiazol-2-yl)-1-benzothiophene-3-carboxamide
Interactions	PUBCHEM	N-1,3-benzodioxol-5-yl-5-bromo-2-thiophenecarboxamide
Interactions	PUBCHEM	7-(methoxymethyl)-3-(4-methylphenyl)-1H-[1,2,4]triazolo[4,3-a]pyrin
Interactions	PUBCHEM	(-)-4'-Demethylepipodophyllotoxin
Interactions	PUBCHEM	Ethopropazine Hydrochloride
Interactions	PUBCHEM	1H-Benzimidazole, 1-methyl-2-(4-methyl-2-thiazolyl)-
Interactions	PUBCHEM	5-(3,4-dimethylphenyl)-N-(4-methoxyphenyl)-7-(trifluoromethyl)pyra
Interactions	PUBCHEM	2-(4-Fluorophenyl)-5-phenylpyrazolo[1,5-a]pyrimidin-7-ol
Interactions	PUBCHEM	2-(4-fluorophenyl)-5H-[1,2,4]triazolo[5,1-a]isoindole
Interactions	PUBCHEM	1,6-Hexanediol
Interactions	PUBCHEM	2-[[[(3-cyano-5,6,7,8-tetrahydro-2-quinolinyl)thio]-N-(5-ethyl-1,3,4-thia
Interactions	PUBCHEM	N-[3-(4-oxo-4H-3,1-benzoxazin-2-yl)phenyl]propanamide
Interactions	PUBCHEM	2-[[[(3R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[(2-methy
Interactions	PUBCHEM	2-[[[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2R)-1-(ethyl
Interactions	PUBCHEM	2-[[[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-[(2R)-1
Interactions	PUBCHEM	tert-butyl (2S)-2-[(2S,3R,5R)-3-(3-chlorophenyl)-2-(4-chlorophenyl)-5
Interactions	PUBCHEM	2-[[[(3S,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1
Interactions	PUBCHEM	2-[[[(3R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-3-[(5-oxo

Main Category		Category
Interactions	PUBCHEM	2-[1-(4-Methoxyphenyl)tetrazol-5-yl]sulfonyl-1-piperidin-1-ylethanol
Interactions	PUBCHEM	Lestaurtinib
Interactions	PUBCHEM	N-(1-Methyl-1H-indol-5-yl)-N'-3-pyridinylurea
Interactions	PUBCHEM	Methotrexate
Interactions	PUBCHEM	6-chloro-N-(2-sulfanylphenyl)pyridine-3-carboxamide
Interactions	PUBCHEM	cyclo[Asp-Trp-Glu-Phe-D-Pro-Pro-Phe-Glu-Trp(5-Cl)-Leu]
Interactions	PUBCHEM	2,2-dimethyl-3-[2-[4-[(2R,3S)-2-propyl-1-[4-(trifluoromethyl)pyridine-3-yl]phenoxy]propanoic acid
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-(2-hydroxyethyl)-3-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-3-(2-hydroxyethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	4-[2-[4-[(2R,3S)-3-(4-cyclopropylthiophen-2-yl)oxy-2-prop-2-enyl-1-[4-(trifluoromethyl)phenoxy]butanoic acid
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxy-2-methylpropoxy)phenyl]piperazine-1-carbonyl]-3-(2-hydroxyethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	2-methyl-2-[2-[4-[(2R,3S)-2-propyl-1-[4-(trifluoromethyl)pyridine-3-yl]phenoxy]propanoic acid
Interactions	PUBCHEM	[(2R,3S)-3-[4-chloro-5-(trifluoromethyl)thiophen-3-yl]oxy-3-[4-[2-(2-hydroxyethyl)-3-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-3-[4-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(1-hydroxy-2-methylpropan-2-yl)oxyphenyl]piperazine-1-carbonyl]-3-(2-hydroxyethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-3-[4-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	5-(2,3-dichlorophenyl)-N-[3-([1,3]oxazolo[4,5-b]pyridin-2-yl)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	Grisorixin
Interactions	PUBCHEM	2-(3,4-Dichlorophenyl)-N-methyl-N-(1-(3-isothiocyanatophenyl)-2-(1H-imidazol-2-yl)ethyl)acetamide
Interactions	PUBCHEM	2-((5-(4-chlorophenyl)thiazolo[2,3-c][1,2,4]triazol-3-yl)thio)-N-(4-methylphenyl)acetamide
Interactions	PUBCHEM	N-[(2-bromophenyl)carbamothioyl]cyclohexanecarboxamide
Interactions	PUBCHEM	N-[5-(1H-benzimidazol-2-yl)-2-methylphenyl]-2-(2-nitrophenoxy)acetamide
Interactions	PUBCHEM	Tolylfluanid
Interactions	PUBCHEM	5-(5-chloro-2-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-[2-(dimethylamino)ethyl]acetate
Interactions	PUBCHEM	5-(5-chloro-2-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-[4-methoxy-2-(dimethylamino)ethyl]acetate
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-2-oxopiperidin-3-yl)]propanoic acid
Interactions	PUBCHEM	4-[5-(5-chloro-2-oxopiperidin-3-yl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-methoxy]propanoic acid

Main Category		Category
Interactions	PUBCHEM	4-[5-(5-chloro-2-oxopiperidin-3-yl)-2-[2-(dimethylamino)-4-methoxy
Interactions	PUBCHEM	4-[5-(5-chloro-2-oxopiperidin-3-yl)-2-[4-methoxy-2-(methylamino)py
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-6-oxopiperidin-3-
Interactions	PUBCHEM	4-[5-(5-chloro-6-oxopiperidin-3-yl)-2-(2,4-dimethoxypyrimidin-5-yl)-4
Interactions	PUBCHEM	4-[5-(5-chloro-6-oxopiperidin-3-yl)-2-[2-(dimethylamino)-4-methoxy
Interactions	PUBCHEM	4-[5-(5-chloro-6-oxopiperidin-3-yl)-2-[4-methoxy-2-(methylamino)py
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-6-oxopiperidin-3-y
Interactions	PUBCHEM	5-(5-chloro-6-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy
Interactions	PUBCHEM	5-(5-chloro-6-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-[2-(dimethylan
Interactions	PUBCHEM	5-(5-chloro-6-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-[4-methoxy-2-(
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-2-oxopiperidin-3-yl)-2-[2-(dimethylamino)-4-met
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-2-oxopiperidin-3-yl)-2-[2-(dimethylamino)-4-met
Interactions	PUBCHEM	(6S)-5-(3-chloro-2-oxo-3H-pyridin-5-yl)-6-(4-chlorophenyl)-2-[2-(dim
Interactions	PUBCHEM	(6R)-5-(3-chloro-2-oxo-3H-pyridin-5-yl)-6-(4-chlorophenyl)-2-[2-(dim
Interactions	PUBCHEM	4-[5-(5-chloro-2-oxopiperidin-3-yl)-2-(2,4-dimethoxypyrimidin-5-yl)-4
Interactions	PUBCHEM	4-[5-(5-chloro-2-oxopiperidin-3-yl)-2-[2-(dimethylamino)-4-methoxy
Interactions	PUBCHEM	6-(4-chloro-3-fluorophenyl)-5-(5-chloro-2-oxopiperidin-3-yl)-2-(2,4-d
Interactions	PUBCHEM	6-(4-chloro-3-fluorophenyl)-5-(5-chloro-2-oxopiperidin-3-yl)-2-[2-(dir
Interactions	PUBCHEM	5-(5-chloro-2-oxopiperidin-3-yl)-6-(4-chlorophenyl)-2-(2,4-dimethoxy
Interactions	PUBCHEM	(6S)-6-(4-chloro-3-fluorophenyl)-5-(5-chloro-2-oxopiperidin-3-yl)-2-[one
Interactions	PUBCHEM	(6R)-6-(4-chloro-3-fluorophenyl)-5-(5-chloro-2-oxopiperidin-3-yl)-2-[one
Interactions	PUBCHEM	6-(4-chloro-3-fluorophenyl)-1-(3-chloro-6-oxo-3H-pyridin-5-yl)-8-[2-(
Interactions	PUBCHEM	6-(4-Chloro-3-fluorophenyl)-1-(5-chloro-2-oxopiperidin-3-yl)-8-(2,4-d
Interactions	PUBCHEM	US10717742, Example Ib-173
Interactions	PUBCHEM	US10717742, Example Ib-209
Interactions	PUBCHEM	US10717742, Example Ib-139
Interactions	PUBCHEM	6-(4-Methoxyphenyl)-3-(2-methylphenyl)-[1,2,4]triazolo[3,4-a]phthal
Interactions	PUBCHEM	2-[(14Z)-9-[4-(dimethylamino)-3-hydroxy-6-methyloxan-2-yl]oxy-3-ethyl dioxabicyclo[14.1.0]heptadec-14-en-10-yl]acetaldehyde
Interactions	PUBCHEM	US10717742, Example Ia-25
Interactions	PUBCHEM	US10717742, Example Ia-30
Interactions	PUBCHEM	US10717742, Example Ia-36

Main Category		Category
Interactions	PUBCHEM	US10717742, Example Ia-38
Interactions	PUBCHEM	US10717742, Example Ia-43
Interactions	PUBCHEM	US10717742, Example Ib-219
Interactions	PUBCHEM	US10246467, Example I-7
Interactions	PUBCHEM	US10246467, Example I-1
Interactions	PUBCHEM	US10246467, Example I-3
Interactions	PUBCHEM	US10246467, Example I-4
Interactions	PUBCHEM	US10246467, Example I-6
Interactions	PUBCHEM	US10246467, Example I-10
Interactions	PUBCHEM	US10246467, Example I-12
Interactions	PUBCHEM	US10246467, Example I-13
Interactions	PUBCHEM	US10246467, Example I-15
Interactions	PUBCHEM	US10246467, Example I-16
Interactions	PUBCHEM	US10246467, Example I-28
Interactions	PUBCHEM	US10246467, Example I-29
Interactions	PUBCHEM	US10246467, Example I-30
Interactions	PUBCHEM	US10246467, Example I-32
Interactions	PUBCHEM	US10246467, Example I-31
Interactions	PUBCHEM	US10246467, Example I-34
Interactions	PUBCHEM	US10246467, Example I-36
Interactions	PUBCHEM	US10246467, Example I-38
Interactions	PUBCHEM	US10246467, Example I-39
Interactions	PUBCHEM	US10246467, Example I-41
Interactions	PUBCHEM	US10246467, Example I-43
Interactions	PUBCHEM	US10246467, Example I-45
Interactions	PUBCHEM	US10246467, Example I-47
Interactions	PUBCHEM	US10246467, Example I-49
Interactions	PUBCHEM	US10246467, Example I-53
Interactions	PUBCHEM	US10246467, Example I-55
Interactions	PUBCHEM	US10246467, Example I-51
Interactions	PUBCHEM	US10246467, Example I-61
Interactions	PUBCHEM	US10246467, Example I-59

Main Category		Category
Interactions	PUBCHEM	US10246467, Example I-63
Interactions	PUBCHEM	US10246467, Example I-57
Interactions	PUBCHEM	US10246467, Example I-65
Interactions	PUBCHEM	US10246467, Example I-69
Interactions	PUBCHEM	US10246467, Example I-70
Interactions	PUBCHEM	US10246467, Example I-72
Interactions	PUBCHEM	US10246467, Example I-67
Interactions	PUBCHEM	US10246467, Example I-74
Interactions	PUBCHEM	US10246467, Example I-76
Interactions	PUBCHEM	US10246467, Example I-78
Interactions	PUBCHEM	US10246467, Example I-80
Interactions	PUBCHEM	US10246467, Example I-82
Interactions	PUBCHEM	US10246467, Example I-84
Interactions	PUBCHEM	US10246467, Example I-86
Interactions	PUBCHEM	US10246467, Example I-87
Interactions	PUBCHEM	US10246467, Example I-88
Interactions	PUBCHEM	US10246467, Example I-90
Interactions	PUBCHEM	US10246467, Example I-91
Interactions	PUBCHEM	US10246467, Example I-92
Interactions	PUBCHEM	US10246467, Example I-105
Interactions	PUBCHEM	US10246467, Example I-107
Interactions	PUBCHEM	US10246467, Example I-109
Interactions	PUBCHEM	US10246467, Example I-111
Interactions	PUBCHEM	US10246467, Example I-112
Interactions	PUBCHEM	US10246467, Example I-114
Interactions	PUBCHEM	US10246467, Example I-117
Interactions	PUBCHEM	US10246467, Example I-116
Interactions	PUBCHEM	3-(2,3-dihydro-1,4-benzodioxin-6-yl)-6-ethyl-4-oxo-4H-chromen-7-yl
Interactions	PUBCHEM	3-benzoyl-2-ethyl-1,1-dioxido-2H-1,2-benzothiazin-4-yl 2-methoxybenzoate
Interactions	PUBCHEM	Carbophenothion
Interactions	PUBCHEM	O,P'-Ddt
Interactions	PUBCHEM	(5E)-5-[(1-ethyl-2,5-dimethyl-1H-pyrrol-3-yl)methylidene]-2-thioxo-1,2,3,4-tetrahydropyridine

Main Category		Category
Interactions	PUBCHEM	1-[2-(4-bromophenoxy)ethyl]-3-ethyl-1,3-dihydro-2H-benzimidazol-2-one
Interactions	PUBCHEM	2-{{3-[(1-Azepanylsulfonyl)-4-methylbenzoyl]amino}benzoic acid
Interactions	PUBCHEM	6-(4-Bromophenyl)-2-(methylsulfinyl)-4-phenylnicotinonitrile
Interactions	PUBCHEM	1,10-Phenanthroline
Interactions	PUBCHEM	2-benzyl-1-(3-methylbenzyl)-1H-benzimidazole
Interactions	PUBCHEM	N-{3-[5-(propan-2-yl)-1,3-benzoxazol-2-yl]phenyl}-2,3-dihydro-1,4-benzodioxole
Interactions	PUBCHEM	(2S,3S)-3-(((3,5-Bis(trifluoromethyl)phenyl)methoxy)-2-phenyl)piperidine
Interactions	PUBCHEM	2-(Diethylamino)-6-iodanyl-5-oxidanyl-7-pyrrol-1-yl-1,3-benzothiazole
Interactions	PUBCHEM	Sanguinarine sulfate
Interactions	PUBCHEM	7-Bromo-5-[[4-(2-methoxyphenyl)piperazin-1-yl]methyl]quinolin-8-ol
Interactions	PUBCHEM	(5Z)-5-(2-chlorobenzylidene)-3-[3-(morpholin-4-yl)-3-oxopropyl]-2-thiophene
Interactions	PUBCHEM	2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)-1,3-benzoxazol-5-yl]acetamide
Interactions	PUBCHEM	(5R,7S)-5-(3,4-dimethoxyphenyl)-6,7-dimethyl-5,6,7,8-tetrahydrobenzo[1,2-b:4,5-b']diazepine
Interactions	PUBCHEM	[(1S,2R,4aS,4bS,6R,7R,8R,8aR,10aS)-8-(2,4-dihydroxy-5-oxo-2H-furan-3-yl)-10,10-dimethyl-1,2,3,4,5,6,7,8-octahydro-2H-phenanthren-1-yl]methyl 5-chloro-2-(methylamino)benzoate
Interactions	PUBCHEM	(1S,2S,4S,5'S,7R,8R,9R,12S,13S,16R,18S)-16,18-dihydroxy-5',7,9,13-tetrahydroxy-1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18-octadecahydro-2H-phenanthren-1-yl
Interactions	PUBCHEM	2-[(E)-but-2-enoyl]-2-hydroxy-7-methyl-1-(6-methyl-1,3-dioxo-7-pentyl)-1H-benzimidazole
Interactions	PUBCHEM	(6R,8R)-8-(3,4-dimethoxyphenyl)-6,7-dimethyl-7,8-dihydro-6H-benzocyclohepta[1,2-b:4,5-b']diazepine
Interactions	PUBCHEM	N-[5-(1,3-benzothiazol-2-yl)-2-methylphenyl]-2-(4-methoxyphenoxy)acetamide
Interactions	PUBCHEM	US10544132, Example 15
Interactions	PUBCHEM	US10544132, Example 26
Interactions	PUBCHEM	US10981898, Example 28
Interactions	PUBCHEM	US10544132, Example 47
Interactions	PUBCHEM	US10544132, Example 31
Interactions	PUBCHEM	US10544132, Example 25
Interactions	PUBCHEM	US10544132, Example 72
Interactions	PUBCHEM	US10981898, Example 78
Interactions	PUBCHEM	US10544132, Example 3
Interactions	PUBCHEM	US10981898, Example 81
Interactions	PUBCHEM	US10981898, Example 17
Interactions	PUBCHEM	US10981898, Example 76
Interactions	PUBCHEM	US10544132, Example 71

Main Category		Category
Interactions	PUBCHEM	US10544132, Example 16
Interactions	PUBCHEM	US10544132, Example 49
Interactions	PUBCHEM	US10981898, Example 27
Interactions	PUBCHEM	US10544132, Example 4
Interactions	PUBCHEM	US10544132, Example 100
Interactions	PUBCHEM	US10544132, Example 18
Interactions	PUBCHEM	US10544132, Example 51
Interactions	PUBCHEM	US10544132, Example 6
Interactions	PUBCHEM	US10544132, Example 5
Interactions	PUBCHEM	US10981898, Example 33
Interactions	PUBCHEM	US10544132, Example 108
Interactions	PUBCHEM	US10981898, Example 35
Interactions	PUBCHEM	US10544132, Example 135
Interactions	PUBCHEM	US10981898, Example 79
Interactions	PUBCHEM	US10981898, Example 30
Interactions	PUBCHEM	US10544132, Example 1
Interactions	PUBCHEM	US10544132, Example 50
Interactions	PUBCHEM	US10544132, Example 7
Interactions	PUBCHEM	US10544132, Example 2
Interactions	PUBCHEM	US10544132, Example 60
Interactions	PUBCHEM	US10981898, Example 68
Interactions	PUBCHEM	US10544132, Example 136
Interactions	PUBCHEM	1,1,3-Trichloroacetone
Interactions	PUBCHEM	Raltitrexed
Interactions	PUBCHEM	3-(7-(2,4-Dimethoxyphenyl)-2,3,6,7-tetrahydro-(1,4)thiazepin-5-yl)-4
Interactions	PUBCHEM	2-(1,3-benzoxazol-2-ylamino)-5,6,7,8-tetrahydroquinazolin-4(1H)-on
Interactions	PUBCHEM	N-(4-Ethylphenyl)-2-[[4-imino-3-methyl-5-(2-methylphenyl)-1H,4H,5H
Interactions	PUBCHEM	N'-[1-(1-hydroxynaphthalen-2-yl)ethylidene]pyridine-4-carbohydrazid
Interactions	PUBCHEM	Zincon
Interactions	PUBCHEM	Nolatrexed Dihydrochloride
Interactions	PUBCHEM	7-(5-Bromo-2-fluorophenyl)-N6-(2,4-dimethylphenyl)-5-methyl-N3-(4
Interactions	PUBCHEM	Ahpn

Main Category		Category
Interactions	PUBCHEM	(E)-6-methyl-2-(2-(pyridin-2-ylmethylene)hydrazinyl)pyrimidin-4(3H)
Interactions	PUBCHEM	(2Z)-7-hydroxy-2-[(4-methylphenyl)imino]-2H-chromene-3-carboxar
Interactions	PUBCHEM	Aprepitant
Interactions	PUBCHEM	(Z)-2-(1,3-benzothiazol-2-yl)-3-hydroxy-4-(4-methoxyphenyl)but-2-e
Interactions	PUBCHEM	4-[[4-Methyl-2-methylimino-1,3-thiazol-3-yl)amino]methylidene]cyc
Interactions	PUBCHEM	(4E)-3-hydroxy-4-[[4-methyl-2-methylimino-1,3-thiazol-3-yl)amino]n
Interactions	PUBCHEM	2-Methoxy-4-(3-[[4-(propan-2-yl)phenyl]amino]imidazo[1,2-a]pyrazi
Interactions	PUBCHEM	2-(3-[[4-(Propan-2-yl)phenyl]amino]imidazo[1,2-a]pyrazin-2-yl)phen
Interactions	PUBCHEM	1-{4-[3-(4-tert-Butyl-benzyl)-7-hydroxy-3H-[1,2,3]triazolo[4,5-d]pyrim
Interactions	PUBCHEM	(2E)-3-[4-(dimethylamino)phenyl]-2-(4-oxo(3-hydroquinazolin-2-yl))
Interactions	PUBCHEM	(6E)-6-[3-[(E)-2-(2-chlorophenyl)ethenyl]-2H-1,2,4-oxadiazol-5-yliden
Interactions	PUBCHEM	2-[(E)-[(6-methoxypyrimidin-4-yl)hydrazono]methyl]phenol
Interactions	PUBCHEM	4-Hydroxybenzaldehyde (4-oxo-3,4-dihydro-2-quinazolinyl)hydrazon
Interactions	PUBCHEM	N'-(1H-indol-3-ylmethylene)-3-(2-naphthyl)-1H-pyrazole-5-carbohyd
Interactions	PUBCHEM	N'-(5-chloro-2-hydroxybenzylidene)-4-(1-piperidinylsulfonyl)benzoh
Interactions	PUBCHEM	N'-[(5-hydroxy-3-methyl-1-phenyl-1H-pyrazol-4-yl)methylene]-2,3-di
Interactions	PUBCHEM	N'-[(3-oxo-1-benzothien-2(3H)-ylidene)methyl]benzohydrazide
Interactions	PUBCHEM	2-[[4-Bromophenyl)amino]methylene)-4,4,4-trifluoro-1-(2-furyl)buta
Interactions	PUBCHEM	Resistomycin
Interactions	PUBCHEM	3,4-dichloro-N-(5-ethyl-4-oxo-4,5-dihydro-1,3-thiazol-2-yl)benzamide
Interactions	PUBCHEM	N'-[(E)-(1-cyclopropyl-4,6-dioxo-2-sulfanyl-1,6-dihydropyrimidin-5(4H
Interactions	PUBCHEM	N-Methyl-N'-nitro-N-nitrosoguanidine
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)-2-[(7-oxo-5-phenyl-7,8-dihydro[1,2,4]triazolo
Interactions	PUBCHEM	N-(2,5-Dimethylphenyl)-2-({7-oxo-5-phenyl-7H,8H-[1,2,4]triazolo[4,3
Interactions	PUBCHEM	N-(4-Ethylphenyl)-2-({7-oxo-5-phenyl-7H,8H-[1,2,4]triazolo[4,3-A]pyr
Interactions	PUBCHEM	N-(2,4-Difluorophenyl)-2-({7-oxo-5-phenyl-7H,8H-[1,2,4]triazolo[4,3-A
Interactions	PUBCHEM	N-(3-chloro-4-methylphenyl)-2-((7-oxo-5-phenyl-7,8-dihydro-[1,2,4]tr
Interactions	PUBCHEM	N-(5-Chloro-2-methoxyphenyl)-2-({7-oxo-5-phenyl-7H,8H-[1,2,4]triaz
Interactions	PUBCHEM	N-[2-Chloro-5-(trifluoromethyl)phenyl]-2-({7-oxo-5-phenyl-7H,8H-[1,
Interactions	PUBCHEM	N-(4-ethylphenyl)-2-[[4-imino-3-methyl-5-(4-methylphenyl)-2H-pyraz
Interactions	PUBCHEM	N-(Butan-2-YL)-2-[[5-(5-chloro-2-methylphenyl)-4-imino-3-methyl-1H
Interactions	PUBCHEM	N-Benzyl-2-{{5-(3-chloro-4-methylphenyl)-4-imino-3-methyl-1H,4H,5

Main Category		Category
Interactions	PUBCHEM	5-Amino-4-benzothiazol-2-yl-1-benzyl-1,2-dihydro-pyrrol-3-one
Interactions	PUBCHEM	N'-(2-hydroxybenzylidene)-3-phenyl-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	Febantel
Interactions	PUBCHEM	6-methyl-2-{[(E)-2-phenylethenyl]sulfanyl}pyrimidin-4(3H)-one
Interactions	PUBCHEM	2-[(2-Hydroxyanilino)methylidene]indene-1,3-dione
Interactions	PUBCHEM	6-(3,4-Dimethyl-phenylamino)-4H-[1,2,5]oxadiazolo[3,4-b]pyrazin-5-
Interactions	PUBCHEM	2-(1-Methyl-5-phenyl-1H-imidazol-2-ylsulfanylmethyl)-3H-quinazolin-
Interactions	PUBCHEM	2-(5-Methyl-1H-benzimidazol-2(3H)-ylidene)-2-nitrosoacetonitrile
Interactions	PUBCHEM	2-Hydroxy-benzoic acid N'-[1-benzyl-2,4,6-trioxo-tetrahydro-pyrimid
Interactions	PUBCHEM	1H-Indole-3-carboxaldehyde 1H-Benzimidazol-2-ylhydrazone
Interactions	PUBCHEM	4-Bromo-2-[(E)-[2-(pyridin-2-yl)hydrazin-1-ylidene]methyl]phenol
Interactions	PUBCHEM	(2Z)-7-hydroxy-2-[(2-methoxyphenyl)imino]-2H-chromene-3-carbox
Interactions	PUBCHEM	2,4-Dihydroxybenzaldehyde [5-(trifluoromethyl)pyridin-2-yl]hydrazo
Interactions	PUBCHEM	N-(3-Chlorophenyl)-2-[(4-oxo-3,4-dihydro[1]benzofuro[3,2-D]pyrimid
Interactions	PUBCHEM	5-(furan-2-ylmethyl)-3-(2-hydroxyphenyl)-4-(3-propoxyphenyl)-4,5-d
Interactions	PUBCHEM	5-(furan-2-ylmethyl)-3-(2-hydroxyphenyl)-4-[3-methoxy-4-(2-methylp
Interactions	PUBCHEM	4-(3,4-dichlorophenyl)-3-(2-hydroxyphenyl)-5-(2-methoxyethyl)-4,5-c
Interactions	PUBCHEM	4-[4-(benzyloxy)phenyl]-3-(2-hydroxyphenyl)-5-(3-methoxypropyl)-4
Interactions	PUBCHEM	4-[4-(benzyloxy)phenyl]-3-(2-hydroxyphenyl)-5-[3-(propan-2-yloxy)p
Interactions	PUBCHEM	3-(2-hydroxyphenyl)-4-(4-methylphenyl)-5-(2-phenylethyl)-4,5-dihy
Interactions	PUBCHEM	5-(2-fluorophenyl)-N-(2-methylphenyl)-6H-1,3,4-thiadiazin-2-amine
Interactions	PUBCHEM	N-Butyl-N'-nitro-N-nitrosoguanidine
Interactions	PUBCHEM	N-cyclopropyl-5-(2,5-dimethyl-1-phenylpyrrol-3-yl)-6H-1,3,4-thiadiaz
Interactions	PUBCHEM	[(Z)-3-(1H-benzimidazol-2-yl)-3-cyano-2-hydroxyprop-2-enyl] 2-(4-ch
Interactions	PUBCHEM	N-cyclopropyl-5-[1-(furan-2-ylmethyl)-2,5-dimethylpyrrol-3-yl]-3,6-di
Interactions	PUBCHEM	m-Anisaldehyde, 2-hydroxy-, (5-nitro-2-pyridyl)hydrazone
Interactions	PUBCHEM	5-(1-benzofuran-2-yl)-N-cyclopropyl-3,6-dihydro-1,3,4-thiadiazin-2-in
Interactions	PUBCHEM	Methyl-piperidino-pyrazole
Interactions	PUBCHEM	(2-Hydroxybenzylidene)salicylohydrazide
Interactions	PUBCHEM	2-[(Z)-C-methyl-N-(quinolin-2-ylamino)carbonimidoyl]phenol
Interactions	PUBCHEM	2-nitro-6-[(Z)-(quinolin-2-ylhydrazinylidene)methyl]phenol
Interactions	PUBCHEM	6-(1H-Benzoimidazol-2-ylsulfanylmethyl)-2-(6-methoxy-4-methyl-qu

Main Category		Category
Interactions	PUBCHEM	(E)-N'-(2,4-dihydroxybenzylidene)-3-phenyl-1H-pyrazole-5-carboxylic acid
Interactions	PUBCHEM	4-(diethylamino)-2-hydroxybenzaldehyde 1H-benzimidazol-2-ylhydrazide
Interactions	PUBCHEM	1-(4-chlorophenyl)-N'-[(E)-(2-hydroxyphenyl)methylidene]-5-oxopyrrolidin-2-one
Interactions	PUBCHEM	(6E)-6-[[[(2E)-2-[[4-(Dimethylamino)phenyl]methylidene]hydrazinyl]hydrazono]methyl]-2-methyl-5-nitrophenol
Interactions	PUBCHEM	2-[(E)-[2-(1H-benzimidazol-2-yl)hydrazinylidene]methyl]-4-nitrophenol
Interactions	PUBCHEM	N'-((1E)-{2-hydroxy-5-[(E)-phenyldiazenyl]phenyl)methylene)-3-methyl-5-nitrophenol
Interactions	PUBCHEM	N-(4-methoxybenzyl)-4H-3,1-benzothiazin-2-amine
Interactions	PUBCHEM	2-[(E)-2-(3-ethoxy-2-hydroxyphenyl)vinyl]quinolin-8-ol
Interactions	PUBCHEM	4-Nitro-2-[(E)-[2-(pyridin-2-yl)hydrazin-1-ylidene]methyl]phenol
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-ylhydrazinylidene)cyclohexane-1,3-dione
Interactions	PUBCHEM	methyl 3-[(2E)-2-(2-hydroxy-3-methoxybenzylidene)hydrazino]thiophene-2-carboxylate
Interactions	PUBCHEM	4,4,4-Trifluoro-2-[[[(4-fluorophenyl)amino]methylene]-1-(2-furyl)butylidene]hydrazine
Interactions	PUBCHEM	6-(3,4-dimethoxybenzyl)-3-[(2E)-2-(4-hydroxybenzylidene)hydrazinyl]phenol
Interactions	PUBCHEM	2-methoxy-6-[(E)-[2-([1,2,4]triazolo[4,3-a]quinoxalin-4-yl)hydrazinylidene]methyl]phenol
Interactions	PUBCHEM	(4E)-2-(4-bromophenyl)-4-(furan-2-ylmethylidene)-4H-imidazol-5-ol
Interactions	PUBCHEM	(4E)-2,3-dihydroxy-4-[[[(2-methylimino-4-thiophen-2-yl-1,3-thiazol-3-ylidene)hydrazono]methyl]phenol
Interactions	PUBCHEM	N-(2-{2-[4-(diethylamino)-2-hydroxybenzylidene]hydrazino}-2-oxoethyl)-2-oxoethylamine
Interactions	PUBCHEM	3-(2-hydroxyphenyl)-5-(2-phenylethyl)-4-[4-(propan-2-yl)phenyl]-4,5-dihydropyrrrole
Interactions	PUBCHEM	5-butyl-4-(4-tert-butylphenyl)-3-(2-hydroxyphenyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	4-[4-(benzyloxy)phenyl]-5-butyl-3-(2-hydroxyphenyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	4-[3-(benzyloxy)phenyl]-5-butyl-3-(2-hydroxyphenyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	5-[1-(4-Tert-butylbenzoyl)piperidin-3-yl]-3-[(2-methylphenyl)methyl]phenol
Interactions	PUBCHEM	5-[1-(4-tert-butylbenzoyl)piperidin-3-yl]-3-[(3-methylphenyl)methyl]phenol
Interactions	PUBCHEM	5-(furan-2-ylmethyl)-3-(2-hydroxy-5-methylphenyl)-4-(4-methylphenyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	4-(2-fluorophenyl)-5-(furan-2-ylmethyl)-3-(2-hydroxy-4,6-dimethylphenyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	3-(2-hydroxyphenyl)-4-(4-propoxyphenyl)-5-(pyridin-3-ylmethyl)-4,5-dihydropyrrrole
Interactions	PUBCHEM	4-(3-Methoxy-4-propoxyphenyl)-3-methyl-1-(3-methylphenyl)-1H,4H-benzothiazine
Interactions	PUBCHEM	2-[(E)-2-(pyridin-2-yl)ethenyl]quinazolin-4-ol
Interactions	PUBCHEM	N'-[(E)-(2-hydroxyphenyl)methylidene]-3-(3-methoxyphenyl)-1H-pyrazole
Interactions	PUBCHEM	Ischemin
Interactions	PUBCHEM	3-[(4-Methyl-3-piperidin-1-ylsulfonylbenzoyl)amino]benzoic acid
Interactions	PUBCHEM	2-(1H-benzimidazol-2-yl)-4-phenyl-1,3-thiazole

Main Category		Category
Interactions	PUBCHEM	1-Butyl-3-[(2-hydroxyphenyl)hydrazinylidene]-2-indolone
Interactions	PUBCHEM	CID 136209736
Interactions	PUBCHEM	3-[4-(5-chloro-3-pyridinyl)-2-[(3R,5R)-3,5-dimethylmorpholin-4-yl]-3-
Interactions	PUBCHEM	3-[4-(5-chloropyridin-3-yl)-2-[(4aR,7aR)-hexahydrocyclopenta[b][1,4,5-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-{4-(5-chloropyridin-3-yl)-3-[(trans-4-methylcyclohexyl)methyl]-2-[(1,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-{4-(5-chloropyridin-3-yl)-2-[(2S)-2-(fluoromethyl)pyrrolidin-1-yl]-3-[(1,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[4-(5-chloro-3-pyridinyl)-3-[(4-methylcyclohexyl)methyl]-2-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-Methoxycatechol
Interactions	PUBCHEM	3-{4-(5-chloropyridin-3-yl)-2-(2-methoxy-1-phenylethyl)-3-[(trans-4-methylcyclohexyl)methyl]-2-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[6-(5-chloro-3-pyridinyl)-7-[(4-methylcyclohexyl)methyl]-8-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[7-[(4-methylcyclohexyl)methyl]-6-(5-methyl-3-pyridinyl)-8-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[7-[(4-methylcyclohexyl)methyl]-6-phenyl-8-[(3R)-3-phenylmorpholin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[6-(3-chlorophenyl)-7-[(4-methylcyclohexyl)methyl]-8-[(3R)-3-phenylmorpholin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	5-(6-[(1R)-1-Cyclobutylethyl]amino)-7-[(trans-4-methylcyclohexyl)methyl]-1,2,4-oxadiazol-3-one
Interactions	PUBCHEM	3-[6-[(1R)-1-cyclobutylethyl]amino]-7-[(4-methylcyclohexyl)methyl]-1,2,4-oxadiazol-3-one
Interactions	PUBCHEM	3-[4-(5-chloro-3-pyridinyl)-2-(1-methoxypropan-2-yl)-3-[(4-methylcyclohexyl)methyl]-2-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	3-[4-(5-chloro-3-pyridinyl)-2-[cyclopropyl(ethoxy)methyl]-3-[(4-methylcyclohexyl)methyl]-2-[(3R)-3-methyl-4-(2-methoxy-1-phenylethyl)-5-oxo-1,2,3,4-tetrahydropyridin-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	2-{5-[(2-Bromo-4-chlorophenoxy)methyl]-1,2,4-oxadiazol-3-yl}pyridine
Interactions	PUBCHEM	Fonofos
Interactions	PUBCHEM	Paraoxon methyl
Interactions	PUBCHEM	3-[C-(benzylcarbamoyl)-N-[1-(hydroxyamino)-4-methyl-1-oxopentanol-2-yl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	Isofuranonaphthoquinone A
Interactions	PUBCHEM	US10544132, Example 14
Interactions	PUBCHEM	US10544132, Example 82
Interactions	PUBCHEM	US10981898, Example 53
Interactions	PUBCHEM	US10544132, Example 52
Interactions	PUBCHEM	US10981898, Example 34
Interactions	PUBCHEM	(2S)-2-(3,3-diphenylpropanoylamino)-3-[4-[3-(pyridin-2-ylamino)propanoyl]phenyl]-1,2,4-oxadiazol-5(4H)-one
Interactions	PUBCHEM	Ethylestrenol
Interactions	PUBCHEM	N-(3-[(4-tert-butylphenyl)carbonyl]amino}phenyl)-2-methylbenzamide

Main Category		Category	
Interactions	PUBCHEM	Dinobuton	
Interactions	PUBCHEM	12-Bromo-1-dodecanol	
Interactions	PUBCHEM	Ethyl 2-(6-(ethylamino)-3-(ethylimino)-2,7-dimethyl-3H-xanthen-9-yl)	
Interactions	PUBCHEM	2-(Pyridin-2-ylamino)quinolin-8-ol	
Interactions	PUBCHEM	N-[4-[6-(2,2-dimethylpropanoylamino)-1H-benzimidazol-2-yl]phenyl]	
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-7-methyl-2,3-dihydro-1H-cyclopenta[b]quino	
Interactions	PUBCHEM	Dtxcid401326699	
Interactions	PUBCHEM	N-{6-[(dimethylamino)sulfonyl]-1,3-benzothiazol-2-yl}nicotinamide	
Interactions	PUBCHEM	(4	
Interactions	PUBCHEM	(S)-tetrindole	
Interactions	PUBCHEM	4-{4-methyl-3-[(4-methylpiperazin-1-yl)sulfonyl]phenyl}-N-(3-methyl	
Interactions	PUBCHEM	S-(2-([(2-methoxyphenyl)carbonyl]amino}phenyl) 2-methoxybenzer	
Interactions	PUBCHEM	5-bromo-1',3',4'-triphenylspiro[1H-indole-3,5'-4H-pyrazole]-2-one	
Interactions	PUBCHEM	8-Bromo-1-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-7-propan-2	
Interactions	PUBCHEM	2-[(3-Bromo-2-imidazo[1,2-a]pyrimidinyl)methylthio]-1,3-benzothiaz	
Interactions	PUBCHEM	3-(4-Methyl-1,3-dioxo-1,3-dihydro-pyrrolo[3,4-c]quinolin-2-yl)-benzo	
Interactions	PUBCHEM	(Z)-5-(3,4-dimethoxybenzylidene)-2-imino-3-(thiazol-2-yl)thiazolidin	
Interactions	PUBCHEM	Tetradecyltrimethylammonium bromide	
Interactions	PUBCHEM	3,3',4',5-Tetrachlorosalicylanilide	
Interactions	PUBCHEM	Dodecyl Gallate	
Interactions	PUBCHEM	[5-(4-Dimethylamino-phenyl)-[1,3,4]thiadiazol-2-yl]-methyl-amine	
Interactions	PUBCHEM	Decominol hydrochloride	
Interactions	PUBCHEM	US10981898, Example 20	
Interactions	PUBCHEM	US10981898, Example 29	
Interactions	PUBCHEM	US10544132, Example 45	
Interactions	PUBCHEM	9-Cyanoanthracene	
Interactions	PUBCHEM	3-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7	trifluoroacetic acid
Interactions	PUBCHEM	[(2S,3R)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-p	pyridinyl]methanone
Interactions	PUBCHEM	[(2S,3R)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-3-[	(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2S,3R)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-p	pyridinyl]methanone

Main Category		Category
Interactions	PUBCHEM	Malyngamide A
Interactions	PUBCHEM	5-[(2,4-Dichlorophenoxy)methyl]-3-phenyl-1,2-oxazole
Interactions	PUBCHEM	Pralatrexate
Interactions	PUBCHEM	Docetaxel
Interactions	PUBCHEM	2,4,6-Tribromophenol
Interactions	PUBCHEM	Amsacrine Hydrochloride
Interactions	PUBCHEM	3,4',5-Tribromosalicylanilide
Interactions	PUBCHEM	5-Chlorosalicylanilide
Interactions	PUBCHEM	2-[5-Methyl-2-(propan-2-yl)phenoxy]-N-(3-([1,3]oxazolo[4,5-b]pyridin-2-yl)phenyl)-N-methylimidazo[4,5-b]pyridine
Interactions	PUBCHEM	2-((4-Methoxyphenyl)methyl)sulfanyl)-3H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	Antimycin A
Interactions	PUBCHEM	Dinoterb
Interactions	PUBCHEM	2',4',5'-Trihydroxybutyrophenone
Interactions	PUBCHEM	5-bromo-2-methoxy-3-methyl-N-(4-[1,3]oxazolo[4,5-b]pyridin-2-yl)phenyl)-N-methylimidazo[4,5-b]pyridine
Interactions	PUBCHEM	2-(4-methoxyphenyl)-1-[4-(propan-2-yl)benzyl]-1H-benzimidazole
Interactions	PUBCHEM	(7R,9R)-9-acetyl-7-[(2R,4S,5S,6S)-4-amino-5-hydroxy-6-methyloxan-2-yl]-2,3,4,5-tetrahydro-2H-pyran-2-one
Interactions	PUBCHEM	5-(4-fluorophenyl)-N-(3,4,5,6-tetrahydro-2H-azepin-7-yl)-1,3,4-oxadiazole
Interactions	PUBCHEM	methyl (2Z)-2-[(3,4-difluorophenyl)imino]-3-ethyl-4-oxo-3,4-dihydro-2H-pyran-6-one
Interactions	PUBCHEM	Trimethyl-(3-naphthalen-1-yl-3-oxopropyl)azanium
Interactions	PUBCHEM	2-((3-[(Diethylamino)sulfonyl]-4-methoxybenzoyl)amino)benzoic acid
Interactions	PUBCHEM	4,4'-Dimethoxyazoxybenzene
Interactions	PUBCHEM	Bisphenol A diglycidyl ether dimethacrylate
Interactions	PUBCHEM	2-[4,5-Bis(thiophen-2-yl)-1H-imidazol-2-yl]phenol
Interactions	PUBCHEM	Mercuric acetate
Interactions	PUBCHEM	2-(1,1-dioxido-3-oxo-1,2-benzisothiazol-2(3H)-yl)-N-(5-propyl-1,3,4-thiadiazol-2-yl)-N-methylimidazo[4,5-b]pyridine
Interactions	PUBCHEM	[5-Chloro-7-(morpholin-4-ylmethyl)quinolin-8-yl] 3,4,5-trimethoxybenzoate
Interactions	PUBCHEM	Aclarubicin Hydrochloride
Interactions	PUBCHEM	4-methoxy-N-[(4-methylpyridin-2-yl)carbamoyl]benzamide
Interactions	PUBCHEM	2-(4-Ethoxyphenyl)-4-[(4-methylpiperazin-1-yl)carbonyl]quinoline
Interactions	PUBCHEM	US10544132, Example 8
Interactions	PUBCHEM	US10544132, Example 9
Interactions	PUBCHEM	US10544132, Example 10

Main Category		Category
Interactions	PUBCHEM	US10544132, Example 11
Interactions	PUBCHEM	US10544132, Example 12
Interactions	PUBCHEM	US10544132, Example 13
Interactions	PUBCHEM	US10544132, Example 36
Interactions	PUBCHEM	US10544132, Example 37
Interactions	PUBCHEM	US10544132, Example 38
Interactions	PUBCHEM	US10544132, Example 39
Interactions	PUBCHEM	US10544132, Example 40
Interactions	PUBCHEM	US10544132, Example 41
Interactions	PUBCHEM	US10544132, Example 44
Interactions	PUBCHEM	US10544132, Example 56
Interactions	PUBCHEM	US10544132, Example 57
Interactions	PUBCHEM	US10544132, Example 58
Interactions	PUBCHEM	US10544132, Example 59
Interactions	PUBCHEM	US10544132, Example 63
Interactions	PUBCHEM	US10544132, Example 65
Interactions	PUBCHEM	US10544132, Example 66
Interactions	PUBCHEM	US10544132, Example 69
Interactions	PUBCHEM	US10544132, Example 70
Interactions	PUBCHEM	US10544132, Example 73
Interactions	PUBCHEM	US10544132, Example 74
Interactions	PUBCHEM	US10544132, Example 84
Interactions	PUBCHEM	US10544132, Example 85
Interactions	PUBCHEM	US10544132, Example 88
Interactions	PUBCHEM	US10544132, Example 89
Interactions	PUBCHEM	US10544132, Example 96
Interactions	PUBCHEM	US10544132, Example 101
Interactions	PUBCHEM	US10544132, Example 125
Interactions	PUBCHEM	US10544132, Example 128
Interactions	PUBCHEM	5-(4-methylphenyl)-N-phenyl-1,3,4-oxadiazol-2-amine
Interactions	PUBCHEM	o-Tolyloxy-acetic acid 2-benzotriazol-2-yl-4-methyl-phenyl ester
Interactions	PUBCHEM	Cis-Resveratrol

Main Category		Category
Interactions	PUBCHEM	(S)-Fluoxetine
Interactions	PUBCHEM	Sodium aristolochate
Interactions	PUBCHEM	Beveno
Interactions	PUBCHEM	(2Z,6E)-2,6-bis(furan-2-ylmethylene)cyclohexanone
Interactions	PUBCHEM	loxynil
Interactions	PUBCHEM	5-(3-Chlorophenyl)-4-(4-chlorophenyl)-3-propan-2-yl-2,4-dihydropyrro
Interactions	PUBCHEM	3-Tert-butyl-5-(3-chlorophenyl)-4-(4-chlorophenyl)-2,4-dihydropyrro
Interactions	PUBCHEM	(3S,3'R,5'S,6'R)-4-bromo-6'-(4-bromobenzoyl)-5'-hydroxy-3'-phenylsp
Interactions	PUBCHEM	(3S,3'R,5'S,6'R)-1-acetyl-6'-benzoyl-4-bromo-5'-hydroxy-3'-phenylspi
Interactions	PUBCHEM	5-(3-Chlorophenyl)-4-(4-chlorophenyl)-3-methyl-2,4-dihydropyrrolo[
Interactions	PUBCHEM	(5Z)-5-[(4-chlorophenyl)methylidene]-3-[4-(4-methylpiperazin-1-yl)-4
Interactions	PUBCHEM	Canertinib
Interactions	PUBCHEM	2-Pentyl-6-phenylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-(4-methylpiperidin-1-yl)quinazoline
Interactions	PUBCHEM	2-(4-tert-butylphenyl)-N,N-diethylquinazolin-4-amine
Interactions	PUBCHEM	Butyl 3-[(1-benzofuran-2-ylcarbonyl)amino]benzoate
Interactions	PUBCHEM	Ethyl 4-((4-(diethylamino)phenyl)amino)-6-methylquinoline-3-carbo
Interactions	PUBCHEM	3-[4-(5-chloropyridin-3-yl)-2-[(R)-cyclopropyl(ethoxy)methyl]-3-((1R)-oxadiazol-5(4H)-one
Interactions	PUBCHEM	US10981898, Example 19
Interactions	PUBCHEM	US10981898, Example 21
Interactions	PUBCHEM	US10981898, Example 22
Interactions	PUBCHEM	US10981898, Example 24
Interactions	PUBCHEM	US10981898, Example 54
Interactions	PUBCHEM	US10981898, Example 98
Interactions	PUBCHEM	US10981898, Example 99
Interactions	PUBCHEM	2-(4-Methylsulfonyl-2-nitrophenyl)sulfanyl-1,3-benzothiazole
Interactions	PUBCHEM	5H-Benzo(g)-1,3-benzodioxolo(6,5,4-de)quinolin-8-ol, 6,7,7a,8-tetra
Interactions	PUBCHEM	2-chloro-N-heptyl-N-(2-methylphenyl)acetamide
Interactions	PUBCHEM	Chlorothalonil
Interactions	PUBCHEM	N-(4-fluorophenyl)-1-phenyl-1H-1,2,4-triazole-3-carboxamide
Interactions	PUBCHEM	(2Z)-2-(pyridin-2-ylmethylidene)-[1,3]thiazolo[3,2-a]benzimidazol-1-
Interactions	PUBCHEM	3-fluorobenzoic acid [2-[(Z)-3-(2-benzofuranyl)-3-oxoprop-1-enyl]ph

Main Category		Category
Interactions	PUBCHEM	N-cyclohexyl-2-{2-[(3-methylbenzyl)thio]-3H-imidazo[4,5-c]pyridin-3-ylmethyl N'-(4-methoxyphenyl)carbamimidothioate;hydro
Interactions	PUBCHEM	pyridin-2-ylmethyl N'-(4-methoxyphenyl)carbamimidothioate;hydro
Interactions	PUBCHEM	N-[3-(5-{[2-(2-chloro-5-nitrophenyl)-2-oxoethyl]sulfanyl}-1,3,4-oxadiazol-2-yl)-2-methoxyphenyl]-2-methoxyphenyl
Interactions	PUBCHEM	1-(2,5-Dimethylphenyl)-3-(5-imidazo[1,2-a]pyrimidin-2-yl-2-methoxyphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	3-(5-{Imidazo[1,2-A]pyrimidin-2-YL}-2-methoxyphenyl)-1-(3-methoxyphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	Ethyl 2-{benzyl[(cyclohexylcarbamoyl)(phenyl)methyl]amino}acetate
Interactions	PUBCHEM	3-chloro-N-[2-(4-ethylpiperazin-1-yl)-4-methylquinolin-6-yl]benzamide
Interactions	PUBCHEM	N-[2-(4-ethylpiperazin-1-yl)-4-methylquinolin-6-yl]-3,5-dimethoxybenzamide
Interactions	PUBCHEM	5-bromo-2-chloro-N-[2-(4-ethylpiperazin-1-yl)-4-methylquinolin-6-yl]benzamide
Interactions	PUBCHEM	(2E)-3-(3-Chlorophenyl)-N-[2-(4-ethylpiperazin-1-YL)-4-methylquinolin-6-YL]-3-(4-methylphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	(2E)-N-[2-(4-Ethylpiperazin-1-YL)-4-methylquinolin-6-YL]-3-(4-methylphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	(2E)-N-[2-(4-ethylpiperazin-1-yl)-4-methylquinolin-6-yl]-3-[4-(3-methoxyphenyl)-2-methoxyphenyl]
Interactions	PUBCHEM	2-[(7-chloro-1,2,3,4-tetrahydroacridin-9-yl)sulfanyl]-N,N-dipropylacetamide
Interactions	PUBCHEM	3,4-dimethoxy-N-{9-[(2-methoxyphenyl)amino]-5,6,7,8-tetrahydroacridin-9-yl}-2-methoxyphenyl
Interactions	PUBCHEM	5-chloro-N-{9-[(3,4-dimethoxyphenyl)amino]-5,6,7,8-tetrahydroacridin-9-yl}-2-methoxyphenyl
Interactions	PUBCHEM	4-{[4-(2-methoxyphenyl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl}-N,N-dipropylacetamide
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-4-{[4-(3,4-dimethoxyphenyl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl}-N,N-dipropylacetamide
Interactions	PUBCHEM	(2E)-N-[2-(Diethylamino)-4-methylquinolin-6-YL]-3-(3,4,5-trimethoxyphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	1-(6-ethyl-1,3-benzothiazol-2-yl)-N-(3-methylbutyl)piperidine-4-carboxamide
Interactions	PUBCHEM	5-bromo-1-(cyclopropanecarbonyl)-N-(3,4-difluorophenyl)-2,3-dihydro-1H-benzothiazol-2-yl
Interactions	PUBCHEM	N-{3-[butyl(ethyl)amino]propyl}-1-(6-ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	N-[2-(dipropylamino)ethyl]-1-(6-ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	N-[3-(dipropylamino)propyl]-1-(6-ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	N-[2-[butyl(methyl)amino]ethyl]-1-(6-ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	N-{3-[butyl(methyl)amino]propyl}-1-(6-ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxamide
Interactions	PUBCHEM	4-tert-butyl-N-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]benzamide
Interactions	PUBCHEM	N-[2-[Butyl(methyl)amino]ethyl]-2-(5-chlorothiophen-2-YL)quinoline-4-carboxamide
Interactions	PUBCHEM	3-(2,3-dimethoxyphenyl)-N-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]benzamide
Interactions	PUBCHEM	2-(5-bromothiophen-2-yl)-N-[2-(diethylamino)ethyl]quinoline-4-carboxamide
Interactions	PUBCHEM	6,7-Dimethoxy-3-(6-oxo-6-{4-[3-(trifluoromethyl)phenyl]piperazin-1-yl}-2-methoxyphenyl)-2-methoxyphenyl
Interactions	PUBCHEM	5-Anilino-12,14-dioxo-4-thia-2,6,7-triazatetracyclo[7.7.0.0.3,7.0.11,15]nona-2,4,6,8-tetraene
Interactions	PUBCHEM	6-bromo-3-(4-(4-(3-methoxyphenyl)piperazin-1-yl)-4-oxobutyl)quinoline-2-carboxamide

Main Category		Category
Interactions	PUBCHEM	4-[(6,7-Dimethoxy-2,4-dioxo-1,2,3,4-tetrahydroquinazolin-3-yl)methyl]-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	6-(3,4-dimethoxyphenyl)-3-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	11-Acetyl-4-(4-methoxyphenyl)-5-pentylsulfanyl-8-thia-4,6,11-triazolo[5,4-c]pyridine-2-carboxamide
Interactions	PUBCHEM	N-Acetyl-N-[4-(benzenesulfonyl)-1-[(3-chlorophenyl)methyl]-3-(methoxyphenyl)-2-phenyl]-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-(3,5-Dimethylphenyl)-1-{6-[(4-methylphenyl)sulfanyl]pyridazin-3-yl}-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	Methyl 2-({[(3,5-dimethylphenyl)carbamoyl]methyl}sulfanyl)-4-oxo-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	7-acetyl-2-(pentylthio)-3-phenyl-5,6,7,8-tetrahydropyrido[4',3':4,5]thieno[2,3-d]pyrimidin-1(2H)-one
Interactions	PUBCHEM	N-(4-chlorobenzyl)-2-(6-chloro-2-oxo-4-phenylquinazolin-1(2H)-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-(3-benzyl-2,4-dioxo-3,4-dihydro[1]benzothieno[3,2-d]pyrimidin-1(2H)-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-(2,6-Dichlorophenyl)-5-(3-hydroxyphenyl)-3-isoxazolecarboxamide
Interactions	PUBCHEM	N-{1-[(2,4-dichlorophenyl)methyl]pyrazol-4-yl}[5-(2,5-dimethoxyphenyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	[5-(3,4-dichlorophenyl)isoxazol-3-yl]-N-(3,4,5-trimethoxyphenyl)carbamoyl
Interactions	PUBCHEM	N-{1-[(2,4-dichlorophenyl)methyl]pyrazol-4-yl}[5-(3-methoxyphenyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-{1-[(4-chlorophenyl)methyl]-3,5-dimethylpyrazol-4-yl}[5-(2-methoxyphenyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2,9-Dimethyl-4-{4-[3-(trifluoromethyl)phenyl]piperazine-1-carbonyl}-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	6-[(2-fluorophenyl)methyl]-5-methyl-7-oxo-N-(2-phenylethyl)-1H-pyrazolo[3,4-b]pyridine-2-carboxamide
Interactions	PUBCHEM	N-[2-(4-Chlorophenyl)ethyl]-6-[(4-chlorophenyl)methyl]-7-hydroxy-5-methyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	6-[(2-Chloro-4-fluorophenyl)methyl]-7-hydroxy-5-methyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	4-[[2,4-dioxo-1-[2-oxo-2-(2,4,6-trimethylanilino)ethyl]thieno[3,2-d]pyrimidin-5-yl]-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-(5-Bromothiophen-2-yl)-N-{3-[butyl(methyl)amino]propyl}quinoline-4-carboxamide
Interactions	PUBCHEM	N-[(2-Chlorophenyl)methyl]-3-(1-[(3-ethylphenyl)carbamoyl]methyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-(5-bromothiophen-2-yl)-N-[(4-methoxyphenyl)methyl]quinoline-4-carboxamide
Interactions	PUBCHEM	2-(2,4-dioxo-3-phenyl-3,4,5,6,7,8-hexahydro[1]benzothieno[2,3-d]pyrimidin-5-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	4-(1-[(5-Chloro-2-methylphenyl)carbamoyl]methyl)-2,4-dioxo-1,2,3,4-tetrahydroquinazolin-3-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-(2,4-dioxo-3-phenyl-3,4,5,6,7,8-hexahydro[1]benzothieno[2,3-d]pyrimidin-5-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-(2,4-dioxo-3-phenyl-3,4,5,6,7,8-hexahydro[1]benzothieno[2,3-d]pyrimidin-5-yl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-[(2-Chlorophenyl)methyl]-5-{1-[(2,5-dimethylphenyl)methyl]-2,4-dimethylphenyl}-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-[(2H-1,3-Benzodioxol-5-yl)methyl]-4-[(2,4-dioxo-1-[(2,4,6-trimethylphenyl)carbamoyl]methyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-(3,5-dimethylphenyl)-2-[2,4-dioxo-3-[2-oxo-2-(2-phenylethylamino)ethyl]thieno[3,2-d]pyrimidin-5-yl]-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	N-[[1-(3-chlorobenzyl)piperidin-4-yl]methyl]-N'-(3-chloro-4-methylphenyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	1-({1-[(3-Chlorophenyl)methyl]piperidin-4-yl)methyl}-3-(2,5-dichlorophenyl)-2-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	2-phenyl-N-(4-propan-2-ylphenyl)-3H-benzimidazole-5-sulfonamide

Main Category		Category
Interactions	PUBCHEM	4-[(1-[(Butan-2-YL)carbamoyl]methyl)-2,4-dioxo-1,2,3,4-tetrahydro
Interactions	PUBCHEM	4-[(2,4-Dioxo-1-[(2,4,6-trimethylphenyl)carbamoyl]methyl)-1,2,3,4-t
Interactions	PUBCHEM	4-{6-Bromo-3-[(2-methylphenyl)amino]imidazo[1,2-a]pyridin-2-yl}-3-
Interactions	PUBCHEM	4-[(5-Bromothiophene-2-sulfonamido)methyl]-N-[(2-chlorophenyl)m
Interactions	PUBCHEM	3-{2-[4-(5-Chloro-2-methylphenyl)piperazin-1-YL]ethyl}-1-(4-chlorop
Interactions	PUBCHEM	2-(1-[(3,4-Dimethylphenyl)carbamoyl]methyl)-2,4-dioxo-1,2,3,4-tetr
Interactions	PUBCHEM	6-bromo-N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1
Interactions	PUBCHEM	N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyrim
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-[3-[4-(2,5-dimethylphenyl)piperazin-1-yl]propyl
Interactions	PUBCHEM	2-(5-Bromothiophene-2-sulfonamido)-N-(2-methoxy-5-methylphenyl)
Interactions	PUBCHEM	2-[[5-(4-Chlorophenyl)-1H-imidazol-2-YL]sulfanyl]-N-(3-ethoxyphenyl)
Interactions	PUBCHEM	2-[[5-(4-Bromophenyl)-1H-imidazol-2-YL]sulfanyl]-N-(3-methylphenyl)
Interactions	PUBCHEM	Cycloheptyl 4-(3-chlorophenyl)-2-methyl-6-oxo-1,4,5,6-tetrahydropy
Interactions	PUBCHEM	N-{3-[4-(5-Chloro-2-methylphenyl)piperazin-1-YL]propyl}-5-[(3-chloro
Interactions	PUBCHEM	2-phenoxyethyl 6-(4-ethylphenyl)-3-methyl-4-oxo-4,5,6,7-tetrahydro-
Interactions	PUBCHEM	N-[(4-Methylphenyl)methyl]-3-({[1,2,3,4]tetrazolo[1,5-A]quinoxalin-4
Interactions	PUBCHEM	N
Interactions	PUBCHEM	N-(3-methylbutyl)-3-(tetrazolo[1,5-a]quinoxalin-4-ylamino)benzamid
Interactions	PUBCHEM	6,7-dimethoxy-2-N-(4-methoxyphenyl)quinazoline-2,4-diamine
Interactions	PUBCHEM	6,7-dimethoxy-N
Interactions	PUBCHEM	1-ethyl-N-(4-ethylphenyl)-4-oxo-1,4-dihydrochromeno[3,4-d]imidazo
Interactions	PUBCHEM	N-[2-(4-Chlorophenyl)ethyl]-4-({[1,2,3,4]tetrazolo[1,5-A]quinoxalin-4
Interactions	PUBCHEM	2-Methyl-4-[5-methyl-2-(4-methylphenyl)-[1,2,4]triazolo[1,5-A]pyrim
Interactions	PUBCHEM	N-(3-acetylphenyl)-4-methyl-3-oxo-3,4-dihydroquinoxaline-2-carbox
Interactions	PUBCHEM	N-(2,3-Dihydro-1,4-benzodioxin-6-YL)-2-[[2-(4-ethoxyphenyl)-5-(4-flu
Interactions	PUBCHEM	N-(4-acetylphenyl)-4-ethyl-3-oxo-3,4-dihydroquinoxaline-2-carboxar
Interactions	PUBCHEM	Ethyl 3-{7-methylthieno[2,3-B]quinoline-2-amido}benzoate
Interactions	PUBCHEM	N-{3-[ethyl(3-methylphenyl)amino]propyl}-7-methoxythieno[2,3-b]q
Interactions	PUBCHEM	N-(5-chloro-2,4-dimethoxyphenyl)-6-methoxythieno[2,3-b]quinoline
Interactions	PUBCHEM	2-[5-(1,3-benzodioxol-5-yl)-3-(4-methoxyphenyl)-2-oxo-2,3-dihydro-1
Interactions	PUBCHEM	N-{3-[benzyl(butyl)amino]propyl}-2-[(3,4-dimethoxyphenyl)amino]qu
Interactions	PUBCHEM	5-[(2-chloro-6-fluorophenyl)methyl]-N-[3-(diethylamino)propyl]-6-ox

Main Category		Category
Interactions	PUBCHEM	N-{3-[cyclohexyl(methyl)amino]propyl}-2-[(4-methoxyphenyl)amino]
Interactions	PUBCHEM	5-Amino-N-[(2-chlorophenyl)methyl]-1-[(3,5-dimethylphenyl)carbamoyl]
Interactions	PUBCHEM	1-(4-Bromobenzenesulfonyl)-2-[(1E)-2-(4-ethoxyphenyl)ethenyl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	1-(3-Chlorobenzenesulfonyl)-2-[(1E)-2-(4-ethoxyphenyl)ethenyl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	1-(4-Bromobenzenesulfonyl)-2-[(1E)-2-[4-(methylsulfanyl)phenyl]ethenyl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	1-(3-Chlorobenzenesulfonyl)-2-[(1E)-2-[4-(methylsulfanyl)phenyl]ethenyl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	2-({8,9-Dimethoxy-2-[2-(2-methyl-1H-1,3-benzodiazol-1-yl)ethyl]-[1,3,4]oxadiazolo[4,5-g]quinolin-6-yl})-N-methyl-1H-1,3-benzodiazol-1-amine
Interactions	PUBCHEM	N-{3-[cyclohexyl(methyl)amino]propyl}-2-[(3,5-dimethylphenyl)amino]
Interactions	PUBCHEM	Ethyl 4-[4-(3-fluorophenyl)-6-oxo-3-(thiophen-2-yl)-1H,4H,5H,6H-pyridine-2-yl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	Ethyl 4-{6-oxo-4-[4-(propan-2-yl)phenyl]-3-(thiophen-2-yl)-1H,4H,5H,6H-pyridine-2-yl}-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	Ethyl 4-[4-(4-tert-butylphenyl)-6-oxo-3-(thiophen-2-yl)-1H,4H,5H,6H-pyridine-2-yl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	Ethyl 4-[4-(2,4-dichlorophenyl)-6-oxo-3-(thiophen-2-yl)-1H,4H,5H,6H-pyridine-2-yl]-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	ethyl 4-(4-(3-hydroxyphenyl)-6-oxo-3-(2-thienyl)-4,6-dihydropyrrolo[3,2-c]pyridine-2-yl)-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	N-{3-[Benzyl(butyl)amino]propyl}-2-[(3-(methylsulfanyl)phenyl)amino]
Interactions	PUBCHEM	N-[3-[cyclohexyl(methyl)amino]propyl]-2-(2-methoxyanilino)quinoline
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-3-oxo-N-[4-(propan-2-yl)phenyl]-2,3-dihydro-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	1-Cyclohexyl-3-(3,4-dimethylphenyl)-1-[(1-methyl-1H-indol-3-yl)methyl]imidazo[4,5-b]pyridine
Interactions	PUBCHEM	2,4-Dichloro-N-[3-(4-propoxybenzamido)phenyl]benzamide
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)-1,3-benzoxazol-5-yl]-3-methoxynaphthalene-2-carboxamide
Interactions	PUBCHEM	2-(3,4-dimethoxyphenyl)-N-(3,5-dimethoxyphenyl)quinazolin-4-amine
Interactions	PUBCHEM	(2E)-3-[5-(2,4-Difluorophenyl)furan-2-yl]-2-(5-methyl-1H-1,3-benzoxazol-2-yl)-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	N-(4-chlorophenyl)-N'-[3-(trifluoromethyl)phenyl][1,2,5]oxadiazolo[3,4-c]pyridine
Interactions	PUBCHEM	1-benzyl-5-bromo-3-hydroxy-3-[2-(4-methoxyphenyl)-2-oxoethyl]-1,3,4-oxadiazolo[4,5-b]pyridine
Interactions	PUBCHEM	Ethyl 7-chloro-5-(4-chloro-3-methylbenzenesulfonamido)-2-methylimidazo[4,5-b]pyridine
Interactions	PUBCHEM	N-[3-(9H-Carbazol-9-yl)-2-hydroxypropyl]-4-fluoro-N-(4-methylphenyl)imidazo[4,5-b]pyridine
Interactions	PUBCHEM	2-(4-Methylbenzyl)-6-phenylimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-Benzyl-6-(4-chlorophenyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	6-(4-Chlorophenyl)-2-(2-fluorobenzyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-Benzyl-6-(4-fluorophenyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	6-(4-Fluorophenyl)-2-(4-methylbenzyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-(2-Chlorobenzyl)-6-(4-fluorophenyl)imidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-(4-Fluorobenzyl)-6-(4-fluorophenyl)imidazo[2,1-b][1,3]thiazole

Main Category		Category
Interactions	PUBCHEM	2-{3-[2-(2-chlorophenoxy)ethyl]-2-imino-2,3-dihydro-1H-benzimidaz
Interactions	PUBCHEM	1-butyl-3-[3-(4-fluorophenoxy)propyl]-1,3-dihydro-2H-benzimidazol-
Interactions	PUBCHEM	N-[5-(1,3-benzothiazol-2-yl)-2-methoxyphenyl]-4-fluorobenzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-7-methyl-2-(5-methylthiophen-
Interactions	PUBCHEM	2-[[3-[(4-Methoxyphenyl)methyl]-4-oxo-[1]benzothiolo[3,2-d]pyrimid
Interactions	PUBCHEM	N-(2-methoxy-5-methylphenyl)-2,3-dihydro-1H-cyclopenta[b]quinoli
Interactions	PUBCHEM	1-[(4-Chlorophenyl)methyl]-N-[(furan-2-YL)methyl]-3-(4-methylphen
Interactions	PUBCHEM	N-{2-[butyl(ethyl)amino]ethyl}-3-(4-chlorophenyl)-1-methyl-1H-thien
Interactions	PUBCHEM	3-(4-chlorophenyl)-N-[2-(dipropylamino)ethyl]-1-methyl-1H-thieno[2
Interactions	PUBCHEM	3-(4-chlorophenyl)-N-[3-(dipropylamino)propyl]-1-methylthieno[3,2-
Interactions	PUBCHEM	N-benzyl-2-[(7-chloro-1,2,3,4-tetrahydroacridin-9-yl)sulfanyl]-N-meth
Interactions	PUBCHEM	N-(5-chloro-2,4-dimethoxyphenyl)-2-[(7-chloro-1,2,3,4-tetrahydroacr
Interactions	PUBCHEM	2-[(7-Chloro-1,2,3,4-tetrahydroacridin-9-YL)sulfanyl]-N-[3-(propan-2-
Interactions	PUBCHEM	7-Chloro-N-[3-(trifluoromethyl)phenyl]-1H,2H,3H-cyclopenta[B]quin
Interactions	PUBCHEM	N-{2-[4-(3-Chlorophenyl)piperazin-1-YL]-2-oxoethyl}-N-(4-methoxyp
Interactions	PUBCHEM	N
Interactions	PUBCHEM	N-[(2-Chlorophenyl)methyl]-6-(diethylsulfamoyl)-1-methyl-4-oxo-1,4
Interactions	PUBCHEM	N-(3,5-Dichlorophenyl)-2-{[5-methyl-2-(2-methylphenyl)-1,3-oxazol-4
Interactions	PUBCHEM	1-(5-Chloro-2-methylphenyl)-4-(1-{[2-(4-chlorophenyl)-5-methyl-1,3-
Interactions	PUBCHEM	1-{[2-(4-chlorophenyl)-5-methyl-1,3-oxazol-4-yl]methyl}-N-{3-[4-(3-cl
Interactions	PUBCHEM	1-[4-(3-Chlorophenyl)piperazin-1-YL]-2-{[5-methyl-2-(4-methylpheny
Interactions	PUBCHEM	10-(4-Chlorobenzyl)-N-[3-(2-ethyl-1-piperidinyl)propyl]-11-oxo-10,11
Interactions	PUBCHEM	10-(4-Chlorobenzyl)-N-[3-(3-methyl-1-piperidinyl)propyl]-11-oxo-10,
Interactions	PUBCHEM	1-(5-Chloro-2-methylphenyl)-4-(1-{[2-(3-chlorophenyl)-5-methyl-1,3-
Interactions	PUBCHEM	1-{[2-(3-Chlorophenyl)-5-methyl-1,3-oxazol-4-YL]methyl}-N-{3-[4-(3-
Interactions	PUBCHEM	1-(5-Chloro-2-methylphenyl)-4-(1-{[2-(4-ethylphenyl)-5-methyl-1,3-o
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-1-[[2-(3-chlorophenyl)-5-methyl-1,3-oxaz
Interactions	PUBCHEM	N-(4-chlorophenethyl)-1-{[5-methyl-2-(3-methylphenyl)-1,3-oxazol-4
Interactions	PUBCHEM	1-Ethyl-4-{2-[3-methyl-4-(4-methylphenyl)piperazin-1-YL]-2-oxoetho
Interactions	PUBCHEM	5-amino-N-(2,4-dichlorobenzyl)-1-(2,5-dimethylbenzyl)-1H-1,2,3-tria
Interactions	PUBCHEM	2-(Diethylamino)ethyl 4-{2-[(1-ethyl-2-oxo-1,2-dihydroquinolin-4-YL)
Interactions	PUBCHEM	3-[(4-fluorophenyl)sulfonyl]-2-oxo-N-[2-(trifluoromethyl)phenyl]-2H-

Main Category		Category
Interactions	PUBCHEM	3-(Benzenesulfonyl)-N-(3,5-dimethoxyphenyl)-2-oxo-2H-chromene-
Interactions	PUBCHEM	3-(4-fluorophenyl)sulfonyl-2-oxo-N-(4-propan-2-ylphenyl)chromene
Interactions	PUBCHEM	N-{3-[benzyl(methyl)amino]propyl}-4-chlorothieno[3,2-c]quinoline-2
Interactions	PUBCHEM	N-[(3-Methoxyphenyl)methyl]-1,5-dimethyl-4-oxo-1H,4H,5H-pyrrolo[
Interactions	PUBCHEM	N-[3-[benzyl(methyl)amino]propyl]-4-chloro-8-methylthieno[3,2-c]qu
Interactions	PUBCHEM	4-chloro-N-[3-(2-ethylpiperidin-1-yl)propyl]-8-methylthieno[3,2-c]qui
Interactions	PUBCHEM	2-[(6-Chloro-1,2,3,4-tetrahydroacridin-9-YL)sulfanyl]-1-(2-methylpip
Interactions	PUBCHEM	2-[(6-Chloro-1,2,3,4-tetrahydroacridin-9-YL)sulfanyl]-1-(4-phenylpip
Interactions	PUBCHEM	2-[(6-Chloro-1,2,3,4-tetrahydroacridin-9-YL)sulfanyl]-1-(3-methylpip
Interactions	PUBCHEM	2-[(6-chloro-1,2,3,4-tetrahydroacridin-9-yl)sulfanyl]-N-[3-(diethylami
Interactions	PUBCHEM	3-[(5-Chlorothiophen-2-YL)(phenyl)methyl]-2-methyl-1H-indole
Interactions	PUBCHEM	3-fluoro-N-[9-(2-methoxyanilino)-5,6,7,8-tetrahydro-2-acridinyl]benz
Interactions	PUBCHEM	5-Methyl-3-[(5-methylthiophen-2-YL)(phenyl)methyl]-1H-indole
Interactions	PUBCHEM	3-[(5-Chlorothiophen-2-YL)(phenyl)methyl]-5-methyl-1H-indole
Interactions	PUBCHEM	3-(4-Cyclohexylpiperazino)-5-{[3-(dimethylamino)propyl]amino}-6H
Interactions	PUBCHEM	N-(2H-1,3-benzodioxol-5-yl)-2-[6-ethyl-3-(4-ethylbenzoyl)-4-oxo-1,4-
Interactions	PUBCHEM	N-(3,5-dimethoxyphenyl)-2-(6-ethyl-3-(4-ethylbenzoyl)-4-oxoquinolin
Interactions	PUBCHEM	2-(3-benzoyl-6-ethyl-4-oxoquinolin-1(4H)-yl)-N-(3-chloro-4-methylph
Interactions	PUBCHEM	N-(2H-1,3-benzodioxol-5-yl)-2-[6-chloro-3-(4-ethylbenzoyl)-4-oxo-1,4-
Interactions	PUBCHEM	N-{3-[Benzyl(ethyl)amino]propyl}-8-methyl-4-oxo-4H,5H-thieno[3,2-c]
Interactions	PUBCHEM	9-chloro-N-(2-fluorophenyl)-2,3-dihydro-1H-cyclopenta[b]quinoline-
Interactions	PUBCHEM	9-chloro-N
Interactions	PUBCHEM	Ethyl 3-{9-chloro-1H,2H,3H-cyclopenta[B]quinoline-6-amido}benzoa
Interactions	PUBCHEM	N-(2,5-difluorophenyl)-2-(4-oxochromeno[3,4-d]pyrazol-1-yl)acetam
Interactions	PUBCHEM	4-[4-(3-chlorophenyl)piperazino]-7,8,9,10-tetrahydro-6H-azepino[1,2
Interactions	PUBCHEM	1-Phenyl-4-{[3-(3,4,5-trimethoxyphenyl)-1,2,4-oxadiazol-5-yl]methyl}
Interactions	PUBCHEM	2-[2,4-dioxo-3-(2-phenylethyl)-3,4-dihydro[1]benzothieno[3,2-d]pyrim
Interactions	PUBCHEM	2-(3-benzyl-2,4-dioxo-3,4-dihydro[1]benzothieno[3,2-d]pyrimidin-1(2
Interactions	PUBCHEM	2-(3-benzyl-2,4-dioxo-3,4-dihydro[1]benzothieno[3,2-d]pyrimidin-1(2
Interactions	PUBCHEM	N-(2-Methoxyphenyl)-3-[2-(trifluoromethyl)benzamido]-1-benzofura
Interactions	PUBCHEM	N-(2-methoxyphenyl)-2-[3-(3-methoxyphenyl)-2,4-dioxo-3,4-dihydro
Interactions	PUBCHEM	N-(3-Methoxyphenyl)-3-[4-(propan-2-yloxy)benzamido]-1-benzofura

Main Category		Category
Interactions	PUBCHEM	N-[2-(3,4-Diethoxyphenyl)ethyl]-2-[5-fluoro-2-(thiophen-2-yl)-1H-indol-3-yl]propanamide
Interactions	PUBCHEM	2-chloro-4-methyl-N-(2-phenylethyl)-4H-thieno[3,2-b]pyrrole-5-carboxamide
Interactions	PUBCHEM	7-chloro-N-(4-methoxyphenyl)-3-(phenylsulfonyl)[1,2,3]triazolo[1,5-b]pyridine
Interactions	PUBCHEM	N-{3-[4-(2-fluorophenyl)piperazin-1-yl]propyl}-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	2-(Diethylamino)ethyl 4-{4H-thieno[3,2-C]chromene-2-amido}benzoate
Interactions	PUBCHEM	N-[2-(Dimethylamino)ethyl]-N-[(furan-2-yl)methyl]-4H-thieno[3,2-C]pyrrole-5-carboxamide
Interactions	PUBCHEM	ethyl 1-[2-(3-chloro-4-methoxyanilino)-2-oxoethyl]-2-methyl-5-(4-methoxyphenyl)-1H-benzofuro[3,2-c]pyridine-3-carboxylate
Interactions	PUBCHEM	N
Interactions	PUBCHEM	1-(6-Ethyl-1,3-benzothiazol-2-yl)piperidine-4-carboxylic acid
Interactions	PUBCHEM	N-{3-[4-(2-fluorophenyl)piperazin-1-yl]propyl}-9-methyl-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	9-methyl-N-[3-(4-propylpiperazino)propyl]-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	N-[2-(aminocarbonyl)phenyl]-9-methyl-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)-9-methyl-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	N-(3,4,5-trimethoxyphenyl)-4H-thieno[3,2-c]chromene-2-carboxamide
Interactions	PUBCHEM	N-(4-fluorophenyl)-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene-3-carboxamide
Interactions	PUBCHEM	N-(4-Chloro-2-methoxy-5-methylphenyl)-2-{8-methyl-1H,4H-chromene-2-carboxamido}ethylcarbamate
Interactions	PUBCHEM	3-phenyl-2-(1H-pyrrol-1-yl)-N-[4-(trifluoromethyl)phenyl]propanamide
Interactions	PUBCHEM	1-[[1,2,4]Triazolo[4,3-A]quinoxalin-4-yl]-4-[3-(trifluoromethyl)phenyl]pyridine
Interactions	PUBCHEM	2-Methyl-4-(1-{4-methyl-4H-thieno[3,2-B]pyrrole-5-carbonyl}piperidin-2-yl)-1H-benzofuro[3,2-c]pyridine
Interactions	PUBCHEM	1-(6-ethoxy-1,3-benzothiazol-2-yl)-N-(3-methoxypropyl)piperidine-3-carboxamide
Interactions	PUBCHEM	Methyl 1-[2-(4-chloro-2-fluoroanilino)-2-oxoethyl]-1H-[1]benzofuro[3,2-c]pyridine-3-carboxylate
Interactions	PUBCHEM	N-(2-chloro-4-fluorophenyl)-2-(4-methoxyphenyl)imidazo[2,1-b][1,3]diazole
Interactions	PUBCHEM	2-(4-ethoxyphenyl)-N-[3-(4-propylpiperazin-1-yl)propyl]imidazo[2,1-b][1,3]diazole
Interactions	PUBCHEM	Methyl 4-[(2-[(3-methylphenyl)methyl]sulfanyl)-3H-imidazo[4,5-C]pyridin-3-yl]pyridine
Interactions	PUBCHEM	1-[2-Chloro-5-(trifluoromethyl)phenyl]-3-(thiophen-2-yl)urea
Interactions	PUBCHEM	4-[(2-[(4-Fluorophenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-yl]pyridine
Interactions	PUBCHEM	4-[(2-[(4-Fluorophenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-yl]pyridine
Interactions	PUBCHEM	4-[(2-[(4-Fluorophenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-yl]pyridine
Interactions	PUBCHEM	N-[2-(4-Chlorophenyl)ethyl]-1-[5-(3,4-dimethylphenyl)-4-methyl-1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzofuro[3,2-c]pyridine-3-carboxamido]ethylcarbamate
Interactions	PUBCHEM	N-(2-bromobenzyl)-1,7,7-trimethyl-9-oxo-8,9-dihydro-7H-furo[3,2-f]quinoxaline
Interactions	PUBCHEM	2-(3,4-Dimethoxyphenyl)-4-[(2-[(4-methoxyphenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-yl]pyridine
Interactions	PUBCHEM	4-{2-(Benzylsulfanyl)-3H-imidazo[4,5-B]pyridin-3-yl)methyl}-N-[2-(2-methoxyphenyl)-1H-benzofuro[3,2-c]pyridin-3-yl]pyridine

Main Category		Category
Interactions	PUBCHEM	4-{{2-(Benzylsulfanyl)-3H-imidazo[4,5-B]pyridin-3-YL)methyl}-N-[2-(p
Interactions	PUBCHEM	4-{{2-(Benzylsulfanyl)-3H-imidazo[4,5-B]pyridin-3-YL)methyl}-N-[2-(4
Interactions	PUBCHEM	N-(2-fluorophenyl)-N-propyl-4H-thieno[3,2-c]thiochromene-2-carbox
Interactions	PUBCHEM	N-{3-[4-(2,5-dimethylphenyl)piperazin-1-yl]propyl}-2-(4-methylpiperi
Interactions	PUBCHEM	Ethyl 4-(1,2-benzothiazole-3-amido)benzoate
Interactions	PUBCHEM	N-ethyl-N-(2-ethylphenyl)-4H-thieno[3,2-c]thiochromene-2-carboxar
Interactions	PUBCHEM	Methyl 3-[(1,2-benzisothiazol-3-ylcarbonyl)amino]benzoate
Interactions	PUBCHEM	N-[4-(Methylcarbamoyl)phenyl]-12-benzothiazole-3-carboxamide
Interactions	PUBCHEM	1-(5-Benzyl-6-oxobenzo[b][1,4]benzothiazepin-3-yl)-3-[2-(diethylami
Interactions	PUBCHEM	1-(5-Chloro-2-methylphenyl)-3-({1-[(4-fluorophenyl)methyl]-1H-pyrro
Interactions	PUBCHEM	5-Methyl-2-(2-methylphenyl)-4-[(2-{{(4-methylphenyl)methyl}sulfany
Interactions	PUBCHEM	5-Methyl-2-(3-methylphenyl)-4-[[2-({[3-(trifluoromethyl)phenyl]meth
Interactions	PUBCHEM	2-{5-[(4-Fluorophenyl)methyl]-4-oxo-3H,4H,5H-pyridazino[4,5-B]ind
Interactions	PUBCHEM	N-Cycloheptyl-2-{5-[(2-fluorophenyl)methyl]-4-oxo-3H,4H,5H-pyrida
Interactions	PUBCHEM	N-{3-[Butyl(methyl)amino]propyl}-2-{5-[(2-fluorophenyl)methyl]-4-ox
Interactions	PUBCHEM	2-{5-Benzyl-4-oxo-3H,4H,5H-pyridazino[4,5-B]indol-3-YL}-N-[2-(4-ch
Interactions	PUBCHEM	2-{5-[(2,5-Dimethylphenyl)methyl]-4-oxo-3H,4H,5H-pyridazino[4,5-B
Interactions	PUBCHEM	N-{3-[Butyl(methyl)amino]propyl}-2-{5-[(2,5-dimethylphenyl)methyl]
Interactions	PUBCHEM	2-{6-[(4-Chlorophenyl)methyl]-5,7-dimethyl-1-oxo-1H,2H,6H-pyrrolo
Interactions	PUBCHEM	n-(3-Chloro-4-fluorophenyl)-2-[3-(4-fluorophenyl)-2-oxo-1,4-diazasp
Interactions	PUBCHEM	2-[4-(4-tert-butylphenyl)-2,2-dimethyl-5-oxo-2,5-dihydro-1H-imidazo
Interactions	PUBCHEM	2-{4-Ethyl-8-methyl-1-oxo-1H,2H-[1,2,4]triazino[4,5-A]indol-2-YL}-N-
Interactions	PUBCHEM	2-{4-Ethyl-8-methyl-1-oxo-1H,2H-[1,2,4]triazino[4,5-A]indol-2-YL}-N-
Interactions	PUBCHEM	ethyl 4-[[{7-ethyl-1,7-dimethyl-9-oxo-8,9-dihydro-7H-furo[3,2-f]chro
Interactions	PUBCHEM	N-benzyl-7-chloro-N-methyl-4H-thieno[3,2-c]thiochromene-2-carbox
Interactions	PUBCHEM	7-chloro-N-(4-ethoxyphenyl)-N-ethyl-4H-thieno[3,2-c]thiochromene-
Interactions	PUBCHEM	7-chloro-N-(3-cyanophenyl)-4H-thieno[3,2-c]thiochromene-2-carbox
Interactions	PUBCHEM	N-(4-Acetamidophenyl)-3-[3,4,6-trimethyl-1-(4-methylphenyl)-1H-py
Interactions	PUBCHEM	4-{1-[2-(4-chloro-3-methylphenoxy)ethyl]-1H-benzimidazol-2-yl}-1-(2
Interactions	PUBCHEM	4-[1-(2-Cyclohexylethyl)benzimidazol-2-yl]-1-(2-ethylphenyl)pyrrolid
Interactions	PUBCHEM	N-(2-{1-[3-(2-methylphenoxy)propyl]-1H-benzimidazol-2-yl}ethyl)cyc
Interactions	PUBCHEM	N-(2-{1-[3-(2,6-dimethylphenoxy)propyl]-1H-benzimidazol-2-yl}ethyl)

Main Category		Category
Interactions	PUBCHEM	N-(2-{1-[3-(4-chlorophenoxy)propyl]-1H-benzimidazol-2-yl}ethyl)cyclo
Interactions	PUBCHEM	N-(2-{1-[3-(4-chloro-3-methylphenoxy)propyl]-1H-benzimidazol-2-yl}
Interactions	PUBCHEM	N-(2-{1-[2-(4-chlorophenoxy)ethyl]-1H-benzimidazol-2-yl}ethyl)cyclo
Interactions	PUBCHEM	N-{2-[ethyl(3-methylphenyl)amino]-2-phenylethyl}benzenesulfonam
Interactions	PUBCHEM	N-{2-[methyl(3-methylphenyl)amino]-2-phenylethyl}benzenesulfona
Interactions	PUBCHEM	N-{2-[methyl(4-methylphenyl)amino]-2-phenylethyl}benzenesulfona
Interactions	PUBCHEM	1-(2-Chlorophenyl)-4-[1-(4-phenoxybutyl)benzimidazol-2-yl]pyrrolid
Interactions	PUBCHEM	4-Chloro-N-[2-(2,3-dihydro-1H-indol-1-yl)-2-phenylethyl]benzene-1-
Interactions	PUBCHEM	1-(2-Chlorophenyl)-4-{1-[4-(3-methylphenoxy)butyl]-1H-1,3-benzodi
Interactions	PUBCHEM	1-(2-chlorophenyl)-4-{1-[4-(2-methoxyphenoxy)butyl]-1H-benzimida
Interactions	PUBCHEM	1-(2-Chlorophenyl)-4-[1-(2-cyclohexylethyl)benzimidazol-2-yl]pyrrol
Interactions	PUBCHEM	4-{1-[2-(4-tert-butylphenoxy)ethyl]-1H-benzimidazol-2-yl}-1-(2-ethox
Interactions	PUBCHEM	4-{1-[4-(2,5-dimethylphenoxy)butyl]-1H-benzimidazol-2-yl}-1-(2-etho
Interactions	PUBCHEM	1-(2-Ethylphenyl)-4-[1-(4-phenoxybutyl)benzimidazol-2-yl]pyrrolidin
Interactions	PUBCHEM	4-{1-[3-(4-chlorophenoxy)propyl]-1H-benzimidazol-2-yl}-1-(2-ethylph
Interactions	PUBCHEM	5-Bromo-1-[(4-butoxy-3-methoxyphenyl)methyl]-7-methyl-2,3-dihydro
Interactions	PUBCHEM	1-(3,5-dimethylphenyl)-3-[2-(5-methoxy-1H-indol-3-yl)ethyl]urea
Interactions	PUBCHEM	(2E)-3-{1-[3-(dipropylamino)-2-hydroxypropyl]-1H-indol-3-yl}-1-(4-m
Interactions	PUBCHEM	(2E)-3-{1-[3-[butyl(methyl)amino]-2-hydroxypropyl]-1H-indol-3-yl}-1-
Interactions	PUBCHEM	(2E)-3-{1-[3-(Azepan-1-yl)-2-hydroxypropyl]-1H-indol-3-yl}-1-(4-me
Interactions	PUBCHEM	5-(Ethoxymethyl)-7-{[4-(2-methoxyphenyl)piperazin-1-yl]methyl}quin
Interactions	PUBCHEM	(2E)-3-{1-[3-(dipropylamino)-2-hydroxypropyl]-1H-indol-3-yl}-1-(4-eth
Interactions	PUBCHEM	(2E)-3-{1-[3-[butyl(methyl)amino]-2-hydroxypropyl]-1H-indol-3-yl}-1-
Interactions	PUBCHEM	(2E)-3-{1-[3-(Azepan-1-yl)-2-hydroxypropyl]-1H-indol-3-yl}-1-(4-eth
Interactions	PUBCHEM	7-{[4-(3-Chlorophenyl)piperazin-1-yl]methyl}-5-(ethoxymethyl)quino
Interactions	PUBCHEM	7-{[4-(2-Methoxyphenyl)piperazin-1-yl]methyl}-5-(propoxymethyl)qu
Interactions	PUBCHEM	7-[[4-(3-Chlorophenyl)piperazin-1-yl]methyl]-5-(propoxymethyl)quin
Interactions	PUBCHEM	7-[(4-Phenylpiperazin-1-yl)methyl]-5-(propan-2-yloxymethyl)quinolin
Interactions	PUBCHEM	7-{[4-(2-Methoxyphenyl)piperazin-1-yl]methyl}-5-[(propan-2-yloxy)m
Interactions	PUBCHEM	5-[(Propan-2-yloxy)methyl]-7-({4-[3-(trifluoromethyl)phenyl]piperazi
Interactions	PUBCHEM	N-benzyl-5-chloro-2-(ethylsulfonyl)pyrimidine-4-carboxamide
Interactions	PUBCHEM	[5-Chloro-2-(ethylsulfonyl)pyrimidin-4-yl][4-(3-chlorophenyl)piperaz

Main Category		Category
Interactions	PUBCHEM	5-chloro-N-[4-[ethyl(phenyl)sulfamoyl]phenyl]-2-mesyl-pyrimidine-4
Interactions	PUBCHEM	5-chloro-2-mesyl-N-[4-[methyl(phenyl)sulfamoyl]phenyl]pyrimidine-
Interactions	PUBCHEM	5-chloro-N-(4-chlorobenzyl)-N-(furan-2-ylmethyl)-2-(methylsulfonyl)
Interactions	PUBCHEM	N-benzyl-5-chloro-N-(4-ethoxyphenyl)-2-(methylsulfonyl)pyrimidine
Interactions	PUBCHEM	N-[4-chloro-3-(trifluoromethyl)phenyl]-2-(5-methyl-1-benzofuran-3-y
Interactions	PUBCHEM	5-chloro-N-[3-(ethylcarbamoyl)-4,5,6,7-tetrahydro-1-benzothiophen-
Interactions	PUBCHEM	5-chloranyl-2-ethylsulfonyl-N-[4-[methyl(phenyl)sulfamoyl]phenyl]p
Interactions	PUBCHEM	N-benzyl-5-chloro-2-(ethylsulfonyl)-N-(furan-2-ylmethyl)pyrimidine-
Interactions	PUBCHEM	N-benzyl-5-chloro-2-(ethylsulfonyl)-N-(4-methoxyphenyl)pyrimidine
Interactions	PUBCHEM	5-chloro-2-(ethylsulfonyl)-N-{2-[(3-methylphenyl)carbamoyl]-1-benz
Interactions	PUBCHEM	Ethyl 2-({[5-chloro-2-(propylsulfonyl)pyrimidin-4-yl]carbonyl}amino)
Interactions	PUBCHEM	N-benzyl-5-chloro-N-(furan-2-ylmethyl)-2-(propylsulfonyl)pyrimidine
Interactions	PUBCHEM	5-chloro-N-[2-(phenylcarbamoyl)-1-benzofuran-3-yl]-2-(propylsulfor
Interactions	PUBCHEM	3-{[(5-ethyl-1-benzofuran-3-yl)acetyl]amino}-N-(4-methylphenyl)-1-b
Interactions	PUBCHEM	[5-hydroxy-2-methyl-4-(piperidylmethyl)benzo[b]furan-3-yl]-N-[3-(tri
Interactions	PUBCHEM	N-(3-chloro-4-methoxyphenyl)-5-hydroxy-2-methyl-4-[(3-methylpipe
Interactions	PUBCHEM	N-(3-chloro-4-methoxyphenyl)-5-hydroxy-2-methyl-4-[(4-methylpipe
Interactions	PUBCHEM	4-(azepan-1-ylmethyl)-N-(3-chloro-4-methoxyphenyl)-5-hydroxy-2-m
Interactions	PUBCHEM	4-(azepan-1-ylmethyl)-5-hydroxy-2-methyl-N-[3-(trifluoromethyl)phe
Interactions	PUBCHEM	4-{[benzyl(methyl)amino]methyl}-5-hydroxy-2-methyl-N-[3-(trifluoro
Interactions	PUBCHEM	5-(Ethylsulfonyl)-2-(4-fluorophenyl)-4-(phenylsulfonyl)-1,3-oxazole
Interactions	PUBCHEM	4-(Benzenesulfonyl)-2-(4-fluorophenyl)-5-propan-2-ylsulfonyl-1,3-ox
Interactions	PUBCHEM	5-(Butylsulfonyl)-2-(4-fluorophenyl)-4-(phenylsulfonyl)-1,3-oxazole
Interactions	PUBCHEM	4-(Benzenesulfonyl)-2-(4-fluorophenyl)-5-(2-methylpropanesulfonyl)
Interactions	PUBCHEM	5-(Butylsulfonyl)-2-(4-fluorophenyl)-4-[(4-methylphenyl)sulfonyl]-1,3
Interactions	PUBCHEM	2-(4-Fluorophenyl)-4-[(4-fluorophenyl)sulfonyl]-5-(isopropylsulfonyl
Interactions	PUBCHEM	5-(Sec-butylsulfonyl)-2-(4-fluorophenyl)-4-[(4-fluorophenyl)sulfonyl]
Interactions	PUBCHEM	4-(4-Chlorophenyl)sulfonyl-2-(4-fluorophenyl)-5-methylsulfonyl-1,3-
Interactions	PUBCHEM	4-(4-Bromobenzenesulfonyl)-5-(ethanesulfonyl)-2-(4-fluorophenyl)-
Interactions	PUBCHEM	4-(Benzenesulfonyl)-5-(butane-1-sulfonyl)-2-(thiophen-2-YL)-1,3-ox
Interactions	PUBCHEM	4-(Benzenesulfonyl)-5-(butane-2-sulfonyl)-2-(thiophen-2-YL)-1,3-ox
Interactions	PUBCHEM	4-(4-Methylbenzenesulfonyl)-5-(pentane-1-sulfonyl)-2-(thiophen-2-

Main Category		Category
Interactions	PUBCHEM	4-[(4-Fluorophenyl)sulfonyl]-5-(isopropylsulfonyl)-2-thien-2-yl-1,3-ox
Interactions	PUBCHEM	5-(Butane-1-sulfonyl)-4-(4-fluorobenzenesulfonyl)-2-(thiophen-2-YL
Interactions	PUBCHEM	3-benzoyl-1,1-dioxido-2-propyl-2H-1,2-benzothiazin-4-yl (4-methylph
Interactions	PUBCHEM	ethyl 4-[(7,8-dimethyl-4-oxo-4H-chromen-2-yl)carbonyl]amino}benz
Interactions	PUBCHEM	4-methyl-N-(4,5,6,7-tetrahydro-2,1-benzoxazol-3-yl)benzamide
Interactions	PUBCHEM	4-tert-butyl-N-(4,5,6,7-tetrahydro-2,1-benzoxazol-3-yl)benzamide
Interactions	PUBCHEM	4-methoxy-N-(4,5,6,7-tetrahydro-2,1-benzoxazol-3-yl)benzamide
Interactions	PUBCHEM	4-ethoxy-N-(4,5,6,7-tetrahydro-2,1-benzoxazol-3-yl)benzamide
Interactions	PUBCHEM	4-(2-methylpropoxy)-N-(4,5,6,7-tetrahydro-2,1-benzoxazol-3-yl)benz
Interactions	PUBCHEM	2-[(3-methoxyphenoxy)methyl]-1-methyl-1H-benzimidazole
Interactions	PUBCHEM	2-[(5-Bromo-2-oxo-1-propyl-2,3-dihydro-1H-indol-3-YL)methyl]-3-eth
Interactions	PUBCHEM	2-(2-methoxyphenyl)-7,9-dimethyl-3-phenyl-2,3-dihydropyrido[3',2':4
Interactions	PUBCHEM	2-(2-Piperidylethyl)piperidyl 2-propoxyphenyl ketone
Interactions	PUBCHEM	5-chloro-N-(2,5-dimethylphenyl)-2-[(4-fluorobenzyl)sulfonyl]pyrimid
Interactions	PUBCHEM	5-chloro-N-(3,4-dimethylphenyl)-2-[(4-fluorobenzyl)sulfonyl]pyrimid
Interactions	PUBCHEM	N-benzyl-5-chloro-2-[(4-fluorobenzyl)sulfonyl]pyrimidine-4-carboxa
Interactions	PUBCHEM	N-[4-(acetylamino)phenyl]-5-chloro-2-[(4-fluorobenzyl)sulfonyl]pyrim
Interactions	PUBCHEM	5-chloro-N-(2,5-dimethoxyphenyl)-2-[(4-fluorobenzyl)sulfonyl]pyrim
Interactions	PUBCHEM	5-chloro-N-(4-methoxyphenyl)-2-[(4-methylbenzyl)sulfonyl]pyrimidi
Interactions	PUBCHEM	5-chloro-N-(4-methylbenzyl)-2-[(4-methylbenzyl)sulfonyl]pyrimidine
Interactions	PUBCHEM	5-chloro-N-(4-ethoxyphenyl)-2-[(2-fluorobenzyl)sulfonyl]pyrimidine-
Interactions	PUBCHEM	5-chloro-2-[(2-fluorobenzyl)sulfonyl]-N-(2-fluorophenyl)pyrimidine-4
Interactions	PUBCHEM	N-benzyl-2-benzylsulfonyl-5-chloropyrimidine-4-carboxamide
Interactions	PUBCHEM	Ethyl 4-[(2-benzylsulfonyl-5-chloropyrimidine-4-carbonyl)amino]ben
Interactions	PUBCHEM	2-benzylsulfonyl-5-chloro-N-p-anisyl-pyrimidine-4-carboxamide
Interactions	PUBCHEM	2-(4-ethylphenyl)-5-(hydroxymethyl)-N-methyl-2H-1,2,3-triazole-4-ca
Interactions	PUBCHEM	5-chloranyl-N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2-[(4-methylphenyl)meth
Interactions	PUBCHEM	5-chloranyl-2-[(4-methylphenyl)methylsulfonyl]-N-(5-propyl-1,3,4-thi
Interactions	PUBCHEM	5-chloro-2-[(4-methylphenyl)methylsulfonyl]-N-(5-propan-2-yl-1,3,4-
Interactions	PUBCHEM	5-chloro-N-(6-methyl-1,3-benzothiazol-2-yl)-2-[(4-methylbenzyl)sulf
Interactions	PUBCHEM	5-chloro-N-(6-fluoro-1,3-benzothiazol-2-yl)-2-[(4-methylbenzyl)sulfo
Interactions	PUBCHEM	5-chloro-N-(6-methoxy-1,3-benzothiazol-2-yl)-2-[(4-methylbenzyl)su

Main Category		Category
Interactions	PUBCHEM	5-chloro-N-(6-fluoro-1,3-benzothiazol-2-yl)-2-[(2-fluorobenzyl)sulfonyl]pyrimidin-4-carboxamide
Interactions	PUBCHEM	5-chloro-2-[(2-fluorobenzyl)sulfonyl]-N-(6-methoxy-1,3-benzothiazol-2-yl)pyrimidin-4-carboxamide
Interactions	PUBCHEM	2-(benzylsulfonyl)-5-chloro-N-(5-methyl-1,3,4-thiadiazol-2-yl)pyrimidin-4-carboxamide
Interactions	PUBCHEM	2-benzylsulfonyl-5-chloro-N-(5-isopropyl-1,3,4-thiadiazol-2-yl)pyrimidin-4-carboxamide
Interactions	PUBCHEM	2-(benzylsulfonyl)-5-chloro-N-(6-methoxy-1,3-benzothiazol-2-yl)pyrimidin-4-carboxamide
Interactions	PUBCHEM	N-[2-methyl-5-(7-methylimidazo[1,2-a]pyridin-2-yl)phenyl]ethanesulfonamide
Interactions	PUBCHEM	3-benzoyl-2-butyl-1,1-dioxido-2H-1,2-benzothiazin-4-yl acetate
Interactions	PUBCHEM	3-benzoyl-2-butyl-1,1-dioxido-2H-1,2-benzothiazin-4-yl propionate
Interactions	PUBCHEM	2(1Ethylpropyl)6phenylimidazo[2,1b][1,3,4]thiadiazole
Interactions	PUBCHEM	6(3Bromophenyl)2isobutylimidazo[2,1b][1,3,4]thiadiazole
Interactions	PUBCHEM	2-(Methoxymethyl)-6-(4-methylphenyl)imidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	5-chloro-2-[(2-methylbenzyl)sulfonyl]-N-[5-(propan-2-yl)-1,3,4-thiadiazol-2-yl]pyrimidin-4-carboxamide
Interactions	PUBCHEM	5-chloro-2-[(3-methylbenzyl)sulfonyl]-N-(4-methylphenyl)pyrimidine-4-carboxamide
Interactions	PUBCHEM	N-benzyl-5-chloro-2-(3-methylbenzyl)sulfonyl-pyrimidine-4-carboxamide
Interactions	PUBCHEM	5-chloro-2-(3-methylbenzyl)sulfonyl-N-o-phenetyl-pyrimidine-4-carboxamide
Interactions	PUBCHEM	5-chloranyl-N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2-[(3-methylphenyl)methyl]pyrimidin-4-carboxamide
Interactions	PUBCHEM	5-chloro-2-[(3-methylphenyl)methylsulfonyl]-N-(5-propan-2-yl-1,3,4-thiadiazol-2-yl)pyrimidin-4-carboxamide
Interactions	PUBCHEM	5-chloro-N-(6-fluoro-1,3-benzothiazol-2-yl)-2-[(3-methylbenzyl)sulfonyl]pyrimidin-4-carboxamide
Interactions	PUBCHEM	5-chloro-N-(6-methoxy-1,3-benzothiazol-2-yl)-2-[(3-methylbenzyl)sulfonyl]pyrimidin-4-carboxamide
Interactions	PUBCHEM	2-[(4-chlorophenyl)methyl]-N-(4-ethylphenyl)-5-methyl-[1,2,4]triazole
Interactions	PUBCHEM	N5-(3-Chloro-4-methylphenyl)-N6-[3-(trifluoromethyl)phenyl]-[1,2,5]oxadiazole
Interactions	PUBCHEM	1-methanesulfonyl-N-[3-(methylsulfanyl)phenyl]-1,2,3,4-tetrahydro-2H-1,2,4-triazole
Interactions	PUBCHEM	5-bromo-N-[4-(4-ethoxyphenyl)-1,2,5-oxadiazol-3-yl]-3-methyl-1-benzothiazol-2-ylidenehydrazide
Interactions	PUBCHEM	6(4Isopropoxyphenyl)2methylimidazo[2,1b][1,3,4]thiadiazole
Interactions	PUBCHEM	2-Ethyl-6-(4-ethylphenyl)imidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	(4-Fluorophenyl)(2-methylthio-6-phenylpyrimidin-4-yl)amine
Interactions	PUBCHEM	5-Bromo-3-[(2-butoxyphenyl)methyl]-2,3-dihydro-1H-indol-2-one
Interactions	PUBCHEM	4-(3-Methylbenzoyl)-4A,5,6,7,8,8A-hexahydro-4H-spiro[[1,2,4]triazol-4,1'-indol-2-one]
Interactions	PUBCHEM	5-bromo-3-(4-propoxybenzyl)-1,3-dihydro-2H-indol-2-one
Interactions	PUBCHEM	3-(Furan-2-YL)-N-[(4-methylphenyl)methyl]-1-(2-nitrobenzoyl)-1H-1,2,4-triazole
Interactions	PUBCHEM	2-(4-tert-butylphenoxy)-N-([1-(morpholin-4-yl)cyclohexyl)methyl]acetamide
Interactions	PUBCHEM	3-Chloro-N-(2-{[2-(morpholin-4-YL)-2-oxoethyl]sulfanyl}-1,3-benzothiazol-5-yl)pyrimidin-4-carboxamide

Main Category		Category
Interactions	PUBCHEM	2-(2-Fluorophenoxy)-N-[2-({[(3-methylphenyl)carbamoyl]methyl}sulfanylmethyl)sulfanylmethyl]acetamide
Interactions	PUBCHEM	Ethyl 2-{{[6-(4-methylbenzamido)-1,3-benzothiazol-2-yl]sulfanyl}acetyl}carbamate
Interactions	PUBCHEM	4-Tert-butyl-N-(2-{{[2-oxo-2-(pyrrolidin-1-yl)ethyl]sulfanyl}-1,3-benzodioxol-5-yl})acetamide
Interactions	PUBCHEM	5-(2,3-dihydro-1,4-benzodioxin-6-yl)-N-(3-methylphenyl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-(2-{{[2-(2,3-Dihydro-1H-indol-1-yl)-2-oxoethyl]sulfanyl}-1,3-benzodioxol-5-yl})acetamide
Interactions	PUBCHEM	2-(4-Fluorophenoxy)-N-(2-{{[2-(4-methylphenoxy)ethyl]sulfanyl}-1,3-benzodioxol-5-yl})acetamide
Interactions	PUBCHEM	N-(3-chlorophenyl)-5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-[4-(acetylamino)phenyl]-5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-Methoxyphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-Cyanophenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3-Methylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2-Chlorophenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3,4-Dimethylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3,5-Dimethylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2,4-Dimethylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-Chloro-3-methylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	2,3-Dimethylphenyl 5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	4-(methylethyl)phenyl 5-(2H,3H-benzo[3,4-e][1,4-dioxin-6-yl]isoxazole-3-carboxamide
Interactions	PUBCHEM	N-(3-acetylphenyl)-5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-2-methylphenyl]-2,2-dimethylpropanamide
Interactions	PUBCHEM	N-[4-(1,3-benzothiazol-2-yl)phenyl]-2,2-dimethylpropanamide
Interactions	PUBCHEM	N-[4-(1,3-benzothiazol-2-yl)phenyl]methanesulfonamide
Interactions	PUBCHEM	2-{{[5-(4-Nitrophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl}-N-phenylacetamido}acetamide
Interactions	PUBCHEM	4-Methyl-1-[2-nitro-4-(3-phenyl-1,2,4-oxadiazol-5-yl)phenyl]piperidine
Interactions	PUBCHEM	1-(2-Fluorophenyl)-4-[4-methoxy-3-(5-methyl-1,2,4-oxadiazol-3-yl)benzyl]piperazine
Interactions	PUBCHEM	3-ethyl-7-hydroxy-8-{{[4-(4-methoxyphenyl)piperazin-1-yl]methyl}-4-oxo-5-azabicyclo[3.3.1]nonane-2-carboxylate}
Interactions	PUBCHEM	6-Methoxy-N-(3-methoxypropyl)-3-{{[4-(methylphenyl)sulfanyl]-1H-indol-2-yl}methyl}carbamate
Interactions	PUBCHEM	N-[2-(4-phenylpiperazine-1-carbonyl)-1-benzofuran-3-yl]pentanamide
Interactions	PUBCHEM	1-Benzyl-1-methyl-3-(5-methyl-6-oxobenzo[b][1,4]benzothiazepin-3-yl)urea
Interactions	PUBCHEM	1-Butyl-1-ethyl-3-(5-methyl-6-oxobenzo[b][1,4]benzothiazepin-3-yl)urea
Interactions	PUBCHEM	2-{2-[4-(4-Methoxyphenyl)piperazino]-1-methyl-2-oxoethyl}-4-methyl-1,2,3,4-tetrahydropyrimidin-6(1H)-one
Interactions	PUBCHEM	N-benzyl-2-(4-ethyl-1-oxopyrrolo[1,2-d][1,2,4]triazin-2-yl)acetamide

Main Category		Category
Interactions	PUBCHEM	N-[(2-chlorophenyl)methyl]-2-(4-ethyl-1-oxo-2-pyrrolo[1,2-d][1,2,4]triazolo[4,3-a]quinolin-6-yl)ethanol
Interactions	PUBCHEM	N-[(3-Bromophenyl)methyl]-2-{1-oxo-1H,2H-pyrrolo[1,2-D][1,2,4]triazolo[4,3-a]quinolin-6-yl}ethanol
Interactions	PUBCHEM	N-(4-methylcyclohexyl)-2-[4-methyl-1-oxo[1]benzothieno[2,3-d]pyridazin-2(1H)-YL]-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-[2-(2,4-dimethoxyphenyl)ethyl]-2-(4-methyl-1-oxo[1]benzothieno[2,3-d]pyridazin-2(1H)-YL)-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	2-(4-Methyl-1-oxo[1]benzothieno[2,3-D]pyridazin-2(1H)-YL)-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-cyclohexyl-2-(4-methyl-1-oxo[1]benzothieno[2,3-d]pyridazin-2(1H)-YL)-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	4-(3-chlorophenyl)-N-(4-ethoxyphenyl)-5H-chromeno[4,3-d]pyrimidin-2-yl}methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	4-(3-chlorophenyl)-N-(2-ethoxyphenyl)-5H-chromeno[4,3-d]pyrimidin-2-yl}methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-[3-(diethylamino)propyl]-1-methyl-4H-thiochromeno[3,4-d]pyrazole-3-carboxamide
Interactions	PUBCHEM	1-(4-fluorophenyl)-4-{1-methyl-1H,4H-thiochromeno[4,3-c]pyrazole-3-carboxamide
Interactions	PUBCHEM	N-(2-Ethoxyphenyl)-1-methyl-1H,4H-thiochromeno[4,3-C]pyrazole-3-carboxamide
Interactions	PUBCHEM	N-(5-chloro-2,4-dimethoxyphenyl)-4-(4-methyl-1-oxo[1]benzothieno[2,3-d]pyridazin-2(1H)-YL)-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-4-(4-methyl-1-oxo-[1]benzothiolo[2,3-d]pyridazin-2(1H)-YL)-N-{2-[4-(2-methoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	1-(2,5-Dimethoxyphenyl)-4-(2-phenylethyl)-[1,2,4]triazolo[4,3-a]quinolin-6-yl}methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-(2-ethyl-6-methylphenyl)-2-(4-methyl-1-oxo-2-pyrrolo[1,2-d][1,2,4]triazolo[4,3-a]quinolin-6-yl)ethanol
Interactions	PUBCHEM	N-{5-[(2-Methylpropyl)(phenyl)sulfamoyl]-1,3,4-thiadiazol-2-YL}furan-2-carboxamide
Interactions	PUBCHEM	2-(4-chlorophenoxy)-N-[5-(diethylsulfamoyl)-1,3,4-thiadiazol-2-yl]acetamide
Interactions	PUBCHEM	N-{5-[Ethyl(phenyl)sulfamoyl]-1,3,4-thiadiazol-2-YL}thiophene-2-carboxamide
Interactions	PUBCHEM	N-[5-[ethyl(phenyl)sulfamoyl]-1,3,4-thiadiazol-2-yl]-2-furancarboxamide
Interactions	PUBCHEM	N-{5-[Methyl(phenyl)sulfamoyl]-1,3,4-thiadiazol-2-YL}cyclohexanecarboxamide
Interactions	PUBCHEM	N-{2-[4-(2-Methoxyphenyl)piperazin-1-YL]-2-(pyridin-3-YL)ethyl}-N'-(4-methoxyphenyl)-N-[2-(pyridin-3-YL)-2-(1,2,3,4-tetrahydroisoquinolin-6-yl)methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N'-(4-Methoxyphenyl)-N-[2-(pyridin-3-YL)-2-(1,2,3,4-tetrahydroisoquinolin-6-yl)methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-{2-[4-(4-Fluorophenyl)piperazin-1-YL]-2-(pyridin-3-YL)ethyl}-N'-(2-methoxyphenyl)-N-[2-(pyridin-3-YL)-2-(1,2,3,4-tetrahydroisoquinolin-6-yl)methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-{2-[4-(4-Fluorophenyl)piperazin-1-YL]-2-(pyridin-3-YL)ethyl}-3,4,5-trimethoxyphenyl}-N-[2-(pyridin-3-YL)-2-(1,2,3,4-tetrahydroisoquinolin-6-yl)methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-(3-Chloro-4-methylphenyl)-N'-[2-(morpholin-4-YL)-2-(pyridin-3-YL)ethyl]-N-{2-[4-(2-methoxyphenyl)piperazin-1-YL]-2-(pyridin-3-YL)ethyl}-N'-(4-methoxyphenyl)-N-[2-(pyridin-3-YL)-2-(1,2,3,4-tetrahydroisoquinolin-6-yl)methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-(5-[[{(Furan-2-YL)methyl](methyl)sulfamoyl]-1,3,4-thiadiazol-2-YL}methyl]-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	1-[(4-Chlorophenyl)methyl]-4-[(3-methylphenyl)methyl]-1,2,3,4-tetrahydroquinazolin-2-yl}methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-[2-(3,4-Dimethoxyphenyl)ethyl]-2-(4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-(4-Chloro-2-methoxy-5-methylphenyl)-1-{pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-[2-(4-Chlorophenyl)ethyl]-4-{4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	N-{2-[4-(Methylsulfanyl)phenyl]ethyl}-4-{4-oxo-4H,5H-pyrrolo[1,2-A]quinoxalin-8-yl)methyl}-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol
Interactions	PUBCHEM	2-[(3-Chlorophenyl)methyl]-N-(3-methoxypropyl)-8-methyl-2H,4H,5H-benzothieno[3,2-b]pyridazin-6-yl}ethanol

Main Category		Category
Interactions	PUBCHEM	4-(5-Methyl-2-phenyl-4,5,6,7-tetrahydro-1H-indol-1-YL)-N-(propan-2-
Interactions	PUBCHEM	3-phenyl-6-[4-(trifluoromethyl)phenyl]-2H-pyrazolo[3,4-b]pyridine-4-
Interactions	PUBCHEM	6-(2,5-dimethoxyphenyl)-3-(4-ethylphenyl)-2H-pyrazolo[3,4-b]pyridin
Interactions	PUBCHEM	N-(4-Fluorophenyl)-2-[(2-methylfuro[2',3':4,5]pyrrolo[1,2-D][1,2,4]tria
Interactions	PUBCHEM	8-[(Mesitylmethyl)sulfanyl]-5-methylfuro[2',3':4,5]pyrrolo[1,2-d][1,2,4
Interactions	PUBCHEM	4-Chlorobenzyl (2,5-dimethylfuro[2',3':4,5]pyrrolo[1,2-D][1,2,4]triazin
Interactions	PUBCHEM	6-Methyl-1-[(4-methylphenyl)methyl]-3-[[[4-(propan-2-yloxy)phenyl]
Interactions	PUBCHEM	1,7,7-trimethyl-9-oxo-N-[3-(trifluoromethyl)phenyl]-8,9-dihydro-7H-fu
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-1,7,7-trimethyl-9-oxo-8H-furo[3,2-f]chrom
Interactions	PUBCHEM	N-(3-ethylphenyl)-1,7,7-trimethyl-9-oxo-8H-furo[3,2-f]chromene-2-ca
Interactions	PUBCHEM	N
Interactions	PUBCHEM	2-[(5-Ethylthieno[2',3':4,5]pyrrolo[1,2-D][1,2,4]triazin-8-YL)sulfanyl]-N
Interactions	PUBCHEM	N-[2-(2-chlorophenyl)ethyl]-4-[(6-oxopyrido[2,3-e]pyrrolo[1,2-a]pyraz
Interactions	PUBCHEM	3-((2-Methylbenzyl)thio)-6-(thiophen-2-yl)pyridazine
Interactions	PUBCHEM	2-((6-(4-methyl-2-phenylthiazol-5-yl)pyridazin-3-yl)thio)-N-(3-(trifluo
Interactions	PUBCHEM	N-(3-acetamidophenyl)-2-((6-(4-methyl-2-phenylthiazol-5-yl)pyridaz
Interactions	PUBCHEM	N-(5-chloro-2,4-dimethoxyphenyl)-2,7-dimethyl-5-oxo-5H-[1,3]thiaz
Interactions	PUBCHEM	N-[4-({3-[(4-ethylphenyl)sulfonyl]thieno[2,3-e][1,2,3]triazolo[1,5-a]py
Interactions	PUBCHEM	4-methyl-N-[2-(6-{[(2-methylphenyl)methyl]sulfanyl}[1,2,4]triazolo[4
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-[1-(2-oxo-2-pyrrolidin-1-ylethyl)indol-3-yl]sulfa
Interactions	PUBCHEM	1-[(2-Oxo-1,2-dihydroquinolin-6-YL)sulfonyl]-N-[4-(propan-2-YL)phen
Interactions	PUBCHEM	N-[(4-Methylphenyl)methyl]-2-[3-oxo-6-(pyrrolidine-1-sulfonyl)-3,4-d
Interactions	PUBCHEM	3-(4-Bromophenyl)-5-(4-chlorophenyl)-4-(3-hydroxyphenyl)-1H,4H,5
Interactions	PUBCHEM	4-(4-Chlorophenyl)-3-methyl-5-(4-methylphenyl)-2,4-dihydropyrrolo
Interactions	PUBCHEM	Ethyl 4-[4-(4-ethylphenyl)-6-oxo-3-(thiophen-2-YL)-1H,4H,5H,6H-pyr
Interactions	PUBCHEM	2-((8,9-dimethoxy-2-(2-(2-methyl-1H-benzo[d]imidazol-1-yl)ethyl)-[1
Interactions	PUBCHEM	2-(Diethylamino)ethyl 4-[5-methyl-3-(4-methylphenyl)-4-oxo-3H,4H,
Interactions	PUBCHEM	N-[(2H-1,3-Benzodioxol-5-YL)methyl]-1-[[[4-ethoxyphenyl]carbamo
Interactions	PUBCHEM	N-[(2H-1,3-Benzodioxol-5-YL)methyl]-1-[[[4-ethylphenyl]carbamo
Interactions	PUBCHEM	N-[(2H-1,3-Benzodioxol-5-YL)methyl]-1-[[[4-bromo-2-fluorophenyl]c
Interactions	PUBCHEM	N-[(2H-1,3-benzodioxol-5-yl)methyl]-1-[[[2,4-dimethylphenyl]carban
Interactions	PUBCHEM	N-cycloheptyl-5-methyl-4-oxo-4H,5H-thieno[3,2-c]quinoline-2-carbo

Main Category		Category
Interactions	PUBCHEM	N-{3-[Benzyl(ethyl)amino]propyl}-5-methyl-4-oxo-4H,5H-thieno[3,2-
Interactions	PUBCHEM	N-(2-chlorobenzyl)-3-(4-methylphenyl)-1-{2-[(4-methylphenyl)amino
Interactions	PUBCHEM	1-{2-[(4-ethylphenyl)amino]-2-oxoethyl}-3-(4-methoxyphenyl)-N-(4-r
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-N-(4-methylbenzyl)-2,4-dioxo-1-[2-oxo-2-(4-tol
Interactions	PUBCHEM	1-[(4-Fluorophenyl)carbamoyl)methyl]-3-(4-methoxyphenyl)-N-[(4-r
Interactions	PUBCHEM	N-Cyclopentyl-1-[(2,4-dimethylphenyl)carbamoyl)methyl]-3-[(furan
Interactions	PUBCHEM	4-[(2-[(4-Fluorophenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-
Interactions	PUBCHEM	4-[(2-[(4-Fluorophenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-
Interactions	PUBCHEM	N-Cyclopropyl-4-[(2-[(2-fluorophenyl)methyl]sulfanyl)-3H-imidazo[4
Interactions	PUBCHEM	N-[(Furan-2-YL)methyl]-4-[(2-[(4-methylphenyl)methyl]sulfanyl)-3H
Interactions	PUBCHEM	N-Cyclopropyl-4-[(2-[(4-methylphenyl)methyl]sulfanyl)-3H-imidazo
Interactions	PUBCHEM	4-[(2-[(4-Methylphenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-
Interactions	PUBCHEM	N-Cyclohexyl-4-[(2-[(4-methylphenyl)methyl]sulfanyl)-3H-imidazo[4
Interactions	PUBCHEM	4-[(2-[(4-Methylphenyl)methyl]sulfanyl)-3H-imidazo[4,5-B]pyridin-3-
Interactions	PUBCHEM	N-(3,4-Dimethoxyphenyl)-2-(2-[(4-methylphenyl)methyl]sulfanyl)-3-
Interactions	PUBCHEM	N-(4-Methyl-2-{[3-(trifluoromethyl)phenyl]amino}quinolin-6-YL)pyrid
Interactions	PUBCHEM	3-chloro-N-(4-methyl-2-{[3-(trifluoromethyl)phenyl]amino}quinolin-6
Interactions	PUBCHEM	N-{2-[(3-Chlorophenyl)amino]-4-methylquinolin-6-YL}pyridine-3-carb
Interactions	PUBCHEM	5-bromo-N-[2-(3-chloroanilino)-4-methylquinolin-6-yl]pyridine-3-carb
Interactions	PUBCHEM	N-(2-Bromo-4-methylphenyl)-6H,7H,8H,9H-pyrido[2,1-H]purin-4-amino
Interactions	PUBCHEM	N-{3-[4-(3-chlorophenyl)piperazin-1-yl]propyl}-1-(4-fluorophenyl)-5-(
Interactions	PUBCHEM	N-{3-[4-(2-fluorophenyl)piperazin-1-yl]propyl}-3-methyl-1-(4-methylp
Interactions	PUBCHEM	N-(5-chloro-2-methylphenyl)-1-methyl-4-oxochromeno[3,4-d]imidazo[1
Interactions	PUBCHEM	N-(3-chloro-4-methoxyphenyl)-2-[(2-methylphenyl)amino]-5-oxo-5H-[1
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-2-[(2-methylphenyl)amino]-5-oxo-5H-[1,3,4]t
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-2-[(2-methylphenyl)amino]-5-oxo-5H-[1,
Interactions	PUBCHEM	N-(4-ethylphenyl)-2-[(2-methylphenyl)amino]-5-oxo-5H-[1,3,4]thiadia
Interactions	PUBCHEM	N-(3,5-dimethylphenyl)-2-[(2-ethylphenyl)amino]-5-oxo-5H-[1,3,4]thi
Interactions	PUBCHEM	N-(4-Fluorobenzyl)-2-(2-methoxyanilino)-5-oxo-5H-[1,3,4]thiadiazole
Interactions	PUBCHEM	2-[(2-methoxyphenyl)amino]-5-oxo-N-(2-phenylethyl)-5H-[1,3,4]thia
Interactions	PUBCHEM	N-[2-(Cyclohex-1-EN-1-YL)ethyl]-2-[(2-methoxyphenyl)amino]-5-oxo
Interactions	PUBCHEM	N-(3-ethylphenyl)-2-[(2-methoxyphenyl)amino]-5-oxo-5H-[1,3,4]thia

Main Category		Category
Interactions	PUBCHEM	N-benzyl-2-[(2,5-dimethylphenyl)amino]-5-oxo-5H-[1,3,4]thiadiazolo[4,5-c]pyridine-3-carboxamide
Interactions	PUBCHEM	2-[(2,5-dimethylphenyl)amino]-5-oxo-N-(2-phenylethyl)-5H-[1,3,4]thiadiazolo[4,5-c]pyridine-3-carboxamide
Interactions	PUBCHEM	N-(2,5-Dimethylphenyl)-1-methyl-4-oxo-1H,4H-chromeno[3,4-D]imidazole-2-carboxamide
Interactions	PUBCHEM	N-(2-Ethoxyphenyl)-1-methyl-4-oxo-1H,4H-chromeno[3,4-D]imidazole-2-carboxamide
Interactions	PUBCHEM	2-[(5-Chloro-2-methylphenyl)amino]-N-[(4-fluorophenyl)methyl]-5-oxo-5H-[1,3,4]thiadiazolo[4,5-c]pyridine-3-carboxamide
Interactions	PUBCHEM	2-[(3-chloro-2-methylphenyl)amino]-N-[2-(diethylamino)ethyl]-5-oxo-5H-[1,3,4]thiadiazolo[4,5-c]pyridine-3-carboxamide
Interactions	PUBCHEM	3-[(Benzylamino)methyl]-1-[(4-ethenylphenyl)methyl]-6-methyl-1H-imidazo[4,5-b]pyridine-2-carboxamide
Interactions	PUBCHEM	3-([(2,5-Dimethoxyphenyl)methyl]amino)methyl)-1-[(4-ethenylphenyl)methyl]-6-methyl-1H-imidazo[4,5-b]pyridine-2-carboxamide
Interactions	PUBCHEM	N-(5-Chloro-2-methylphenyl)-1-{3,4-dimethyl-2-phenyl-2H-pyrazolo[3,4-d]pyridazin-7-yl}-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-[2-(2-Chlorophenyl)ethyl]-1-{3,4-dimethyl-2-phenyl-2H-pyrazolo[3,4-d]pyridazin-7-yl}-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-[3,4-Dimethyl-2-(4-methylphenyl)-2H-pyrazolo[3,4-D]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-[3,4-dimethyl-2-(4-methylphenyl)-2H-pyrazolo[3,4-d]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-[3,4-Dimethyl-2-(4-methylphenyl)-2H-pyrazolo[3,4-D]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-[3,4-dimethyl-2-(4-methylphenyl)-2H-pyrazolo[3,4-d]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-{4-[(2-Chloro-4-methylphenyl)carbamoyl]phenyl}-1H,2H,3H-pyridine-2-carboxamide
Interactions	PUBCHEM	N-[(3-Fluorophenyl)methyl]-1-[2-(4-methoxyphenyl)-3,4-dimethyl-2H-pyrazolo[3,4-d]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-[2-(4-Methoxyphenyl)-3,4-dimethyl-2H-pyrazolo[3,4-D]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-[(4-Ethylphenyl)methyl]-1-[2-(4-methoxyphenyl)-3,4-dimethyl-2H-pyrazolo[3,4-d]pyridazin-7-yl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-(3-chloro-4-methoxyphenyl)-1-(3,4-dimethyl-2-phenylpyrazolo[3,4-d]pyridazin-7-yl)-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	1-{3,4-Dimethyl-2-phenyl-2H-pyrazolo[3,4-D]pyridazin-7-YL}-N-[(4-ethoxyphenyl)methyl]-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-butyl-2-(3,4-dimethyl-2-phenylpyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-[(2,3-Dimethoxyphenyl)methyl]-2-({3,4-dimethyl-2-phenyl-2H-pyrazolo[3,4-d]pyridazin-7-yl})-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	2-({3,4-Dimethyl-2-phenyl-2H-pyrazolo[3,4-D]pyridazin-7-YL}sulfonamide)-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	N-[(2,4-Dimethoxyphenyl)methyl]-2-({3,4-dimethyl-2-phenyl-2H-pyrazolo[3,4-d]pyridazin-7-yl})-2-methyl-2H-pyrazolo[3,4-d]pyridazin-7-yl)sulfonamide
Interactions	PUBCHEM	[4-(2,4-Dimethylphenyl)piperazin-1-yl]-[1-(3,4-dimethylphenyl)-5-piperazin-1-yl]quinolin-6-amine
Interactions	PUBCHEM	1-(3-Chlorophenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]-5-piperazin-1-yl]quinolin-6-amine
Interactions	PUBCHEM	1-(2-Bromophenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]-5-piperazin-1-yl]quinolin-6-amine
Interactions	PUBCHEM	1-(2-Ethoxyphenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]-5-piperazin-1-yl]quinolin-6-amine
Interactions	PUBCHEM	N-(3-chloro-4-fluorophenyl)-2-[3-(4-fluorophenyl)-4-oxo-[1,2]oxazolo[4,5-b]pyridine-6-carboxamide
Interactions	PUBCHEM	1-(3,5-Dimethylphenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]-5-piperazin-1-yl]quinolin-6-amine
Interactions	PUBCHEM	1-(3,4-Dimethylphenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6-yl]-5-piperazin-1-yl]quinolin-6-amine

Main Category		Category
Interactions	PUBCHEM	1-(2-Chlorophenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)quinolin-6
Interactions	PUBCHEM	1-(3-Fluoro-4-methylphenyl)-3-[4-methyl-2-(4-methylpiperazin-1-yl)c
Interactions	PUBCHEM	2-Methyl-4-{3-methyl-[1,2]oxazolo[5,4-D]pyrimidin-4-YL}-1-(3-methy
Interactions	PUBCHEM	N-benzyl-N-ethyl-1H-pyrrolo[3,2-h]quinoline-2-carboxamide
Interactions	PUBCHEM	N-({1-[(4-Methylphenyl)methyl]piperidin-4-YL)methyl}-1H-pyrrolo[3,
Interactions	PUBCHEM	tert-butyl 4-(4-([2-(4-benzylpiperidin-1-yl)ethyl]carbamoyl)-1-(4-fluor
Interactions	PUBCHEM	tert-butyl 4-[4-([3-[4-(2,5-dimethylphenyl)piperazino]propyl)amino)
Interactions	PUBCHEM	Tert-butyl 4-[1-(2-chlorophenyl)-4-[3-[4-(2,5-dimethylphenyl)piperaz
Interactions	PUBCHEM	Tert-butyl 4-[1-(3-chlorophenyl)-4-[[1-[2-(4-methoxyphenyl)ethyl]pip
Interactions	PUBCHEM	tert-butyl 4-[4-([2-(4-benzylpiperidin-1-yl)ethyl]amino)carbonyl]-1-(
Interactions	PUBCHEM	(3-methylpiperidin-1-yl)-(1H-pyrrolo[3,2-h]quinolin-2-yl)methanone
Interactions	PUBCHEM	1-(2,4-Dimethylphenyl)-4-[6-methyl-4-(piperidin-1-YL)furo[2,3-D]pyri
Interactions	PUBCHEM	piperidin-1-yl(1H-pyrrolo[3,2-h]quinolin-2-yl)methanone
Interactions	PUBCHEM	N-(4-chloro-2-methoxy-5-methylphenyl)-1H-pyrrolo[3,2-h]quinoline-
Interactions	PUBCHEM	N-(5-chloro-2-methylphenyl)-N-methyl-1H-pyrrolo[3,2-h]quinoline-2-
Interactions	PUBCHEM	N-[2-(Dimethylamino)ethyl]-N-[(furan-2-YL)methyl]-3-(2-methoxyben
Interactions	PUBCHEM	tert-butyl 4-[4-([2-(4-benzylpiperidino)ethyl]amino)carbonyl]-1-(4-m
Interactions	PUBCHEM	Tert-butyl 4-[4-[[1-[2-(4-methoxyphenyl)ethyl]piperidin-4-yl]methylca
Interactions	PUBCHEM	Tert-butyl 4-[4-[2-(4-benzylpiperidin-1-yl)ethylcarbamoyl]-1-phenylp
Interactions	PUBCHEM	N
Interactions	PUBCHEM	N-(2-Methylphenyl)-5H,6H,7H,8H,9H,10H-cyclohepta[B]indole-2-sulf
Interactions	PUBCHEM	Ethyl 4-{5H,6H,7H,8H,9H,10H-cyclohepta[B]indole-2-sulfonamido}b
Interactions	PUBCHEM	N-Benzyl-5H,6H,7H,8H,9H,10H-cyclohepta[B]indole-2-sulfonamide
Interactions	PUBCHEM	Methyl 4-{5H,6H,7H,8H,9H,10H-cyclohepta[B]indole-2-sulfonamido
Interactions	PUBCHEM	N-(3-fluorophenyl)-5H,6H,7H,8H,9H,10H-cyclohepta[b]indole-2-sulf
Interactions	PUBCHEM	N-[(4-Methylphenyl)methyl]-5H,6H,7H,8H,9H,10H-cyclohepta[B]inde
Interactions	PUBCHEM	6-[(4-methylpiperidin-1-yl)sulfonyl]-N-[3-(trifluoromethyl)phenyl]qui
Interactions	PUBCHEM	N-[2-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	N-(4-chloro-2-methylphenyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	Ethyl 3-[(pyrazolo[1,5-a]pyridin-2-ylcarbonyl)amino]benzoate
Interactions	PUBCHEM	1-[4-(2-Methoxyphenyl)piperazin-1-YL]-2-([3-[4-(propan-2-YL)pheny
Interactions	PUBCHEM	N

Main Category		Category
Interactions	PUBCHEM	1-(Piperidin-1-YL)-2-({3-[4-(propan-2-YL)phenyl]-1,2,4-oxadiazol-5-Y
Interactions	PUBCHEM	1-[4-(2-Fluorophenyl)piperazin-1-YL]-2-({3-[4-(propan-2-YL)phenyl]-
Interactions	PUBCHEM	N-(3-fluoro-4-methylphenyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	N-(2-methylphenethyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	2-methyl-5-(3-methyl-5-isoxazolyl)-N-[2-(trifluoromethyl)phenyl]-1-b
Interactions	PUBCHEM	6-[(4-chlorophenyl)methyl]-2-ethyl-5-[[{(4-fluorophenyl)methyl]sulfar
Interactions	PUBCHEM	Methyl 6-chloro-4-oxo-2-[[{2-(trifluoromethyl)phenyl]carbamoyl]me
Interactions	PUBCHEM	Methyl 2-((2-((2-methoxyphenyl)amino)-2-oxoethyl)thio)-4-oxo-1,4-
Interactions	PUBCHEM	Methyl 4-oxo-2-[[{3-(trifluoromethyl)phenyl]carbamoyl)methyl]sulf
Interactions	PUBCHEM	Methyl 2-({[(3-chloro-2-methylphenyl)carbamoyl]methyl}sulfanyl)-4
Interactions	PUBCHEM	Methyl 2-({[(3,5-dimethoxyphenyl)carbamoyl]methyl}sulfanyl)-6-me
Interactions	PUBCHEM	6-(4-methoxyphenyl)-3-phenyl-N-(2-phenylethyl)-2H-pyrazolo[3,4-b]
Interactions	PUBCHEM	6-(4-ethoxyphenyl)-3-(4-methylphenyl)-N-(2-phenylethyl)-2H-pyrazo
Interactions	PUBCHEM	3-(4-chlorophenyl)-6-(4-methoxyphenyl)-N-(2-phenylethyl)-2H-pyraz
Interactions	PUBCHEM	5-[1-(2,5-difluorophenyl)-5-methyl-1H-1,2,3-triazol-4-yl]-3-(2-fluorop
Interactions	PUBCHEM	2-[(8-Chloro-6-methyl-5,5-dioxido-6H-pyrimido[5,4-C][2,1]benzothiaz
Interactions	PUBCHEM	methyl 1-methyl-4-[[3-methyl-4-(3-methylphenyl)piperazin-1-yl]sulfo
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-({2-[2-(prop-2-EN-1-YL)phenoxy]ethyl}sulfa
Interactions	PUBCHEM	2-(4-tert-butylphenyl)-4-[(3-phenoxypropyl)sulfanyl]-6H,7H-pyrazolo
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-[[3-(3,4-dimethylphenoxy)propyl]sulfanyl]-6
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-[[3-(4-chloro-3-methylphenoxy)propyl]sulfa
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-[[3-(2,3-dimethylphenoxy)propyl]sulfanyl]-6
Interactions	PUBCHEM	5-[4-(2,5-Dimethylphenyl)piperazine-1-carbonyl]-1,2,3-trimethyl-1H-
Interactions	PUBCHEM	4-[[2-(3-Chloro-4-methylphenoxy)ethyl]sulfanyl]-2-(2-methylphenyl)
Interactions	PUBCHEM	N-{3-[1-(3-ethylphenyl)-5-methyl-1H-1,2,3-triazol-4-yl]-1,2,4-thiadiaz
Interactions	PUBCHEM	N-(3-{5-methyl-1-[3-(methylsulfanyl)phenyl]-1H-1,2,3-triazol-4-yl}-1,2
Interactions	PUBCHEM	2-(3-Methoxyphenyl)-4-[[{(4-methylphenyl)methyl]sulfanyl]-6H,7H-p
Interactions	PUBCHEM	1-[5-(4-Isopropylphenyl)-4-methyl-1,1-dioxido-3-isothiazolyl]-N-(4-m
Interactions	PUBCHEM	1-[5-(4-Ethylphenyl)-4-methyl-1,1-dioxido-3-isothiazolyl]-N-(4-fluoro
Interactions	PUBCHEM	2-Cyclohexyl-N-(2-methoxy-5-methylphenyl)-3-oxo-1H,2H,3H-pyrrol
Interactions	PUBCHEM	4-[2-(4-chlorophenyl)-3,4-dimethyl-2H-pyrazolo[3,4-d]pyridazin-7-yl]
Interactions	PUBCHEM	4-[2-(4-chlorophenyl)-3,4-dimethyl-2H-pyrazolo[3,4-d]pyridazin-7-yl]

Main Category		Category
Interactions	PUBCHEM	3-[1,3-Diethyl-2-oxo-6-(pyrrolidin-1-YL)-2,3-dihydro-1H-1,3-benzodia
Interactions	PUBCHEM	3-[3,5-dimethyl-1-[6-(1-piperidiny)]-3-pyridaziny]]-4-pyrazoly]]-N-(3-fl
Interactions	PUBCHEM	N-(3-Chloro-4-methoxyphenyl)-3-{3,5-dimethyl-1-[6-(piperidin-1-YL)
Interactions	PUBCHEM	2-[4-(3,4-Dimethylphenyl)-2-oxo-2,3-dihydro-1H-1,5-benzodiazepin-
Interactions	PUBCHEM	{5-Oxo-2-propyl-5H-[1,3,4]thiadiazolo[3,2-A]pyrimidin-7-YL)methyl 2
Interactions	PUBCHEM	{3-Methyl-5-oxo-5H-[1,3]thiazolo[3,2-A]pyrimidin-7-YL)methyl 4-(4-e
Interactions	PUBCHEM	{3-Methyl-5-oxo-5H-[1,3]thiazolo[3,2-A]pyrimidin-7-YL)methyl 3-[2-(
Interactions	PUBCHEM	{2-Methyl-5-oxo-5H-[1,3,4]thiadiazolo[3,2-A]pyrimidin-7-YL)methyl 3
Interactions	PUBCHEM	{2-Methyl-5-oxo-5H-[1,3,4]thiadiazolo[3,2-A]pyrimidin-7-YL)methyl 3
Interactions	PUBCHEM	{2-Methyl-5-oxo-5H-[1,3]thiazolo[3,2-A]pyrimidin-7-YL)methyl 3-(4-t
Interactions	PUBCHEM	{5-Oxo-5H-[1,3]thiazolo[3,2-A]pyrimidin-7-YL)methyl 4-(4-tert-butylb
Interactions	PUBCHEM	5-(2-Cyclopropyl-1,3-oxazol-5-YL)-N-(4-ethylphenyl)-2-methylbenze
Interactions	PUBCHEM	N-[2-(2,3-Dihydro-1H-indol-1-YL)-2-[4-(dimethylamino)phenyl]ethyl]-
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-5-(furan-2-yl)-1,3-oxazole-4-carboxamide
Interactions	PUBCHEM	N-(4-Fluorophenyl)-2-[[1-({[(4-methylphenyl)methyl]carbamoyl)met
Interactions	PUBCHEM	2-(6-Chloro-2-oxo-4-phenyl-1,2-dihydroquinazolin-1-YL)-N-ethyl-N-(3
Interactions	PUBCHEM	N-[(4-Chlorophenyl)methyl]-4-[2-(1-methyl-1H-indol-3-YL)-5-oxo-4H,
Interactions	PUBCHEM	N-[(3-methoxyphenyl)methyl]-5-methyl-2-(4-methylphenyl)-[1,2,4]tri
Interactions	PUBCHEM	N-(4-Ethoxy-3-methoxybenzyl)-5-methyl-2-(3-methylphenyl)-[1,2,4]t
Interactions	PUBCHEM	N-{2-[2-(4-Chlorophenyl)-1,3-thiazol-4-YL]ethyl}-5-fluoro-2-methoxy
Interactions	PUBCHEM	2,4-difluoro-N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)phenyl)be
Interactions	PUBCHEM	3-fluoro-4-methoxy-N-(3-(6-(piperidin-1-yl)pyridazin-3-yl)phenyl)ben
Interactions	PUBCHEM	3-fluoro-N-(3-(6-(piperidin-1-yl)pyridazin-3-yl)phenyl)benzenesulfon
Interactions	PUBCHEM	4-acetyl-N-{3-[6-(piperidin-1-yl)pyridazin-3-yl]phenyl}benzene-1-sulf
Interactions	PUBCHEM	5-Ethyl-N-{3-[6-(piperidin-1-YL)pyridazin-3-YL]phenyl}thiophene-2-s
Interactions	PUBCHEM	5-Chloro-N-{3-[6-(piperidin-1-YL)pyridazin-3-YL]phenyl}thiophene-2
Interactions	PUBCHEM	5-Methyl-N-{3-[6-(piperidin-1-YL)pyridazin-3-YL]phenyl}thiophene-2
Interactions	PUBCHEM	3,4-dimethoxy-N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)phenyl)
Interactions	PUBCHEM	6-methyl-3-(2-methylpiperidin-1-yl)-4H-thiochromen-4-one
Interactions	PUBCHEM	5-fluoro-2-methoxy-N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)ph
Interactions	PUBCHEM	4-ethoxy-N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)phenyl)benz
Interactions	PUBCHEM	5-ethyl-N-{3-[6-(4-methylpiperidin-1-yl)pyridazin-3-yl]phenyl}thiophe

Main Category		Category
Interactions	PUBCHEM	5-chloro-N-{3-[6-(4-methylpiperidin-1-yl)pyridazin-3-yl]phenyl}thiophene-2-carboxamide
Interactions	PUBCHEM	5-methyl-N-{3-[6-(4-methylpiperidin-1-yl)pyridazin-3-yl]phenyl}thiophene-2-carboxamide
Interactions	PUBCHEM	2,4-dimethoxy-N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)phenyl)benzenesulfonamide
Interactions	PUBCHEM	N-[4-({3-[6-(4-Methylpiperidin-1-YL)pyridazin-3-YL]phenyl}sulfamoyl)phenyl]acetamide
Interactions	PUBCHEM	4-acetyl-N-(3-(6-(azepan-1-yl)pyridazin-3-yl)phenyl)benzenesulfonamide
Interactions	PUBCHEM	2,4,6-trimethyl-N-(4-(6-(piperidin-1-yl)pyridazin-3-yl)phenyl)benzenesulfonamide
Interactions	PUBCHEM	4-acetyl-N-(4-[6-(piperidin-1-yl)pyridazin-3-yl]phenyl)benzene-1-sulfonamide
Interactions	PUBCHEM	N-(3-Chloro-4-methylphenyl)-2-[[5-(hydroxymethyl)-1-[(4-methylphenyl)ethynyl]-1,2-oxadiazol-3-yl]ethyl]benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-Methyl-1-[1-({3-methyl-5-[(1E)-2-(4-methylphenyl)ethenyl]-1,2-oxadiazol-3-yl}ethyl)-2-(2-fluorophenyl)ethyl]benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-[2-(Dimethylamino)ethyl]-N-ethyl-1-({5-[(1E)-2-(2-fluorophenyl)ethenyl]-1,2-oxadiazol-3-yl}ethyl)benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-{3-[4-(2,5-Dimethylphenyl)piperazin-1-YL]propyl}-2-(2-phenylethyl)benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-(2-phenylpropyl)-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	N-(3-methoxypropyl)-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	N-[2-(3-methylphenyl)ethyl]-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	N-[2-(2-methylphenyl)ethyl]-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	N-[2-(2-chlorophenyl)ethyl]-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	N-(2-phenylethyl)-3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-[2-(3-methylphenyl)ethyl]-3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-[2-(2-methylphenyl)ethyl]-3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	N-[2-(2-chlorophenyl)ethyl]-3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	3-methyl-N-(2-phenylethyl)-1,2,3,4-tetrahydropyrido[1,2-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	3-methyl-N-[2-(2-methylphenyl)ethyl]-1,2,3,4-tetrahydropyrido[1,2-a]benzimidazole-5-carboxamide
Interactions	PUBCHEM	Methyl 1-cyclopropyl-7-methyl-4-oxo-2-[[{(2,4,6-trimethylphenyl)methyl]sulfanyl]-1H-benzimidazole-5-carboxylate
Interactions	PUBCHEM	N-butan-2-yl-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	Methyl 2-[[{(2-chlorophenyl)methyl}sulfanyl]-7-cyclopropyl-1-ethyl-4-methyl-1H-benzimidazole-5-carboxylate
Interactions	PUBCHEM	Methyl 2-[[{(2-chloro-4-fluorophenyl)methyl}sulfanyl]-7-cyclopropyl-1-ethyl-4-methyl-1H-benzimidazole-5-carboxylate
Interactions	PUBCHEM	N
Interactions	PUBCHEM	N-(3-methylbutyl)-7,8,9,10-tetrahydro-6H-azepino[1,2-a]benzimidazole-3-carboxamide
Interactions	PUBCHEM	2-(4-Fluorophenoxy)-N-[3-({9-methyl-4-oxo-4H-pyrido[1,2-A]pyrimidin-2-yl)methyl]benzimidazole-5-carboxamide
Interactions	PUBCHEM	3,4,5-trimethoxy-N-[4-[(9-methyl-4-oxopyrido[1,2-a]pyrimidin-2-yl)methyl]phenyl]benzimidazole-5-carboxamide
Interactions	PUBCHEM	5,7-Dimethyl-2-({[5-(3-methylphenyl)-4H-1,2,4-triazol-3-YL]sulfanyl})-1H-benzimidazole-5-carboxamide
Interactions	PUBCHEM	3-(2,5-Dimethoxyphenyl)-1-[3-({7-methyl-4-oxo-4H-pyrido[1,2-A]pyrimidin-2-yl)methyl]benzimidazole-5-carboxamide

Main Category		Category
Interactions	PUBCHEM	1-(4-Ethylphenyl)-3-[2-({4-oxo-4H-pyrido[1,2-A]pyrimidin-2-YL)methyl
Interactions	PUBCHEM	3-(2,4-Dimethoxyphenyl)-1-[2-({4-oxo-4H-pyrido[1,2-A]pyrimidin-2-Y
Interactions	PUBCHEM	2-Fluoro-N-[3-({9-methyl-4-oxo-4H-pyrido[1,2-A]pyrimidin-2-YL)meth
Interactions	PUBCHEM	N-(4-butylphenyl)-2-(3,5-dimethyl-1H-pyrazol-1-yl)-6-methylpyrimidi
Interactions	PUBCHEM	N-(4-{{(3-Fluorophenyl)methyl}carbamoyl}phenyl)-1,2-benzothiazol
Interactions	PUBCHEM	N-(2,3-Dimethylphenyl)-2-[[2-(4-methoxyphenyl)imidazo[1,2-B]pyrid
Interactions	PUBCHEM	N-[4-(4-carbamoylpiperidine-1-carbonyl)phenyl]-1,2-benzothiazole-3
Interactions	PUBCHEM	N-[4-(piperidine-1-carbonyl)phenyl]-1,2-benzothiazole-3-carboxami
Interactions	PUBCHEM	N-{3-[Benzyl(methyl)carbamoyl]phenyl}-1,2-benzothiazole-3-carbox
Interactions	PUBCHEM	N-[3-(piperidine-1-carbonyl)phenyl]-1,2-benzothiazole-3-carboxami
Interactions	PUBCHEM	N-(2-{{(4-Ethoxyphenyl)methyl}carbamoyl}phenyl)-1,2-benzothiazol
Interactions	PUBCHEM	1-Morpholin-4-yl-4-[(4-phenylpiperazin-1-yl)carbonyl]isoquinoline
Interactions	PUBCHEM	4-Tert-Butyl-N-(5,6-Dihydro[1,3]thiazolo[2,3-C][1,2,4]triazol-3-Yl)ben
Interactions	PUBCHEM	N-(5,6-dihydrothiazolo[2,3-c][1,2,4]triazol-3-yl)-4-isopropoxybenzam
Interactions	PUBCHEM	1-acetyl-N-benzyl-N-[2-(dimethylamino)ethyl]-1,2,3,4-tetrahydroquin
Interactions	PUBCHEM	2-(2,1,3-Benzothiadiazole-4-sulfonyl)-N-(4-fluoro-2-methylphenyl)ac
Interactions	PUBCHEM	N-(3-Methoxyphenyl)-5H,6H,7H,8H,9H,10H,11H-cycloocta[B]indole-
Interactions	PUBCHEM	N-(3-Chlorophenyl)-5H,6H,7H,8H,9H,10H,11H-cycloocta[B]indole-2-
Interactions	PUBCHEM	N-(4-Ethylphenyl)-5H,6H,7H,8H,9H,10H,11H-cycloocta[B]indole-2-s
Interactions	PUBCHEM	N-(3-Chloro-4-methylphenyl)-5H,6H,7H,8H,9H,10H,11H-cycloocta[B
Interactions	PUBCHEM	N-(2-Ethylphenyl)-4-(2-methyl-1,3-oxazol-4-YL)benzene-1-sulfonam
Interactions	PUBCHEM	1-[(1-acetyl-1,2,3,4-tetrahydroquinolin-6-yl)sulfonyl]-N,N-diethylpiper
Interactions	PUBCHEM	N-(2-(2-(4-chlorophenyl)thiazolo[3,2-b][1,2,4]triazol-6-yl)ethyl)-2,4,6
Interactions	PUBCHEM	N-(4-fluorobenzo[d]thiazol-2-yl)-3-(phenylsulfonyl)-N-(pyridin-3-ylm
Interactions	PUBCHEM	N-(5,7-dimethylbenzo[d]thiazol-2-yl)-3-(phenylsulfonyl)-N-(pyridin-3
Interactions	PUBCHEM	3-(Benzenesulfonyl)-N-(4-methyl-1,3-benzothiazol-2-YL)-N-[(pyridin
Interactions	PUBCHEM	2-({5-[(Cyclohexylcarbamoyl)amino]-1,3,4-thiadiazol-2-YL)sulfanyl)
Interactions	PUBCHEM	N-(4-Acetylphenyl)-2-({5-[(cyclohexylcarbamoyl)amino]-1,3,4-thiadi
Interactions	PUBCHEM	1-(4-(6-Methoxybenzo[d]thiazol-2-yl)piperazin-1-yl)-2-tosylethanone
Interactions	PUBCHEM	1-[4-(6-Ethoxy-1,3-benzothiazol-2-yl)piperazin-1-yl]-2-(4-fluorobenze
Interactions	PUBCHEM	1-[(1-benzyl-1H-indol-2-yl)methyl]-N-[2-(dimethylamino)ethyl]piperi
Interactions	PUBCHEM	1-({1-[(3-Chlorophenyl)methyl]-1H-indol-2-YL)methyl}-N-[(pyridin-3-

Main Category		Category
Interactions	PUBCHEM	N-[(4-fluorophenyl)methyl]-3-phenyl-6-(2,4,5-trimethoxyphenyl)-2H-
Interactions	PUBCHEM	6-(3,4-dimethoxyphenyl)-3-(4-fluorophenyl)-N-[(4-fluorophenyl)methyl]-
Interactions	PUBCHEM	N-(4-acetylphenyl)-4-methyl-3-oxo-3,4-dihydro-2-quinoxalinecarboxylic acid
Interactions	PUBCHEM	6-methyl-3-(6-methyl-1H-benzimidazol-2-yl)chromen-2-one
Interactions	PUBCHEM	2-(7-methoxy-2-oxo-2H-chromen-3-yl)-1H-benzo[d]imidazole-6-carboxylic acid
Interactions	PUBCHEM	2-(8-ethoxy-2-oxochromen-3-yl)-3H-benzimidazole-5-carboxylic acid
Interactions	PUBCHEM	2-(8-hydroxy-2-oxochromen-3-yl)-3H-benzimidazole-5-carboxylic acid
Interactions	PUBCHEM	Methyl 3-{6-[4-(2,5-dimethylphenyl)piperazin-1-yl]-6-oxohexyl}-2,4-dimethyl-
Interactions	PUBCHEM	Methyl 3-(6-(4-(5-chloro-2-methylphenyl)piperazin-1-yl)-6-oxohexyl)-2,4-dimethyl-
Interactions	PUBCHEM	2-[(5-Chloro-2-methylphenyl)amino]-5-oxo-N-[(thiophen-2-yl)methyl]-1,3,4-thiadiazol-
Interactions	PUBCHEM	2-(2,5-dimethylanilino)-5-oxo-N-(thiophen-2-ylmethyl)-[1,3,4]thiadiazol-
Interactions	PUBCHEM	2-((2-methoxyphenyl)amino)-5-oxo-N-(thiophen-2-ylmethyl)-5H-[1,3,4]thiadiazol-
Interactions	PUBCHEM	1-(5-Chloro-2-methylphenyl)-4-[4-benzylpiperazinyl]pyrazolo[5,4-d]pyrimidin-
Interactions	PUBCHEM	1-(5-chloro-2-methylphenyl)-4-[4-(2-methoxyphenyl)piperazin-1-yl]-4,5,6,7-tetrahydropyrazolo[5,4-d]pyrimidin-
Interactions	PUBCHEM	4-(azepan-1-yl)-1-(4-fluorophenyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	Cyclohexyl[1-(4-methylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl]amine
Interactions	PUBCHEM	2-[[1-(4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-yl]amino]butan-1-ol
Interactions	PUBCHEM	Cyclopentyl[1-(4-methylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl]amine
Interactions	PUBCHEM	4-(azepan-1-yl)-1-(4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	N-(butan-2-yl)-1-(4-fluorophenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	1-(4-Methylphenyl)-4-piperidylpyrazolo[5,4-d]pyrimidine
Interactions	PUBCHEM	N-benzyl-N-methyl-1-(4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	1-(4-Fluorophenyl)-4-(3-methylpiperidyl)pyrazolo[5,4-d]pyrimidine
Interactions	PUBCHEM	1-(3-chlorophenyl)-N-cyclohexyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	N-cyclohexyl-1-(3,4-dimethylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	1-(3,4-Dimethylphenyl)-4-[4-benzylpiperazinyl]pyrazolo[5,4-d]pyrimidin-
Interactions	PUBCHEM	4-(azepan-1-yl)-1-(3,4-dimethylphenyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	4-(azepan-1-yl)-1-(3-chlorophenyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	1-(3-Chlorophenyl)-4-piperidylpyrazolo[5,4-d]pyrimidine
Interactions	PUBCHEM	N-butyl-1-(3-chlorophenyl)-N-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	2-[[1-(3-Chloro-4-methylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl]amino]butan-1-ol
Interactions	PUBCHEM	N'-[1-(3-chloro-4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-yl]-N,N'-bis(4-methylphenyl)-2,2,5,5-tetramethyl-1,3-dioxane-4,6-dicarboxylic di-

Main Category		Category
Interactions	PUBCHEM	[1-(3-Chloro-4-methylphenyl)pyrazolo[4,5-e]pyrimidin-4-yl]dimethylam
Interactions	PUBCHEM	2-Styryl-1-((3-(trifluoromethyl)phenyl)sulfonyl)-1H-benzo[d]imidazo
Interactions	PUBCHEM	1-(3-Chlorobenzenesulfonyl)-2-[(1E)-2-(2-chlorophenyl)ethenyl]-1H-
Interactions	PUBCHEM	1-(4-Fluoro-3-methylbenzenesulfonyl)-2-[(1E)-2-[4-(methylsulfanyl)]p
Interactions	PUBCHEM	10-(3-Chlorobenzyl)-N-[3-(3-methyl-1-piperidinyl)propyl]-11-oxo-10,
Interactions	PUBCHEM	1-(3-Chlorobenzenesulfonyl)-2-[(1E)-2-(4-methylphenyl)ethenyl]-1H-
Interactions	PUBCHEM	1-(4-Bromobenzenesulfonyl)-2-[(1E)-2-(4-methylphenyl)ethenyl]-1H-
Interactions	PUBCHEM	2-[(4-methoxyphenyl)amino]-N-{3-[4-(4-methoxyphenyl)piperazin-1-
Interactions	PUBCHEM	Ethyl 3-(2-chlorophenyl)-3-(2,3,4,9-tetrahydro-1H-carbazole-6-sulfo
Interactions	PUBCHEM	N-(2-methoxyphenyl)-1H-pyrrolo[3,2-h]quinoline-2-carboxamide
Interactions	PUBCHEM	6-methyl-3-(3-methylpiperidin-1-yl)-4H-thiochromen-4-one
Interactions	PUBCHEM	2,4-difluoro-N-(3-(6-(piperidin-1-yl)pyridazin-3-yl)phenyl)benzenesu
Interactions	PUBCHEM	N-(3-chlorophenyl)-2,3,3a,4-tetrahydro-1H-pyrrolo[1,2-a]quinoxaline
Interactions	PUBCHEM	2-((5-methyl-2-oxo-1,2-dihydropyrimidin-4-yl)thio)-N-(p-tolyl)acetam
Interactions	PUBCHEM	PharmaGSID_48518
Interactions	PUBCHEM	Dtxcid0027802
Interactions	PUBCHEM	[4-[(8aR,9R)-5-[[[(2R,4aR,6R,7R,8R,8aS)-7,8-dihydroxy-2-methyl-4,4a,
Interactions	PUBCHEM	[2]benzofuro[5,6-f][1,3]benzodioxol-9-yl]-2,6-dimethoxyphenyl] dihy
Interactions	PUBCHEM	Tannic Acid
Interactions	PUBCHEM	3-[9-(3-Aminopropyl)-3,24,27-tribenzyl-21-(carboxymethyl)-15-[(4-h
Interactions	PUBCHEM	propan-2-yl-1,4,7,10,13,16,19,22,25,28-decazabicyclo[28.3.0]tritiaoc
Interactions	PUBCHEM	3-[[[2-[[2-[[2-[(2-amino-2-oxoethyl)-[(4-nitrophenyl)methyl]amino]-2-o
Interactions	PUBCHEM	[[2-[2-(1H-indol-3-yl)ethyl]-2-[[2-[(4-nitrophenyl)methyl]-2-[[2-[(4-nitro
Interactions	PUBCHEM	phosphonobutyl)amino]acetyl]amino]acetyl]-[(4-nitrophenyl)methyl
Interactions	PUBCHEM	3-hydroxy-2-(3-methylphenyl)-5-nitro-N-[1-(phenylmethyl)-4-piperidi
Interactions	PUBCHEM	Butyl 4-[(3-amino-4,6-dimethylthieno[2,3-b]pyridine-2-carbonyl)amino
Interactions	PUBCHEM	Aminocarb
Interactions	PUBCHEM	2-[[[(2'S,3S,3'S,4'S)-6-chloro-4'-(3-chloro-2-fluorophenyl)-1'-(cyclopro
Interactions	PUBCHEM	N-[[[(2'S,3S,3'S,4'S)-6-chloro-4'-(3-chloro-2-fluorophenyl)-1'-(cyclopro
Interactions	PUBCHEM	methyl 4-[(2R,3aS,5S,6S,6aS)-6'-chloro-6-(3-chloro-2-fluorophenyl)-4'
Interactions	PUBCHEM	b]pyrrole-5,3'-1H-indole]-2-yl]benzoate
Interactions	PUBCHEM	(3S,3'S,4'S,5'S)-4'-amino-6-chloro-3'-(3-chlorophenyl)-5'-methyl-1'-(3
Interactions	PUBCHEM	(3S,3'S,4'S)-4'-amino-6-chloro-3'-(3-chlorophenyl)-1'-(2-methylpropy
Interactions	PUBCHEM	(3S,10'S,11'S,14'S)-6-chloro-11'-[3-chloro-2-fluorophenyl]-13'-[(3-eth
Interactions	PUBCHEM	triazatetracyclo[7.6.0.02,7.010,14]pentadeca-1,3,5,7-tetraene]-5'-ca

Main Category		Category
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propylpyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)pyridin-1-ium-2-yl]methanone
Interactions	PUBCHEM	[2-[2-(dimethylamino)ethoxy]-4-(trifluoromethyl)-3-pyridinyl]-[(2R,3S)-4-(trifluoromethyl)thiophen-3-yl]oxypiperidin-1-yl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propylpyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	[2-amino-6-(trifluoromethyl)phenyl]-[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]oxypiperidin-1-yl]methanone
Interactions	PUBCHEM	ethyl 6-chloro-4'-(3-chloro-2-fluorophenyl)-1'-cyclohexyl-2-oxospiro[5.5]undecan-11-one
Interactions	PUBCHEM	(4S)-5-[3-chloro-5-[2-(dimethylamino)ethoxy]phenyl]-4-(4-chloro-2-methoxyphenyl)-2-methyl-1H-pyridine
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propylpyridinyl]methanone
Interactions	PUBCHEM	[2-fluoro-6-(trifluoromethyl)phenyl]-[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]oxypiperidin-1-yl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-(2-methoxyphenyl)piperazine-1-carbonyl]-2-propyl-3-pyridinyl]methanone
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)-3-pyridinyl]methanone
Interactions	PUBCHEM	2-[[3-[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)-2-pyridinyl]oxy]-N-methylacetamide
Interactions	PUBCHEM	3-[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)-1H-pyridin-2-one
Interactions	PUBCHEM	[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propylpyridinyl]methanone
Interactions	PUBCHEM	3-[(2R,3S)-3-[4-(2-methoxyphenyl)piperazine-1-carbonyl]-2-propyl-3-pyridin-2-one
Interactions	PUBCHEM	2-[[3-[(2R,3S)-3-[4-[2-(2-hydroxyethoxy)phenyl]piperazine-1-carbonyl]-2-propyl-(trifluoromethyl)-2-pyridinyl]oxy]acetic acid
Interactions	PUBCHEM	6-chloro-1'-(4-chlorophenyl)-4'-(3-hydroxyphenyl)-2-oxo-N-(3-pyrazolyl)-1,2,3,4-tetrahydro-1H-benzodiazepine
Interactions	PUBCHEM	Clobenztropine
Interactions	PUBCHEM	Aminopterin
Interactions	PUBCHEM	N-(5-bromopyridin-2-yl)-4,5-dimethylthiophene-2-carboxamide
Interactions	PUBCHEM	(2S)-3-[4-(2,4-difluorophenyl)triazol-1-yl]-2-(9H-fluoren-9-ylmethoxy)propan-1-ol
Interactions	PUBCHEM	N-[(3S,4R,5R,6R)-2-[4-[(1S)-1-(3-fluorophenyl)-1-hydroxyethyl]triazol-1-yl]-6-(hydroxymethyl)-3,4,5,6-tetrahydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	(3R,4S,5S,6R)-2-[4-(2,4-difluorophenyl)triazol-1-yl]-6-(hydroxymethyl)-3,4,5,6-tetrahydro-2H-pyrimidin-2-one

Main Category		Category
Interactions	PUBCHEM	3-[2-(tert-butylamino)-1-[[4-[(4-chloro-2-methylanilino)methyl]phenyl
Interactions	PUBCHEM	1-[(2R,4S,5S)-4-[4-[(8R,9S,13S,14S,17S)-3,17-dihydroxy-13-methyl-7-(hydroxymethyl)oxolan-2-yl]-5-methylpyrimidine-2,4-dione
Interactions	PUBCHEM	(1S)-1-(3-fluorophenyl)-1-[1-(phenylsulfanylmethyl)triazol-4-yl]ethan
Interactions	PUBCHEM	H-Cys-Asn-Cys-Lys-Ala-Pro-Glu-Thr-Phe-Leu-Cys-Tyr-Trp-Arg-Cys-L
Interactions	PUBCHEM	4-[(4S)-5-[(1S)-1-(3-chlorophenyl)ethyl]-2-(2,4-dimethoxypyrimidin-5
Interactions	PUBCHEM	(2S)-2-(9H-fluoren-9-ylmethoxycarbonylamino)-3-[4-[(1S)-1-hydroxy
Interactions	PUBCHEM	N-[(3S,4R,5R,6R)-2-[4-(2,4-difluorophenyl)triazol-1-yl]-4,5-bis(phenyl
Interactions	PUBCHEM	4-(2,4-Difluorophenyl)-1-(phenylsulfanylmethyl)triazole
Interactions	PUBCHEM	(2S)-2-(9H-fluoren-9-ylmethoxycarbonylamino)-3-(4-phenyltriazol-1
Interactions	PUBCHEM	iBu-4Abz-N(naphth-2-ylmethyl)4Abz-N(Bu(2-Me))4Abz-xille-OH
Interactions	PUBCHEM	(3R,4S,5S,6R)-2-[4-[(1S)-1-(3-fluorophenyl)-1-hydroxyethyl]triazol-1-
Interactions	PUBCHEM	Cyclo[(R)-2-(4-(2-imino-3-amino-3-oxopropyl)-1H-1,2,3-triazol-1-yl)a
Interactions	PUBCHEM	Triglycidyl isocyanurate
Interactions	PUBCHEM	2-(4-Nitrobenzylidene)tetralin-1-one
Interactions	PUBCHEM	1,3-Diiminobenz(f)isoindoline
Interactions	PUBCHEM	C.I. Basic Yellow 2
Interactions	PUBCHEM	N-(5-cyclopropyl-1,3,4-thiadiazol-2-yl)-3-methyl-1-benzofuran-2-carb
Interactions	PUBCHEM	(1S,4S,13S,16S,19S,26S,29S,32S)-34-benzoyl-19-benzyl-16-(1H-indol-3-yl)-13-(trifluoromethyl)phenyl)methyl]-3,7,8,9,12,15,18,21,24,28,31,34-dod
Interactions	PUBCHEM	7-[(4S,5R)-4,5-bis(4-chlorophenyl)-1-(3-oxopiperazine-1-carbonyl)-4
Interactions	PUBCHEM	(3E)-3-[(3-chlorophenyl)methylidene]-1-(3-chlorophenyl)sulfonylind
Interactions	PUBCHEM	p-(Chloromercuri)benzoic acid
Interactions	PUBCHEM	4-Bromophenyl 2-(4-methoxyphenyl)quinoline-4-carboxylate
Interactions	PUBCHEM	7-Benzothiazolesulfonic acid, 2-(p-aminophenyl)-6-methyl-
Interactions	PUBCHEM	Phorate sulfone
Interactions	PUBCHEM	(2,2,4-trimethyl-1H-quinolin-6-yl) 2-(2,5-dioxopyrrolidin-1-yl)acetate
Interactions	PUBCHEM	Azinphos-Ethyl
Interactions	PUBCHEM	4-Phenyl-3-furoxancarbonitrile
Interactions	PUBCHEM	4,4'-Thiodiphenol
Interactions	PUBCHEM	5-(4-bromophenyl)-3-hydroxy-1-[3-(1H-imidazol-1-yl)propyl]-4-(phen
Interactions	PUBCHEM	Enzastaurin
Interactions	PUBCHEM	Miripirium chloride

Main Category		Category
Interactions	PUBCHEM	Triethyltin bromide
Interactions	PUBCHEM	Spirodiclofen
Interactions	PUBCHEM	Amindocate
Interactions	PUBCHEM	5-(Nonyloxy)tryptamine
Interactions	PUBCHEM	1,4-Chrysenedione
Interactions	PUBCHEM	5-([2,5-dimethyl-1-(2-methylphenyl)-1H-pyrrol-3-yl]methylene)-2,4-in
Interactions	PUBCHEM	1-[4-[(6-methoxy-3,4-dihydro-2H-quinolin-1-yl)sulfonyl]phenyl]pyrrol
Interactions	PUBCHEM	SB413217A
Interactions	PUBCHEM	Dichloroacetonitrile
Interactions	PUBCHEM	Doxifluridine
Interactions	PUBCHEM	3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-6-ethyl-4-oxo-4H-chromen-7-
Interactions	PUBCHEM	N-[[2-methyl-5-(5-methyl-1,3-benzoxazol-2-yl)phenyl]carbamothioyl
Interactions	PUBCHEM	methyl 2-[5-methyl-2-(4-methylphenyl)-7-oxo-1H-[1,2,4]triazolo[1,5-a
Interactions	PUBCHEM	(6R,7S)-6,7-bis(4-bromophenyl)-7,11-dihydro-6H-chromeno[4,3-d][1
Interactions	PUBCHEM	7,8-Dihydroxyflavone
Interactions	PUBCHEM	1H-Isoindol-3-amine, 1-imino-
Interactions	PUBCHEM	N-(3-Hydroxy-phenyl)-N'-pyridin-2-yl-oxalamide
Interactions	PUBCHEM	1-(3,4-dichlorobenzyl)-1H-indole-2,3-dione
Interactions	PUBCHEM	Furan-2-carboxylic acid, (4-chlorophenyl)(3-oxo-3H-benzo[b]thioph
Interactions	PUBCHEM	Pentaerythritol triacrylate
Interactions	PUBCHEM	(5Z)-5-(1-butyl-2-oxoindol-3-ylidene)-2-piperidin-1-yl-1,3-thiazol-4-o
Interactions	PUBCHEM	4-([4-(Dimethylamino)phenyl]imino)methyl)-2-phenyl-1,3-oxazol-5-
Interactions	PUBCHEM	N-(1-butyl-3-cyano-1H-pyrrolo[2,3-b]quinoxalin-2-yl)benzamide
Interactions	PUBCHEM	Hexestrol
Interactions	PUBCHEM	8-Hydroxyquinoline
Interactions	PUBCHEM	(E)-3-[5-(3-chlorophenyl)furan-2-yl]-2-cyano-N-[3-(trifluoromethyl)ph
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-([3-cyano-6-methyl-4-(trifluoromethyl)py
Interactions	PUBCHEM	N-[3-(3,4-dihydro-1H-isoquinolin-2-yl)quinoxalin-2-yl]-2-methylbenz
Interactions	PUBCHEM	Sulfotep
Interactions	PUBCHEM	3-chloro-N-[1-(2-methylpropyl)pyrazolo[3,4-b]quinolin-3-yl]benzami
Interactions	PUBCHEM	Estradiol, 17-propionate
Interactions	PUBCHEM	1-[5-(Benzylsulfanyl)-1,3,4-thiadiazol-2-yl]-3-(4-chlorophenyl)urea

Main Category		Category
Interactions	PUBCHEM	N'-(2,7-diethoxy-9H-fluoren-9-ylidene)pyridine-4-carbohydrazide
Interactions	PUBCHEM	(4Z)-4-[[1-(3-hydroxyphenyl)-2,5-dimethylpyrrol-3-yl]methylidene]-1-
Interactions	PUBCHEM	3,6-Acridinediamine, hydrochloride (1:1)
Interactions	PUBCHEM	Diethylene glycol diacrylate
Interactions	PUBCHEM	Dtxcid2026363
Interactions	PUBCHEM	70384-29-1 (Sulfate)
Interactions	PUBCHEM	2,2-Bis(3,5-dibromo-4-(2-hydroxyethoxy)phenyl)propane
Interactions	PUBCHEM	4-[4-[(E)-3-phenylprop-2-enyl]piperazin-1-yl]-[1]benzofuro[3,2-d]pyri
Interactions	PUBCHEM	2,2',4'-Trichloroacetophenone
Interactions	PUBCHEM	Cladribine
Interactions	PUBCHEM	Kinetin riboside
Interactions	PUBCHEM	(Z)-2-(4-(dimethylamino)benzylidene)-6,7-dihydro-2H-thiazolo[3,2-a
Interactions	PUBCHEM	N-(5-bromopyridin-2-yl)-3-(2-oxochromen-3-yl)benzamide
Interactions	PUBCHEM	N-(5-cyclopropyl-1,3,4-oxadiazol-2-yl)-4-[methyl-(phenylmethyl)sulf
Interactions	PUBCHEM	N-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-((1-methyl-1H-indol-3-yl)s
Interactions	PUBCHEM	N-(5-methyl-3-isoxazolyl)-2,3-dihydro-1,4-benzodioxine-6-carboxam
Interactions	PUBCHEM	2-(naphthalen-2-yloxymethyl)-1H-benzimidazole
Interactions	PUBCHEM	5-(2-Chloro-4-methylphenyl)-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	4-[butyl(ethyl)sulfamoyl]-N-(5-thiophen-2-yl-1,3,4-oxadiazol-2-yl)ber
Interactions	PUBCHEM	N-(4-methyl-6,7-dihydro-5H-cyclopenta[d]pyrimidin-2-yl)-1,3-benzox
Interactions	PUBCHEM	1,3-Indandione, 2-(1-ethyl-4(1H)-pyridinylidene)-
Interactions	PUBCHEM	(5Z)-5-benzylidene-3-(6-ethoxy-1,3-benzothiazol-2-yl)-2-thioxoimida
Interactions	PUBCHEM	N-phenyl-2-[2-(1-phenylpyrazole-4-carbonyl)phenoxy]acetamide
Interactions	PUBCHEM	N-[4-[[2-[1-(2-methoxyethyl)-2,5-dimethyl-3-pyrrolyl]-2-oxoethyl]thio]
Interactions	PUBCHEM	Albendazole
Interactions	PUBCHEM	[2-oxo-2-(1,2,5-trimethylpyrrol-3-yl)ethyl] 1H-indazole-3-carboxylate
Interactions	PUBCHEM	1-[2,5-Dimethyl-1-(thiophen-2-ylmethyl)pyrrol-3-yl]-2-[[4-methyl-1,3-
Interactions	PUBCHEM	N-(2-methylbenzo[d]thiazol-6-yl)-2-(thiophen-2-yl)acetamide
Interactions	PUBCHEM	N-[4-[2-(2,5-dimethyl-1-phenylpyrrol-3-yl)-2-oxoethyl]sulfanyl]phenyl
Interactions	PUBCHEM	5-[2-(3,4-dihydroxyphenyl)-2-oxoethyl]sulfanyl-2-phenyl-8,9,10,11-te
Interactions	PUBCHEM	Fluorophene
Interactions	PUBCHEM	2-[2-(2,5-Dimethyl-1-phenylpyrrol-3-yl)-2-oxoethyl]-1,1-dioxo-1,2-ber

Main Category		Category
Interactions	PUBCHEM	2-(4-Methylphenyl)-4-[4-(pyrimidin-2-yl)piperazine-1-carbonyl]quinoline
Interactions	PUBCHEM	N-(4-Acetylphenyl)-3-(6-([(furan-2-yl)methyl]amino)-[1,2,4]triazolo[4,3-a]pyridin-2-yl)pyrrolidine
Interactions	PUBCHEM	2-Chloro-N-(2-methyl-4-bromophenyl)acetamide
Interactions	PUBCHEM	4-[1-(4-Chlorophenyl)tetrazol-5-yl]sulfanyl-5,6-dimethylthieno[2,3-d]pyrimidine
Interactions	PUBCHEM	2,3,4,5-Tetrachlorophenol
Interactions	PUBCHEM	N-[4-[2-[2,5-dimethyl-1-(thiophen-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl]phenyl]pyrrolidine
Interactions	PUBCHEM	3-cyclopentyl-1-phenyl-1H-pyrazol-5-amine
Interactions	PUBCHEM	6-Chloro-2-phenyl-1H-benzimidazole
Interactions	PUBCHEM	3-[2-[2,5-Dimethyl-1-(thiophen-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl]-1,2,4-triazole
Interactions	PUBCHEM	Ketone, indol-3-yl p-methoxyphenyl (6Cl,8Cl)
Interactions	PUBCHEM	N-cyclohexyl-2,5-dimethyl-1-(3-methylphenyl)pyrrole-3-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-2-fluorobenzamide
Interactions	PUBCHEM	4-[1-(4-Chlorophenyl)tetrazol-5-yl]sulfanylthieno[2,3-d]pyrimidine
Interactions	PUBCHEM	5-(1,3-benzothiazol-2-yl)-N-cyclopropylthiophene-2-carboxamide
Interactions	PUBCHEM	2-Ethoxy-3-pyridinecarboxylic acid [2-[1-(2-furanylmethyl)-2,5-dimethyl-1,4-dihydropyridin-3-yl]ethyl]ester
Interactions	PUBCHEM	4-fluoro-N-(5-([(1E)-2-furylmethylene]amino)-1,3,4-thiadiazol-2-yl)benzamide
Interactions	PUBCHEM	N-(5-ethylsulfanyl-1,3,4-thiadiazol-2-yl)pyridine-2-carboxamide
Interactions	PUBCHEM	(7E)-7-[(3-methoxyphenyl)hydrazinylidene]quinolin-8-one
Interactions	PUBCHEM	3-methyl-N-[4-(6,7,8,9-tetrahydro-5H-[1,2,4]triazolo[4,3-a]azepin-3-yl)phenyl]pyrrolidine
Interactions	PUBCHEM	Famoxadone
Interactions	PUBCHEM	Ataciguat
Interactions	PUBCHEM	Oxycarboxin
Interactions	PUBCHEM	2-(1-([(3-Ethylphenyl)carbamoyl]methyl)-2,4-dioxo-1,2,3,4-tetrahydro-1,4-benzodiazepin-5-yl)pyrrolidine
Interactions	PUBCHEM	N-(4-ethylphenyl)-2-[3-(4-fluorobenzenesulfonyl)-6-methoxy-4-oxo-1,2,3,4-tetrahydropyrimidin-2-yl]pyrrolidine
Interactions	PUBCHEM	3-(4-Chlorobenzoyl)-1-[(2-methoxyphenyl)methyl]quinolin-4-one
Interactions	PUBCHEM	Prop-2-enyl 2-(2-furylcarbonylamino)-4-methyl-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	N-[(2H-1,3-benzodioxol-5-yl)methyl]-3-(3-methylphenyl)-[1,2,3]triazole
Interactions	PUBCHEM	2-[(3-cyano-6,7,8,9-tetrahydro-5H-cyclohepta[b]pyridin-2-yl)sulfanyl]pyrrolidine
Interactions	PUBCHEM	3-(3-fluorophenyl)-N-[(4-methoxyphenyl)methyl]triazolo[1,5-a]quinoline
Interactions	PUBCHEM	Ethyl 3-[(4-(2,3-dimethylphenyl)piperazine-1-carbothioyl]amino)-5-methylpyrrolidine
Interactions	PUBCHEM	(E)-N-(5-ethyl-1,3,4-thiadiazol-2-yl)-3-(furan-2-yl)acrylamide
Interactions	PUBCHEM	6-[2-(4-benzyl-1-piperidyl)-2-oxoethyl]-2,4(1H,3H)-pyrimidinedione

Main Category		Category
Interactions	PUBCHEM	2-(2,4-dioxo-1H-pyrimidin-6-yl)-N-[2-(4-morpholinyl)ethyl]acetamide
Interactions	PUBCHEM	Isoquinolinium, 2-dodecyl-, p-toluenesulfonate
Interactions	PUBCHEM	Ammonium Thioglycolate
Interactions	PUBCHEM	2-((2-methyl-1H-indol-3-yl)thio)-1-morpholinoethanone
Interactions	PUBCHEM	3-Methyl-1-phenyl-4-(phenylsulfanyl)-1H-pyrazol-5-YL 2-methoxybenzoate
Interactions	PUBCHEM	1-Tert-butyl-3-methyl-4-(phenylsulfanyl)-1H-pyrazol-5-YL 2-methoxybenzoate
Interactions	PUBCHEM	N-(4-(((2,4-Diamino-6-pteridinyl)methyl)amino)benzoyl)glutamic acid
Interactions	PUBCHEM	2-[[3-(4-Methoxyphenyl)-4-oxo-6,7-dihydrothieno[3,2-d]pyrimidin-2-yl]thio]-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	4-[bis(2-methylpropyl)sulfamoyl]-N-(5-ethyl-1,3,4-oxadiazol-2-yl)benzamide
Interactions	PUBCHEM	4-[butyl(methyl)sulfamoyl]-N-[5-[(methylthio)methyl]-1,3,4-oxadiazol-2-yl]benzamide
Interactions	PUBCHEM	4-[butyl(ethyl)sulfamoyl]-N-[5-(methylsulfanylmethyl)-1,3,4-oxadiazol-2-yl]benzamide
Interactions	PUBCHEM	4-[(diisobutylamino)sulfonyl]-N-{5-[(methylthio)methyl]-1,3,4-oxadiazol-2-yl}benzamide
Interactions	PUBCHEM	2-{{[5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,3,4-oxadiazol-2-yl]thio}-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	methyl 5-(((3-(3,5-dimethylphenyl)-4-oxo-4,5-dihydro-3H-pyrimido[5,4-b]thiazol-2-yl)thio)-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	2-{{[4-(4-Chlorobenzenesulfonyl)-2-phenyl-1,3-oxazol-5-YL]sulfanyl}-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	2-((4-((4-chlorophenyl)sulfonyl)-2-phenyloxazol-5-yl)thio)-N-(4-ethoxyphenyl)-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	2-{{[4-(Benzenesulfonyl)-2-(4-methylphenyl)-1,3-oxazol-5-YL]sulfanyl}-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	N-(4-Ethoxyphenyl)-2-{{[4-(4-methylbenzenesulfonyl)-2-(4-methylphenyl)-1,3-oxazol-5-YL]sulfanyl}-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	2-({[4-(4-chlorophenyl)sulfonyl]-2-(thiophen-2-yl)-1,3-oxazol-5-yl}sulfanyl)-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	2-({[4-(4-chlorophenyl)sulfonyl]-2-(furan-2-yl)-1,3-oxazol-5-yl}sulfanyl)-N-methyl-5-oxo-1,4-dihydro-2H-pyrimidin-2-one
Interactions	PUBCHEM	Ethyl 3-(2-methoxybenzamido)-1H-indole-2-carboxylate
Interactions	PUBCHEM	N-(5-chloro-2-methoxyphenyl)-4-oxo-4H-pyrido[1,2-a]thieno[2,3-d]pyrimidin-2(1H)-one
Interactions	PUBCHEM	4-[ethyl-(phenylmethyl)sulfamoyl]-N-[5-(2-methoxyphenyl)-1,3,4-oxadiazol-2-yl]benzamide
Interactions	PUBCHEM	N-[5-(5-chlorothien-2-yl)-1,3,4-oxadiazol-2-yl]-4-[(4,4-dimethyl-1,3-oxadiazol-2-yl)methyl]benzamide
Interactions	PUBCHEM	4-[benzyl(methyl)sulfamoyl]-N-[5-(2-methoxyphenyl)-1,3,4-oxadiazol-2-yl]benzamide
Interactions	PUBCHEM	N-(4-fluoro-1,3-benzothiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	(Z)-N-(3-ethyl-4-methoxy-7-methylbenzo[d]thiazol-2(3H)-ylidene)-2,3-dihydro-1,4-benzodioxine-6-carboxamide
Interactions	PUBCHEM	4-(4,5-bis(4-chlorophenyl)-2-(2-isopropoxy-4-methoxyphenyl)-4,5-dihydro-2H-pyrido[1,2-a]thieno[2,3-d]pyrimidin-2(1H)-one
Interactions	PUBCHEM	(2E)-3-(2-furyl)-N-(4-methyl(1,3-thiazol-2-yl))prop-2-enamide
Interactions	PUBCHEM	Cyclohexane-1,2-dicarboxylic acid bis(oxiranylmethyl) ester
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-2-fluorobenzamide
Interactions	PUBCHEM	Amoxapine

Main Category		Category
Interactions	PUBCHEM	CID 2188061
Interactions	PUBCHEM	4-({4-[(9-Ethylcarbazol-3-yl)methyl]piperazinyl)methyl}-1,2-dimethoxybenzene
Interactions	PUBCHEM	(2E)-3-[[4-(dimethylamino)phenyl]amino]-1-phenylprop-2-en-1-one
Interactions	PUBCHEM	4-tert-butyl-N-(2-methylsulfanylethyl)benzamide
Interactions	PUBCHEM	5-bromo-N-[3-(5-phenyl-1,3,4-oxadiazol-2-yl)phenyl]-2-furamide
Interactions	PUBCHEM	2-{{3-(5-Methyl-2-furyl)-3-oxo-1-propen-1-yl}amino}benzamide
Interactions	PUBCHEM	4-(Methoxycarbonyl)benzyl 2-methoxybenzoate
Interactions	PUBCHEM	3-[(4-Fluorophenyl)amino]-1-(2-furyl)-2-propen-1-one
Interactions	PUBCHEM	4-(3-{{4-(4-Methoxyphenyl)-6-(trifluoromethyl)-2-pyrimidinyl}sulfonyl}propyl)-2-methoxybenzoic acid
Interactions	PUBCHEM	1-phenyl-N-(propan-2-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	Anisindione
Interactions	PUBCHEM	1-(2-{2-[4-(benzyloxy)phenoxy]ethoxy}ethyl)-1H-1,2,4-triazole
Interactions	PUBCHEM	1-(4-Isopropoxybenzyl)-5-methyl-1h-indole-2,3-dione
Interactions	PUBCHEM	1-[1-(2-Methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-[(5-methyl-1,3,4-thiadiazol-2-yl)amino]benzoic acid
Interactions	PUBCHEM	2-[2-(2,3-dihydro-1H-indol-1-yl)-2-oxoethyl]-1,2-benzisothiazol-3(2H)-one
Interactions	PUBCHEM	CID 2205340
Interactions	PUBCHEM	2-ethoxy-N-(6-ethoxy-1,3-benzothiazol-2-yl)acetamide
Interactions	PUBCHEM	(4Z)-2-(1,3-benzothiazol-2-yl)-5-methyl-4-[(pentylamino)methylidene]pyrimidin-6-amine
Interactions	PUBCHEM	Ethyl 2-{{3-oxo-3-(2-thienyl)-1-propen-1-yl}amino}benzoate
Interactions	PUBCHEM	3-[(2,3-Dimethylphenyl)amino]-1-(2-thienyl)-2-propen-1-one
Interactions	PUBCHEM	2-{{3-Oxo-3-(2-thienyl)-1-propen-1-yl}amino}benzoic acid
Interactions	PUBCHEM	CID 2210693
Interactions	PUBCHEM	5-{{2-(2-fluorophenoxy)ethyl}sulfonyl}-1-phenyl-1H-tetrazole
Interactions	PUBCHEM	CID 2212375
Interactions	PUBCHEM	5-chloro-N-[4-(2-thienyl)-1,3-thiazol-2-yl]-2-pyridinamine
Interactions	PUBCHEM	N-[5-(1,3-benzothiazol-2-yl)-2-methoxyphenyl]-2-(3-methylphenoxy)benzoic acid
Interactions	PUBCHEM	8-(1H-benzimidazol-2-ylmethoxy)quinoline
Interactions	PUBCHEM	2-(3,4-dimethoxyphenyl)-N-{3-[5-(3-methylphenyl)-1,3,4-oxadiazol-2-yl]phenyl}acetamide
Interactions	PUBCHEM	4-methyl-N-(2-methyl-5-oxo-5H-[1,3,4]thiadiazolo[3,2-a]pyrimidin-6-yl)benzamide
Interactions	PUBCHEM	N-[5-(1H-benzimidazol-2-yl)-2-methylphenyl]-2-(2-isopropyl-5-methyl-1,3,4-oxadiazol-3-yl)benzamide
Interactions	PUBCHEM	N-[3-methyl-4-(2-oxo-2H-chromen-3-yl)phenyl]-4-propoxybenzamide
Interactions	PUBCHEM	4-bromo-2-(4-methoxyphenyl)-6-methyl-2H-1,2,3-benzotriazol-5-amine

Main Category		Category
Interactions	PUBCHEM	N-(5-phenyl-1,2,4-thiadiazol-3-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	Astemizole
Interactions	PUBCHEM	(2E)-2-[(1,3-benzodioxol-5-ylamino)methylidene]-3,4-dihydronaphth
Interactions	PUBCHEM	2-((3-(2,3-Dichlorophenoxy)propyl)amino)ethanol
Interactions	PUBCHEM	(2E)-3-[(3-hydroxyphenyl)amino]-1-phenylprop-2-en-1-one
Interactions	PUBCHEM	(E)-3-(2-bromoanilino)-1-pyridin-2-ylprop-2-en-1-one
Interactions	PUBCHEM	Azathioprine
Interactions	PUBCHEM	Azinphos-Methyl
Interactions	PUBCHEM	5-[(2-Bromo-4-methylphenoxy)methyl]-3-pyridin-2-yl-1,2,4-oxadiazol
Interactions	PUBCHEM	[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-
Interactions	PUBCHEM	5-[4-(2-Propyn-1-yloxy)benzylidene]-3-(3-pyridinylmethyl)-2-thioxo-1
Interactions	PUBCHEM	Methylene bis(thiocyanate)
Interactions	PUBCHEM	N-[3-(1H-benzimidazol-2-yl)phenyl]-3,5-dichloro-4-methoxybenzam
Interactions	PUBCHEM	Bithionolate Sodium
Interactions	PUBCHEM	2-methyl-N-(2-sulfanyphenyl)propanamide
Interactions	PUBCHEM	5-[(4-chlorobenzyl)sulfonyl]-1-(2-methoxyphenyl)-1H-tetrazole
Interactions	PUBCHEM	(2E)-2-[(Thiophen-2-YL)methylidene]-2,3-dihydro-1H-inden-1-one
Interactions	PUBCHEM	2-hydroxy-N-[(2E)-3-phenylprop-2-enoyl]benzamide
Interactions	PUBCHEM	2-[2-(4-Methoxyphenyl)acetyl]benzoic acid
Interactions	PUBCHEM	1-Butyl-3-[(6-methoxy-1,3-benzothiazol-2-yl)carbamoyl]-1-methylsu
Interactions	PUBCHEM	2-[1-(1,3-Benzothiazol-2-yl)-3,5-dimethylpyrazol-4-yl]oxyphenol
Interactions	PUBCHEM	[2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-oxoethyl] 2-(pentanoylamin
Interactions	PUBCHEM	5-Chloro-N-(4-isopropylphenyl)benzo[c]isothiazole-3-carboxamide
Interactions	PUBCHEM	4-methoxy-N-([1,2,4]thiadiazolo[2,3-a]pyridin-2-ylidene)benzamide
Interactions	PUBCHEM	N-[[1-chloro-2,2-di(piperidin-1-yl)ethenyl]-(dimethylamino)phosphor
Interactions	PUBCHEM	2-(4-methoxyphenyl)-4H-thiochromen-4-one
Interactions	PUBCHEM	3-(4-methoxyphenyl)-5-phenyl-1H-imidazole-2-thione
Interactions	PUBCHEM	5-chloro-N-(6-methyl-1,3-benzothiazol-2-yl)thiophene-2-carboxamido
Interactions	PUBCHEM	Benzbromarone
Interactions	PUBCHEM	5-chloro-2-methylsulfonyl-N-(4-morpholin-4-ylphenyl)pyrimidine-4-o
Interactions	PUBCHEM	[2-[4-(6-Methyl-1,3-benzothiazol-2-yl)anilino]-2-oxoethyl] 5-bromofu
Interactions	PUBCHEM	Benzo[a]pyrene

Main Category		Category
Interactions	PUBCHEM	[2-Oxo-2-(4-phenylmethoxyanilino)ethyl] 5-methylpyrazine-2-carboxamide
Interactions	PUBCHEM	4-cyano-N-cyclooctylbenzamide
Interactions	PUBCHEM	N-[(3-fluoro-4-methylphenyl)carbamothioyl]thiophene-2-carboxamide
Interactions	PUBCHEM	Benzyl Isothiocyanate
Interactions	PUBCHEM	2-(1-ethyl-2-methylbenzimidazol-5-yl)-5H-[1,2,4]triazolo[5,1-a]isoindole-3-carboxamide
Interactions	PUBCHEM	2-[4-(1,3-Benzothiazol-2-yl)phenoxy]-1-(4-methylpiperazin-1-yl)ethanol
Interactions	PUBCHEM	Bepridil
Interactions	PUBCHEM	[2-(4-methylpiperidin-1-yl)-2-oxoethyl] 1H-indazole-3-carboxylate
Interactions	PUBCHEM	[2-[4-(6-Methyl-1,3-benzothiazol-2-yl)anilino]-2-oxoethyl] 5-nitrofuran-2-carboxamide
Interactions	PUBCHEM	(2-Oxo-2-pyrrolidin-1-ylethyl) 2-(4-methoxyphenyl)quinoline-4-carboxamide
Interactions	PUBCHEM	N-(4-pyridin-2-yl-1,3-thiazol-2-yl)cyclopropanecarboxamide
Interactions	PUBCHEM	(E)-N-(5-bromopyridin-2-yl)-3-thiophen-2-ylprop-2-enamide
Interactions	PUBCHEM	[2-[4-(6-Methyl-1,3-benzothiazol-2-yl)anilino]-2-oxoethyl] 5-bromopyridine-2-carboxamide
Interactions	PUBCHEM	Sodium Bromebrate
Interactions	PUBCHEM	Menadione Sodium Bisulfite
Interactions	PUBCHEM	2,5-dimethyl-N-(4-methylphenyl)-1-phenylpyrrole-3-carboxamide
Interactions	PUBCHEM	3-Ethyl-4-[1-(2-hydroxyethyl)-2,6-dimethyl-4-pyridinylidene]-2-sulfamoylpyridine
Interactions	PUBCHEM	PharmaGSID_48516
Interactions	PUBCHEM	3-[[[(E)-3-[4-[(4-bromophenyl)methoxy]phenyl]-2-cyanoprop-2-enoyl]oxy]phenyl]propanoate
Interactions	PUBCHEM	N-[2-(dimethylamino)ethyl]-4-fluoro-N-[[1-(2-fluorobenzyl)piperidin-4-yl]methoxy]benzamide
Interactions	PUBCHEM	2-(Hydroxymethyl)-5-(6-methylsulfanylpurin-9-yl)oxolane-3,4-diol
Interactions	PUBCHEM	N-[(2-bromo-4-methylphenyl)carbamothioyl]cyclopentanecarboxamide
Interactions	PUBCHEM	(4Z)-5-(4-bromophenyl)-4-[[4-(chlorophenyl)-hydroxymethylidene]-1H-1,2,4-triazol-3-yl]pyridine
Interactions	PUBCHEM	Bifonazole
Interactions	PUBCHEM	2-(5-Bromothiophen-2-yl)-1,3-benzothiazole
Interactions	PUBCHEM	Bisacodyl
Interactions	PUBCHEM	2-[[[5-(2,5-dimethyl-1-phenylpyrrol-3-yl)-1,3,4-oxadiazol-2-yl]sulfanylmethyl]phenyl]propanoate
Interactions	PUBCHEM	Bithionol
Interactions	PUBCHEM	Clazolam
Interactions	PUBCHEM	[2-(Azepan-1-yl)-2-oxoethyl] 2-hydroxy-3-methylbenzoate
Interactions	PUBCHEM	N-[(3-hydroxyphenyl)carbamothioyl]cyclohexanecarboxamide
Interactions	PUBCHEM	N-(4-methoxybenzo[d]thiazol-2-yl)-2,3-dihydrobenzo[b][1,4]dioxine-5-carboxamide

Main Category		Category
Interactions	PUBCHEM	3-(1,3-Benzothiazol-2-yl)phenol
Interactions	PUBCHEM	Benzoic Acid
Interactions	PUBCHEM	(Z)-2-(1H-indol-3-yl)-3-(4-methoxyphenyl)prop-2-enenitrile
Interactions	PUBCHEM	N-(4-bromo-3-methylphenyl)quinoxaline-6-carboxamide
Interactions	PUBCHEM	Potassium Dichromate
Interactions	PUBCHEM	Broxyquinoline
Interactions	PUBCHEM	Benzamidobenzenethiol
Interactions	PUBCHEM	2-(2-anilino-4-phenyl-1,3-thiazol-5-yl)-N-benzylacetamide
Interactions	PUBCHEM	11h-Indeno[1,2-b]quinolin-11-ol
Interactions	PUBCHEM	Cadmium chloride, dihydrate
Interactions	PUBCHEM	N-(3-hydroxy-2-pyridinyl)-4-[[2-(4-oxo-2-pyrrolidin-1-yl-1,3-thiazol-5-yl)-2-methyl-1H-imidazol-5-yl]methyl]methanone
Interactions	PUBCHEM	1-[3-[3-Benzyl-3-(hydroxymethyl)piperidin-1-yl]-3-oxopropyl]pyrrolidine
Interactions	PUBCHEM	[(1R,8S)-4-azatricyclo[4.3.1.1 ^{3,8}]undecan-4-yl]-[5-[(3,4-dimethylphenyl)amino]-2-methylnaphtho[1,2-b]pyridin-2-yl]methanone
Interactions	PUBCHEM	Methyl 1-[(7-chloro-3,5-dimethyl-1-benzofuran-2-yl)carbonyl]-4-piperidylmethanone
Interactions	PUBCHEM	Indium Trichloride
Interactions	PUBCHEM	Antimony trichloride
Interactions	PUBCHEM	3-[(1-isobutyl-4-piperidinyl)oxy]-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	N-({1-[2-(4-methoxyphenyl)ethyl]-3-piperidinyl}methyl)-N,2,5-trimethyl-1H-imidazol-5-ylmethanone
Interactions	PUBCHEM	(2S,5S)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[1,2-b]pyridin-2-yl]methanone
Interactions	PUBCHEM	[2-(2,5-dimethyl-1-prop-2-enylpyrrol-3-yl)-2-oxoethyl] (2S)-2-[(2-chlorophenyl)amino]-2-methylnaphtho[1,2-b]pyridin-2-ylmethanone
Interactions	PUBCHEM	Benzyl 5-[[4-bromophenyl)sulfonyl]amino}-2-methylnaphtho[1,2-b]pyridin-2-ylmethanone
Interactions	PUBCHEM	2-[2-(2,5-Dimethyl-1-propylpyrrol-3-yl)-2-oxoethyl]sulfanyl-3-(furan-2-yl)propan-2-ylmethanone
Interactions	PUBCHEM	(3S,4S)-3-(6-chloro-1H-indol-3-yl)-2-[(4-chlorophenyl)methyl]-N-[2-(4-chlorophenyl)-2-methyl-1H-imidazol-5-yl]methanone
Interactions	PUBCHEM	4-[(5S,6R)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[1,2-b]pyridin-2-yl]methanone
Interactions	PUBCHEM	[(2S)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[1,2-b]pyridin-2-yl]methyl]methanone
Interactions	PUBCHEM	{4-[2-(2-Hydroxyethoxy)phenyl]piperazin-1-yl}[(2r,3s)-2-Propyl-1-{[4-(4-chlorophenyl)-2-methyl-1H-imidazol-5-yl]methyl}piperidin-3-yl]methanone
Interactions	PUBCHEM	4-(1-{[(5R,6S)-5,6-Bis(4-chlorophenyl)-3-isopropyl-6-methyl-5,6-dihydro-1H-imidazo[1,2-b]pyridin-2-yl]methyl}methyl)-N-(2-phenylethyl)benzamide
Interactions	PUBCHEM	[(2S)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[1,2-b]pyridin-2-yl]methyl]methanone
Interactions	PUBCHEM	4-[(5R,6S)-5,6-Bis(4-chlorophenyl)-3-isopropyl-6-methyl-5,6-dihydro-1H-imidazo[1,2-b]pyridin-2-yl]methanone
Interactions	PUBCHEM	2-[2-[4-[(2R,3S)-2-propyl-1-[4-(trifluoromethyl)pyridine-3-carbonyl]-3-oxopropyl]phenoxy]acetic acid
Interactions	PUBCHEM	N-[(3S)-1-({6-chloro-3-[1-(4-chlorobenzyl)-4-phenyl-1H-imidazol-5-yl]methyl}methyl)-N-(2-phenylethyl)benzamide

Main Category		Category
Interactions	PUBCHEM	Lopac-D-2064
Interactions	PUBCHEM	5-methyl-3-phenyl-6-(4-(trifluoromethyl)phenyl)isoxazolo[4,5-c]pyri
Interactions	PUBCHEM	Ancitabine
Interactions	PUBCHEM	methyl 3-[[[(2R,3S)-2,3-bis(4-chlorophenyl)-6-(4-methylpiperazine-1-
Interactions	PUBCHEM	2-(1H-indol-6-yl)xanthen-9-one
Interactions	PUBCHEM	7-Fluoro-3-(4-methoxyphenyl)isoquinoline
Interactions	PUBCHEM	7-Cyclohexyl-[1,3]dioxolo[4,5-g]isoquinoline
Interactions	PUBCHEM	(3R,6'R,8'S)-6'-but-1-en-2-yl-6-chloro-8'-(3-chlorophenyl)-2'-[3-(dimet [1,2,4]triazine]-2,3'-dione
Interactions	PUBCHEM	6-Chloro-3-[3-(4-chloro-benzyl)-5-phenyl-3h-imidazol-4-yl]-1h-indole
Interactions	PUBCHEM	Cadmium acetate, anhydrous, 99%
Interactions	PUBCHEM	5-nitro-N-[4-(2-thienyl)thiazol-2-yl]-2-furamide
Interactions	PUBCHEM	N-Benzoyl-O-benzylhydroxylamine
Interactions	PUBCHEM	4-(1-benzofuran-2-yl)-N-prop-2-enyl-1,3-thiazol-2-amine
Interactions	PUBCHEM	1-[2,5-Dimethyl-1-(4-methylphenyl)pyrrol-3-yl]-2-(1,3,4-thiadiazol-2-y
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-N-(3-methoxyphenyl)-7-methyl-[1,2,4]triaz
Interactions	PUBCHEM	N-cycloheptyl-1-methylpyrrole-2-carboxamide
Interactions	PUBCHEM	5-[(4,5-Dimethyl-1,2,4-triazol-3-yl)sulfanylmethyl]-2-(4-propan-2-ylpl
Interactions	PUBCHEM	2-(4-Chloro-5-phenylthieno(2,3-d)pyrimidin-2-yl)pyridine
Interactions	PUBCHEM	1-[[5-[5-(4-Methylphenyl)thieno[2,3-d]pyrimidin-4-yl]sulfanyl-1,3,4-ox
Interactions	PUBCHEM	[2-[1-(2-methoxyethyl)-2,5-dimethylpyrrol-3-yl]-2-oxoethyl] 1H-indaz
Interactions	PUBCHEM	N-(4-acetamidophenyl)-4-(2,5-dimethylpyrrol-1-yl)benzamide
Interactions	PUBCHEM	Carbendazim
Interactions	PUBCHEM	4-O-ethyl 2-O-[2-(2-methylphenoxy)ethyl] 3,5-dimethyl-1H-pyrrole-2,
Interactions	PUBCHEM	1,6-Hexanediol diacrylate
Interactions	PUBCHEM	N-(tert-butylcarbamoyl)-2-(2-cyanophenoxy)acetamide
Interactions	PUBCHEM	Carboquone
Interactions	PUBCHEM	N-(3-nitrophenyl)-2-[(4-phenyl-1,3-thiazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	Carmofur
Interactions	PUBCHEM	Carmustine
Interactions	PUBCHEM	N-(1H-benzimidazol-2-yl)-4-fluorobenzamide
Interactions	PUBCHEM	2-(4,5-dichloro-6-oxopyridazin-1-yl)-N-[2-(2-ethylanilino)-2-oxoethyl]
Interactions	PUBCHEM	Estramustine Phosphate

Main Category		Category
Interactions	PUBCHEM	Estramustine
Interactions	PUBCHEM	Caulibugulone B
Interactions	PUBCHEM	2-(3-Chlorophenyl)-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	Caulibugulone C
Interactions	PUBCHEM	Caulibugulone D
Interactions	PUBCHEM	N-(2,3-dimethylphenyl)pyridine-2-carboxamide
Interactions	PUBCHEM	2-(3-Methylphenyl)-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	Pyrithione Zinc
Interactions	PUBCHEM	2-(2,3-dihydro-1H-inden-5-yloxy)-1-(2,3-dihydroindol-1-yl)ethanone
Interactions	PUBCHEM	Quinalphos
Interactions	PUBCHEM	1-(2,5-Dimethyl-1-prop-2-enylpyrrol-3-yl)-2-thieno[2,3-d]pyrimidin-4-
Interactions	PUBCHEM	2-(1,3-Benzoxazol-2-ylthio)-1-(2,5-dimethyl-1-prop-2-enyl-3-pyrrolyl)
Interactions	PUBCHEM	2,3-Bis(2-hydroxyethylsulfanyl)-(1,4)naphthoquinone
Interactions	PUBCHEM	[2-[2,5-Dimethyl-1-(2,2,2-trifluoroethyl)pyrrol-3-yl]-2-oxoethyl] 4-hyd
Interactions	PUBCHEM	[2-(1-Cyclopropyl-2,5-dimethylpyrrol-3-yl)-2-oxoethyl] 3-hydroxybenz
Interactions	PUBCHEM	[2-(2,5-dimethylphenyl)-2-oxoethyl] 1H-indazole-3-carboxylate
Interactions	PUBCHEM	Bisoxatin Acetate
Interactions	PUBCHEM	1-(2,5-Dimethylphenyl)-5-(1-phenyltetrazol-5-yl)sulfanyltetrazole
Interactions	PUBCHEM	2-Chloro-3-(4-methylanilino)naphthalene-1,4-dione
Interactions	PUBCHEM	Parbendazole
Interactions	PUBCHEM	N-(3-acetamidophenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	2-(2-chlorophenoxy)-N-(5-methyl-1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)-4-fluorobenzamide
Interactions	PUBCHEM	N-[(2-chlorophenyl)methyl]-3-(trifluoromethyl)benzamide
Interactions	PUBCHEM	Clemastine
Interactions	PUBCHEM	Chelerythrine
Interactions	PUBCHEM	Chlorambucil
Interactions	PUBCHEM	(4-chlorophenyl)-N-(2-sulfanyphenyl)carboxamide
Interactions	PUBCHEM	Chloroxine
Interactions	PUBCHEM	9-Aminoacridine hydrochloride monohydrate
Interactions	PUBCHEM	Thioguanine
Interactions	PUBCHEM	Digoxin

Main Category		Category
Interactions	PUBCHEM	Quinacrine dihydrochloride dihydrate
Interactions	PUBCHEM	4-(4-Toluidino)-1,2-naphthalenedione
Interactions	PUBCHEM	Chlorpromazine
Interactions	PUBCHEM	Bax Channel Blocker
Interactions	PUBCHEM	3-(Phenyl-hydrazono)-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	Tamoxifen Citrate
Interactions	PUBCHEM	Tamoxifen
Interactions	PUBCHEM	Tetraoctylammonium bromide
Interactions	PUBCHEM	N-(10-aminodecyl)-5-chloronaphthalene-1-sulfonamide
Interactions	PUBCHEM	3-(2-Naphthyl)-5-(trifluoromethyl)-4,5-dihydroisoxazol-5-ol
Interactions	PUBCHEM	2,2',5,5'-Tetrachlorobenzidine
Interactions	PUBCHEM	Ciglitazone
Interactions	PUBCHEM	3-(2-Aminoethylsulfanyl)-1-(4-ethoxyphenyl)pyrrolidine-2,5-dione hydrochloride
Interactions	PUBCHEM	3-(4-methylphenyl)-5H-indeno[1,2-c]pyridazin-5-one
Interactions	PUBCHEM	Mucochloric Acid
Interactions	PUBCHEM	Clenbuterol
Interactions	PUBCHEM	Clioquinol
Interactions	PUBCHEM	2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)-N-[4-(6-methyl-1,3-benzoxazol-2-yl)-2-methylphenyl]acetamide
Interactions	PUBCHEM	Clofoctol
Interactions	PUBCHEM	Clomipramine
Interactions	PUBCHEM	Ornidazole
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2,6-difluorobenzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-fluorobenzamide
Interactions	PUBCHEM	Clotrimazole
Interactions	PUBCHEM	2-Naphtho[2,3-d][1,3]dioxol-6-yl-4-quinolinecarboxylic acid
Interactions	PUBCHEM	Edifenphos
Interactions	PUBCHEM	2-Chloroanthracene
Interactions	PUBCHEM	N-(4-ethoxy-2-nitrophenyl)furan-2-carboxamide
Interactions	PUBCHEM	4-Ethyl-2-methoxy-3-phenyl-3,3a,9,9a-tetrahydropyrrolo[2,3-b]quinoline
Interactions	PUBCHEM	Stk004573
Interactions	PUBCHEM	CID 2872840
Interactions	PUBCHEM	N-[2-furanyl-(8-hydroxy-7-quinoliny)methyl]-2-methylpropanamide

Main Category		Category
Interactions	PUBCHEM	N-quinolin-3-yl-2,3-dihydro-1,4-benzodioxine-3-carboxamide
Interactions	PUBCHEM	N-[2-(3-Hydroxy-phenylamino)-4'-methyl-[4,5']bithiazolyl-2'-yl]-propionitrile
Interactions	PUBCHEM	Benomyl
Interactions	PUBCHEM	Tetraethylene glycol diacrylate
Interactions	PUBCHEM	1-(3,4-dichlorophenyl)-2-(2-imino-3-methyl-2,3-dihydro-1H-benzo[d]imidazol-5-yl)-2-methylpropan-1-ol
Interactions	PUBCHEM	7-[(4-Methylphenyl)(2-pyridylamino)methyl]quinolin-8-ol
Interactions	PUBCHEM	7-[(3-Chlorophenyl)[(6-methylpyridin-2-yl)amino]methyl]quinolin-8-ol
Interactions	PUBCHEM	7-[(2-Fluorophenyl)(pyridin-2-ylamino)methyl]quinolin-8-ol
Interactions	PUBCHEM	N-[(5-chloro-8-hydroxyquinolin-7-yl)-(2-chlorophenyl)methyl]-4-methylpiperidine
Interactions	PUBCHEM	2-(4-methoxyphenyl)-2-oxoethyl 2-(1,3-dioxo-1,3-dihydro-2H-isoindolizine-1-ylidene)-2-methylpropanoate
Interactions	PUBCHEM	N-{4-chloro-3-[5-(propan-2-yl)-1,3-benzoxazol-2-yl]phenyl}pyridine-3-carboxamide
Interactions	PUBCHEM	Ethyl 5-benzenesulfonamido-2-phenyl-1-benzofuran-3-carboxylate
Interactions	PUBCHEM	Cambridge id 6874383
Interactions	PUBCHEM	4-(2-butoxyphenyl)-6,7-dimethyl-3,4-dihydroquinolin-2(1H)-one
Interactions	PUBCHEM	(4-oxobenzo[d][1,2,3]triazin-3(4H)-yl)methyl 2-phenoxypropanoate
Interactions	PUBCHEM	N,N-dimethyl-4-(5-phenyl-3,7-dihydrotetrazolo[1,5-a]pyrimidin-7-yl)amino-2-methylpropanoate
Interactions	PUBCHEM	3-(1,3-benzodioxol-5-yl)-N-(4-methoxybenzyl)-3-phenylpropan-1-amine
Interactions	PUBCHEM	N-[(2,4-dichlorophenyl)-(8-hydroxyquinolin-7-yl)methyl]pentanamide
Interactions	PUBCHEM	1-{4-[4-(Benzyloxy)phenoxy]butyl}pyrrolidine oxalate
Interactions	PUBCHEM	1-benzyl-5-bromo-3-hydroxy-3-(2-oxo-2-phenylethyl)-1,3-dihydro-2H-benzofuran
Interactions	PUBCHEM	5-chloro-3-hydroxy-3-{2-oxo-2-[4-(propan-2-yl)phenyl]ethyl}-1-(2-phenoxyethyl)-2-methylpropanoate
Interactions	PUBCHEM	(2,2,4-trimethyl-3,4-dihydro-1H-quinolin-6-yl) furan-2-carboxylate
Interactions	PUBCHEM	2,4-dichloro-N-(naphthalen-2-yl)benzamide
Interactions	PUBCHEM	5-bromo-3-hydroxy-3-[2-(2-hydroxyphenyl)-2-oxoethyl]-1-(2-phenylethyl)-2-methylpropanoate
Interactions	PUBCHEM	3-[(5-Chloro-1,3-benzoxazol-2-yl)sulfanyl]-1-benzothiophene 1,1-dioxide
Interactions	PUBCHEM	2-(4-Methylphenyl)-2-oxoethyl 2-[(2-methoxyphenyl)amino]-4-oxo-4-phenylbutanoate
Interactions	PUBCHEM	2-(3,4-Dimethylphenyl)-2-oxoethyl 2-[(2-methoxyphenyl)amino]-4-oxo-4-phenylbutanoate
Interactions	PUBCHEM	2-(4-Chloroanilino)-4-oxo-4-phenylbutanoic acid
Interactions	PUBCHEM	2-(4-Fluorophenyl)-2-oxoethyl 2-[(2-methoxyphenyl)amino]-4-oxo-4-phenylbutanoate
Interactions	PUBCHEM	4-Hexyloxyphenol
Interactions	PUBCHEM	4-(3-methylpiperidin-1-yl)-1-(m-tolyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	N-[4-(1,3-benzoxazol-2-yl)phenyl]tetrahydro-2-furancarboxamide

Main Category		Category
Interactions	PUBCHEM	N-[4-(1H-benzimidazol-2-yl)phenyl]tetrahydro-2-furancarboxamide
Interactions	PUBCHEM	2-methyl-N-(2-methyl-1,3-benzoxazol-5-yl)-1-indolinecarboxamide
Interactions	PUBCHEM	2-{5-[(2-Bromo-4-ethylphenoxy)methyl]-1,2,4-oxadiazol-3-yl}pyridine
Interactions	PUBCHEM	N-(2,4-dimethoxyphenyl)-6-methyl-2-[(5-methylfuran-2-yl)methylamino]pyridine
Interactions	PUBCHEM	N-(1,2-dimethyl-1H-benzimidazol-5-yl)-2-methyl-1-indolinecarboxamide
Interactions	PUBCHEM	N-[4-(4-butanoylpiperazin-1-yl)-3-chlorophenyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	7-(difluoromethyl)-N-[4-(methylsulfamoyl)phenyl]-5-phenylpyrazole
Interactions	PUBCHEM	Acivicin
Interactions	PUBCHEM	N-[2-(1H-indol-3-yl)ethyl]-2-nitro-4-(trifluoromethyl)aniline
Interactions	PUBCHEM	1-(2,4-dichlorophenoxy)-3-{2-imino-3-[2-(piperidin-1-yl)ethyl]-2,3-dihydro-1H-benzimidazol-1-yl}propan-1-ol
Interactions	PUBCHEM	1-[2-lmino-3-(2-piperidin-1-ylethyl)benzimidazol-1-yl]-3-(4-methylphenyl)propan-1-ol
Interactions	PUBCHEM	N-(6-methyl-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	1,8-Dihydroxyanthraquinone
Interactions	PUBCHEM	N
Interactions	PUBCHEM	N*2*-(3-Fluoro-phenyl)-quinazoline-2,4-diamine
Interactions	PUBCHEM	1-{2-imino-3-[2-(piperidin-1-yl)ethyl]-2,3-dihydro-1H-benzimidazol-1-yl}propan-1-ol
Interactions	PUBCHEM	6-amino-4-{3-[(4-bromo-3,5-dimethyl-1H-pyrazol-1-yl)methyl]-4-methylphenyl}pyridine
Interactions	PUBCHEM	2-(4-sec-butylphenoxy)-N-(4-[1,3]oxazolo[4,5-b]pyridin-2-ylphenyl)acetamide
Interactions	PUBCHEM	3-[(4-Fluorophenyl)amino]-1-(4-methylphenyl)-3-phenyl-1-propanone
Interactions	PUBCHEM	2-[(furan-2-ylmethyl)amino]-7-phenyl-7,8-dihydroquinazolin-5(6H)-one
Interactions	PUBCHEM	N-(3-{2-[(5-methyl-2-pyridinyl)amino]-1,3-thiazol-4-yl}phenyl)acetamide
Interactions	PUBCHEM	N-(tert-butyl)-2-(2-ethoxy-4-[(2-phenylethyl)amino]methyl)phenoxyacetamide
Interactions	PUBCHEM	Phenyl{1-[(2,4,6-trimethylphenyl)methyl]benzimidazol-2-yl}methanone
Interactions	PUBCHEM	4-(5-amino-3-methyl-4-phenyl-1H-pyrazol-1-yl)benzoic acid
Interactions	PUBCHEM	N-(6-methyl-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)tetrahydro-2-furancarboxamide
Interactions	PUBCHEM	N-(4-tert-butyl-1,3-thiazol-2-yl)-3-phenylpropanamide
Interactions	PUBCHEM	N-{2-[2-(acetylamino)ethyl]-1-methyl-1H-benzimidazol-5-yl}-2-methylpropanamide
Interactions	PUBCHEM	1-[(4-Tert-butylphenyl)methyl]-4-(4-nitrophenyl)imidazole
Interactions	PUBCHEM	Methyl 4-[2-methyl-3-(phenylcarbamoyl)-1,4-dihydropyrimido[1,2-a]pyrimidin-2-yl]carbamate
Interactions	PUBCHEM	3-bromo-N-{1-methyl-2-[2-(propanoylamino)ethyl]-1H-benzimidazol-5-yl}propanamide
Interactions	PUBCHEM	2-(2,3-dihydro-1,4-benzodioxin-6-yl)-N-(3,5-dimethoxyphenyl)-3-hydroxypropanamide
Interactions	PUBCHEM	N-(4-ethylphenyl)-5-nitro-2-phenyl-2H-1,2,3-triazol-4-amine 3-oxide

Main Category		Category
Interactions	PUBCHEM	1-Chloro-2-naphthyl 1-azepanecarboxylate
Interactions	PUBCHEM	[5-Chloro-2-(propylsulfonyl)pyrimidin-4-yl][4-(4-methoxyphenyl)piperazine]
Interactions	PUBCHEM	5-chloro-2-(ethylsulfonyl)-N-phenylpyrimidine-4-carboxamide
Interactions	PUBCHEM	N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-2,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	7-Butyl-1,3-dimethyl-8-(morpholin-4-ylmethyl)purine-2,6-dione
Interactions	PUBCHEM	5-Chloro-2-(methylsulfonyl)pyrimidin-4-yl 4-(3-chlorophenyl)piperazine
Interactions	PUBCHEM	4-(furan-2-yl)-N-(thiophen-2-ylmethyl)-6-(trifluoromethyl)pyrimidin-2-yl
Interactions	PUBCHEM	N-benzyl-5-chloro-N-(4-methoxyphenyl)-2-(methylsulfonyl)pyrimidin-4-yl
Interactions	PUBCHEM	3-Methyl-4-oxo-1,5,6,7-tetrahydroindole-2-carboxylic acid (4-methyl-2-oxo-1,2,3,4-tetrahydroquinoline-5-carboxylic acid)
Interactions	PUBCHEM	5-methyl 2-(tetrahydrofuran-2-ylmethyl) 3,6-dimethyl-4-oxo-4,5,6,7-tetrahydro-2H-pyran-2-yl
Interactions	PUBCHEM	Triphenylbismuthdichloride
Interactions	PUBCHEM	N-(4-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)-2,2-dimethylpropanamide
Interactions	PUBCHEM	1,8-Diamino-3,6-bis(pyrrolidin-1-yl)-2,7-naphthyridine-4-carbonitrile
Interactions	PUBCHEM	3-[[5-(1,3-Benzodioxol-5-yl)-1,3,4-oxadiazol-2-yl]sulfanyl]-1-(4-chlorophenyl)pyrazole
Interactions	PUBCHEM	2-[2-(2,5-Dimethyl-1-prop-2-enylpyrrol-3-yl)-2-oxoethyl]isoindole-1,3-dione
Interactions	PUBCHEM	N-(4-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)cyclopropanecarboxamide
Interactions	PUBCHEM	N-(3-methyl-1,3-benzothiazol-2-ylidene)-2-pyrazinecarboxamide
Interactions	PUBCHEM	2-[2-[2,5-Dimethyl-1-(oxolan-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl]-1,1-cyclopropanedicarbonyl
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-2,3-dihydro-1,4-benzodioxine-3-carboxamide
Interactions	PUBCHEM	[2-[2,5-Dimethyl-1-(oxolan-2-ylmethyl)pyrrol-3-yl]-2-oxoethyl] 3-methyl-2-oxo-1,2,3,4-tetrahydroquinoline-5-carboxylic acid
Interactions	PUBCHEM	7-[Morpholin-4-yl(pyridin-2-yl)methyl]quinolin-8-ol
Interactions	PUBCHEM	N-(4-(imidazo[2,1-b]thiazol-6-yl)phenyl)cyclopentanecarboxamide
Interactions	PUBCHEM	2,3-Bis(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-dihydroquinazolin-4-one
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[[5-(4-methoxyphenyl)-1,3,4-oxadiazol-2-yl]methyl]pyrazole
Interactions	PUBCHEM	3-(1-Benzofuran-2-yl)-2-(4-methyl-1,3-thiazol-2-yl)-3-oxopropanenitrile
Interactions	PUBCHEM	2-Methyl-6-(4-phenylphenyl)imidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	3-(2,3-dihydro-1,4-benzodioxin-6-yl)-6,7-dihydro-5H-pyrrolo[1,2-a]imidazole
Interactions	PUBCHEM	4-[1-(2,4-Dimethylphenyl)-2,5-dimethylpyrrol-3-yl]-4,10-dihydro-[1,3,4]oxadiazole
Interactions	PUBCHEM	2-(1,3-benzoxazol-2-ylsulfanyl)-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)pyrazole
Interactions	PUBCHEM	Chlordecone
Interactions	PUBCHEM	2-Methyl-6-phenylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	7-[(4-Methylpiperazin-1-yl)-pyridin-3-ylmethyl]quinolin-8-ol

Main Category		Category
Interactions	PUBCHEM	2-[2-(2,5-Dimethyl-1-phenyl-3-pyrrolyl)-2-oxoethyl]-3a,4,7,7a-tetrahy
Interactions	PUBCHEM	Benzalkonium Chloride
Interactions	PUBCHEM	Mpep
Interactions	PUBCHEM	Daunorubicin
Interactions	PUBCHEM	cis-Phosphamidon
Interactions	PUBCHEM	Thiophanate
Interactions	PUBCHEM	Levosimendan
Interactions	PUBCHEM	rel-3,4-Dichloro-N-methyl-N-((1R,2R)-2-(1-pyrrolidinyl)cyclohexyl)be
Interactions	PUBCHEM	Trans-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz(2,3:6,7)oxepino(4,
Interactions	PUBCHEM	Tricyclodecanedimethanol diacrylate
Interactions	PUBCHEM	Dichlorophen
Interactions	PUBCHEM	Razoxane
Interactions	PUBCHEM	1-(3-Fluoro-4-methoxyphenyl)-3-(morpholin-4-yl)-2-phenylpropan-1-
Interactions	PUBCHEM	Emetine dihydrochloride
Interactions	PUBCHEM	2-(Thiocyanomethylthio)benzothiazole
Interactions	PUBCHEM	Leptophos
Interactions	PUBCHEM	4-[(E)-(4-dimethylaminophenyl)iminomethyl]-N,N-dimethylaniline
Interactions	PUBCHEM	4H-Pyrido(1,2-a)pyrimidine-3-carboxamide, N-(2-methylphenyl)-4-o
Interactions	PUBCHEM	1,3-Benzenediamine, 4-methoxy-, sulfate, hydrate (1:1:?)
Interactions	PUBCHEM	Benzophenone
Interactions	PUBCHEM	4-nitro-N-(1-phenylpropan-2-yl)benzamide
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-5-methyl-4-nitro-1H-pyrazol-3-amine
Interactions	PUBCHEM	4-[(4-fluorophenyl)diazenyl]-3-methyl-5-oxo-4,5-dihydro-1H-pyrazole
Interactions	PUBCHEM	Dipyridamole
Interactions	PUBCHEM	3-bromo-N-[2-(2,5-dichlorophenyl)-1,3-benzoxazol-5-yl]-4-methoxyb
Interactions	PUBCHEM	Dipyrrithione
Interactions	PUBCHEM	N-[2-(5-bromo-2-chlorophenyl)-1,3-benzoxazol-5-yl]naphthalene-2-c
Interactions	PUBCHEM	Disulfiram
Interactions	PUBCHEM	N-[2-(5-bromo-2-chlorophenyl)-1,3-benzoxazol-5-yl]-1-benzofuran-2-
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-4-(thiophen-2-yl)-2,3-dihydro-1,5-benzothiazep
Interactions	PUBCHEM	N-(4-fluorophenyl)-2-(4-nitrophenyl)hydrazinecarbothioamide
Interactions	PUBCHEM	1-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-4-phenyl-butan-1-one

Main Category		Category
Interactions	PUBCHEM	Oxyphenisatin
Interactions	PUBCHEM	2,3-Dimethoxy-1,4-naphthoquinone
Interactions	PUBCHEM	3-(1,3-benzodioxol-5-yl)-N-(4-methoxybenzyl)-3-(2-methoxyphenyl)-2-methyl-2H-benzimidazole
Interactions	PUBCHEM	N-(3-ethoxyphenyl)-2-(3-methoxyphenyl)imino-3-methyl-4-oxo-1,3-tetrahydropyridine
Interactions	PUBCHEM	N'-cycloheptylidenethiophene-2-carbohydrazide
Interactions	PUBCHEM	N-[5-[(2-chlorophenyl)methyl]-1,3-thiazol-2-yl]oxolane-2-carboxamide
Interactions	PUBCHEM	8-Allylamino-3-methyl-7-(3-methyl-benzyl)-3,7-dihydro-purine-2,6-dione
Interactions	PUBCHEM	1-methyl-4-nitro-N-(2-phenyl-1H-benzimidazol-5-yl)pyrazole-3-carboxamide
Interactions	PUBCHEM	Rafoxanide
Interactions	PUBCHEM	N-[4-(phenylsulfamoyl)phenyl]-2,3-dihydro-1,4-benzodioxine-3-carboxylic acid
Interactions	PUBCHEM	2-(4-propoxyphenyl)-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	1-(4-Ethoxy-3-methoxybenzyl)-7-methylindoline-2,3-dione
Interactions	PUBCHEM	2-(2-methoxyethyl) 5-methyl 3,6-dimethyl-4-oxo-4,5,6,7-tetrahydro-1H-benzimidazole
Interactions	PUBCHEM	7-(thiophen-2-yl)-2H,3H-[1,4]dioxino[2,3-g]quinoline-9-carboxylic acid
Interactions	PUBCHEM	Ellipticine
Interactions	PUBCHEM	9-Hydroxy-2,3-dihydro-[1,4]dioxino[2,3-g]quinoline-8-carboxylic acid
Interactions	PUBCHEM	Triazophos
Interactions	PUBCHEM	Embelin
Interactions	PUBCHEM	Emodin
Interactions	PUBCHEM	2,6-Diisopropyl-naphthalene
Interactions	PUBCHEM	N-(2,6-Dimethylphenyl)-4-(4-fluorobenzyl)-4H-thieno[3,2-B]pyrrole-5-carboxamide
Interactions	PUBCHEM	N-[4-(cyclopropylsulfamoyl)phenyl]-2-[5-(5,6-dimethyl-1H-benzimidazol-2-yl)-1H-pyrazol-3-yl]pyrimidin-4-amine
Interactions	PUBCHEM	4-(4-imidazol-1-ylquinazolin-2-yl)-N,N-dimethylbenzamide
Interactions	PUBCHEM	(5R)-2-(3-phenylphenyl)-2,9-diazaspiro[4.5]decane
Interactions	PUBCHEM	6-(3,5-Difluorophenyl)-8-[(3-methoxyphenyl)methyl]-2-piperazin-1-ylquinazolin-4-amine
Interactions	PUBCHEM	2-(3-methoxyphenyl)-N-piperidin-4-ylquinazolin-4-amine
Interactions	PUBCHEM	6-[4-(dimethylamino)phenyl]-N-[(5-methylpyrazin-2-yl)methyl]pyrimidin-2-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-[2-(5-methoxy-1H-indol-3-yl)ethyl]quinazolin-4-amine
Interactions	PUBCHEM	2-(4-Phenylphenyl)-2,7-diazaspiro[3.5]nonane
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-(2-methoxyethyl)quinazolin-4-amine
Interactions	PUBCHEM	6-[4-(dimethylamino)phenyl]-N-(furan-2-ylmethyl)-N-methylpyrimidin-2-amine
Interactions	PUBCHEM	N-[2-[[2-[4-(dimethylamino)phenyl]quinazolin-4-yl]amino]ethyl]acetamide

Main Category		Category
Interactions	PUBCHEM	6-(4-Chlorophenyl)-8-[(3-methoxyphenyl)methyl]-2-piperazin-1-ylpteridin-7-one
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-(pyridin-3-ylmethyl)quinazolin-4-amine
Interactions	PUBCHEM	3-(3-Phenylphenyl)-3,9-diazaspiro[5.5]undecane
Interactions	PUBCHEM	4-(4-imidazol-1-ylquinazolin-2-yl)-N,N-dimethylaniline
Interactions	PUBCHEM	3-[4-(Thiophen-2-ylmethylamino)quinazolin-6-yl]benzonitrile
Interactions	PUBCHEM	N-[(2,4-dimethoxyphenyl)methyl]-2-[4-(dimethylamino)phenyl]quinazolin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-(thiophen-2-ylmethyl)pyrimidin-4-amine
Interactions	PUBCHEM	N-benzyl-2-(3-methoxyphenyl)pyrimidin-4-amine
Interactions	PUBCHEM	2-[2-[(dimethylamino)methyl]phenyl]-N-[(2-methoxyphenyl)methyl]quinazolin-4-amine
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-2-(3-methoxyphenyl)-N-methylpyrimidin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-piperidin-4-ylquinazolin-4-amine
Interactions	PUBCHEM	6-(3-methoxyphenyl)-N-(thiophen-2-ylmethyl)pyrimidin-4-amine
Interactions	PUBCHEM	8-(2-Phenylethyl)-2-piperazin-1-yl-6-thiophen-2-ylpteridin-7-one
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-[(5-methylpyrazin-2-yl)methyl]quinazolin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-(2-morpholin-4-ylethyl)quinazolin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-pyridin-4-ylquinazolin-4-amine
Interactions	PUBCHEM	6-[4-(dimethylamino)phenyl]-N-(pyridin-3-ylmethyl)pyrimidin-4-amine
Interactions	PUBCHEM	2-(4-Phenylphenyl)-2,9-diazaspiro[5.5]undecane
Interactions	PUBCHEM	6,8-Bis(2-phenylethyl)-2-piperazin-1-ylpteridin-7-one
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-[(2-methoxyphenyl)methyl]quinazolin-4-amine
Interactions	PUBCHEM	2-(3-methoxyphenyl)-N-(thiophen-2-ylmethyl)pyrimidin-4-amine
Interactions	PUBCHEM	6-(4-Fluorophenyl)-8-phenyl-2-piperazin-1-ylpteridin-7-one
Interactions	PUBCHEM	8-[(4-Fluorophenyl)methyl]-6-(2-phenylethyl)-2-piperazin-1-ylpteridin-7-one
Interactions	PUBCHEM	2-(1,3-benzodioxol-5-yl)-N-(thiophen-2-ylmethyl)pyrimidin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-methylquinazolin-4-amine
Interactions	PUBCHEM	2-[4-(dimethylamino)phenyl]-N-[2-(1H-imidazol-5-yl)ethyl]quinazolin-4-amine
Interactions	PUBCHEM	N,N-dimethyl-4-(4-piperazin-1-ylquinazolin-2-yl)aniline
Interactions	PUBCHEM	2-(3-Phenylphenyl)-2,9-diazaspiro[5.5]undecane
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-6-(3-methoxyphenyl)-N-methylpyrimidin-4-amine
Interactions	PUBCHEM	6-(2-methoxyphenyl)-N-[(2-methoxyphenyl)methyl]pyrimidin-4-amine
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-yl)-2,3-dihydro-[1,3]thiazino[3,2-a]benzimidazole
Interactions	PUBCHEM	N-(4-methyl-3-oxo-1,4-benzothiazin-6-yl)-2,3-dihydroindole-1-carboxamide

Main Category		Category
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5,6,7,8-tetrahydro-4H-cyclohepta[d][1,2]oxa
Interactions	PUBCHEM	N-(5-methoxy-1,3-benzothiazol-2-yl)-2-furamide
Interactions	PUBCHEM	1-tert-butyl-3-methyl-4-[(4-methylphenyl)sulfonyl]-1H-pyrazol-5-yl 2
Interactions	PUBCHEM	2-(Azepan-1-ylcarbonyl)-7-methylfuro[2,3-b]quinoline
Interactions	PUBCHEM	3-(4-methoxyphenyl)-4-oxo-N-{2-oxo-2-[4-(2-pyridyl)piperazino]ethy
Interactions	PUBCHEM	N-(4-methoxybenzo[d]thiazol-2-yl)-5-(4-methoxyphenyl)-1,3,4-oxadi
Interactions	PUBCHEM	6-(3,4-dihydro-1H-isoquinolin-2-yl)-[1,3]dioxolo[4,5-f][1,3]benzothiaz
Interactions	PUBCHEM	1-tert-butyl-3-methyl-4-[(4-methylphenyl)sulfonyl]-1H-pyrazol-5-yl th
Interactions	PUBCHEM	2-Methylsulfonyl-4-phenyl-6-(trifluoromethyl)pyrimidine
Interactions	PUBCHEM	5-(2-Aminobenzoyl)-1,3,4-thiadiazol-2-amine
Interactions	PUBCHEM	2-(4-ethoxyphenyl)-N-[3-(4-ethylpiperazin-1-yl)propyl]quinoline-4-ca
Interactions	PUBCHEM	5-(2,4-dimethoxyphenyl)-N-(4-methoxybenzo[d]thiazol-2-yl)-1,3,4-ox
Interactions	PUBCHEM	N-{4-[5-(2-phenylethyl)-1,2,4-oxadiazol-3-yl]phenyl}-2-furamide
Interactions	PUBCHEM	4-butoxy-N-(6-methylpyridin-2-yl)benzamide
Interactions	PUBCHEM	7-[[[(4-Methylisoxazol-3-yl)amino](thien-2-yl)methyl]quinolin-8-ol
Interactions	PUBCHEM	N-[2-(2-fluorophenyl)-1,3-benzoxazol-5-yl]-2,3-dihydro-1,4-benzodio
Interactions	PUBCHEM	N-(4-methoxybenzo[d]thiazol-2-yl)-5-(thiophen-2-yl)-1,3,4-oxadiazol
Interactions	PUBCHEM	Ethyl 4-{{[2-(4-ethoxyphenyl)quinolin-4-yl]carbonyl}piperazine-1-carb
Interactions	PUBCHEM	2-(4-Methylpiperidin-1-yl)-1,3-benzothiazole-6-carboxylic acid
Interactions	PUBCHEM	1-(2-((6-Fluorobenzo[d]thiazol-2-yl)amino)-4-methylthiazol-5-yl)etha
Interactions	PUBCHEM	3-[(4-Methoxyphenoxy)methyl]benzoic acid
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-3-(hydroxymethyl)pyrazine-2-carboxamide
Interactions	PUBCHEM	2-(4-Ethoxyphenyl)-4-[(4-pyridin-2-yl)piperazin-1-yl]carbonyl]quinolin
Interactions	PUBCHEM	GlyTouCan:G80676MU
Interactions	PUBCHEM	1-(6-methoxy-1,3-benzothiazol-2-yl)-N-[3-(4-methylpiperazin-1-yl)pr
Interactions	PUBCHEM	9,10-dimethoxy-5H-isoindolo[2,1-a][3,1]benzoxazin-11(6aH)-one
Interactions	PUBCHEM	4-[[[(2,6-dimethylmorpholin-4-yl)sulfonyl]-N-[5-(3-methoxyphenyl)-1,3
Interactions	PUBCHEM	2-(1-methyl-2-oxo-2-piperidin-1-ylethyl)-1,2-benzisothiazol-3(2H)-or
Interactions	PUBCHEM	2-[(7-Chloro-1,2,3,4-tetrahydroacridin-9-yl)sulfanyl]-1-[4-(furan-2-car
Interactions	PUBCHEM	N-(3-cyano-4,5,6,7-tetrahydro-1-benzothiophen-2-yl)-5-methyl-1,2-o
Interactions	PUBCHEM	1-{{[2-(4-chlorophenyl)-5-methyl-1,3-oxazol-4-yl]methyl}-N-{2-[ethyl(p
Interactions	PUBCHEM	4-(2-ethylpiperidin-1-yl)sulfonyl-N-(5-thiophen-2-yl-1,3,4-oxadiazol-2

Main Category		Category
Interactions	PUBCHEM	4-methoxy-N-(4-pyridin-2-yl-1,3-thiazol-2-yl)-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	4-methoxy-N-methyl-N-phenyl-1,3-benzothiazol-2-amine
Interactions	PUBCHEM	5,7-dibromo-3-hydroxy-3-morpholin-4-yl-1,3-dihydro-2H-indol-2-one
Interactions	PUBCHEM	2-Piperidin-1-yl-6,7-dihydro[1,4]dioxino[2,3-f][1,3]benzothiazole
Interactions	PUBCHEM	5-(4-Fluorophenyl)isoxazol-3-yl pyrrolidinyl ketone
Interactions	PUBCHEM	1-(2,3-Dimethylphenyl)-4-(5-([(2-methylphenyl)sulfonyl]methyl)-2-fu
Interactions	PUBCHEM	N-(2-([(3-methoxyphenyl)amino]carbonyl)-1-benzofuran-3-yl)-1,3-be
Interactions	PUBCHEM	N-(4-acetylphenyl)-1H-pyrazole-3-carboxamide
Interactions	PUBCHEM	1-{[2-(3-chlorophenyl)-5-methyl-1,3-oxazol-4-yl]methyl}-N-{2-[ethyl(p
Interactions	PUBCHEM	N-(4-fluoro-1,3-benzothiazol-2-yl)-5-(3-methoxyphenyl)-1,3,4-oxadia
Interactions	PUBCHEM	3-[(1-phenyl-1H-tetrazol-5-yl)sulfonyl]propanenitrile
Interactions	PUBCHEM	(5-(4-Chlorophenyl)isoxazol-3-yl)(morpholino)methanone
Interactions	PUBCHEM	4-((3,5-dimethylpiperidin-1-yl)sulfonyl)-N-(5-(thiophen-2-yl)-1,3,4-ox
Interactions	PUBCHEM	Ethyl 4-{{4-(dipropylamino)-6-methoxy-1,3,5-triazin-2-yl}amino}piper
Interactions	PUBCHEM	7-[(4-Methyl-1-piperazinyl)methyl]-5-(phenylmethoxymethyl)-8-quin
Interactions	PUBCHEM	1-[1-(4-methoxyphenyl)pyrazolo[3,4-d]pyrimidin-4-yl]-3,4-dihydro-2H
Interactions	PUBCHEM	5-bromo-N-{4-[5-(3,4-dimethoxyphenyl)-1,2,4-oxadiazol-3-yl]phenyl}
Interactions	PUBCHEM	5-(2-methoxyphenyl)-N-(5-methyl-1,2-oxazol-3-yl)-1,2-oxazole-3-car
Interactions	PUBCHEM	4-(dibutylsulfamoyl)-N-[5-(methylsulfanylmethyl)-1,3,4-oxadiazol-2-
Interactions	PUBCHEM	2-Morpholin-4-yl-6,7-dihydro[1,4]dioxino[2,3-f][1,3]benzothiazole
Interactions	PUBCHEM	3-(2,3-dihydro-1,4-benzodioxin-6-yliminomethyl)-1H-indol-2-ol
Interactions	PUBCHEM	N-(3-acetylphenyl)-N'-(4-methyl-3-oxo-3,4-dihydro-2H-1,4-benzothia
Interactions	PUBCHEM	4-{{7-(diethylamino)-2-oxo-2H-chromen-3-yl}amino}-4-oxobutanoic
Interactions	PUBCHEM	N-(4-fluoro-1,3-benzothiazol-2-yl)-5-phenyl-1,3,4-oxadiazol-2-amine
Interactions	PUBCHEM	6-Piperidin-1-yl[1,3]dioxolo[4,5-f][1,3]benzothiazole
Interactions	PUBCHEM	N-(3-hydroxyphenyl)-5-(3-methoxyphenyl)-1,2-oxazole-3-carboxami
Interactions	PUBCHEM	1-tert-butyl-3-methyl-4-(phenylsulfonyl)-1H-pyrazol-5-yl 1,3-benzod
Interactions	PUBCHEM	2-(3,4-dihydroisoquinolin-2(1H)-yl)-6,7-dihydro[1,4]dioxino[2,3-f][1,3
Interactions	PUBCHEM	2-{3-[4-(Dimethylamino)phenyl]-1,2,4-oxadiazol-5-yl}phenol
Interactions	PUBCHEM	1-tert-butyl-5-(2-oxo-2-phenylethyl)-1,5-dihydro-4H-pyrazolo[3,4-d]p
Interactions	PUBCHEM	4-acetyl-3,5-dimethyl-N-(5-methylpyridin-2-yl)-1H-pyrrole-2-carboxa
Interactions	PUBCHEM	6-(1,3-Benzodioxol-5-yl)imidazo[2,1-b][1,3]thiazole

Main Category		Category
Interactions	PUBCHEM	5-(1,3-benzodioxol-5-yl)-N-(2-methoxyethyl)isoxazole-3-carboxamide
Interactions	PUBCHEM	1-tert-butyl-3-methyl-4-[(4-methylphenyl)sulfonyl]-1H-pyrazol-5-yl 5
Interactions	PUBCHEM	N-(7-methyl[1,3]thiazolo[5,4-e][1,3]benzothiazol-2-yl)-2,3-dihydro-1,
Interactions	PUBCHEM	N-(3-pyridinyl)-5,6,7,8-tetrahydro-4H-cyclohepta[d]isoxazole-3-carb
Interactions	PUBCHEM	N-(1-adamantylmethyl)-5-(2-furyl)-7-(trifluoromethyl)-4,5,6,7-tetrahy
Interactions	PUBCHEM	6-{[(3,5-dimethylphenyl)amino]sulfonyl}-N-(2-furylmethyl)-4-oxo-1,4
Interactions	PUBCHEM	Methyl 2-[(6-bromo-2-pyridin-2-ylimidazo[1,2-a]pyridin-3-yl)amino]a
Interactions	PUBCHEM	N-(2-morpholin-4-ylethyl)-5-thien-2-ylisoxazole-3-carboxamide
Interactions	PUBCHEM	4-(dibutylsulfamoyl)-N-[5-(methoxymethyl)-1,3,4-oxadiazol-2-yl]ben
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[4-[2-(2-methoxyanilino)-2-ox
Interactions	PUBCHEM	4-{{5-(1,3-Benzodioxol-5-yl)isoxazol-3-yl}carbonyl}morpholine
Interactions	PUBCHEM	4-fluoro-N-[5-(2-furyl)-1,3,4-oxadiazol-2-yl]-1,3-benzothiazol-2-amin
Interactions	PUBCHEM	6-Morpholin-4-yl[1,3]dioxolo[4,5-f][1,3]benzothiazole
Interactions	PUBCHEM	4-{{butyl(methyl)amino}sulfonyl}-N-(5-thien-2-yl-1,3,4-oxadiazol-2-yl
Interactions	PUBCHEM	8-methyl-2-(4-methylpiperazin-1-yl)-10H-pyridazino[6,1-b]quinazolin
Interactions	PUBCHEM	7-Methyl-2-[(2-methylpiperidin-1-yl)carbonyl]furo[2,3-b]quinoline
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]quino
Interactions	PUBCHEM	5-(1,3-benzodioxol-5-yl)-N-[1-(3,4-dichlorobenzyl)-3,5-dimethyl-1H-p
Interactions	PUBCHEM	2-(2-Methoxyphenyl)-1-oxo-N-[2-oxo-2-(4-phenylpiperazin-1-YL)ethy
Interactions	PUBCHEM	Bicyclo(2.2.1)hept-5-ene-2,3-dicarboxylic acid, 1,4,5,6,7,7-hexachlo
Interactions	PUBCHEM	methyl (3R,3aR)-2-benzoyl-3-[(4-methoxyphenyl)methyl]-4-methyliden
Interactions	PUBCHEM	methyl (3R,3aR)-2-benzoyl-3-[(4-fluorophenyl)methyl]-4-methyliden
Interactions	PUBCHEM	6,7-bis(4-bromophenyl)-7,12-dihydro-6H-chromeno[4,3-d][1,2,4]triaz
Interactions	PUBCHEM	N-(6-methoxy-1,3-benzothiazol-2-yl)-4-oxo-4H-chromene-2-carboxa
Interactions	PUBCHEM	6-ethyl-N-methyl-2-(4-(pyrrolidin-1-ylsulfonyl)benzamido)-4,5,6,7-te
Interactions	PUBCHEM	rhodomyrtoxin B
Interactions	PUBCHEM	2-((5,7-Dimethyl-6-[(4-methylphenyl)methyl]-[1,2,4]triazolo[1,5-A]py
Interactions	PUBCHEM	Ethacrynic Acid
Interactions	PUBCHEM	SB 216641
Interactions	PUBCHEM	4-(2-Methylphenyl)-2-(4-methylphenyl)-1,4-dihydropyrimido[1,2-a]be
Interactions	PUBCHEM	N-(5-bromo-2-hydroxyphenyl)-4-{{4-(2-methoxyphenyl)-6-(trifluorom
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-4-{{4-(2-methoxyphenyl)-6-(trifluoron

Main Category		Category
Interactions	PUBCHEM	3-{Imidazo[2,1-b][1,3]thiazol-6-yl}aniline
Interactions	PUBCHEM	6-(4-Bromophenyl)-2-(butane-1-sulfonyl)-4-phenylpyridine-3-carbonitrile
Interactions	PUBCHEM	Cambendazole
Interactions	PUBCHEM	1,2-bis(4-chlorophenyl)-6,7-diethoxy-1,4-dihydroisoquinolin-3(2H)-one
Interactions	PUBCHEM	Fenbendazole
Interactions	PUBCHEM	7-ethoxy-2-(5-methylfuran-2-yl)-5-(3,4,5-trimethoxyphenyl)-5,10b-dihydro-1H-benzofuran
Interactions	PUBCHEM	Propanoic acid, 2-methyl-, 2-oxo-2-[[4-(2-phenyldiazenyl)phenyl]amino]-
Interactions	PUBCHEM	2-n-Octyl-4-isothiazolin-3-one
Interactions	PUBCHEM	N-(3-Methoxyphenyl)-2-[[5-(3-methoxyphenyl)-1,3,4-oxadiazol-2-yl]thio]-N-methyl-1H-benzimidazole
Interactions	PUBCHEM	2-[(2-fluorophenyl)methyl]sulfanyl-5-methyl-N-(2-methylphenyl)-7-methyl-1H-benzimidazole
Interactions	PUBCHEM	Fluphenazine
Interactions	PUBCHEM	SB 224289
Interactions	PUBCHEM	8,8-Dimethyl-2-(3-methyl-butyl)-8,9-dihydro-2H,6H-7,11-dithia-2,4,10-trioxo-1,4-dioxaphosphorin-10-ylidene-1,3-dioxane
Interactions	PUBCHEM	1,8-Dinitro-4,5-dihydroxyanthraquinone
Interactions	PUBCHEM	2-(4-ethoxyphenyl)-N-[2-(4-methylphenyl)ethyl]quinoline-4-carboxamide
Interactions	PUBCHEM	5-Fluorouracil
Interactions	PUBCHEM	6-benzyl-5,7-dimethyl-N-(1-phenylethyl)pyrazolo[1,5-a]pyrimidine-3-carboxamide
Interactions	PUBCHEM	Ethyl 1-[(5-chloro-2,4-dimethoxyphenyl)carbamoyl]methyl-2-methyl-1H-benzimidazole
Interactions	PUBCHEM	4-Butyl-N-[2-(4-ethyl-piperazin-1-yl)-4-methyl-quinolin-6-yl]-benzamide
Interactions	PUBCHEM	N-(3-methylphenyl)-5-oxo-[1,3]thiazolo[3,2-a]pyrimidine-6-carboxamide
Interactions	PUBCHEM	7-Ethyl-7H-pyrrolo(2',1':6,1)pyrazino(2,3-c)carbazole
Interactions	PUBCHEM	2-[[5-(4-methylanilino)-1,3,4-thiadiazol-2-yl]sulfanyl]-N-(3-piperidin-1-yl)-1H-benzimidazole
Interactions	PUBCHEM	N-[2-(5,8-dimethoxy-2-oxo-1H-quinolin-3-yl)ethyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-(2-fluorophenyl)-4-{[4-(2-methoxyphenyl)-6-(trifluoromethyl)pyrimidin-2-yl]methyl}-1H-benzimidazole
Interactions	PUBCHEM	2,4-Bis(4-fluorophenyl)-1,4-dihydropyrimido[1,2-a]benzimidazole
Interactions	PUBCHEM	N-[2-methoxy-5-[(2-methoxyphenyl)sulfamoyl]phenyl]-2-oxochrome
Interactions	PUBCHEM	1-(2-Tert-butyl-4-methylphenoxy)-3-[4-(2-methoxyphenyl)piperazin-1-yl]-N-methyl-1H-benzimidazole
Interactions	PUBCHEM	Vanoxerine
Interactions	PUBCHEM	4-(1H-1,3-benzodiazol-2-yl)aniline
Interactions	PUBCHEM	1-(2-(Diphenylmethoxy)ethyl)-4-(3-phenylpropyl)piperazine
Interactions	PUBCHEM	2-(5-chlorothiophen-2-yl)-N-(2-ethylphenyl)quinoline-4-carboxamide
Interactions	PUBCHEM	Methyl 4-[2-(4-chlorophenyl)-1,4-dihydropyrimido[1,2-A][1,3]benzimidazol-5-yl]carbamate

Main Category		Category
Interactions	PUBCHEM	4-Methoxy-N-(3-methylphenyl)benzamide
Interactions	PUBCHEM	1-(4-chlorophenyl)-4-[3-methyl-4-(3-methylphenyl)piperazin-1-yl]-1H-imidazole
Interactions	PUBCHEM	Robustone methyl ether
Interactions	PUBCHEM	2-(4-Ethylphenyl)-4-(3-methylphenyl)-1,4-dihydropyrimido[1,2-A][1,3,4]oxadiazole
Interactions	PUBCHEM	zinc;N,N-dimethylcarbamodithioate
Interactions	PUBCHEM	Glutaraldehyde
Interactions	PUBCHEM	5-[(2,4-Dichlorobenzyl)sulfanyl]-4-phenyl-1,2,3-thiadiazole
Interactions	PUBCHEM	(5E)-5-{[(2-aminocyclohexyl)amino]methylidene}-1-hexylpyrimidine
Interactions	PUBCHEM	2-((6-methyl-4-oxo-3-(p-tolyl)-3,4,6,7-tetrahydrothieno[3,2-d]pyrimidin-2-yl)methyl)-N,N-dimethylmethanamine
Interactions	PUBCHEM	N-[(2-Chlorophenyl)methyl]-2-({3-[(4-methylphenyl)methyl]-4-oxo-3,4-dihydroquinolin-2-yl)methyl}amino)-N-methylmethanamine
Interactions	PUBCHEM	Gossypol
Interactions	PUBCHEM	2-[(3-cyano-4,5,6-trimethylpyridin-2-yl)sulfanyl]-N-(1,3-thiazol-2-yl)acetamide
Interactions	PUBCHEM	3-methoxy-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)benzamide
Interactions	PUBCHEM	6-[(2-Chlorophenyl)methyl]sulfanyl)-5-(4-ethylphenyl)-1H,4H,5H-pyrazolo[3,4-b]pyridine
Interactions	PUBCHEM	2-(1H-indol-3-yl)-7-methyl-N-phenylimidazo[1,2-a]pyridin-3-amine
Interactions	PUBCHEM	1-(4-butoxy-3-methoxybenzyl)-5-methyl-1H-indole-2,3-dione
Interactions	PUBCHEM	Cdk8-IN-17
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-N-(2-methyl-5-{[1,3]thiazolo[5,4-B]pyridin-2-yl)methyl}benzamide
Interactions	PUBCHEM	Feprazone
Interactions	PUBCHEM	2-[(3-fluorobenzyl)thio]-3H-imidazo[4,5-c]pyridine
Interactions	PUBCHEM	Harmaline
Interactions	PUBCHEM	3-[2-(3-bromophenyl)-2-oxoethyl]-3-hydroxy-1-(2-methylbenzyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	1-[5-Benzylsulfanyl-3-(furan-2-yl)-1,2,4-triazol-1-yl]ethanone
Interactions	PUBCHEM	Methyl N-{2-[4-(4-fluorophenyl)piperazin-1-yl]-2-(pyridin-3-yl)ethyl}carbamate
Interactions	PUBCHEM	N-(3-bromophenyl)-2-{[3-cyano-6-(thiophen-2-yl)-4-(trifluoromethyl)pyridin-2-yl]methyl}methanamine
Interactions	PUBCHEM	3-(1H-benzimidazol-2-yl)-6-methoxy-N-phenylchromen-2-imine
Interactions	PUBCHEM	1-[4-[(6-methyl-3,4-dihydro-2H-quinolin-1-yl)sulfonyl]phenyl]pyrrolidine
Interactions	PUBCHEM	Hexachlorophene
Interactions	PUBCHEM	5-(4-chloro-3-methylphenyl)-6-[(2-fluorophenyl)methylsulfanyl]-1H-imidazole
Interactions	PUBCHEM	methyl 1-(4-chlorophenyl)-2-cyanospiro[pyrazolidine-5,9'-(9'H)-fluoranthene]
Interactions	PUBCHEM	N-[4-chloro-3-(6-methyl-1,3-benzoxazol-2-yl)phenyl]-2-(3,4-dimethylphenyl)propan-1-amine
Interactions	PUBCHEM	2-Fluoro-N-[4-(propan-2-yl)phenyl]-5-(1,2,3,4-tetrahydroisoquinolin-6-yl)acetamide

Main Category		Category
Interactions	PUBCHEM	N,7-dimethyl-N-(2-methylphenyl)furo[2,3-b]quinoline-2-carboxamid
Interactions	PUBCHEM	Hycanthone
Interactions	PUBCHEM	N-[(4-Methoxyphenyl)methyl]-1-pentyl-1H-1,3-benzodiazol-2-amine
Interactions	PUBCHEM	Etoposide
Interactions	PUBCHEM	N-(3-acetylphenyl)-2-{{[5-(4-methoxyphenyl)-4H-1,2,4-triazol-3-yl]sul
Interactions	PUBCHEM	2-Methyl-1-(3-methylphenyl)-N-pentyl-1H-1,3-benzodiazole-5-carbo
Interactions	PUBCHEM	N-[3-[(1,1-dioxothiolan-3-yl)amino]-1,4-dioxonaphthalen-2-yl]acetan
Interactions	PUBCHEM	Idebenone
Interactions	PUBCHEM	Lodamin
Interactions	PUBCHEM	3-acetyl-1-(4-chlorophenyl)-4-ethyl-1,3,3a,4,9,9a-hexahydro-2H-pyrr
Interactions	PUBCHEM	Indirubin-3'-monoxime
Interactions	PUBCHEM	2-[(2-Chloro-6-fluorophenyl)methyl]-6-(4-ethylphenyl)-4-methyl-7,8-
Interactions	PUBCHEM	Gallic Acid
Interactions	PUBCHEM	N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-1,3-benzothiazole-6-car
Interactions	PUBCHEM	4-chloro-2-[5-(4-chlorophenyl)-4,5-dihydro-1H-pyrazol-3-yl]phenol
Interactions	PUBCHEM	Indoprofen
Interactions	PUBCHEM	5-[1-[(3,5-Dimethoxyphenyl)methylamino]ethylidene]-1-prop-2-enyl-
Interactions	PUBCHEM	Iodoacetamide
Interactions	PUBCHEM	5,7-Diiodo-8-hydroxyquinoline
Interactions	PUBCHEM	2-Chloro-N-(3,4-dimethoxy-benzyl)-N-[3-(4-methoxy-phenyl)-3-phen
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-furan-2-carboxylic acid adamantan-1-ylamide
Interactions	PUBCHEM	N-(4-butylphenyl)-3-(hydroxymethyl)piperidine-1-carbothioamide
Interactions	PUBCHEM	Ribavirin
Interactions	PUBCHEM	2-tert-Butoxycarbonylamino-3-methyl-pentanoic acid 3-(4-nitro-phe
Interactions	PUBCHEM	1-(2-imino-3-pentyl-2,3-dihydro-1H-benzimidazol-1-yl)-3-(3-methylp
Interactions	PUBCHEM	N-(3-Chloro-4-methylphenyl)-2-phenyl-1H-1,3-benzodiazole-5-sulfo
Interactions	PUBCHEM	DA-3003-1
Interactions	PUBCHEM	ZM-39923
Interactions	PUBCHEM	Thr1 inhibitor, 1
Interactions	PUBCHEM	Pcb 128
Interactions	PUBCHEM	Cridanimod
Interactions	PUBCHEM	1,3-Benzenediamine, 4-methoxy-, sulfate (1:1)

Main Category		Category
Interactions	PUBCHEM	N-[4-((5-Methyl-3-phenylpyrazolo[1,5-A]pyrimidin-7-yl)amino)phenyl]benzenesulfonamide
Interactions	PUBCHEM	1-{3-[2-(diethylamino)ethyl]-2-imino-2,3-dihydro-1H-benzimidazol-1-yl}propan-1-ol
Interactions	PUBCHEM	Gramicidin C
Interactions	PUBCHEM	7-((2-Hydroxy-5-methylphenyl)[(4-methylpyridin-2-yl)amino]methyl)heptan-2-ol
Interactions	PUBCHEM	4-fluoro-N-[4-(6-methyl-1,3-benzothiazol-2-yl)phenyl]benzenesulfonamide
Interactions	PUBCHEM	Bortezomib
Interactions	PUBCHEM	N-cyclohexyl-1-(4-fluorophenyl)-2,5-dimethyl-3-pyrrolecarboxamide
Interactions	PUBCHEM	Npc216413
Interactions	PUBCHEM	Beta-Lapachone
Interactions	PUBCHEM	Ciclopirox Olamine
Interactions	PUBCHEM	[2-(2-Cyclopropylmethoxy-phenoxy)-ethyl]-[2-(1H-indol-3-yl)-1,1-dimethyl-2-oxoethyl]carbamate
Interactions	PUBCHEM	[2-(2,5-Dimethyl-1-prop-2-enylpyrrol-3-yl)-2-oxoethyl] 4-amino-3-nitrobenzoate
Interactions	PUBCHEM	Ro106-9920
Interactions	PUBCHEM	2-{4-[(4-{4-Methyl-3-[(tetrahydrofuran-2-ylmethyl)sulfamoyl]phenyl)butyl}amino]phenyl}propan-1-ol
Interactions	PUBCHEM	2-fluoro-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)benzamide
Interactions	PUBCHEM	N-(4-chlorobenzyl)-3-([(2-chlorophenyl)carbonyl]amino)-4,6-dimethyl-2-pyridinecarboxamide
Interactions	PUBCHEM	Phenoxyethyl acrylate
Interactions	PUBCHEM	Loperamide
Interactions	PUBCHEM	Loratadine
Interactions	PUBCHEM	2-[(4-chlorophenyl)sulfanyl]-N-[3-(6-methyl-1,3-benzoxazol-2-yl)phenyl]acetamide
Interactions	PUBCHEM	N-(4-methylphenyl)-N'-(6-methylpyridin-2-yl)urea
Interactions	PUBCHEM	2-[2-(3-Methylpiperidin-1-yl)-2-oxoethyl]-1,1-dioxo-1,2-benzothiazol-3-ylidenehydrazide
Interactions	PUBCHEM	Benzoic acid, 2-[(1E)-2-[4-(dimethylamino)phenyl]diazenyl]-, 2-(methylthio)-
Interactions	PUBCHEM	Dehydroglaucine
Interactions	PUBCHEM	2-([(4-methoxyphenyl)acetyl]amino)-N-(3-methylphenyl)-5,6,7,8-tetrahydro-1,4-benzodioxin-3-ylidenehydrazide
Interactions	PUBCHEM	Maprotiline
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-methylthiophene-2-carboxamide
Interactions	PUBCHEM	Mebendazole
Interactions	PUBCHEM	Meclofenamate Sodium
Interactions	PUBCHEM	Exifone
Interactions	PUBCHEM	4-Aminophenol
Interactions	PUBCHEM	1-butyl-3-[2-(4-tert-butylphenyl)-2-oxoethyl]-3-hydroxy-1,3-dihydro-2H-benzimidazol-2-one

Main Category		Category
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-5,6,7,8-tetrahydro-4H-cyclohepta[d]is
Interactions	PUBCHEM	4,5,6,7,8-pentahydrocyclohepta[2,1-d]isoxazol-3-yl-N-[2-(trifluorome
Interactions	PUBCHEM	4-(4-Methoxyphenyl)-2-methylsulfonyl-6-(trifluoromethyl)pyrimidine
Interactions	PUBCHEM	Menadione
Interactions	PUBCHEM	N-(3-acetylphenyl)-3-amino-5,6,7,8-tetrahydrothieno[2,3-b]quinoline
Interactions	PUBCHEM	Sorafenib Tosylate
Interactions	PUBCHEM	2-{[(2-Chlorophenyl)methyl]sulfanyl}-N-(2-methoxyphenyl)-5-methy
Interactions	PUBCHEM	5-chloro-2-nitro-N-(4-pyridin-2-yl-1,3-thiazol-2-yl)benzamide
Interactions	PUBCHEM	5-(3,4-dimethylphenyl)-6-[(2-methylphenyl)methylsulfanyl]-1H-pyraz
Interactions	PUBCHEM	3-(cyclopentylsulfamoyl)-N-(3,5-dichlorophenyl)-4-fluorobenzamide
Interactions	PUBCHEM	2-{{3-(4-Chlorophenyl)-4-oxo-3H,4H,5H-pyrimido[5,4-B]indol-2-YL}su
Interactions	PUBCHEM	N-{3-[Benzyl(propan-2-YL)amino]propyl}-2-{{3-(methylsulfanyl)phen
Interactions	PUBCHEM	N-{2-[(4-chlorophenyl)amino]-2-phenylethyl}benzenesulfonamide
Interactions	PUBCHEM	N-{3-[butyl(ethyl)amino]propyl}-10-(4-methylbenzyl)-11-oxo-10,11-c
Interactions	PUBCHEM	4-Chloro-N-{2-[(3-methoxyphenyl)amino]-2-phenylethyl}benzene-1-s
Interactions	PUBCHEM	Oxfendazole
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-[(phenylacetyl)amino]-5,6,7,8-tetrahydro-4H-c
Interactions	PUBCHEM	Methylmercury chloride
Interactions	PUBCHEM	5-bromo-1-(cyclopropanecarbonyl)-N-(3,5-dimethoxyphenyl)-2,3-di
Interactions	PUBCHEM	1-(6-Ethoxy-1,3-benzothiazol-2-yl)-3-thiophen-2-ylurea
Interactions	PUBCHEM	3-chloro-N-(6-methoxy-4H-indeno[1,2-d][1,3]thiazol-2-yl)benzamide
Interactions	PUBCHEM	2-[[2-[2-(2-methylbenzimidazol-1-yl)ethyl]-[1,2,4]triazolo[1,5-c]quina
Interactions	PUBCHEM	4-Chloro-N-{8-methoxy-4H,5H-naphtho[1,2-D][1,3]thiazol-2-YL}benz
Interactions	PUBCHEM	2-(4-phenylphenyl)-N-(pyridin-2-ylmethyl)quinoline-4-carboxamide
Interactions	PUBCHEM	2-[3-(cyclohexylcarbonyl)-1H-indol-1-yl]-N-(3,5-dimethylphenyl)acet
Interactions	PUBCHEM	Methoxychlor
Interactions	PUBCHEM	Nocodazole
Interactions	PUBCHEM	Chicago Sky Blue
Interactions	PUBCHEM	2-[2-(4-Ethylphenyl)-1,4-dihydropyrimido[1,2-A][1,3]benzimidazol-4-
Interactions	PUBCHEM	N-[3-[(4-chlorophenyl)sulfamoyl]phenyl]-4,5,6,7-tetrahydrobenzothi
Interactions	PUBCHEM	2-(4-Fluorophenyl)-4-(3-methylphenyl)-1,4-dihydropyrimido[1,2-A][1
Interactions	PUBCHEM	Nitazoxanide

Main Category		Category
Interactions	PUBCHEM	Terbufos sulfone
Interactions	PUBCHEM	4-(2-Chloro-6-fluorophenyl)-2-(4-ethylphenyl)-1,4-dihydropyrimido[1,2-a]pyridine
Interactions	PUBCHEM	2-[7-(tert-butyl)-4-oxo(5,6,7,8-tetrahydrobenzo[b]thiopheno[2,3-d]1,2,4-triazol-5-yl)]propan-1-ol
Interactions	PUBCHEM	2-(3,4-Dimethylphenyl)-4-(2-fluorophenyl)-1,4-dihydropyrimido[1,2-a]pyridine
Interactions	PUBCHEM	Diethyl 5-[[2-[2-(cyclohexanecarbonylamino)acetyl]oxyacetyl]amino]pentanoate
Interactions	PUBCHEM	4-fluoro-3-[(4-methylphenyl)methylsulfamoyl]-N-[3-(trifluoromethyl)phenyl]benzamide
Interactions	PUBCHEM	Mitotane
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-[[5-(4-hydroxyphenyl)-1,3,4-oxadiazol-2-yl]methyl]acetamide
Interactions	PUBCHEM	Mitoxantrone
Interactions	PUBCHEM	ML-9 free base
Interactions	PUBCHEM	N-(3-hydroxyphenyl)-3-[[4-(thiophen-2-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl]-N-methylmethanamine
Interactions	PUBCHEM	N-(3,4-dimethoxyphenyl)-3-[[4-(thiophen-2-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl]-N-methylmethanamine
Interactions	PUBCHEM	3-(2-hydroxy-4-methylphenyl)-3-phenyl-N-[(1-phenylcyclopentyl)methyl]methanamine
Interactions	PUBCHEM	3-[[4-(thiophen-2-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl]-N-(3-methoxyphenyl)-N-methylmethanamine
Interactions	PUBCHEM	3-[[4-(1,3-benzodioxol-5-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfonyl]-N-(3-methoxyphenyl)-N-methylmethanamine
Interactions	PUBCHEM	(4-methoxyphenyl)[3-(4-methoxyphenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-2-yl]methanone
Interactions	PUBCHEM	1-(4-Iodophenyl)-3-(2-adamantyl)guanidine
Interactions	PUBCHEM	11H-isoindolo[2,1-a]benzimidazole
Interactions	PUBCHEM	Acetamide, 2-(acetyloxy)-N-[4-(2-phenyldiazenyl)phenyl]-
Interactions	PUBCHEM	N-(4-bromophenyl)-3-(cycloheptylsulfamoyl)-4-fluorobenzamide
Interactions	PUBCHEM	Closantel
Interactions	PUBCHEM	N-{3-[4-(3-chlorophenyl)piperazin-1-yl]propyl}-9-methyl-4H-thieno[3,2-b]pyridine
Interactions	PUBCHEM	Sch-79797
Interactions	PUBCHEM	1-[4-(2,5-Dimethylphenyl)piperazino]-3-[3-(m-tolyl)-1,2,4-oxadiazol-5-yl]propan-1-ol
Interactions	PUBCHEM	5-methyl-3-phenyl-6-(4-propoxyphenyl)isoxazolo[4,5-c]pyridin-4(5H)-one
Interactions	PUBCHEM	3-(2-chloro-6-fluorophenyl)-6-(3,5-difluoropyridin-2-yl)-5-methylisoxazolo[4,5-c]pyridin-4(5H)-one
Interactions	PUBCHEM	(R)-ethyl 3-(5-(4-methoxyphenyl)-3-oxocyclohex-1-enyl)benzoate
Interactions	PUBCHEM	3-(5-bromo-2-hydroxyphenyl)-3-phenyl-N-[(1-phenylcyclopentyl)methyl]methanamine
Interactions	PUBCHEM	Dinaline
Interactions	PUBCHEM	N-Benzyl-2-({3-[(4-methylphenyl)methyl]-4-oxo-3H,4H-thieno[3,2-D]pyridin-5-yl}methyl)acetamide
Interactions	PUBCHEM	2-[[5,7-Dimethyl-6-(prop-2-EN-1-YL)-[1,2,4]triazolo[1,5-A]pyrimidin-2-yl]methyl]propan-1-ol
Interactions	PUBCHEM	N-(4-chlorophenyl)-5-(cycloheptylsulfamoyl)-2-fluorobenzamide

Main Category		Category
Interactions	PUBCHEM	N-(5-((2-(3,4-dihydroquinolin-1(2H)-yl)-2-oxoethyl)thio)-1,3,4-thiadiazol-2-yl)-2-oxoethyl)-1,3,4-thiadiazole
Interactions	PUBCHEM	Azovan Blue
Interactions	PUBCHEM	4-(5-Bromo-2-fluorophenyl)-2-(4-methoxyphenyl)-1,4-dihydropyrimidin-5(1H)-one
Interactions	PUBCHEM	N-(6-Aminoethyl)-5-chloronaphthalene-2-sulfonamide
Interactions	PUBCHEM	Vindesine Sulfate
Interactions	PUBCHEM	6-Phenyl-2,3-dihydroimidazo(2,1-b)thiazole
Interactions	PUBCHEM	N-[5-[2-(3,4-dihydro-2H-quinolin-1-yl)-2-oxoethyl]sulfanyl-1,3,4-thiadiazol-2-yl]-2-oxoethyl)-1,3,4-thiadiazole
Interactions	PUBCHEM	N-(4-chloro-2-methoxy-5-methylphenyl)-1H,2H,3H-cyclopenta[b]quinoline
Interactions	PUBCHEM	N5-(4-Fluorophenyl)-N6-[3-(trifluoromethyl)phenyl][1,2,5]oxadiazolo[4,3-b]pyridine
Interactions	PUBCHEM	N-[4-(propan-2-yl)phenyl]-2-(pyridin-2-yl)imidazo[1,2-a]pyridin-3-amine
Interactions	PUBCHEM	2-(1H-indol-3-yl)-N-(4-methylphenyl)imidazo[1,2-a]pyridin-3-amine
Interactions	PUBCHEM	4-[4-(Propan-2-yl)phenyl]-4,10-dihydro[1,3,5]triazino[1,2-a]benzimidazole
Interactions	PUBCHEM	Epinine
Interactions	PUBCHEM	Ethyl 4-[[2-[(3,6-dimethyl-4-oxo-6,7-dihydrothieno[3,2-d]pyrimidin-2-ylideneamino)ethyl]amino]phenyl]carbamate
Interactions	PUBCHEM	Nalpha-Tosyl-L-phenylalanine chloromethyl ketone
Interactions	PUBCHEM	N-ethyl-1-(4-methoxyphenyl)-N-phenylpyrazolo[5,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	4-ethoxy-N-[2-(1-naphthyl)-1,3-benzoxazol-5-yl]benzamide
Interactions	PUBCHEM	7-[(2-Chloro-3-hydroxyphenyl)(2-pyridinylamino)methyl]-8-quinolinecarboxamide
Interactions	PUBCHEM	Griseofulvin
Interactions	PUBCHEM	3-methyl-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)benzamide
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-ylcarbamothioyl)furan-2-carboxamide
Interactions	PUBCHEM	3-(4-ethoxyphenyl)-2-ethyl-2-methyl-2,3-dihydroquinazolin-4(1H)-one
Interactions	PUBCHEM	6,8-Dihydroxy-2,2,4,4-tetramethyl-7-(3-methylbutanoyl)-9-(2-methylphenyl)-9H-fluoren-10-one
Interactions	PUBCHEM	5-methyl-1-[2-(pentyloxy)benzyl]-1H-indole-2,3-dione
Interactions	PUBCHEM	Ochratoxin A
Interactions	PUBCHEM	Ononin
Interactions	PUBCHEM	Acriflavine
Interactions	PUBCHEM	Puromycin Hydrochloride
Interactions	PUBCHEM	7-Methylbenzo(a)pyrene
Interactions	PUBCHEM	Carubicin
Interactions	PUBCHEM	(S)-[(S)-7-Iodo-2,5-dioxo-3-(4-trifluoromethyl-phenyl)-1,2,3,5-tetrahydropyrimidin-4-ylideneamino]ethyl]-1,3,4-thiadiazole
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodiazepin-2-ylideneamino]ethyl]-1,3,4-thiadiazole

Main Category		Category
Interactions	PUBCHEM	(2S)-2-[(3S)-8-chloro-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-(hydroxymethyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-7-iodo-2,5-dioxo-3-[4-(trifluoromethoxy)phenyl]-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-ethyl-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-2,5-dioxo-7-propoxy-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-ethynyl-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-7-tert-butyl-3-(4-chlorophenyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-7-iodo-2,5-dioxo-3-[4-(trifluoromethoxy)phenyl]-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-7-iodo-2,5-dioxo-3-[4-(trifluoromethoxy)phenyl]-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-7-chloro-3-(4-chlorophenyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(3-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(6-chloro-3-pyridinyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-7-bromo-3-(4-chlorophenyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-tert-butylphenyl)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-8-chloro-3-(4-chlorophenyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-[(3S)-3-(4-ethylphenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-(2-hydroxyethyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-bromophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(6-chloro-3-pyridinyl)-2-[(3S)-3-(1H-indol-2-yl)-7-iodo-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3S)-3-(4-chlorophenyl)-7-iodo-5-oxo-2,3-dihydro-1,4-benzodioxin-6-yl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	Doxorubicin Hydrochloride
Interactions	PUBCHEM	Estramustine Phosphate Sodium
Interactions	PUBCHEM	Resveratrol
Interactions	PUBCHEM	9-acetyl-6-[2-[(2R)-1-methylpyrrolidin-2-yl]ethyl]-1,2-dihydrocyclopent-2-en-1-ol
Interactions	PUBCHEM	(9R,11S)-9,11-bis(4-bromophenyl)-17-methyl-8-oxa-12,13,15,17-tetrahydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	(+/-)-cis-3-(4-Chlorophenyl)-3-(4-hydroxycyclopent-2-enyloxy)-2-(4-methylphenyl)-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl
Interactions	PUBCHEM	US8618158, Ncl-00010496
Interactions	PUBCHEM	5-Tert-butyl-3-(4-chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methyl]-2,5-dioxo-1,3-dihydro-1,4-benzodioxin-6-yl

Main Category		Category
Interactions	PUBCHEM	3-(4-Chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-5-m
Interactions	PUBCHEM	3-(4-Chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-4-m
Interactions	PUBCHEM	US8618158, Ncl-00013774
Interactions	PUBCHEM	1-[[{(5r,6s)-5,6-Bis(4-Chlorophenyl)-6-Methyl-3-(Propan-2-Yl)-5,6-Dih
Interactions	PUBCHEM	(2S)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazole-2-carboxamide
Interactions	PUBCHEM	(5R,6S)-2-({(2S)-2-[(4-Acetylpiperazine-1-yl)carbonyl]pyrrolidin-1-yl)-1,3-thiazole
Interactions	PUBCHEM	Mycophenolic Acid
Interactions	PUBCHEM	Niclosamide
Interactions	PUBCHEM	6-Chloro-3-(1-(4-chlorobenzyl)-4-phenyl-1H-imidazol-5-yl)-1H-indole
Interactions	PUBCHEM	Diethylstilbestrol
Interactions	PUBCHEM	6-Bromoindirubin-3'-oxime
Interactions	PUBCHEM	Nisoldipine
Interactions	PUBCHEM	Trimetrexate trihydrochloride
Interactions	PUBCHEM	5-Aza-2'-deoxycytidine
Interactions	PUBCHEM	3-Methyl-2-({2-[(4-methylbenzoyl)amino]benzoyl}amino)butanoic a
Interactions	PUBCHEM	7-tert-Butyl-3-methyl-2-sulfanyl-5,6,7,8-tetrahydro[1]benzothieno[2,3-b]pyridine
Interactions	PUBCHEM	5-bromo-1-(cyclopropylcarbonyl)-N-[4-(trifluoromethyl)phenyl]indole
Interactions	PUBCHEM	1-O-[(2S,3S)-4-methoxy-16,18-dioxo-10-azapentacyclo[11.7.0.02,6.03,10.01,16]nona-2,4,8-trien-2-yl]-2-hydroxy-4-methylpentyl)butanedioate
Interactions	PUBCHEM	3-cyclopentyl-N-[4-(2-morpholin-4-yl-2-oxoethoxy)phenyl]propanam
Interactions	PUBCHEM	Valrubicin
Interactions	PUBCHEM	Nortriptyline
Interactions	PUBCHEM	4-[9-(4-Bromophenyl)-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-3-fluoro-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-3-methoxy-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-4,17-dimethyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	11-(4-Bromophenyl)-17-methyl-9-(4-methylphenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	4-[11-(4-Bromophenyl)-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-3-ethoxy-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-4-fluoro-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-4-chloro-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine
Interactions	PUBCHEM	9,11-Bis(4-chlorophenyl)-17-methyl-8-oxa-12,13,15,17-tetrazatetracyclo[12.12.0.02,13.01,17]nona-2,4,8-trien-2-yl]-1-methyl-5-oxo-1,2,3,4-tetrahydropyridine

Main Category		Category
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-4-ethyl-17-methyl-8-oxa-12,13,15,17-tetra
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-17-methyl-8-oxa-12,13,15,17-tetrazatetra
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-5-fluoro-17-methyl-8-oxa-12,13,15,17-tetr
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-17-methyl-8-oxa-12,13,15,17-tetrazatetra
Interactions	PUBCHEM	11-(4-Bromophenyl)-9-(4-ethynylphenyl)-17-methyl-8-oxa-12,13,15,
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-6-chloro-17-methyl-8-oxa-12,13,15,17-tetr
Interactions	PUBCHEM	11-(4-Bromophenyl)-17-methyl-9-(4-prop-1-ynylphenyl)-8-oxa-12,13
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-3-methoxy-4,17-dimethyl-8-oxa-12,13,15,
Interactions	PUBCHEM	11-(4-Bromophenyl)-9-(4-fluorophenyl)-17-methyl-8-oxa-12,13,15,1
Interactions	PUBCHEM	11-(4-Bromophenyl)-9-(4-chlorophenyl)-17-methyl-8-oxa-12,13,15,1
Interactions	PUBCHEM	9-(4-Bromophenyl)-11-(4-fluorophenyl)-17-methyl-8-oxa-12,13,15,1
Interactions	PUBCHEM	9-(4-Bromophenyl)-17-methyl-11-(4-methylphenyl)-8-oxa-12,13,15,
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-5-fluoro-4,17-dimethyl-8-oxa-12,13,15,17-
Interactions	PUBCHEM	4-(5-Methyl-1,3-benzothiazol-2-yl)aniline
Interactions	PUBCHEM	Dactinomycin
Interactions	PUBCHEM	Mundulone
Interactions	PUBCHEM	N-[(5-chloro-8-hydroxyquinolin-7-yl)(4-ethoxyphenyl)methyl]-3,4,5-tr
Interactions	PUBCHEM	Melphalan
Interactions	PUBCHEM	1,3,6-Trimethylpyrimido[5,4-e][1,2,4]triazine-5,7-dione
Interactions	PUBCHEM	3-(cyclohexylsulfamoyl)-N-(3,5-dichlorophenyl)-4-fluorobenzamide
Interactions	PUBCHEM	2-(4-Ethoxyphenyl)-4-[3-methyl-4-(4-methylphenyl)piperazine-1-carb
Interactions	PUBCHEM	Guaiacol
Interactions	PUBCHEM	2-(2-bromo-4-ethylphenoxy)-N-(9-ethyl-9H-carbazol-3-yl)acetamide
Interactions	PUBCHEM	Oxibendazole
Interactions	PUBCHEM	7-Methyl-N-[4-(propan-2-YL)phenyl]-2-(pyridin-3-YL)imidazo[1,2-A]p
Interactions	PUBCHEM	Oxazolidin
Interactions	PUBCHEM	5-chloro-3-hydroxy-3-[2-(4-methylphenyl)-2-oxoethyl]-1-(2-phenyleth
Interactions	PUBCHEM	N-{3-[Benzyl(propan-2-YL)amino]propyl}-2-[(3,5-dimethylphenyl)am
Interactions	PUBCHEM	1'-benzyl-5'-bromo-3'-hydroxy-2-methyl-1',3'-dihydro-1H,2'H-3,3'-biin
Interactions	PUBCHEM	2-amino-4-hexyl-5-oxo-5,6,7,8-tetrahydro-4H-chromene-3-carbonitril
Interactions	PUBCHEM	3-(dimethylamino)-N'-[2-(1,3-dioxo-3a,4,7,7a-tetrahydroisoindol-2-yl
Interactions	PUBCHEM	Bosutinib methanoate

Main Category		Category
Interactions	PUBCHEM	2,5-Dimethoxy-4-propylthiophenethylamine hydrochloride
Interactions	PUBCHEM	(2R,3R)-6'-chloro-4-(3-chlorophenyl)-2-(5-fluoro-2-methylphenyl)spi
Interactions	PUBCHEM	Bibx 1382 dihydrochloride
Interactions	PUBCHEM	N-[3-[4-(dimethylamino)anilino]-1,4-dioxonaphthalen-2-yl]acetamid
Interactions	PUBCHEM	[2-(3,4-Dimethylphenyl)quinolin-4-yl](4-phenylpiperazin-1-yl)methar
Interactions	PUBCHEM	Patulin
Interactions	PUBCHEM	2-(2-amino-3-methoxyphenyl)-4H-1-benzopyran-4-one
Interactions	PUBCHEM	N-{4-[(2,4-dichlorobenzyl)oxy]-3-methoxybenzyl}-2-[(1-methyl-1H-te
Interactions	PUBCHEM	N-{4-[(2,4-dichlorobenzyl)oxy]-3-ethoxybenzyl}-2-[(1-methyl-1H-tetra
Interactions	PUBCHEM	((3-Chloro-4-[(4-chlorophenyl)methoxy]-5-ethoxyphenyl)methyl)((2-
Interactions	PUBCHEM	Rubitecan
Interactions	PUBCHEM	Periciazine
Interactions	PUBCHEM	Perphenazine
Interactions	PUBCHEM	1-(2,4-Dimethylphenyl)-4-{1-[4-(3-methylphenoxy)butyl]benzimidaz
Interactions	PUBCHEM	N-(2-{1-[4-(4-chlorophenoxy)butyl]-1H-benzimidazol-2-yl}ethyl)-2,2-
Interactions	PUBCHEM	Phenylarsine Oxide
Interactions	PUBCHEM	2-hydroxy-N-(4-methylphenyl)benzamide
Interactions	PUBCHEM	Phloretin
Interactions	PUBCHEM	Phthalaldehyde
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-(6-methyl-2-nitropyridin-3-yl)oxyacetamide
Interactions	PUBCHEM	2-(2-Imino-4,5,6,7-tetrahydro-1,3-benzothiazol-3-yl)-1-(4-methylphe
Interactions	PUBCHEM	4-chloro-3-methyl-N-(6,7,8,9-tetrahydrodibenzo[b,d]furan-2-yl)benze
Interactions	PUBCHEM	4-methyl-N-(1-methyl-1H-pyrazol-3-yl)benzamide
Interactions	PUBCHEM	4-[4-(Dipropylamino)phenyl]-3,4-dihydro[1,3,5]triazino[1,2-a]benzim
Interactions	PUBCHEM	3-(((5-Methyl-1H-benzo[d]imidazol-2-yl)thio)methyl)benzo[d][1,2,3]t
Interactions	PUBCHEM	7-hexyl-8-((4-(2-hydroxyethyl)piperazin-1-yl)methyl)-1,3-dimethyl-1H
Interactions	PUBCHEM	Prazepam
Interactions	PUBCHEM	Prazosin
Interactions	PUBCHEM	4-(4-chlorophenyl)-3-(2-hydroxyphenyl)-5-(2-phenylethyl)-4,5-dihydr
Interactions	PUBCHEM	N-[2-(4-chlorophenyl)ethyl]-2-(5-methoxy-4,7-dimethyl-2-oxo-2H-ch
Interactions	PUBCHEM	5-bromo-7-methyl-1-(4-methylbenzyl)-1H-indole-2,3-dione
Interactions	PUBCHEM	Prochlorperazine

Main Category		Category
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-4,6-dimethyl-3-[(4-methylbenzoyl)amino]thi
Interactions	PUBCHEM	Propachlor
Interactions	PUBCHEM	Propargite
Interactions	PUBCHEM	1-(1H-benzimidazol-2-yl)-3-(2-fluorophenyl)urea
Interactions	PUBCHEM	2-[8-(3,4-dihydro-1H-isoquinolin-2-ylmethyl)-1,3-dimethyl-2,6-dioxo-
Interactions	PUBCHEM	N-(5-((2-(3,4-dihydroquinolin-1(2H)-yl)-2-oxoethyl)thio)-1,3,4-thiadia
Interactions	PUBCHEM	3-(3,4-Dimethylphenyl)-1-[[[(2-ethoxyphenyl)carbamoyl]methyl]-N,N
Interactions	PUBCHEM	4-methoxy-N-(6,7,8,9-tetrahydrodibenzofuran-2-yl)benzenesulfonar
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-4-(2-methylpiperidin-1-yl)quinazoline
Interactions	PUBCHEM	N-(benzyloxy)-4-chlorobenzamide
Interactions	PUBCHEM	Pyrimethamine
Interactions	PUBCHEM	Quinalizarin
Interactions	PUBCHEM	Cgp-7930
Interactions	PUBCHEM	(2-Azepan-1-yl-ethyl)-[2-(3,4-dichloro-phenyl)-ethyl]-methyl-amine
Interactions	PUBCHEM	Raloxifene
Interactions	PUBCHEM	1-(4-chlorophenyl)-6,7-diethoxy-2-(4-methoxyphenyl)-1,4-dihydroiso
Interactions	PUBCHEM	5-(cyclohexylsulfamoyl)-2-fluoro-N-[4-(trifluoromethyl)phenyl]benza
Interactions	PUBCHEM	1,3-Dimethyl-8-(3-methylpiperidin-1-yl)-7-[2-[(5-methyl-1,3,4-thiadia
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-3-phenylpyrrolidine-1-carboxamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-3-phenylpyrrolidine-1-carboxamide
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-ylmethyl)-2-(1-ethylindol-3-yl)sulfanylacetami
Interactions	PUBCHEM	Riluzole
Interactions	PUBCHEM	2-Methyl-5-(morpholino(thiophen-2-yl)methyl)thiazolo[3,2-b][1,2,4]t
Interactions	PUBCHEM	3-{{[4-(2H-1,3-Benzodioxol-5-YL)-6-(trifluoromethyl)pyrimidin-2-YL]s
Interactions	PUBCHEM	3-{{[4-(1,3-benzodioxol-5-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfony
Interactions	PUBCHEM	3-{{[4-(1,3-benzodioxol-5-yl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfony
Interactions	PUBCHEM	4-{{[4-(3,4-dimethoxyphenyl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfon
Interactions	PUBCHEM	N-(5-chloro-2-methoxyphenyl)-4-{{[4-(3,4-dimethoxyphenyl)-6-(trifluo
Interactions	PUBCHEM	N-butyl-5,7-dimethyl-6-[(2,4,6-trimethylphenyl)methyl]pyrazolo[1,5-a
Interactions	PUBCHEM	N-(2-hydroxy-5-methylphenyl)-4,5,6,7-tetrahydro-1,2-benzoxazole-3
Interactions	PUBCHEM	4-{{[4-(3,4-dimethoxyphenyl)-6-(trifluoromethyl)pyrimidin-2-yl]sulfony
Interactions	PUBCHEM	4-(3-Chlorophenyl)-2-[4-(propan-2-yl)phenyl]-1,4-dihydropyrimido[1,

Main Category		Category
Interactions	PUBCHEM	Mitoxantrone Hydrochloride
Interactions	PUBCHEM	N-phenazin-2-ylbenzamide
Interactions	PUBCHEM	2-[(6-Chloro-1,2,3,4-tetrahydroacridin-9-yl)sulfanyl]-1-(4-methylpipe
Interactions	PUBCHEM	(+/-)-4-((1-(4-Chlorophenyl)-1-((1-(hydroxymethyl)cyclopropyl)meth
Interactions	PUBCHEM	(+/-)-2-(4-Bromobenzyl)-3-(4-chlorophenyl)-3-((1-(hydroxymethyl)cy
Interactions	PUBCHEM	RS-39604
Interactions	PUBCHEM	3-[4-(2-Fluorophenyl)-1,4-dihydropyrimido[1,2-A][1,3]benzimidazol-2
Interactions	PUBCHEM	6-Iodonordihydrocapsaicin
Interactions	PUBCHEM	Sanguinarine
Interactions	PUBCHEM	N-(diphenethylthiocarbamoyl)-2-furamide
Interactions	PUBCHEM	3,5-Dihydro-5-methyl-N-3-pyridinylbenzo(1,2-b:4,5-b')dipyrrole-1(2H
Interactions	PUBCHEM	Hydroxyquinoline sulfate
Interactions	PUBCHEM	Potassium Acetate
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-4-(oxolan-2-ylmethoxy)benzamide
Interactions	PUBCHEM	[2-(4-Bromo-2-fluoroanilino)-2-oxoethyl] 3-hydroxyadamantane-1-c
Interactions	PUBCHEM	ethyl 2-((9H-purin-6-yl)amino)acetate
Interactions	PUBCHEM	2-(4-Chlorophenyl)-1-phthalazinone
Interactions	PUBCHEM	6-Methyl-2-(phenylazo)-3-pyridinol
Interactions	PUBCHEM	Sobuzoxane
Interactions	PUBCHEM	Quercetin
Interactions	PUBCHEM	Apigenin
Interactions	PUBCHEM	Linoleic Acid
Interactions	PUBCHEM	4-Methylumbelliferone
Interactions	PUBCHEM	Zeaxanthin
Interactions	PUBCHEM	Linolenic Acid
Interactions	PUBCHEM	Harmine
Interactions	PUBCHEM	Genistein
Interactions	PUBCHEM	Mycophenolate Mofetil
Interactions	PUBCHEM	Esculin
Interactions	PUBCHEM	Zearalenone
Interactions	PUBCHEM	Baicalein
Interactions	PUBCHEM	Mangostin

Main Category		Category
Interactions	PUBCHEM	1-(6-Ethoxy-1,3-benzothiazol-2-YL)-N-[3-(morpholin-4-YL)propyl]pip
Interactions	PUBCHEM	2-(4-Chlorophenyl)-7-methylpyrazolo(1,5-a)pyrimidine-6-carboxylic
Interactions	PUBCHEM	3-hydroxy-2-(5-methylpyridin-2-yl)-3H-isoindol-1-one
Interactions	PUBCHEM	N-(4-methoxyphenyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	4-[5-(4-Ethoxyphenyl)-1,2-oxazol-3-YL]-N-[(pyridin-3-YL)methyl]buta
Interactions	PUBCHEM	(5-Bromofuran-2-yl)-[4-(3-phenyl-[1,2,4]triazolo[4,3-b]pyridazin-6-yl)
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5-propan-2-yl-1,2-oxazole-3-carboxamide
Interactions	PUBCHEM	3,4-dihydro-1H-isoquinolin-2-yl-(4-methylfuro[3,2-c]quinolin-2-yl)me
Interactions	PUBCHEM	Azepan-1-yl-[5-(3-methoxyphenyl)-1,2-oxazol-3-yl]methanone
Interactions	PUBCHEM	N-[4-(morpholin-4-ylmethyl)phenyl]pyrazolo[1,5-a]pyridine-2-carbox
Interactions	PUBCHEM	5-(3-Hydroxyphenyl)isoxazol-3-yl morpholin-4-yl ketone
Interactions	PUBCHEM	N-(3-acetylphenyl)pyrazolo[1,5-a]pyridine-2-carboxamide
Interactions	PUBCHEM	N-cyclopentyl-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyrazin-3-a
Interactions	PUBCHEM	N-(3-methoxyphenyl)-1,3-dimethyl-2,4-dioxo-1,2,3,4-tetrahydropyrim
Interactions	PUBCHEM	8-((4-(3-chlorophenyl)piperazin-1-yl)methyl)-3-methyl-7-(3-phenylpr
Interactions	PUBCHEM	Ethyl 5-(cyclopropanecarboxamido)-3-methylthiophene-2-carboxylat
Interactions	PUBCHEM	3,4-Dimethoxy-N-[2-(4-phenylpiperazin-1-YL)-2-(pyridin-3-YL)ethyl]b
Interactions	PUBCHEM	5-(2-chlorophenyl)-N-(4-methoxybenzo[d]thiazol-2-yl)-1,3,4-oxadiaz
Interactions	PUBCHEM	Luciferase-IN-4
Interactions	PUBCHEM	CID 5310695
Interactions	PUBCHEM	CID 5310753
Interactions	PUBCHEM	CID 5310801
Interactions	PUBCHEM	(2Z)-1-Phenyl-3-(pyridin-2-ylamino)prop-2-EN-1-one
Interactions	PUBCHEM	Cambridge id 5563267
Interactions	PUBCHEM	4-{{4-(2-Phenyl-1,3-oxazol-5-yl)phenyl}amino}-3-penten-2-one
Interactions	PUBCHEM	Olvanil
Interactions	PUBCHEM	Lacidipine
Interactions	PUBCHEM	(2S)-1-(2-Ethylphenoxy)-3-(((1S)-1,2,3,4-tetrahydro-1-naphthalenyl))
Interactions	PUBCHEM	Vorinostat
Interactions	PUBCHEM	N-(3-fluoro-4-methylphenyl)-2-(1,2,3,4-tetrahydroacridin-9-ylsulfany
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-(1,2,3,4-tetrahydroacridin-9-ylsulfanyl)acetam
Interactions	PUBCHEM	(2's,3r,4's,5'r)-N-(4-Carbamoylphenyl)-6-Chloro-4'-(3-Chloro-2-Fluoro
		Carboxamide

Main Category		Category
Interactions	PUBCHEM	rac-4-[(2'S,3'R,4'S,5'R)-6-chloro-4'-(3-chloro-2-fluoro-phenyl)-2'-(2,2-dimethylamino)-2-methoxy-benzoic acid
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-(2,2-dimethylpyrrolidine)-2'-carboxamide
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-(2,2-dimethylpyrrolidine)-2'-carboxamide
Interactions	PUBCHEM	Furazolidone
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-N-(4-carbamoyl-3-methoxyphenyl)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-carboxamide
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-N-(4-carbamoylphenyl)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-carboxamide
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-6-chloro-3'-(3-chloro-2-fluorophenyl)-N-(4-cyano-2-fluorophenyl)-5'-carboxamide
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-N-(4-carbamoyl-2-methoxyphenyl)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-pyrrolidine]-2'-carboxamide
Interactions	PUBCHEM	5-[(9R,11S)-9,11-bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetradecahydro-1H-benzofuro[3,2-b]pyridine-2-ylidene]-2-methylpropanethioate
Interactions	PUBCHEM	rac-4-[(2'S,3'R,4'S,5'R)-6-chloro-4'-(3-chloro-2-fluoro-phenyl)-2'-(2,2-dimethylamino)-3-methoxy-benzoic acid
Interactions	PUBCHEM	Nvp-cgm097
Interactions	PUBCHEM	[2-(6-methylheptyl)-4,6-dinitrophenyl] (E)-but-2-enoate
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-2-[4-(dimethylamino)phenyl]-1H-benzotriazole
Interactions	PUBCHEM	1-(4-chlorophenyl)-6,7-diethoxy-2-[4-methyl-2-(2H-tetrazol-5-ylmethyl)-1H-imidazole-5-yl]ethanone
Interactions	PUBCHEM	N2-[(1R,2S)-2-Aminocyclohexyl]-N6-(3-chlorophenyl)-9-ethyl-9H-purin-6-amine
Interactions	PUBCHEM	1-(4-Aminophenyl)ethanone (4,6-diphenyl-2-pyrimidinyl)hydrazone
Interactions	PUBCHEM	3-(4-Chlorophenyl)-3-(1-hydroxymethylcyclopropylmethoxy)-2-(4-nitrophenyl)-1H-imidazole
Interactions	PUBCHEM	Disodium distyrylbiphenyl disulfonate, (E,E)-
Interactions	PUBCHEM	3-chloro-N'-[4-(methylsulfanyl)benzylidene]benzohydrazide
Interactions	PUBCHEM	1,3-Benzodioxole-5-carbaldehyde methyl(phenyl)hydrazone
Interactions	PUBCHEM	4-chloro-N'-[(E)-cyclohex-3-en-1-ylmethylidene]-2-hydroxybenzohydrazide
Interactions	PUBCHEM	2-(6-Amino-8-azidopurin-9-yl)-5-(hydroxymethyl)oxolane-3,4-diol
Interactions	PUBCHEM	Idasanutlin
Interactions	PUBCHEM	(2E)-3-(2,4-dimethoxyphenyl)-1-(thiophen-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	S-[2-(2-methylpropanoylamino)phenyl] 2-methylpropanethioate
Interactions	PUBCHEM	S-(2-benzamidophenyl) 2-methylpropanethioate
Interactions	PUBCHEM	N'-[(2,4-dimethoxybenzoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	Rimcazole

Main Category		Category
Interactions	PUBCHEM	CID 5340071
Interactions	PUBCHEM	EBV lytic cycle inducer-1
Interactions	PUBCHEM	(2E)-3-(4-Ethoxyphenyl)-1-(thiophen-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	(E)-1-propyl-2-styryl-1H-benzo[d]imidazole
Interactions	PUBCHEM	N'-[2,5-dimethyl-1-(3-methylphenyl)-1H-pyrrol-3-yl]methylene)-2-thiophenecarbohydrazide
Interactions	PUBCHEM	N-{4-[N-(1,3-benzodioxol-5-ylcarbonyl)ethanehydrazonoyl]phenyl}-2-thiophenecarbohydrazide
Interactions	PUBCHEM	2-Acetamidoethyl 4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N-(2-methoxyethyl)carbamate
Interactions	PUBCHEM	2-(Dimethylamino)ethyl 4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N-(2-methoxyethyl)carbamate
Interactions	PUBCHEM	4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N-(2-methoxyethyl)carbamate
Interactions	PUBCHEM	CID 5351130
Interactions	PUBCHEM	Trisodium;5,9-dimethyl-16-propan-2-yltetracyclo[10.2.2.01,10.04,9]undeca-2,4,6,8-tetraene
Interactions	PUBCHEM	6,7-Dihydroxyflavone
Interactions	PUBCHEM	3-[4-(Dimethylamino)benzylidene]indolin-2-one
Interactions	PUBCHEM	Cambogic acid
Interactions	PUBCHEM	4-((1-Methylethyl)thio)-alpha-(1-(octylamino)ethyl)benzenemethanethiol
Interactions	PUBCHEM	3-(4-Chlorophenyl)-6-(1-pyrrolidinyl)-1,2,4,5-tetrazine
Interactions	PUBCHEM	Bromebric Acid
Interactions	PUBCHEM	Benazepril Hydrochloride
Interactions	PUBCHEM	3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone
Interactions	PUBCHEM	Ketone, methyl 2-pyridyl, 4-allyl-3-thiosemicarbazone
Interactions	PUBCHEM	alpha-Chlorfenvinphos
Interactions	PUBCHEM	2',3-Dihydroxy-4,4',6'-trimethoxychalcone
Interactions	PUBCHEM	Radicinin
Interactions	PUBCHEM	Tazarotene
Interactions	PUBCHEM	trans-2-Methoxychalcone
Interactions	PUBCHEM	Vinblastine Sulfate
Interactions	PUBCHEM	(2E)-2-(1-hydroxy-4,5,5-trimethylimidazolidin-2-ylidene)-1-phenylethan-1-one
Interactions	PUBCHEM	CID 5389298
Interactions	PUBCHEM	N'-[(5-methyl-2-thienyl)methylene]-2-thiophenecarbohydrazide
Interactions	PUBCHEM	(Z)-benzotriazol-1-yl(p-anisylidene)amine
Interactions	PUBCHEM	2,5-Dimethyl-furan-3-carboxylic acid [(Z)-2-methyl-3-phenyl-prop-2-en-1-one]
Interactions	PUBCHEM	3-(2,3-Dihydro-1,4-benzodioxin-6-yl)-5,7-dihydroxychromen-4-one

Main Category		Category
Interactions	PUBCHEM	1-[(2E)-3,4-dimethyl-1,3-thiazol-2(3H)-ylidene]-3-phenylthiourea
Interactions	PUBCHEM	N'-[(1Z,2Z)-2-bromo-3-phenylprop-2-en-1-ylidene]-2,5-dimethylfuran
Interactions	PUBCHEM	(2E)-N-(3-fluorophenyl)-3-(4-methoxyphenyl)prop-2-enamide
Interactions	PUBCHEM	N'-(2,3-dihydro-1H-inden-1-ylidene)-2-hydroxybenzohydrazide
Interactions	PUBCHEM	N'-[1-(2-furyl)ethylidene]-4,5-dimethyl-3-thiophenecarbohydrazide
Interactions	PUBCHEM	3-(1,3-Benzodioxol-5-ylamino)-1-phenyl-2-buten-1-one
Interactions	PUBCHEM	Oxireno9,10cyclodeca1,2-bfuran-9(1aH)-one, 2,3,6,7,7a,8,10a,10b-c
Interactions	PUBCHEM	Thiodiglycol
Interactions	PUBCHEM	Thiotepa
Interactions	PUBCHEM	2-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-17-ethyl-8-oxa-12,13,15,17-tetrazatetracy
Interactions	PUBCHEM	3-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	2-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	1-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	2-[(9R,11S)-9,11-bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetra
Interactions	PUBCHEM	[3-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7 dimethylpropanoate
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-17-prop-2-enyl-8-oxa-12,13,15,17-tetrazat
Interactions	PUBCHEM	5-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	2-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	3-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	9,11-Bis(4-bromophenyl)-17-(methylsulfonylmethyl)-8-oxa-12,13,15
Interactions	PUBCHEM	4-[9,11-Bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	16,18-Dioxa-2-azapentacyclo[11.7.0.03,11.04,9.015,19]icosa-1,3(1
Interactions	PUBCHEM	8-methoxy-11H-indeno[1,2-b]quinoline
Interactions	PUBCHEM	methyl 4-[(Z,4R)-5-[(3,4-dimethoxyphenyl)methylamino]-2-fluoro-4-
Interactions	PUBCHEM	(1R)-1-[(1R,2R)-2-butylcyclopropyl]-N-diphenylphosphoryl-1-(2-met
Interactions	PUBCHEM	(1S)-1-[(1S,2S)-2-butylcyclopropyl]-N-diphenylphosphoryl-1-[1-(2-ph
Interactions	PUBCHEM	6-Chloro-7-(indan-1-ylamino)-quinoline-5,8-dione
Interactions	PUBCHEM	Carbocyanine
Interactions	PUBCHEM	Dicoumarol
Interactions	PUBCHEM	Robustic Acid
Interactions	PUBCHEM	Warfarin

Main Category		Category
Interactions	PUBCHEM	2-hydroxy-1-methyl-4-oxo-N-pyrimidin-2-ylquinoline-3-carboxamide
Interactions	PUBCHEM	Bromadiolone
Interactions	PUBCHEM	Pyrvinium Pamoate
Interactions	PUBCHEM	N-(4-ethylphenyl)-4-hydroxy-2-oxo-3-(phenylsulfonyl)-1,2-dihydroqu
Interactions	PUBCHEM	4-hydroxy-N-(4-isopropylphenyl)-2-oxo-3-(phenylsulfonyl)-1,2-dihyd
Interactions	PUBCHEM	3-(3,4-Dihydroxyphenyl)-6,8-dihydroxy-1H-2-benzopyran-1-one
Interactions	PUBCHEM	Tilorone
Interactions	PUBCHEM	Tinoridine
Interactions	PUBCHEM	Tioconazole
Interactions	PUBCHEM	Raloxifene Hydrochloride
Interactions	PUBCHEM	2-((4-Chloro-3-methylphenyl)amino)benzoic acid
Interactions	PUBCHEM	Tracazolate
Interactions	PUBCHEM	N-(7-hydroxy-2-oxo-2H-chromen-3-yl)benzamide
Interactions	PUBCHEM	Mifepristone
Interactions	PUBCHEM	Triamterene
Interactions	PUBCHEM	Tris(2-chloroethyl)amine
Interactions	PUBCHEM	Trifluoperazine
Interactions	PUBCHEM	Triflupromazine
Interactions	PUBCHEM	Troglitazone
Interactions	PUBCHEM	Tyrphostin 9
Interactions	PUBCHEM	N-benzyl-1H-1,3-benzodiazol-2-amine
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-cyclopentyl-3-
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-cyclobutyl-3-r
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylr
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-((3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylr
Interactions	PUBCHEM	2-((3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylr
Interactions	PUBCHEM	2-((3R,5R,6S)-1-((S)-1-tert-butoxy-1-oxobutan-2-yl)-5-(3-chloropheny
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylme
Interactions	PUBCHEM	(3S,5R,6S)-3-((1H-tetrazol-5-yl)methyl)-5-(3-chlorophenyl)-6-(4-chlo
Interactions	PUBCHEM	2-((3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylr

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(2-ethylbutyl)]
Interactions	PUBCHEM	[(3r,5r,6s)-5-(3-Chlorophenyl)-6-(4-Chlorophenyl)-1-(Cyclopropylmethoxy)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(ethylamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(methoxyamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-acetamidobutan-2-yl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(methoxyamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-[(2S)-1-(ethoxyamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-[(2S)-1-(methoxyamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-[(2S)-1-(methoxyamino)-2-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-morpholin-4-yl)-3-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-((3-hydroxyisoxanzol-5-yl)methyl)-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-((3-hydroxy-1H-imidazo[4,5-b]pyridine-3-yl)methyl)-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	5-[[[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	1-(4-methoxyphenyl)-2,5-dimethyl-1H-pyrrole-3-carbaldehyde (4-amino-5-methoxy-2-methyl-1H-pyrrole-3-carbaldehyde)
Interactions	PUBCHEM	2-[(2-chlorobenzyl)oxy]-3-methoxybenzaldehyde (4-amino-5-methoxy-2-methyl-1H-pyrrole-3-carbaldehyde)
Interactions	PUBCHEM	5-Bromo-3-(4-chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	6-Tert-butyl-3-(4-chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	US8618158, Ncl-00010492
Interactions	PUBCHEM	US8618158, Ncl-00010487
Interactions	PUBCHEM	2-Ethoxyethyl 4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	1-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	3-(4-Chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	US8618158, Ncl-00010493
Interactions	PUBCHEM	Ethyl 2-[[4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	1-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	1-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]
Interactions	PUBCHEM	4-Chloro-3-(4-chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	US8618158, Ncl-00010495
Interactions	PUBCHEM	6-Bromo-3-(4-chlorophenyl)-3-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	1-Benzyl-5-(4-chlorophenyl)-5-[[1-(hydroxymethyl)cyclopropyl]methoxy]-2-[(4-chlorophenyl)methoxy]
Interactions	PUBCHEM	1-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-N,N-dimethyl-2-oxo-1,2-dihydro-3H-imidazo[4,5-b]pyridine-3-yl)]

Main Category		Category
Interactions	PUBCHEM	1-[4,5-Bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyphenyl)-4,
Interactions	PUBCHEM	5-(4-Chlorophenyl)-5-[[1-(hydroxymethyl)cyclopropyl]methoxy]-3,4-
Interactions	PUBCHEM	2-Methoxyethyl 4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yl
Interactions	PUBCHEM	Salmeterol Xinafoate
Interactions	PUBCHEM	N-(4-aminobutyl)-5-chloronaphthalene-1-sulfonamide
Interactions	PUBCHEM	N-(6-Aminoethyl)-5-Chloro-1-Naphthalenesulfonamide
Interactions	PUBCHEM	Methyl 2-(4-chlorophenyl)-2-[3-(4-chlorophenyl)-5-oxo-2-sulfanylide
Interactions	PUBCHEM	CID 56840663
Interactions	PUBCHEM	(1S,4S,7Z,10S,16E,21R)-7-Ethylidene-4,21-bis(1-methylethyl)-2-oxa
Interactions	PUBCHEM	2-{{4-(Diethylamino)piperidin-1-Yl}methyl}-6-Iodo-4-[3-(Phenylamino
Interactions	PUBCHEM	5,6-Diphenyl-[1,2,5]oxadiazolo[3,4-b]pyrazine
Interactions	PUBCHEM	Methyl 2-(4-chlorophenyl)-2-[3-(4-chlorophenyl)-5-oxo-8-(propylami
Interactions	PUBCHEM	Methyl 2-[8-(benzylamino)-3-(4-chlorophenyl)-5-oxo-2-sulfanylidene
Interactions	PUBCHEM	Methyl 2-(4-chlorophenyl)-2-[3-(4-chlorophenyl)-8-(2-methylpropyla
Interactions	PUBCHEM	Methyl 2-(4-chlorophenyl)-2-[3-(4-chlorophenyl)-8-(cyclopropylmeth
Interactions	PUBCHEM	Methyl 2-(4-chlorophenyl)-2-[3-(4-chlorophenyl)-8-[(4-fluorophenyl)
Interactions	PUBCHEM	6-Chloro-3-[1-(4-Chlorobenzyl)-4-Phenyl-1h-Imidazol-5-Yl]-N-[2-(Mo
Interactions	PUBCHEM	1-Cyclopropyl-6-fluoro-4-oxo-7-piperazin-1-yl-1,4-dihydro-quinoline-
Interactions	PUBCHEM	{{(3r,5r,6s)-5-(3-Chlorophenyl)-6-(4-Chlorophenyl)-1-[(2s,3s)-2-Hydro
Interactions	PUBCHEM	N-(5-Methyl-2-thienyl)benzamide
Interactions	PUBCHEM	Benzyl dimethyl(2-(2-((4-(1,1,3,3-tetramethylbutyl)-o-tolyl)oxy)ethox
Interactions	PUBCHEM	(2E)-3-phenyl-1-(thiophen-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	3,3'-Diethylthiacarbocyanine iodide
Interactions	PUBCHEM	3-(4-Methoxyphenyl)-1-(5-methyl-2-thienyl)prop-2-en-1-one
Interactions	PUBCHEM	(2E)-2-[2-(4-tert-butylphenyl)-2-oxoethylidene]-1,3-thiazolidin-4-one
Interactions	PUBCHEM	(E)-3-(1,3-benzodioxol-5-yl)-1-pyridin-2-ylprop-2-en-1-one
Interactions	PUBCHEM	(2E)-3-(4-Fluorophenyl)-1-(5-methylfuran-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	N'-(2-thienylmethylene)-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-c
Interactions	PUBCHEM	2-(4-Cyclopropyl-thiazol-2-yl)-3-(2-nitro-phenyl)-acrylonitrile
Interactions	PUBCHEM	4-fluoro-N-[(E)-1-pyridin-2-ylethylideneamino]benzamide
Interactions	PUBCHEM	(2E)-1-(4-hydroxyphenyl)-3-(4-methylphenyl)prop-2-en-1-one
Interactions	PUBCHEM	3-phenyl-5-[(E)-2-phenylethenyl]-1,2,4-oxadiazole

Main Category		Category
Interactions	PUBCHEM	N-[5-(propan-2-yl)-1,3,4-thiadiazol-2-yl]-2-(5H-[1,2,4]triazino[5,6-b]in
Interactions	PUBCHEM	2-[2-(3-Methyl-2-thienyl)vinyl]-8-quinolinol
Interactions	PUBCHEM	1-(2-Thienyl)-3-(3,4,5-trimethoxyphenyl)-2-propen-1-one
Interactions	PUBCHEM	ZM 336372
Interactions	PUBCHEM	CID 5731322
Interactions	PUBCHEM	Rac-6-chloro-3-(3-chloro-benzyl)-3-(3-methoxy-phenyl)-1,3-dihydro-
Interactions	PUBCHEM	2-[(E)-2-(3-ethoxy-2-methoxyphenyl)ethenyl]quinolin-8-ol
Interactions	PUBCHEM	1-{(1E)-2-[1-(methylethyl)benzimidazol-2-yl]vinyl}-2-methoxybenzer
Interactions	PUBCHEM	Methyl 4-{2-[8-(acetyloxy)-2-quinolinyl]vinyl}benzoate
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxypher carboxamide
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-N-[4-(diethylamino)-4-oxobutyl]-2-(4
Interactions	PUBCHEM	(4R,5S)-N-[2-(4-acetylpiperazin-1-yl)-2-oxoethyl]-4,5-bis(4-chlorophe
Interactions	PUBCHEM	Ac-Leu-Thr-Phe-Cys-His-Tyr-Trp-Ala-Gln-Leu-Cys-Ser-NH2
Interactions	PUBCHEM	Ac-Leu-Thr-Phe-D-Cys-His-Tyr-Trp-Ala-Gln-Leu-Cys-Ser-NH2
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxypher carboxamide
Interactions	PUBCHEM	ethyl (2R)-2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propa
Interactions	PUBCHEM	ethyl 4-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-y
Interactions	PUBCHEM	(2S)-2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yl
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-N-[2-(diethylamino)-2-oxoethyl]-2-(4
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxypher
Interactions	PUBCHEM	ethyl 2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-y
Interactions	PUBCHEM	4-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyp
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30R)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-15-(3-amino-3-oxopropyl)-N-[(2S)-1-[3-[4-(hydroxyphenyl)methyl]-27-(1H-imidazol-5-ylmethyl)-21-(1H-indol-3- dithia-4,10,13,16,19,22,25,28,35-nonazatricyclo[32.2.2.22,5]tetraco
Interactions	PUBCHEM	4-Chloro-2-[2-(2-quinolinyl)vinyl]phenyl acetate
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-N-[3-(diethylamino)-3-oxopropyl]-2-
Interactions	PUBCHEM	ethyl (2S)-2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propa
Interactions	PUBCHEM	2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyp
Interactions	PUBCHEM	(2R)-2-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yl
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30S)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-N-[(2S)-1-amino-3-hydroxy-1-oxopropan-2-

Main Category		Category
		indol-3-ylmethyl)-18-methyl-11,14,17,20,23,26,29-heptaoxo-12-prop nonazatricyclo[32.2.2.22,5]tetraconta-1(36),2,4,34,37,39-hexaene-9
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxypher
Interactions	PUBCHEM	ethyl 3-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-y
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30R)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-N-[(2S)-1-amino-3-hydroxy-1-oxopropan-2-yl ylmethyl)-21-(1H-indol-3-ylmethyl)-18-methyl-11,14,17,20,23,26,29- nonazatricyclo[32.2.2.22,5]tetraconta-1(36),2,4,34,37,39-hexaene-9
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30R)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-N-[(2S)-1-amino-3-hydroxy-1-oxopropan-2-yl indol-3-ylmethyl)-18-methyl-11,14,17,20,23,26,29-heptaoxo-12-prop nonazatricyclo[32.2.2.22,5]tetraconta-1(36),2,4,34,37,39-hexaene-9
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-N-[(2R)-1-(diethylamino)-1-oxoprop
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30S)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-N-[(2S)-1-amino-3-hydroxy-1-oxopropan-2-yl ylmethyl)-21-(1H-indol-3-ylmethyl)-18-methyl-11,14,17,20,23,26,29- nonazatricyclo[32.2.2.22,5]tetraconta-1(36),2,4,34,37,39-hexaene-9
Interactions	PUBCHEM	3-[[[(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxyph
Interactions	PUBCHEM	(4R,5S)-4,5-bis(4-chlorophenyl)-2-(4-methoxy-2-propan-2-yloxypher
Interactions	PUBCHEM	(9R,12S,15S,18S,21S,24S,27S,30S)-30-[[[(2S)-2-[[[(2S,3R)-2-[[[(2S)-2-a phenylpropanoyl]amino]-15-(3-amino-3-oxopropyl)-N-[(2S)-1-[3-[4-(hydroxyphenyl)methyl]-27-(1H-imidazol-5-ylmethyl)-21-(1H-indol-3-yl dithia-4,10,13,16,19,22,25,28,35-nonazatricyclo[32.2.2.22,5]tetraco
Interactions	PUBCHEM	CID 5742479
Interactions	PUBCHEM	CID 5742497
Interactions	PUBCHEM	Mitomycin C
Interactions	PUBCHEM	Estradiol
Interactions	PUBCHEM	3-(4-Hydroxyphenyl)-1-(thiophen-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	(2E)-3-(2H-1,3-Benzodioxol-5-yl)-1-(thiophen-2-yl)prop-2-en-1-one
Interactions	PUBCHEM	4-benzoyl-3-hydroxy-1-[3-(1H-imidazol-1-yl)propyl]-5-(4-methylphen
Interactions	PUBCHEM	3-hydroxy-1-[3-(1H-imidazol-1-yl)propyl]-5-(4-nitrophenyl)-4-(phenyl
Interactions	PUBCHEM	3-Hydroxy-1-(3-imidazolylpropyl)-5-(3-nitrophenyl)-4-(phenylcarbon
Interactions	PUBCHEM	p53-MDM2-IN-4
Interactions	PUBCHEM	(2E)-3-[5-(3-chlorophenyl)furan-2-yl]-2-(6-methyl-1H-benzimidazol-2
Interactions	PUBCHEM	2-[(E)-2-(2-fluorophenyl)ethenyl]quinoline
Interactions	PUBCHEM	(Z)-2-(1H-Benzimidazol-2-yl)-3-(5-morpholin-4-yl-furan-2-yl)-acrylo
Interactions	PUBCHEM	2-[(1E)-2-(4-chlorophenyl)vinyl]-1-prop-2-ynylbenzimidazole
Interactions	PUBCHEM	3-Isopropylsulfanyl-8-methoxy-5H-[1,2,4]triazino[5,6-b]indole

Main Category		Category
Interactions	PUBCHEM	3-hydroxy-4-[(5-methyl-1-phenyl-1H-pyrazol-4-yl)carbonyl]-1-(3-pyridyl)-5-methyl-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	N-[[[(1R,2R)-2-butylcyclopropyl]-(4-chlorophenyl)methyl]pyridine-3-carboxamide
Interactions	PUBCHEM	(3S)-6-chloro-3-[(3-chlorophenyl)methyl]-3-(3-methoxyphenyl)-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	Floxuridine
Interactions	PUBCHEM	4-isopropyl-N-[(1Z)-4-oxo-3-(1H-1,2,4-triazol-3-ylthio)naphthalen-1-yl]-5-methyl-1H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	(5R,6S)-5,6-bis(4-chlorophenyl)-N,N,6-trimethyl-3-propan-2-yl-5H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	4-[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole
Interactions	PUBCHEM	[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]
Interactions	PUBCHEM	(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]carboxamide
Interactions	PUBCHEM	(2R)-1-[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]
Interactions	PUBCHEM	(5R,6S)-2-{{[(2S,5R)-2-{{[(3R)-4-Acetyl-3-methylpiperazin-1-yl]carbonyl}dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	(5R,6S)-5,6-Bis(4-chlorophenyl)-2-{{(2R,5S)-2-ethyl-5-[(4-methylpiperazin-1-yl)carbonyl]dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	1-[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]dimethylpiperazin-1-yl]methanone
Interactions	PUBCHEM	(5r,6s)-2-[[[(2s,5r)-2-[[[(3r)-4-Acetyl-3-Methylpiperazin-1-Yl]carbonyl]dihydroimidazo[2,1-B][1,3]thiazole
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]trimethylpiperazin-1-yl]methanone
Interactions	PUBCHEM	(5R,6S)-5,6-Bis(4-chlorophenyl)-2-[[[(2S,5R)-2-{{[(3R)-3,4-dimethylpiperazin-1-yl]carbonyl}dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]dimethylpiperazin-1-yl]methanone
Interactions	PUBCHEM	(5R,6S)-2-{{[(2S,5R)-2-{{[(3S)-4-Acetyl-3-methylpiperazin-1-yl]carbonyl}dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	(2S)-1-[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b]thiazole]
Interactions	PUBCHEM	(5R,6S)-2-{{[(2S,5R)-2-[(4-Acetylpiperazin-1-yl)carbonyl]-5-ethylpyrrolidine]dihydroimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	Tiratricol
Interactions	PUBCHEM	2-(4-Chloro-benzylsulfanyl)-3H-imidazo[4,5-b]pyridine
Interactions	PUBCHEM	(2'R,3R,3'S,5'S)-N-(4-carbamoyl-2-methoxyphenyl)-6-chloro-3'-(3-chloropyrrolidine)-2'-carboxamide
Interactions	PUBCHEM	Spironolactone
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-6-methoxy-2-[5-[methyl-[[4-(4-methyl-3-oxo-1,2,3,4-tetrahydroquinolin-3-one

Main Category		Category
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-2-[4-[[4-(dimethylamino)cyclohexyl]methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-2-[4-[(4-fluorophenyl)methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-6-methoxy-2-[4-[methyl(pyrrolidin-2-yl)]phenyl]
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-6-methoxy-2-[6-[methyl-[[4-(3-methyl-4-oxo-1,2,3,4-tetrahydroisoquinolin-3-one)-2-yl]methyl]phenyl]
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-6-methoxy-2-[6-[methyl-[[4-(4-methyl-3-oxo-1,2,3,4-tetrahydroisoquinolin-3-one)-2-yl]methyl]phenyl]
Interactions	PUBCHEM	(1R)-7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-6-methoxy-2-[4-[methyl(pyrrolidin-2-yl)]phenyl]
Interactions	PUBCHEM	(S)-7-((R)-Sec-Butoxy)-1-(4-Chlorophenyl)-6-Methoxy-2-(4-(Methyl(pyrrolidin-2-yl))phenyl)
Interactions	PUBCHEM	2-[4-[(4-aminocyclohexyl)methyl-methylamino]phenyl]-7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-2-[6-[[4-(dimethylamino)cyclohexyl]methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	N-[4-[[4-[(1S)-7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-6-methoxy-3-methoxy-2-[4-[methyl(pyrrolidin-2-yl)]phenyl]-1H-imidazol-5-yl]phenyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-2-[4-[[4-(dimethylamino)cyclohexyl]methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-6-methoxy-2-[4-[methyl(pyrrolidin-2-yl)]phenyl]
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-2-[4-[(3-fluorophenyl)methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-6-methoxy-2-[5-[methyl-[[4-(4-methyl-3-oxo-1,2,3,4-tetrahydroisoquinolin-3-one)-2-yl]methyl]phenyl]
Interactions	PUBCHEM	(1S)-7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-2-[4-[[4-(dimethylamino)cyclohexyl]methyl]-1H-imidazol-5-yl]
Interactions	PUBCHEM	3-[(2-Chlorophenoxy)methyl]benzoic acid
Interactions	PUBCHEM	Trichlorfon
Interactions	PUBCHEM	7-[(4R)-1-[[[(5R,6S)-5-(4-chloro-3-fluorophenyl)-6-(6-chloropyridin-3-yl)-L-proyl]-4,7-diazaspiro[2.5]octane
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(1S)-1-(1,3-benzothiazol-2-yl)propyl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)]-1-[(1R)-1-(6-cyclopropyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1R)-1-(6-cyclopropyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-5-hydroxyhexahydrothiazolo[5,4-c]pyridin-2-yl]]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(cyclopropyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1R)-1-(3-cyclopropyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(5-chloro-2-pyridinyl)-1-[(2S)-1-ethyl-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethyl-5-(3-chlorophenyl)-6-(4-chlorophenyl)]
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chloro-5-fluorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-3-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-2-hydroxy-1,2,3,4-tetrahydroquinolin-3-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-3-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-3,3-difluoro-1,2,3,4-tetrahydroquinolin-3-one

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R)-1-[(1S)-2-(benzylsulfonylamino)-1-cyclopropylethyl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((1S,2S,3R)-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(R)-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	(rac) 2-((2'S,3'R,5'R)-6-chloro-3'-(3-chlorophenyl)-1'-(cyclopropylmethyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(S)-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-((S)-1-cyclopropyl)butan-2-yl]acetic acid
Interactions	PUBCHEM	3-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-(dimethylamino)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S,2R)-1-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-(3-cyclopropyl)butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5S,6S)-6-(4-chlorophenyl)-5-(4-chloro-2-pyridinyl)-3-methyl-1-((S)-1-cyclopropyl)butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3S,4R,6S)-4-(3-chlorophenyl)-3-(4-chlorophenyl)-1,1-dioxo-2-propanone-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-[acetyl(2,2,2-trifluoroethyl)amino]butan-2-yl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2R,3S)-2-ethylbutan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-[cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S,4R)-4-hydroxy-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(1R)-1-(1,3-benzothiazol-2-yl)propyl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-((3R,5R,6S)-1-((S)-1-(tert-Butylsulfonyl)butan-2-yl)-6-(4-chlorophenyl)-5-(3-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	(3S,5R,6S)-3-Allyl-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-1-((S)-1-cyclopropyl)butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropyl]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-((3S)-1-cyclopropyl)butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S,2R)-1-cyclopropyl]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-(oxa-1,2-dihydro-3H-benzothiazol-3-ylidene)-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-3-(methylsulfonyl)-2-oxo-1,2,3,4-tetrahydropyridine-4-carboxamide

Main Category		Category
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(3,3-di
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclo
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-((S)
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-[(3R,5R,6S)-6-(4-chlorophenyl)-5-(5-chloro-3-pyridinyl)-1-[(2S)-1-(c
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[ethyl
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2R
Interactions	PUBCHEM	Navtemadlin
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(3-hydr
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chloro-5-fluorophenyl)-6-(4-chlorophenyl)-3-meth
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-6-methyl-2-oxo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chloro-5-fluorophenyl)-6-(4-chlorophenyl)-3-met
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S,3S)-2-eth
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-(4-acetylpiperazin-1-yl)butan-2-yl]-5-(3-chlor
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopro
Interactions	PUBCHEM	2-[(3S,4R,6S)-4-(3-chlorophenyl)-3-(4-chlorophenyl)-6-methyl-1,1-di
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(5-chloropyridin-2-yl)-3-methyl-1
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1R)-1-[6-(2-I
Interactions	PUBCHEM	6-[[[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-c
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethyls
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-((S)
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S,3S)-1-hy
Interactions	PUBCHEM	2-[(3S,4R,6R)-4-(3-chlorophenyl)-3-(4-chlorophenyl)-1,1-dioxo-2-pro
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S,3S)-1,2-c
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(4-cyclopropyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-6-(4-chlorophenyl)-5-(5-chloro-3-pyridinyl)-1-[(2S)-1-(4-cyclopropyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(5-chloro-2-pyridinyl)-3-methyl-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(4-cyclopropyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-(tert-butylsulfonylamino)butan-2-yl]-5-(3-chlorophenyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3S,4R,6R)-4-(3-chlorophenyl)-3-(4-chlorophenyl)-6-methyl-1,1-dioxolane-2-carboxylic acid
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dioxolane-2-carboxyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-[(2S)-2,3-dihydroxy-1-methylbutan-1-yl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropylmethyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(4-cyclopropyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-3-prop-2-yn-1-yl-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-6-(4-chlorophenyl)-5-(5-chloro-3-pyridinyl)-1-[(2S)-1-(4-cyclopropyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropylmethyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(S)-1-tert-butoxy-1-oxobutan-2-yl]-5-(3-chlorophenyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-[(S)-1-(1,1-dioxolane-2-carboxyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3S,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(2-hydroxy-1-methylbutan-1-yl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-[(S)-1-(1,1-dioxolane-2-carboxyl)-2-oxo-2-(3-chlorophenyl)acetic acid
Interactions	PUBCHEM	(5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3R)-3-hydroxy-1-methylbutan-1-yl]-2-oxo-2-(3-chlorophenyl)acetic acid

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropylmethyl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-hydroxy-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1R,2S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-6-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((1S,2S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-1-hydroxy-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-[tert-butylsulfonyl(methyl)amino]butan-2-yl]-2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dioxo-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)methyl]piperidin-2-one
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(5-chloro-2-pyridinyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(3,3-dimethyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl)butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-hydroxy-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((2R,3S)-2-hydroxy-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-1-(cyclopropylmethyl)-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-(diethylamino)-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropylmethyl]-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(1,1-dioxo-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)methyl)piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dioxo-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)methyl]piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	5-(((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)methyl)piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-(4,4-dimethyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)butan-2-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	(1S,3S,4S,6S,7R,9R)-7-(3-chlorophenyl)-6-(4-chlorophenyl)-4-ethyl-3-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(1,1-dioxo-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl)methyl)piperidin-2-one
Interactions	PUBCHEM	2-((3R,5R,6S)-1-((2S)-1-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)butan-2-yl)-2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl-2-methyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-ethyl-2-oxo-1,2,3,4-tetrahydropyridin-3-yl]butan-2-yl]piperidin-2-one

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopentyl]ethyl]propanoic acid
Interactions	PUBCHEM	{(3r,5r,6s)-5-(3-Chlorophenyl)-6-(4-Chlorophenyl)-1-[(1s)-1-(6-Cyclopentyl)ethyl]propanoic acid}
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dioxo-2-methylpiperidin-2-one
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-[(2R)-2,3-dihydro-2H-benzofuran-2-yl]propanoic acid
Interactions	PUBCHEM	Famphur
Interactions	PUBCHEM	(E)-3-(5-chloro-3-methyl-1-phenylpyrazol-4-yl)-1-(4-hydroxyphenyl)propan-1-one
Interactions	PUBCHEM	(E)-N-[9-(3,4-dimethoxyanilino)-5,6,7,8-tetrahydro-2-acridinyl]-3-(2,3-dihydro-2H-benzofuran-2-yl)propanoic acid
Interactions	PUBCHEM	5-[(3R)-3-(4-chlorophenyl)-4-[(1R)-1-(4-chlorophenyl)ethyl]-7-iodo-2-methyl-2H-benzofuran-2-yl]propanoic acid
Interactions	PUBCHEM	3-(4-Chloroanilino)-1-(2-thienyl)-1-propanone
Interactions	PUBCHEM	Methantheline Bromide
Interactions	PUBCHEM	DIBENZ(a,h)ANTHRACENE
Interactions	PUBCHEM	(E)-N-(2,4-dimethylphenyl)-3-(5-nitrothiophen-2-yl)acrylamide
Interactions	PUBCHEM	4-Acetamidochalcone
Interactions	PUBCHEM	2-[(E)-1,3-benzodioxol-5-ylmethylidene]-6,7-dihydro-5H-[1,3]thiazolo[5,4-b]pyridine
Interactions	PUBCHEM	(4E)-5-(4-chlorophenyl)-4-[2,3-dihydro-1,4-benzodioxin-6-yl(hydroxy)ethyl]propanoic acid
Interactions	PUBCHEM	[(Z)-[amino-(4-methoxyphenyl)methylidene]amino] thiophene-2-carboxylic acid
Interactions	PUBCHEM	(2Z)-N-(4-methoxybenzyl)-2-(1-phenylethylidene)hydrazinecarbothioamide
Interactions	PUBCHEM	Nitrogen mustard hydrochloride
Interactions	PUBCHEM	5'-Atp
Interactions	PUBCHEM	Triacetylresveratrol
Interactions	PUBCHEM	4-[2-(4-[(2r,3s)-2-Propyl-1-{[4-(Trifluoromethyl)pyridin-3-Yl]carbonyl}phenoxy]butanoic Acid
Interactions	PUBCHEM	[3-[4-(2-Methoxyphenyl)piperazine-1-carbonyl]-3-[4-(trifluoromethyl)phenyl]propanoic acid}
Interactions	PUBCHEM	(2E)-3-[(2-chloro-5-methylphenyl)amino]-1-phenylprop-2-en-1-one
Interactions	PUBCHEM	(5-Acetamido-4-acetyloxy-2,1,3-benzoxadiazol-7-yl) acetate
Interactions	PUBCHEM	Vincristine
Interactions	PUBCHEM	3-[5-(1,3-benzodioxol-5-yl)-3-(cyclopropylmethyl)imidazol-4-yl]-6-chloro-2-methyl-2H-benzofuran-2-carboxylic acid
Interactions	PUBCHEM	Ethinylestradiol
Interactions	PUBCHEM	Progesterone
Interactions	PUBCHEM	N-(5-bromopyridin-2-yl)-3-cyclopentylpropanamide
Interactions	PUBCHEM	7,12-Dimethylbenz(a)anthracene
Interactions	PUBCHEM	(2E)-N-{9-[(2-Methoxyphenyl)amino]-5,6,7,8-tetrahydroacridin-2-YL}propanoic acid

Main Category		Category
Interactions	PUBCHEM	2-((1E)-2-phenylvinyl)-1-hexylbenzimidazole
Interactions	PUBCHEM	Piperonylidene acetone
Interactions	PUBCHEM	(2E)-3-(2-Bromophenyl)-2-(1-methyl-1H-1,3-benzodiazol-2-YL)prop-2-en-1-one
Interactions	PUBCHEM	2-[(E)-2-(4-methylphenyl)ethenyl]-1H-benzimidazole
Interactions	PUBCHEM	Amlodipine Besylate
Interactions	PUBCHEM	4-Oxo-4-phenyl-2-(3-trifluoromethyl-phenylamino)-but-2-enoic acid
Interactions	PUBCHEM	(2E)-N-{9-[(3,4-Dimethoxyphenyl)amino]-5,6,7,8-tetrahydroacridin-2-yl}acetamide
Interactions	PUBCHEM	(2E)-N-{9-[(3,4-Dimethoxyphenyl)amino]-5,6,7,8-tetrahydroacridin-2-yl}acetamide
Interactions	PUBCHEM	N-(4-ethoxy-2-nitrophenyl)cinnamamide
Interactions	PUBCHEM	Niguldipine
Interactions	PUBCHEM	Metochalcone
Interactions	PUBCHEM	(2E)-3-(2,3-dihydro-1,4-benzodioxin-6-yl)-1-(4-hydroxyphenyl)prop-2-en-1-one
Interactions	PUBCHEM	Topotecan Hydrochloride
Interactions	PUBCHEM	Tenidap
Interactions	PUBCHEM	Gemcitabine Hydrochloride
Interactions	PUBCHEM	2,3-Dihydrobenzo[g]quinolin-4(1H)-one
Interactions	PUBCHEM	Bisphenol E
Interactions	PUBCHEM	Adefovir Dipivoxil
Interactions	PUBCHEM	(+)-Tomoxetine
Interactions	PUBCHEM	Methylene Blue
Interactions	PUBCHEM	Tolfenamic Acid
Interactions	PUBCHEM	8-Hydroxyquinoline citrate
Interactions	PUBCHEM	2-Pyridin-2-yl-benzooxazol-5-ylamine
Interactions	PUBCHEM	Kresoxim-Methyl
Interactions	PUBCHEM	1,1,1,2-Tetrabromoethane
Interactions	PUBCHEM	N-[2-(3-Chloroanilino)-2-phenylethyl]-4-methylbenzenesulfonamide
Interactions	PUBCHEM	Octyl Gallate
Interactions	PUBCHEM	Carbaryl
Interactions	PUBCHEM	3-fluoro-N'-[(E)-phenyl(pyridin-3-yl)methylidene]benzohydrazide
Interactions	PUBCHEM	3-(1,3-dimethyl-1H-pyrazol-4-yl)-1-(2-thienyl)-2-propen-1-one
Interactions	PUBCHEM	Diethyl Sulfate
Interactions	PUBCHEM	2-Phenyl-3,3a,4,5-tetrahydro-2H-benzo[g]indazole

Main Category		Category
Interactions	PUBCHEM	2H-1,4-Benzothiazine-2-carboxylic acid, 3,4-dihydro-2-(diethylamino)
Interactions	PUBCHEM	Pyrazineethanethiol
Interactions	PUBCHEM	Uracil Mustard
Interactions	PUBCHEM	Cycloheximide
Interactions	PUBCHEM	3-Iodo-2-propynyl butylcarbamate
Interactions	PUBCHEM	(E)-N-(1-adamantyl)-3-quinoxalin-2-ylprop-2-enamide
Interactions	PUBCHEM	N-[2-[(5Z)-5-[(4-tert-butylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-2-ylidene]-2-phenyl]-2-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	4-[5-(4-Hydroxyphenyl)pyrimidin-2-yl]phenol
Interactions	PUBCHEM	2-[(E)-2-(2,6-difluorophenyl)ethenyl]quinoline
Interactions	PUBCHEM	2,6-Diphenylimidazo[1,2-b][1,2,4]triazine
Interactions	PUBCHEM	3-Methylthiopropyl isothiocyanate
Interactions	PUBCHEM	Magnesium Benzoate
Interactions	PUBCHEM	Benziodarone
Interactions	PUBCHEM	Quinacrine Dihydrochloride
Interactions	PUBCHEM	Chlorpromazine Hydrochloride
Interactions	PUBCHEM	2-(3-Methoxyphenyl)-6,7,8,9-tetrahydroimidazo[1,2-b][1,2,4]benzotriazin-5(1H)-one
Interactions	PUBCHEM	2-(1,5-Bis(5-nitrofuran-2-yl)penta-1,4-dien-3-ylidene)hydrazinecarboxamide
Interactions	PUBCHEM	Cytarabine Hydrochloride
Interactions	PUBCHEM	Cytarabine
Interactions	PUBCHEM	4-(Diglycidylamino)phenyl glycidyl ether
Interactions	PUBCHEM	Trifluridine
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-1,1-dioxo-1,2-benzothiazol-3-amine
Interactions	PUBCHEM	N'-[(Z)-(3-Chlorophenyl)methylidene]-4,5,6,7-tetrahydro-1H-indazole
Interactions	PUBCHEM	2-[(E)-1-(benzenesulfonyl)-2-(3-methylphenyl)ethenyl]-1H-benzimidazole
Interactions	PUBCHEM	Daunorubicin Hydrochloride
Interactions	PUBCHEM	(2E)-3-{3-methoxy-4-[(4-methylphenyl)methoxy]phenyl}-2-(5-methylphenyl)-5-methyl-1,3,4-oxadiazole
Interactions	PUBCHEM	2-((1E)-2-phenylvinyl)-1-(2-methylbutyl)benzimidazole
Interactions	PUBCHEM	Reconcile
Interactions	PUBCHEM	Paroxetine Hydrochloride
Interactions	PUBCHEM	Trovaflxacin mesylate
Interactions	PUBCHEM	7-[2-Pyridinyl(2-pyridinylamino)methyl]-8-quinolinol
Interactions	PUBCHEM	Sertraline Hydrochloride

Main Category		Category
Interactions	PUBCHEM	Chlorquinaldol
Interactions	PUBCHEM	(2E)-3-(4-tert-butylphenyl)-N-(4-sulfamoylphenyl)prop-2-enamide
Interactions	PUBCHEM	(2E,4E)-1-(furan-2-yl)-5-phenylpenta-2,4-dien-1-one
Interactions	PUBCHEM	2-(2,4-dioxo-1H-pyrimidin-6-yl)-N-(oxolan-2-ylmethyl)acetamide
Interactions	PUBCHEM	N-(2-(7,8-dimethyl-2-oxo-1,2-dihydroquinolin-3-yl)ethyl)furan-2-carbonylamine
Interactions	PUBCHEM	1-hydroxypyridine-2-thione;1-hydroxy-3H-pyridin-1-ium-2-thione;zinc
Interactions	PUBCHEM	Idarubicin Hydrochloride
Interactions	PUBCHEM	Piperlongumine
Interactions	PUBCHEM	Fumaronitrile
Interactions	PUBCHEM	7-Methoxyisoflavone
Interactions	PUBCHEM	ethyl 4-(1-allyl-4(1H)-pyridinylidene)-2-cyano-2-butenolate
Interactions	PUBCHEM	3-(3-phenyl-10H-pyridazino[4,3-b]quinoxalin-5-yl)propan-1-ol
Interactions	PUBCHEM	1-(3-Methylphenoxy)-4-(4-methylphenyl)phthalazine
Interactions	PUBCHEM	N-cyclohexyl-6-phenyl-3-(2-pyridinyl)-1,2,4-triazin-5-amine
Interactions	PUBCHEM	N-Cyclohexyl-3-[6-(2,3-dihydro-benzo[1,4]dioxin-6-yl)-pyridazin-3-yl]amine
Interactions	PUBCHEM	Pyraclostrobin
Interactions	PUBCHEM	Lasalocid Sodium
Interactions	PUBCHEM	Diphenoxylate Hydrochloride
Interactions	PUBCHEM	Benzothiazolium, 3-ethyl-2-(5-(3-ethyl-2(3H)-benzothiazolylidene)-1,3,4-thiadiazol-2-yl)-1,3,4-thiadiazol-2-yl
Interactions	PUBCHEM	1-[3-(3,4,5-Trimethoxy-phenyl)-acryloyl]-5,6-dihydro-1H-pyridin-2-one
Interactions	PUBCHEM	Herboxidiene
Interactions	PUBCHEM	E-Guggulsterone
Interactions	PUBCHEM	4-methoxy-N-[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	N-[4-(2-{5-[(4-Chloro-phenylamino)-methyl]-[1,3,4]oxadiazol-2-ylsulfamoyl}ethyl)-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	4-Chloro-3-(5-ethyl-1,3-benzoxazol-2-yl)aniline
Interactions	PUBCHEM	2-[5-(5,6-Dimethyl-1H-benzoimidazol-2-yl)-pyridin-2-ylsulfany]l-1-[4-(2-methyl-2H-tetrazol-5-yl)-1,3,4-thiadiazol-2-yl]benzamide
Interactions	PUBCHEM	N-(5-chloropyridin-2-yl)-4-methylbenzamide
Interactions	PUBCHEM	N-(5-benzyl-1,3-thiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	Guggulsterone
Interactions	PUBCHEM	Axitinib
Interactions	PUBCHEM	4-tert-Butyl-N-(2-methyl-2H-tetrazol-5-yl)-benzamide
Interactions	PUBCHEM	N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)thiophene-2-carboxamide

Main Category		Category
Interactions	PUBCHEM	2-[5-(5,6-Dimethyl-1H-benzoimidazol-2-yl)-pyridin-2-ylsulfanyl]-1-methyl-4-methyl-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	N-m-Tolyl-2-(5-o-tolyl-[1,3,4]oxadiazol-2-ylsulfanyl)-acetamide
Interactions	PUBCHEM	N-(4-Isopropylphenyl)-1,2,3-thiadiazole-4-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-7-methylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	N-[2-(furan-2-yl)-1H-benzimidazol-5-yl]furan-2-carboxamide
Interactions	PUBCHEM	(4Z)-2-(1,3-benzothiazol-2-yl)-4-[1-(furan-2-ylmethylamino)ethylidene]-1,3,4-oxadiazole
Interactions	PUBCHEM	(3-Amino-6-methyl-thieno[2,3-b]quinolin-2-yl)-morpholin-4-yl-methanone
Interactions	PUBCHEM	N-Cyclopropyl-3-[6-(2,3-dihydro-benzo[1,4]dioxin-6-yl)-pyridazin-3-yl]propanoic acid
Interactions	PUBCHEM	[5-(3-Amino-4-ethoxyphenyl)furan-2-yl]methanol
Interactions	PUBCHEM	4-{[(5-methyl-1-phenyl-1H-1,2,3-triazol-4-yl)carbonyl]amino}benzoic acid
Interactions	PUBCHEM	6-Methyl-2-pyridin-2-yl-benzooxazole
Interactions	PUBCHEM	Pyridine-2-carboxylic acid [6-(cyclopropanecarbonyl-amino)-pyridin-2-yl]methanol
Interactions	PUBCHEM	2-(1H-Benzimidazol-2-yl)quinoline
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-N-methylbenzamide
Interactions	PUBCHEM	N-cyclopropyl-2-{[4-methyl-5-(thiophen-2-yl)-4H-1,2,4-triazol-3-yl]sulfonyl}propanoic acid
Interactions	PUBCHEM	1-[5-(2-Amino-thiazol-4-yl)-2-methyl-2,3-dihydro-indol-1-yl]-butan-1-ol
Interactions	PUBCHEM	(6E)-6-[[[(3E)-3-(5-ethyl-3H-1,3-benzoxazol-2-ylidene)-4-oxocyclohex-2-en-1-yl]amino]pyridin-2-yl]propanoic acid
Interactions	PUBCHEM	N-[5-(thiophene-2-carbonylamino)pyridin-2-yl]furan-2-carboxamide
Interactions	PUBCHEM	3-(1-Methylbenzimidazol-2-yl)sulfanyl-1-benzothiophene 1,1-dioxide
Interactions	PUBCHEM	2-{[5-(4-Methoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl}propanoic acid
Interactions	PUBCHEM	3-[[5-(2,4-dichlorophenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]propanoic Acid
Interactions	PUBCHEM	Methanone, [4-(4-morpholinyl)phenyl]-2-thienyl-
Interactions	PUBCHEM	Ethyl 2-[4-(5-phenyl-1,3,4-oxadiazol-2-yl)phenoxy]acetate
Interactions	PUBCHEM	1-Ethyl-6-methyl-3-phenyl-1H-pyrimido[5,4-e][1,2,4]triazine-5,7-dione
Interactions	PUBCHEM	3-Methyl-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-carboxylic acid phosphate
Interactions	PUBCHEM	1-Ethenylsulfonyl-4-(4-ethenylsulfonylphenoxy)benzene
Interactions	PUBCHEM	(E)-3-(4-hydroxybenzylidene)chroman-4-one
Interactions	PUBCHEM	5-Ethoxy-2-phenyl-1H-benzoimidazole
Interactions	PUBCHEM	N-{6-[(Furan-2-carbonyl)-amino]-pyridin-3-yl}-nicotinamide
Interactions	PUBCHEM	2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-6-methylquinoline-4-carboxylic acid
Interactions	PUBCHEM	2-(2-Methoxy-phenoxy)-N-pyridin-2-yl-acetamide
Interactions	PUBCHEM	2-(4-Methyl-piperazin-1-yl)-4,6-bis-(5-methyl-[1,3,4]thiadiazol-2-ylsulfonyl)propanoic acid

Main Category		Category
Interactions	PUBCHEM	8-Chloro-4-furan-2-yl-2,3,3a,4,5,9b-hexahydro-furo[3,2-c]quinoline
Interactions	PUBCHEM	3-[4-(2-Methoxyphenyl)piperazin-1-yl]-6-phenylpyridazine
Interactions	PUBCHEM	4-Methyl-N-(4-oxo-4H-benzo[d][1,3]thiazin-2-yl)-benzamide
Interactions	PUBCHEM	3-Bromo-4-chloro-7-diethylamino-chromen-2-one
Interactions	PUBCHEM	Ethyl 7-amino-3-phenylpyrazolo[1,5-a]pyrimidine-6-carboxylate
Interactions	PUBCHEM	2-Furan-2-yl-5-(4-propoxy-phenyl)-[1,3,4]oxadiazole
Interactions	PUBCHEM	Pyridin-2-yl-(4-thiophen-2-yl-thiazol-2-yl)-amine
Interactions	PUBCHEM	Cyclopentylidene-[4-(2-hydroxy-phenyl)-thiazol-2-yl]-acetonitrile
Interactions	PUBCHEM	2-Furan-2-yl-1-methyl-1H-naphtho[2,3-d]imidazole
Interactions	PUBCHEM	Benzooxazol-2-yl-carbamic acid propyl ester
Interactions	PUBCHEM	N-[6-(2-methylpropanoylamino)pyridin-3-yl]pyridine-2-carboxamide
Interactions	PUBCHEM	Beta-Carboline
Interactions	PUBCHEM	2-(4-Fluoro-phenyl)-5,6,7,8-tetrahydro-pyrazolo[5,1-b]quinazolin-9-one
Interactions	PUBCHEM	2,4-dimethoxy-N-(5-methylpyridin-2-yl)benzamide
Interactions	PUBCHEM	1-[1-(1-Benzo[1,3]dioxol-5-ylmethyl-1H-tetrazol-5-ylmethyl)-piperidin-4-yl]pyrrolidine
Interactions	PUBCHEM	2,3-Dihydro-benzo[1,4]dioxine-2-carboxylic acid (2,2-dimethyl-benzoyl ester)
Interactions	PUBCHEM	4-[(1-Benzo[1,3]dioxol-5-yl-2,5-dimethyl-1H-pyrrol-3-yl)-(1-benzyl-1H-pyrazol-4-yl)]pyrrolidine
Interactions	PUBCHEM	3-(4-Methoxy-phenyl)-7-pyrrolidin-1-yl-isothiazolo[4,5-d]pyrimidine
Interactions	PUBCHEM	4-[4-(5-Thiophen-2-yl-[1,3,4]oxadiazol-2-yl)-phenyl]-morpholine
Interactions	PUBCHEM	Diphenylcyclopropenone
Interactions	PUBCHEM	Tanespimycin
Interactions	PUBCHEM	N-[2-methoxy-4-[(2-methyl-1-oxopropyl)amino]phenyl]-2-furancarboxamide
Interactions	PUBCHEM	3-(4-Chloro-phenyl)-5,6,7,8-tetrahydro-4H-pyrazolo[5,1-b]quinazolin-9-one
Interactions	PUBCHEM	2,2':5',2"-Terthiophene
Interactions	PUBCHEM	2-[5-(3-Chlorophenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	N-(2-Pyridin-2-yl-1H-benzoimidazol-5-yl)-acetamide
Interactions	PUBCHEM	2-(3-Amino-phenyl)-benzothiazol-6-ylamine
Interactions	PUBCHEM	4-Methyl-thiazole-5-carboxylic acid (6-methyl-4,5,6,7-tetrahydro-benzothiazol-2-yl ester)
Interactions	PUBCHEM	N-(3-cyano-5,5-dimethyl-4,7-dihydro-5H-thieno[2,3-c]pyran-2-yl)-2-furancarboxamide
Interactions	PUBCHEM	6-Azacytidine
Interactions	PUBCHEM	3-[5-(4-Isopropyl-phenyl)-tetrazol-2-yl]-propionic acid
Interactions	PUBCHEM	(5-Chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)-[4-(1-phenyl-1H-pyrazol-5-yl)]pyrrolidine

Main Category		Category
Interactions	PUBCHEM	(4-Piperidin-1-yl-phenyl)-carbamic acid propyl ester
Interactions	PUBCHEM	1-[5-(2-Amino-thiazol-4-yl)-2,3-dihydro-indol-1-yl]-2-methyl-butan-1-
Interactions	PUBCHEM	5-Methyl-3-phenylpyrazolo[1,5-a]pyrimidin-7-amine
Interactions	PUBCHEM	4-chloro-N-(5-methyl-1,2-oxazol-3-yl)benzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-methoxybenzamide
Interactions	PUBCHEM	Penta-O-galloyl-beta-D-glucose
Interactions	PUBCHEM	2,5-Bis(4-aminophenyl)-pyrimidine
Interactions	PUBCHEM	1-(9H-carbazol-9-yl)-3-(((furan-2-yl)methyl)amino)propan-2-ol
Interactions	PUBCHEM	(3-Amino-7-methyl-thieno[2,3-b]quinolin-2-yl)-morpholin-4-yl-metha
Interactions	PUBCHEM	o-Cresyl phosphate
Interactions	PUBCHEM	4-fluoro-N-(4-piperidinophenyl)benzenecarboxamide
Interactions	PUBCHEM	2-(5-Butylpyridin-2-yl)-5-methylphenol
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-2-methylbenzamide
Interactions	PUBCHEM	2-(4-fluorophenyl)-5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-7(3H)-one
Interactions	PUBCHEM	3-fluoro-N-(imidazo[1,2-a]pyridin-2-ylmethyl)aniline
Interactions	PUBCHEM	N-(3-Acetylamino-phenyl)-2-[5-(4-chloro-phenyl)-1-furan-2-ylmethyl]
Interactions	PUBCHEM	1-Ethyl-6-methyl-3-thiophen-2-yl-1H-pyrimido[5,4-e][1,2,4]triazine-5,
Interactions	PUBCHEM	4-tert-butyl-N-(2-ethyltetrazol-5-yl)benzamide
Interactions	PUBCHEM	2-[3-(5,6-Dimethyl-1H-benzoimidazol-2-yl)-pyridin-2-ylsulfanyl]-N-fu
Interactions	PUBCHEM	Furan-2-ylmethyl-(5-methyl-2-p-tolyl-pyrazolo[1,5-a]pyrimidin-7-yl)-a
Interactions	PUBCHEM	4-methyl-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-1,3-thiazole-5-
Interactions	PUBCHEM	CID 6537489
Interactions	PUBCHEM	Cadmium acetate, dihydrate
Interactions	PUBCHEM	beta-D-Galactopyranoside, (2alpha,3beta,5alpha,15beta,25R)-2,15-(1-2)-O-(beta-D-xylopyranosyl-(1-3))-O-beta-D-glucopyranosyl-(1-4)-
Interactions	PUBCHEM	4-Amino-2-(5-ethyl-1,3-benzoxazol-2-yl)phenol
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-methylthieno[3,2-b]pyrrole-5-carboxamido
Interactions	PUBCHEM	1-Benzyl-3-chloro-4-(4-methyl-piperazin-1-yl)-pyrrole-2,5-dione
Interactions	PUBCHEM	N-[5-(2,2-Dimethyl-propionylamino)-pyridin-2-yl]-3-methoxy-benzam
Interactions	PUBCHEM	Norgestimate
Interactions	PUBCHEM	7-(4-Benzhydryl-piperazin-1-yl)-5,6-dimethyl-[1,2,4]triazolo[1,5-a]pyr
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-methylthieno[3,2-b]pyrrole-5-
Interactions	PUBCHEM	4-ethoxy-N-(2-ethyltetrazol-5-yl)benzamide

Main Category		Category
Interactions	PUBCHEM	Narasin
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)quinoxaline-6-carboxamide
Interactions	PUBCHEM	Sulconazole Nitrate
Interactions	PUBCHEM	N-[6-(furan-2-carbonylamino)pyridin-3-yl]pyridine-2-carboxamide
Interactions	PUBCHEM	2-[2-(3-Cyano-4,6-dimethyl-pyridin-2-ylsulfanyl)-acetylamino]-benza
Interactions	PUBCHEM	N-[3-chloro-4-(4-morpholinyl)phenyl]-2-furancarboxamide
Interactions	PUBCHEM	N-[4-(propanoylamino)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	methyl 1-(4-chlorophenyl)-2-cyano-4-(2-methoxy-2-oxoethyl)spiro[p
Interactions	PUBCHEM	N-(2-methylphenyl)-3-[3-(4-propan-2-ylphenyl)-1,2,4-oxadiazol-5-yl]p
Interactions	PUBCHEM	Ethyl {[[(3-cyano-4,6-dimethylpyridin-2-yl)sulfanyl]acetyl}carbamate
Interactions	PUBCHEM	Furan-2-carboxylic acid [5-(cyclohexanecarbonyl-amino)-pyridin-2-y
Interactions	PUBCHEM	N-(3-methoxyphenyl)-4-(morpholin-4-ylmethyl)benzamide
Interactions	PUBCHEM	1-(2-lmino-1,3-thiazino[3,2-a]benzimidazol-4-yl)cyclohexan-1-ol
Interactions	PUBCHEM	2-[5-(4'-Methoxy-biphenyl-4-yl)-tetrazol-2-yl]-1-morpholin-4-yl-ethan
Interactions	PUBCHEM	N-(benzo[d][1,3]dioxol-5-yl)-1-(benzo[d]thiazol-2-yl)piperidine-3-carb
Interactions	PUBCHEM	(3-Cyano-7-ethoxy-quinolin-2-ylsulfanyl)-acetic acid methyl ester
Interactions	PUBCHEM	2-[[[5-(4-chlorophenyl)-1-(2-methoxyethyl)-2-imidazolyl]thio]-N-(thio
Interactions	PUBCHEM	N-[4-(4-Methoxy-phenyl)-thiazol-2-yl]-N-(3-methoxy-propyl)-acetam
Interactions	PUBCHEM	N-(2-Methoxy-phenyl)-2-(5-p-tolyl-[1,3,4]oxadiazol-2-ylsulfanyl)-ace
Interactions	PUBCHEM	{2-[2-(5-p-Tolyl-[1,3,4]oxadiazol-2-ylsulfanyl)-acetylamino]-thiazol-4
Interactions	PUBCHEM	Bendamustine
Interactions	PUBCHEM	2-Methyl-4-oxazolo[4,5-b]pyridin-2-yl-phenylamine
Interactions	PUBCHEM	4-ethoxy-N-(6-methylpyridin-2-yl)benzamide
Interactions	PUBCHEM	(3-Cyano-7-methoxy-quinolin-2-ylsulfanyl)-acetic acid methyl ester
Interactions	PUBCHEM	Fluazuron
Interactions	PUBCHEM	Trilostane
Interactions	PUBCHEM	(4-Chlorophenyl)[3-(4-chlorophenyl)-7-iodo-2,5-dioxo-1,2,3,5-tetrahy
Interactions	PUBCHEM	Diethylstilbestrol Dipropionate
Interactions	PUBCHEM	Fludarabine
Interactions	PUBCHEM	6-Methyl-3-oxido-7-phenylpyrrolo[2,3-g][2,1,3]benzoxadiazol-3-ium
Interactions	PUBCHEM	N-phenylspiro[benzimidazole-2,1'-cyclohexan]-5-amine 1-oxide
Interactions	PUBCHEM	6-Methoxy-2-phenylimidazo[2,1-b][1,3]benzothiazole

Main Category		Category
Interactions	PUBCHEM	7-Methoxy-3-(4-methyl-1,3-thiazol-2-yl)chromen-4-one
Interactions	PUBCHEM	Pamicogrel
Interactions	PUBCHEM	5-(4-chlorophenyl)-N-(3,4,5,6-tetrahydro-2H-azepin-7-yl)-1,3,4-oxadiazole
Interactions	PUBCHEM	Thiophen-2-yl-(5-thiophen-2-ylthiophen-2-yl)methanone
Interactions	PUBCHEM	N-[(1-benzyl-1H-benzimidazol-2-yl)methyl]-1,2-dimethyl-1H-benzimidazole
Interactions	PUBCHEM	phenyl(2-thioxo[1,2,4]triazolo[1,5-a]pyridin-3(2H)-yl)methanone
Interactions	PUBCHEM	Lemildipine
Interactions	PUBCHEM	3,6-Di(2-pyridyl)pyridazine
Interactions	PUBCHEM	8-Methyl-2-phenylimidazo[1,2-a]pyridine
Interactions	PUBCHEM	(6Z)-6-[4-(3-fluoroanilino)-6-methyl-1H-pyrimidin-2-ylidene]cyclohex-1-en-1-ol
Interactions	PUBCHEM	1,1'-(1,3-Dimethyl-2-oxoimidazolidine-4,5-diyl)bis(3-isobutylurea)
Interactions	PUBCHEM	8-Hydroxy-17-piperidin-1-yl-18-oxa-15-azatetracyclo[8.8.0.02,7.011]octane
Interactions	PUBCHEM	N-((1E)-1-[(1S,5R)-6,6-dimethyl-3-oxobicyclo[3.1.0]hex-2-ylidene]ethyl)-2,3-dihydro-1H-benzimidazol-1-yl
Interactions	PUBCHEM	1-{2-imino-3-[2-(piperidin-1-yl)ethyl]-2,3-dihydro-1H-benzimidazol-1-yl}piperazine
Interactions	PUBCHEM	1-Cyclohexyl-4-{1-[1-(4-fluoro-benzyl)-1H-tetrazol-5-yl]-butyl}-piperazine
Interactions	PUBCHEM	5-(3-Chloro-4-methylphenyl)-3-pyridin-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	CID 6602755
Interactions	PUBCHEM	CID 6602984
Interactions	PUBCHEM	CID 6603194
Interactions	PUBCHEM	1-(4-Chloronaphthalen-1-yl)oxy-3-(4-pyridin-2-ylpiperazin-1-yl)propan-2-ol
Interactions	PUBCHEM	2-{3-[2-(2,4-dichlorophenoxy)ethyl]-2-imino-2,3-dihydro-1H-benzimidazol-1-yl}piperazine
Interactions	PUBCHEM	CID 6603392
Interactions	PUBCHEM	CID 6603402
Interactions	PUBCHEM	CID 6603455
Interactions	PUBCHEM	CID 6603514
Interactions	PUBCHEM	CID 6603523
Interactions	PUBCHEM	CID 6603585
Interactions	PUBCHEM	2-(4-Cyclohexyl-piperazin-1-yl)-N-(2-piperidin-1-yl-phenyl)-acetamide
Interactions	PUBCHEM	(1R,3S)-1-(Aminomethyl)-3,4-dihydro-3-tricyclo(3.3.1.13,7)dec-1-yl-urea
Interactions	PUBCHEM	Lopac-B-015
Interactions	PUBCHEM	N-[2-(4-Bromocinnamylamino)ethyl]-5-isoquinoline sulfonamide
Interactions	PUBCHEM	Lopac-B-1552

Main Category		Category
Interactions	PUBCHEM	Tocris-1304
Interactions	PUBCHEM	Tocris-1743
Interactions	PUBCHEM	Lopac-C-207
Interactions	PUBCHEM	Lopac-C-1671
Interactions	PUBCHEM	Lopac-C-3930
Interactions	PUBCHEM	Lopac-C-5134
Interactions	PUBCHEM	Lopac-E-100
Interactions	PUBCHEM	Lopac-I-8898
Interactions	PUBCHEM	Lopac-L-119
Interactions	PUBCHEM	Lopac-L-137
Interactions	PUBCHEM	Lopac-N-0287
Interactions	PUBCHEM	(+)-Nicardipine
Interactions	PUBCHEM	Clorotepine, (R)-
Interactions	PUBCHEM	4-((Z)-2-(3,5-Dihydroxyphenyl)Ethenyl)Benzene-1,2-Diol
Interactions	PUBCHEM	Lopac-P-0667
Interactions	PUBCHEM	Lopac-P-8139
Interactions	PUBCHEM	(S)-quinacrine
Interactions	PUBCHEM	(r)-Salmeterol
Interactions	PUBCHEM	Lopac-S-8688
Interactions	PUBCHEM	cis-Tranilast
Interactions	PUBCHEM	10-{2-[(2r)-1-Methylpiperidin-2-Yl]ethyl}-2-(Methylsulfanyl)-10h-Phe
Interactions	PUBCHEM	Lopac-T-9033
Interactions	PUBCHEM	Lopac-V-8879
Interactions	PUBCHEM	Lopac-G-3416
Interactions	PUBCHEM	Lopac-M-149
Interactions	PUBCHEM	Nitrofurantoin
Interactions	PUBCHEM	1-[N'-[6-[[amino-[[N'-[(2S)-2-ethylhexyl]carbamimidoyl]amino]methy
Interactions	PUBCHEM	(1R,4R,5'S,6R,6'S,8S,10Z,12S,13S,14Z,20R,21S,24S)-6'-[(2S)-butan-2-methyloxan-2-yl]oxy-4-methoxy-6-methyloxan-2-yl]oxy-5',11,13,22-tetraene-6,2'-oxane]-2-one
Interactions	PUBCHEM	CID 6604472
Interactions	PUBCHEM	(4S)-4-N-(6-chloro-2-methoxyacridin-9-yl)-1-N,1-N-diethylpentane-1
Interactions	PUBCHEM	Tocris-0474

Main Category		Category
Interactions	PUBCHEM	Tocris-0420
Interactions	PUBCHEM	Tocris-0513
Interactions	PUBCHEM	Tocris-0628
Interactions	PUBCHEM	D-erythro-Sphingosine, N-Acetyl
Interactions	PUBCHEM	Tocris-0754
Interactions	PUBCHEM	Tocris-0949
Interactions	PUBCHEM	Tocris-1147
Interactions	PUBCHEM	Tocris-1234
Interactions	PUBCHEM	Ciglitazone, (R)-
Interactions	PUBCHEM	Bisphenol-A-diglycidyl ether (BPA-GE)
Interactions	PUBCHEM	Tocris-1405
Interactions	PUBCHEM	Tocris-1410
Interactions	PUBCHEM	Tocris-1588
Interactions	PUBCHEM	Tocris-1628
Interactions	PUBCHEM	Tocris-1744
Interactions	PUBCHEM	(Z)-N-[(2R)-1-hydroxy-3-(4-hydroxyphenyl)propan-2-yl]octadec-9-en
Interactions	PUBCHEM	4-hydroxy-3,3-dimethyl-2H-benzo[g]indole-2,5(3H)-dione
Interactions	PUBCHEM	Tocris-1260
Interactions	PUBCHEM	Tocris-1634
Interactions	PUBCHEM	N-[2-(3,4-dimethoxyphenyl)ethyl]-N-methyl-3-[4-[(3-propan-2-yl-1H-imidazol-2-yl)methyl]phenyl]carbamate
Interactions	PUBCHEM	Thioridazine Hydrochloride
Interactions	PUBCHEM	10H-Phenothiazine-10-propanamine, N,N-dimethyl-2-(trifluoromethyl)-
Interactions	PUBCHEM	4-(3-Phenyltriazolo[4,5-d]pyrimidin-7-yl)morpholine
Interactions	PUBCHEM	2-(diethylamino)-2-oxoethyl N'-cyano-N-(2-fluorophenyl)carbami
Interactions	PUBCHEM	1-(4-methoxyphenyl)-N-propan-2-ylpyrazolo[3,4-d]pyrimidin-4-amin
Interactions	PUBCHEM	2,5-Di-t-pentyhydroquinone
Interactions	PUBCHEM	N-[2-[(1-methylbenzimidazol-2-yl)carbamoyl]phenyl]furan-2-carbox
Interactions	PUBCHEM	7,8-dimethoxy-2-(2-phenoxyethyl)phthalazin-1(2H)-one
Interactions	PUBCHEM	Tetrabromobisphenol A
Interactions	PUBCHEM	2,5-diphenyl-1H-[1,2,4]triazolo[1,5-a]pyrimidin-7-one
Interactions	PUBCHEM	3-(Furan-2-ylmethyl)-2-(4-methylphenyl)imidazo[4,5-b]quinoxaline
Interactions	PUBCHEM	Bisphenol C

Main Category		Category
Interactions	PUBCHEM	6-[4-(4-chlorophenyl)-5-methyl-1H-pyrazol-3-yl]-2,3-dimethoxyphenol
Interactions	PUBCHEM	N-(4-ethylphenyl)pyrazolo[1,5-a]pyridine-3-carboxamide
Interactions	PUBCHEM	N-[1,3-benzothiazol-2-ylimino-(1-oxopropylamino)methyl]propanamide
Interactions	PUBCHEM	3-Benzylsulfanyl-6-(furan-2-yl)pyridazine
Interactions	PUBCHEM	3-methoxy-N-[4-(4-methylpiperazin-1-yl)phenyl]naphthalene-2-carboxamide
Interactions	PUBCHEM	GlyTouCan:G36312YO
Interactions	PUBCHEM	Ethyl 4-(dimethylamino)-2-(3,5-dimethylpyrazol-1-yl)pyrimidine-5-carboxylate
Interactions	PUBCHEM	Ethyl 2-[6-bromo-4,5-dihydroxy-3-(4-methylbenzoyl)-1-benzofuran-7-yl]acetate
Interactions	PUBCHEM	4-((2-Fluorobenzyl)thio)benzofuro[3,2-d]pyrimidine
Interactions	PUBCHEM	N-(5-methyl-1,3-thiazol-2-yl)-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)sulfamoyl]pyrimidin-4-amine
Interactions	PUBCHEM	[4-(3,5-dimethylpyrazolyl)phenyl]-N-(2-pyridyl)carboxamide
Interactions	PUBCHEM	5-ethoxy-2-[4-(3-methoxyphenoxy)-1H-pyrazol-3-yl]phenol
Interactions	PUBCHEM	1-{4-[(4E)-[1]benzofuro[3,2-d]pyrimidin-4(3H)-ylideneamino]phenyl}ethanone
Interactions	PUBCHEM	2-(Azepan-1-yl)-6-(4-methoxyphenyl)pyrimidine-4-carboxamide
Interactions	PUBCHEM	Ethyl 4-[2-(2,4-dihydroxyphenyl)-2-oxoethoxy]benzoate
Interactions	PUBCHEM	Furan-2-yl-(2-sulfanylidene-[1,2,4]triazolo[1,5-a]pyridin-3-yl)methanone
Interactions	PUBCHEM	GlyTouCan:G80074GP
Interactions	PUBCHEM	1H-Benzimidazole, 2-(5-bromo-2-furanyl)-1-methyl-
Interactions	PUBCHEM	methyl N-[5-(2-chlorophenyl)-1,3,4-thiadiazol-2-yl]carbamate
Interactions	PUBCHEM	Xanthothricin
Interactions	PUBCHEM	N-[3-(1H-imidazol-1-yl)propyl]-5-methyl-3-phenylpyrazolo[1,5-a]pyrimidin-2-amine
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-(4-methylpiperidin-1-yl)methanone
Interactions	PUBCHEM	1-[2-Amino-4,5-bis(4-chlorophenyl)thiophene-3-carbonyl]piperidin-4-ylmethanone
Interactions	PUBCHEM	1-[2-Amino-4,5-bis(4-chlorophenyl)thiophene-3-carbonyl]piperidine
Interactions	PUBCHEM	1-[2-Amino-4,5-bis(4-chlorophenyl)thiophene-3-carbonyl]piperidin-2-ylmethanone
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-piperazin-1-ylmethanone
Interactions	PUBCHEM	2-amino-N-benzyl-4-(4-chlorophenyl)-5-phenylthiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4-(4-chlorophenyl)-N-cyclopropyl-5-phenylthiophene-3-carboxamide
Interactions	PUBCHEM	[2-Amino-4-(4-chlorophenyl)-5-phenylthiophen-3-yl]-pyrrolidin-1-ylmethanone
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-piperidin-1-ylmethanone
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-pyrrolidin-1-ylmethanone
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-morpholin-4-ylmethanone

Main Category		Category
Interactions	PUBCHEM	6-chloro-3-[3-(3-methylbutyl)-5-phenylimidazol-4-yl]-1H-indole
Interactions	PUBCHEM	3-[3-(4-tert-butylphenyl)-1,2,4-oxadiazol-5-yl]-N-methylpropanamide
Interactions	PUBCHEM	5-Methyl-3-phenyl-7-piperidin-1-ylpyrazolo[1,5-a]pyrimidine
Interactions	PUBCHEM	6-(3,4-dichlorophenyl)-3-(1,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-1H-indole
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]thiazino[4,3-a]benzimidazol-8-yl)furan-2-carboxamide
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazol-8-yl)benzamide
Interactions	PUBCHEM	1-[2-[Cyano-(4,6-dimethyl-2-pyrimidinyl)amino]-1-oxoethyl]-4-piperidinecarboxamide
Interactions	PUBCHEM	2-(2-((3-(4-Chlorophenyl)-5-methylpyrazolo[1,5-a]pyrimidin-7-yl)amino)ethyl)-1H-imidazole
Interactions	PUBCHEM	3-hydroxy-2-(pyridin-4-yl)-1H-inden-1-one
Interactions	PUBCHEM	4-[[1-Oxo-2-(3-oxo-2-thiomorpholinyl)ethyl]amino]benzoic acid ethyl ester
Interactions	PUBCHEM	4-[[[(2'S,3S,3'R,5'R)-6-chloro-3'-(3-chloro-2-fluorophenyl)-5'-(2,2-dimethoxybenzoyl)amino]-2-methyl-1H-imidazol-4-yl]methyl]benzoic acid
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]oxazino[4,3-a]benzimidazol-8-yl)furan-2-carboxamide
Interactions	PUBCHEM	2-Methyl-5-phenyl[1,2,4]triazolo[1,5-a]pyrimidin-7-ol
Interactions	PUBCHEM	(3S,4'R,6'S)-6'-[2-(1-acetylpiperidin-4-yl)oxy-5-iodophenyl]-6-chloro-2-methyl-1H-imidazole
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]thiazino[4,3-a]benzimidazol-8-yl)-4-methoxybenzamide
Interactions	PUBCHEM	5-Isopropyl-2-methyl-3-phenylpyrazolo[1,5-a]pyrimidin-7-ol
Interactions	PUBCHEM	Benzoic acid, 4-(2-(2,4-dihydroxyphenyl)-2-oxoethoxy)-, methyl ester
Interactions	PUBCHEM	3-(4-Chlorophenyl)-5-methyl-7-(piperidin-1-yl)pyrazolo[1,5-a]pyrimidin-2-amine
Interactions	PUBCHEM	1-methyl-N-(1-propylbenzimidazol-2-yl)benzimidazol-2-amine
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]thiazino[4,3-a]benzimidazol-8-yl)-2-methoxybenzamide
Interactions	PUBCHEM	2-[(1H-benzimidazol-2-ylmethyl)sulfanyl]-6,7-dihydro-5H-cyclopenta[b]pyridine
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]thiazino[4,3-a]benzimidazol-8-yl)benzamide
Interactions	PUBCHEM	1-benzyl-2-(4-ethylpiperazine-1-carbonyl)pyrido[1,2-a]pyrrolo[2,3-d]pyrimidin-5-amine
Interactions	PUBCHEM	3-(4-methoxyphenyl)-7-(1H-tetrazol-5-ylmethoxy)-2H-chromen-2-one
Interactions	PUBCHEM	N-(3,4-dihydro-1H-[1,4]thiazino[4,3-a]benzimidazol-8-yl)-4-methylbenzamide
Interactions	PUBCHEM	2-(3-bicyclo[2.2.1]heptanyl)-1-(6,7-dimethoxy-3,4-dihydro-1H-isoquinolin-2-yl)-1H-imidazole
Interactions	PUBCHEM	Chlorprothixene, (E)-
Interactions	PUBCHEM	Dienestrol
Interactions	PUBCHEM	6-Mercaptopurine
Interactions	PUBCHEM	5-Chlorobenzotriazole
Interactions	PUBCHEM	7-Methyl-2-(4-methylphenyl)imidazo[1,2-a]pyridine
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-3-methoxybenzamide

Main Category		Category
Interactions	PUBCHEM	4-methoxy-N-(5-methyl-1,2-oxazol-3-yl)benzamide
Interactions	PUBCHEM	N-(6-methanesulfonyl-1,3-benzothiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	4-ethoxy-N-(5-methyl-1,2-oxazol-3-yl)benzamide
Interactions	PUBCHEM	(3aR,7aS)-3a,7a-dimethylhexahydro-4,7-epoxy-2-benzofuran-1,3-dione
Interactions	PUBCHEM	1-(4-Amino-2-methylquinolin-3-yl)ethanone
Interactions	PUBCHEM	Quinoline Yellow
Interactions	PUBCHEM	N-(5-chloropyridin-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	Nvp-cfc218
Interactions	PUBCHEM	7-[(2R)-butan-2-yl]oxy-1-(4-chlorophenyl)-6-methoxy-2-[4-[methyl(piperidin-2-yl)oxy]phenyl]propan-1-one
Interactions	PUBCHEM	(1S)-1-(4-chlorophenyl)-6-methoxy-2-[4-[methyl-[[4-(4-oxoimidazolin-2-yl)-1,2,3,4-tetrahydro-1H-pyridin-6-yl]oxy]phenyl]propan-1-one
Interactions	PUBCHEM	3-Bromophenyl 5-hydroxybenzo[b]furan-3-yl ketone
Interactions	PUBCHEM	(5-Hydroxybenzofuran-3-yl)(thiophen-2-yl)methanone
Interactions	PUBCHEM	11H-Indeno[1,2-b]quinoline
Interactions	PUBCHEM	N-[4-(diethylamino)phenyl]-2-furancarboxamide
Interactions	PUBCHEM	2-[(5-methyl-2-furoyl)amino]-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene
Interactions	PUBCHEM	Rotenone
Interactions	PUBCHEM	N-[2-(cyclohexen-1-yl)ethyl]-4-nitrobenzamide
Interactions	PUBCHEM	2-(2,4-Dichlorophenyl)-5-(4-fluorophenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	6-Thioinosine
Interactions	PUBCHEM	2',3'-Dihydroxyflavone
Interactions	PUBCHEM	6-Hydroxy-3'-methoxyflavone
Interactions	PUBCHEM	6-Hydroxy-7-methoxyflavone
Interactions	PUBCHEM	3-(2-Hydroxyphenyl)benzo[f]chromen-1-one
Interactions	PUBCHEM	4'-Hydroxy-5-methoxyflavone
Interactions	PUBCHEM	4'-Hydroxy-6-methoxyflavone
Interactions	PUBCHEM	7,8,3'-Trihydroxyflavone
Interactions	PUBCHEM	4,7-Phenanthroline-5,6-dione
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-[(1-methyl-1H-imidazol-2-yl)sulfanyl]acetamide
Interactions	PUBCHEM	5-Bromo-7-(1-piperidinylmethyl)-8-quinolinol
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2,2-dimethyl-1,3-dioxolane-5-carbonyl]pyrrolidine
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxopyrrolidine-1-carbonyl]pyrrolidine
Interactions	PUBCHEM	(S)-tert-butyl 2-((3R,5R,6S)-3-((1H-tetrazol-5-yl)methyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxopyrrolidine-1-carbonyl)pyrrolidine-1-carboxylate

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chloro-5-fluorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((2S,3S)-2-hydroxy-3-methylbutan-1-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-ethyl-2-oxo-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(2,2-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(cyclopropylmethyl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(3,3-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-[(5-chloro-2-oxopiperidin-3-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-ethyl-1-(1-ethyl-1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((2S,3R)-2-hydroxy-3-methylbutan-1-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-[(2S)-1-(1,1-dimethyl-2-oxo-1,2,3,4-tetrahydro-1H-benzodioxol-5-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[(2-chloro-2-oxopiperidin-3-yl)]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-5-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[(1S)-1-cyclopropyl]acetic acid
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-cyanopent-1-en-1-yl)]acetic acid

Main Category		Category
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-((S)yl)acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(cyclopropylme
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((S)-2-(cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1[cyclo dihydroxypropyl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopyl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-6-hydro
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo
Interactions	PUBCHEM	1-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopyl]cyclopropane-1-carboxylic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-(5-cyano-5-m
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1[cyclo hydroxyethyl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(1S)-2-(2-chloro-4-fluorophenyl)sulfonyl-1-cycloprop acid
Interactions	PUBCHEM	{(3r,5r,6s)-5-(3-Chlorophenyl)-6-(4-Chlorophenyl)-1-[(1s)-1-Cyclopro
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(1S)-2-tert-butylsulfonyl-1-cyclopropylethyl]-5-(3-ch
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclo
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo

Main Category		Category
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(cyclopropyl)ethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(cyclopropyl)ethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	[(3r,5r,6s)-1-[(2s)-1-(Tert-Butylsulfonyl)butan-2-Yl]-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-(cyclopropyl)ethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-2-oxo-1-[(3S)-1-methyl-2-oxobutan-2-yl]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chloro-5-fluorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(cyclopropyl)ethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-1-methyl-2-oxobutan-2-yl]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-[(2R)-butan-2-yl]sulfonylbutan-2-yl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(cyclopropyl)ethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	(3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-cyclopropylethoxy)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(1S)-2-(azetidin-1-ylsulfonyl)-1-cyclopropylethyl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-((3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-(N-methyl-2-oxobutan-2-yl)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-1-[(2S)-1-tert-butylsulfonyl-3-methylbutan-2-yl]-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropylethoxy]butan-2-yl]acetic acid
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclopropyl]dihydroxypropyl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-(cyclopropylethoxy)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-2-(2-chloroethyl)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxobutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(2-hydroxyethyl)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-3,3-dimethylbutan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[1-[cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[1-[cyclopropylethoxy]butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[(4-cyclopropylethoxy)butan-2-yl]acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-cyclopropylethoxy]butan-2-yl]acetamide

Main Category		Category
Interactions	PUBCHEM	2-((3R,5R,6S)-1-((S)-2-(tert-Butylsulfonyl)-1-cyclopropylethyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-Chlorophenyl)-6-(4-chlorophenyl)-1-((S)-1-cyclopropylethyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-[(2S)-1-(1,1-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(2,2-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-cyclopropylethyl)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-(1,1-dimethyl-2-oxo-2-(phenylamino)ethyl)-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-ethyl-1H-pyrazol-5-yl]phenyl)acetamide
Interactions	PUBCHEM	ethyl N-[2-(4-methylanilino)-1,3-benzodioxol-2-yl]carbamate
Interactions	PUBCHEM	2-Ethylhexyl butyl phthalate
Interactions	PUBCHEM	Dopamine
Interactions	PUBCHEM	9,10-Dibromoanthracene
Interactions	PUBCHEM	2,6-Dimethoxy-1,4-Benzoquinone
Interactions	PUBCHEM	6-Chloro-2-(2,3-dihydro-1,4-benzodioxin-6-yl)chromen-4-one
Interactions	PUBCHEM	Nebularine
Interactions	PUBCHEM	2,5-Dimethyl-3,6-diphenylpyrazolo[1,5-a]pyrimidin-7-amine
Interactions	PUBCHEM	5-Methyl-2,6-diphenylpyrazolo[1,5-a]pyrimidin-7-amine
Interactions	PUBCHEM	Fluorescent Brightener 220
Interactions	PUBCHEM	Nitroscanate
Interactions	PUBCHEM	alpha-Estradiol
Interactions	PUBCHEM	Dimethyl gambogate
Interactions	PUBCHEM	Dihydrogambogic acid
Interactions	PUBCHEM	N-(4-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)acetamide
Interactions	PUBCHEM	Econazole Nitrate
Interactions	PUBCHEM	N'-[(1E,2E)-2-chloro-3-phenylprop-2-en-1-ylidene]pyrazine-2-carboxamide
Interactions	PUBCHEM	Thiophen-2-yl-acetic acid (3-furan-2-yl-allylidene)-hydrazide
Interactions	PUBCHEM	Damc
Interactions	PUBCHEM	7-Amino-4-hydroxy-2-naphthalenesulfonic acid
Interactions	PUBCHEM	2-chloro-N-(3,4-dimethylphenyl)-3-phenylacrylamide
Interactions	PUBCHEM	4-methoxy-N-(3-methoxyphenyl)benzamide
Interactions	PUBCHEM	N-isopropyl-4,5,6,7-tetrahydro-1-benzothiophene-2-carboxamide
Interactions	PUBCHEM	ethyl (4R,5S)-3-(4-acetylpiperazine-1-carbonyl)-4,5-bis(4-chlorophenyl)-5-oxobutanoate
Interactions	PUBCHEM	5-ethyl-N'-(1-naphthylmethylene)-2-pyridinecarbohydrazide

Main Category		Category
Interactions	PUBCHEM	(5R,6S)-5,6-Bis(4-chlorophenyl)-2-[[((2S)-2-[[[(3R,5S)-3,5-dimethylpiperidin-2-ylideneamino]methyl]phenyl]amino)methyl]thiazole
Interactions	PUBCHEM	4-({4-[(E)-(hydroxyimino)methyl]-2-methoxyphenoxy}methyl)benzoic acid
Interactions	PUBCHEM	2-Hydroxyphenyl 1-phenyl-1H-pyrazol-4-yl ketone
Interactions	PUBCHEM	1-(4-Amino-furazan-3-yl)-5-(4,5-dihydro-thiazol-2-yl)sulfanylmethyl)-1H-imidazole
Interactions	PUBCHEM	Dihydropipltartine
Interactions	PUBCHEM	Quinocide
Interactions	PUBCHEM	Bithionol sulfoxide
Interactions	PUBCHEM	2-methoxy-N-(2-pyridinyl)benzamide
Interactions	PUBCHEM	(Benzalamino)-benzo[cd]indol-2-yl-amine
Interactions	PUBCHEM	4-(1-indazolyliminomethyl)-N,N-dimethylaniline
Interactions	PUBCHEM	Methyl-[4-methyl-3-(piperonylideneamino)-4-thiazolin-2-ylidene]ammonium chloride
Interactions	PUBCHEM	4-(diethylamino)-N-(3-fluorophenyl)benzamide
Interactions	PUBCHEM	N-[(E)-[3-(1-benzofuran-2-yl)-1-phenylpyrazol-4-yl]methylideneamino]benzamide
Interactions	PUBCHEM	Ci-1040
Interactions	PUBCHEM	Aplaviroc Hydrochloride
Interactions	PUBCHEM	2-(4-Ethoxyphenyl)-5-(2-furanyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	4-Nitro-3-trifluoromethylphenol
Interactions	PUBCHEM	4-{{2-[(4-Chlorophenyl)quinazolin-4-yl]amino}phenol
Interactions	PUBCHEM	Ethyl 4-chloroacetoacetate
Interactions	PUBCHEM	2-(pyridin-4-yl)-1H-indene-1,3(2H)-dione
Interactions	PUBCHEM	N-(6-methanesulfonyl-1,3-benzothiazol-2-yl)furan-2-carboxamide
Interactions	PUBCHEM	Dinoseb
Interactions	PUBCHEM	Phthalamide
Interactions	PUBCHEM	2-[5-(3,4-Dichlorophenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	4,5-Diphenylimidazole
Interactions	PUBCHEM	(6-Ethoxy-2-methyl(4-quinolyl))(2-ethoxyphenyl)amine
Interactions	PUBCHEM	Diphenyl isophthalate
Interactions	PUBCHEM	2-[5-(2-chlorophenyl)-1H-pyrazol-3-yl]-5-methylphenol
Interactions	PUBCHEM	(6As)-2,9,10-trimethoxy-6-methyl-5,6,6a,7-tetrahydro-4H-dibenzo[de]pyrido[3,2-b]pyrazine
Interactions	PUBCHEM	3-Pyridin-2-yl-5-thiophen-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	2-[3-(4-chlorophenyl)-1H-pyrazol-5-yl]phenol
Interactions	PUBCHEM	N-(4,5-dimethylthiophen-2-yl)furan-2-carboxamide

Main Category		Category
Interactions	PUBCHEM	1-Chloro-2,4-Dinitrobenzene
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-2-methoxybenzamide
Interactions	PUBCHEM	4-{5-[(2,4-Dichlorophenoxy)methyl]-1,2,4-oxadiazol-3-yl}pyridine
Interactions	PUBCHEM	3-(1,3-Benzothiazol-2-ylsulfanyl)-1-benzothiophene 1,1-dioxide
Interactions	PUBCHEM	N-[4-(dimethylsulfamoyl)phenyl]pyridine-2-carboxamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2,5-dimethyl-3-furamide
Interactions	PUBCHEM	Piperazinone, 3-(2-(4-methylphenyl)-2-oxoethylidene)-
Interactions	PUBCHEM	4,4'-Bis(dimethylamino)benzophenone
Interactions	PUBCHEM	4-(Benzofuran-2-carboxamido)benzoic acid
Interactions	PUBCHEM	4-N,4-N-dimethyl-1-N-(4-pyridin-3-yl-1,3-thiazol-2-yl)benzene-1,4-dia
Interactions	PUBCHEM	N-(4-(pyridin-3-yl)thiazol-2-yl)pyridin-2-amine
Interactions	PUBCHEM	4-Methyl-7-diethylaminocoumarin
Interactions	PUBCHEM	ethyl 2,4-dimethyl-5-[(phenylsulfanyl)acetyl]-1H-pyrrole-3-carboxyla
Interactions	PUBCHEM	Ethyl 1-(1-acetyl-2,3-dihydroindol-5-yl)-4-hydroxypyrazole-3-carboxy
Interactions	PUBCHEM	Methyl 4-hydroxy-1-(4-phenylphenyl)pyrazole-3-carboxylate
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-2-oxo-1-[
Interactions	PUBCHEM	2-[(3R,5R)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(3S)-2-(cyclopro
Interactions	PUBCHEM	2-[(3S,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[1-[cycloprop
Interactions	PUBCHEM	oxopiperidin-3-yl]acetamide
Interactions	PUBCHEM	N-(4-chlorophenyl)-2-(2-fluorophenyl)-6-methylimidazo[1,2-a]pyridin
Interactions	PUBCHEM	3-[9,11-bis(4-bromophenyl)-8-oxa-12,13,15,17-tetrazatetracyclo[8.7
Interactions	PUBCHEM	amine;2,2,2-trifluoroacetic acid
Interactions	PUBCHEM	4-[[5-[(4-Chlorophenyl)methyl]-1-[(4-methoxyphenyl)methyl]-2-meth
Interactions	PUBCHEM	3,3'-Dichlorobenzidine
Interactions	PUBCHEM	(Z)-2-(4-Cyclopropyl-thiazol-2-yl)-3-(2-nitro-phenyl)-acrylonitrile
Interactions	PUBCHEM	Tolonium chloride
Interactions	PUBCHEM	2,2':6',2"-Terpyridine
Interactions	PUBCHEM	N-(4-ethoxyphenyl)furan-2-carboxamide
Interactions	PUBCHEM	3-[[6-chloranyl-3-[3-[(1
Interactions	PUBCHEM	N-tert-butyl-1-phenyl-4-pyrazolo[3,4-d]pyrimidinamine
Interactions	PUBCHEM	2-(3-ethoxyphenyl)-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	2-(4-fluorophenyl)-N-(2-(2-(4-(trifluoromethyl)phenyl)thiazol-4-yl)et
Interactions	PUBCHEM	2-(2,4-Dichlorophenyl)-5-[(3-isoxazolylmethyl)thio]-1,3,4-oxadiazole

Main Category		Category
Interactions	PUBCHEM	(-)-Eburnamonine
Interactions	PUBCHEM	6-phenyl-5,6-dihydro-4H-[1,3]thiazolo[4,5-e]indazol-2-amine
Interactions	PUBCHEM	(E)-N-(4-acetylphenyl)-3-(5-methylfuran-2-yl)prop-2-enamide
Interactions	PUBCHEM	2-{[(2E)-3-(5-methylfuran-2-yl)prop-2-enoyl]amino}benzamide
Interactions	PUBCHEM	(5-Amino-3-methyl-4-phenylpyrazol-1-yl)(benzo[1,3]dioxol-5-yl)meth
Interactions	PUBCHEM	Masoprocol
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-butoxy-1-(3-imidazol-1-ylpropyl)-2H
Interactions	PUBCHEM	4-amino-3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-2H
Interactions	PUBCHEM	3-benzoyl-4-(benzylamino)-2-(4-bromophenyl)-1-(3-imidazol-1-ylpro
Interactions	PUBCHEM	(2R)-3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-[[1R)
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-(4-fluoroanilino)-1-(3-imidazol-1-ylp
Interactions	PUBCHEM	(4Z)-5-(4-bromophenyl)-4-[hydroxy-(4-iodophenyl)methylidene]-1-(3
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-propan-2-y
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-pentoxy-2
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-(4-methyla
Interactions	PUBCHEM	(4Z)-5-(4-bromophenyl)-4-[hydroxy-(4-nitrophenyl)methylidene]-1-(3
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-cyclohexyloxy-1-(3-imidazol-1-ylpro
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-(2-methox
Interactions	PUBCHEM	3-benzoyl-4-(2-bromoanilino)-2-(4-bromophenyl)-1-(3-imidazol-1-ylp
Interactions	PUBCHEM	4-anilino-3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-2H
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-(4-iodoani
Interactions	PUBCHEM	3-benzoyl-4-(3-bromoanilino)-2-(4-bromophenyl)-1-(3-imidazol-1-ylp
Interactions	PUBCHEM	(4Z)-4-[hydroxy(phenyl)methylidene]-1-(3-imidazol-1-ylpropyl)-5-[4-
Interactions	PUBCHEM	(4Z)-5-(4-bromophenyl)-4-[(4-fluorophenyl)-hydroxymethylidene]-1-
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-ethoxy-1-(3-imidazol-1-ylpropyl)-2H
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-propoxy-2
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-(4-ethoxyanilino)-1-(3-imidazol-1-ylp
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-4-(4-chloroanilino)-1-(3-imidazol-1-ylp
Interactions	PUBCHEM	(4E)-4-[hydroxy-(4-methoxyphenyl)methylidene]-5-(4-methylphenyl)
Interactions	PUBCHEM	(4Z)-5-(2-bromophenyl)-4-[hydroxy(phenyl)methylidene]-1-(3-imida
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-phenylme
Interactions	PUBCHEM	3-benzoyl-2-(4-bromophenyl)-1-(3-imidazol-1-ylpropyl)-4-[4-(trifluor

Main Category		Category
Interactions	PUBCHEM	(4Z)-5-(3,5-dimethylphenyl)-4-[hydroxy(phenyl)methylidene]-1-(3-imidazol-1-yl)-1,3-benzoxazin-2-one
Interactions	PUBCHEM	3-benzoyl-4-(4-bromoanilino)-2-(4-bromophenyl)-1-(3-imidazol-1-yl)-1,3-benzoxazin-2-one
Interactions	PUBCHEM	2-(4-ethoxyphenyl)-4H-3,1-benzoxazin-4-one
Interactions	PUBCHEM	N-(2-chlorophenyl)-1,3-benzoxazol-2-amine
Interactions	PUBCHEM	2-[[1-(4-Methoxyphenyl)pyrazolo[3,4-d]pyrimidin-4-yl]amino]-2-methyl-1,3-benzoxazin-4-one
Interactions	PUBCHEM	(1S,2R,6S,7R,9R)-9-hydroxy-4,6-bis(4-hydroxyphenyl)-9,11-dimethyl-1,3-benzoxazin-2-one
Interactions	PUBCHEM	N-(1,3-Benzothiazol-2-yl)-2-({1-[(4-chlorophenyl)methyl]-1H-imidazol-2-yl}methyl)-1,3-benzoxazin-2-one
Interactions	PUBCHEM	N-(3-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)-2,3-dimethoxybenzamide
Interactions	PUBCHEM	N-(3-(imidazo[2,1-b]thiazol-6-yl)phenyl)-3,4-dimethoxybenzamide
Interactions	PUBCHEM	2-fluoro-N-(3-{3-methylimidazo[2,1-b][1,3]thiazol-6-yl}phenyl)benzamide
Interactions	PUBCHEM	2-[1-(benzenesulfonyl)pyrrol-3-yl]-3-[(3,4,5-trimethoxyphenyl)methyl]thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclopentylthiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-(4-hydroxycyclohexyl)thiophene-3-carboxamide
Interactions	PUBCHEM	[2-Amino-4,5-bis(4-chlorophenyl)thiophen-3-yl]-(4-methylpiperazin-1-yl)methanone
Interactions	PUBCHEM	2-amino-N-butyl-4,5-bis(4-chlorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-(2-methylpropyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-N-tert-butyl-4,5-bis(4-chlorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-N-benzyl-4,5-bis(4-chlorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-[(4-methoxyphenyl)methyl]thiophene-3-carboxamide
Interactions	PUBCHEM	N-[4,5-bis(4-chlorophenyl)-3-(piperidine-1-carbonyl)thiophen-2-yl]acetamide
Interactions	PUBCHEM	[2-Amino-4-(4-chlorophenyl)-5-phenylthiophen-3-yl]-morpholin-4-ylmethanone
Interactions	PUBCHEM	2-amino-4-(4-chlorophenyl)-N-cyclopropyl-5-(4-fluorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	[2-Amino-4-(4-chlorophenyl)-5-(4-fluorophenyl)thiophen-3-yl]-pyrrolidin-2-ylmethanone
Interactions	PUBCHEM	[2-Amino-4-(4-chlorophenyl)-5-(4-fluorophenyl)thiophen-3-yl]-morpholin-4-ylmethanone
Interactions	PUBCHEM	2-amino-N-benzyl-4-(4-chlorophenyl)-5-(4-fluorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-5-(4-bromophenyl)-4-(4-chlorophenyl)-N-cyclopropylthiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-5-(4-bromophenyl)-4-(4-chlorophenyl)-N-cyclohexylthiophene-3-carboxamide
Interactions	PUBCHEM	[2-Amino-5-(4-bromophenyl)-4-(4-chlorophenyl)thiophen-3-yl]-pyrrolidin-2-ylmethanone
Interactions	PUBCHEM	[2-Amino-5-(4-bromophenyl)-4-(4-chlorophenyl)thiophen-3-yl]-morpholin-4-ylmethanone
Interactions	PUBCHEM	2-amino-N-benzyl-5-(4-bromophenyl)-4-(4-chlorophenyl)thiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclopropylthiophene-3-carboxamide
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclopentylthiophene-3-carboxamide

Main Category		Category
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclohexylthiophene-3-carbothio
Interactions	PUBCHEM	2-amino-N-tert-butyl-4,5-bis(4-chlorophenyl)thiophene-3-carbothio
Interactions	PUBCHEM	ethyl 2-amino-4,5-bis(4-chlorophenyl)-1H-pyrrole-3-carboxylate
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclopropyl-1H-pyrrole-3-carbox
Interactions	PUBCHEM	2-amino-4,5-bis(4-chlorophenyl)-N-cyclobutylthiophene-3-carboxar
Interactions	PUBCHEM	5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[2,1-b][1
Interactions	PUBCHEM	5,6-bis(4-chlorophenyl)-N,N,6-trimethyl-3-propan-2-yl-5H-imidazo[2
Interactions	PUBCHEM	(2S)-1-[5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5H-imidazo[
Interactions	PUBCHEM	5,6-bis(4-chlorophenyl)-N,6-dimethyl-3-propan-2-yl-5H-imidazo[2,1-
Interactions	PUBCHEM	(2S,5S)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5
Interactions	PUBCHEM	(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5
Interactions	PUBCHEM	1-[4-[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2
Interactions	PUBCHEM	Enocitabine
Interactions	PUBCHEM	N-(5-methyl-3-isoxazolyl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	3-(5-Bromofuran-2-yl)-5-(2-methoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	3-(5-Bromofuran-2-yl)-5-(3-methoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	Hydrastinine Hydrochloride
Interactions	PUBCHEM	N-(6-ethoxy-1,3-benzothiazol-2-yl)benzamide
Interactions	PUBCHEM	Methyl 4-(3-thiophen-2-yl-1,2,4-oxadiazol-5-yl)benzoate
Interactions	PUBCHEM	3-(benzenesulfonyl)-N-(2-methyl-1,3-benzothiazol-5-yl)propanamid
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-3-methoxybenzamide
Interactions	PUBCHEM	Efaroxan
Interactions	PUBCHEM	3-chloro-N-(5-methyl-1,3,4-thiadiazol-2-yl)-1-benzothiophene-2-carb
Interactions	PUBCHEM	[1-(4-Fluorophenyl)pyrazolo[4,5-e]pyrimidin-4-yl](3-methoxypropyl)a
Interactions	PUBCHEM	N-cyclohexyl-N-ethyl-1-(4-methylphenyl)-1H-pyrazolo[3,4-d]pyrimid
Interactions	PUBCHEM	2-(2-Bromophenyl)-5-benzoxazoline
Interactions	PUBCHEM	5-Amino-2-(p-tolyl)-2h-benzotriazole
Interactions	PUBCHEM	Tioxidazole
Interactions	PUBCHEM	N-{2-[2-(3-Fluorophenyl)-1,3-thiazol-4-YL]ethyl}-4-methylbenzene-1-
Interactions	PUBCHEM	N-(3-methoxyphenyl)-1-methyl-2-(2-morpholin-4-yl-2-oxoethyl)sulfa

Main Category		Category
Interactions	PUBCHEM	2-(4-Methylphenyl)-1,3-benzoxazol-5-amine
Interactions	PUBCHEM	2-[3-[(6S)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-p
Interactions	PUBCHEM	Sgc-cbp30
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-[2-methoxy-5-(mo
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2-hydroxyphenyl)
Interactions	PUBCHEM	6-(4-chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-2-(2-meth
Interactions	PUBCHEM	3-[6-(4-chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-4-oxo-1
Interactions	PUBCHEM	3-[(6S)-6-(4-chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-4-o
Interactions	PUBCHEM	3-[(6R)-6-(4-chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-4-o
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-[2-m
Interactions	PUBCHEM	3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-o
Interactions	PUBCHEM	3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-o methoxy-benzamide
Interactions	PUBCHEM	3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxyph
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-
Interactions	PUBCHEM	4-[5-(3-chloro-4-fluorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-oxo
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-2-fluorophenyl)-
Interactions	PUBCHEM	4-[5-(3-Chloro-2-fluoro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-is
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-2-methylphenyl)
Interactions	PUBCHEM	4-[5-(5-chloro-2-methylphenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-ox
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxy-p
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phe
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[2-meth
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-di
Interactions	PUBCHEM	3-[5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-4-oxo
Interactions	PUBCHEM	3-[5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-4-oxo
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-3-p
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[2-(dim
Interactions	PUBCHEM	3-[5-(3-Chloro-4-fluoro-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-ox
Interactions	PUBCHEM	5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyri
Interactions	PUBCHEM	5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-[2-methoxy-5-(mor
Interactions	PUBCHEM	3-[5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-

Main Category		Category
Interactions	PUBCHEM	5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-2-[2-(dimethylamino-4-methoxyphenyl)-5-methoxyphenyl]-5-methoxyphenyl
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	{3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl}-acetic acid
Interactions	PUBCHEM	3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-5-(trans-4-hydroxy-cyclohexyl)-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	3-[6-(4-chlorophenyl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	3-[6-(4-chlorophenyl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	3-[6-(4-chlorophenyl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-6-(4-chlorophenyl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-methoxyphenyl
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5-(tetrahydro-2H-pyridin-2-yl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	3-[6-(4-chlorophenyl)-5-(oxan-4-yl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(oxan-4-yl)-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-methoxyphenyl
Interactions	PUBCHEM	2-{3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl}-acetic acid
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-methoxyphenyl
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(3-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-3-fluoro-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	{3-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-acetic acid
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-methoxyphenyl
Interactions	PUBCHEM	(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	5-(3-Chloro-2-fluoro-phenyl)-6-(4-chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	3-[5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl]-5-methoxyphenyl
Interactions	PUBCHEM	5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-2-(5-fluoro-2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2-methoxy-5-methyl-phenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridin-3-yl
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxyphenyl]-5-methoxyphenyl]-acetic acid

Main Category		Category
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)]-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-2-[5-(hydroxymethyl)-2-(2-methoxy-3-pyridin-5-yl)]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-2-(2-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-2-(4-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-[(6S)-5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-[(6R)-5-(3-chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	4-[2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(oxan-4-yl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-[5-(hydroxymethyl)-2-(2-methoxy-3-pyridin-5-yl)]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(4-methoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	4-[(6R)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	4-[2-(2,4-Dimethoxy-pyrimidin-5-yl)-5-(trans-4-hydroxy-cyclohexyl)-1-isopropyl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(4-methoxypyrimidin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-[5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-4-oxo-1-propan-2-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2,6-dimethoxy-3-pyridin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	4-[2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-hydroxycyclohex-1-en-1-yl)]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(2,5-dimethylpyrazol-4-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	6-(4-chlorophenyl)-5-(1,3-dimethylpyrazol-4-yl)-2-(2-methoxy-5-methylpyrazol-4-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	(6S)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	(R)-5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	2-(2-Amino-4-methoxy-pyrimidin-5-yl)-5-(5-chloro-2-methyl-phenyl)-6-(4-chlorophenyl)-2-(2-methoxy-5-methylpyrazol-4-yl)-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-[4-methoxy-2-(methoxymethyl)-5-pyridinyl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-hydroxycyclohex-1-en-1-yl)
Interactions	PUBCHEM	3-(1,3-Dibenzylimidazolidin-2-yl)pyridine
Interactions	PUBCHEM	Quinoline, 2-(2-benzoxazolyl)-

Main Category		Category
Interactions	PUBCHEM	O-Phenylenediamine
Interactions	PUBCHEM	N-[5-(2,4-dimethylphenyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1,4-benz
Interactions	PUBCHEM	D-Amethopterin
Interactions	PUBCHEM	N-[5-(2,5-dimethylphenyl)-1,3,4-oxadiazol-2-yl]-2,3-dihydro-1,4-benz
Interactions	PUBCHEM	1-{1-phenyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl}piperidine
Interactions	PUBCHEM	N-(3-methylphenyl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-(4-methoxyphenyl)-2-benzofurancarboxamide
Interactions	PUBCHEM	Cambridge id 6974185
Interactions	PUBCHEM	4-Chloro-o-phenylenediamine
Interactions	PUBCHEM	5-chloro-7-(3,4-dihydro-1H-isoquinolin-2-ylmethyl)quinolin-8-ol
Interactions	PUBCHEM	2-Amino-4-chlorophenol
Interactions	PUBCHEM	1-[6-(4-Ethoxyphenyl)-5-propanoyl-5H-[1,2,4]triazolo[3,4-B][1,3,4]thia
Interactions	PUBCHEM	1,1'-[6-(4-tert-butylphenyl)-3-ethyl-5H-[1,2,4]triazolo[3,4-b][1,3,4]thia
Interactions	PUBCHEM	2-(1,3-Benzothiazol-2-yl)phthalazin-1-one
Interactions	PUBCHEM	N-(3-Chlorophenyl)-N'-(4-methyl-1,3-thiazol-2-YL)urea
Interactions	PUBCHEM	5-bromo-N-(2,3-dihydro-1,4-benzodioxin-6-yl)pyridine-3-carboxamido
Interactions	PUBCHEM	2-(4-Cyclopropanecarbonylpiperazin-1-YL)-5,7-dimethyl-1,3-benzot
Interactions	PUBCHEM	1-[4-(4,7-Dimethoxy-1,3-benzothiazol-2-yl)piperazin-1-yl]-2,2-dimeth
Interactions	PUBCHEM	(2S)-2-(4-chlorophenyl)-2-[(3R)-3-(4-chlorophenyl)-7-iodo-2,5-dioxo
Interactions	PUBCHEM	N-(2,6-dimethoxypyrimidin-4-yl)-4-methoxybenzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-methoxybenzamide
Interactions	PUBCHEM	Tetrandrine
Interactions	PUBCHEM	4-Hydroxy-6-methyl-2-phenylquinoline
Interactions	PUBCHEM	Santonox
Interactions	PUBCHEM	p-N-(7-Amino-1-chloro-2-oxohept-3-yl)toluenesulphonamide
Interactions	PUBCHEM	N-[4-(propan-2-yloxy)phenyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	N-1,3-benzodioxol-5-yl-3-methyl-2-butenamide
Interactions	PUBCHEM	N-(3,4-dimethylphenyl)-1H-benzo[d]imidazole-5-carboxamide
Interactions	PUBCHEM	N-[4-(2-methyl-1,3-thiazol-4-yl)phenyl]-2-thiophenecarboxamide
Interactions	PUBCHEM	N-(4-piperidin-1-ylphenyl)benzamide
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-(3-methylphenoxy)acetamid
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)furan-2-carboxamide

Main Category		Category
Interactions	PUBCHEM	Fenticlor
Interactions	PUBCHEM	1-[(2S)-4-[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5-methylpiperazin-1-yl]ethanone
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5-methylpiperazin-1-yl]methanone
Interactions	PUBCHEM	[(2S,5R)-1-[(5R,6S)-5,6-bis(4-chlorophenyl)-6-methyl-3-propan-2-yl-5-methylpiperazin-1-yl]methanone
Interactions	PUBCHEM	Gramicidin S
Interactions	PUBCHEM	4-{3-[(4-Chlorophenyl)amino]-6-methylimidazo[1,2-a]pyridin-2-yl}-N-methyl-2-methylphenylamine
Interactions	PUBCHEM	N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	6-methyl-N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	5-methyl-N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	6-chloro-N-(2-methylphenyl)-2-[4-(morpholin-4-yl)phenyl]imidazo[1,2-a]pyridine
Interactions	PUBCHEM	(4,6-Dimethylpyrimidin-2-yl)(4-morpholin-4-ylphenyl)amine
Interactions	PUBCHEM	N-[4-(4-ethylphenyl)-2-thiazolyl]carbamic acid phenyl ester
Interactions	PUBCHEM	2-Amino-4-(5,6,7,8-tetrahydro-2-naphthyl)thiazole
Interactions	PUBCHEM	3-[4-(4-ethylphenyl)-1,3-thiazol-2-yl]-1H-indole
Interactions	PUBCHEM	4-(5-Ethyl-benzooxazol-2-yl)-phenylamine
Interactions	PUBCHEM	S-(+)-Apomorphine
Interactions	PUBCHEM	2-(2,5-Dimethyl-1H-pyrrol-1-yl)aniline
Interactions	PUBCHEM	2-(2-bromo-4-ethylphenoxy)-N-(4H-1,2,4-triazol-3-yl)acetamide
Interactions	PUBCHEM	Crystal Violet lactone
Interactions	PUBCHEM	5-bromo-N-[4-(diethylamino)phenyl]furan-2-carboxamide
Interactions	PUBCHEM	N-(2-Methoxyethyl)-2-[(5-{[(4-methylphenyl)carbamoyl]amino}-1,3,4-thiadiazol-2-yl)thio]-N-(2-methoxyphenyl)acetamide
Interactions	PUBCHEM	2-((5-(3-cyclohexylureido)-1,3,4-thiadiazol-2-yl)thio)-N-(2-methoxyphenyl)acetamide
Interactions	PUBCHEM	2-((5-(3-cyclohexylureido)-1,3,4-thiadiazol-2-yl)thio)-N-(3-methoxyphenyl)acetamide
Interactions	PUBCHEM	2,4,4'-Trihydroxybenzophenone
Interactions	PUBCHEM	2-({5-[(Cyclohexylcarbamoyl)amino]-1,3,4-thiadiazol-2-YL}sulfanylamino)-N-(2-methoxyphenyl)acetamide
Interactions	PUBCHEM	bisphenol AF
Interactions	PUBCHEM	2-(2-furoylamino)-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene-3-carboxamide
Interactions	PUBCHEM	N-(6-methylbenzo[d]thiazol-2-yl)thiophene-2-carboxamide
Interactions	PUBCHEM	9-Bromoanthracene
Interactions	PUBCHEM	N-(2-methoxyphenyl)-2-[[5-(2-methylphenyl)-1,3,4-oxadiazol-2-yl]sulfonyl]acetamide
Interactions	PUBCHEM	2-[5-(4-fluorophenyl)-1,2,4-triazol-1-yl]-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophene-3-carboxamide

Main Category		Category
Interactions	PUBCHEM	2-[5-(2-Methylphenyl)-1H-1,2,4-triazol-1-YL]-4H,5H,6H,7H,8H-cyclo
Interactions	PUBCHEM	Methyl 4-[(3-methoxyphenyl)carbonylamino]benzoate
Interactions	PUBCHEM	N,N-dimethyl-4-(1-methylbenzimidazol-2-yl)aniline
Interactions	PUBCHEM	N-(2-Chlorophenyl)-2-[[5-(2-fluorophenyl)-1,3,4-oxadiazol-2-YL]sulfa
Interactions	PUBCHEM	N-[3-(propanoylamino)phenyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	5-methoxy-2-phenyl-1H-benzimidazole
Interactions	PUBCHEM	2-[(4-Fluorophenyl)methyl]-6-phenylimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	2-(4-Methoxyphenyl)imidazo[2,1-a]isoquinoline
Interactions	PUBCHEM	4-(dimethylamino)-N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)benz
Interactions	PUBCHEM	2-[(3-Methylbenzoyl)amino]-4,5,6,7-tetrahydro-1-benzothiophene-3-
Interactions	PUBCHEM	4-(5-Phenyl-1,3-oxazol-2-yl)benzamide
Interactions	PUBCHEM	N,N-dimethyl-p-phenylenediamine
Interactions	PUBCHEM	1-allyl-2-(4-methoxyphenyl)-1H-benzimidazole
Interactions	PUBCHEM	1-(4-chlorobenzyl)-2-(4-methoxyphenyl)-1H-benzimidazole
Interactions	PUBCHEM	N-pyridin-2-yl-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	(3-methyl-5-oxo-5H-[1,3]thiazolo[3,2-a]pyrimidin-7-yl)methyl 2-meth
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-4-chloro-1-methylpyrazole-3-carboxamide
Interactions	PUBCHEM	Irinotecan Hydrochloride
Interactions	PUBCHEM	2,2,2-trifluoro-N-[4-(6-methyl-1,3-benzothiazol-2-yl)phenyl]acetamid
Interactions	PUBCHEM	2-[(2-Fluorophenyl)methylthio]-5-(4-methylphenyl)-1,3,4-oxadiazole
Interactions	PUBCHEM	Phenylmercuric Chloride
Interactions	PUBCHEM	3-[(6-Methoxy-2-oxo-2H-chromene-3-carbonyl)-amino]-benzoic acid
Interactions	PUBCHEM	6-(4-Methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-N-p-tolyl-[1,3,5]tria
Interactions	PUBCHEM	2-((3,5-Diiodo-4-oxo-2,5-cyclohexadien-1-ylidene)(4-hydroxy-3,5-dio
Interactions	PUBCHEM	N-{3-[6-(Piperidin-1-YL)pyridazin-3-YL]phenyl}thiophene-2-sulfonan
Interactions	PUBCHEM	N-(3-(6-(4-methylpiperidin-1-yl)pyridazin-3-yl)phenyl)thiophene-2-su
Interactions	PUBCHEM	6,7-Dimethoxy-2-(3-methylphenyl)-2,3-dihydro-1h-isoindol-1-one
Interactions	PUBCHEM	2-(4-(N-Methylmethylsulfonamido)phenyl)-2-oxoethyl cyclopropan
Interactions	PUBCHEM	N-(3-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)benzamide
Interactions	PUBCHEM	5-(5-Bromofuran-2-yl)-3-pyridin-2-yl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-(5-Methoxy-1H-benzoimidazol-2-yl)-phenylamine
Interactions	PUBCHEM	4-(azepan-1-ylmethyl)-N-(3-chloro-2-methylphenyl)-5-hydroxy-2-me

Main Category		Category
Interactions	PUBCHEM	4-methoxy-N-(5-methyl-1,3,4-thiadiazol-2-yl)benzamide
Interactions	PUBCHEM	2-(4-methoxyphenyl)-6,7-dihydropyrrolo[1,2-a]thieno[3,2-d]pyrimidin-5(1H)-one
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-3,5-dimethoxybenzamide
Interactions	PUBCHEM	Triclocarban
Interactions	PUBCHEM	3-(3-chlorophenyl)-8-methyl-2H-[1,3,5]triazino[2,1-b][1,3]benzothiazole
Interactions	PUBCHEM	Barban
Interactions	PUBCHEM	6-Methyl-3-(4-methylpiperidin-1-yl)thiochromen-4-one
Interactions	PUBCHEM	6-Methyl-3-piperidin-1-ylthiochromen-4-one
Interactions	PUBCHEM	1-(methoxymethyl)-2-(4-methoxyphenyl)-1H-benzimidazole
Interactions	PUBCHEM	1-(1,3-benzothiazol-2-yl)-3-methyl-4-phenyl-1H-pyrazol-5-amine
Interactions	PUBCHEM	4-Chloro-8-(diethylamino)pyrano[3,2-c]chromene-2,5-dione
Interactions	PUBCHEM	N-[2-(cyclohexen-1-yl)ethyl]-7H-purin-6-amine
Interactions	PUBCHEM	N-isopropyl-N'-phenyl-p-phenylenediamine
Interactions	PUBCHEM	2,5-dimethyl-N-naphthalen-2-ylfuran-3-carboxamide
Interactions	PUBCHEM	Resorcinol diglycidyl ether
Interactions	PUBCHEM	N-cyclohexyl-5-(2-fluorophenyl)furan-2-carboxamide
Interactions	PUBCHEM	N-(1,3-Benzothiazol-2-YL)-1-[(2-methylphenyl)methyl]-2-oxo-1,2-dihydro-1,2,4-triazine-3-carboxamide
Interactions	PUBCHEM	2-[(3-(4-Methoxyphenyl)acryloyl)amino]-4,5-dimethyl-3-thiophenecarboxamide
Interactions	PUBCHEM	1-Methanesulfonyl-N-[4-(propan-2-yl)phenyl]-1,2,3,4-tetrahydroquinoline
Interactions	PUBCHEM	2-Ethyl-6-phenylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	N-pyridin-2-ylquinoline-2-carboxamide
Interactions	PUBCHEM	4-(6-Amino-benzothiazol-2-yl)-phenol
Interactions	PUBCHEM	4-(5-amino-1H-benzimidazol-2-yl)-2,6-dichlorophenylamine
Interactions	PUBCHEM	[3-(4-Chlorophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl)piperidine-1-carboxamide]
Interactions	PUBCHEM	[3-[4-(2-Ethoxyphenyl)piperazine-1-carbonyl]-3-[4-(trifluoromethyl)phenoxy]phenyl]acetamide
Interactions	PUBCHEM	N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifluoromethyl)pyridine-2-yl]phenyl]phenyl]acetamide;hydrochloride
Interactions	PUBCHEM	2-(3-methyl-1,2-oxazol-5-yl)-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifluoromethyl)pyridine-2-yl]phenyl]phenyl]acetamide;hydrochloride
Interactions	PUBCHEM	3-[5-(2,3-Dimethoxyphenyl)-1-(2-phenylethyl)pyrazol-3-yl]-4-(2-methoxyphenyl)-N-methyl-N-(2-phenylethyl)carbamate
Interactions	PUBCHEM	[3-(4-Pyridin-2-ylpiperazine-1-carbonyl)-3-[4-(trifluoromethyl)phenoxy]phenyl]acetamide
Interactions	PUBCHEM	N-(2-phenylethyl)-3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifluoromethyl)pyridine-2-yl]phenyl]acetamide
Interactions	PUBCHEM	2-methoxy-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifluoromethyl)pyridine-2-yl]phenyl]phenyl]acetamide;hydrochloride

Main Category		Category
Interactions	PUBCHEM	3-[5-(2,3-Dimethoxyphenyl)-1-(2-phenylethyl)pyrazol-3-yl]-4-propoxy
Interactions	PUBCHEM	1-[1-(4-chlorophenyl)cyclopropanecarbonyl]-N-(2-phenylethyl)-3-[4-
Interactions	PUBCHEM	[3-(3-Chlorophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl)piperid
Interactions	PUBCHEM	[3-(4-Chloro-3-fluorophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbony
Interactions	PUBCHEM	[3-(4-Phenylpiperazine-1-carbonyl)-3-[4-(trifluoromethyl)phenoxy]pi
Interactions	PUBCHEM	N-[(4-chlorophenyl)methyl]-3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifl
Interactions	PUBCHEM	[1-Propyl-3-[4-(trifluoromethyl)phenoxy]piperidin-3-yl]-(4-pyridin-2-y
Interactions	PUBCHEM	[3-[4-[2-(2-Methoxyethoxy)phenyl]piperazine-1-carbonyl]-3-[4-(trifluo
Interactions	PUBCHEM	pyridinyl]methanone;hydrochloride
Interactions	PUBCHEM	[3-(4-Methylphenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl)piperid
Interactions	PUBCHEM	[3-(4-Cyclohexylpiperazine-1-carbonyl)-3-[4-(trifluoromethyl)phenoxy]
Interactions	PUBCHEM	[3-(3,4-dihydro-1H-isoquinoline-2-carbonyl)-3-[4-(trifluoromethyl)ph
Interactions	PUBCHEM	4-(dimethylamino)-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(triflu
Interactions	PUBCHEM	yl]phenyl]butanamide;hydrochloride
Interactions	PUBCHEM	[1-Propan-2-ylsulfonyl-3-[4-(trifluoromethyl)phenoxy]piperidin-3-yl]-
Interactions	PUBCHEM	[3-(4-Bromo-3-fluorophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl
Interactions	PUBCHEM	[3-(4-phenyl-3,6-dihydro-2H-pyridine-1-carbonyl)-3-[4-(trifluorometh
Interactions	PUBCHEM	[1-(Cyclohexylmethyl)-3-[4-(trifluoromethyl)phenoxy]piperidin-3-yl]-
Interactions	PUBCHEM	[1-(4-Chlorophenyl)cyclopropyl]-[3-(4-pyridin-2-ylpiperazine-1-carbo
Interactions	PUBCHEM	[3-(4-Fluorophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl)piperid
Interactions	PUBCHEM	[3-(3-Pyridin-2-ylpyrrolidine-1-carbonyl)-3-[4-(trifluoromethyl)pheno
Interactions	PUBCHEM	[3-[4-(2-Methoxyphenyl)piperazine-1-carbonyl]-3-[4-(trifluoromethyl)
Interactions	PUBCHEM	2-(dimethylamino)-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(triflu
Interactions	PUBCHEM	yl]phenyl]acetamide;hydrochloride
Interactions	PUBCHEM	3-(dimethylamino)-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(triflu
Interactions	PUBCHEM	yl]phenyl]propanamide;hydrochloride
Interactions	PUBCHEM	[1-(3,3-Dimethylbutyl)-3-[4-(trifluoromethyl)phenoxy]piperidin-3-yl]-
Interactions	PUBCHEM	2-(2,5-dioximidazolidin-4-yl)-N-[2-[4-[3-[4-(trifluoromethyl)phenoxy
Interactions	PUBCHEM	yl]phenyl]acetamide;hydrochloride
Interactions	PUBCHEM	3,3-Dimethyl-1-[3-(4-pyridin-2-ylpiperazine-1-carbonyl)-3-[4-(trifluor
Interactions	PUBCHEM	[3-(4-Bromophenoxy)-3-(4-pyridin-2-ylpiperazine-1-carbonyl)piperid
Interactions	PUBCHEM	[3-[4-(2-Hydroxyphenyl)piperazine-1-carbonyl]-3-[4-(trifluoromethyl)
Interactions	PUBCHEM	N-[2-[4-[3-[4-(trifluoromethyl)phenoxy]-1-[4-(trifluoromethyl)pyridine
Interactions	PUBCHEM	[3-(4-Pyridin-2-ylpiperazine-1-carbonyl)-3-[4-(trifluoromethyl)pheno
Interactions	PUBCHEM	[2-(3-aminophenyl)-1H-benzimidazol-5-yl](phenyl)methanone

Main Category		Category
Interactions	PUBCHEM	2-(5-Phenyl-1,2,4-oxadiazol-3-yl)pyridine
Interactions	PUBCHEM	2-[5-(4-Methylphenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	Monobenzone
Interactions	PUBCHEM	(6E)-6-[5-(2,3-dihydro-1,4-benzodioxin-6-yl)-1,2-dihydropyrazol-3-yl]pyridine
Interactions	PUBCHEM	1-[2-[[5-(4-Ethoxyphenyl)-1,3,4-oxadiazol-2-yl]sulfanyl]acetyl]imidazole
Interactions	PUBCHEM	[4-(2-Chlorophenyl)piperazin-1-yl]-(2,5-dimethylfuran-3-yl)methanone
Interactions	PUBCHEM	9,9-Bis(4-hydroxyphenyl)fluorene
Interactions	PUBCHEM	2-(1,5-Dimethyl-3-oxo-2-phenylpyrazol-4-yl)iminoindene-1,3-dione
Interactions	PUBCHEM	4-Phenyl-N-(pyrimidin-2-yl)thiazol-2-amine
Interactions	PUBCHEM	1-(3-Chloro-2-fluorophenyl)-6-(4-chlorophenyl)-8-(2-methoxyphenyl)propane-1,3-dione
Interactions	PUBCHEM	1-(4-Fluorophenyl)-3-(2-hydroxy-5-methoxyphenyl)propane-1,3-dione
Interactions	PUBCHEM	6-{[(1R)-1-cyclobutylethyl]amino}-7-[(trans-4-methylcyclohexyl)methyl]pyridine
Interactions	PUBCHEM	N-(2,3-dihydro-1H-inden-5-yl)benzamide
Interactions	PUBCHEM	[2-(1,3-Benzothiazol-2-ylmethoxy)-5-bromophenyl]methanol
Interactions	PUBCHEM	(E)-1-(benzofuran-2-yl)-3-morpholinoprop-2-en-1-one
Interactions	PUBCHEM	4-(5-Isopropylbenzo[d]oxazol-2-yl)aniline
Interactions	PUBCHEM	N-[3-chloro-4-(1-pyrrolidinyl)phenyl]-2-furancarboxamide
Interactions	PUBCHEM	1-(4,5-Dihydrothiazol-2-yl)-3-phenylurea
Interactions	PUBCHEM	5-methoxy-6H-anthra[1,9-cd][1,2]oxazol-6-one
Interactions	PUBCHEM	5-methyl-2-[5-(2-methylphenyl)-1H-pyrazol-3-yl]phenol
Interactions	PUBCHEM	1-(2-Hydroxy-5-methoxyphenyl)-3-phenylpropane-1,3-dione
Interactions	PUBCHEM	4-(1H-benzimidazol-2-yl)-1,3-thiazol-2-amine
Interactions	PUBCHEM	5-methoxy-3-methyl-N-(4-methyl-1,3-thiazol-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-7-[3-fluoro-4-(trifluoromethoxy)benzyl]pyridine
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-[4-(1-methylethyl)pyridin-2-yl]-7-[5-(2-methoxyphenyl)pyridin-2-yl]pyridine
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-[4-(propan-2-yl)pyridin-2-yl]-7-[5-(2-methoxyphenyl)pyridin-2-yl]pyridine
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-[4-(1-methylethyl)pyridin-2-yl]-7-[5-(2-methoxyphenyl)pyridin-2-yl]pyridine
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-chloropyridine-2-carboxamide
Interactions	PUBCHEM	5-[5-chloro-2-[2-(dimethylamino)ethoxy]phenyl]-4-(4-chloro-2-methoxyphenyl)propane-1,3-dione
Interactions	PUBCHEM	6-chloro-5'-(3-chloro-2-fluorophenyl)-3'-(2,2-dimethylpropyl)-N-(2-methylphenyl)propane-1,3-dione
Interactions	PUBCHEM	2-(1,3-Benzodioxol-5-yl)-1,3-benzothiazole
Interactions	PUBCHEM	2-(5-phenyl-1H-pyrazol-3-yl)phenol

Main Category		Category
Interactions	PUBCHEM	(E)-1-(benzofuran-3-yl)-3-morpholinoprop-2-en-1-one
Interactions	PUBCHEM	2-(1H-Benzimidazol-5-yl)-benzooxazol-5-ylamine
Interactions	PUBCHEM	4-(5-Methoxy-1H-benzimidazol-2-yl)-phenylamine
Interactions	PUBCHEM	3-(5-Methyl-1H-benzimidazol-2-yl)-phenylamine
Interactions	PUBCHEM	N-(5,5-dimethyl-7-oxo-4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)thiop
Interactions	PUBCHEM	N-(1,3-benzothiazol-2-yl)-2-nitrobenzamide
Interactions	PUBCHEM	3-(2-Bromo-4-methylphenyl)-1-phenylurea
Interactions	PUBCHEM	3-amino-4,6-dimethyl-N-(1,3-thiazol-2-yl)thieno[2,3-b]pyridine-2-carb
Interactions	PUBCHEM	Ethyl 3-(4-methoxyphenyl)-1,4-dioxonaphthalene-2-carboxylate
Interactions	PUBCHEM	4-amino-N-(4-ethoxyphenyl)benzamide
Interactions	PUBCHEM	Cambridge id 5250805
Interactions	PUBCHEM	N-(4-methoxyphenyl)spiro[benzimidazole-2,1'-cyclohexan]-5-amine
Interactions	PUBCHEM	2-(2,4-dichlorophenoxy)-N-pyridin-2-ylacetamide
Interactions	PUBCHEM	N-(3,5-dimethoxyphenyl)-4-methoxybenzamide
Interactions	PUBCHEM	2-(1-Methylpyridin-4-ylidene)indene-1,3-dione
Interactions	PUBCHEM	2-(1-Propylpyridin-4-ylidene)indene-1,3-dione
Interactions	PUBCHEM	N-(4,5-dihydro-1,3-thiazol-2-yl)-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	4,4'-Isopropylidenedi-2,6-xylol
Interactions	PUBCHEM	N-(5-methylpyridin-2-yl)quinoline-2-carboxamide
Interactions	PUBCHEM	2-[5-(3-Pyridinyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	3-amino-N-(3,5-dimethylphenyl)-4,6-dimethylthieno[2,3-b]pyridine-2
Interactions	PUBCHEM	N-(5-bromo-2-pyridinyl)-2-methylbenzamide
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-2-pyridinecarbothioamide
Interactions	PUBCHEM	2-(4-chlorophenyl)-3H-benzimidazol-5-amine
Interactions	PUBCHEM	N-(2,3-dihydro-1,4-benzodioxin-6-yl)-2-methoxy-4-methylsulfanylb
Interactions	PUBCHEM	N-(1,2-benzoxazol-3-yl)-4-methoxybenzamide
Interactions	PUBCHEM	2-(4-Tert-butylphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-7-amine
Interactions	PUBCHEM	2-thiophen-2-yl-6,7,8,9-tetrahydro-5H-cyclohepta[2,3]thieno[2,4-b][1
Interactions	PUBCHEM	N-[2-(4-ethylphenyl)-2H-benzotriazol-5-yl]butanamide
Interactions	PUBCHEM	N-(1,2-benzoxazol-3-yl)-2,6-difluorobenzamide
Interactions	PUBCHEM	N-(1,2-benzoxazol-3-yl)-4-fluorobenzamide
Interactions	PUBCHEM	2-[5-(2-Methylfuran-3-yl)-1,2,4-oxadiazol-3-yl]pyridine

Main Category		Category
Interactions	PUBCHEM	N-(4-fluorophenyl)-1-methyl-4-oxochromeno[3,4-d]imidazole-8-sulf
Interactions	PUBCHEM	Nonanoic Acid
Interactions	PUBCHEM	N-[(4-methylpyridin-2-yl)carbamoithioyl]thiophene-2-carboxamide
Interactions	PUBCHEM	2-[(4-Methoxybenzoyl)amino]benzamide
Interactions	PUBCHEM	Lethane
Interactions	PUBCHEM	Bexarotene
Interactions	PUBCHEM	N-(3,4-dichlorophenyl)-6-methoxy-2-methylquinolin-4-amine
Interactions	PUBCHEM	Tribromoacetaldehyde
Interactions	PUBCHEM	1-(4-Methoxyphenyl)-3-quinolin-8-ylurea
Interactions	PUBCHEM	Oxyphenisatin Acetate
Interactions	PUBCHEM	3-methoxy-N-(4-methylphenyl)benzamide
Interactions	PUBCHEM	N-[2-(2-furyl)-1H-benzimidazol-5-yl]-2-thiophenecarboxamide
Interactions	PUBCHEM	N-[2-(2-thienyl)-1H-benzimidazol-5-yl]-2-furamide
Interactions	PUBCHEM	N-(1-methyl-1H-benzimidazol-5-yl)-2-furamide
Interactions	PUBCHEM	N-(1-ethyl-1H-benzimidazol-5-yl)-2-furamide
Interactions	PUBCHEM	Bis(cyclopentadienyl)vanadium chloride
Interactions	PUBCHEM	2-[5-(Furan-2-yl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	N-[(3-methylphenyl)carbamoithioyl]cyclopropanecarboxamide
Interactions	PUBCHEM	N-[3-(5,6-dimethyl-1,3-benzoxazol-2-yl)-2-methylphenyl]butanamide
Interactions	PUBCHEM	N-[3-(5,6-dimethyl-1,3-benzoxazol-2-yl)-2-methylphenyl]-2-methylpr
Interactions	PUBCHEM	4-Amino-2-[5-(propan-2-yl)-1,3-benzoxazol-2-yl]phenol
Interactions	PUBCHEM	4-[[[4-[(2-Chlorophenyl)methoxy]phenyl]methyl]amino]phenol
Interactions	PUBCHEM	4-{[4-(Benzyloxy)benzyl]amino}phenol
Interactions	PUBCHEM	N-(4-methylbenzyl)-N-[3-(methylsulfanyl)-1H-1,2,4-triazol-5-yl]amin
Interactions	PUBCHEM	N-(2-fluorophenyl)-2-{[5-(4-methylphenyl)-1,3,4-oxadiazol-2-yl]sulf
Interactions	PUBCHEM	1,1'-(Methylenedi-p-phenylene)bismaleimide
Interactions	PUBCHEM	Chloranil
Interactions	PUBCHEM	2-Fluoro-5-(5-propylpyridin-2-yl)aniline
Interactions	PUBCHEM	1-(2-Benzoyl-6-hydroxy-3-methyl-1-benzofuran-5-yl)ethanone
Interactions	PUBCHEM	2-(5-Biphenyl-4-yl-[1,2,4]oxadiazol-3-yl)-pyridine
Interactions	PUBCHEM	3-Furan-2-yl-N-pyridin-2-yl-acrylamide
Interactions	PUBCHEM	2,2'-Methylenebis(4-methyl-6-tert-butylphenol)

Main Category		Category
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-5-methyl-2-furancarboxamide
Interactions	PUBCHEM	AK-968/41024746
Interactions	PUBCHEM	N-[4-(diethylamino)phenyl]-2-fluorobenzamide
Interactions	PUBCHEM	N-(2-adamantylideneamino)-2-methylfuran-3-carboxamide
Interactions	PUBCHEM	1-Cyclohexyl-3-(2,3-dihydro-1,4-benzodioxin-6-yl)urea
Interactions	PUBCHEM	2-chloro-N-[1-(2,4-dichlorobenzyl)-3,5-dimethyl-1H-pyrazol-4-yl]acetamide
Interactions	PUBCHEM	N-(4-methyl-2-pyridinyl)-3-(2-thienyl)acrylamide
Interactions	PUBCHEM	N-(3-methylpyridin-2-yl)-5-nitrofuran-2-carboxamide
Interactions	PUBCHEM	6-methyl-2-(5-methyl-1H-benzimidazol-2-yl)thieno[2,3-b]pyridin-3-ylmethanone
Interactions	PUBCHEM	Ethyl 2-amino-5-(1,3-benzodioxol-5-ylcarbamoyl)-4-methylthiophene-3-carboxylate
Interactions	PUBCHEM	N-(1-acetyl-2,3-dihydroindol-5-yl)-4-methylbenzamide
Interactions	PUBCHEM	Benzethonium Chloride
Interactions	PUBCHEM	2-(4-Methoxyphenyl)-5,6,7,8-tetrahydroimidazo[2,1-b][1,3]benzothiazole
Interactions	PUBCHEM	N-(6-ethoxy-1,3-benzothiazol-2-yl)butanamide
Interactions	PUBCHEM	2-(4,5-Dihydro-1,3-thiazol-2-ylsulfanyl)-1-(4-phenylpiperazin-1-yl)ethanone
Interactions	PUBCHEM	anthra(1,9-cd)pyrazol-6(2H)-one
Interactions	PUBCHEM	4-{[(1-methyl-1H-tetrazol-5-yl)thio]methyl}-N-1,3-thiazol-2-ylbenzamide
Interactions	PUBCHEM	N-(4-imidazo[2,1-b][1,3]thiazol-6-ylphenyl)-3-methylbutanamide
Interactions	PUBCHEM	3-[5-(2-Furyl)-1,2,4-oxadiazol-3-yl]-2-methoxy-6-methylpyridine
Interactions	PUBCHEM	Benzoxazole, 5-methyl-2-(4-methylphenyl)-
Interactions	PUBCHEM	N-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-2-(1-ethyl-1H-tetrazol-5-ylsulfamoyl)ethanone
Interactions	PUBCHEM	Furan-2-carboxylic acid ethyl-[5-(4-methoxy-phenyl)-[1,3,4]thiadiazol-2-yl]ester
Interactions	PUBCHEM	2-(3-Methoxy-phenyl)-5-(5-methyl-furan-2-yl)-[1,3,4]oxadiazole
Interactions	PUBCHEM	Benzophenone-6
Interactions	PUBCHEM	5-[4-(propan-2-yl)phenyl]-1H-1,2,3,4-tetrazole
Interactions	PUBCHEM	Captan
Interactions	PUBCHEM	Folpet
Interactions	PUBCHEM	PharmaGSID_48505
Interactions	PUBCHEM	[(2R,3S)-2-(2-hydroxyethyl)-3-[4-[2-(2-methoxyethoxy)phenyl]piperidin-1-yl]pyridinyl]methanone
Interactions	PUBCHEM	Menthyl Anthranilate
Interactions	PUBCHEM	Tebufenpyrad
Interactions	PUBCHEM	2-Anisidine hydrochloride

Main Category		Category
Interactions	PUBCHEM	Fludioxonil
Interactions	PUBCHEM	2-(4-Ethoxy-phenyl)-5-phenyl-[1,3,4]oxadiazole
Interactions	PUBCHEM	3-amino-4,6-dimethyl-N-(5-methylthiazol-2-yl)thieno[2,3-b]pyridine-
Interactions	PUBCHEM	1-(4-Chlorophenyl)-N-isopropyl-1H-pyrazolo[3,4-d]pyrimidin-4-amin
Interactions	PUBCHEM	N-cyclohexyl-1-(3-methylphenyl)pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	N-(3-cyano-5,6-dihydro-4H-cyclopenta[b]thiophen-2-yl)-5-methyl-1,2
Interactions	PUBCHEM	1-(4-Methoxyphenyl)-4-piperidin-1-ylpyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	(S)-Ethyl 2-((2S,3R,5R)-3-(3-chlorophenyl)-2-(4-chlorophenyl)-5-(2-(
Interactions	PUBCHEM	2-((3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-3-methyl-1-((S)
Interactions	PUBCHEM	cyanoacetamide
Interactions	PUBCHEM	2-[[5-(2,3-Dihydro-1,4-benzodioxin-6-yl)-1,3,4-oxadiazol-2-yl]sulfany
Interactions	PUBCHEM	{4-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-ox
Interactions	PUBCHEM	2-{5-[5-(3-Chloro-2-fluoro-phenyl)-6-(4-cyano-phenyl)-1-isopropyl-4-
Interactions	PUBCHEM	acetamide
Interactions	PUBCHEM	4-Chloro-2-[6-(4-chloro-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-4-
Interactions	PUBCHEM	6-(4-Chloro-2-methyl-phenyl)-5-(trans-4-hydroxy-cyclohexyl)-1-isopr
Interactions	PUBCHEM	6-(4-Chloro-2-methyl-phenyl)-1-isopropyl-2-(2-methoxy-phenyl)-5-(t
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-5-p
Interactions	PUBCHEM	4-[6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1-isopropyl-
Interactions	PUBCHEM	methylamide
Interactions	PUBCHEM	2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isoprop
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,3-dimethy
Interactions	PUBCHEM	one
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,4-dimethy
Interactions	PUBCHEM	5-(5-Chloro-2-methyl-phenyl)-6-(4-chloro-phenyl)-1-isopropyl-2-(2-m
Interactions	PUBCHEM	4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-1-isopropyl-2-
Interactions	PUBCHEM	b]pyrrol-6-yl]-benzonitrile
Interactions	PUBCHEM	2-(2-Amino-4-methoxy-pyrimidin-5-yl)-6-(4-chloro-phenyl)-1-isoprop
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-2-m
Interactions	PUBCHEM	b]pyrrol-4-one
Interactions	PUBCHEM	4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2,4-dimet
Interactions	PUBCHEM	benzonitrile
Interactions	PUBCHEM	5-(5-Chloro-2-fluoro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-ch
Interactions	PUBCHEM	b]pyrrol-4-one
Interactions	PUBCHEM	4-[2-(2,4-Dimethoxy-pyrimidin-5-yl)-1-isopropyl-4-oxo-5-(tetrahydro-
Interactions	PUBCHEM	4-[2-(2,4-Dimethoxy-pyrimidin-5-yl)-5-(2,5-dimethyl-2H-pyrazol-3-yl)

Main Category		Category
Interactions	PUBCHEM	6-(4-Chloro-phenyl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-5-(1,3-dimethoxy-phenyl)-1H-benzimidazole
Interactions	PUBCHEM	6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)pyrrol-4-one
Interactions	PUBCHEM	4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)]-2-fluoro-benzonitrile
Interactions	PUBCHEM	4-[5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)]-2-fluoro-benzonitrile
Interactions	PUBCHEM	6-(4-Chloro-3-fluoro-phenyl)-5-(5-chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)pyrrol-4-one
Interactions	PUBCHEM	4-[5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)]-2-fluoro-benzonitrile
Interactions	PUBCHEM	5-(5-Chloro-2-methoxy-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-1H-pyrrol-4-one
Interactions	PUBCHEM	4-[5-[5-Chloro-2-methoxy-pyridin-3-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)]-2-fluoro-benzonitrile
Interactions	PUBCHEM	4-[2-(2,4-Dimethoxy-pyrimidin-5-yl)-5-(4-fluoro-2,5-dimethyl-2H-pyrazol-3-yl)]-2-fluoro-benzonitrile
Interactions	PUBCHEM	6-(4-Chloro-2-fluoro-phenyl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)pyrrol-4-one
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-2-oxo-1,2-dihydro-pyridin-3-yl)-6-(5-chloro-pyridin-2-yl)-2-(2-dimethylamino-4-methoxy-pyrimidin-5-yl)pyrrol-4-one
Interactions	PUBCHEM	5-(3-Chloro-4-fluoro-phenyl)-6-(5-chloro-pyridin-2-yl)-2-(2,4-dimethoxy-pyrimidin-5-yl)-1H-benzimidazole
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-1H-pyrrolo[3,4-b]pyrrole-3-carboxylic acid ethyl ester
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-6-oxo-1,6-dihydro-pyridin-3-yl)-6-(4-chloro-phenyl)-1-isopropyl-1H-pyrrolo[3,4-b]pyrrole-3-carboxylic acid
Interactions	PUBCHEM	5-(3-Chloro-2-fluorophenyl)-6-(5-chloropyridin-2-yl)-2-(2-(dimethylamino)-4-methoxy-pyrimidin-5-yl)-1H-benzimidazole
Interactions	PUBCHEM	5-(2-Bromophenyl)-3-(4-methylphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	2,6-Diphenylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	4-[(4S)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxy-pyrimidin-5-yl]]benzonitrile
Interactions	PUBCHEM	Ethyl 4-methyl-2-[(5-methylfuran-2-carbonyl)amino]-1,3-thiazole-5-carboxylate
Interactions	PUBCHEM	2-(3-methoxyphenyl)-N-(1,2,4-triazol-4-yl)quinoline-4-carboxamide
Interactions	PUBCHEM	N-(5-ethyl-1,3,4-thiadiazol-2-yl)-2,4-dimethoxybenzamide
Interactions	PUBCHEM	2-(5-Methyl-2-thienyl)-1H-benzimidazole
Interactions	PUBCHEM	N-(5-chloropyridin-2-yl)-2-(2,4-dichlorophenoxy)acetamide
Interactions	PUBCHEM	3-[(diethylamino)sulfonyl]-4-methyl-N-2-pyridinylbenzamide
Interactions	PUBCHEM	Ziram

Main Category		Category
Interactions	PUBCHEM	2-(4-Ethoxyphenyl)-1,3-dihydroisindole
Interactions	PUBCHEM	5-Methyl-2-(3-phenyl-5-isoxazolyl)phenol
Interactions	PUBCHEM	[2-methyl-5-(1-methyl-1H-benzimidazol-2-yl)-3-furyl](phenyl)methan
Interactions	PUBCHEM	Benzododecinium Chloride
Interactions	PUBCHEM	N-[3-(5,6-dimethyl-1,3-benzoxazol-2-yl)phenyl]butanamide
Interactions	PUBCHEM	N-[2-(3-methylphenyl)-1,3-benzoxazol-5-yl]propanamide
Interactions	PUBCHEM	1-(3-Methylphenyl)-4-pyrrolidin-1-ylpyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	3-[5-(2-Chlorophenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	N-(7-Oxo-4,5,6,7-tetrahydro-benzothiazol-2-yl)-benzamide
Interactions	PUBCHEM	1-[4-(Azepan-1-yl)-3-fluorophenyl]butan-1-one
Interactions	PUBCHEM	3-(5-Phenyl-1,3-oxazol-2-yl)pyridine
Interactions	PUBCHEM	2-[(3-cyano-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)thio]-N-(5-ethy
Interactions	PUBCHEM	2-(3-Ethoxyphenyl)-5-methyl-1,3-benzoxazole
Interactions	PUBCHEM	2-(3-Methoxyphenyl)-5-methyl-1,3-benzoxazole
Interactions	PUBCHEM	4'-Chloroacetyl(acetanilide)
Interactions	PUBCHEM	N-(1,3-benzodioxol-5-yl)-4-(4-morpholinylmethyl)benzamide
Interactions	PUBCHEM	Cetylpyridinium Bromide
Interactions	PUBCHEM	2-methyl-N-[4-([1,3]oxazolo[5,4-b]pyridin-2-yl)phenyl]propanamide
Interactions	PUBCHEM	1-[4-(1,2,3,4-Tetrahydroquinolylsulfonyl)phenyl]pyrrolidin-2-one
Interactions	PUBCHEM	2-(2-chlorophenoxy)-N-(5-chloro-2-pyridinyl)acetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclo methoxyacetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(2S)-1-[cyclo hydroxyacetamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-(6-chl
Interactions	PUBCHEM	N-(4-methylpyridin-2-yl)-N-(thiophen-2-ylcarbonyl)thiophene-2-carb
Interactions	PUBCHEM	2-(4-bromo-2-chlorophenoxy)-N-(4H-1,2,4-triazol-3-yl)acetamide
Interactions	PUBCHEM	N-[4-(dimethylamino)phenyl]-4-phenylbutanamide
Interactions	PUBCHEM	N-[(2-phenylethyl)carbamothioyl]cyclohexanecarboxamide
Interactions	PUBCHEM	N-(furan-2-ylmethyl)-4-(4-methoxy-3-methylphenyl)-1,3-thiazol-2-an
Interactions	PUBCHEM	3-cyclohexyl-N-(4-methylpyridin-2-yl)propanamide
Interactions	PUBCHEM	2-(4-Methylphenyl)-2-oxoethyl 3-(acetylamino)-4-methylbenzoate
Interactions	PUBCHEM	5-(4-Fluorophenyl)-3-(3-methylphenyl)-1,2,4-oxadiazole

Main Category		Category
Interactions	PUBCHEM	N-(3-Hydroxyphenyl)-3-methyl-1-phenyl-1H-thieno(2,3-C)pyrazole-5
Interactions	PUBCHEM	1-(6-Methoxy-1,3-benzothiazol-2-yl)-3-(2-methoxyphenyl)urea
Interactions	PUBCHEM	3-chloro-N-[5-(methoxymethyl)-1,3,4-thiadiazol-2-yl]-1-benzothioph
Interactions	PUBCHEM	N-(6-methoxy-8H-indeno[1,2-d][1,3]thiazol-2-yl)acetamide
Interactions	PUBCHEM	5-[2-[4-[(2R,3S)-2-propyl-1-[4-(trifluoromethyl)pyridine-3-carbonyl]-3-yl]phenoxy]pentanoic acid
Interactions	PUBCHEM	1,1-Dioxido-1-benzothien-3-yl 5-phenyl-1,3,4-oxadiazol-2-yl sulfide
Interactions	PUBCHEM	3-[(4-Ethoxyphenoxy)methyl]benzoic acid
Interactions	PUBCHEM	N-(2-fluorophenyl)-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)sulfanyl]acetan
Interactions	PUBCHEM	2-[5-(1,3-Benzodioxol-5-yl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	4-{3-[(4-Ethoxyphenoxy)methyl]benzoyl}morpholine
Interactions	PUBCHEM	N-[4-(morpholin-4-ylmethyl)phenyl]-1-benzofuran-2-carboxamide
Interactions	PUBCHEM	1-{3-[(4-Ethoxyphenoxy)methyl]benzoyl}pyrrolidine
Interactions	PUBCHEM	5-(2,4-Dimethoxyphenyl)-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	3-[[2-Chloro-4-(hydroxymethyl)phenoxy]methyl]benzoic acid
Interactions	PUBCHEM	N-(1,2-dimethyl-1H-benzimidazol-5-yl)-N'-1,3-thiazol-2-ylurea
Interactions	PUBCHEM	N-(5-propyl-1,3,4-thiadiazol-2-yl)-1,2-benzothiazol-3-amine 1,1-dioxi
Interactions	PUBCHEM	N-(4-tert-butyl-1,3-thiazol-2-yl)-1,2-benzothiazol-3-amine 1,1-dioxide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclop
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclop
Interactions	PUBCHEM	(4S)-4-(4-chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-2-(2-m
Interactions	PUBCHEM	4-(4-Chloro-2-methylphenyl)-5-(5-chloro-2-methylphenyl)-3-propan-
Interactions	PUBCHEM	1-Methyl-4-(4-pyrrolidin-1-ylphenyl)sulfonyl-2,3-dihydroquinoxaline
Interactions	PUBCHEM	1-[4-(3,4-Dihydropyrazol-2-yl)phenyl]sulfonyl-4-methyl-2,3-dihydroq
Interactions	PUBCHEM	1-[4-[(6-tert-butyl-3,4-dihydro-2H-quinolin-1-yl)sulfonyl]phenyl]pyrro
Interactions	PUBCHEM	CID 89699521
Interactions	PUBCHEM	4-(2-oxopyrrolidin-1-yl)-N-phenyl-N-propylbenzenesulfonamide
Interactions	PUBCHEM	2-(Benzylthio)-6-methoxy-4-methylquinazoline
Interactions	PUBCHEM	2-[(3,4-dimethoxybenzoyl)amino]-N,N,4-trimethyl-1,3-thiazole-5-car
Interactions	PUBCHEM	2-Chloroadenosine
Interactions	PUBCHEM	1-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3-(2-methoxyphenyl)urea
Interactions	PUBCHEM	3-(2-furyl)-N-(5-methyl-2-pyridinyl)acrylamide

Main Category		Category
Interactions	PUBCHEM	Methyl 2-[(2,4-dimethoxybenzoyl)amino]-4-methyl-1,3-thiazole-5-carboxylic acid
Interactions	PUBCHEM	3-(4-chlorophenyl)-N-(6-methyl-2-pyridinyl)acrylamide
Interactions	PUBCHEM	2-[(3R,5R,6S)-5-(3-chlorophenyl)-6-(4-chlorophenyl)-1-[(1S)-1-cyclopropyl]-1H-1,2,4-triazol-4-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	3-(4-Phenyl-1,3-thiazol-2-yl)-2-thioxo-4-imidazolidinone
Interactions	PUBCHEM	6-(4-chlorophenyl)-5-(2,5-dimethylpyrazol-3-yl)-2-(5-methoxy-1-methyl-1H-imidazol-2-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[5-(3-chloro-4-fluorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-1-[(2S)-2-methyl-1,3,4-oxadiazol-5-yl]-1H-imidazol-2-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-fluoro-1,3-dimethylpyrazol-5-yl)-2-(5-methoxy-1-methyl-1H-imidazol-2-yl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	5-(5-Chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-2-(5-methoxy-1-methyl-1H-imidazol-2-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	6-(4-chlorophenyl)-5-(4-fluoro-1,3-dimethylpyrazol-5-yl)-2-(5-methoxy-1-methyl-1H-imidazol-2-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	2-[2-(2-amino-4-methoxypyrimidin-5-yl)-6-(4-chlorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6R)-5-(3-chloro-4-fluorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[5-(3-chloro-4-fluorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6S)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-2-fluorophenyl)-6-(4-chlorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[4-methoxy-2-(methylamino)-5-(4-fluorophenyl)-1,3,4-oxadiazol-5-yl]-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-methoxycyclohexyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(5-methoxy-1-methyl-1H-imidazol-2-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-methoxycyclohexyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-chloro-2-[6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[4-methoxy-2-(methylamino)-5-(4-fluorophenyl)-1,3,4-oxadiazol-5-yl]-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	3-[(6S)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propyl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	ethyl 2-[5-[5-(3-chloro-2-fluorophenyl)-6-(4-cyanophenyl)-4-oxo-1-propyl]-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(4-methoxycyclohexyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	(6S)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	4-[(6S)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(oxan-4-yl)-6-(4-chlorophenyl)-4-oxo-1,2,3,4-tetrahydropyridin-3-yl]-5-(4-fluorophenyl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid
Interactions	PUBCHEM	(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydropyridine-3-carboxylic acid

Main Category		Category
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)]-6-(4-chloro-2-methylphenyl)
Interactions	PUBCHEM	4-[(6S)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	(6R)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-(4-chlorophenyl)
Interactions	PUBCHEM	3-[5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)]-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)]-6-(4-chloro-2-methylphenyl)
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-(4-methoxypyrimidin-5-yl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	4-[2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(2,5-dimethylpyrazol-4-yl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	4-[(6S)-5-(3-chloro-4-fluorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]]-6-(4-chlorophenyl)
Interactions	PUBCHEM	4-[(6R)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-(oxan-4-yl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	4-[(6R)-2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-2-fluorophenyl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	6-(4-chlorophenyl)-5-(1,3-dimethylpyrazol-4-yl)-2-(5-methoxy-1-methyl-1H-pyrazol-4-yl)
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	6-(4-chloro-2-methylphenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(4-hydroxy-2-methylphenyl)
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-6-(4-chlorophenyl)-5-(4-fluorophenyl)
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]]benzonitrile
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-2-(2,4-dimethoxypyrimidin-5-yl)]-6-(4-chlorophenyl)
Interactions	PUBCHEM	3-[6-(4-chlorophenyl)-5-(oxan-4-yl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile]
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(1-methyl-6-oxo-3-pyridinyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-2-methoxy-3-pyridinyl)-6-(4-chlorophenyl)
Interactions	PUBCHEM	6-(4-chloro-2-methylphenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(oxan-4-yl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	2-[4-[5-(3-chloro-2-fluorophenyl)-6-(4-cyanophenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile]]-6-(4-chlorophenyl)
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	4-[5-(3-chloro-2-fluorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]]-6-(4-chlorophenyl)
Interactions	PUBCHEM	3-[(6R)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile]
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-6-(4-chlorophenyl)
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-(2,4-dimethoxypyrimidin-5-yl)-5-(1,5-dimethyl-1H-pyrazol-4-yl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile
Interactions	PUBCHEM	3-[(6R)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl-6H-pyrrolo[3,2-c]pyridine-3-carbonitrile]
Interactions	PUBCHEM	4-[5-(5-chloro-2-methylphenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]]-6-(4-chlorophenyl)

Main Category		Category
Interactions	PUBCHEM	4-[5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[2-(dimethylamino)-4-methoxyphenyl]-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(5-chloro-2-methylphenyl)-6-(5-chloro-2-pyridinyl)-2-(2,4-dimethoxyphenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chlorophenyl)-1-cyclopropyl-5-(1,5-dimethyl-6-oxo-3-pyridinyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chlorophenyl)-1-cyclopropyl-5-(1,5-dimethyl-6-oxo-3-pyridinyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxyphenyl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-chloro-2-[6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chloro-3-fluorophenyl)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	3-[(6S)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	3-[5-(5-chloro-2-cyanophenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	2-[3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-6-(4-chlorophenyl)-5-(oxan-4-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	2-[3-[(6R)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	3-[6-(4-chloro-2-methylphenyl)-5-(4-hydroxycyclohexyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chlorophenyl)-1-cyclopropyl-2-(2,4-dimethoxypyrimidin-5-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	3-[(6R)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	3-[(6S)-5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	2-[3-[5-(5-chloro-2-methylphenyl)-6-(4-chlorophenyl)-4-oxo-1-propan-2-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[5-(3-chloro-2-fluorophenyl)-2-[2-(cyanomethyl)-5-methoxy-4-pyridinyl]-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chlorophenyl)-2-[2-(dimethylamino)-4-methoxypyrimidin-5-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-6-(4-chlorophenyl)-5-(2,5-dimethoxyphenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(4-chloro-3-fluorophenyl)-5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chlorophenyl)-2-(2,4-dimethoxyphenyl)-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[5-(3-chloro-2-fluorophenyl)-2-[5-(cyanomethyl)-2-methoxy-3-pyridinyl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[(6S)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[4-methoxy-2-(methoxymethyl)-5-fluorophenyl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[(6R)-5-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-2-[4-methoxy-2-(methoxymethyl)-5-fluorophenyl]-5-fluorobenzonitrile

Main Category		Category
Interactions	PUBCHEM	2-(2-amino-4-methoxypyrimidin-5-yl)-5-(3-chloro-4-fluorophenyl)-6-
Interactions	PUBCHEM	6-{[(1-methyl-1H-imidazol-2-yl)sulfanyl)methyl]-N-(4-methylphenyl)-
Interactions	PUBCHEM	N-(4-ethoxyphenyl)-1,2,5-thiadiazole-3-carboxamide
Interactions	PUBCHEM	5-(2,3-Dihydro-1,4-benzodioxin-6-yl)-2-methylfuran-3-carboxylic aci
Interactions	PUBCHEM	1-(3-Chloro-2-fluorophenyl)-6-(4-chloro-2-methylphenyl)-8-(2-metho
Interactions	PUBCHEM	6-(4-Chloro-3-fluorophenyl)-1-(5-chloro-1-methyl-6-oxo-3-pyridinyl)-
Interactions	PUBCHEM	1-(3-Chloro-4-fluorophenyl)-6-(4-chloro-3-fluorophenyl)-8-(2,4-dime
Interactions	PUBCHEM	3-[6-(4-chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-2-oxo-7-
Interactions	PUBCHEM	6-(4-Chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-8-(5-fluor
Interactions	PUBCHEM	1-(5-Chloro-1-methyl-2-oxo-3-pyridinyl)-6-(4-chlorophenyl)-8-[2-(dim
Interactions	PUBCHEM	1-(5-Chloro-1-methyl-2-oxo-3-pyridinyl)-6-(4-chlorophenyl)-8-(2,4-di
Interactions	PUBCHEM	3-[6-(4-Chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-2-oxo-7-
Interactions	PUBCHEM	8-(2-Amino-4-methoxypyrimidin-5-yl)-1-(5-chloro-1-methyl-2-oxo-3-
Interactions	PUBCHEM	4-[1-(5-Chloro-2-methylphenyl)-8-(2-methoxyphenyl)-2-oxo-7-propa
Interactions	PUBCHEM	3-[6-(4-chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-2-oxo-7-
Interactions	PUBCHEM	1-(3-Chloro-2-fluorophenyl)-6-(4-chlorophenyl)-8-(4-methoxy-3-pyri
Interactions	PUBCHEM	1-(3-Chloro-4-fluorophenyl)-6-(4-chloro-3-fluorophenyl)-8-[2-(dimet
Interactions	PUBCHEM	3-[6-(4-chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-2-oxo-7-
Interactions	PUBCHEM	6-(4-Chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-8-(2-meth
Interactions	PUBCHEM	6-(4-Chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-8-[5-(hydr
Interactions	PUBCHEM	4-[1-(3-Chloro-2-fluorophenyl)-8-(2-methoxyphenyl)-2-oxo-7-propan
Interactions	PUBCHEM	6-(4-Chloro-2-methylphenyl)-1-(5-chloro-2-methylphenyl)-8-(4-meth
Interactions	PUBCHEM	6-(4-Chloro-3-fluorophenyl)-1-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-
Interactions	PUBCHEM	1-(5-Chloro-1-methyl-6-oxo-3-pyridinyl)-6-(4-chloro-2-methylphenyl)
Interactions	PUBCHEM	6-(4-Chloro-3-fluorophenyl)-1-(5-chloro-1-methyl-2-oxo-3-pyridinyl)-
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-[(3s)-3-phenylmorpholin-4-yl]-7-
Interactions	PUBCHEM	(6-{[(1r)-1-Cyclobutylethyl]amino}-7-[(trans-4-methylcyclohexyl)meth
Interactions	PUBCHEM	8-(1-benzothiophen-5-yl)-7-[(4-chlorophenyl)methyl]-6-{[(1R)-1-cycl
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-}[(1r)-2-hydroxy-1-phenylethyl]ar
Interactions	PUBCHEM	6-{[(1r)-1-Cyclobutylethyl]amino}-8-[(3r)-3-phenylmorpholin-4-yl]-7-[
Interactions	PUBCHEM	N-[(1R)-1-cyclobutylethyl]-7-[(trans-4-methylcyclohexyl)methyl]-8-[(
Interactions	PUBCHEM	5-(6-{[(1R)-1-cyclobutylethyl]amino}-7-[(trans-4-methylcyclohexyl)m
		triazol-3-one

Main Category		Category
Interactions	PUBCHEM	6-([(1r)-1-Cyclobutylethyl]amino)-8-(cyclohexylamino)-7-[4-(trifluoro
Interactions	PUBCHEM	6-(((r)-1-Cyclobutylethyl)amino)-8-(4-isopropylpyridin-2-yl)-7-((trans
Interactions	PUBCHEM	5-(6-([(1r)-1-Cyclobutylethyl]amino)-7-[(trans-4-methylcyclohexyl) n
Interactions	PUBCHEM	6-([(1r)-1-Cyclobutyl-ethyl]amino)-8-[3-(1-methyl-ethyl)phenyl]-7-[4-ch
Interactions	PUBCHEM	5-methyl-N-[6-(methylsulfonyl)-1,3-benzothiazol-2-yl]-2-furamide
Interactions	PUBCHEM	Isocarbophos
Interactions	PUBCHEM	[(4S,5R)-2-(2-tert-butylpyrimidin-5-yl)-4,5-bis(4-chlorophenyl)-4,5-di
Interactions	PUBCHEM	2-[(2'R,3R,4'S)-6-chloro-4'-(3-chlorophenyl)-2'-(3-methylphenyl)-2,6'-
Interactions	PUBCHEM	(3S,4'R,6'S)-6-chloro-4'-[2-[1-(4,4-difluoropiperidin-1-yl)-2-methyl-1-c piperidine]-2,2'-dione
Interactions	PUBCHEM	(2R,3S,4R,5S)-3-(3-chlorophenyl)-4-(4-chlorophenyl)-4-cyano-5-(2,2'
Interactions	PUBCHEM	(2R,3S,4R,5S)-3-(3-chloro-5-fluorophenyl)-4-(4-chloro-2-fluoropheny carboxamide
Interactions	PUBCHEM	(2S)-1-[(5R,6S)-5-(4-chlorophenyl)-6-(6-chloro-3-pyridinyl)-6-methyl carboxamide
Interactions	PUBCHEM	ethyl 4-[(2R,3R)-2-(6-chloro-1H-indol-3-yl)-1-[(4-cyanophenyl)methy
Interactions	PUBCHEM	methyl (4S,5R)-4,5-bis(4-chlorophenyl)-3-(cyclopropylmethyl)-4H-in
Interactions	PUBCHEM	3-[5-chloro-3-[(2'S,3S,4'R)-6-chloro-2'-(5-fluoro-2-methylphenyl)-2,6'
Interactions	PUBCHEM	4-Nitrosodiphenylamine
Interactions	PUBCHEM	Benzo(ghi)perylene
Interactions	PUBCHEM	5-Methyl-6-phenyl-2-propylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	6-(3,4-Dimethylphenyl)-2-propylimidazo[2,1-b][1,3,4]thiadiazole
Interactions	PUBCHEM	5-(2,3-Dimethoxyphenyl)-3-(4-methoxyphenyl)-1,2,4-oxadiazole
Interactions	PUBCHEM	5-(2-Methoxyphenyl)-3-(pyridin-2-yl)-1,2,4-oxadiazole
Interactions	PUBCHEM	Tiagabine Hydrochloride
Interactions	PUBCHEM	Benzo(E)Pyrene
Interactions	PUBCHEM	2-Methoxy-6-methyl-3-[5-(2-pyridinyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	3-methyl-1-(4-methylphenyl)-4-((E)-[(5-methylpyridin-2-yl)imino]me
Interactions	PUBCHEM	Prochlorperazine Edisylate
Interactions	PUBCHEM	Benzo(B)Fluoranthene
Interactions	PUBCHEM	Benzo(K)Fluoranthene
Interactions	PUBCHEM	Tetraglycidyl 4,4'-diaminodiphenylmethane
Interactions	PUBCHEM	Acenaphthylene
Interactions	PUBCHEM	Tolclofos-methyl

Main Category		Category
Interactions	PUBCHEM	4,5-Dichloro-2-n-octyl-4-isothiazolin-3-one
Interactions	PUBCHEM	2-(3,4-dichlorophenyl)-5H-imidazo[2,1-a]isoindole
Interactions	PUBCHEM	Chlorfluazuron
Interactions	PUBCHEM	Fluazinam
Interactions	PUBCHEM	Chlorfenapyr
Interactions	PUBCHEM	(2E)-1-(1-hydroxycyclohexyl)-3-(4-methoxyphenyl)prop-2-en-1-one
Interactions	PUBCHEM	4-[(2R,3aS,5S,6S,6aS)-6'-chloro-6-(3-chloro-2-fluorophenyl)-4-[(3-ethyl-1H-indol-2-yl)]benzoic acid
Interactions	PUBCHEM	N-[3-[(3-amino-3-oxoprop-1-en-2-yl)amino]-3-oxoprop-1-en-2-yl]-2-[(3,4-dihydroxybutan-2-yl)-11-ethylidene-59-hydroxy-8-[(1R)-1-hydroxyethylidene-6,9,16,23,28,38,41,44,47-nonaixo-27-oxa-3,13,20,56-tetrapentadecazanonacyclo[23.23.9.329,35.12,5.112,15.119,22.154,57.1]dodecaen-51-yl]-1,3-thiazole-4-carboxamide
Interactions	PUBCHEM	(7-Methyl-2-sulfanylidene-[1,2,4]triazolo[1,5-a]pyridin-3-yl)-phenylmethane
Interactions	PUBCHEM	Benzyladenosine
Interactions	PUBCHEM	3,5-dimethyl-N-[4-([1,3]oxazolo[4,5-b]pyridin-2-yl)phenyl]benzamide
Interactions	PUBCHEM	3-[5-(2,4-Dimethylphenyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	tert-butyl 4-(2,3-dihydro-1H-inden-5-ylcarbamoyl)piperidine-1-carboxylate
Interactions	PUBCHEM	2-[5-(2-Naphthyl)-1,2,4-oxadiazol-3-yl]pyridine
Interactions	PUBCHEM	Tetrabromophenolphthalein ethyl ester
Interactions	PUBCHEM	Crufomate
Interactions	PUBCHEM	2-phenylpyrimido[1,2-a]benzimidazol-4(1H)-one
Interactions	PUBCHEM	1,1,1-Tris(4-hydroxyphenyl)ethane
Interactions	PUBCHEM	(-)-Indoprofen
Interactions	PUBCHEM	N-[4-(azepan-1-yl)phenyl]-1H-pyrrole-2-carboxamide
Interactions	PUBCHEM	Acequinocyl
Interactions	PUBCHEM	N-(4-Methylpentan-2-yl)-N-phenylbenzene-1,4-diamine
Interactions	PUBCHEM	5-(2-Bromophenyl)-3-phenyl-1,2,4-oxadiazole
Interactions	PUBCHEM	Paroxetine, cis-(-)-
Interactions	PUBCHEM	N-[(2-bromophenyl)carbamothioyl]cyclopentanecarboxamide
Interactions	PUBCHEM	Hydralazine Hydrochloride
Interactions	PUBCHEM	N-cyclopentyl-1-phenyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	1-(4-chlorophenyl)-N-cyclopentyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine
Interactions	PUBCHEM	2,6-Diiodo-4-nitrophenol
Interactions	PUBCHEM	6-Morpholinobenzo[d]thiazol-2-amine

Main Category		Category
Interactions	PUBCHEM	Paraoxon
Interactions	PUBCHEM	2-(2-chloro-4-fluorophenoxy)-N-cycloheptylacetamide
Interactions	PUBCHEM	N-cyclopentyl-1-(4-methoxyphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-a
Interactions	PUBCHEM	N-cyclopentyl-1-(3-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidin-4-am
Interactions	PUBCHEM	trans-Thiothixene
Interactions	PUBCHEM	3-Amino-2-thiophen-2-yl-5,6,7,8-tetrahydro-[1]benzothiolo[2,3-d]pyri
Interactions	PUBCHEM	Coumarin 7
Interactions	PUBCHEM	Azacytidine
Interactions	PUBCHEM	5-Methoxyflavone
Interactions	PUBCHEM	N-(4-methylpyrimidin-2-yl)-1,3-benzoxazol-2-amine
Interactions	PUBCHEM	4-(azepan-1-yl)-1-(3-methylphenyl)-1H-pyrazolo[3,4-d]pyrimidine
Interactions	PUBCHEM	4-[4-(5-Methyl-1,3-benzoxazol-2-yl)anilino]-4-oxobutanoic acid
Interactions	PUBCHEM	1-(3-methylphenyl)-N-(propan-2-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-a
Interactions	PUBCHEM	2-(2-Chlorobenzyl)-6-phenylimidazo[2,1-b][1,3]thiazole
Interactions	PUBCHEM	N-(4-Ethoxyphenyl)-2-hydroxybenzamide
Interactions	PUBCHEM	dimethyl 1-(4-chlorophenyl)-2-cyanospiro[pyrazolidine-5,9'-(9'H)-flu
Interactions	PUBCHEM	2-[2-(4-Methoxyphenyl)-2-oxoethoxy]benzonitrile
Interactions	PUBCHEM	5-methoxy-3-methyl-N-(5-methyl-1,3,4-thiadiazol-2-yl)-1-benzofuran
Interactions	PUBCHEM	Ethyl 5-{[(4-ethoxyphenyl)sulfonyl]amino}-2-propyl-1-benzofuran-3-
Interactions	PUBCHEM	6-Methyl-2-(p-tolyl)-4-quinolone
Interactions	PUBCHEM	CID 9549107
Interactions	PUBCHEM	N'-(2-furoyloxy)-4-methylbenzenecarboximidamide
Interactions	PUBCHEM	N-(3-(2,4-dimethylanilino)-4-oxo-1(4H)-naphthalenyldiene)-2-thioph
Interactions	PUBCHEM	N-(3-hydroxyphenyl)-4,5-dihydrobenz[g]indoxazene-3-carboxamide
Interactions	PUBCHEM	N'-[2-(4-chlorobenzoyl)-3-methylimidazol-4-yl]-N,N-dimethylmethan
Interactions	PUBCHEM	3-[(E)-{[2-(furan-2-yl)imidazo[1,2-a]pyridin-3-yl]imino}methyl]phenol
Interactions	PUBCHEM	N'-(1,3-benzodioxol-5-ylmethylene)-5-bromo-2-furohydrazide
Interactions	PUBCHEM	5-Methyl-9-(4-morpholinyl)benzimidazo[2,1-a]phthalazine
Interactions	PUBCHEM	1,3-Benzodioxole-5-carbaldehyde 1,3-benzothiazol-2-ylhydrazone
Interactions	PUBCHEM	4-chloro-N'-[(2-chlorobenzoyl)oxy]benzenecarboximidamide
Interactions	PUBCHEM	2-(2-thenylideneamino)-5,6,7,8-tetrahydro-4H-cyclohepta[b]thiophe
Interactions	PUBCHEM	2-methyl-N-[(E)-1-pyridin-2-ylethylideneamino]quinoline-4-carboxar

Main Category		Category
Interactions	PUBCHEM	3,5-Dioxa-6-aza-4-phosphaoct-6-ene-8-nitrile, 4-ethoxy-7-phenyl-, 4-
Interactions	PUBCHEM	Robenidine
Interactions	PUBCHEM	9,10-dihydrobenzo[a]pyren-7(8H)-one
Interactions	PUBCHEM	Hydralazine 4-anisaldehyde hydrazone
Interactions	PUBCHEM	Methyl (2Z)-(methoxyimino)(2-(((E)-(1-(3-(trifluoromethyl)phenyl)en
Interactions	PUBCHEM	LASSBio-294
Interactions	PUBCHEM	2-chloro-N'-[(naphthalen-2-ylcarbonyl)oxy]benzenecarboximidamid
Interactions	PUBCHEM	N'-[(1,3-benzodioxol-5-ylcarbonyl)oxy]-3-methylbenzenecarboximid
Interactions	PUBCHEM	N'-[(2,5-dichlorobenzoyl)oxy]-2-pyridinecarboximidamide
Interactions	PUBCHEM	Methyl 4-[(4,6-diaminopyrimidin-2-ylthio)methyl]benzoate
Interactions	PUBCHEM	Dimethyl-[4-(phthalazin-1-yl-hydrazonomethyl)-phenyl]-amine
Interactions	PUBCHEM	7-[(2R,3S,4R,5S)-3,4-dihydroxy-5-(hydroxymethyl)oxolan-2-yl]-N'-hy
Interactions	PUBCHEM	(S)-[(E)-(6-methyl-2-pyridinyl)methylideneamino]azanidyl-methylsu methylsulfanylmethylidene]-lambda4-sulfanylidene]copper
Interactions	PUBCHEM	3-fluoro-N-(4-pyrrolidin-1-ylphenyl)benzamide
Interactions	PUBCHEM	[4-[(E)-(1,3-benzothiazol-2-ylhydrazinylidene)methyl]-2-methoxyphe
Interactions	PUBCHEM	N-[(E)-(3-methylthiophen-2-yl)methylideneamino]-1H-benzimidazol
Interactions	PUBCHEM	3,4-dimethoxy-N'-[(1E)-1-(pyridin-2-yl)ethylidene]benzohydrazide
Interactions	PUBCHEM	N-(pyridin-4-ylmethyl)-2,3-dihydro-1,4-benzodioxin-6-amine
Interactions	PUBCHEM	2-[(2E)-[(3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methylidene]hydrazi
Interactions	PUBCHEM	1-cyclohexyl-3-[(E)-1-phenylethylideneamino]thiourea
Interactions	PUBCHEM	4-[(2E)-2-(quinolin-6-ylmethylidene)hydrazinyl]benzoic acid
Interactions	PUBCHEM	2-chloro-3-[(E)-(1,3-dihydro-2H-benzimidazol-2-ylidenehydrazinylide
Interactions	PUBCHEM	2-[(2E)-[[5-(2-fluorophenyl)furan-2-yl]methylidene}hydrazinylidene]-
Interactions	PUBCHEM	CID 9642230
Interactions	PUBCHEM	2-chloro-3-[(2E)-2-[1-(4-methoxyphenyl)ethylidene]hydrazinyl}pyraz
Interactions	PUBCHEM	1-(3-methoxyphenyl)-3-[(Z)-6,7,8,9-tetrahydrobenzo[7]annulen-5-ylid
Interactions	PUBCHEM	N-[(E)-[(E)-2-methyl-3-phenylprop-2-enylidene]amino]-1H-benzimida
Interactions	PUBCHEM	N-[(E)-[(E)-3-phenylprop-2-enylidene]amino]-1H-benzimidazol-2-am
Interactions	PUBCHEM	3-{2-[4-(Allyloxy)-2,3-dibromo-5-methoxybenzylidene]hydrazino}ber
Interactions	PUBCHEM	3-[(2E)-2-[[5-chloro-1-(2-chlorophenyl)-3-methylpyrazol-4-yl]methyl
Interactions	PUBCHEM	(E)-2-((2-(1H-benzo[d]imidazol-2-yl)hydrazono)methyl)-1-butyl-1H-b
Interactions	PUBCHEM	4-N-[(E)-(2,5-dimethyl-1-phenylpyrrol-3-yl)methylideneamino]-5-nitr

Main Category		Category
Interactions	PUBCHEM	3,5-dichloro-N-[(E)-1-(3-methoxyphenyl)ethylideneamino]pyridin-2-amine
Interactions	PUBCHEM	N-[(E)-1-pyridin-2-ylethylideneamino]-1H-benzimidazol-2-amine
Interactions	PUBCHEM	2-(2,4-Dichlorophenyl)-5-phenyl-1,3,4-oxadiazole
Interactions	PUBCHEM	N-(3-Chloro-4-methoxyphenyl)-1,3-benzodioxole-5-carboxamide
Interactions	PUBCHEM	Tocris-0582
Interactions	PUBCHEM	Curcumin
Interactions	PUBCHEM	N-(3-nitrophenyl)-N'-[4-(trifluoromethoxy)phenyl]urea
Interactions	PUBCHEM	N-(3-acetylphenyl)-N'-[4-(diethylamino)phenyl]urea
Interactions	PUBCHEM	1-[[[(2-Methyl-3-furanyl)-oxomethyl]amino]-3-[2-(trifluoromethyl)phenyl]propyl]pyridin-4-amine
Interactions	PUBCHEM	Halocarban
Interactions	PUBCHEM	[4-(4-Methoxy-phenyl)-thiazol-2-yl]-(3-methyl-pyridin-2-yl)-amine
Interactions	PUBCHEM	2-(2,3-dihydro-1H-indol-1-ylcarbonyl)-3,6,6-trimethyl-6,7-dihydro-1-benzothiazol-5(1H)-one
Interactions	PUBCHEM	N-[2-(2,4-dichlorophenoxy)acetyl]-1-piperidinecarboxamide
Interactions	PUBCHEM	2-{2-[(3-Methoxyphenyl)amino]-2-oxoethoxy}benzamide
Interactions	PUBCHEM	N-[4-(1-cyanocyclopentyl)phenyl]-2-fluorobenzamide
Interactions	PUBCHEM	N-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)-1,2-benzisothiazol-3-amine
Interactions	PUBCHEM	5-(1,3-Benzothiazol-2-yl)-2-methoxyphenol
Interactions	PUBCHEM	N-[4-(4-morpholinyl)phenyl]-1,2,5-thiadiazole-3-carboxamide
Interactions	PUBCHEM	Calcipotriol, (5E)-
Interactions	PUBCHEM	6-[[[2-(1-Methylethyl)phenyl]]sulfonyl-5-nitro-8-quinolinamine
Interactions	PUBCHEM	N-[(2S)-3-(1H-indol-3-yl)-1-[4-(4-nitrophenyl)piperazin-1-yl]-1-oxopropyl]pyridin-2-amine
Interactions	PUBCHEM	8-(benzyl(methyl)amino)-3-methyl-7-(3-methylbenzyl)-1H-purine-2,6-dione
Interactions	PUBCHEM	N-[4-(1,3-benzothiazol-2-yl)phenyl]-2-[(3-chlorophenyl)sulfonylaminomethyl]pyridin-3-amine
Interactions	PUBCHEM	3,6-Acridinediamine, sulfate (2:1)
Interactions	PUBCHEM	Cyazofamid
Interactions	PUBCHEM	Dtxcid5027304
Interactions	PUBCHEM	Oxalato(trans-l-1,2-cyclohexanediamine)platinum(II)
Interactions	PUBCHEM	CP-728663
Interactions	PUBCHEM	Formamide, N-((1-((2-(diethylamino)ethyl)amino)-7-methoxy-9-oxo-9H-fluoren-2-yl)methyl)-
Interactions	PUBCHEM	9-(2,4-dihydroxyphenyl)-3,3,6,6-tetramethyl-3,4,5,6,7,9-hexahydro-1H-benzothiazolo[5,4-b]pyridine-2,5-dione
Interactions	PUBCHEM	Pentachlorophenol
Interactions	PUBCHEM	2-(3,4-dimethylphenyl)-N-[(1,5-dimethylpyrazol-4-yl)methyl]quinolin-3-amine

Main Category	Category	
Interactions	PUBCHEM	(3S)-3-Benzoyloxycarbonylamino-1-chloro-4-phenyl-2-butanone
Interactions	PUBCHEM	3-(2,5-Dimethylphenyl)-8-methoxy-2-oxo-1-azaspiro(4.5)dec-3-en-4-one
Interactions	PUBCHEM	4-Methoxydalbergione
Interactions	UP_KW_LIGAND	Metal-binding
Interactions	UP_KW_LIGAND	Zinc
Literature	GENERIF_SUMMARY	There was a differential upregulation of p53-responsive genes by growth of mutant p53 with a codon 161 mutation (U266).
Literature	GENERIF_SUMMARY	Binding to the p53 binding sites of the Mdm2 promoter alleviates transcriptional repression of p53
Literature	GENERIF_SUMMARY	P72R polymorphism in human papillomavirus associated premalignant lesions
Literature	GENERIF_SUMMARY	phosphorylation of p53 was rapidly induced in human fibroblasts upon treatment with hydrogen peroxide
Literature	GENERIF_SUMMARY	A loss of wild-type p53 gene function and consequent p53 overexpression promote tumor progression.
Literature	GENERIF_SUMMARY	protein stability measured by hydrogen exchange
Literature	GENERIF_SUMMARY	Restoration of wt-p53 activity in Hep3B leads to sensitiveness to cisplatin
Literature	GENERIF_SUMMARY	differentiation status of the tumor was found for the p53 aberration
Literature	GENERIF_SUMMARY	No association was found between the p53 codon 72 polymorphism and tumor progression
Literature	GENERIF_SUMMARY	interactions with DNA in solution using time lapse atomic force microscopy
Literature	GENERIF_SUMMARY	Mutations of p53 gene were present in 24% (5 of 21) of the evaluated tumors
Literature	GENERIF_SUMMARY	Tissue samples from 42 ulcerative colitis patients were evaluated for p53 expression by polymerase chain reaction-single-strand conformation polymorphism
Literature	GENERIF_SUMMARY	WOX1/p53 has a potential role as a signaling complex in mitochondrial DNA damage
Literature	GENERIF_SUMMARY	different genotype combinations of p53 and GSTM1 increase the risk of bladder cancer
Literature	GENERIF_SUMMARY	DNA-PK and p53 may form a sensor complex that detects the disruption of DNA double-strand breaks and subsequently signal for apoptosis.
Literature	GENERIF_SUMMARY	Expression of Id helix-loop-helix proteins in colorectal adenocarcinoma
Literature	GENERIF_SUMMARY	We show a novel alternative pathway of apoptosis in human primary cells and decreases in p21.
Literature	GENERIF_SUMMARY	pH-sensitive molecular defect of p53 (R337H)suggests that pH-dependent p53 is involved in the pathogenesis of childhood colorectal carcinoma in Brazilian children
Literature	GENERIF_SUMMARY	New mutations of p53 identified by SSCP in acute myeloid leukemia cells grow in vitro without externally added growth factors.
Literature	GENERIF_SUMMARY	To determine whether genotoxic stress regulates DNA binding by p53, we performed EMSA assays on tumor and normal cell lines containing wild-type p53
Literature	GENERIF_SUMMARY	A lower invasiveness and shorter survival was seen in tumors with p53 mutations
Literature	GENERIF_SUMMARY	higher expression in childhood leukemias with poor prognosis compared with those with good prognosis
Literature	GENERIF_SUMMARY	Mutation pattern included base substitution (point mutation, G-->T)

Main Category	Category	
Literature	GENERIF_SUMMARY	acetylation of p53 activates transcription through recruitment of coactivator
Literature	GENERIF_SUMMARY	role in inducing CD95 gene expression in endothelial cells exposed to oxidized low-density lipoprotein
Literature	GENERIF_SUMMARY	P53 protein overexpression is an early event in esophageal carcinoma
Literature	GENERIF_SUMMARY	P53 protein expression and intratumoral microvessel density (IMVD) in glioblastoma multiforme and anaplastic astrocytoma.
Literature	GENERIF_SUMMARY	These results demonstrate that butyrate inhibited the growth of breast cancer cells.
Literature	GENERIF_SUMMARY	protein inhibitor of activated Stat1 (PIAS1) interacts with the tetramer of Stat1
Literature	GENERIF_SUMMARY	Telomerase activity in microdissected human breast cancer tissue
Literature	GENERIF_SUMMARY	TP53-mutated tumors need fewer additional genetic alterations to become malignant
Literature	GENERIF_SUMMARY	systematic automated analysis of the effects of p53 mutations on cell growth
Literature	GENERIF_SUMMARY	IkappaBalpha x p53 complex plays an important role in responses to DNA damage
Literature	GENERIF_SUMMARY	These results suggest that p53 might modulate the repair of DNA damage in uroepithelial cells.
Literature	GENERIF_SUMMARY	nuclear mutant p53 protein is expressed in early precancerous stages of lung cancer and may serve as a marker for development of NSCLC
Literature	GENERIF_SUMMARY	biogenesis in vitro to determine how wild type and mutant forms fold
Literature	GENERIF_SUMMARY	Polymorphism at p53 codon 72
Literature	GENERIF_SUMMARY	p53, activated by NF-kappa B, is essential for H(2)O(2)-induced apoptosis
Literature	GENERIF_SUMMARY	Repression of hepatocyte nuclear factor 4alpha tumor suppressor gene
Literature	GENERIF_SUMMARY	p53 expression was an independent parameter related to a poor prognosis
Literature	GENERIF_SUMMARY	The temperature sensitive mutant p53-143ala extends in vitro life span of oral keratinocytes.
Literature	GENERIF_SUMMARY	TSG101 expression in gynecological tumors
Literature	GENERIF_SUMMARY	inhibition by TP53 of G2 phase checkpoint abrogation and radiosensitivity
Literature	GENERIF_SUMMARY	MDMX post-translational processing may be regulated by p53
Literature	GENERIF_SUMMARY	A link between the p53 germ line polymorphisms and white blood cell count
Literature	GENERIF_SUMMARY	role in regulating growth-promoting gene IEX-1
Literature	GENERIF_SUMMARY	Transactivation-deficient Delta TA-p73 inhibits p53 by direct competition
Literature	GENERIF_SUMMARY	aberrant expresion correlates with VEGF and IL-8 mRNA expression in tumor
Literature	GENERIF_SUMMARY	Curcumin induces apoptosis in human breast cancer cells through p53
Literature	GENERIF_SUMMARY	effect of phosphorylation on structure and fold of transactivation domain
Literature	GENERIF_SUMMARY	overexpression may be marker of radioresistance in head and neck cancer
Literature	GENERIF_SUMMARY	p53 binds telomeric single strand overhangs and t-loop junctions in human
Literature	GENERIF_SUMMARY	the presence or absence of wild-type p53, may be an important determinant

Main Category	Category	
Literature	GENERIF_SUMMARY	Immunostaining of p53 accumulation in families with multiple gliomas.Germline p53 mutations in exons 4-10 were not found.
Literature	GENERIF_SUMMARY	Targeted inactivation of p53 in human cells does not result in aneu
Literature	GENERIF_SUMMARY	Human tumor suppressor ARF impedes S-phase progression indepe
Literature	GENERIF_SUMMARY	Under severe hypoxic conditions p53 protein accumulates only in S substantially reduces hypoxia-induced phosphorylation of p53 pro
Literature	GENERIF_SUMMARY	NO induces the accumulation of transcriptionally active p53 in a va mutated (ATM), poly(ADP-ribose) polymerase 1, or the ARF tumor r
Literature	GENERIF_SUMMARY	We investigated three common sequence variants in TP53 and p21 phenotypic features of this disease
Literature	GENERIF_SUMMARY	phosphorylation at multiple sites by ATM in response to ionizing ra
Literature	GENERIF_SUMMARY	The low-molecular-weight compound PRIMA-1 restored sequence- and in living cells.
Literature	GENERIF_SUMMARY	role for IGF-I in the regulation of the MDM2/p53/p21 signaling path
Literature	GENERIF_SUMMARY	p53 contributes to the reversible, growth factor-dependent arrest o
Literature	GENERIF_SUMMARY	The first direct demonstration of p53 mutations in pleuropulmonar change involving the pathogenesis and outcome of PPB.
Literature	GENERIF_SUMMARY	minor role of exon 5-9 among Sudanese breast cancer patients
Literature	GENERIF_SUMMARY	Squamous cell carcinoma of the head and neck shows a high inci an important role in the pathogenesis and progression of such nec
Literature	GENERIF_SUMMARY	SN2 DNA-alkylating agent-induced phosphorylation of p53 increas play a role in cell cycle arrest and/or apoptosis of human colon ca
Literature	GENERIF_SUMMARY	SV40 large T antigen associates with a cellular phosphoprotein, p5 PAb1103 define at least two non-overlapping determinants on hum
Literature	GENERIF_SUMMARY	Involvement of TP53 in apoptosis induced in human lymphoblasto
Literature	GENERIF_SUMMARY	role in inhibiting p63 activity
Literature	GENERIF_SUMMARY	Resveratrol enhances the expression of non-steroidal anti-inflamm
Literature	GENERIF_SUMMARY	review on mutations in brain neoplasms
Literature	GENERIF_SUMMARY	Wild-type and mutated presenilins 2 trigger p53-dependent apopto murine neurons
Literature	GENERIF_SUMMARY	Interaction between bcl-2 and P53 in neoplastic progression of bas
Literature	GENERIF_SUMMARY	A senescence rescue screen identifies BCL6 as an inhibitor of anti
Literature	GENERIF_SUMMARY	role in the regulation of ceramide biosynthesis
Literature	GENERIF_SUMMARY	binding and activation of PIG3 promotoeer via a pentanucleotide mi
Literature	GENERIF_SUMMARY	expression has an independent effect on prediction of survival, pro
Literature	GENERIF_SUMMARY	Akt enhances Mdm2-mediated ubiquitination and degradation of p
Literature	GENERIF_SUMMARY	Deubiquitination of p53 by HAUSP is an important pathway for p53

Main Category	Category	
Literature	GENERIF_SUMMARY	description of a novel MDM2 binding interface in p53 that plays a r
Literature	GENERIF_SUMMARY	Results indicate that loss of RAR-beta expression and accumulation of p53 in esophageal cancer in the high-risk populations.
Literature	GENERIF_SUMMARY	inverse relationship seen between HPV infection and p53 positivity of oncoprotein of HPV or by mutation in p53
Literature	GENERIF_SUMMARY	mutations in p53 gene can lead to enhanced chemoresistance; p53
Literature	GENERIF_SUMMARY	not very likely that TP53 mutations are involved in the etiology of n
Literature	GENERIF_SUMMARY	Apoptotic index (includes nick-end labeling) and bcl-2 do not correlate with myelodysplastic syndrome, while p53 protein levels do.
Literature	GENERIF_SUMMARY	Peg3/Pw1 is a mediator between p53 and Bax in DNA damage-ind
Literature	GENERIF_SUMMARY	Characterization of the p53-rescue drug CP-31398 in vitro and in li
Literature	GENERIF_SUMMARY	p53 and recombination intermediates
Literature	GENERIF_SUMMARY	Evaluation of relationship between chromosome 22 and p53 gene
Literature	GENERIF_SUMMARY	expression of apoptosis-regulating proteins p53, Bcl-2, and Bax in
Literature	GENERIF_SUMMARY	Expression of p53 and bcl-2 proteins in acute leukemias
Literature	GENERIF_SUMMARY	MDMX, when exceedingly overexpressed, inhibits MDM2-mediated
Literature	GENERIF_SUMMARY	Mutation of human thioredoxin reductase 1 promotes p53-depend
Literature	GENERIF_SUMMARY	p53 mutational pathway may favor selection for ErbB2 gene ampli
Literature	GENERIF_SUMMARY	high level of p53 protein in cPNETs measured by immunostaining i
Literature	GENERIF_SUMMARY	expression in pelvic lymph nodes and primary tumors in early stag
Literature	GENERIF_SUMMARY	p53 expression and vascular density in colon cancer
Literature	GENERIF_SUMMARY	the lack of correlation between p73 or p63 and p53 expression in h compensatory functional role
Literature	GENERIF_SUMMARY	P53 mediates ceramide-induced apoptosis in SKN-SH cells
Literature	GENERIF_SUMMARY	C-terminus of p53 is required for G(2) arrest.
Literature	GENERIF_SUMMARY	summarize the current understanding of post-translational modific Mdm2 and p53
Literature	GENERIF_SUMMARY	Genetic status of cell cycle regulators in squamous cell carcinoma
Literature	GENERIF_SUMMARY	VEGF and p53 are highly expressed in esophageal carcinomas
Literature	GENERIF_SUMMARY	These results suggest that p53 is vulnerable to free radical-medi
Literature	GENERIF_SUMMARY	These results demonstrate direct activation of the human DDB2 ge sequence identity with the human gene but was deficient for p53 b
Literature	GENERIF_SUMMARY	Identification of a novel mouse gene, mRTVP-1, as a p53 target ge protein by two short in-frame deletions of two and nine amino acid
Literature	GENERIF_SUMMARY	P53 protein accumulation may be responsible for gastric carcinog

Main Category	Category	
Literature	GENERIF_SUMMARY	pathogenesis of nasopharyngeal carcinoma in children may involve
Literature	GENERIF_SUMMARY	Expression of mitotic spindle checkpoint protein hSMAD1 correlates
Literature	GENERIF_SUMMARY	cyclin K is targeted for transcription by p53
Literature	GENERIF_SUMMARY	O-phospho-L-tyrosine protects TP53 wild-type cells against ionizing
Literature	GENERIF_SUMMARY	A HLA-A2 restricted human CTL line recognizes a novel tumor cell
Literature	GENERIF_SUMMARY	disrupted p53/BAX pathway is associated with a poor clinical outcome
Literature	GENERIF_SUMMARY	Prognostic significance of p53 mutations in colon cancer at the post
Literature	GENERIF_SUMMARY	mtCLIC/CLIC4, an organellar chloride channel protein, is increased
Literature	GENERIF_SUMMARY	p53 protein overexpression was noted in 59% of T-cell lymphoblastic
Literature	GENERIF_SUMMARY	Mutations for basal cell carcinoma (BCC), were screened in 15 cases
Literature	GENERIF_SUMMARY	population placental transforming growth factor-beta as an important downstream
Literature	GENERIF_SUMMARY	beta)
Literature	GENERIF_SUMMARY	Resistance to p53-mediated growth suppression in human ovarian
Literature	GENERIF_SUMMARY	p53 protein transport in hepatoma cells with VP22
Literature	GENERIF_SUMMARY	DN-p73 is activated after DNA damage in a p53-dependent manner
Literature	GENERIF_SUMMARY	Refolding and structural characterization of the human p53 tumor
Literature	GENERIF_SUMMARY	Redox state of tumor suppressor p53 regulates its sequence-specific
Literature	GENERIF_SUMMARY	Interactions between p53, hMSH2-hMSH6 and HMG I(Y) on Holliday
Literature	GENERIF_SUMMARY	Induction of gene amplification is a gain-of-function phenotype of
Literature	GENERIF_SUMMARY	were not able to confirm that the TP53 polymorphism at exon 4 induces
Literature	GENERIF_SUMMARY	epithelial lesion of the cervix
Literature	GENERIF_SUMMARY	p53 negatively regulates intestinal immunity by delaying mucosal T
Literature	GENERIF_SUMMARY	Changes of NF-kB, p53, Bcl-2 and caspase in apoptosis induced by
Literature	GENERIF_SUMMARY	The point mutation of p53 gene exon7 in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	reacts with glycogen synthase kinase-3beta after DNA damage
Literature	GENERIF_SUMMARY	Deregulated c-Myc partially disabled the p53-mediated DNA damage
Literature	GENERIF_SUMMARY	Recognition of DNA by p53 core domain and location of intermolecu
Literature	GENERIF_SUMMARY	TP53 arginine/arginine genotype could represent a potential risk fa
Literature	GENERIF_SUMMARY	Perturbations of chromosome 17 in general and the p53 locus in p
Literature	GENERIF_SUMMARY	polymorphism in codon 72 and risk of head and neck neoplasms
Literature	GENERIF_SUMMARY	UVB-mediated activation of p38 mitogen-activated protein kinase c
Literature	GENERIF_SUMMARY	cytoplasmic p53.
Literature	GENERIF_SUMMARY	Coexpression of P-glycoprotein, Ets-1, and p53 in oral carcinoma is

Main Category	Category	
Literature	GENERIF_SUMMARY	use of p53MH algorithm in detection of p53-responsive genes
Literature	GENERIF_SUMMARY	A two-stage, p16(INK4A)- and p53-dependent keratinocyte senescence
Literature	GENERIF_SUMMARY	recombinant p53 binds to BLM and WRN helicases and attenuates
Literature	GENERIF_SUMMARY	Nucleophosmin (NPM) interacts directly with p53, regulates the induction of p53-dependent transcriptional responses to DNA damage stress, and induces p53-dependent premature senescence on overexpression
Literature	GENERIF_SUMMARY	RNA polymerase III transcription can be derepressed by mutations in the p53-binding site. The p53 R175H mutation, the most common mutation in cancers, converts p53 from a transcriptional repressor to an activator
Literature	GENERIF_SUMMARY	UV-induced DNA damage in epidermal KCs triggers p53 activation and apoptosis by p53 in UV-irradiated human epidermis, psoriatic plaques
Literature	GENERIF_SUMMARY	Anoxia induces macrophage inhibitory cytokine-1 (MIC-1) in glioblastoma cells. MIC-1 gene was identified as a most prominent p53 target gene up-regulated in glioblastoma cells
Literature	GENERIF_SUMMARY	Sequential extension of proliferative lifespan in human fibroblasts
Literature	GENERIF_SUMMARY	Human p14(ARF)-mediated cell cycle arrest strictly depends on intact p53
Literature	GENERIF_SUMMARY	A cytoplasmic accumulation of wild-type p53 in human primary glioblastoma cells is associated with p53 activation and is inactive in growth suppression.
Literature	GENERIF_SUMMARY	A new germline p53 mutation was found associated with a choroid plexus papilloma and affected transactivation but not apoptosis induction.
Literature	GENERIF_SUMMARY	TP53 identified executioner caspase-6 as a transcriptional target of p53. p53-dependent transcriptional activation of caspase-6 gene and transactivation.
Literature	GENERIF_SUMMARY	Mutations in APC, Kirsten-ras, and p53--alternative genetic pathways in colorectal cancer. APC (27.1%), whereas mutations in both p53 and K-ras were extremely rare
Literature	GENERIF_SUMMARY	Novel gain of function activity of p53 mutants
Literature	GENERIF_SUMMARY	Adenovirus encoding HIV-1 Vpr activates caspase 9 and induces apoptosis
Literature	GENERIF_SUMMARY	role in adriamycin-induced senescence in breast tumor cells
Literature	GENERIF_SUMMARY	persistence of induced levels of ROS in normal diploid human cells
Literature	GENERIF_SUMMARY	Genetic signature of oligoastrocytomas correlates with tumor location
Literature	GENERIF_SUMMARY	role of tyrosine phosphorylation of Mdm2 by c-abl in p53 regulation
Literature	GENERIF_SUMMARY	binding sites of 53BP1
Literature	GENERIF_SUMMARY	mutations in epithelial ovarian cancer
Literature	GENERIF_SUMMARY	mutations in rheumatoid arthritis synovium
Literature	GENERIF_SUMMARY	two sequence motifs from HIF-1alpha bind to the DNA-binding site of p53
Literature	GENERIF_SUMMARY	An identical single nucleotide deletion within the C/EBP-like site of the human p53 promoter and mutation of this site in LFS/LFL does not affect p53 function
Literature	GENERIF_SUMMARY	Expression of this molecule and its correlation with prognostic markers
Literature	GENERIF_SUMMARY	p53 status is an important modulator of nitric oxide-induced mutagenesis. p53-dependent transcriptional regulation of iNOS is regulated by p53
Literature	GENERIF_SUMMARY	Data suggest a model in which p53 directly recruits a TRRAP/acetylation

Main Category		Category
		study defines a novel mechanism utilized by the p53 tumor suppressor
Literature	GENERIF_SUMMARY	These data indicate a novel p53-dependent mechanism in which c
Literature	GENERIF_SUMMARY	Syncytia from cells expressing the HIV-1 Env gene fused with cells mTOR-mediated p53 phosphorylation, p53-dependent Bax upregul
Literature	GENERIF_SUMMARY	enhanced microtubule-dependent trafficking and p53 nuclear accu
Literature	GENERIF_SUMMARY	Inactivation of p21WAF1 sensitizes cells to apoptosis via an increa
Literature	GENERIF_SUMMARY	CARF is co-regulated with ARF and cooperates with it in activating
Literature	GENERIF_SUMMARY	GSH plays a vital role in the protection of tri- and perchloroethylene dependent pathway.
Literature	GENERIF_SUMMARY	These results demonstrate that overexpression of Activating trans of HUVECs, at least in part, through down-regulating the transcripti
Literature	GENERIF_SUMMARY	MDMX-mediated regulation of p53 activity during development.
Literature	GENERIF_SUMMARY	p53 represses TauT and is involved in renal development and apop
Literature	GENERIF_SUMMARY	Relationship between p53 codon 72 polymorphism and susceptibi
Literature	GENERIF_SUMMARY	p53 is acetylated by tumor necrosis factor alpha, then p53 attenua synoviocytes
Literature	GENERIF_SUMMARY	Hypophosphorylation of Mdm2 augments p53 stability.
Literature	GENERIF_SUMMARY	Human wild-type p53 inhibits homologous recombination between was downregulated after p53 expression. p53 mutations at codon
Literature	GENERIF_SUMMARY	Vascular endothelial growth factor (VEGF) expression correlates w
Literature	GENERIF_SUMMARY	Genetic alterations of INK4alpha/ARF locus and p53 are observed
Literature	GENERIF_SUMMARY	MYCL1, FHIT, SPARC, p16(INK4) and TP53 genes associated to lun
Literature	GENERIF_SUMMARY	Mutations in exons 4-10 of the p53 gene in acute myeloid leukemia poor prognosis and to occur at frequencies similar to those report
Literature	GENERIF_SUMMARY	The lack of Bcl2 accompanied by p53 overexpression affects the c cytotoxic drugs and the type of cell death.
Literature	GENERIF_SUMMARY	In response to irradiation, the amount of p53 protein synthesized in
Literature	GENERIF_SUMMARY	Wild-type p53 protein conformation is stabilized upon CP-31398 ex
Literature	GENERIF_SUMMARY	Efficient repair of bulky anti-BPDE DNA adducts from non-transcrib
Literature	GENERIF_SUMMARY	E1B-55K-anchored proteome is linked to polyubiquitination of p53
Literature	GENERIF_SUMMARY	p53 was detected more frequently in CIN I compared with CIN II/III
Literature	GENERIF_SUMMARY	Affects relative biological effectiveness of light ions in human tum
Literature	GENERIF_SUMMARY	The suppression of STK15 oncogenic activity by p53 might be exp with the latter's Aurora box. This revealed a novel mechanism for t
Literature	GENERIF_SUMMARY	The candidate tumor suppressor ING1b can stabilize p53 by disrupt
Literature	GENERIF_SUMMARY	Cellular effects of CPT-11 on colon carcinoma cells

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutations in breast cancer tumors of patients from Rio de Ja
Literature	GENERIF_SUMMARY	bcl-2/Jh lymphomas show molecular heterogeneity and that bcl-6
Literature	GENERIF_SUMMARY	A case-control study showed that polymorphism in codon 72 of th
Literature	GENERIF_SUMMARY	p53 proteasomal degradation is regulated by NADPH quinone oxid
Literature	GENERIF_SUMMARY	p53 controls global nucleotide excision repair of low levels of stru
Literature	GENERIF_SUMMARY	studies define a novel p53-survivin signaling pathway activated by apoptosis
Literature	GENERIF_SUMMARY	Immunohistochemical expression of this protein in squamous cell immunocompetent individuals
Literature	GENERIF_SUMMARY	CD27 and CD40 co-stimulatory signals regulated the p53-amplified pathway primarily induced by BCR ligation
Literature	GENERIF_SUMMARY	Purification, crystallization and preliminary X-ray analysis of the BR
Literature	GENERIF_SUMMARY	Results indicate that full-length p53 is a modular protein consisting interaction of p53 with a multitude of partner proteins and the regu
Literature	GENERIF_SUMMARY	p53 activation is inhibited by MDMX, which is transported to the ce
Literature	GENERIF_SUMMARY	These findings suggest that impairment of transcriptionally active
Literature	GENERIF_SUMMARY	p53 activates ATF3 in human tumor cells
Literature	GENERIF_SUMMARY	role in enhancing MUC2 mRNA expression
Literature	GENERIF_SUMMARY	there are high frequencies of somatic mutations in TP53 (encoding
Literature	GENERIF_SUMMARY	P53 overexpression in transitional-cell carcinoma of the kidney pel
Literature	GENERIF_SUMMARY	Results describe the thermodynamic and kinetic-binding paramete
Literature	GENERIF_SUMMARY	Two peptide epitopes on Mdm2 oncoprotein affect this protein's d
Literature	GENERIF_SUMMARY	By inhibiting p21(Cip1) expression Myc favours the initiation of ap
Literature	GENERIF_SUMMARY	role in regulating expression of 67-kDa laminin receptor precursor
Literature	GENERIF_SUMMARY	role in mediating cell cycle arrest in Rb(-/-) Saos2 cells
Literature	GENERIF_SUMMARY	regulation of function by Pin1 during DNA damage
Literature	GENERIF_SUMMARY	hepatitis B virus X protein on the regulation of cell-cycle control de
Literature	GENERIF_SUMMARY	insulin inhibits TNF-alpha-dependent cell killing, induction of p53, p
Literature	GENERIF_SUMMARY	azurin, tumor suppressor protein p53, and regression of cancer
Literature	GENERIF_SUMMARY	ultraviolet rays increase the specificity of CK2 for p53 at the expen 392 phosphorylation
Literature	GENERIF_SUMMARY	The prolyl isomerase Pin1 is a regulator of p53 in genotoxic respon
Literature	GENERIF_SUMMARY	following stress-induced phosphorylation, p53 needs to form a cor
Literature	GENERIF_SUMMARY	Data suggest that securin is a p53 target gene and may play a role
Literature	GENERIF_SUMMARY	role in inducing cyclooxygenase 2 and in counteracting mutagen-in

Main Category	Category	
Literature	GENERIF_SUMMARY	The major lipid peroxidation product, trans-4-hydroxy-2-nonenal, produced in the liver is a major hotspot in hepatocellular carcinoma. 4-HNE may cause human cancer.
Literature	GENERIF_SUMMARY	IRF-1 and the tumour suppressor protein p53 are coordinately up-regulated in human cancer.
Literature	GENERIF_SUMMARY	Lung-specific expression of human point mutant p53-273H (under control of the lung-specific promoter) in transgenic mice. This mutation is frequent in human lung tumors.
Literature	GENERIF_SUMMARY	acetylation of the C-terminal domain is sufficient to abrogate its ubiquitination.
Literature	GENERIF_SUMMARY	One major function of p53 acetylation is to promote p53 stability by blocking MDM2-mediated ubiquitination. MDM2 promotes p53 degradation by removing these acetyl groups.
Literature	GENERIF_SUMMARY	p53 is regulated by Kruppel-like factor 4 during G1/S cell cycle arrest.
Literature	GENERIF_SUMMARY	heat shock stabilization by phosphorylation and heat shock protein 70.
Literature	GENERIF_SUMMARY	p53 as a sensor of transcriptional integrity
Literature	GENERIF_SUMMARY	description of the role of ionic interactions in the stability of the p53 protein.
Literature	GENERIF_SUMMARY	Role of p53 domains in binding to supercoiled DNA
Literature	GENERIF_SUMMARY	p53 positivity has been found only in part of the HGD cases and may be associated with high proliferation indices independently of the clinical stage.
Literature	GENERIF_SUMMARY	Many genes are affected by TP53 gene dosage for their expression in nonstressed cells. Among them, CSPG2 is validated as being directly regulated by p53.
Literature	GENERIF_SUMMARY	inactivation of p53 is an important cause of aberrant accumulation of p53.
Literature	GENERIF_SUMMARY	Interacts with WT1 in insulin-like growth factor-I receptor gene regulation.
Literature	GENERIF_SUMMARY	p53 mutations are a later event in vulvar carcinoma
Literature	GENERIF_SUMMARY	Results suggest that intrinsic DNA binding affinity and p53 protein levels are important for p53 function.
Literature	GENERIF_SUMMARY	TP53 mutations could be a useful prognostic indicator in precancerous lesions.
Literature	GENERIF_SUMMARY	The p53 overexpression was an important factor in the process of lymph node metastasis.
Literature	GENERIF_SUMMARY	expression of telomerase genes (hTR, hTERT) and apoptosis related genes.
Literature	GENERIF_SUMMARY	abnormal expressions of COX-2, p53, PCNA, and nm23 associate with tumor progression and therefore play a role in development of gastric cancer
Literature	GENERIF_SUMMARY	Data suggest that naturally occurring genetic variability at p53 gene may affect response to chemotherapeutic drug.
Literature	GENERIF_SUMMARY	estradiol induces variations of p53 protein levels in epithelial cancer cells, independent of p53 status and/or presence of E6/E7 from human papillomavirus [1].
Literature	GENERIF_SUMMARY	Cancerous hyper-mutagenesis in p53 genes is possibly associated with p53 protein levels.
Literature	GENERIF_SUMMARY	p53 has a role in T-cell protein tyrosine phosphatase-induced apoptosis.
Literature	GENERIF_SUMMARY	TP53 has a role in aortal endothelial cell aging
Literature	GENERIF_SUMMARY	expressed in biopsies from children with Langerhans cell histiocytosis.
Literature	GENERIF_SUMMARY	P53 directly inhibits expression of the T cell growth factor (IL-2) in T cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	Expression of this protein does not predict outcome in colorectal cancer
Literature	GENERIF_SUMMARY	p53 mediates DNA damaging drug-induced apoptosis by increasing p21 and MDM2
Literature	GENERIF_SUMMARY	Loss of p53 function leads to myeloma cell progression and resistance to therapy
Literature	GENERIF_SUMMARY	p53 has a role in cyclin D1-induced death signalling and causes cell cycle arrest
Literature	GENERIF_SUMMARY	Thus, the accumulation of mutant p53 in tumor cells may contribute to tumor progression
Literature	GENERIF_SUMMARY	DNA repair of the gene region in two human bladder carcinoma cell lines
Literature	GENERIF_SUMMARY	Status of gene affect and nature of chromosome damage seen in cells but prior to the G2-phase checkpoint
Literature	GENERIF_SUMMARY	role of gene in the complexity of the mechanisms of initiation and arrest
Literature	GENERIF_SUMMARY	A selective growth advantage for cells carrying a type of TP53 mutation are not seen in colorectal neoplasms.
Literature	GENERIF_SUMMARY	There is some evidence that p53 is involved in the regulation of XPB
Literature	GENERIF_SUMMARY	p53 protein was analyzed in ovarian tumor samples and p53 exon 6 was positive for p53; there was no correlation with telomerase activity level
Literature	GENERIF_SUMMARY	The relationships and interactions between p53, Rb and bcl-2 immunoproteins were evaluated in the present study.
Literature	GENERIF_SUMMARY	investigated whether Tat might alter p53 acetylation and p53-responses might impair tumor suppressor functions favoring establishment of cancer
Literature	GENERIF_SUMMARY	the persistence of p53 overexpression after Bacillus Calmette-Guérin carcinoma in situ
Literature	GENERIF_SUMMARY	Analysis of BRCA1, TP53, and TSG101 germline mutations in German breast cancer patients
Literature	GENERIF_SUMMARY	Ubiquitination and degradation of p53 are largely controlled by Mdm2
Literature	GENERIF_SUMMARY	Results describe the relationship between Helicobacter pylori (H.pylori) a series of diseases from chronic gastritis to gastric cancer.
Literature	GENERIF_SUMMARY	p53 plays an important role in PP2C alpha-directed cell cycle arrest
Literature	GENERIF_SUMMARY	beta-catenin, p53 and PCNA may play important roles in the carcinogenesis
Literature	GENERIF_SUMMARY	pivotal role of NO in the induction of cellular stress and the activation
Literature	GENERIF_SUMMARY	basal expression of p53 plays a functional role in a glucocorticoid-induced mechanism that is suppressed by PP5 and associated with the phosphorylation
Literature	GENERIF_SUMMARY	the data demonstrate that wild-type p53 in cytoplasm, in its noninactivated
Literature	GENERIF_SUMMARY	Mutated-p53 (Asp281His), in head & neck cancer cells prevents cell cycle arrest and accelerates the malignant progression of the cells by DNA damage
Literature	GENERIF_SUMMARY	The presence of E-cadherin mutations can significantly alter the association of the p53 mutation status or with Ki-67 staining was observed.
Literature	GENERIF_SUMMARY	This protein and p73 interact with CTF2 and regulate HMG1 gene expression
Literature	GENERIF_SUMMARY	Data show that aspirin decreases endothelial cell proliferation through

Main Category	Category	
Literature	GENERIF_SUMMARY	Simulated sunlight and benzo[a]pyrene diol epoxide induced mutagenesis in human cells.
Literature	GENERIF_SUMMARY	Selection pressures of TP53 mutation and microenvironmental localization in human glioblastomas.
Literature	GENERIF_SUMMARY	P53 genes from South African esophageal squamous cell carcinoma and their role of binding to mdm2 protein in p53 regulation
Literature	GENERIF_SUMMARY	The complement inhibitor CD59 and the lymphocyte function-associated protein 1 (LFA-1) are tumor suppressor protein.
Literature	GENERIF_SUMMARY	Haplotype structure of TP53 locus in Indian population and possible implications for cancer susceptibility
Literature	GENERIF_SUMMARY	Expression of p53 in primary central nervous system diffuse large B-cell lymphoma
Literature	GENERIF_SUMMARY	Data show that activated protein C directly prevents apoptosis in human cells by inhibiting the tumor suppressor protein p53.
Literature	GENERIF_SUMMARY	Expression of p53R2, newly p53 target in oral normal epithelium, esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	Protein p53 in cell lines containing inducible versions of alleles encoding the P53 protein: p53 induces apoptosis markedly better than does the Pro72 variant
Literature	GENERIF_SUMMARY	TP53 mutation analysis of this gene in a case of familial endometriosis
Literature	GENERIF_SUMMARY	Differential expression of genes induced by resveratrol in LNCaP cells
Literature	GENERIF_SUMMARY	TP53-mediated regulation of the p53 protein in the mediation of apoptotic response in colorectal cancer cells by PUMA
Literature	GENERIF_SUMMARY	TP53 rearrangements in families with the Li-Fraumeni syndrome re-examine the role of p53 in cancer
Literature	GENERIF_SUMMARY	Methylation of CpG and CCWGG motifs in the promoter of TP53 correlates with p53 expression in ALL.
Literature	GENERIF_SUMMARY	Through a combination of induced p53 aggregation and diminished p53 ubiquitination, the p53 protein is inactivated in the inactivation pathway for p53 in the cell.
Literature	GENERIF_SUMMARY	Mdm2-mediated p53 ubiquitination is suppressed by HIF-1 alpha, vimentin, and p21
Literature	GENERIF_SUMMARY	These results indicate that p53 and BLM functionally interact during the maintenance of genomic fidelity by these nuclear proteins
Literature	GENERIF_SUMMARY	VEGF expression plays a role in promoting angiogenesis in invasive breast cancer cells
Literature	GENERIF_SUMMARY	Increased p53 and Ki-67 expression in varying grades of urothelial carcinoma
Literature	GENERIF_SUMMARY	Comparative study in the expression of p53, EGFR, TGF-alpha, and p21 in squamous cell carcinoma of head and neck region.
Literature	GENERIF_SUMMARY	Mutation of p53 gene endows gliomas with an angiogenic phenotype and promotes angiogenesis inducers in the early phase of malignant progression
Literature	GENERIF_SUMMARY	Germline mutations of this protein exist in a cohort with childhood cancer
Literature	GENERIF_SUMMARY	CP-31398-mediated stabilization of p53 may result from reduced ubiquitination
Literature	GENERIF_SUMMARY	Delayed activation of p53 occurs in the progeny of irradiated cells
Literature	GENERIF_SUMMARY	Wild-type p53 regulates human ribonucleotide reductase by protein-protein interaction
Literature	GENERIF_SUMMARY	Results indicate HPV 16E6 may have multiple modes of interaction with p53

Main Category	Category	
		degradation by E6AP may occur in more than one way
Literature	GENERIF_SUMMARY	p53 induction and activation of DDR1 kinase counteract p53-mediated
Literature	GENERIF_SUMMARY	the p53 tetramerization domain can be converted from the soluble
Literature	GENERIF_SUMMARY	ING1 expression is frequently associated with Adenocarcinoma of the colon, a tumor suppressor gene, and ING1 expression is independent of p53 status
Literature	GENERIF_SUMMARY	study establishes poly(ADP-ribose) polymerase-1 as a critical regulator of p53
Literature	GENERIF_SUMMARY	mutations induce loss of DNA methylation and amplification of the p53 gene
Literature	GENERIF_SUMMARY	modulation of level by cyclin G via a negative feedback regulation
Literature	GENERIF_SUMMARY	there is a relationship between the p53 pathway and the ubiquitin-proteasome system in DNA damage checkpoint and the mitotic checkpoint
Literature	GENERIF_SUMMARY	activates ICAM-1 (CD54) expression in an NF-kappaB-independent manner
Literature	GENERIF_SUMMARY	deacetylase HDAC1 acts as an antagonist of the tumor suppressor p53
Literature	GENERIF_SUMMARY	We probe the significance of mitochondrial p53 and show that tumor suppressor p53 can interact with BclXL and promote cytochrome c release.
Literature	GENERIF_SUMMARY	p53 protein can directly induce permeabilization of the outer mitochondrial membrane, resulting in cytochrome c release
Literature	GENERIF_SUMMARY	Patients with tumors who also showed overexpression of p53 had significantly more p53-negative tumors
Literature	GENERIF_SUMMARY	this gene regulates the metastasis suppressor gene Nm23 in cultured cells
Literature	GENERIF_SUMMARY	Bcl-2 constitutively suppresses apoptosis dependent on this protein
Literature	GENERIF_SUMMARY	Fas-mediated apoptosis is dependent on wild-type p53 status in human cells
Literature	GENERIF_SUMMARY	During apoptosis, p53 activates transcription of PAC1 by binding to its promoter
Literature	GENERIF_SUMMARY	Codon 249 mutation in exon 7 of this gene in plasma DNA may be a marker for colorectal cancer in China.
Literature	GENERIF_SUMMARY	p53 and c-fos are significantly overexpressed in thyroid cancer patients and may be involved in tumorigenesis
Literature	GENERIF_SUMMARY	the expression of p53 is very probably involved in the regulation of cell growth and the proliferation of leukemic cells.
Literature	GENERIF_SUMMARY	generation of the polyubiquitinated forms of p53 that are targeted for degradation by MDM2 and p300
Literature	GENERIF_SUMMARY	a transcriptional switch from P(0)-/P(2)- to P(1)-initiated p53 mRNA
Literature	GENERIF_SUMMARY	Modified DNA is recognized by "latent" and "active" protein p53.
Literature	GENERIF_SUMMARY	p53 mutations reflected histological progression in Barrett's patients with intestinal dysplasia patients (P=0.33).
Literature	GENERIF_SUMMARY	This additivity, where doxorubicin acts via p53 expression and vincristine acts via cell cycle response rate when the two drugs are used together in the treatment of
Literature	GENERIF_SUMMARY	half-life (t(1/2)) of the unfolding of highly destabilized mutants

Main Category	Category	
Literature	GENERIF_SUMMARY	central and carboxy-terminal regions are essential for interaction a
Literature	GENERIF_SUMMARY	Mutant p53 can delay growth arrest in senescing fibroblasts witho
Literature	GENERIF_SUMMARY	Mutations in PTEN/MMAC1 gene correlated inversely with an alter
Literature	GENERIF_SUMMARY	tp53 has a role in recruitment of nucleotide excision repair factors
Literature	GENERIF_SUMMARY	deacetylated p53 can transactivate the p21Waf1 gene
Literature	GENERIF_SUMMARY	Mutations of p53 gene are associated features of aggressive phen
Literature	GENERIF_SUMMARY	immunohistochemistry and PCR-SSCP analysis of p53 are useful f
Literature	GENERIF_SUMMARY	regenerative epithelium; may contribute to accurate endoscopic de
Literature	GENERIF_SUMMARY	The capability of p53 to activate transcription was used to develop
Literature	GENERIF_SUMMARY	lines of different origin.
Literature	GENERIF_SUMMARY	Results showed significant differences in the expression patterns
Literature	GENERIF_SUMMARY	R248Q samples. We also report here the first found p53 mutant-tri
Literature	GENERIF_SUMMARY	p53 mutants mediate the AI growth of LNCaP cells in an AR-indepe
Literature	GENERIF_SUMMARY	overexpression of p53 protein is observed in recurrent respiratory p
Literature	GENERIF_SUMMARY	in progeria, the premature ageing phenotype does not arise from a
Literature	GENERIF_SUMMARY	This gene is mutated in breast cancer.
Literature	GENERIF_SUMMARY	p53 accumulation and loss of bax expression influence the acquis
Literature	GENERIF_SUMMARY	progression.
Literature	GENERIF_SUMMARY	This protein is required for the Nuclear localization of Y-box factor
Literature	GENERIF_SUMMARY	expression of p21/CDKN1A is necessary and sufficient for the neg
Literature	GENERIF_SUMMARY	p53 exhibited no statistical correlation with survival and disease-fr
Literature	GENERIF_SUMMARY	p29ING4 and p28ING5 may be significant modulators of p53 functi
Literature	GENERIF_SUMMARY	p53 interacts with hRAD51 and hRAD54, and directly modulates ho
Literature	GENERIF_SUMMARY	p53 is regulated by hGTSE-1 during apoptosis control after DNA da
Literature	GENERIF_SUMMARY	p53 and p73alpha have roles in cell migration
Literature	GENERIF_SUMMARY	The detected pattern of the p53/ bcl-2 ratio in hypertrophic actinic
Literature	GENERIF_SUMMARY	Results showed that mutations in the p53 gene were frequently de
Literature	GENERIF_SUMMARY	results demonstrated significant positive staining of p53 in the sal
Literature	GENERIF_SUMMARY	to a biological role in the tumorigenic process
Literature	GENERIF_SUMMARY	GgA transition in codon 175 of the p53 gene as a potential marker
Literature	GENERIF_SUMMARY	No somatic mutations were identified in either TP53 or KRAS, indic
Literature	GENERIF_SUMMARY	development
Literature	GENERIF_SUMMARY	Data show that the 249(Ser) p53 mutation in plasma is strongly as
Literature	GENERIF_SUMMARY	p53-induced apoptosis inhibited by activated Notch1

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 mutations and/or protein overexpression are a predictor of recurrence in colorectal adenocarcinomas. p53 may be a clinically useful molecular marker.
Literature	GENERIF_SUMMARY	The detection of mutant p53 protein in hepatocellular cancer is correlated with survival in Turkey.
Literature	GENERIF_SUMMARY	p53 is inactivated by leukemic protein MLL-ELL.
Literature	GENERIF_SUMMARY	Results obtained in breast carcinoma cell lines indicate that no clear correlation exists between p53 and its respective mRNA and protein expression.
Literature	GENERIF_SUMMARY	p53mt249 stimulates IGF-II dependent IGF-IR signaling by upregulating IGF-IR expression in an autocrine and/or paracrine loop.
Literature	GENERIF_SUMMARY	P53-negative AsPC-1 cells are resistant to p53-mediated apoptosis.
Literature	GENERIF_SUMMARY	Cooperation of two mutant p53 alleles contributes to Fas resistance in human melanoma cells.
Literature	GENERIF_SUMMARY	p53 plays an important role in mediating upregulation of CD95 gene expression upon genotoxic stress.
Literature	GENERIF_SUMMARY	Gene-profiling experiments of breast cancer cells infected with wt p53 showed that p53 silences both genes though both genes are silenced in association with aberrant cytoskeleton.
Literature	GENERIF_SUMMARY	Here we showed that 361 out of 1501 p53 responsive genes contained a p53 binding site, approximately 80% of which were repressed by p53.
Literature	GENERIF_SUMMARY	The restoration of wild-type p53 expression and function in human melanoma cells increases their target cell susceptibility to cytotoxic T cell-mediated lysis.
Literature	GENERIF_SUMMARY	p53 may play important role in transition from intraductal papillary mucinous neoplasia to pancreatic ductal adenocarcinoma.
Literature	GENERIF_SUMMARY	Correlates with invasiveness including vascular permeation, grade of tumor, and disease recurrence. May also influence disease recurrence interval and survival.
Literature	GENERIF_SUMMARY	p53-dependent apoptosis triggered by fast neutrons in lymphoid cells.
Literature	GENERIF_SUMMARY	p53 overexpression is strongly related to poor prognostic indicators in human breast cancer.
Literature	GENERIF_SUMMARY	p53 represses cyclin D1 transcription through down regulation of E2F-1 and histone deacetylase 1.
Literature	GENERIF_SUMMARY	In carcinoma in situ tumors, p53 expression is not associated with tumor progression.
Literature	GENERIF_SUMMARY	p53 is recruited into the PML nuclear bodies by PML along with chromatin.
Literature	GENERIF_SUMMARY	Caffeine induces cell cycle arrest and apoptosis in association with increased phosphorylation of cdc 2 in leukemic cells with normal p53.
Literature	GENERIF_SUMMARY	p53 has different modes of high affinity DNA binding which are related to the type of DNA lesion.
Literature	GENERIF_SUMMARY	study showed that polymorphism at codon 72 of TP53 gene is not associated with HPV infection in the Argentine women population.
Literature	GENERIF_SUMMARY	TP53 mutation frequently occurs in higher stages of bladder tumor.
Literature	GENERIF_SUMMARY	p53 mutations in exon 7 might be associated with increased radiosensitivity in human cells concerning mutations in separate exons & response towards different DNA lesions.
Literature	GENERIF_SUMMARY	p53 must be dephosphorylated on serine residues during N-alpha-acetylation.
Literature	GENERIF_SUMMARY	Inhibition of p53 causes ubiquitination and down-regulation, through sequestering Mdm2 in the cell nuclei, the level of p53 may indirectly be increased.

Main Category	Category	
Literature	GENERIF_SUMMARY	The 3' UTR of p53 was found to be a target of the RNA-binding protein
Literature	GENERIF_SUMMARY	molecular interactions of p53 within the N-terminal domain are not required for its stabilizing function
Literature	GENERIF_SUMMARY	low incidence for actinic damage, basal cell and squamous cell carcinoma in sun-exposed regulated wild-type p53.
Literature	GENERIF_SUMMARY	P-53 over-expression can occur in initial stages of HCV-related liver disease
Literature	GENERIF_SUMMARY	findings suggest that the Pro/Pro genotype of p53 codon 72 played a role but did not appear to worsen such clinical parameters as clinical stage or survival
Literature	GENERIF_SUMMARY	types of mutations in sinonasal NK/T cell lymphoma in northeast China
Literature	GENERIF_SUMMARY	Comprehensive site-directed mutagenesis technique & a yeast-based assay for identifying representing all possible AA substitutions caused by a point mutation
Literature	GENERIF_SUMMARY	a novel p53-dependent mechanism in the PPARgamma ligand-mediated regulation of role of PPARgamma ligands in the treatment of human cholangiocarcinoma
Literature	GENERIF_SUMMARY	Hepatitis B virus X protein in liver cells down-regulates the expression of p53
Literature	GENERIF_SUMMARY	This protein interacts with TFAM and helps regulate DNA damage-induced apoptosis
Literature	GENERIF_SUMMARY	Expression of apoptosis-inductive genes were increased by X-ray irradiation in cells expressing mutated p53. Radiation sensitivity may come from p53-dependent
Literature	GENERIF_SUMMARY	p21 is highly correlated with p73 expression irrespective of the p53 genotype
Literature	GENERIF_SUMMARY	TP53INP1s and HIPK2 could be partners in regulating p53 activity.
Literature	GENERIF_SUMMARY	potential improvement of the International Prognostic Scoring System by analyzing the configuration of the TP53 gene
Literature	GENERIF_SUMMARY	hepatitis C virus core protein induces p53-dependent gene expression and cell cytotoxicity
Literature	GENERIF_SUMMARY	P53 protein expression in quiescent vascular smooth muscle cells is regulated by the mediation of p21WAF1/CIP1 and Bax, induced p53 protein negatively
Literature	GENERIF_SUMMARY	TP53 is regulated by superoxide dismutase 1 in human cells
Literature	GENERIF_SUMMARY	transcription of the p53 gene is induced by IFN-alpha/beta, accompanied by a critical for antiviral defence
Literature	GENERIF_SUMMARY	p53 has a differential role in effecting G(2) arrest in response to topoisomerase II inhibitors tested.
Literature	GENERIF_SUMMARY	Data describe the correlation between inducible nitric oxide synthase and squamous cell carcinomas in vivo and in vitro.
Literature	GENERIF_SUMMARY	p53 has a pivotal role in apoptosis in the erythroid lineage development
Literature	GENERIF_SUMMARY	Fibrillar aggregates of the p53 core domain contribute to the loss of function in some cancerous cells.
Literature	GENERIF_SUMMARY	Zinc deficiency caused an increase in p53 protein expression.
Literature	GENERIF_SUMMARY	tp53 may negatively control the MAKP pathway via MKP1
Literature	GENERIF_SUMMARY	the p53 gene polymorphism may associate with NPC susceptibility in 10 years.

Main Category	Category	
Literature	GENERIF_SUMMARY	Epigallocatechin-3-gallate-induced stabilization of p53 caused an up-regulation of p53 and its downstream targets p21/WAF1 and Bax.
Literature	GENERIF_SUMMARY	there is a mitotic checkpoint wherein p53-dependent activation of p53-dependent targets is required for progression through the cell cycle.
Literature	GENERIF_SUMMARY	p53 mutation [p53(R273H)], is frequently found in human cancers. The p53 mutation is associated with a poor prognosis in human cancers.
Literature	GENERIF_SUMMARY	p53 mutations, in stromal cells can increase stromal-derived support for tumor growth. VEGF, may constitute one possible pathway by which this process occurs.
Literature	GENERIF_SUMMARY	role of p53 gene in the biophysics and biology in murine erythroleukemia. The p53 gene is a tumor suppressor gene on the deformability and metastasis of tumor cells.
Literature	GENERIF_SUMMARY	HIPK2-mediated enhancement of p53-dependent transcription, p53-dependent transcription is enhanced on the presence of PML.
Literature	GENERIF_SUMMARY	Mutation of p53 is significantly associated with gain of 20q, 13q, and 12p in human breast cancer.
Literature	GENERIF_SUMMARY	Functional mutants of the sequence-specific transcription factor p53 are capable of inducing apoptosis in human cells.
Literature	GENERIF_SUMMARY	The p53 genotype distribution was markedly different between the two groups of patients with pancreatic cystadenocarcinomas with respect to homozygosity of both Arg and Leu polymorphisms.
Literature	GENERIF_SUMMARY	p53-induced apoptosis does not occur through the induction of CD95 in human cells.
Literature	GENERIF_SUMMARY	Ligase dead mutants of Mdm2 did not act in a dominant negative fashion in human cells.
Literature	GENERIF_SUMMARY	A shift from one p53 intron 2 genotype in the blood to another genotype in the tumor was observed in human breast cancer.
Literature	GENERIF_SUMMARY	P53 mutation predicts the failure of intravesical adriamycin instillation in human bladder cancer.
Literature	GENERIF_SUMMARY	p53 alteration is an independent and significant indicator to predict the prognosis of human breast cancer.
Literature	GENERIF_SUMMARY	The p53 tumor suppressor pathway is disrupted in most oral squamous cell carcinomas. The disruption is due to itself or loss of expression of p53 regulatory factors.
Literature	GENERIF_SUMMARY	p53 is involved in the progression of anal cancer and its expression is up-regulated in human anal cancer.
Literature	GENERIF_SUMMARY	HSU94788 may not be the wild-type p53 sequence. AF136270 and AF136271 are the wild-type p53 sequences.
Literature	GENERIF_SUMMARY	Association between HPV 16/18 infection and overexpression of P53 in human cervical cancer.
Literature	GENERIF_SUMMARY	findings suggest a novel mechanism of MLH1 in the induction p53-dependent apoptosis in human cells.
Literature	GENERIF_SUMMARY	colocalization of a nonshuttling p53 with MDM2 either in the nucleus or in the cytoplasm does not lead to p53 degradation.
Literature	GENERIF_SUMMARY	combination of protein p53 induction and ionizing radiation activation in human cells.
Literature	GENERIF_SUMMARY	Radiation induced increased expression of p53. Ionizing radiation induced apoptosis in those with mutated p53.
Literature	GENERIF_SUMMARY	the greater severity of TP53-mutant B-CLLs compared with ATM-mutant B-CLLs. The greater severity is due to elevated survival responses after DNA damage in these tumors.
Literature	GENERIF_SUMMARY	hyperoxia activates the ATR-Chk1 pathway and phosphorylates p53. The ATR-Chk1 pathway is involved in the forms of oxidative stress such as H2O2 or UV light.
Literature	GENERIF_SUMMARY	p53 has a role in transactivation of the Fas gene during radiation-induced apoptosis in human cells.
Literature	GENERIF_SUMMARY	Our results indicate that both p73 and p63 may be involved in the regulation of p53-dependent apoptosis in human cells.

Main Category	Category	
		p53.
Literature	GENERIF_SUMMARY	Defect of spindle checkpoint gene Mad2 and mutation of p53 gene >2 is associated with prognosis of colorectal cancer.
Literature	GENERIF_SUMMARY	inactivation of p53 in osteosarcomas directly by mutation versus in respect to the stability of the genome
Literature	GENERIF_SUMMARY	p53 gene mutations might be a main causal factor for carcinogenesis
Literature	GENERIF_SUMMARY	p53-induced transcription is inhibited by SINK-homologous serine-
Literature	GENERIF_SUMMARY	Plays a role in breast cancer in conjunction with BRCA1.
Literature	GENERIF_SUMMARY	The N-terminal domain of p53 is natively unfolded
Literature	GENERIF_SUMMARY	Inhibition of COX-2 in colon cancer cell lines by celecoxib increases
Literature	GENERIF_SUMMARY	tp53 has a role in apoptosis along with noxa protein in human tumors
Literature	GENERIF_SUMMARY	TP53-mediated transcription is induced by prohibitin in human tumors
Literature	GENERIF_SUMMARY	Results identify a 22-mer peptide derived from the p53 core domain in inappropriately-triggered apoptosis in normal tissues.
Literature	GENERIF_SUMMARY	p53 is not required for LKB1-induced apoptosis in pancreatic neoplasms
Literature	GENERIF_SUMMARY	identification of defect in response pathway induced by de novo p53
Literature	GENERIF_SUMMARY	VHL-mediated p53 upregulation may contribute to pVHL's tumor suppressor
Literature	GENERIF_SUMMARY	p53 activity is regulated by 14-3-3 sigma
Literature	GENERIF_SUMMARY	The poor prognosis associated with p53-null mutation is independent
Literature	GENERIF_SUMMARY	role of glycogen synthase kinase-3beta in binding and promoting apoptosis
Literature	GENERIF_SUMMARY	adenovirus 2 E1B-55K protein blocks p53 as a transcriptional repressor
Literature	GENERIF_SUMMARY	The immunodetection of both p53 and bcl-2 proteins in squamous cell carcinoma marker for cervical cancer associated with HPV infection.
Literature	GENERIF_SUMMARY	p53 and c-Myc expression may have a role in regulation of telomerase
Literature	GENERIF_SUMMARY	x-ray crystallography of mutant human p53 core domain
Literature	GENERIF_SUMMARY	there may be a p53-dependent regulatory pathway of the maspin protein
Literature	GENERIF_SUMMARY	p53 inactivation caused by HPV infection may play a role in the pathogenesis
Literature	GENERIF_SUMMARY	Alterations in p53 are a common event in advanced epithelial ovarian cancer short-term survival benefit.
Literature	GENERIF_SUMMARY	p53 post-translational modification has a role in p53 inactivation in
Literature	GENERIF_SUMMARY	small airway epithelial cells expressing a p53 mutant alleles were a markedly increased ability to facilitate E1B 55-kilodalton protein-de
Literature	GENERIF_SUMMARY	Daxx significantly augmented p53-mediated transcription and the
Literature	GENERIF_SUMMARY	Expression of p53 was associated with the pathogenesis and development
Literature	GENERIF_SUMMARY	PTEN inhibits MDM2 and protects p53 through both p13k/Akt-dependent

Main Category	Category	
Literature	GENERIF_SUMMARY	Data suggest that both before and after UV irradiation, DDB2 direc
Literature	GENERIF_SUMMARY	Cloning and characterization of a novel gene PDRG that is differen
Literature	GENERIF_SUMMARY	value of this tumor marker regarding relapse, metastasis and deat
Literature	GENERIF_SUMMARY	ING1 has a subtle antiproliferative effect even in the absence of p53 independent mechanisms.
Literature	GENERIF_SUMMARY	Nitric oxide depletion reduces the presence of p53-DNA complexes
Literature	GENERIF_SUMMARY	DeltaN-p63-alpha mediates the silencing of its own promoter there
Literature	GENERIF_SUMMARY	Out of 110 cases of oral carcinoma, 40 (36%) were p53 positive; p5
Literature	GENERIF_SUMMARY	Activation of p53 reduces binding and relieves transcriptional repr tumorigenesis, may significantly contribute to aberrant genomic m
Literature	GENERIF_SUMMARY	UV-induced activation of p53R2 transcription and binding of p53R2
Literature	GENERIF_SUMMARY	Loss of p53, directly or indirectly, perturbs the normal regulation of
Literature	GENERIF_SUMMARY	Data show that growth arrested keratinocytes may resist ultraviole
Literature	GENERIF_SUMMARY	p53 inhibits transcriptional activation of invasion gene thromboxan
Literature	GENERIF_SUMMARY	Histone deacetylase inhibitors can induce Gadd45 through its prom participate in Trichostatin A-induced activation of the gadd45 prom
Literature	GENERIF_SUMMARY	Resveratrol caused a dose-dependent increase in intracellular p53
Literature	GENERIF_SUMMARY	High p53 protein level is associated with advanced TNM stage and
Literature	GENERIF_SUMMARY	The antiproliferative properties conjugated linoleic acids are a func cell growth arrest.
Literature	GENERIF_SUMMARY	P53 transcriptional activity is inhibited by MDM-2 overexpression, y
Literature	GENERIF_SUMMARY	The positive expression rates of p21 and p53 proteins were 75.0% from those in the normal tissue (P
Literature	GENERIF_SUMMARY	increase in intracellular reactive oxygen species (ROS) associated either senescence or apoptosis in both normal and cancer cells
Literature	GENERIF_SUMMARY	proline-directed acetylation of p53 is a post-DNA binding event
Literature	GENERIF_SUMMARY	L11 functions as a negative regulator of HDM2 and there might ex
Literature	GENERIF_SUMMARY	p53 is an important mediators of chemoresistance in ovarian cance
Literature	GENERIF_SUMMARY	Tumor cells with wild-type p53 activity exhibited up-regulation of s
Literature	GENERIF_SUMMARY	The presence of wild-type p53 increased survival of prostate carcin
Literature	GENERIF_SUMMARY	p53 mutations are an infrequent event in nasopharyngeal carcinom
Literature	GENERIF_SUMMARY	p53 is part of the survival pathway induced by integrin alpha4beta
Literature	GENERIF_SUMMARY	cloned and characterized a p53 consensus element located within
Literature	GENERIF_SUMMARY	p53 gene mutation is an independent predictor of poor prognosis i
Literature	GENERIF_SUMMARY	In adenocarcinomas, no statistically significant correlation was fou

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 expression and certain apoptosis markers correlate with survival
Literature	GENERIF_SUMMARY	p53 mutants showed increased binding to NQO1, which can explain the role in stabilizing hot-spot p53 mutant proteins in cancer
Literature	GENERIF_SUMMARY	We thus identified ik3-2 as a proapoptotic factor involved in both p
Literature	GENERIF_SUMMARY	Crucial role of p53 C-terminal phosphorylation in the regulation of
Literature	GENERIF_SUMMARY	MNNG induces apoptosis in lymphoblastoid cells by activating the
Literature	GENERIF_SUMMARY	hHR23 binds to polyubiquitylated p53 via its carboxyl-terminal ubi
Literature	GENERIF_SUMMARY	cytoplasmic sequestration of p53 by the E1B 55-kDa protein plays
Literature	GENERIF_SUMMARY	p53 is required for sensitization to TRAIL
Literature	GENERIF_SUMMARY	bcl-2 may inhibit cell death at multiple points downstream of p53 a
Literature	GENERIF_SUMMARY	epidemiological study suggests a role for p53PIN3 in tumorigenes
Literature	GENERIF_SUMMARY	Bulgarian patients with invasive breast cancer screened for p53 ge
Literature	GENERIF_SUMMARY	Association association between lack of response to 5-fluorouraci
Literature	GENERIF_SUMMARY	p53 protein was estimated by immunohistochemistry of beta-cate
Literature	GENERIF_SUMMARY	Results suggest that progression of esophageal squamous cell ca
Literature	GENERIF_SUMMARY	P53 mutation and LOH on chromosome 17 were found together on
Literature	GENERIF_SUMMARY	astrocytoma progression.
Literature	GENERIF_SUMMARY	A novel germline mutation in p53 gene was found in a patient with
Literature	GENERIF_SUMMARY	a correlation between focal p53 immunostaining in primary primar
Literature	GENERIF_SUMMARY	Aberrant HPLC chromatographies were found in tumor tissues, wh
Literature	GENERIF_SUMMARY	both HPV infection and p53 gene abnormalities may contribute to
Literature	GENERIF_SUMMARY	results show that low levels of Mdm2 activity induce monoubiquiti
Literature	GENERIF_SUMMARY	polyubiquitination and nuclear degradation
Literature	GENERIF_SUMMARY	in subjects over 50, p53 Arg/Arg genotype is associated with incre
Literature	GENERIF_SUMMARY	Abnormality of the p53 pathway was detected in cervix cancer and
Literature	GENERIF_SUMMARY	TP53 mutations develop in non-neoplastic epithelial lesions of the
Literature	GENERIF_SUMMARY	evolution that leads to squamous cell carcinoma of the vulva.
Literature	GENERIF_SUMMARY	Adenovirus-p53 induces the expression of a variety of proapoptoti
Literature	GENERIF_SUMMARY	mediated cell killing in human lung cancer cells.
Literature	GENERIF_SUMMARY	TP53 mutations were associated with high-stage, high-grade uroth
Literature	GENERIF_SUMMARY	The p21 upregulation followed the p53 phosphorylation process in
Literature	GENERIF_SUMMARY	Study indicate that the coexistence of p53 protein accumulation a
Literature	GENERIF_SUMMARY	Review outlines uses of adenoviruses in brain tumor therapy by ex
Literature	GENERIF_SUMMARY	the application of two conditionally replicative adenoviruses (CRA
Literature	GENERIF_SUMMARY	The frequency of p53-positive patients is relatively low in T-ALL (29

Main Category	Category	
		p53 protein.
Literature	GENERIF_SUMMARY	the p53 mutant p53R282del found in neuroblastoma cells is a non
Literature	GENERIF_SUMMARY	forced p53 gene expression is cytotoxic to human bladder cancer
Literature	GENERIF_SUMMARY	p53 basal transcription is regulated by down-regulation of protein
Literature	GENERIF_SUMMARY	expression of iNOS, P53 and Bax in the gallbladder wall
Literature	GENERIF_SUMMARY	cytoplasmic localization is stimulated my GTSE-1 expression
Literature	GENERIF_SUMMARY	Transcriptional activity depends on p53 and BRCA1
Literature	GENERIF_SUMMARY	results suggest that VEGF expression is involved in the promotion regulation of VEGF expression
Literature	GENERIF_SUMMARY	Expression of p53 protein can enhance proliferation of HCC cells a
Literature	GENERIF_SUMMARY	Patient samples were stratified according to tobacco, alcohol cons associations were obtained between the occurrence of TP53 mutat
Literature	GENERIF_SUMMARY	p53 mutations are common among oral cavity cancers in the Braz
Literature	GENERIF_SUMMARY	trp53 has a role in activation of the Fas/CD95 pathway
Literature	GENERIF_SUMMARY	Three novel TP53 mutations found in Russian breast cancer patien
Literature	GENERIF_SUMMARY	O(6)MeG-triggered apoptosis in proliferating lymphocytes was pre receptor upregulation
Literature	GENERIF_SUMMARY	Upregulation of p14ARF paralleled with MDM2 inhibition contribut
Literature	GENERIF_SUMMARY	Results suggest that apoptosis-associated speck-like protein (ASC mitochondrial pathway of apoptosis.
Literature	GENERIF_SUMMARY	p53 induced apoptosis is inhibited by Bcl-xL in head and neck neop
Literature	GENERIF_SUMMARY	complete loss of p53 is a prerequisite for collaborating with activa
Literature	GENERIF_SUMMARY	TP53 polymorphisms were characterized in a cohort of 779 patien
Literature	GENERIF_SUMMARY	Results describe the structural effects of the R249S mutation in th
Literature	GENERIF_SUMMARY	Downregulation of p16(INK4a) and loss of wild-type p53 expressio
Literature	GENERIF_SUMMARY	TP53 inactivation is a major mechanism of HPV-related carcinoge
Literature	GENERIF_SUMMARY	inactivation of p53 is a protective mechanism utilized by cells to a
Literature	GENERIF_SUMMARY	effect of HCV core, NS3, NS5A and NS5B on cell proliferation is inc both c-myc and p53
Literature	GENERIF_SUMMARY	v-Fos-stimulated invasion is independent of the pRb/p16(INK4a) a
Literature	GENERIF_SUMMARY	ATR-p53 pathway is suppressed in noncycling lymphocytes via AT
Literature	GENERIF_SUMMARY	Probably no association between TP53 polymorphism at codon 72
Literature	GENERIF_SUMMARY	Correlation between p53 accumulation and survival in bilharziasis
Literature	GENERIF_SUMMARY	The levels of p53 protein elevated in keloid, hypertrophic scar and

Main Category	Category	
Literature	GENERIF_SUMMARY	PARP-1 overexpression counteracts DSB repair independently of it synergizes with p53 in suppressing chromosomal rearrangements
Literature	GENERIF_SUMMARY	There was no correlation between human papillomavirus status and
Literature	GENERIF_SUMMARY	Detection of P53 may be used as the screening marker for diagnosis of cancer, and may supplement the diagnostic value of conventional
Literature	GENERIF_SUMMARY	p53 might be involved in homologous recombination and/or checkpoint meiotic germ cells
Literature	GENERIF_SUMMARY	basal p53 expression in WI38 human embryonic lung fibroblasts re associated G1 phase arrest of the cell cycle by affecting the density
Literature	GENERIF_SUMMARY	show that the Bcl-x(L) interaction surface on p53 involves the same is also defined.
Literature	GENERIF_SUMMARY	p53 disruption has a dramatic effect on how glioblastoma cells pro
Literature	GENERIF_SUMMARY	levels of p53 are increased in three important brain tissues, i.e. from apoptotic mechanisms in autism.
Literature	GENERIF_SUMMARY	TIAF1 and p53 functionally interact in regulating apoptosis, and TI
Literature	GENERIF_SUMMARY	Results suggest that p53 degradation and inhibition of p14(ARF) s mammary epithelial cells requires inactivation of the p14(ARF)-p53
Literature	GENERIF_SUMMARY	The ability to form unique amphipathic structures in both an aqueo may allow a p53 peptide from the mdm-2 binding domain to select
Literature	GENERIF_SUMMARY	Hepacivirus core protein modulates p53 transcription regulatory ac
Literature	GENERIF_SUMMARY	Loss of p21 and/or p53 might not predict for prognosis in orophar
Literature	GENERIF_SUMMARY	Acetylation of p53 in vivo may contribute, at least in part, to its tran
Literature	GENERIF_SUMMARY	p53 might play a protective role against cell damage induced by ge
Literature	GENERIF_SUMMARY	p53 induced by ionizing radiation requires IFI16
Literature	GENERIF_SUMMARY	results suggest that microsatellite instability and p53 mutations ar fibrosarcoma as early and late events, respectively
Literature	GENERIF_SUMMARY	Low p53 expression attenuates HIF-1 transactivation by competing becomes activated under conditions of severe hypoxia/anoxia, it c
Literature	GENERIF_SUMMARY	ChIP assays have shown that following radiation treatment the p21 constitutive binding to putative p53 DNA binding sites in other gen
Literature	GENERIF_SUMMARY	combined expression of p53 and metallothionein did not improve t
Literature	GENERIF_SUMMARY	Hsp90-binding immunophilins link p53 to dynein during p53 transp
Literature	GENERIF_SUMMARY	p53 causes brain tumor regression by suppressing tumor prolifera activity of Ang-2 in an environment of diminishing VEGF.
Literature	GENERIF_SUMMARY	examination of expression of p53, p21, and phosphorylated p42/4 cells
Literature	GENERIF_SUMMARY	functions of p53 in regulating gene expression that play both syne
Literature	GENERIF_SUMMARY	the expression of DAP kinase, p19ARF, p53, and p21WAF1 was sig

Main Category	Category	
Literature	GENERIF_SUMMARY	Overexpression of p53 is associated with the pathogenesis of urot
Literature	GENERIF_SUMMARY	Data reveal that controlled MDM2 degradation is an important new
Literature	GENERIF_SUMMARY	Results are not consistent with a high risk associated with TP53 co
Literature	GENERIF_SUMMARY	Expression of this apoptosis-related protein may be a useful mark
Literature	GENERIF_SUMMARY	Both survivors and nonsurvivors of fluorouracil treated rectal neop
Literature	GENERIF_SUMMARY	identified a global suppressor motif involving codons 235, 239, and
Literature	GENERIF_SUMMARY	HHV-6 has a mechanism for retaining p53 within the cytoplasm an
Literature	GENERIF_SUMMARY	Irinotecan resistant colorectal cancer lines are resistanst both in th
Literature	GENERIF_SUMMARY	identification of one known and five new modulators of p53-depend
Literature	GENERIF_SUMMARY	sustained inactivation of the p53 pathway by the HPV16 E6 protein carcinoma cells
Literature	GENERIF_SUMMARY	The frequent presence of TP53 deletion detected in 48% of patient clinical cases.
Literature	GENERIF_SUMMARY	Clinical course of B-CLL in group of patient with trisomy 12, trisom of disease of patients with no cytogenetic aberrations.
Literature	GENERIF_SUMMARY	the net deubiquitination of the various targets of HAUSP determin
Literature	GENERIF_SUMMARY	Results identify a novel mechanism of p53-dependent apoptosis in imbalance in antioxidant enzymes and oxidative stress.
Literature	GENERIF_SUMMARY	These results have important implications regarding the mechanis isoforms.
Literature	GENERIF_SUMMARY	With respect to overexpressed p53 a significant difference was rea
Literature	GENERIF_SUMMARY	p53 induces a faster mobilization of Axin into the degradation com against the development of cancer.
Literature	GENERIF_SUMMARY	p53 interacts with RNA via its C-terminal domain; oligomerization o involved in the mechanism of p53 latency.
Literature	GENERIF_SUMMARY	Phosphorylation of p53 on N-terminal serine residues is not require p14ARF, with little phosphorylation, leads to substantial repression
Literature	GENERIF_SUMMARY	p53 activity and PIG3 gene function are uncoupled by UV-depende
Literature	GENERIF_SUMMARY	A point mutation of p53 in a lung cancer patient simultaneously ca but also a specific cytotoxic T lymphocyte response against the m
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism may contribute to gastric cancer sus
Literature	GENERIF_SUMMARY	The expression of p21 protein depends on p53 protein largely in no
Literature	GENERIF_SUMMARY	p16INK4A, p14ARF, p53, and PCNA have roles in the progression o
Literature	GENERIF_SUMMARY	p53 induces NF-kappaB activation by an IkappaB kinase-independ
Literature	GENERIF_SUMMARY	These results are consistent with a model in which p53 and Mcl1 h modulating the activity of, the death effector Bak.
Literature	GENERIF_SUMMARY	Cyr61 activated the beta-catenin/TCF4 complex, which promoted t

Main Category	Category	
Literature	GENERIF_SUMMARY	Tumor-derived p53 mutants increase the cell growth rate. They can function' properties. D281G transactivates asparagine synthetase
Literature	GENERIF_SUMMARY	role of pathway in regulating G1-S transition and apoptosis along v
Literature	GENERIF_SUMMARY	These data suggest that nucleophosmin is an early responder to D
Literature	GENERIF_SUMMARY	p53-dependent BRCA1 nuclear export is induced by DNA damage
Literature	GENERIF_SUMMARY	Ceramide may function as a mediator of p53-independent apoptos
Literature	GENERIF_SUMMARY	hNRAGE arrests cell growth through a p53 dependent pathway. hN
Literature	GENERIF_SUMMARY	results establish a direct functional link between p53 and human R prevent detrimental genome rearrangements promoted by Rad51
Literature	GENERIF_SUMMARY	TP53 mutation is common in early stage ovarian carcinomas of se advanced-stage ovarian tumors.
Literature	GENERIF_SUMMARY	p53-dependent apoptosis requires BOK and NOXA
Literature	GENERIF_SUMMARY	tumour-suppressor protein p53 is a COP1-interacting protein; COP
Literature	GENERIF_SUMMARY	Patients with cancer of the cardiac region had a significantly highe ulcer, and noncardiac cancer.
Literature	GENERIF_SUMMARY	activation of the p53-p21WAF1 pathway and overexpression of cyc
Literature	GENERIF_SUMMARY	P53 gene mutations were frequently found in surgical margins in p
Literature	GENERIF_SUMMARY	findings suggest that the tumor protein p53 codon 72 polymorphis
Literature	GENERIF_SUMMARY	p53-dependent cell fate is determined by E1A-binding p300 nucleo
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism contributes to a genetically determin myocardial ischaemia
Literature	GENERIF_SUMMARY	the N-terminal domain of PIAS1 interacts with DNA as well as p53
Literature	GENERIF_SUMMARY	new roles for several DNA damage response factors by demonstra E2F1 and p53
Literature	GENERIF_SUMMARY	mutated p53 has a role in human papillomavirus type 38-positive n
Literature	GENERIF_SUMMARY	Pifithrin-alpha inhibits p53 signaling after interaction of the tumor
Literature	GENERIF_SUMMARY	mechanisms other than p53 may play a role in the regulation of bo
Literature	GENERIF_SUMMARY	survivin, p53, and bcl-2 are elevated in breast carcinoma but not du
Literature	GENERIF_SUMMARY	WRN and TP53 perform different functions in a shared DNA dama
Literature	GENERIF_SUMMARY	PCAF expression can be induced by wild-type p53
Literature	GENERIF_SUMMARY	unique mechanism for p53 regulation by the p65/RelA subunit of N
Literature	GENERIF_SUMMARY	p53 protein increases in both neurons non-neuronal cells, includin response to gp120.
Literature	GENERIF_SUMMARY	BRCA1-BARD1 complexes act as an adaptor to mediate phosphory
Literature	GENERIF_SUMMARY	thymidylate synthase and p53 have roles in regulating Fas-mediate

Main Category	Category	
Literature	GENERIF_SUMMARY	27.2% of hepatocellular carcinomas showed p53 alteration ,but on
Literature	GENERIF_SUMMARY	Evaluation of HIF-1alpha, p53 and p21 protein expression is a very resistasnce in human esophageal cancer.
Literature	GENERIF_SUMMARY	when p53 protein levels increase, it contributes to its own demise loop
Literature	GENERIF_SUMMARY	p53 does not have a role in 14-3-3sigma/IGF-I receptor mediation o
Literature	GENERIF_SUMMARY	suppression of p53-C277Y by RNAi reduced pig3 promoter activity
Literature	GENERIF_SUMMARY	nonagenarians and centenarians in good health have a statistically genotypes when compared to younger controls; possible mechanis
Literature	GENERIF_SUMMARY	upon activation by DNA damage, wt p53 mediates an accelerated transcription and, correspondingly, decreased levels of CAIX protei
Literature	GENERIF_SUMMARY	hMdmx is overexpressed in a significant percentage of various human wild-type p53. iRNA-mediated reduction of hMdmx inhibited cell g
Literature	GENERIF_SUMMARY	p53 is associated with the telomeric complex in alternative length requires intact specific DNA binding and suppression of recombina
Literature	GENERIF_SUMMARY	Disruption of p53-p21/WAF1 cell cycle pathways contributes to tur
Literature	GENERIF_SUMMARY	Glioma cells with functional p53 were relatively resistant to gamma gamma-radiation-induced apoptosis of glioma cells lacking functio
Literature	GENERIF_SUMMARY	Relation between expression, DNA ploidy and human papillomaviru
Literature	GENERIF_SUMMARY	Results link p53 status with POLkappa expression and suggest tha upregulation in human lung cancers.
Literature	GENERIF_SUMMARY	Activated p53 suppresses EZH2 expression, suggesting a further r
Literature	GENERIF_SUMMARY	p53 codon 72 genotype does not influence CIN risk in the Taiwane
Literature	GENERIF_SUMMARY	No association between p53 status and overall survival in human g
Literature	GENERIF_SUMMARY	Adenovirus infection does not need direct binding of E1B-55-kDa w not severely impair virus replication.
Literature	GENERIF_SUMMARY	Loss of heterozygosity at TP53.A (p53 gene exon 2-3) in 4 of 20(20 11) in 0 of 20(0%) in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	P53 protein stimulates calmodulin 2 gene expression in 041 cells.
Literature	GENERIF_SUMMARY	observations identify hMutL proteins as regulators of p53 respons controlling the DNA damage response
Literature	GENERIF_SUMMARY	p53 and/or p21(WAF1/CIP1) genotype may influence the progress
Literature	GENERIF_SUMMARY	TP53 is ubiquitinated by topors
Literature	GENERIF_SUMMARY	in sensitive organs mitochondrial p53 accumulation in vivo occurs
Literature	GENERIF_SUMMARY	p63 and p53 play a major role in the carcinogenesis of human eso
Literature	GENERIF_SUMMARY	Results demonstrated a novel function of Ser(392) phosphorylatio
Literature	GENERIF_SUMMARY	Regulation of cyclin E expression plays a role underlying numeral h of cyclin E expression, together with inactivation of p53, results in

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 acts upstream of Bax to promote antineoplastics mediated cell death through p53 dependent and -independent mechanisms in human colon cancer
Literature	GENERIF_SUMMARY	A significant association between p53 gene Bam HI RFLP polymorphism and atherosclerotic atherothrombotic stroke from Moscow population.
Literature	GENERIF_SUMMARY	Ha-Ras(G12V) induced senescence regardless of p53 status and transcriptional activity
Literature	GENERIF_SUMMARY	Low-dose 5-aza-2'-deoxycytidine (DAC) induced enhancement of apoptosis in human colon cancer cells via procaspase-9.
Literature	GENERIF_SUMMARY	activation of the DNA DSB checkpoint provides the selective pressure for the maintenance of p53
Literature	GENERIF_SUMMARY	Ubch5B/C are E2s for Mdm2, which contribute to the maintenance of p53. Ubiquitination and degradation by targeting Ubch5B/C is not sufficient to up-regulate p53
Literature	GENERIF_SUMMARY	Data suggest that geminin is required for suppressing overreplicated DNA and inhibiting proliferation of cells with overreplicated DNA.
Literature	GENERIF_SUMMARY	hsp90beta is repressed by p53 in UV irradiation-induced apoptosis
Literature	GENERIF_SUMMARY	The coupled induction of iNOS and p53 upregulation in intrinsic renal cell carcinoma
Literature	GENERIF_SUMMARY	p53-induced apoptosis was investigated through quantitative proteomic analysis
Literature	GENERIF_SUMMARY	analyses of statistical interactions between polymorphisms (p73 C149T, p53 C150T) and the significant risk of non-Hodgkin's lymphoma for interaction between p73 C149T and p53 C150T
Literature	GENERIF_SUMMARY	Tumorigenesis pathway independent of p53 dysfunction appears to be involved in the progression of serous ovarian cancer
Literature	GENERIF_SUMMARY	YY1 regulates the transcriptional activity, acetylation, ubiquitination and nuclear localization of p53, enhancing its interaction with the negative regulator Mdm2.
Literature	GENERIF_SUMMARY	Cyclin D1, p53, and p21Waf1/Cip1 have roles in progression of serous ovarian cancer
Literature	GENERIF_SUMMARY	the inhibitory protein c-FLIP(L) is involved in resistance to CD95-mediated apoptosis
Literature	GENERIF_SUMMARY	p53 activation is not necessary for up-regulation of NOXA in melanoma
Literature	GENERIF_SUMMARY	Serine 392 exerts important effects upon p53 stability via the inhibition of MDM2-mediated ubiquitination
Literature	GENERIF_SUMMARY	the MDM2-L5-L11-L23 complex functions to inhibit MDM2-mediated ubiquitination of p53
Literature	GENERIF_SUMMARY	the number of p53 gene alterations in low-grade central osteosarcoma is significantly higher than in high-grade central osteosarcoma
Literature	GENERIF_SUMMARY	Tip60 plays a double role in the p53 pathway
Literature	GENERIF_SUMMARY	NPM inhibits hypoxia-induced p53 phosphorylation at Ser-15 and inhibits p53 transcriptional activity. Increased expression of NPM to suppress p53 activation and maintain p53 in an inactive state
Literature	GENERIF_SUMMARY	These results reveal that ribosomal protein L23 is another regulator of p53
Literature	GENERIF_SUMMARY	Data show that, when overexpressed, ribosomal protein L23 inhibits p53-induced cell cycle arrest.
Literature	GENERIF_SUMMARY	Radiation treatment in the presence of p53 C-terminal peptides is more effective than radiation or p53 C-terminal peptide treatment alone in cancer cells.
Literature	GENERIF_SUMMARY	Review focuses on potency of p53 as an inducer of apoptosis and on the role of p53 in the mechanisms of tumor cell sensitization to p53-induced apoptosis.
Literature	GENERIF_SUMMARY	Data show that the fundamental active unit of p53 appears to be the p53 C-terminal domain

Main Category	Category	
Literature	GENERIF_SUMMARY	interaction of Ubc9 with p53 was regulated by phosphorylation of p
Literature	GENERIF_SUMMARY	p53 plays a key role in luteinization of the primate ovarian follicle t
Literature	GENERIF_SUMMARY	Data show that squamous cell carcinoma cells escape suspension fibronectin survival signals mediated by integrin alpha(v) and focal
Literature	GENERIF_SUMMARY	SCN3B mediates a p53-dependent apoptotic pathway and may be
Literature	GENERIF_SUMMARY	role in regulating survivin 2B
Literature	GENERIF_SUMMARY	Individuals carrying Arg allele compared to those with Pro allele ha
Literature	GENERIF_SUMMARY	Ras appears to attenuate p53 in SW480 cells by two independent m degradation and the other leading to a decrease in p53 transcriptio
Literature	GENERIF_SUMMARY	Results describe the role of Daxx in modulating the apoptotic thresh of p53 family members.
Literature	GENERIF_SUMMARY	mechanism of p53 regulation originating through alternative splici
Literature	GENERIF_SUMMARY	p53 gen mutation analysis may be useful in the follow-up of at-risk malignant lesions are clinically apparent.
Literature	GENERIF_SUMMARY	examined the binding of DNA in solution to a series of unmodified terminus that interact with the non-specific DNA
Literature	GENERIF_SUMMARY	Cyclin A1 methylation was inversely related to p53 mutational stat induction of wild-type p53 in HNSCC cell lines.
Literature	GENERIF_SUMMARY	Anwuploidy of chromosomes 7, 8, 9, and 17 and of TP53 gene dele patients.
Literature	GENERIF_SUMMARY	MDR functional phenotype could be associated with p53 mutation
Literature	GENERIF_SUMMARY	estimation of the sensitive positions to mutations in human p53 pr
Literature	GENERIF_SUMMARY	Protein tyrosine phosphatase 1-B levels increased with introductio
Literature	GENERIF_SUMMARY	search for the factors interacting with NTH1 shows GST-NTH1 fusi XPG from human cell-free extracts
Literature	GENERIF_SUMMARY	Hsp90 chaperone activity is important for the transcriptional activi
Literature	GENERIF_SUMMARY	Hsp90 is required to maintain the folded, active state of p53 by a r
Literature	GENERIF_SUMMARY	Emerging evidence in this review discusses a key survival/death cl suppressor and its newly discovered family members, p73 and p63
Literature	GENERIF_SUMMARY	STAG1, a novel transcriptional target for p53, mediates p53-depend cancer.
Literature	GENERIF_SUMMARY	herpesvirus saimiri (HVS) ORF73 binds both p53 and pRb in vitro a overexpressing both ORF73 and p53, and adversely influences pRE
Literature	GENERIF_SUMMARY	p53 mutations were found in 70% of pancreatic adenocarcinoma c frequent metastases to all sites.
Literature	GENERIF_SUMMARY	repression of hTERT by endogenous p53 is mediated by p21 and E
Literature	GENERIF_SUMMARY	eIF5A may be a regulator of p53, and syntenin might regulate p53 i
Literature	GENERIF_SUMMARY	alterations in both p53 and p16ink4a can contribute to recessive d

Main Category	Category	
Literature	GENERIF_SUMMARY	NDRG1 is necessary but not sufficient for p53-mediated caspase a
Literature	GENERIF_SUMMARY	describes that lactoferrin specifically transactivates the p53 tumor consequently regulates p53-responsive oncogenes
Literature	GENERIF_SUMMARY	results suggest that SAP contributes to the execution of some p53
Literature	GENERIF_SUMMARY	germline mutations in the TP53 gene in five index cases of German
Literature	GENERIF_SUMMARY	The finding of different p53 gene mutations among multiple esoph carcinogenesis of the human esophagus
Literature	GENERIF_SUMMARY	We conclude that overexpression of PKCdelta in human colon can p21(Waf1/Cip1) and p53.
Literature	GENERIF_SUMMARY	solar UV rays in cause mutations in p53- specifically CC-->TT trans
Literature	GENERIF_SUMMARY	Genetic mutation analysis was performed and revealed a germline
Literature	GENERIF_SUMMARY	TP53 does not have a role in the histologic response to chemother disease progression
Literature	GENERIF_SUMMARY	p53 expression may have a role in progression of inflammatory bre
Literature	GENERIF_SUMMARY	This study observes statistically significant differences on SNP rs2 a role in susceptibility to schizophrenia.
Literature	GENERIF_SUMMARY	PTIP facilitates ATM-mediated activation of p53 and promotes cel
Literature	GENERIF_SUMMARY	survivin can reduce the cell growth inhibition and apoptosis, and p treated human lung carcinoma cells
Literature	GENERIF_SUMMARY	Down-regulation of Cdc7 by small interfering RNA in a variety of tu independent apoptosis or aberrant mitosis.
Literature	GENERIF_SUMMARY	Upregulation of p53 protein is associated with breast disease
Literature	GENERIF_SUMMARY	proximal 5'-flanking region of the IKKalpha gene contains a functio
Literature	GENERIF_SUMMARY	phosphorylation of p53 at Ser-215 by Aurora-A is a major mechan
Literature	GENERIF_SUMMARY	p53 phosphorylation on six major serine sites is not required for ac
Literature	GENERIF_SUMMARY	p53 protein expression is closely associated with decidual transfo endometrial function.
Literature	GENERIF_SUMMARY	The p53 codon 72 gene polymorphism is not associated with the s
Literature	GENERIF_SUMMARY	E4orf6 uniquely utilizes two BC-box motifs for degradation of p53
Literature	GENERIF_SUMMARY	In human osteosarcomas, hypermethylation of HIC1 is frequent on
Literature	GENERIF_SUMMARY	sequestration of replication protein A by p53 at the sites of recom processes
Literature	GENERIF_SUMMARY	Decreased level of the phosphorylation is associated with basal ce
Literature	GENERIF_SUMMARY	A significant increase in p21, p53, and fas mRNA expression were expression of p53. Fas overexpression did not correlate with p53 e
Literature	GENERIF_SUMMARY	low-dose radiation hypersensitivity is associated with p53-depend
Literature	GENERIF_SUMMARY	increased expression is not an indicator of the presence of p53 ge

Main Category	Category	
Literature	GENERIF_SUMMARY	mutations in TP53 do not have a role in formation of human cerebellar neuroblastoma
Literature	GENERIF_SUMMARY	p53 antagonizes c-Myb by recruiting mSin3A to down-regulate specific genes
Literature	GENERIF_SUMMARY	IRF-1-p300 interface as an allosteric modifier of DNA-dependent activation of p300
Literature	GENERIF_SUMMARY	Review. the role of p53 post-translational modifications in carcinogenesis
Literature	GENERIF_SUMMARY	p53 may have important roles in the regulation of cytokinesis through the regulation of the mitotic spindle
Literature	GENERIF_SUMMARY	Interaction with Brn-3a in sensory neurons may be critical for modulation of neuronal apoptosis
Literature	GENERIF_SUMMARY	Co-mutation of p53 and K-ras gene has neither synergic carcinogenic nor suppressive effect
Literature	GENERIF_SUMMARY	P53 is induced by Aluminum in neuron-like cells suggesting that the mechanism of aluminum-induced apoptosis involves p53
Literature	GENERIF_SUMMARY	Data suggest that certain p53 mutations may have prognostic value in breast cancer, independent of their association with other classic recurrence and tumor progression parameters
Literature	GENERIF_SUMMARY	We propose that a major mechanism by which p53 maintains genomic stability is through the regulation of stalled-replication forks.
Literature	GENERIF_SUMMARY	VRK1 is the first step in a new pathway regulating p53 activity during the cell cycle
Literature	GENERIF_SUMMARY	p53, bcl-2 and telomerase have roles in progression of Egyptian breast cancer
Literature	GENERIF_SUMMARY	Twist-overexpressing MCF-7 cells displayed a deregulated p53 response
Literature	GENERIF_SUMMARY	role of Cul4A in the MDM2-mediated proteolysis of p53
Literature	GENERIF_SUMMARY	mutant p53s are likely to be distinct in terms of the extent to which they inhibit p53-dependent transcription
Literature	GENERIF_SUMMARY	COX-2-positive prostate cancer cells can have impaired p53 function, and this may be mediated by inhibition of these cells via inhibition of COX-2 activity.
Literature	GENERIF_SUMMARY	Codon 72 of P53 genes may represent a risk factor for developing colorectal cancer
Literature	GENERIF_SUMMARY	Integrin alphav controls melanoma cell survival in 3D-collagen through regulation of p53
Literature	GENERIF_SUMMARY	p53 alterations commence as early as at the stage of benign and control melanocytic nevi, and the frequency of expression and the rarity of both TP53 gene mutations in melanoma
Literature	GENERIF_SUMMARY	protein kinase Calpha transcriptional repression via Sp1 by wild type p53 is dependent on p53 phosphorylation
Literature	GENERIF_SUMMARY	Tax promotes cellular proliferation through activation of the NF-kappaB pathway, and this may involve the tumor suppressor gene p53 [review]
Literature	GENERIF_SUMMARY	downregulation of Cdc25C is mediated by p53 via two independent pathways
Literature	GENERIF_SUMMARY	The ability of p53 to bind and inactivate JNK, together with the activation of p53 by JNK, may be responsible for its protection of cells against UV-induced apoptosis
Literature	GENERIF_SUMMARY	maspin tumor suppressor expression is induced by p53 or TAp63gamma
Literature	GENERIF_SUMMARY	Interferon alpha-induced promyelocytic leukemia protein was unaltered by p53, and the expression of p53 by Interfering did not alter CD95 expression
Literature	GENERIF_SUMMARY	p53 can directly induce Ipaf gene transcription, which contributes to the regulation of the cell cycle
Literature	GENERIF_SUMMARY	TP53 function closely influences the decision between apoptosis and cell cycle arrest

Main Category	Category	
Literature	GENERIF_SUMMARY	p53-dependent loss of Fbxw7 leads to genetic instability by mechanism of early occurrence of these mutations in human cancers
Literature	GENERIF_SUMMARY	p53 is an essential effector of PKCdelta in human colon cancer cells
Literature	GENERIF_SUMMARY	We conclude that (1) clinically achievable doses of ionizing radiation induce p53-dependent apoptosis in human cell lines that express wild-type TP53.
Literature	GENERIF_SUMMARY	an over-representation of the Pro allele of the p53 gene in women with a history of miscarriage suggests a potential role during pregnancy.
Literature	GENERIF_SUMMARY	Cyclooxygenase-2 in p53 wild-type cancer cells does not affect the growth of cells
Literature	GENERIF_SUMMARY	p21WAF expression is induced by 5-Aza-CdR by demethylation of p21 promoter
Literature	GENERIF_SUMMARY	Rad51 binds at a promiscuous, highly electrostatic binding site in p53
Literature	GENERIF_SUMMARY	LC8 binds to p53-binding protein 1 and mediates DNA damage-induced p53 activation
Literature	GENERIF_SUMMARY	cell lines that contain human tumor-derived temperature-sensitive p53 mutants that are unable to bind mutated p53 at the permissive temperature
Literature	GENERIF_SUMMARY	Data show that 5-lipoxygenase activity increases during senescence in human embryo fibroblasts.
Literature	GENERIF_SUMMARY	The HIF-1alpha ODD domain binds weakly to the isolated p53 core domain with a p53 dimer.
Literature	GENERIF_SUMMARY	Data suggest that MTBP differentially regulates the activity of MDM2 and MDM1, and MDM2 significantly contributes to MDM2-dependent p53 homeostasis in cells
Literature	GENERIF_SUMMARY	Homozygosity for Pro of p53 Arg72Pro is potentially one of the genetic determinants of susceptibility to cancer
Literature	GENERIF_SUMMARY	Tumor cell killing by autologous cytotoxic T lymphocytes can be enhanced by overexpression of wild-type p53, a key determinant of apoptotic machinery regulation
Literature	GENERIF_SUMMARY	Human papillomavirus infection and/or changes in p53 protein conformation are associated with increased p53 activity
Literature	GENERIF_SUMMARY	Mutated in choroid plexus carcinoma.
Literature	GENERIF_SUMMARY	that variations in TP53 and hCAD genes modulate the age of onset of cancer
Literature	GENERIF_SUMMARY	FADD/caspase-8 pathway induces apoptosis through p53 in human cells
Literature	GENERIF_SUMMARY	a productive human herpesvirus 6B infection suppresses T-cell proliferation
Literature	GENERIF_SUMMARY	DNMT1- and p53-mediated methylation of the survivin promoter, suppresses cell growth
Literature	GENERIF_SUMMARY	The mechanism of action of apigenin seems to involve p53, as it induces p53-dependent apoptosis in Bax.
Literature	GENERIF_SUMMARY	Epigallocatechin-3-gallate increased expression of tumor suppressor p53
Literature	GENERIF_SUMMARY	RAI3 is a cell growth-promoting gene and a novel P53 transcriptional target
Literature	GENERIF_SUMMARY	possible interplay between p53 C-terminal phosphorylation and activation of p53 by Checkpoint kinase 1 and Checkpoint kinase 2
Literature	GENERIF_SUMMARY	mechanism by which p68 may act as a tumour cosuppressor in glioma
Literature	GENERIF_SUMMARY	the promoter specificity plays an important role in selective activation of p53
Literature	GENERIF_SUMMARY	Data show that human papillomavirus E6 oncoprotein does not promote p53-dependent apoptosis

Main Category	Category	
		acetylation on p53 and nucleosomal core histones.
Literature	GENERIF_SUMMARY	The results suggest that I3C represses cell proliferation through up-regulation of p53 expression in human colorectal cancer cells.
Literature	GENERIF_SUMMARY	Plk3 is a RelA-NF-kappaB-regulated gene that induces apoptosis in human colorectal cancer cells.
Literature	GENERIF_SUMMARY	Rb and p53 have roles in progression of primary non-small cell lung cancer.
Literature	GENERIF_SUMMARY	Ref-1 promotes association of dimers into tetramers, and de-stacks p53 binding to target DNA.
Literature	GENERIF_SUMMARY	Unique repressor domain resides in p53 at residues 90-116 whose mutation may be a target for 'transcription therapy' agents.
Literature	GENERIF_SUMMARY	Decreased cell-surface expression of Fas and resistance to Fas-mediated apoptosis in human esophageal adenocarcinoma.
Literature	GENERIF_SUMMARY	Structural analysis shows that the high stability of the Ser116Met mutation is due to the conformation and the reduction of mobility in that region.
Literature	GENERIF_SUMMARY	p53 pathway mediates in part growth suppression by NaB and the sensitivity to cancer chemotherapy.
Literature	GENERIF_SUMMARY	This study focused on the expression levels of Bcl-2 family regulatory proteins as a marker of proliferation, together with the evaluation of the level of p53.
Literature	GENERIF_SUMMARY	p14ARF induces p53-dependent cell cycle arrest but not apoptosis in human cells.
Literature	GENERIF_SUMMARY	p53 might play a similar role in certain tissue stem cells and suppresses their self-renewal.
Literature	GENERIF_SUMMARY	We found mutations in p53, K-ras, and BRAF genes in 35%, 30%, and 15% of the tumors, respectively, and gene alterations.
Literature	GENERIF_SUMMARY	R273H removes an arginine involved in DNA binding, H168R and R273H are involved in p53-MDM2 interaction.
Literature	GENERIF_SUMMARY	Stress-induced activation of p53 in leukemia cells and normal lymphocytes.
Literature	GENERIF_SUMMARY	The homeodomain of Msx1 functions as a protein-protein interaction domain, mediates nuclear accumulation, and apoptotic function of wild-type p53.
Literature	GENERIF_SUMMARY	Taken together, these results suggest a novel function of COX-2 through its interaction with p53.
Literature	GENERIF_SUMMARY	Phosphorylation of p53 plays a crucial role in detection and interaction with MDM2.
Literature	GENERIF_SUMMARY	TP53 pathway is involved in the carcinogenesis of Hepatic undifferentiated sarcoma.
Literature	GENERIF_SUMMARY	MUC1 regulates p53-responsive genes and thereby cell fate in the colon.
Literature	GENERIF_SUMMARY	Activation domain 2 of p53 is required for induction of the proapoptotic gene, and the basic domain inhibits induction of this gene.
Literature	GENERIF_SUMMARY	Two cases of lymphomatoid palulosis with mutated p53 gene in bone marrow suggest a significant role in the pathogenesis, progression or transformation of the disease.
Literature	GENERIF_SUMMARY	Atypical meningioma showed TP53 mutations and a 22q loss of heterozygosity (EGFR) amplification and TP53 mutations.
Literature	GENERIF_SUMMARY	Expression of p53 is associated with NIH risk category, various pathological features, and gastrointestinal stromal tumours.
Literature	GENERIF_SUMMARY	The p53 codon 72 polymorphism is unlikely to be related to HPV status in cervical cancer.

Main Category	Category	
Literature	GENERIF_SUMMARY	Regulation of the nuclear export of hdm2 mRNA provides a mechanism for p53 to regulate apoptosis by maintaining the dynamic equilibrium of the Hdm2-p53 complex
Literature	GENERIF_SUMMARY	Data showed that disabling of the p53 pathway was frequent even in the absence of p53 mutations
Literature	GENERIF_SUMMARY	an apoptosis-deficient Pro allele of the p53 gene may be related to the development of human cancer
Literature	GENERIF_SUMMARY	p73, through HDM2, can oppose p53 tumor suppressor function and may be involved in the regulation of p53
Literature	GENERIF_SUMMARY	Quercetin and ellagic acid combined increase the activation of p53 and inhibit cell growth
Literature	GENERIF_SUMMARY	ATM and ATR kinases, but not DNA-PK, which participate in DNA damage-induced apoptosis, are involved in the response to MNNG cell treatment
Literature	GENERIF_SUMMARY	DeltaNp73alpha not only acts as an inhibitor of p53/TAp73 function but also has a novel physiological role through the activation of BTG2/TIS21/PC3 gene expression
Literature	GENERIF_SUMMARY	The positive rate of mutant p53 protein increased with the exposure of aflatoxin B1
Literature	GENERIF_SUMMARY	WR1065 specifically modulates a subset of p53 target genes in a cell cycle arrest-dependent, essentially p53-dependent, cell cycle arrest responses.
Literature	GENERIF_SUMMARY	Dehydroepiandrosterone increased the expression of p53 and p21 in human breast cancer cells
Literature	GENERIF_SUMMARY	Specific silencing of p53 abrogated the antiviral effect of SD.IFN-beta on HCV infection mediated by intracellular IFN.
Literature	GENERIF_SUMMARY	blockade of pol II-mediated transcription induces p53 accumulation and p53-dependent transcription-independent apoptosis
Literature	GENERIF_SUMMARY	p53 protein expression in vivo does not correlate with the outcome of cancer therapy
Literature	GENERIF_SUMMARY	association between genetic polymorphisms of GSTT1, p53 codon 72 and cancer risk
Literature	GENERIF_SUMMARY	demonstrated that epigallocatechin-3-gallate activates growth arrest and DNA damage-inducible 1 involves the function of both p21 protein and Bax protein
Literature	GENERIF_SUMMARY	Data show that latent infection with Kaposi sarcoma-associated herpesvirus is associated with p53
Literature	GENERIF_SUMMARY	TP53 deletion significantly associated with malignant transformation
Literature	GENERIF_SUMMARY	higher expression in atrophic oral lichen planus and patients with a history of oral cancer
Literature	GENERIF_SUMMARY	The activation of the p53 pathway appears to be an effective approach for cancer therapy
Literature	GENERIF_SUMMARY	Limited activation of the PCNA promoter by p53 and its modified function in DNA replication
Literature	GENERIF_SUMMARY	p53 participates in a feedback mechanism with JNK to regulate the expression of p21
Literature	GENERIF_SUMMARY	Transactivation-dependent apoptosis does not always play a major role in the regulation of p53 transactivation-independent mechanism.
Literature	GENERIF_SUMMARY	Mdm2 and mdmx prevent ASPP1 and ASPP2 from stimulating the transcriptional activity of p53.
Literature	GENERIF_SUMMARY	Effect of hibiscus polyphenol extracts in human gastric carcinoma cells
Literature	GENERIF_SUMMARY	Excision of nucleoside analogs from DNA by p53 protein suggests a role for p53 in DNA repair and immunodeficiency virus type 1 reverse transcriptase
Literature	GENERIF_SUMMARY	A spontaneous increase of wild-type p53 occurring in ageing normal cells may be a potential

Main Category	Category	
Literature	GENERIF_SUMMARY	results provide a novel mechanism, by which p53 is stabilized in tumor cells and proteasome, which may be defective in H1299 cells
Literature	GENERIF_SUMMARY	p53 is an effective repressor of snRNA gene transcription by RNA polymerase II
Literature	GENERIF_SUMMARY	Loss or inactivation of p33(ING1b) normal function may be an important mechanism in the development of type p53.
Literature	GENERIF_SUMMARY	the increased malignancy of cancer cells resulting from loss of p53
Literature	GENERIF_SUMMARY	data suggest that p53pSer15 plays a dual role in the functional integrity of the p53-associated surveillance and signalling complexes within distinct nuclear compartments
Literature	GENERIF_SUMMARY	I structure of the p53 binding domain of USP7 alone and bound to p53
Literature	GENERIF_SUMMARY	p53 was slightly increased in inverted follicular keratoses compared with normal skin
Literature	GENERIF_SUMMARY	The p53 Pro allele is associated with an increased frequency of p53 mutations in colorectal cancer
Literature	GENERIF_SUMMARY	Colorectal cancers not expressing hMLH1 or hMSH2 may have defective mismatch repair, and this expression appears to be implicated in a compensatory pathway with p53
Literature	GENERIF_SUMMARY	Constitutive dephosphorylation at Ser 376 correlated with the nuclear localization of p53 in glioma.
Literature	GENERIF_SUMMARY	TP53, CDKN1A, CDKN2A, and CDKN2B have roles in tumorigenesis and cancer progression
Literature	GENERIF_SUMMARY	The coupled folding and binding of the p53 transactivation domain with MDM2
Literature	GENERIF_SUMMARY	DNA-damaging stresses showed a strong p53-dependent element, whereas non-DNA-damaging stresses.
Literature	GENERIF_SUMMARY	TRR-Trx and APE/Ref-1 cooperate in the control of basal p53 activity
Literature	GENERIF_SUMMARY	Proliferative inhibition of breast cancer cells by Velcade is associated with p53
Literature	GENERIF_SUMMARY	p53 may exert transcriptional upregulation effects on c-FLIP gene expression
Literature	GENERIF_SUMMARY	p53, Bax, Bcl-2 and Mdm2 mRNA expression levels correlate with tumor size
Literature	GENERIF_SUMMARY	Asymmetric self-renewal and immortal DNA strand cosegregation in p53-deficient cells
Literature	GENERIF_SUMMARY	There was no change of p53 expression in primary laryngeal carcinoma
Literature	GENERIF_SUMMARY	Nuclear genetic polymorphisms related to oxidative stress or apoptosis
Literature	GENERIF_SUMMARY	Data show a coordinating inhibition of the proliferation of MCF-7 breast cancer cells
Literature	GENERIF_SUMMARY	A potential association of P53 codon polymorphism was found with tumor size
Literature	GENERIF_SUMMARY	protection of p53 from MDM2 by PTEN and the damage-induced activation of p53 in a feedback amplification cycle in which p53 and PTEN coordinately increase cell cycle arrest
Literature	GENERIF_SUMMARY	Frequency of the Proline-encoding alleles and Arginine-encoding alleles was significantly different from controls.
Literature	GENERIF_SUMMARY	The p53Arg allele was not associated with the development of cutaneous melanoma
Literature	GENERIF_SUMMARY	Inactivating TP53 mutations were found in 55% of lethal metastatic melanomas
Literature	GENERIF_SUMMARY	findings show that p53 plays a central role in the response of ARPE-29 cells to oxidative stress, and cells with reduced p53 expression behave similar to tumor cell lines

Main Category	Category	
Literature	GENERIF_SUMMARY	RB18A plays a central role to control p53wt and p53mut protein co
Literature	GENERIF_SUMMARY	Three point mutations of p53 gene were not predictive for tumor d
Literature	GENERIF_SUMMARY	P73 may replace p53 in triggering not only apoptosis but also cell
Literature	GENERIF_SUMMARY	Analysis of expression levels of p21(waf1), as well as the activity o of PC-3 cells in G2 and the apoptotic response to oxidative stress i
Literature	GENERIF_SUMMARY	codon 47 polymorphism of p53 is functionally significant and may
Literature	GENERIF_SUMMARY	abrogation of p53 functional activity can be a common feature of l
Literature	GENERIF_SUMMARY	FAK can suppress p53-mediated apoptosis and inhibit transcrip
Literature	GENERIF_SUMMARY	elevated levels of Myc counteract p53 activity in human tumor cell
Literature	GENERIF_SUMMARY	review of current knowledge about association of aneuploidy and p
Literature	GENERIF_SUMMARY	role of p53 as a major pro-apoptotic factor in the pathogenesis of .
Literature	GENERIF_SUMMARY	review of the evidence for p53 as a participant in the responses of HIV induced alterations in the CNS extracellular milieu converge at
Literature	GENERIF_SUMMARY	expression of p53, MDM2, and p21Waf1 suggests a role for these adenomyosis
Literature	GENERIF_SUMMARY	MdmX can affect post-translational modification and stability of M
Literature	GENERIF_SUMMARY	The Aberrant expression of p53 Genes were determined in bone m acute lymphoblastic leukemia (ALL).
Literature	GENERIF_SUMMARY	Ca2+ binding of human p53 tumor suppressor target peptide (resid an order of magnitude.
Literature	GENERIF_SUMMARY	NLS domain of ING4 is essential for the binding of ING4 to p53 and
Literature	GENERIF_SUMMARY	spindle cell component of this case was genetically characterized
Literature	GENERIF_SUMMARY	Many p53-defective tumors retain activity of the apoptosome, whic a novel strategy to induce the death of p53-defective tumor cells
Literature	GENERIF_SUMMARY	TP53 mutation has only a limited role in the transformation of lym phenotypic change. In contrast, dysregulation of MDM2 is frequen
Literature	GENERIF_SUMMARY	p53 gene mutation may be an early event in esophageal carcinoge
Literature	GENERIF_SUMMARY	p35 reprter assays could not be ascribed to common dpible strand
Literature	GENERIF_SUMMARY	The combination of mutation with the codon 72 proline variant pre
Literature	GENERIF_SUMMARY	exposure-specific heterogeneity in inactivation of the TP53 pathwa
Literature	GENERIF_SUMMARY	Activated caspase-8 initiates the release of cytochrome c during th apoptosis in p53-null HL-60 cancer cells.
Literature	GENERIF_SUMMARY	inhibition of transcriptional activity was caused by E1B-AP5
Literature	GENERIF_SUMMARY	overproduction of Mdm2, resulting from a naturally occurring SNP,
Literature	GENERIF_SUMMARY	CHIP-induced degradation was observed for mutant and wild-type can be diverted onto a degradation pathway through this associati

Main Category	Category	
Literature	GENERIF_SUMMARY	Pseudomonas aeruginosa azurin binds to tumor-suppressor prote
Literature	GENERIF_SUMMARY	Results indicate that the differential p53-regulated expression of s the same apoptosis-inducer.
Literature	GENERIF_SUMMARY	The human gene in transgenic mice behaves like its murine ortholo
Literature	GENERIF_SUMMARY	In operable non-small lung cell cancers, there may be different rela
Literature	GENERIF_SUMMARY	This meta-analysis produced evidence for interesting tumor site di chemotherapy.
Literature	GENERIF_SUMMARY	Specific TP53 mutations in L3 domain alone (only in DFS) or in cor prognosis in sporadic Colorectal cancer.
Literature	GENERIF_SUMMARY	Study reports the first unequivocal case of a ganglioglioma harbor component.
Literature	GENERIF_SUMMARY	p53-specific serum antibodies are not associated with a history of
Literature	GENERIF_SUMMARY	There is positive role for PI3K in p53 activation by anticancer agen affected by the tumor p53 status.
Literature	GENERIF_SUMMARY	p53 is induced by urokinase in lung epithelial cells
Literature	GENERIF_SUMMARY	p53 not only can provide proapoptotic signals but also regulates a
Literature	GENERIF_SUMMARY	in oral cancer cells the Ca(2+)- and cell cycle-dependent p53-S100
Literature	GENERIF_SUMMARY	Alterations of the TP53 gene occur not only as somatic mutations families with Li-Fraumeni syndrome.
Literature	GENERIF_SUMMARY	p53 function was lost by TP53 germline mutation with the loss of a the development of MDS.
Literature	GENERIF_SUMMARY	besides P53 alterations, mouse double minute 2 gene deregulation
Literature	GENERIF_SUMMARY	The sequential accumulation of mutations in p53 drives the transi colorectal cancer.
Literature	GENERIF_SUMMARY	that wt-tumor protein p53 gene transfer inhibits interleukin 8 produ
Literature	GENERIF_SUMMARY	These results suggest that Chk2 regulates the transcription-indepe response to IR.
Literature	GENERIF_SUMMARY	Data show that the status of codon 72 polymorphism and p53 mu variables for each cancer type requires detailed evaluation.
Literature	GENERIF_SUMMARY	TrkA induces apoptosis of neuroblastoma cells and does so via a p
Literature	GENERIF_SUMMARY	NPM inhibits ionizing irradiation-induced p53 transactivation, and i
Literature	GENERIF_SUMMARY	Mutations in proline 82 of p53 impair its activation by PIN1 and CH
Literature	GENERIF_SUMMARY	SAK repression by p53 is likely mediated through the recruitment o
Literature	GENERIF_SUMMARY	analysis of gain of function from a Li-Fraumeni TP53 mutation
Literature	GENERIF_SUMMARY	Taking p53 negativity in immunohistochemistry as evidence of a fu hitherto observed only in cultured cells with functional p53, to a su
Literature	GENERIF_SUMMARY	a new T-->C point mutation was identified in intron 6 at position 13

Main Category	Category	
Literature	GENERIF_SUMMARY	We propose that induction of NQO2 may relate to the observed increase in cell growth in both melanoma cell lines.
Literature	GENERIF_SUMMARY	Expression of p53 in renal carcinoma cells is independent of VHL.
Literature	GENERIF_SUMMARY	mutant p53 is reactivated and apoptosis is induced by maleimide and
Literature	GENERIF_SUMMARY	p53-induced apoptosis may be important for efficient cell lysis and occurs at multiple levels
Literature	GENERIF_SUMMARY	inhibition in HTLV-1-transformed cells is regulated by activated AK
Literature	GENERIF_SUMMARY	p53 polymorphism at codon 72 predicts the susceptibility to leiomyosarcoma and leiomyoma.
Literature	GENERIF_SUMMARY	Results suggested that the loss of p53 expression in conjunction with the loss of p16 may confer a greater benefit than either molecule alone in Japanese serous-type advanced
Literature	GENERIF_SUMMARY	The TP53 R337H mutation dramatically increases predisposition to cancer and the increased frequency of ACT observed in this geographic region
Literature	GENERIF_SUMMARY	Activities of p53 are regulated during the cell cycle by E2F/p53 interactions
Literature	GENERIF_SUMMARY	H pylori affect the p53 pattern in gastric mucosa when microsatellite
Literature	GENERIF_SUMMARY	Haplotype analysis also showed a significant association between p53 polymorphisms and schizophrenia, suggesting that p53 may play a role in the pathogenesis of schizophrenia.
Literature	GENERIF_SUMMARY	Differentiating human keratinocytes are deficient in p53 but they possess functional p53-dependent key DNA damage recognition proteins
Literature	GENERIF_SUMMARY	T-oligos transcriptionally down-regulate COX-2 expression in human cells and inhibit NFkappaB transcriptional activation
Literature	GENERIF_SUMMARY	A proteasome inhibitor, lactacystin, enhances TNFalpha cytotoxicity in human
Literature	GENERIF_SUMMARY	p53 and p21 act in series in mediating cell cycle arrest. However, the two proteins, which are part of a common causal pathway, appear to act in a mutually exclusive
Literature	GENERIF_SUMMARY	initiation of DNA replication is regulated by p53 through Cdc6 protein
Literature	GENERIF_SUMMARY	GSK3-dependent phosphorylation of Mdm2 regulates p53 abundance
Literature	GENERIF_SUMMARY	FGFR3 and Tp53 mutations do not appear to be associated with prostate
Literature	GENERIF_SUMMARY	Data may provide evidence to support the idea that p53 expression is a prognostic factor in the cisplatin therapy of gastric cancer cell lines.
Literature	GENERIF_SUMMARY	p53 undergoes ubiquitin-independent degradation by the 20S proteasome in the presence of NQO1 (NQO1) together with NADH [review]
Literature	GENERIF_SUMMARY	ATM directly activates p53 while activating a safe-lock mechanism
Literature	GENERIF_SUMMARY	p53 codon 72 alleles influence the response to anticancer drugs in
Literature	GENERIF_SUMMARY	Ser15 phosphorylation is important in regulating the oncogenic function of p53 in the p53 signaling pathway
Literature	GENERIF_SUMMARY	analysis of the role of HTLV I Tax in p53 inhibition in leukemia [review]
Literature	GENERIF_SUMMARY	ASPP2/(53BP2L) protein levels by proteasomal degradation modulate
Literature	GENERIF_SUMMARY	mutant MYC proteins, by selectively disabling a p53-independent p

Main Category	Category	
Literature	GENERIF_SUMMARY	Aberrant p53 expression appears to be a common event in both cutaneous and non-cutaneous melanomas.
Literature	GENERIF_SUMMARY	A significant correlation between YB-1 and PCNA-LI was found, but not between YB-1 and p53.
Literature	GENERIF_SUMMARY	first demonstration in human cancer cells that the p53 pathway can be activated by a variety of agents.
Literature	GENERIF_SUMMARY	p53 represses myelocytomatosis oncogene c-myc transcription through a complex mechanism involving the p53-MDM2 complex.
Literature	GENERIF_SUMMARY	repression of p53 expression by signal transducer and activator of transcription 3 (STAT3) in human cancer cells.
Literature	GENERIF_SUMMARY	uncoupling of the electrochemical gradient by increased manganese permeability in human cancer cells.
Literature	GENERIF_SUMMARY	ARF may regulate p53 acetylation and stability in part by inhibiting histone deacetylase activity.
Literature	GENERIF_SUMMARY	polymorphic variants of p53 codon 72 are not clinically relevant for prognosis in human cancer.
Literature	GENERIF_SUMMARY	These results suggest that the expression of eIF4E is reciprocally regulated with p53 in human cancer cells.
Literature	GENERIF_SUMMARY	Data show that Topors enhances the conjugation of the small ubiquitin-like modifier (SUMO) to p53.
Literature	GENERIF_SUMMARY	an aberrant p53 status was related to IL-8 expression in patients with colorectal cancer.
Literature	GENERIF_SUMMARY	evidence that in lung carcinomas, non-CpG methylation is frequently associated with p53 mutation databases which corroborates the reported experimental results.
Literature	GENERIF_SUMMARY	The frequency of the p53 Pro allele among keloid patients was significantly higher than that in normal controls.
Literature	GENERIF_SUMMARY	by binding to E6, Pitx2a interferes with E6/E6AP-mediated p53 degradation.
Literature	GENERIF_SUMMARY	p53 isoforms can regulate p53 transcriptional activity.
Literature	GENERIF_SUMMARY	The p53 codon 72 Arg/Pro polymorphism is not associated with age at onset of cancer.
Literature	GENERIF_SUMMARY	in nasopharyngeal carcinoma cells, SarCNU-induced apoptosis is p53-dependent and involves the cdc-2 complex
Literature	GENERIF_SUMMARY	the p14ARF-p53-MDM2 pathway has a role in development of oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	P53 is probably involved in the development of conjunctival and eyelid neoplasms of these organs.
Literature	GENERIF_SUMMARY	demonstrated that a tripartite nexus between Bcl-xL, cytoplasmic p53, and Bcl-2 regulates p53 functions
Literature	GENERIF_SUMMARY	findings suggest that overexpression of EGFR in glioblastomas is involved in the regulation of p53 tumors' pathological pathway
Literature	GENERIF_SUMMARY	Transcriptionally active p53 is required for nuclear localization of YAP.
Literature	GENERIF_SUMMARY	p53-mdm2 binding is subtler than previously thought and involves multiple domains of p53 instead of being localized to one small helix mini-domain in p53 TAD.
Literature	GENERIF_SUMMARY	redox cycling of anthracyclines and p53-dependent apoptosis in cancer cells.
Literature	GENERIF_SUMMARY	Tumor suppressor molecule p53 maintains mitochondrial genetic material by regulating the expression of polymerase gamma (pol gamma) in response to mtDNA damage.
Literature	GENERIF_SUMMARY	PRIMA-1 could be considered in combination therapy with DNA-targeting agents to overcome aberrant p53 function.
Literature	GENERIF_SUMMARY	HER-2/neu and p53 are likely to be involved in the regulation of COX-2 expression in human cancer cells.
Literature	GENERIF_SUMMARY	mutant p53 suppresses the expression of the MSP (MST-1/HGFL) in human cancer cells.

Main Category	Category	
		variety of cellular responses
Literature	GENERIF_SUMMARY	Among women with p53 alterations, adjuvant radiotherapy substantially improved survival
Literature	GENERIF_SUMMARY	TP53 abnormalities are early and frequent events in the pathogenesis of human breast cancer
Literature	GENERIF_SUMMARY	p53 codon 72 genotypes are associated with the age of onset of colorectal cancer in a dose-dependent manner
Literature	GENERIF_SUMMARY	p53 mutation in lung cancers was closely correlated with the expression of p21
Literature	GENERIF_SUMMARY	Results indicated that p53 down-regulated the expression of MDM2
Literature	GENERIF_SUMMARY	Transient co-transfection of p53 family members showed that p53 family members regulate transcription additively or independently.
Literature	GENERIF_SUMMARY	the p53 and MDM2 promoter polymorphisms do not appear to play a role in the regulation of p53
Literature	GENERIF_SUMMARY	loss of nuclear p53 signal may have a role in cisplatin resistance in human bladder cancer
Literature	GENERIF_SUMMARY	Trp/Met/Phe residues have roles in physical interactions of p53 with MDM2
Literature	GENERIF_SUMMARY	PARP activation and the concomitant reduction of Sir2alpha activity are required for p53-dependent transcriptional repression
Literature	GENERIF_SUMMARY	pRB degradation involved in gastric tumor cell apoptosis is p53-independent
Literature	GENERIF_SUMMARY	WOX1 plays a critical role in conferring cellular sensitivity to apoptosis by stabilizing Ser46-phosphorylated p53
Literature	GENERIF_SUMMARY	The data was obtained that establishes the contribution of the transcriptional response to deregulated oncogenes.
Literature	GENERIF_SUMMARY	negative cross-talk between p53 and C/EBPbeta is likely to impact on the transcriptional response to DNA damage
Literature	GENERIF_SUMMARY	Bcl-2 has a role in cell death, apoptosis, and cytochrome c release
Literature	GENERIF_SUMMARY	TP53 mutations in BRCA1 mutation carriers do not appear to have a significant effect on survival
Literature	GENERIF_SUMMARY	p53 may act as a DNA topology-modulating factor
Literature	GENERIF_SUMMARY	Results suggests that analysis of p53 codon 72 polymorphism may be useful in predicting response to anthracycline-based neoadjuvant chemotherapy in clinical setting
Literature	GENERIF_SUMMARY	In summary, the p53/p21 pathway is mainly responsible for GC-induced senescence, while p53/p21 is responsible for GC-induced endothelial cell senescence through a p21-dependent manner
Literature	GENERIF_SUMMARY	the p53-HDM2 interaction can be inhibited by a newly isolated hexapeptide
Literature	GENERIF_SUMMARY	Copper alters the conformation and transcriptional activity of TP53
Literature	GENERIF_SUMMARY	Functional p53 can promote the adenovirus (Ad) lytic cycle
Literature	GENERIF_SUMMARY	Overexpression of p53 is related with the stage and cervical lymph node metastasis
Literature	GENERIF_SUMMARY	BCL6 gene is a new p53 target, regulated through a p53 response
Literature	GENERIF_SUMMARY	4-oxo-2-nonenal, a lipid peroxidation product is a potential trigger of p53 activation
Literature	GENERIF_SUMMARY	p53 expression in HBV or HCV cirrhotic liver are a rather late event
Literature	GENERIF_SUMMARY	There are two polymorphic points in the 7th intron of human p53 gene
Literature	GENERIF_SUMMARY	overexpression of c-myc (p=0.038) related to poor survival whereas overexpression of p53 (p=0.0001) was not

Main Category	Category	
Literature	GENERIF_SUMMARY	A role of Aurora-C in the development and progression of cancer e
Literature	GENERIF_SUMMARY	mutants of p53 may induce loss of drug sensitivity is via the NF- κ B
Literature	GENERIF_SUMMARY	analysis of p53 target genes by digital fluorescent differential disp
Literature	GENERIF_SUMMARY	analysis of p53-regulated genes by the method of differential displ
Literature	GENERIF_SUMMARY	p53 mutation was found in 28% of sporadic adenocarcinomas resp
Literature	GENERIF_SUMMARY	The results showed that retroviral vector-mediated RNAi can subst
Literature	GENERIF_SUMMARY	higher frequency of spicy food intake and use of unboiled well wat
Literature	GENERIF_SUMMARY	Both p53 and c-erbB-2 proteins appear to be involved at an early st
Literature	GENERIF_SUMMARY	Results demonstrate that p53 base mutations in combination with
Literature	GENERIF_SUMMARY	TP53 expression may be a useful biomarker for assessing the risk
Literature	GENERIF_SUMMARY	Transient transfection of hepatitis B virus into the SMMU-7721 cell hepatocarcinoma
Literature	GENERIF_SUMMARY	p53 protein can regulate huntingtin expression at transcriptional le
Literature	GENERIF_SUMMARY	Results describe the opposite effect of ERK1/2 and JNK on p53-in human epidermoid carcinoma A431 cellular cytotoxicity.
Literature	GENERIF_SUMMARY	p53 protects the genome from oxidation by reactive oxygen specie
Literature	GENERIF_SUMMARY	Genetic polymorphisms in cell cycle regulatory genes MDM2 and T
Literature	GENERIF_SUMMARY	IFN-alpha plus IFN-gamma triggers apoptosis independent of p53 KCs as regards apoptotic responsiveness to cytokines
Literature	GENERIF_SUMMARY	The degree of acetylation regulates p53 nucleus-cytoplasm traffick oligomerization-dependent p53 nuclear export.
Literature	GENERIF_SUMMARY	Loss of p53 function can lead to decreased hOgg1 repair activity.
Literature	GENERIF_SUMMARY	The current data collectively indicate that BaP induces apoptosis c regulated by p38 kinase.
Literature	GENERIF_SUMMARY	age dependent phosphorylation of p53 protein and deregulation of
Literature	GENERIF_SUMMARY	induction of transcription is mediated by HIC1 p53-responsive ele
Literature	GENERIF_SUMMARY	We aimed to investigate the expression pattern of p53, Bcl-2 and C patients divided in two different groups, associated with and witho
Literature	GENERIF_SUMMARY	transglutaminase 2 (TG2) modification of p53 could be an addition
Literature	GENERIF_SUMMARY	TFII-I is degraded in a p53-dependent manner and this degradation
Literature	GENERIF_SUMMARY	p53 overexpression in esophageal cancer tissue is positively asso
Literature	GENERIF_SUMMARY	TAp63alpha may promote thyroid tumour progression by inactivati
Literature	GENERIF_SUMMARY	p33ING1b prominently enhances etoposide-induced apoptosis thro
Literature	GENERIF_SUMMARY	expression of p53 is essential for cytotoxic effect of cisplatin in hu signal molecules, such as p53, will be beneficial to achieve chemo

Main Category	Category	
Literature	GENERIF_SUMMARY	DNA hypermethylation of p53 was detected in a quarter of the low grade squamous cell carcinomas, but only sporadically in squamous cell carcinomas, and
Literature	GENERIF_SUMMARY	The P allele of the p53 R72P polymorphism has an increased risk for HCC, but the influence on the risk for HCC when combined with HCC family history is not clear.
Literature	GENERIF_SUMMARY	The experimental data suggest that the ANNEXIN A2 gene may regulate p53 activity.
Literature	GENERIF_SUMMARY	These findings suggest that overexpression of Mdm2 can perturb p53 function.
Literature	GENERIF_SUMMARY	Overall, our findings indicate that FHL2 can also regulate p53 via a novel mechanism.
Literature	GENERIF_SUMMARY	The signaling pathway for colonocyte apoptosis following toxin A involves p53, p21(WAF1/CIP1), resulting in cytochrome c release and caspase-3 activation.
Literature	GENERIF_SUMMARY	To investigate the prognostic and predictive relevance of p53 protein expression (TCC) of the upper urinary tract
Literature	GENERIF_SUMMARY	PPM1D promotes breast tumor growth both by inhibiting p53 activation and by
Literature	GENERIF_SUMMARY	Clear need in human melanoma cell lines to disrupt both RB and p53 pathways to achieve the vulnerabilities of this tumor type.
Literature	GENERIF_SUMMARY	Although SIRT1 deacetylates p53, this does not play a role in cell survival in non-epithelial cells.
Literature	GENERIF_SUMMARY	The expression of bcl-2 and p53 represent biological characteristics of human melanoma.
Literature	GENERIF_SUMMARY	Our results indicate that chromatin alteration in interstitial chromatin leads to SLGA results in the induction of SLGA by ionizing radiation.
Literature	GENERIF_SUMMARY	Our results indicate that the TP53 P allele is associated with a worse prognosis, but this is not a statistically significant result (P>0.05).
Literature	GENERIF_SUMMARY	may contribute to the higher level of constitutive apoptosis in cultured cells.
Literature	GENERIF_SUMMARY	These findings indicate that PKCdelta regulates p53 to induce apoptosis.
Literature	GENERIF_SUMMARY	specific amino acid substitutions in hepatitis C virus NS3 impair p53 function.
Literature	GENERIF_SUMMARY	Mutation rate of p53 is not particularly high, but there is a significant correlation with retroviral replication errors.
Literature	GENERIF_SUMMARY	Results illustrate a novel mechanism of the alteration of p53 function by deltaNp73 in human carcinogenesis.
Literature	GENERIF_SUMMARY	Overexpression of BAG-1 and p53 plays an important role in the progression of human
Literature	GENERIF_SUMMARY	Tumours with FGFR3+/p53- phenotype seem to have a distinctive p53 pathway.
Literature	GENERIF_SUMMARY	TP53 gene mutations alone are not likely to represent a widely used marker for Barrett's esophagus without dysplasia.
Literature	GENERIF_SUMMARY	P53 mutational analysis in 56 colorectal cancer cell lines
Literature	GENERIF_SUMMARY	BTG2 expression was found to be significantly reduced in a large panel of human tumor suppressor that links p53 and Rb pathways in human tumor
Literature	GENERIF_SUMMARY	there is a decrease in p53 apoptotic rate associated with the No Inhibition
Literature	GENERIF_SUMMARY	P53 interferes with the TAD-truncated p73alpha-mediated activation of
Literature	GENERIF_SUMMARY	identification of a second binding site helps stabilize the interaction

Main Category	Category	
Literature	GENERIF_SUMMARY	the VEGF system is integrated into the p53 transcriptional network
Literature	GENERIF_SUMMARY	Myc overexpression causes DNA damage in vivo and the ATM-dependent suppression of tumor development
Literature	GENERIF_SUMMARY	Beta-interferon-induced senescence was more efficient in cells expressing
Literature	GENERIF_SUMMARY	Data suggest that, in the absence of DNA, the acetylation motif of p53 requires exposure of the acetylation motif to allow DNA-dependent acetylation
Literature	GENERIF_SUMMARY	indicate a novel translational control of p53 gene expression and a
Literature	GENERIF_SUMMARY	co-expression of MT and p53 and their complex formation in tumor cells
Literature	GENERIF_SUMMARY	WT p53, but not tumor-derived mutants, bind to BCL2 via the DNA-binding
Literature	GENERIF_SUMMARY	some isoforms of p63 serve as a pro-survival factor by up-regulating
Literature	GENERIF_SUMMARY	These data provide evidence that in addition to the COOH-terminal
Literature	GENERIF_SUMMARY	TP53 mutations and cyclin-dependent kinase inhibitor 2A promote progression in the malignant progression of pleomorphic adenomas into carcinomas
Literature	GENERIF_SUMMARY	Polymorphisms in some insulin-related genes are associated with type 2 diabetes, implying a link between these genetic changes and specific mutations
Literature	GENERIF_SUMMARY	No deletions were found in the p53 gene of these MD tumor cell lines, suggesting alternative splicing of the p53 gene.
Literature	GENERIF_SUMMARY	PolH has a novel role in the DNA damage checkpoint, and a p53 target in its activation.
Literature	GENERIF_SUMMARY	molecular analysis of p53 haplo-insufficiency
Literature	GENERIF_SUMMARY	our data suggest that p53 N-terminal domain interacts with Bcl-XL, suggesting that the DNA-binding domain of p53.
Literature	GENERIF_SUMMARY	phosphorylation of p53 by protein kinase c abolishes its interaction
Literature	GENERIF_SUMMARY	the DNA-binding ability of the p53 protein was required for sequence-specific
Literature	GENERIF_SUMMARY	Mutations do not confer a growth advantage to somatic heterozygous
Literature	GENERIF_SUMMARY	TP53 self-complementary surface for the association of core domain
Literature	GENERIF_SUMMARY	Tumor suppressor p53 structure was determined in solution using NMR spectroscopy to complement its crystal structure.
Literature	GENERIF_SUMMARY	interference with the p53/PUMA/Bax cascade is crucial for the anti-apoptotic
Literature	GENERIF_SUMMARY	Trp53(72P) is more efficient than Trp53(72R) in specifically activating
Literature	GENERIF_SUMMARY	The MAPK cascade pathway and P53 pathway can protect hepatoma cells
Literature	GENERIF_SUMMARY	suppressing p53 function is an important component in the pro-proliferative
Literature	GENERIF_SUMMARY	results indicate that KSHV vIRF1 comprehensively compromises a p53-dependent upstream ATM kinase and downstream p53 tumor suppressor
Literature	GENERIF_SUMMARY	N-terminal domain of USP7 binds two closely spaced 4-residue sites, residues 147-159.
Literature	GENERIF_SUMMARY	This study demonstrated that p53 codon 72 Pro homozygosity is a

Main Category	Category	
Literature	GENERIF_SUMMARY	The expression rate of p53 was relatively high in small cell lung ca
Literature	GENERIF_SUMMARY	Logistic regression analysis showed p53 and COX-2 as dependent progression between p53 and COX-2.
Literature	GENERIF_SUMMARY	Immunoreactivity of VEGF, p53 and ICAM-1 was found in epithelial
Literature	GENERIF_SUMMARY	E6AP is extensively involved in the ubiquitin-mediated degradation
Literature	GENERIF_SUMMARY	an independent prognostic marker in stage III colorectal carcinoma
Literature	GENERIF_SUMMARY	p53 gene alterations may be involved in Balkan endemic nephropa
Literature	GENERIF_SUMMARY	Results show show that TP53 mutations identified by gene sequen potential uses in clinical practice.
Literature	GENERIF_SUMMARY	Results suggest that the p53-VEGF pathway can regulate tumor an
Literature	GENERIF_SUMMARY	analysis of TP53 mutation pattern in radiation-induced sarcomas
Literature	GENERIF_SUMMARY	Results show that the TP53 R337H germline mutation predisposes
Literature	GENERIF_SUMMARY	Increased risk of non-small cell lung cancer and frequency of som
Literature	GENERIF_SUMMARY	Protein phoaphatase-1 directly dephosphorylates p53. This has as promotes cell survival is to dephosphorylate p53, & thus negatively
Literature	GENERIF_SUMMARY	p53 inhibits protein synthesis in human lung carcinoma cells;The r inhibitor 4E-BP1, and increased association of 4E-BP1 with initiat
Literature	GENERIF_SUMMARY	TP53 G-->T transversions associated with tobacco smoke carcino
Literature	GENERIF_SUMMARY	No associations were observed with tp53.
Literature	GENERIF_SUMMARY	a novel function for p53 in the maintenance of Golgi complex integ
Literature	GENERIF_SUMMARY	IRF3 induces cell growth inhibition and cellular senescence throug
Literature	GENERIF_SUMMARY	We suggest that p53 has a role in RAD51 clearance post DSB repa
Literature	GENERIF_SUMMARY	caspase-6 and its cleavage of lamin A are critical in apoptotic sign in the absence of Bax or p53
Literature	GENERIF_SUMMARY	Expression predicts response to anticancer drugs in advanced hep
Literature	GENERIF_SUMMARY	Data suggest that detection of mutated p53 could be a useful sero
Literature	GENERIF_SUMMARY	Findings support the hypothesis that p53 mutations are homogene indicator.
Literature	GENERIF_SUMMARY	Findings suggest TP53 allele combinations other than Arg/Arg ma exposed to radiation during their late childhood, adolescence or in
Literature	GENERIF_SUMMARY	Alpha-tocopheryl succinate activates expression of DR4/DR5 in a p TRAIL-mediated apoptosis.
Literature	GENERIF_SUMMARY	Two molecular dynamics simulations of the region E17-N29 of p53 micros, to study the conformational landscape of this region.
Literature	GENERIF_SUMMARY	Caspase-dependent cleavage of p53 resulting in the generation of localize to cytosol; these translocate to mitochondria and induce n
Literature	GENERIF_SUMMARY	STAT5 activation specifically cooperates with the loss of p53 func

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 protein appears only in sporadic cases (6.6%) of severe colonic
Literature	GENERIF_SUMMARY	analysis of p53 gene mutants in human breast cancer cell lines
Literature	GENERIF_SUMMARY	These findings suggest that the silencing of astrin induce a p53-de
Literature	GENERIF_SUMMARY	CUL7 functions to promote cell growth through, in part, antagonizi
Literature	GENERIF_SUMMARY	Telomere dysfunction in the absence of cell-cycle checkpoint prote found in many solid tumors.
Literature	GENERIF_SUMMARY	results show that stabilizing peripheral structural motifs can great alternative in the development of stable p53
Literature	GENERIF_SUMMARY	11 patients had TP53 mutations within the Barrett's epithelium.
Literature	GENERIF_SUMMARY	Cyclin dependent kinase 9, whose well-known substrate is RNA po
Literature	GENERIF_SUMMARY	findings of the present study indicate that p53 codon 72 arginine h development
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphisms do not serve as a susceptibility fact
Literature	GENERIF_SUMMARY	While ATL patients carrying a wild-type p53 enter remission follow disease relapse was associated with the selection of a tumor clon
Literature	GENERIF_SUMMARY	analysis of the role of p53 substrate conformation in controlling M misfolding and susceptibility to ubiquitination
Literature	GENERIF_SUMMARY	concludes that(1) p53 binds RNA in vivo, (2) RNA binding by p53 is RNA binding by p53 cannot be ruled out, and (4) caution is require
Literature	GENERIF_SUMMARY	Myc and E2F1 engage the ATM signaling pathway to activate p53
Literature	GENERIF_SUMMARY	Fatty acid synthase (FAS) gene, encoding for a key enzyme involve target of the p53 family throughout the evolution.
Literature	GENERIF_SUMMARY	In the absence of telomerase, transgenic p53 mice aged with the s
Literature	GENERIF_SUMMARY	analysis of a novel regulatory pathway for the expression of surviv
Literature	GENERIF_SUMMARY	Our data indicated that in MTX M cells, p53 is sequestered in the c
Literature	GENERIF_SUMMARY	A Small Ras-like GTPase protein Ray was indicated to modulate p5
Literature	GENERIF_SUMMARY	Degradation of endogenous HIPK2 depends on the presence of a f
Literature	GENERIF_SUMMARY	angiostatins K1-3, K1-4 and K1-4.5 mediate anti-angiogenesis in a
Literature	GENERIF_SUMMARY	Authors report that the codon 72 polymorphism in the p53 gene m the pro72 allele might be candidates for other therapies.
Literature	GENERIF_SUMMARY	Variations in TP53 and BAX alleles are unrelated to the developme
Literature	GENERIF_SUMMARY	binding of p53 serves to modify simian virus 40 large T antigen (SV of SV40 LT
Literature	GENERIF_SUMMARY	This study defines a new role for residues 53 and 54 of p53 in regu pathway to induce apoptosis through gene repression.
Literature	GENERIF_SUMMARY	DeltaNp63alpha would downregulate p53 in response to DNA dam
Literature	GENERIF_SUMMARY	Findings not only identify mortalin as an upstream molecule of p53

Main Category		Category
		the regulation of centrosome duplication.
Literature	GENERIF_SUMMARY	DNA fragmentation factor plays an important and P53-independent
Literature	GENERIF_SUMMARY	distribution of methylation sites and repetitive elements in silent a
Literature	GENERIF_SUMMARY	p90Rsk-mediated modulation of Hdm2 nuclear is linked to cytopla that ultimately leads to transformation
Literature	GENERIF_SUMMARY	HDM2 can selectively down-regulate the transcription function of p promoters
Literature	GENERIF_SUMMARY	Jab1 is required to remove post-translationally modified p53 in co
Literature	GENERIF_SUMMARY	Alleles and smoking play a significant role in modified prostate can
Literature	GENERIF_SUMMARY	Data show that nuclear accumulations of p53 and Mdm2 are acco cells.
Literature	GENERIF_SUMMARY	Candidate p53-binding sites were identified in the AP-2alpha and A expression such as inhibition of proliferation
Literature	GENERIF_SUMMARY	Finds a correlation between the p53 codon 72 polymorphism and
Literature	GENERIF_SUMMARY	p53 as a determinant of the response to oncogene inhibition
Literature	GENERIF_SUMMARY	Mutations in the p53 gene in bladder cancer may differ according t
Literature	GENERIF_SUMMARY	Our comparison of binding by wild-type and mutant domains indic
Literature	GENERIF_SUMMARY	These results suggest that the tumor suppressor pVHL has an une
Literature	GENERIF_SUMMARY	In mammalian cells, translesion DNA synthesis (TLS) is controlled interacting domain, to maintain a low mutagenic load at the price o
Literature	GENERIF_SUMMARY	serum p53 protein may have a role in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Immunohistochemical detection of TP53 expression is a biomarker as a criterion to inform endoscopic surveillance strategies.
Literature	GENERIF_SUMMARY	Data suggest that dose-dependent UV stabilization of p53 in cultur
Literature	GENERIF_SUMMARY	p53 and NF-kappaB cooperate in upregulating Cox-2 expression, p
Literature	GENERIF_SUMMARY	NF-kappaB-dependency of the platelet-activating factor -induced i regulated by increased NF-kappaB activity.
Literature	GENERIF_SUMMARY	We demonstrated that p53 wild-type protein nuclei accumulation is modulates p53 wild-type protein levels in vitro.
Literature	GENERIF_SUMMARY	p53 and c-erbB-2 may have independent role in carcinogenesis of
Literature	GENERIF_SUMMARY	Hghly modular role for the L1 loop in the recognition of specific DN
Literature	GENERIF_SUMMARY	in diffuse large B-cell lymphoma, molecular alterations in ice, bcl-2 primitive hematopoietic progenitors
Literature	GENERIF_SUMMARY	NS3 plays an important role in the hepatocarcinogenesis of Hepat manner.
Literature	GENERIF_SUMMARY	it is concluded that mutation of p53 & deletion of p16 might play in with the grade of tumor differentiation; P53 protein accumulation o

Main Category	Category	
Literature	GENERIF_SUMMARY	NKX3.1 engages cell cycle and cell death machinery via association dependent mechanisms.
Literature	GENERIF_SUMMARY	The majority of the malignant thyroid cancers displayed aberrant expression of p53.
Literature	GENERIF_SUMMARY	VRK2 induces p53 stabilization by post-translational modification, including phosphorylation and ubiquitination.
Literature	GENERIF_SUMMARY	GAS41 plays a role in repressing the p53 tumor suppressor pathway.
Literature	GENERIF_SUMMARY	The activation of ATM/ATR/CHK signaling pathways contributes to the phosphorylation of p53 protein in the initiation of this DNA damage-signaling cascade.
Literature	GENERIF_SUMMARY	cell death induced by adenovirus/alpha-fetoprotein truncated Bid is independent of p53 status
Literature	GENERIF_SUMMARY	PGE(2)-stimulated phosphoserine p53 abrogated DNA binding of c-Myc.
Literature	GENERIF_SUMMARY	The multiple biological activities of p53 are orchestrated and decided by posttranslational modifications and protein-protein interactions."
Literature	GENERIF_SUMMARY	p53 Arg72Pro may play a role in the early stages of colorectal neoplasia.
Literature	GENERIF_SUMMARY	decreased angiogenesis might account for reduced growth rate of tumor.
Literature	GENERIF_SUMMARY	The present paper aims to provide updated information on p53 regulation.
Literature	GENERIF_SUMMARY	findings show that p53 modulates the balance between the utilization of Oxidase 2 (SCO2) as the downstream mediator of this effect
Literature	GENERIF_SUMMARY	Moreover, in the absence of overt apoptotic signals, the constitutive expression of AIF on the role of AIF in ensuring proper mitochondrial function.
Literature	GENERIF_SUMMARY	With the scar maturation, the expression of HIF-1alpha gradually decreased.
Literature	GENERIF_SUMMARY	Loss of TP53 in chronic lymphocytic leukemia results from the absence of isochromosome formations.
Literature	GENERIF_SUMMARY	HIPK2 cooperates with p53 in Gal-3 repression and that this cooperation is required for the full repression of the p53 target genes.
Literature	GENERIF_SUMMARY	presence of p53 in a transcription complex of NPM and Sp1 or NF- κ B suppress expression of the MnSOD gene.
Literature	GENERIF_SUMMARY	CD154 can sensitize leukemia cells to apoptosis via the c-Abl-dependent pathway and may be a potential target for anticancer drug therapy.
Literature	GENERIF_SUMMARY	The DU145 cell line harbors a TS mutant of p53 and, in addition to the insights into p53 function due to the unique transcriptional properties of this cell line.
Literature	GENERIF_SUMMARY	Existence of a feedback-loop between p53 and cdk9, pinpointing a novel mechanism for p53 regulation.
Literature	GENERIF_SUMMARY	Ability of calcitriol receptor to transcribe prostate derived factor in the absence of calcitriol.
Literature	GENERIF_SUMMARY	Alterations in p53 levels arise from nucleolin binding to the p53 and its phosphorylation.
Literature	GENERIF_SUMMARY	Cdc25C may first be activated by polo-like kinase 1, and then its phosphorylation is required for the activation of p53.
Literature	GENERIF_SUMMARY	The tetrameric full-length mutated proteins had similar apparent melting temperatures, while the mutations lowered the melting temperature by similar amounts
Literature	GENERIF_SUMMARY	Eighteen mutations (12 missense, one nonsense, two deletions, three polymorphisms) were detected by FAMA in 17 patients with colorectal cancer.
Literature	GENERIF_SUMMARY	In 50 of the 66 primitive colorectal tumor cases at least one significant mutation was detected.

Main Category	Category	
Literature	GENERIF_SUMMARY	measured the dynamics of the negative feedback loop between the
Literature	GENERIF_SUMMARY	Stage B immunoproliferative small intestinal disease (IPSID) show expressions correlated with a more advanced disease stage and a
Literature	GENERIF_SUMMARY	Metabolic activation of hormones can generate endogenous mutagenic breast cancer cells.
Literature	GENERIF_SUMMARY	alteration of both p53 and PTCH genes is likely to play a role in rad
Literature	GENERIF_SUMMARY	analysis of novel mechanisms for apoptosis induction by silibinin in
Literature	GENERIF_SUMMARY	Expressions of p53 proteins should be useful for determining the t carcinoma.
Literature	GENERIF_SUMMARY	ECT2 is negatively regulated by wild-type p53 but not tumor-derive
Literature	GENERIF_SUMMARY	Increased GEF-H1 expression contributes to the tumor progression
Literature	GENERIF_SUMMARY	As the amount of p53 protein increases, there is a downregulation
Literature	GENERIF_SUMMARY	hCdc14A is differentially expressed in human cancer cells and can carcinogenesis
Literature	GENERIF_SUMMARY	data indicate that a mutant p53 can contribute to the suppression selection of p53 mutations early in tumorigenesis to suppress apo
Literature	GENERIF_SUMMARY	the TP53 codon 72 polymorphism could be associated with suscep
Literature	GENERIF_SUMMARY	Sps1 affect cell viability upon ionizing radiation via modulation of p prevention in a p53-dependent manner and could be applied to dev
Literature	GENERIF_SUMMARY	Polymorphism in the p53 gene at codon 72 revealed no significant
Literature	GENERIF_SUMMARY	p53-induced cell cycle arrest is a function of not only the transactiv proliferation at several distinct phases of the cell cycle
Literature	GENERIF_SUMMARY	p53 not only plays a key role in the regulation of the topoisomeras
Literature	GENERIF_SUMMARY	The data implicate cyclin A1 as a downstream player in p53-depen
Literature	GENERIF_SUMMARY	L11, unlike L5 and L23, differentially regulates the levels of ubiquiti
Literature	GENERIF_SUMMARY	Defective DNA mismatch repair and TP53 defects are common ea
Literature	GENERIF_SUMMARY	Somatic chromosomal mutations, especially in exon 6 of Tp53 gene Kashmir valley are closely related to continued exposure to various
Literature	GENERIF_SUMMARY	Taken together, our present results strongly suggest that p73-depe sensitivity of breast cancers bearing p53 mutation.
Literature	GENERIF_SUMMARY	Collectively, our results suggest that a loss of the cisplatin sensitiv p73 might cooperate with MDM2 to be involved in this process.
Literature	GENERIF_SUMMARY	The rapid shift from a shorter p53 protein form (delta) toward the f patients undergoing chemotherapy.
Literature	GENERIF_SUMMARY	COX-2 and p53 may have roles in microsatellite instability in colore
Literature	GENERIF_SUMMARY	REIVIEW
Literature	GENERIF_SUMMARY	MDM2-single nucleotide polymerase 309 favours tumour selection earlier age of tumour onset.

Main Category	Category	
Literature	GENERIF_SUMMARY	None of the p53 mutations were stabilized by ZBP-89 except for the
Literature	GENERIF_SUMMARY	The p53-46F mutant with enhanced ability to induce p53-dependent
Literature	GENERIF_SUMMARY	The results indicate that overexpressed ER-beta may induce LoVo dependent manner, and without hTNF-alpha involvement.
Literature	GENERIF_SUMMARY	The Bcl-2 protein expression has a close correlation with p27 and p21 in invasive ductal carcinoma of the breast.
Literature	GENERIF_SUMMARY	MAGE-A2 targets p53 transactivation function through histone deacetylase
Literature	GENERIF_SUMMARY	p53 accumulation is believed to be an early event in neoplastic progression
Literature	GENERIF_SUMMARY	HER-2/neu and p53 may have a role in chemoresistance in patients with
Literature	GENERIF_SUMMARY	genomic instability is an early event that occurs at precancerous stages (e.g. polyposis coli) in Barrett's esophagus-associated tumorigenesis in
Literature	GENERIF_SUMMARY	Significant association was found between Aurora-A amplification and
Literature	GENERIF_SUMMARY	PCNA, L2DTL and the DDB1-CUL4A complex play critical and different roles in unstressed and stressed cells.
Literature	GENERIF_SUMMARY	identification of polymorphisms in lung carcinoma of never smokers
Literature	GENERIF_SUMMARY	p53 is functional in the absence of p14(ARF) in malignant pleural mesothelioma
Literature	GENERIF_SUMMARY	whereas exogenous p73 exhibits similar transcriptional activity to p53, HCT116 cells is unable to compensate for p53 function
Literature	GENERIF_SUMMARY	p53 binding to the central domain of Mdm2 is regulated by phosphorylation
Literature	GENERIF_SUMMARY	Tumour protein p53 plays a role in facilitating histone H2AX phosphorylation at site of DNA double-strand breaks.
Literature	GENERIF_SUMMARY	p53 plays a role in regulation of cullin 7 activity
Literature	GENERIF_SUMMARY	p53 expression is not an independent prognostic predictor of prognosis in
Literature	GENERIF_SUMMARY	p53 mutations and deletions correlated with extreme sensitivity (IC50<10
Literature	GENERIF_SUMMARY	The unfolded protein response pathway triggers p53 accumulation and
Literature	GENERIF_SUMMARY	suggest a novel role for DEK in cellular survival, involving the destruction
Literature	GENERIF_SUMMARY	Association between endometriosis and p53 codon 72 polymorphism and the susceptibility of endometriosis.
Literature	GENERIF_SUMMARY	These results suggest that DFNA5 plays a role in the p53-regulated
Literature	GENERIF_SUMMARY	Wip1 overexpression abrogates the homeostatic balance maintained by p53 by inactivating wild-type p53 and p38 MAPK as well as decreasing p1
Literature	GENERIF_SUMMARY	Hdmx is an important determinant of the outcome of P53 activation
Literature	GENERIF_SUMMARY	Epigenetic alteration of XAF1 is frequent in human urogenital cancer cells a survival advantage partially through the attenuated p53 response
Literature	GENERIF_SUMMARY	germ-line p53 mutations and sex had significant effects on cancer
Literature	GENERIF_SUMMARY	p53 mutations in plasma DNA from healthy individuals suggest that tobacco smoke.

Main Category	Category	
Literature	GENERIF_SUMMARY	our data suggest that wt p53 enhances the ability of HCMV to repl
Literature	GENERIF_SUMMARY	Our results provide evidence of how poliovirus counteracts p53 an
Literature	GENERIF_SUMMARY	Acetylation promotes p53 tetramerization, which, in turn, is require acetylation.
Literature	GENERIF_SUMMARY	The transformation of melanocytes to melanoma cells is characte alterations in the retinoblastoma (Rb) and p53 tumour suppressor
Literature	GENERIF_SUMMARY	results show that p53 transcriptionally activates the alpha(II) colla antiangiogenic fragments of collagen type 4 and 18
Literature	GENERIF_SUMMARY	We conclude that hypoxia triggers a p53-dependent gene expressi critical regulator of p53-dependent apoptosis upon hypoxia.
Literature	GENERIF_SUMMARY	Caspase 7 promoter was found to have p53-binding sites and pro
Literature	GENERIF_SUMMARY	presence of a codon 72 of p53 germline variant genotype increas
Literature	GENERIF_SUMMARY	In this study, the p53 protein immunoreactivity was not a marker o
Literature	GENERIF_SUMMARY	Results show that suppression of phosphatidylcholine-specific ph apoptosis in young cells, but not in senescent cells, and depressed
Literature	GENERIF_SUMMARY	these findings identify the first instance of a ubiquitin ligase that c
Literature	GENERIF_SUMMARY	hHR23B thus plays a critical role in the activation and function of p
Literature	GENERIF_SUMMARY	Wnt signaling activation significantly decreased the viability of reti upregulated p53
Literature	GENERIF_SUMMARY	The alterations of the p53 gene evaluated by DNA sequence analys index to estimate the prognosis of cholangiocarcinoma.
Literature	GENERIF_SUMMARY	Data suggest that the TP53 and CHEK2 mutations can substitute e signaling pathway plays an important role in prostate cancer tumo
Literature	GENERIF_SUMMARY	Antisense ODN to p53 impairs secretion of VEGF in the undifferent
Literature	GENERIF_SUMMARY	Biopsy specimens of 53 squamous dysplastic and 13 keratotic/hy
Literature	GENERIF_SUMMARY	p53 preferentially occupied the promoters of growth arrest genes p
Literature	GENERIF_SUMMARY	The p53-positive tumors had more lymph node metastasis, and p5
Literature	GENERIF_SUMMARY	In the complex crystal structure of p53 tumor suppressor bound to direct complex formation.
Literature	GENERIF_SUMMARY	The results obtained demonstrated that, at least in vitro, the p53 fa DeltaNp73alpha) were able to drive transcription from the PKCdelt
Literature	GENERIF_SUMMARY	Mutant p53 binds NF-Y target promoters and, upon DNA damage, r
Literature	GENERIF_SUMMARY	p53 directly regulatescarboxylesterase 2expression in a colonic ca
Literature	GENERIF_SUMMARY	iASPP binds to and regulates the activity of p53 Pro72 variant mor
Literature	GENERIF_SUMMARY	p53 appears to regulate EphA2 expression and clinical outcome in
Literature	GENERIF_SUMMARY	mutations or modifications that affect p53 oligomerization interfe network is important in the trafficking of crucial cellular proteins

Main Category	Category	
Literature	GENERIF_SUMMARY	distinct single nucleotide changes in the BRCT domain of BRCA1 a
Literature	GENERIF_SUMMARY	data suggest that the sensitization to radiation results from NBS1- signaling pathways through NFkB and XIAP.
Literature	GENERIF_SUMMARY	study showed the joint effects on the risk of carotid atherosclerosis
Literature	GENERIF_SUMMARY	These experiments describe the identification of novel p53 target g for p53 target genes under different stress scenarios.
Literature	GENERIF_SUMMARY	The functional consequences of the identified PIDD/nucleolin inter role for PIDD in the activation of NF-kappaB upon genotoxic stress
Literature	GENERIF_SUMMARY	harbouring alternative translation initiation sites, the p53 mRNA gi biological outcome of p53 activation
Literature	GENERIF_SUMMARY	p53 activation and the transcriptional induction of its target gene P by proteasome inhibition
Literature	GENERIF_SUMMARY	incidence of somatic mutagenesis of p53 oncosuppressor protein
Literature	GENERIF_SUMMARY	The cooperative effects of phenotypes determined by mdm-2, p53, the bladder
Literature	GENERIF_SUMMARY	KRAS and p53 gene mutations, which are rarely simultaneous and evolutionary pathway but may influence mechanisms of chromoso
Literature	GENERIF_SUMMARY	Interval between the onset of rheumatoid arthritis and lymphoprol mutations and had more advanced diseases and an unfavorable p
Literature	GENERIF_SUMMARY	p52 can regulate p53 function and influence p53-regulated decisio
Literature	GENERIF_SUMMARY	high frequency of somatic TP53 gene mutations implicates TP53 a population
Literature	GENERIF_SUMMARY	Tumor cells having disruptions in BRCA1/2 network genes and TP
Literature	GENERIF_SUMMARY	Misfolded species, which can aggregate in vitro and may be degra
Literature	GENERIF_SUMMARY	By downregulating Cdc25A expression, p53 may impair transition t
Literature	GENERIF_SUMMARY	Alkyl resorcinol exerts its cytotoxic effect in both hepatocellular ce apoptosis would proceed by p53- or Fas-independent pathways.
Literature	GENERIF_SUMMARY	Phosphorylation of specific serine and/or threonine residues reduc
Literature	GENERIF_SUMMARY	p53 and pRB can be sumoylated by SUMO-2/3 in vivo, and such m response
Literature	GENERIF_SUMMARY	p53 family proteins are potent therapeutic agents for human papilo
Literature	GENERIF_SUMMARY	results suggest that the development of endometrial carcinoma is TP53 does not necessarily result from the presence of microsatell
Literature	GENERIF_SUMMARY	transcriptional activation of the IGF-IR gene by Cav-1 requires an in
Literature	GENERIF_SUMMARY	Klotho normally regulates cellular senescence by repressing the p
Literature	GENERIF_SUMMARY	ANXA7 and p53 can distinctly regulate LOX transcription that is po suppression.
Literature	GENERIF_SUMMARY	Results show that the p53beta isoform is the only p53 species to b that the C-terminus truncated p53 isoforms may play an important

Main Category	Category	
Literature	GENERIF_SUMMARY	Data show that the acrolein-DNA binding pattern is similar to the p carcinogenesis through DNA damage and inhibition of DNA repair.
Literature	GENERIF_SUMMARY	Although p53 is a main regulator of apoptosis in mammalian cells,
Literature	GENERIF_SUMMARY	Using a combination of 2-dimensional gel electrophoresis and isot secreted proteins, 39 of which showed enhanced and 21 inhibited
Literature	GENERIF_SUMMARY	Our findings show that p53 is a transcriptional regulator of ECK in may lead to the identification of a new class of p53 target genes.
Literature	GENERIF_SUMMARY	RNPC1a is required to maintain the stability of p21 transcript induc
Literature	GENERIF_SUMMARY	Stimulation of macrophage inhibitory cytokine 1-dependent S phase phosphonacetyl-l-aspartate, which has been limited by gut toxicity
Literature	GENERIF_SUMMARY	Thus, our present results strongly suggest that AICD triggers apopt
Literature	GENERIF_SUMMARY	ZNF415 isoforms in COS-7 cells inhibits the transcriptional activiti and p53-mediated transcriptional activity.
Literature	GENERIF_SUMMARY	the reduction of KAP1 levels promotes p53-dependent p21 induction
Literature	GENERIF_SUMMARY	Risk of cancer is markedly increased in heavy smokers (>20 pack-y
Literature	GENERIF_SUMMARY	analysis of mechanism of formation of the principal MDM2 isoform abilities of human MDM2 isoforms as regulators of the MDM2/TS
Literature	GENERIF_SUMMARY	Activation of PI3K signaling by mutations in PTEN or PIK3CA can l
Literature	GENERIF_SUMMARY	p53 mutation was observed in 87% of esophageal squamous cell c
Literature	GENERIF_SUMMARY	The p53 pathway is inactivated in most bladder ccancers, but do n
Literature	GENERIF_SUMMARY	Expression of p53 expression was weak or not detected in dental f
Literature	GENERIF_SUMMARY	As(2)O(3) could up-regulate p53 expression and enhance its activi induced by As(2)O(3), while it suppressed the activity of p53.
Literature	GENERIF_SUMMARY	p53 mutation spectrum shows that the UV component of sunlight treatment may be significant in the skin carcinogenesis of renal tra
Literature	GENERIF_SUMMARY	A new G-to-A transition at position +1 at the invariant G at the exon
Literature	GENERIF_SUMMARY	In transfected cells and KSHV-infected B lymphoma cells, KSHV-en degradation of tumor suppressors von Hippel-Lindau and p53.
Literature	GENERIF_SUMMARY	p53 mutants can bind DNA and adopt a wild-type conformation in factors required for transactivation.
Literature	GENERIF_SUMMARY	The Pro/Pro genotype of the p53 codon 72 polymorphism carries a risk for early gastric cancer than advanced gastric cancer.
Literature	GENERIF_SUMMARY	Negative control by p53 on Nrf2 transactivation appears to be aim could hinder the induction of apoptosis.
Literature	GENERIF_SUMMARY	Our findings suggest a role for MMP-9 in soft tissue sarcoma (STS metastasis.
Literature	GENERIF_SUMMARY	p53 mutation and human papilloma virus mediated p53 inactivation carcinoma tumourigenesis
Literature	GENERIF_SUMMARY	data provide evidence that the p53 pathway is inactivated in retino

Main Category	Category	
		cells as previously thought
Literature	GENERIF_SUMMARY	Results suggest that EGCG may have an inhibitory effect on UVB-induced mRNA expressions of p53, p21 and c-fos genes.
Literature	GENERIF_SUMMARY	The T-helper cell activity of wild-type p53(25-35) peptide is likely to be a component of p53-based immunotherapy in the future.
Literature	GENERIF_SUMMARY	Survivin fused to a nuclear localization signal augmented basal expression of p53 in human cells
Literature	GENERIF_SUMMARY	mapped binding sites of p53 in the genome of HCT116 cells, along with the p53 binding site
Literature	GENERIF_SUMMARY	a detailed atomic model for the DNA-p53 tetramer complex delineates specific p53 binding-induced DNA conformational changes
Literature	GENERIF_SUMMARY	The expression of p53, Bcl-2 and Bax was altered in lung cancer tissues
Literature	GENERIF_SUMMARY	Although pterygium has limited local invasion and inability to metastasize, it could provide evidence of apparent genetic instability, which is in contrast to normal conjunctiva
Literature	GENERIF_SUMMARY	data do not indicate a strong link between variation in TP53 and occurrence of osteosarcoma associated with variants at IVS2+38 and Pro72A
Literature	GENERIF_SUMMARY	These results demonstrate that IGF1R is downregulated by P53, and that adriamycin and promotes apoptosis.
Literature	GENERIF_SUMMARY	FBXO11 promotes the Neddylaton (NEDD8) of p53 and inhibits its ubiquitination
Literature	GENERIF_SUMMARY	Inhibition of KSP induces apoptosis independently of p53 and that KSP is active in p53-deficient tumors.
Literature	GENERIF_SUMMARY	p53 effects on the IGF (insulin-like growth factor) axis are more complex than mediated mitogenesis to growth inhibition and apoptosis.
Literature	GENERIF_SUMMARY	Bcl-2 inhibition might therefore improve the efficacy of existing anti-apoptotic activity
Literature	GENERIF_SUMMARY	Using pancreatic juice to detect mutations of p53 can help distinguish pancreatic neoplasia.
Literature	GENERIF_SUMMARY	CK2-site phosphorylation of p53 is induced in DeltaNp63 expressing cells
Literature	GENERIF_SUMMARY	PCNA is not significantly increased in proliferative endometrial carcinoma
Literature	GENERIF_SUMMARY	a positive association between p53 reactivity and higher grade pancreatic cancer
Literature	GENERIF_SUMMARY	p53 mutation is not an important mechanism for beta-catenin activation to influence negative feedback control involving beta-catenin and p53
Literature	GENERIF_SUMMARY	Chromatin immunoprecipitation analyses show that LKB1 is recruited to p53 in a p53-dependent fashion.
Literature	GENERIF_SUMMARY	E4F1 is a key posttranslational regulator of p53, which modulates p53 transcriptional activity
Literature	GENERIF_SUMMARY	MDMX is an important regulator of p53 response to ribosomal stress
Literature	GENERIF_SUMMARY	analysis of the human p53 tetramerization domain
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism might be implicated in breast cancer susceptibility for this malignancy.
Literature	GENERIF_SUMMARY	Cancer-associated missense mutations targeting MDM2's central domain

Main Category	Category	
Literature	GENERIF_SUMMARY	Hec50co is a TP53-null cell line possessing one TP53 42bp deletion
Literature	GENERIF_SUMMARY	p53-dependent staurosporine-induced caspase-3 activation is affected
Literature	GENERIF_SUMMARY	suggest a mechanism for elevated CXCR4 expression and metastasis
Literature	GENERIF_SUMMARY	Human p53 and various human-mouse chimeric proteins are generated partly to codon 72 polymorphism-specific effects of human p53.
Literature	GENERIF_SUMMARY	p53 to NF-kappaB signaling has a role in chemotherapy responsiveness
Literature	GENERIF_SUMMARY	BCCIP in maintaining the transactivation activity of wild type p53; c-harboring wild type p53
Literature	GENERIF_SUMMARY	20% of sarcoma tumors showed p53 rearrangement by PCR/SSCP, 55% of Rb tumors.
Literature	GENERIF_SUMMARY	p53 mediates the suppression of TR3 on MDM2 at both transcriptional and protein levels. We have identified several novel anticancer agents that restrict MDM2-induced tumor progression
Literature	GENERIF_SUMMARY	In an analysis of breast cancer-specific survival up to 5 years, high p53 expression was significantly associated with poor survival, independent of significant prognostic factors.
Literature	GENERIF_SUMMARY	The p53 level was higher than in normal larynxes, whereas laryngeal cancer cells showed lower p53 levels.
Literature	GENERIF_SUMMARY	Endogenous p53 protein binds to the promoter region of the RGC3 gene
Literature	GENERIF_SUMMARY	Moreover, these M6P/IGF2R 3'UTR mutations and the TP53 mutations represent two independent pathways to HCC development.
Literature	GENERIF_SUMMARY	The differential ability of p53 and p73 to inhibit glucocorticoid receptor terminal sequences.
Literature	GENERIF_SUMMARY	Our results imply that HERV-I LTR, while under negative control by p53, may be involved in the regulation of gene expression.
Literature	GENERIF_SUMMARY	study found associations of risk haplotypes and protective haplotypes that could add to our understanding of brain tumour susceptibility
Literature	GENERIF_SUMMARY	Using different antibodies recognizing different epitopes of p53 protein, we have identified different subpopulations of p53 in the cytoplasmic compartments of first-trimester cytotrophoblastic cells.
Literature	GENERIF_SUMMARY	While the DNA replication checkpoint is unlikely to regulate the assembly of the pre-replicative complex, it may be involved in the process of transcriptional elongation.
Literature	GENERIF_SUMMARY	analysis of nonconserved residues that enforced p53 core domain structure
Literature	GENERIF_SUMMARY	the endoplasmic reticulum-resident ubiquitin ligase 'Synoviolin' described
Literature	GENERIF_SUMMARY	1,25 dihydroxyvitamin D3 photoprotection is associated with an increase in p53
Literature	GENERIF_SUMMARY	Ser46 phosphorylation activates p53-dependent apoptosis induced by
Literature	GENERIF_SUMMARY	Smad7 plays a crucial role upstream of ATM and p53 to protect the
Literature	GENERIF_SUMMARY	These data suggest TIS11D as a candidate p53 target gene that may
Literature	GENERIF_SUMMARY	p53 Arg homozygosity and high risk-papillomavirus 18 E6 positive
Literature	GENERIF_SUMMARY	Cellular p53 antagonists must be inhibited for sustained p53 activation applied in breast cancer.
Literature	GENERIF_SUMMARY	This is the first report showing loss of heterozygosity at the intron

Main Category	Category	
Literature	GENERIF_SUMMARY	Notch signaling downregulated p53-dependent apoptosis induced
Literature	GENERIF_SUMMARY	Results describe four novel single nucleotide polymorphisms within the p53 gene in sporadic leiomyoma.
Literature	GENERIF_SUMMARY	p53 and Ki-67 were expressed with increasing frequency, and bcl-2 and cyclin D1 were expressed in
Literature	GENERIF_SUMMARY	Tip60-dependent acetylation of p53 at K120 modulates the decision to undergo apoptosis; the Lysine-rich domain is an important target for p53 regulation by posttranslational modification
Literature	GENERIF_SUMMARY	We describe a previously unknown posttranslational modification of p53 (K120), occurs rapidly after DNA damage and is catalyzed by the Mdm2
Literature	GENERIF_SUMMARY	There are different immunohistochemical expression patterns of p53 in pancreatic intraepithelial neoplasm
Literature	GENERIF_SUMMARY	Considering the p53 protein overexpression in a relatively high percentage of colorectal carcinoma, the development of colorectal carcinoma.
Literature	GENERIF_SUMMARY	By comparing the expression of p53, cyclin D1, p16, hTERT, and TS, we found that the changes in the expression of these proteins to specific stages of colorectal carcinoma
Literature	GENERIF_SUMMARY	somatic alterations in p53 and EGFR have roles in progression of pancreatic cancer
Literature	GENERIF_SUMMARY	Genotoxic responses to ultraviolet radiation, like increase in the phosphorylation of p53 to its DNA consensus sequence, were all decreased on the restriction of p53
Literature	GENERIF_SUMMARY	study reveals that the TP53 Arg allele, active smoking and human papillomavirus infection are associated with the development in the north part of Iran, Mazandaran province
Literature	GENERIF_SUMMARY	BPDE-like DNA adducts are indeed detected in pterygium samples
Literature	GENERIF_SUMMARY	individual variations in radiosensitivity and in the level of induction of p53 in the background of the nontransformed fibroblasts
Literature	GENERIF_SUMMARY	the gene encoding Ku86 (XRCC5) is an essential gene in human skin cancer
Literature	GENERIF_SUMMARY	These data demonstrate the importance of Noxa induction in determining the outcome of p53-independent apoptosis.
Literature	GENERIF_SUMMARY	type of TP53 mutation, especially missense mutation, is a strong predictor of prognosis in negative breast cancer, particularly in combination with ERBB2 amplification
Literature	GENERIF_SUMMARY	study indicated only p53 & RNASEL genotypes had significant influence on the survival; the effects of both variants are purely additive supporting the notion that
Literature	GENERIF_SUMMARY	We showed that renal cell carcinoma with rhabdoid features is a variant of clear cell renal cell carcinoma with p53 in the rhabdoid component that may be implicated in the tumorigenesis
Literature	GENERIF_SUMMARY	Overexpression of p53 is associated with pancreatic cancer
Literature	GENERIF_SUMMARY	Our data demonstrate that the effects of 9-HSA on U2OS correlate with the expression of p53
Literature	GENERIF_SUMMARY	The basal-like subtype was associated with p53 overexpression.
Literature	GENERIF_SUMMARY	findings show that RTK/Ras/MAPK (mitogen-activated protein kinase) pathway is involved in the regulation of p53 with the TGF-beta-activated Smads; this mechanism promotes the progression of cancer
Literature	GENERIF_SUMMARY	P53 was highly expressed in the placenta of pregnant women with preeclampsia
Literature	GENERIF_SUMMARY	no specific pattern for p53 mutations was observed in HCV genotype 1b; however, p53 mutations, HCV-NS3 expressions or any HCV sub-genotype-4 sequence

Main Category	Category	
Literature	GENERIF_SUMMARY	5-FU treatment triggers a ribosomal stress response so that ribosomes ablate the MDM2-p53 feedback circuit
Literature	GENERIF_SUMMARY	Patients with pathologically N0 disease and p53 gene mutation may have a better prognosis
Literature	GENERIF_SUMMARY	Data suggest that cytoplasmic mutant p53 increases Bcl-2 expression and inhibits apoptosis
Literature	GENERIF_SUMMARY	TP53 mutational status seems to be an important prognostic factor in colorectal cancer metastases.
Literature	GENERIF_SUMMARY	p53 binds to and positively regulates BLIMP1.
Literature	GENERIF_SUMMARY	Review of ongoing work on biological functions of p53 tumor suppressor protein and how to unravel the complexity of molecular circuits that orchestrate the biological response to DNA damage
Literature	GENERIF_SUMMARY	Cytoplasmic monoubiquitylated p53, generated by Mdm2-type ligase, is targeted for polyubiquitylation and degradation in unstressed cells, to activate the p53 pathway
Literature	GENERIF_SUMMARY	Galectin-1 was found to be negatively regulated by transfection with p53 expression vector
Literature	GENERIF_SUMMARY	Autoantibodies against the p53 proteins (p53 Abs) can be detected in the sera of patients with tuberculosis pleurisy
Literature	GENERIF_SUMMARY	human Ada3 has an essential role in p53 acetylation
Literature	GENERIF_SUMMARY	Renal cell carcinoma frequently has p53 mutations, so therapy response may be improved by combining IFN-alpha and 5-FU.
Literature	GENERIF_SUMMARY	our present findings suggest that p53 plays an important role in the regulation of cell cycle and it is important to search for p53 mutations outside DNA-binding domain
Literature	GENERIF_SUMMARY	Most non-small cell lung cancers (NSCLCs) have mutations of p53 gene
Literature	GENERIF_SUMMARY	Mutation in codon 72 of TP53 gene was not associated with breast cancer
Literature	GENERIF_SUMMARY	modified LDL results in an increased transfer of mitochondria-derived lipids to the nucleus, favoring its translocation to the mitochondria with resultant apoptosis
Literature	GENERIF_SUMMARY	a genetic instability of the 17p13 region, occurring early in adrenocortical carcinoma, involves TP53
Literature	GENERIF_SUMMARY	The evolutionary perspective in this review indicates that p53 evolved primarily for its developmental role and not for its role in cancer
Literature	GENERIF_SUMMARY	result combined with our two previous analyses indicates that the p53 pathway is involved in the pathogenesis of the head and neck tumors tested
Literature	GENERIF_SUMMARY	CPH domain interaction surface of p53 resides in the tetramerization domain
Literature	GENERIF_SUMMARY	An association between polymorphisms in GSTP1 and ABCB1 and p53 gene expression in predisposing genotype backgrounds.
Literature	GENERIF_SUMMARY	Both kinetics and free energy landscape analyses indicate that both p53 and MDM2 undergo secondary structure unfolding.
Literature	GENERIF_SUMMARY	The Pro/Pro genotype of the TP53 codon72 polymorphism increases the risk of cancer
Literature	GENERIF_SUMMARY	Results suggest that p53 negatively regulates tumor vessel formation
Literature	GENERIF_SUMMARY	p53 induces monocytic differentiation and the G2-phase cell cycle arrest, leading to p53-driven apoptotic and differentiation/proliferation pathways.
Literature	GENERIF_SUMMARY	These data suggest that p53 suppresses cancer progression to metastasis

Main Category	Category	
Literature	GENERIF_SUMMARY	No siatistically significant value in association with survival or even
Literature	GENERIF_SUMMARY	Mutant p53 may contribute to its 'gain of function' effects which ac
Literature	GENERIF_SUMMARY	S7 binds to MDM2, in vitro and in vivo, and the interaction between complex among MDM2, p53 and S7.
Literature	GENERIF_SUMMARY	CDA1 induces p53- and MEK/ERK1/2 MAPK-dependent expression contributes to its antiproliferative activity
Literature	GENERIF_SUMMARY	MAML1 has a coactivator function for p53, independent of its func
Literature	GENERIF_SUMMARY	Eight of the nine samples showed a loss of 17pter-->p13, the locus
Literature	GENERIF_SUMMARY	a family with Li-Fraumeni syndrome in which initially a novel germl
Literature	GENERIF_SUMMARY	results indicate that both BstUI and MspI p53 polymormphisms m than 50 years
Literature	GENERIF_SUMMARY	Overexpression of S100A4 in rheumatoid arthritis synovial tissue c potentially implicated in the disease process.
Literature	GENERIF_SUMMARY	Critical role of subcellular localization in the dominant-negative ac
Literature	GENERIF_SUMMARY	MORC3 (microrchidia3)-ATPase activated p53 and induced cellula
Literature	GENERIF_SUMMARY	p53, rather than its homologues p63 and p73, may contribute to co downregulation of Cks2 expression
Literature	GENERIF_SUMMARY	not only the activation of p21 promoter but also the recruitment to protein.
Literature	GENERIF_SUMMARY	BOX-V motif of p53 has evolved the capacity to bind to enzymes th
Literature	GENERIF_SUMMARY	These findings indicate that DYRK2 regulates p53 to induce apopto
Literature	GENERIF_SUMMARY	These findings establish HIPK2 as an MDM2 target and support a phosphorylation at Ser46 due to HIPK2 degradation.
Literature	GENERIF_SUMMARY	Study provides biochemical and genetic evidence demonstrating th in skin is directly controlled by p53.
Literature	GENERIF_SUMMARY	findings suggest that mutations of p53 and hMSH2 genes may be the recurrence development of hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Adenovirus E4orf6-mediated p53 degradation requires Cul5.
Literature	GENERIF_SUMMARY	Data demonstrate a novel link between p53 and Notch1 in keratin mechanism of p53 in the development of HPV-induced tumors.
Literature	GENERIF_SUMMARY	if p53 staining is strongly positive survival is significantly worse th
Literature	GENERIF_SUMMARY	The researchers found that p53 (-) status was a solid predictor for
Literature	GENERIF_SUMMARY	the binding of nuclear p53 to the specific sites within the PUMA pr its tumor suppressive capacity
Literature	GENERIF_SUMMARY	expression of hTERT reduces the number of foci and the level of a
Literature	GENERIF_SUMMARY	The mutant p53 protein was unable to activate apaf1, which cause
Literature	GENERIF_SUMMARY	Cancer-associated mutant p53 can augment the induction of nucle tumor necrosis factor alpha (TNFalpha).

Main Category	Category	
Literature	GENERIF_SUMMARY	Nutlin-3a shows antitumor activity in vivo in a mouse xenograft model of virally-induced lymphoma.
Literature	GENERIF_SUMMARY	Radiation-induced somatic mutations were observed in TP53 indicating a role for TP53 in sarcoma.
Literature	GENERIF_SUMMARY	these results argue that Mdm2 is needed for full inhibition of Cdk2 activity.
Literature	GENERIF_SUMMARY	this study reveals protein targets of p53 and highlights the role of transcription factors in p53 regulation.
Literature	GENERIF_SUMMARY	Our finding that two different p53 haplotypes are associated with different cancer risks suggests that p53 haplotypes may independently impact on p53 function within different tissues.
Literature	GENERIF_SUMMARY	xeroderma pigmentosum group C protein polymorphism might affect the development of muscle-invasive bladder cancer
Literature	GENERIF_SUMMARY	This study strengthens the rationale for targeting p53 deubiquitylation.
Literature	GENERIF_SUMMARY	Taurolidine induces apoptosis and necrosis, activates p53 and sensitizes cells to cisplatin.
Literature	GENERIF_SUMMARY	these findings point to the calpain pathway as a key player to maintain stable p53 levels.
Literature	GENERIF_SUMMARY	p53 modulates DNA DSB repair by, in part, inducing hnRNP G
Literature	GENERIF_SUMMARY	The delay in traversing S phase was reduced by the presence of p53.
Literature	GENERIF_SUMMARY	The Arg72Pro polymorphism of p53 alters the transcription of p53 target genes, resulting in inconclusive results with respect to breast cancer risk
Literature	GENERIF_SUMMARY	these results suggest that some cells from head and neck cancer may contain p53 that prevents cancer cells from undergoing apoptosis after DNA damage.
Literature	GENERIF_SUMMARY	Comparative genomic hybridization and immunohistochemical analysis of p53 in oligoastrocytoma and 23 high-grade astrocytomas is reported.
Literature	GENERIF_SUMMARY	these results indicate an important role of p53 in esophageal squamous cell carcinoma. Arg72 variant HPV infection could contribute to risk of ESCC in the absence of p53.
Literature	GENERIF_SUMMARY	p53 upregulates restin transcription through an indirect mechanism involving the p53 promoter.
Literature	GENERIF_SUMMARY	Collectively, the present findings provide the first evidence of p53 regulation of restin.
Literature	GENERIF_SUMMARY	Data show that wild-type p53 was abnormally accumulated in the cytoplasm and the abnormal cytoplasmic localization of p53 might contribute at least partly to the observed resistance.
Literature	GENERIF_SUMMARY	we have identified FLJ11259/DRAM as a p53-inducible member of a novel family of proteins that act as a modulator of p53 responses in diverse tumor types.
Literature	GENERIF_SUMMARY	Lack of evidence that p53 Arg72pro influences lung cancer prognosis.
Literature	GENERIF_SUMMARY	The central domain of the p53 protein targeted by 80% of p53 mutations is a common site for proteins that play a key role in p53 regulation such as ASPIRIN.
Literature	GENERIF_SUMMARY	We summarize here current knowledge on the respective roles of p53 and MDM2 in the regulation of cell cycle and apoptosis characteristic in shaping the patterns and phenotypes of mutation.
Literature	GENERIF_SUMMARY	both viruses and chemicals are implicated in the etiology of TP53 mutations.
Literature	GENERIF_SUMMARY	The ability to associate with DNA appears to be crucial for the majority of p53 responses.
Literature	GENERIF_SUMMARY	Target response element sequences (REs) that provide for p53 regulation.

Main Category	Category	
		are discussed
Literature	GENERIF_SUMMARY	This review describes the present knowledge about the transcriptional activity of p53 and its gene specificity.
Literature	GENERIF_SUMMARY	We will focus mainly on the transcriptional activity of mutant p53 proteins.
Literature	GENERIF_SUMMARY	We focus here on a proposed mechanism by which a subset of tumor suppressor genes can positively and negatively regulate their proapoptotic function.
Literature	GENERIF_SUMMARY	The structure of p53 and how it responds to mutation is discussed.
Literature	GENERIF_SUMMARY	There was no association between p53 genotype and basal levels of p53. However, p53 genotype dominantly increased the in vitro sensitivity of cells to UVB-induced DNA damage.
Literature	GENERIF_SUMMARY	p53 can form a complex with dephosphorylated Bad thereby converting it into an inactive form.
Literature	GENERIF_SUMMARY	data indicate that the p53 codon 72 proline allele is less permissive for binding to MDM2.
Literature	GENERIF_SUMMARY	Non-small cell lung cancer cells with nonfunctional TP53 might be more sensitive to chemotherapy.
Literature	GENERIF_SUMMARY	LSD1 has a pro-oncogenic function by modulating pro-survival gene expression.
Literature	GENERIF_SUMMARY	high and low P-glycoprotein, glutathione S-transferase pi expression levels and p53 mutation were candidates for future clinical trials of chemosensitivity.
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism in Italian women have a minor role in breast cancer susceptibility.
Literature	GENERIF_SUMMARY	p53 gain-of-function mutants promote tumorigenesis by a novel mechanism.
Literature	GENERIF_SUMMARY	we have identified PROX1 as a novel target gene that is hypermethylated in colorectal cancer.
Literature	GENERIF_SUMMARY	The structure of the wild-type p53 protein and the structural & functional effects of the most common cancer mutations are presented. Review.
Literature	GENERIF_SUMMARY	p53 plays an essential role in the autophagic pathway downstream of DNA damage.
Literature	GENERIF_SUMMARY	Bivariate analysis of p53/BAX proteins possibly may provide further insight into the mechanism of p53-mediated apoptosis.
Literature	GENERIF_SUMMARY	The negative role played by the WTH3 gene in MDR development is related to its down-regulation of transcription level, and one of these mechanisms is linked to the p53 pathway.
Literature	GENERIF_SUMMARY	R248W may predispose to composite tumors and to neuroblastoma.
Literature	GENERIF_SUMMARY	common polymorphisms in the ATM, BRCA1, BRCA2, CHEK2 and TP53 genes.
Literature	GENERIF_SUMMARY	high incidence of p53 exon 4 mutations were found in soft tissue sarcomas.
Literature	GENERIF_SUMMARY	Our results suggest that phosphorylation of CBP by IKKalpha regulates its function as a critical factor in the promotion of cell proliferation and tumor growth.
Literature	GENERIF_SUMMARY	p53 expression in gastric cancer was associated with poorer survival after surgery and chemotherapy.
Literature	GENERIF_SUMMARY	No correlation between Pidd expression and the p53 mutation status was found. Pidd is regulated by p53-independent mechanisms.
Literature	GENERIF_SUMMARY	A complex between tetrameric p53 and p300 in which four domains of p53 interact with p300.
Literature	GENERIF_SUMMARY	Mutations of p53 were associated with lymph node metastases and poor prognosis in colorectal cancer.
Literature	GENERIF_SUMMARY	Common variation in the TP53 gene could modify the risk of invasive disease.

Main Category	Category	
Literature	GENERIF_SUMMARY	nuclear IKK-alpha-mediated accumulation of p73alpha is one of the mechanisms by which p53 may be particularly important in killing tumor cells with p53
Literature	GENERIF_SUMMARY	p14ARF signals through hAd3 to stimulate p53 acetylation and the
Literature	GENERIF_SUMMARY	CARF may exert a vital control on p53-HDM2-p21(WAF1) pathway in human cells
Literature	GENERIF_SUMMARY	stress-induced premature senescence (SIPS) from hydrogen peroxide-induced increased expression of p21(WAF-1) in human hTERT fibroblasts
Literature	GENERIF_SUMMARY	H pylori-associated chronic gastritis expressed the mutant-type p53 changes.
Literature	GENERIF_SUMMARY	The strong nuclear expression of p53 in these and other pediatric G
Literature	GENERIF_SUMMARY	in addition to growth arrest and induced differentiation, OSM also s implicating (i) activation and nuclear translocation of STAT5 and p
Literature	GENERIF_SUMMARY	variant TP53 Arg72 allele was associated with a decrease in radios of cell division
Literature	GENERIF_SUMMARY	P53 mediated regulation of metallothionein transcription in breast
Literature	GENERIF_SUMMARY	Expression of c-erbB-2 and p53 has no prognostic value in patients
Literature	GENERIF_SUMMARY	Aberrant entry into the mitotic phase is due to downregulation of p
Literature	GENERIF_SUMMARY	A new signaling pathway, DHA-PPAR-gamma-p53, in mediating the
Literature	GENERIF_SUMMARY	The evaluation of a large number of actinic keratosis specimens ha than p16(INK4a) and/or Ha-ras mutations may be an early event in
Literature	GENERIF_SUMMARY	impact of TP53 mutations and codon 72 genotype on survival of o
Literature	GENERIF_SUMMARY	Bub1 compromise triggers p53-dependent senescence, which limi
Literature	GENERIF_SUMMARY	The present study showed elevated expression of topo-I, Ki-67, and topo-I-targeted drug treatment.
Literature	GENERIF_SUMMARY	The downregulation of p53 expression in type II Hec50co cells is li
Literature	GENERIF_SUMMARY	These results demonstrate that, in the cells investigated, the level operates in a p53-dependent manner.
Literature	GENERIF_SUMMARY	mutations were found mainly in more advanced stages of urinary b observed polymorphism at codon 213 may be a predisposing facto
Literature	GENERIF_SUMMARY	Pathways of signaling by S100A4, by its interaction with and sequen of apoptosis
Literature	GENERIF_SUMMARY	transcription factors p53, NF-kappaB, and AP-1 may be important c EGR1 may broadly enhance gene expression in head and neck squ
Literature	GENERIF_SUMMARY	initially p53-negative tumors and initially p63-positive tumors that present better prognoses
Literature	GENERIF_SUMMARY	ubiquitination-mediated repression of p53 by Mdm2 acts at least, i
Literature	GENERIF_SUMMARY	Positive staining of p53 was significantly correlated with increased carcinoma.
Literature	GENERIF_SUMMARY	no association between the distribution of p53 polymorphism and

Main Category	Category	
		South Africa populations was observed
Literature	GENERIF_SUMMARY	TP53 mutation status and gene-expression based groups are important
Literature	GENERIF_SUMMARY	tissue-specific epigenetic regulatory mechanisms might be involved
Literature	GENERIF_SUMMARY	G alpha(12/13) regulate basal p53 levels via mdm4, which constitutes genotoxic stress.
Literature	GENERIF_SUMMARY	A microtubule-facilitated nuclear import pathway for p53 is described
Literature	GENERIF_SUMMARY	Nutlin-3 could protect both endogenous and exogenous p53 from
Literature	GENERIF_SUMMARY	Rad51 has a role in chemoresistance in human soft tissue sarcoma
Literature	GENERIF_SUMMARY	The ability of mutant p53 to prevent arrest induced by replicational
Literature	GENERIF_SUMMARY	p53 has a role in skin pigmentation as well as in skin neoplasms
Literature	GENERIF_SUMMARY	alteration and/or a modulation of the p53-p21 pathway in response to survival and HPV-associated carcinogenic process
Literature	GENERIF_SUMMARY	p53 genetic alterations found in gastric stump carcinomas & intestinal association found between p53 gene status & P-gp expression
Literature	GENERIF_SUMMARY	direct interaction between HAUSP and p53 is not absolutely required
Literature	GENERIF_SUMMARY	Over expression of H179Y-mutant p53 promoted G1 to S phase transition in HELF cells.
Literature	GENERIF_SUMMARY	These results suggest that the Val allele of CYP1A1 Ile462Val polymorphism increased risk of gallbladder cancer among Japanese women and
Literature	GENERIF_SUMMARY	transcription mediated by p53 is impaired by mutations of the HIPK
Literature	GENERIF_SUMMARY	Review. Induction of transfected murine ARF led to a rapid increase in oncogene stress pathway induces the acetylation of p53 at lysine
Literature	GENERIF_SUMMARY	NFBD1 plays an important role in the decision of cell survival and cell
Literature	GENERIF_SUMMARY	Tumor suppressor p53 Arg72Pro polymorphism leads to increased
Literature	GENERIF_SUMMARY	immunoreactivity of p53, MDM2, WAF1, and BCL-2 were measured in 58 and 58 high-grade sarcomas
Literature	GENERIF_SUMMARY	The Pro/Pro genotype of TP53 codon 72 appears to be an independent
Literature	GENERIF_SUMMARY	hypoxia may decrease tumor cell radiosensitivity through the suppression
Literature	GENERIF_SUMMARY	in addition to regulating the expression of hundreds of protein-coding
Literature	GENERIF_SUMMARY	Global miRNA expression analyses identified a cohort of miRNAs that
Literature	GENERIF_SUMMARY	TP53 is not a major contributor to BRCA1 and BRCA2 mutation-negative
Literature	GENERIF_SUMMARY	The threshold level of p53 for the initiation of apoptosis and the time MOLT-4 cells.
Literature	GENERIF_SUMMARY	Hypoxia/reoxygenation exposure induced p53 expression.
Literature	GENERIF_SUMMARY	p16, p53 and Ki-67 expressions were all negative in normal cervical
Literature	GENERIF_SUMMARY	SNP309 of HDM2 is a frequent event in bladder cancer, related to cell

Main Category	Category	
Literature	GENERIF_SUMMARY	nutlin-3A stabilized p53 by preventing MDM2-mediated p53 degradation
Literature	GENERIF_SUMMARY	the p53 codon 72 polymorphism may be associated with gastric cancer, but the association is not statistically significant. The polymorphism is also associated with the location, stage, and histological differentiation of the tumor.
Literature	GENERIF_SUMMARY	These observations demonstrate a novel regulatory role for p53 as a transcription factor that upregulates uPAR mRNA, and thereby contributes to the viability of human airway epithelial cells.
Literature	GENERIF_SUMMARY	BAG-1 negativity in association with p53 and c-erbB2 positivity identifies a subgroup of breast cancer patients with a poor prognosis.
Literature	GENERIF_SUMMARY	P53 expression in H1299 cells reduced the sub-G1 fraction. p53 expression may play active roles in both UV-induced apoptosis & repair.
Literature	GENERIF_SUMMARY	Regulation of miRNA expression into the transcriptional network represses p53 activity
Literature	GENERIF_SUMMARY	KRAS G34A mutation was relatively common to all classes of specimens, but was more frequent in lichen sclerosus than normal genital skin.
Literature	GENERIF_SUMMARY	shielding of reactive cysteines contributes to a negative regulation of p53 activity. These findings represent an acute defensive response with significant consequences for cancer progression.
Literature	GENERIF_SUMMARY	a new role for YY1 as both an inducer of p53 instability in smooth muscle cells and a repressor of Cip1-cdk4-cyclin D1 assembly and intimal thickening.
Literature	GENERIF_SUMMARY	p53 intron 7 Apal polymorphism may be associated with human Nucleoside diphosphate kinase 1
Literature	GENERIF_SUMMARY	the presence of p53 mutations in the surgical margins of squamous cell carcinoma of the head and neck is associated with recurrence, but probably increases the risk of developing distant metastases.
Literature	GENERIF_SUMMARY	P53 immunohistochemical profile may be useful in detecting colorectal cancer
Literature	GENERIF_SUMMARY	A sensitive immunodetection method was developed for pseudo-nucleolar phosphatase (pN) conjugates.
Literature	GENERIF_SUMMARY	MMS-induced micronuclei were eliminated under mild hyperthermia
Literature	GENERIF_SUMMARY	Genetic alterations of TP53 and RPS6 were different in different areas of the tumor
Literature	GENERIF_SUMMARY	Exogenous wt-p53 could compensate and repair all the mutated p53
Literature	GENERIF_SUMMARY	In C33-A cells, arsenic treatment leads to a transient increase in p53 expression and inhibition of proliferation.
Literature	GENERIF_SUMMARY	Telomere length in peripheral blood cells of germline TP53 mutation carriers
Literature	GENERIF_SUMMARY	In response to TNF, Zfra is upregulated and modulates TNF-mediated NF-kappaB activation (via the TNF receptor complex) at the receptor level, and downstream effectors NF-kappaB and p38.
Literature	GENERIF_SUMMARY	phosphorylation of Pirh2 may act as a fine-tuning to maintain the balance of p53 activity and the regulation of p53 stability and tumor suppression
Literature	GENERIF_SUMMARY	MEG3 non-coding RNA may function as a tumor suppressor, whose expression is downregulated in various types of cancer
Literature	GENERIF_SUMMARY	data suggest that this tumor suppressor gene plays a critical role in the regulation of p53
Literature	GENERIF_SUMMARY	two p53 haplotypes harboring the intron 3 polymorphic (+16bp) allele are associated with different p53 expression levels
Literature	GENERIF_SUMMARY	study of EGFR, HER2, TP53& KRAS mutations of p14arf expression in human breast cancer
Literature	GENERIF_SUMMARY	study reveals there are differences in the frequencies & types of K-ras mutations in high-pollution & low-pollution regions in Egypt & suggests that environmental factors may be involved in the development of K-ras mutations
Literature	GENERIF_SUMMARY	Therefore, using p53-p-Ser15 as a general marker of radiation sensitivity is a promising approach

Main Category	Category	
Literature	GENERIF_SUMMARY	Photodynamic therapy resistant HT29 cell variants are differentiall expression levels of BNip3, Hsp27 and mutant p53.
Literature	GENERIF_SUMMARY	Positivity for p53 was strong and diffuse in 5 uterine tumors and in ovarian specimens was present in fewer tumor cells, of weak inter
Literature	GENERIF_SUMMARY	p53 mutation was observed in 4 of 13 specimens of endometriosis in solitary endometriosis or endometriosis coexisting with ovarian
Literature	GENERIF_SUMMARY	The phosphorylation of p53 was associated with its transcriptiona
Literature	GENERIF_SUMMARY	Ser(46) phosphorylation of p53 is not required for adriamycin-indu
Literature	GENERIF_SUMMARY	In a proteomic screen for p53 interactors the cullin protein Cul7 eff
Literature	GENERIF_SUMMARY	study found that lymphomas harboring p53 missense mutation wi than lymphomas with silent p53 mutation or lacking mutation
Literature	GENERIF_SUMMARY	Nutlin-3 abrogates both pre-osteoclastic proliferation and different
Literature	GENERIF_SUMMARY	The combined immunohistochemical and genetic data of carcinom morphological evidence of dysfunctional p53, indicating that this is
Literature	GENERIF_SUMMARY	These data provide evidence that there is a novel signaling pathwa
Literature	GENERIF_SUMMARY	The association of p53 codon 72 and CDKN1A codon 31 polymorp
Literature	GENERIF_SUMMARY	We observed that the Pro72/Pro72 genotype of p53 is much less r suggest that subjects carrying the Pro allele are protected from thi
Literature	GENERIF_SUMMARY	New gain of function of the common p53 cancer mutants in induc
Literature	GENERIF_SUMMARY	p53 NLS-selective nuclear import pathway and that both soluble a
Literature	GENERIF_SUMMARY	These findings support a novel p53 --> CDIP --> TNF-alpha apopto
Literature	GENERIF_SUMMARY	Coxsackievirus B3 (CVB3) infection markedly reduced ATF3 expres of p53 expression rescued CVB3 infection-induced ATF3 downregu
Literature	GENERIF_SUMMARY	a crucial role of p53 in determining p27 upmodulation following H
Literature	GENERIF_SUMMARY	analysis of the transactivation function of p53 alleles in cancer
Literature	GENERIF_SUMMARY	Distribution of a single nucleotide polymorphism in the TP53 cod this polymorphism was lacking.
Literature	GENERIF_SUMMARY	Mutations in exons 5-9 of the p53 gene were screened for using th followed by immunohistochemical analysis for p53 protein
Literature	GENERIF_SUMMARY	p53 like other binding partners of cdc25C, regulates entry into mit
Literature	GENERIF_SUMMARY	RNA interference experiments demonstrate that CDK8 functions a
Literature	GENERIF_SUMMARY	interphase Fish on samples from 30 MCL patients revealed p53 de
Literature	GENERIF_SUMMARY	RbAp48-mediated transformation of HPV16 is probably because o apoptosis-related enzymes caspase-3 and caspase-8, E6, E7, cycli
Literature	GENERIF_SUMMARY	transcription-based stress response involving replication protein A cells against DNA damage-induced mutagenesis
Literature	GENERIF_SUMMARY	the MDM2 and MDMX complex has a role in abundance and activi

Main Category	Category	
Literature	GENERIF_SUMMARY	analysis of the p53-Mdm2 feedback loop using protein lysate micr
Literature	GENERIF_SUMMARY	In lung cancer patients, p53 accumulation could be due to a decrea isoform that was unable to stimulate p53 degradation.
Literature	GENERIF_SUMMARY	Electron microscopy on the conformationally mobile, unbound p53
Literature	GENERIF_SUMMARY	cigarette smoking may influence breast cancer risk through interac
Literature	GENERIF_SUMMARY	HIPK2-induced p53Ser46 phosphorylation activates the KILLER/DR
Literature	GENERIF_SUMMARY	p53 mediates interstitial cystitis APF-induced growth inhibition of f
Literature	GENERIF_SUMMARY	Results show that p14ARF regulates E2F-1 ubiquitination and degra
Literature	GENERIF_SUMMARY	Results suggest that the roles of p53 and nucleotide excision repa
Literature	GENERIF_SUMMARY	Data suggest that p53 regulates cellular responses to environmen
Literature	GENERIF_SUMMARY	Bloom syndrome-independent role for p53 in etoposide-induced, t
Literature	GENERIF_SUMMARY	In the Italian population there is no association between codon 72
Literature	GENERIF_SUMMARY	Changes in the intrinsic thermodynamic stability of p53 reduce the
Literature	GENERIF_SUMMARY	Fluorouracil may show translational regulation and control p53 exp
Literature	GENERIF_SUMMARY	TP53BP1 variants may have protective effects on head and neck c
Literature	GENERIF_SUMMARY	These findings suggest novel Cdk1/cyclin A phosphorylation sites, etoposide treatment.
Literature	GENERIF_SUMMARY	metformin treatment forces a metabolic conversion that p53(-/-) c
Literature	GENERIF_SUMMARY	P53 Arg72Pro and MDM2 T309G polymorphisms contribute to the
Literature	GENERIF_SUMMARY	damage-activated switch in Hdm2 ubiquitin ligase preference from
Literature	GENERIF_SUMMARY	N33, STK11 (19p13) and TP53 might play a role in the developmen
Literature	GENERIF_SUMMARY	correlation between p53 gene deletion and mammary gland carcin
Literature	GENERIF_SUMMARY	Results suggest that the cross talk between lysine methylation and Set7/9 may play an important role in tumor suppression.
Literature	GENERIF_SUMMARY	The expression of p53 was significantly higher in esophageal squa
Literature	GENERIF_SUMMARY	Deletion or mutational inactivation of the p53 gene represents an i
Literature	GENERIF_SUMMARY	PEDF induces human umbilical vein endothelial cells apoptosis thr
Literature	GENERIF_SUMMARY	There is strong evidence that low grade dysplasia is a neoplastic le
Literature	GENERIF_SUMMARY	The results suggest that p53 expression in gonads of human male
Literature	GENERIF_SUMMARY	variant codon 72 p53 genotypes and the absence of the glutathion progression
Literature	GENERIF_SUMMARY	The data suggest the miRNA34s might be key effectors of p53 tun
Literature	GENERIF_SUMMARY	TERT association with TP53 mutations indicates that TERT activity
Literature	GENERIF_SUMMARY	The Pro allele in the codon 72 of TP53 was observed in 5/9 glioma

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutations had low diagnostic accuracy for pancreatic neoplasms
Literature	GENERIF_SUMMARY	Downregulation of caveolin-1 expression affects bleomycin-induced p21.
Literature	GENERIF_SUMMARY	Overexpression of stathmin is an early protumorigenic event in human breast cancer and correlates with p53 function mutations in p53.
Literature	GENERIF_SUMMARY	KLF6 and p53 mutations are involved in the development of nonpneumococcal pneumonia
Literature	GENERIF_SUMMARY	study investigated the correlation of p53 abnormalities in 15 patients with p53 mutant sequences; there was a negative survival correlation with p53
Literature	GENERIF_SUMMARY	CHIP might be a direct chaperone of wild type p53 that helps p53 in folding and may help to resurrect p53 mutant phenotype into a folded native state under stress
Literature	GENERIF_SUMMARY	p53 mutation is associated with intraductal papillary mucinous neoplasms
Literature	GENERIF_SUMMARY	abrogation of p53 function in post-selection human mammary epithelial cells
Literature	GENERIF_SUMMARY	pGSK-3beta-ser-9 may confer the cisplatin resistance of ovarian carcinoma
Literature	GENERIF_SUMMARY	these preliminary data suggest that polymorphism at codon 72 of p53 is associated with the disease associated with p53 Pro homozygosity
Literature	GENERIF_SUMMARY	our data support the view that patients with P53 overexpression are at high risk of relapse
Literature	GENERIF_SUMMARY	Study shows that p53 over expression in Crohn's Disease is associated with disease activity
Literature	GENERIF_SUMMARY	Alterations in TGF-betaRII, BAX, IGFIIR, caspase-5, hMSH3 and hMLH1 are associated with colorectal cancer, but they are not associated with microsatellite instability or the presence of p53 mutations
Literature	GENERIF_SUMMARY	HPV18 E6 oncoprotein contributes to tumor angiogenesis by inducing VEGF expression
Literature	GENERIF_SUMMARY	results suggest that gene-smoking and gene-gene interactions may be involved in the development of lung cancer
Literature	GENERIF_SUMMARY	The up-regulation of PTEN inhibited Akt and MDM2, which enhanced the transcriptional activity of p53
Literature	GENERIF_SUMMARY	Study of conformational mutant p53 as a new putative marker to detect relapse in patients with chronic lymphocytic leukemia (CLL) we have identified a new p53 mutant
Literature	GENERIF_SUMMARY	accumulation of VRK1 in tumours with mutant p53 could result in increased tumorigenicity
Literature	GENERIF_SUMMARY	Isoleucine 31-type p53 may be partly involved in familial gastric cancer and may be involved in suppressing activity.
Literature	GENERIF_SUMMARY	by disrupting the DNA binding activity of E2F1, BTG3 participates in the regulation of cell cycle and has revealed a previously unidentified pathway through which the activation of p53 inhibits cell cycle
Literature	GENERIF_SUMMARY	frequency of TP53 mutations using purified tumor DNA from ovarian cancer patients and found that TP53 is not directly involved in development of drug resistance
Literature	GENERIF_SUMMARY	The apoptogenic activity of BM-ANF1 was mediated through p53 through p27(Kip1)linking it with cell cycle arrest at G1 phase in cancer cells
Literature	GENERIF_SUMMARY	TAp73 is a stress-response gene and a downstream effector in the p53 pathway
Literature	GENERIF_SUMMARY	Risk for head and neck squamous cell carcinoma may be associated with p53
Literature	GENERIF_SUMMARY	the p53 protein encoded by the 770delT allele is as abundant as the wild-type protein, while the mutant protein, whose abundance is markedly increased when NM

Main Category	Category	
Literature	GENERIF_SUMMARY	no mutation of p53 and RB2/p130 genes was identified in any of the identical G-->4 C nucleotide change at codon 280 of p53 gene in all
Literature	GENERIF_SUMMARY	Aberrations of the p53, Rb and p27 pathways are associated with a
Literature	GENERIF_SUMMARY	An amino acid substitution is a risk factor for breast cancer.
Literature	GENERIF_SUMMARY	HCMV uses a shift from p53 to HDM2 ubiquitination and destabiliz
Literature	GENERIF_SUMMARY	Bcl-x(L) interacts with the DNA binding site of p53, but Bak does not
Literature	GENERIF_SUMMARY	Results unravel a novel mechanism by which ERalpha opposes p53
Literature	GENERIF_SUMMARY	levels of c-myc expression were up-regulated and those of p53 exp
Literature	GENERIF_SUMMARY	Study reports that p18(Hamlet) can also mediate the cell cycle arrest and upregulation of the cell cycle inhibitor p21(Cip1) (CDKN1A).
Literature	GENERIF_SUMMARY	The efficient degradation of RNA containing AU-rich sequences (AR
Literature	GENERIF_SUMMARY	bcl-2 and p53 expression in neuroblastoma is related to DNA fragm
Literature	GENERIF_SUMMARY	Azurin binds to the flexible L(1) and s(7)-s(8) loops of the p53 DBD
Literature	GENERIF_SUMMARY	p53 mutation was exhibited in pulmonary sclerosing haemangioma cells
Literature	GENERIF_SUMMARY	Report genetic alterations of TP53 in Korean colorectal cancer patients
Literature	GENERIF_SUMMARY	This study identifies SET8 as a p53-modifying enzyme, monomethylating regulatory posttranslational modification of p53.
Literature	GENERIF_SUMMARY	Results identify cross talk between the p53 and nonsense-mediated
Literature	GENERIF_SUMMARY	Patients with primary colorectal cancer with low TSP-1 expression had node metastasis than patients with higher expression.
Literature	GENERIF_SUMMARY	p53 expression may have a role in the carcinogenesis of squamous cell can not be used in determining the aggressiveness of CIN lesions
Literature	GENERIF_SUMMARY	It is recorded that borealin is a cell cycle regulator, down-regulated in tissues.
Literature	GENERIF_SUMMARY	The results indicate protective associations of p53 Arg72Pro heterozygous variant with premenopausal breast cancer
Literature	GENERIF_SUMMARY	Data show that knockdown of either p53,but not p16(INK4a) or Rb,
Literature	GENERIF_SUMMARY	Activation of AKT, possibly through the PI3K-AKT pathway, is an important accumulation in the nucleus.
Literature	GENERIF_SUMMARY	Some mutant forms can be reactivated by amifostine, mostly in the
Literature	GENERIF_SUMMARY	Alterations in p53 were more commonly observed in localized GIST, independent, poor prognostic factor.
Literature	GENERIF_SUMMARY	47 and
Literature	GENERIF_SUMMARY	These data implicate a role for p73 in squamous cell carcinoma of the aetiology of the disease.
Literature	GENERIF_SUMMARY	p53 is a direct transcriptional target gene of hPitx1. This observation

Main Category	Category	
		gene.
Literature	GENERIF_SUMMARY	Data suggest that cylindrospermopsin induces stress responses th
Literature	GENERIF_SUMMARY	modulation of p53Pro72Pro-mediated susceptibility to cervical can between HPV16/18-induced immune evasion and cell transformat
Literature	GENERIF_SUMMARY	PC4 interacts with the DNA binding and C-terminal domains of p53 binding.
Literature	GENERIF_SUMMARY	Wild-type and mutant p53 are shown to differentially regulate MDM
Literature	GENERIF_SUMMARY	The targeted degradation of p53 by E6 may contribute to the invas
Literature	GENERIF_SUMMARY	insulin-like growth factor binding protein-5 plays a role in the regul vascular diseases
Literature	GENERIF_SUMMARY	the histone lysine-specific demethylase LSD1 interacts with p53 to promoting apoptosis
Literature	GENERIF_SUMMARY	TP53 levels were not helpful in identifying patients who would ben
Literature	GENERIF_SUMMARY	Paclitaxel has potential for use as a radiosensitizer in the treatmen status.
Literature	GENERIF_SUMMARY	The expressions of hTERT, p53 and PCNA were significantly higher
Literature	GENERIF_SUMMARY	p53 and Ki-67, but not bcl-2, cyclin D1 or HER-2 may have roles in t
Literature	GENERIF_SUMMARY	ATP binding function of MDM2 can mediate its chaperone function
Literature	GENERIF_SUMMARY	p53 codon-249 mutations are associated with X-ray repair cross co of China.
Literature	GENERIF_SUMMARY	p53 mutations at CpG dinucleotides provide further evidence for a
Literature	GENERIF_SUMMARY	p53 plays a crucial role in the maintenance of the p44Tg transgeni
Literature	GENERIF_SUMMARY	findings suggest no association between oligodendroglial tumors codon 72 polymorphism and prognosis, p53 expression, and chro
Literature	GENERIF_SUMMARY	provide new insight into a potential role of p53 as a component inv mediated cell death and may have therapeutic implications
Literature	GENERIF_SUMMARY	human papillomavirus 18 E6 protein sensitizes HeLa cells to Herpe
Literature	GENERIF_SUMMARY	Though not formally excluded, these results do not support model
Literature	GENERIF_SUMMARY	Mutant p53 attenuates TGF-beta1 signaling. This was exhibited by SMAD2/SMAD4 complexes and the translocation of SMAD4 to the
Literature	GENERIF_SUMMARY	Signaling of DNA damage is not sufficient to induce p53 response
Literature	GENERIF_SUMMARY	CSN5 is a pivotal regulator for both p53 and MDM2
Literature	GENERIF_SUMMARY	TP53 DNA-binding mutations were the most significant predictor o in the TP53 mutated cases
Literature	GENERIF_SUMMARY	Tumors that contained wild-type p53 were significantly more likely important in glioma biology.
Literature	GENERIF_SUMMARY	In light of current treatment regimens for AIDS-related primary effu pathway as a novel principle for the treatment of this virally induce

Main Category	Category	
Literature	GENERIF_SUMMARY	Required for the elimination of cells with aberrant CD43 expression
Literature	GENERIF_SUMMARY	the ectopic expression of IKKalpha into cells silenced for USP11 re regulator of an IKKalpha-p53 signaling pathway.
Literature	GENERIF_SUMMARY	There is no association between radon exposure and p53 expressi alterations.
Literature	GENERIF_SUMMARY	Cells expressing mutant forms of E6 that are unable to bind p300/ to growth arrest by interferon.
Literature	GENERIF_SUMMARY	molecular dynamics simulations of wild-type p53 and the R337His
Literature	GENERIF_SUMMARY	AG490 enhances UCN-01-induced cytotoxicity in p53 defective cel cleavage
Literature	GENERIF_SUMMARY	A strong correlation was found between the expression of p53 and suggest a novel p53/p130 axis in bladder tumors.
Literature	GENERIF_SUMMARY	Data suggest that Pin1 is required for efficient loading of p53 on ta cytotoxic stimuli, Pin1 mediates p53's dissociation from iASPP, pro
Literature	GENERIF_SUMMARY	We report the histological and genetic study of two glioblastomas, diagnosed anaplastic astrocytoma, with concurrent EGFR amplific
Literature	GENERIF_SUMMARY	Mutant and wild-type p53 proteins are ubiquitinated and degraded
Literature	GENERIF_SUMMARY	rreview of NF-kappaB gene signatures and p53 mutations in head
Literature	GENERIF_SUMMARY	NF-kappaB promotes expression of a novel NF-kappaB-related gen previously associated with inactivated wild-type TP53, greater resi
Literature	GENERIF_SUMMARY	In breast cancer, bone morphogenetic protein 7 (BMP7) is a novel the basal physiologically relevant level of p53.
Literature	GENERIF_SUMMARY	this large collaborative study did not find an association of MDM2
Literature	GENERIF_SUMMARY	ZNF307 might suppress p53-p21 pathway through activating MDM
Literature	GENERIF_SUMMARY	p53 is predominantly nuclear and functional in neuroblastoma reg
Literature	GENERIF_SUMMARY	MAGED2, a novel protein, is a p53-dissociator.
Literature	GENERIF_SUMMARY	p53 Arg/Arg genotype does not seem to represent a risk marker fo analysed.
Literature	GENERIF_SUMMARY	These data suggest that P1 promoter is the main driving force for dependent and -independent manner.
Literature	GENERIF_SUMMARY	study to identify the common factors governing the DNA-binding lo human tumour
Literature	GENERIF_SUMMARY	This is an overview/review of studies of the p53-protooncogene pr
Literature	GENERIF_SUMMARY	Loss of TP53-DNA interaction induced by p.C135R point mutation
Literature	GENERIF_SUMMARY	compromise of either p53 or Rb pathways during melanocyte trans
Literature	GENERIF_SUMMARY	study describes the presence of different p53 gene mutations in a tumor areas
Literature	GENERIF_SUMMARY	among p53 Arg/Arg carriers, HPV infection, smoking, and drinking development

Main Category	Category	
Literature	GENERIF_SUMMARY	results of the present study have indicated that p53 mutations occur in gastric adenocarcinoma and gastric pyloric glandular ileocystoplasty
Literature	GENERIF_SUMMARY	lymphocytes showed repeatedly an extensive proportion of TP53 mutations in the peripheral blood mononuclear cells. The mutation targeting exhibited characteristic traits of the sporadic cases
Literature	GENERIF_SUMMARY	p53 Arg72Pro Pro/Pro genotype could decrease the susceptibility to esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	No significant difference in the distribution of p53 codon 72 genotype between the two groups
Literature	GENERIF_SUMMARY	Here we report a significant trend toward lower frequency of TP53 mutations in the peripheral blood mononuclear cells of carriers had significantly lower frequency of TP53 mutations compared with controls
Literature	GENERIF_SUMMARY	p53 function is not sufficient to suppress glucose uptake in cells and is not involved in the regulation of glucose uptake
Literature	GENERIF_SUMMARY	p53 is an indispensable component of cellular signaling system with cyclin D1, thereby promoting proliferation of breast cancer cells.
Literature	GENERIF_SUMMARY	Discuss how tissue specificity, polymorphisms of genes associated with p53 mutations, and the role of p53 in cancer have a profound impact on the spectrum of p53 mutations (review)
Literature	GENERIF_SUMMARY	Wip1 acts as a gatekeeper in the Mdm2-p53 regulatory loop by stabilizing Mdm2 and inhibiting p53 activity
Literature	GENERIF_SUMMARY	Loss of heterozygosity (LOH) of the hDMP1 gene was detectable in a subset of cases in an exclusive fashion with LOH of INK4a/ARF or that of P53. DMP1 is a novel tumor suppressor gene
Literature	GENERIF_SUMMARY	p53 activity is differentially regulated by Brm- and Brg1-containing complexes
Literature	GENERIF_SUMMARY	These findings provide evidence that activation of TP53 gene transcription is a critical step in the DNA damage response
Literature	GENERIF_SUMMARY	crystal structure of N-terminal domain of Mdmx bound to 15-residue peptide derived from the C-terminal domain of Mdm2-p53 interaction are preserved, the Mdmx hydrophobic cleft is also conserved
Literature	GENERIF_SUMMARY	Embryos have varying sensitivity to the stresses of production and handling
Literature	GENERIF_SUMMARY	Immunohistochemistry localized elevated p53 to a mainly nuclear pattern in the hippocampus
Literature	GENERIF_SUMMARY	K-cyclin/Cdk9 interaction greatly enhanced the kinase activity of Cdk9
Literature	GENERIF_SUMMARY	p53 plays a role in regulation of replication timing of the human genome
Literature	GENERIF_SUMMARY	Upregulation of MDR1 by DeltaNp73alpha is mediated by interaction with p53
Literature	GENERIF_SUMMARY	Monomeric but not trimeric clathrin heavy chain regulates p53-mediated transcriptional activation
Literature	GENERIF_SUMMARY	Individuals with the Pro/Pro genotype have an increased risk of developing esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	reveal a direct regulatory connection between p53-responsive stress response and DNA damage response
Literature	GENERIF_SUMMARY	This review discusses implications of recent studies of the capacity of p53 to regulate cell cycle and apoptosis, and how p53 become involved in cancer and other critical biological processes.
Literature	GENERIF_SUMMARY	The ultimate activation status of p53 target genes can be defined by the expression of p53 target genes and histoneifying activities.
Literature	GENERIF_SUMMARY	The results presented in this report emphasized flow cytometry as a sensitive and specific biomarker and bioindicator of individual exposure to acute ionizing radiation.
Literature	GENERIF_SUMMARY	Suggest beta-catenin deregulation is involved in sporadic hepatobiliary cancer and may contribute to this rare liver cancer.

Main Category	Category	
Literature	GENERIF_SUMMARY	Active regulator of SIRT1 (AROS) is the first direct SIRT1 regulator
Literature	GENERIF_SUMMARY	We conclude that the free radical scavenger edaravone suppresses
Literature	GENERIF_SUMMARY	show an important link between ATM activity and the tumor-suppressor
Literature	GENERIF_SUMMARY	High frequency of BRCA1/2 and p53 somatic inactivation in sporadic
Literature	GENERIF_SUMMARY	Findings may indicate p53 codon 72 polymorphism as a risk factor
Literature	GENERIF_SUMMARY	These data suggest a more complex role for TRIM22 during T lymphocyte
Literature	GENERIF_SUMMARY	defects in the p53 regulatory cascade do not appear operational in
Literature	GENERIF_SUMMARY	The combination of p53 and p21 expressions in biopsy findings can
Literature	GENERIF_SUMMARY	The functional interplay between EGFR overexpression, hTERT activation, and p53 inactivation in human fibroblasts induces tumor development, invasion, and differentiation
Literature	GENERIF_SUMMARY	Analysis of neuroblastoma cell lines indicated that in contrast to p53, inactivation of p53 in neuroblastoma cells resulted in establishment of tumorigenic cell lines
Literature	GENERIF_SUMMARY	Superior outcome of t(8;21) acute myeloid leukemia patients is partially associated with disease progression.
Literature	GENERIF_SUMMARY	the potential use of R-Roscovitrine as a bitargeted anticancer drug for p53 suppression.
Literature	GENERIF_SUMMARY	These results indicate that mutations and consequent dysfunction of p53 in (Rheumatoid Arthritis) patients.
Literature	GENERIF_SUMMARY	Results show that p53 seemed to have a significant role in cellular senescence and cause a different therapeutic response of (18)F-FDG uptake in cancer patients
Literature	GENERIF_SUMMARY	p53 Arg/Arg genotype may be a genetically susceptible factor to HNSCC and a genetically susceptible factor to cervical carcinoma in Han women
Literature	GENERIF_SUMMARY	Single nucleotide polymorphisms within p53 are associated with cancer susceptibility
Literature	GENERIF_SUMMARY	loss of IFI16 activates p53 checkpoint through NBS1-DNA-PKcs pathway
Literature	GENERIF_SUMMARY	TP53 mutations are frequent events in bladder cancer progression
Literature	GENERIF_SUMMARY	Detailed mapping of chromosome 17p deletions reveals HIC1 as a novel tumor suppressor in lymphoma
Literature	GENERIF_SUMMARY	p53 and p73 repress a number of growth-related genes and that inactivation of p53/p73 promotes tumorigenesis
Literature	GENERIF_SUMMARY	Combination of PTEN/p53/PCNA represent an independent prognostic factor in colorectal carcinoma after surgery.
Literature	GENERIF_SUMMARY	Human head and neck squamous cell carcinoma cells transfected with p53 siRNA showed reduced sensitivity due to repair of radiation-induced damage.
Literature	GENERIF_SUMMARY	study showed higher frequency of p53 mutations in esophageal adenocarcinoma; 72R allelic polymorphism was of potential significance
Literature	GENERIF_SUMMARY	Genome-scale chromosomal copy number alteration profiles and mechanisms of genomic instability were clarified.
Literature	GENERIF_SUMMARY	Mutation of the IP6-binding sites impair oligomerization, reduce in vivo stability and arr2

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 homolog, p63, may participate in governing global repair instead
Literature	GENERIF_SUMMARY	although p53 mutation is relatively rare, the type and distribution of p53 mutations differ from other forms of cancer
Literature	GENERIF_SUMMARY	Compar. proteome anal.to RNA expr. array showed modest correlation. Data bank search identified 13 out of 17 referenced proteins (76%)
Literature	GENERIF_SUMMARY	The acetylation of two lysine residues in p53 promotes recruitment of
Literature	GENERIF_SUMMARY	reveal a novel p53 apoptotic pathway in which it initiates apoptosis
Literature	GENERIF_SUMMARY	ability of p53 to down-modulate osteoprotegerin production by endothelial
Literature	GENERIF_SUMMARY	The role of p53 in DNA damage-mediated cytotoxicity overrides its
Literature	GENERIF_SUMMARY	ChIP and expression studies for individual genes indicate that human p53 controls a transcriptional program and direct regulation of p53 target genes
Literature	GENERIF_SUMMARY	HPV16/18 E6 is expressed in HPV DNA-positive lung tumors and is
Literature	GENERIF_SUMMARY	These results suggested that Annexin A2 may play roles in p53 induced
Literature	GENERIF_SUMMARY	Serum p53 antibodies are expressed in the early stages of colorectal
Literature	GENERIF_SUMMARY	dThdPase, but not mutant p53, plays an important role in tumor an
Literature	GENERIF_SUMMARY	Protein expression neither of p16(INK4a) nor of p53 correlated with
Literature	GENERIF_SUMMARY	Extent of mutation predicts response to antineoplastic agents.
Literature	GENERIF_SUMMARY	homeodomain interacting protein kinase 4 phosphorylates p53 at
Literature	GENERIF_SUMMARY	DEC1 is induced by the p53 family and DNA damage in a p53-dependent gene.
Literature	GENERIF_SUMMARY	p53 dissociation from some promoters is due to DNA-mediated changes, being triggered from distance, is sequence-selective. Disulfide bond
Literature	GENERIF_SUMMARY	Can physically interact with the transcription elongation complex and
Literature	GENERIF_SUMMARY	p53 mutations are present in a subset of pituitary carcinomas and p53 protein.
Literature	GENERIF_SUMMARY	The increase of cell membranous phosphatidylcholines containing of ATR.
Literature	GENERIF_SUMMARY	ATM or TP53 deletion is associated with high expression level of C chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	levels of p53/p21waf1 mRNA in blood lymphocytes collected before
Literature	GENERIF_SUMMARY	Furthermore, results indicate that induction of apoptosis in HCT-116 pathway including the neutrophin receptor p75(NTR), p53 and Bax
Literature	GENERIF_SUMMARY	mutant p53 loses its ability to suppress DNMT1 expression, and the down-regulates p16(ink4A)protein.
Literature	GENERIF_SUMMARY	p53 mutation is associated with non-small cell lung carcinoma
Literature	GENERIF_SUMMARY	Activation of p53 mediated pathways in the glia of HIV-associated neurodegeneration by inhibiting glial proliferation and/or promoting

Main Category	Category	
Literature	GENERIF_SUMMARY	Alterations in the expression of p53, survivn, and bcl-2 take place in abnormalities.
Literature	GENERIF_SUMMARY	Based on these results, we conclude that HO activity is involved in
Literature	GENERIF_SUMMARY	p63 exhibits several transcriptional and stress-response properties
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism, but not p73 G4C14>A4TA4 and p2
Literature	GENERIF_SUMMARY	The increased apoptosis of peripheral blood lymphocytes from ad up-regulation of FasL and p53 transcripts.
Literature	GENERIF_SUMMARY	In alternative lengthening of telomere cells, TRF2 inactivation/siler stable TRF2 knockdown.
Literature	GENERIF_SUMMARY	Histone deacetylase inhibitors may overcome neuroblastoma drug and nuclear migration.
Literature	GENERIF_SUMMARY	Splicing fidelity is p53 dependent.
Literature	GENERIF_SUMMARY	CP-31398 induced mitochondrial translocation of p53, leading to c consequent cytochrome c release in these cells.
Literature	GENERIF_SUMMARY	Examine interaction between TP53 and the C-terminal fragment of
Literature	GENERIF_SUMMARY	data indicate that in early and advanced gastric tumors, p53 and b tumors and p53 immunoreactivity peaks in advanced carcinomas
Literature	GENERIF_SUMMARY	p53 codon72, intron 3, and intron 6 polymorphisms may not be ass
Literature	GENERIF_SUMMARY	The culture of cells in the Cl(-)-replaced medium significantly incre
Literature	GENERIF_SUMMARY	In this first assessment of the role of TP53 Arg72Pro polymorphis glioma susceptibility or overall survival, except for patients submit
Literature	GENERIF_SUMMARY	Abrogation of G2 checkpoint by Geldanamycin may play a central i inhibiting agents.
Literature	GENERIF_SUMMARY	The codon72 and IVS7+72C>T polymorphisms of the p53 gene are spermatogenetic failure.
Literature	GENERIF_SUMMARY	Report p53 expression in abberant crypt foci and colorectal neopla
Literature	GENERIF_SUMMARY	There is heterogeneity in the requirement for transactivation subdo gene expression.
Literature	GENERIF_SUMMARY	In etoposide-treated LNCaP cells, p53 bound the AR promoter, whi function in prostate cancer cells contributes to increased expressi
Literature	GENERIF_SUMMARY	nuclear apoptosis repressor with caspase recruitment domain (AR
Literature	GENERIF_SUMMARY	DNA damage combined with hypoxia modulated both the intensity
Literature	GENERIF_SUMMARY	suggests the unique role of Chk1 in preventing abrogation of the G
Literature	GENERIF_SUMMARY	Distinct rare missense mutations of the TP53 gene were detected with a previously reported similar finding in a small series of CUP s
Literature	GENERIF_SUMMARY	Inactivation of p53 may be associated with the appearance of cem invasive features and may be useful as a molecular marker.
Literature	GENERIF_SUMMARY	HHV-6B induces p53 Ser392 phosphorylation by an atypical pathw

Main Category	Category	
Literature	GENERIF_SUMMARY	Hsp27 may play a general role in regulation of cellular senescence
Literature	GENERIF_SUMMARY	p53 status should be taken into account when deciding which ther
Literature	GENERIF_SUMMARY	this study failed to demonstrate correlation between maspin loss a microarray of carcinomas.
Literature	GENERIF_SUMMARY	Maspin expression is inversely correlated with mutant p53 express p53 pathway.
Literature	GENERIF_SUMMARY	The proliferative activity and p53 overexpression increased with th
Literature	GENERIF_SUMMARY	Stroma-specific loss of heterozygosity or allelic imbalance is asso sporadic breast cancer but not in hereditary breast cancer.
Literature	GENERIF_SUMMARY	Disruptive TP53 mutations in tumor DNA are associated with redu neck.
Literature	GENERIF_SUMMARY	expression of p53 and Ki-67 antigen is helpful to predict tumor rec
Literature	GENERIF_SUMMARY	P53 overexpression and changes in phenotypic expression could c
Literature	GENERIF_SUMMARY	linear relationship and prognostic role of the p53/p21/PCNA pathw lead to increased proliferating states, thereby triggering the progre
Literature	GENERIF_SUMMARY	Overexpression of p53 was associated with poor survival in gallbla
Literature	GENERIF_SUMMARY	Id-1 regulates Bcl-2 and Bax expression through p53 and NF-kappa
Literature	GENERIF_SUMMARY	The p53 codon 72 and 16-bp duplication polymorphisms were not to gastric cancer susceptibility among Koreans.
Literature	GENERIF_SUMMARY	p53 regulated transcripts including Puma/BBC in tetraploid but not
Literature	GENERIF_SUMMARY	the Hes6-CBP complex in PML-NB may influence the proliferation o
Literature	GENERIF_SUMMARY	interplay between TFIIealpha and the tumor suppressor protein p5 phosphorylation status of p53
Literature	GENERIF_SUMMARY	There was no significant association between the distribution of p
Literature	GENERIF_SUMMARY	the presence of both HPV infection and TP53 mutations may defin squamous cell carcinoma
Literature	GENERIF_SUMMARY	circulating anti-p53 antibodies (anti-p53Ab) in sera of cancer patie
Literature	GENERIF_SUMMARY	an important role for the DNA damage response mediated by ATR-
Literature	GENERIF_SUMMARY	Genetic alterations of the p53 tumor suppressor gene were seen in
Literature	GENERIF_SUMMARY	the germinal center phenotype, P53 accumulation, and t(14;18) we respectively) in diffuse large B-cell lymphomas
Literature	GENERIF_SUMMARY	germ line and somatic alterations of the p53 pathway influence the
Literature	GENERIF_SUMMARY	NUMB enters in a tricomplex with p53 and the E3 ubiquitin ligase H p53
Literature	GENERIF_SUMMARY	a network involving signal coactivation of NF-kappaB and STAT3, c XL expression and cell survival in HNSCC.
Literature	GENERIF_SUMMARY	Stimulation of KLF6 expression by IGF-I in a p53-dependent manne cell cycle progression and cancer biology.

Main Category	Category	
Literature	GENERIF_SUMMARY	A high proportion of familial microsatellite instability cases and a l
Literature	GENERIF_SUMMARY	p53 mutations and microsatellite instability differ in patients with g
Literature	GENERIF_SUMMARY	p53 Arg72Pro heterozygous genotype was overall an independent
Literature	GENERIF_SUMMARY	The expression of iNOS induces oxidative stress in nasopharyngeal cancer cells, suggesting that the p53 gene is not the direct target of DNA damage
Literature	GENERIF_SUMMARY	p53 mutation plays an important role in the development and mali
Literature	GENERIF_SUMMARY	the role of triptolide as a sensitizer to TRAIL-induced apoptosis in p
Literature	GENERIF_SUMMARY	The proper combination of IFNalpha and conventional chemotherapy with functional p53.
Literature	GENERIF_SUMMARY	E6-AP not only enhances the degradation of p53 but also regulates
Literature	GENERIF_SUMMARY	An important role for autophagy in tumor suppression via full-length p53 in this context.
Literature	GENERIF_SUMMARY	High p53 expression level with low MDM2 and p14 ARF levels may
Literature	GENERIF_SUMMARY	Describe a novel p53 rescue compound that induces p53-depende
Literature	GENERIF_SUMMARY	in a Portuguese population, the p53 R72P polymorphism is not ass
Literature	GENERIF_SUMMARY	cervical cancer development
Literature	GENERIF_SUMMARY	Transcription regulation assays with MCL-1 promoter deletion mutat
Literature	GENERIF_SUMMARY	bp promoter binding sites only for TATA-binding protein and other
Literature	GENERIF_SUMMARY	a combined expression of survivin and p53 was associated with a
Literature	GENERIF_SUMMARY	results suggested that beta1,4GalT II might serve as a target gene
Literature	GENERIF_SUMMARY	elucidated a new mechanism of p53-mediated cell apoptosis
Literature	GENERIF_SUMMARY	identified the binding site of the p53 and FAK interaction and demo
Literature	GENERIF_SUMMARY	functioning and viability in the cells.
Literature	GENERIF_SUMMARY	PUMA exerts a negative feedback on p53 and p21, leading to p21-
Literature	GENERIF_SUMMARY	IGF-1R-dependent UVB-induced premature senescence required th
Literature	GENERIF_SUMMARY	p14ARF hypermethylation is common but INK4a-ARF locus or p53
Literature	GENERIF_SUMMARY	significantly higher levels of HCV RNA replication and viral protein
Literature	GENERIF_SUMMARY	found to directly interact with IRF9
Literature	GENERIF_SUMMARY	Aberrations could be considered markers responsible for the deve
Literature	GENERIF_SUMMARY	although HPV16 (human papiloma virus 16) and mutated p53 may
Literature	GENERIF_SUMMARY	and disruptive p53 mutations seem to be nonoverlapping events
Literature	GENERIF_SUMMARY	the p53 gene does not appear to play a major role in pheochromoc
Literature	GENERIF_SUMMARY	functional interaction of NEDL1 with p53 might contribute to the in
Literature	GENERIF_SUMMARY	TP53 mutations reduce the prostate cancer (PCa)-free survival tim
Literature	GENERIF_SUMMARY	6 mutations enhance the risk of being affected by PCa 32-fold
Literature	GENERIF_SUMMARY	Tacrolimus ointment neither blocks ultraviolet B nor affects expres
Literature	GENERIF_SUMMARY	In the group of patients

Main Category	Category	
Literature	GENERIF_SUMMARY	Findings suggest TP53 PIN3 Ins16bp polymorphism as a real risk Furthermore, both TP53 polymorphisms are associated with higher
Literature	GENERIF_SUMMARY	Our results indicate that nicotinamide treatment attenuates p21W nicotinamide metabolism in cellular gene expression.
Literature	GENERIF_SUMMARY	These studies suggest that PARC-interacting peptides are promising cytoplasmic p53.
Literature	GENERIF_SUMMARY	These results indicate that in thyroid cancer cells, TAp73alpha is a p53 degradation.
Literature	GENERIF_SUMMARY	SS18-SSX1 can negatively regulate p53 tumor-suppressive function
Literature	GENERIF_SUMMARY	This review emphasizes various mechanisms activated by p53 signaling p53's pro-apoptotic and pro-survival activities.
Literature	GENERIF_SUMMARY	p53-mediated apoptosis occurs by a PIDD- and caspase 2-dependent only for events that are downstream of cytochrome c release
Literature	GENERIF_SUMMARY	Results describe the interrelationship between H pylori and Epstein Myc, Bcl-2 and Bax expression.
Literature	GENERIF_SUMMARY	results support the notion that acetaldehyde plays a role in TP53 mutation
Literature	GENERIF_SUMMARY	that Skp2 controls p300-p53 signaling pathways in cancer cells, modulating
Literature	GENERIF_SUMMARY	following DNA damage, PML facilitates Thr18 phosphorylation by inhibition by Mdm2, leading to p53 activation.
Literature	GENERIF_SUMMARY	These findings indicate that R337H may be a low penetrance mutation
Literature	GENERIF_SUMMARY	Therefore, our results suggest that the interaction between Sirt2 and beside the well-characterized Mdm2-mediated repression.
Literature	GENERIF_SUMMARY	The distinction between various populations may be because of different that have a different impact on systemic lupus erythematosus incidence
Literature	GENERIF_SUMMARY	optimal binding of STAGA to p53 involves interactions of STAGA subunits
Literature	GENERIF_SUMMARY	Current study showed p53 was associated with induction of apoptosis advanced gastric cancer.
Literature	GENERIF_SUMMARY	Ki-67- and p53-immunostained cells were mainly located in the superficial epithelium.
Literature	GENERIF_SUMMARY	that the recruitment of YB1, PURalpha, and H1.2 to the p53 target DNA
Literature	GENERIF_SUMMARY	p53 codon 72 variant genotypes modify the risk of human papilloma HPV16-associated squamous cell carcinoma of the mouth and pharynx
Literature	GENERIF_SUMMARY	p53 codon 72 and intron 3 polymorphisms are associated with non-H
Literature	GENERIF_SUMMARY	The DNA binding domains of p73 exhibited enhanced thermodynamic DNA binding, which may account for the differences in affinity and
Literature	GENERIF_SUMMARY	MDM2 SNP309, alone or in combination with TP53 R72P, was not a
Literature	GENERIF_SUMMARY	AEN is an important downstream mediator of p53 in apoptosis induction
Literature	GENERIF_SUMMARY	p53 has a role in preventing centrosome amplification, ERalpha phosphorylation
Literature	GENERIF_SUMMARY	The data support that the frequencies and patterns of somatic mutations

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 is required for the efficient removal of cross links in human ce
Literature	GENERIF_SUMMARY	p53 positivity was significantly associated with higher risk of disea
Literature	GENERIF_SUMMARY	The demonstration that p53 binds directly to the PIK3CA promoter regulate cellular functions.
Literature	GENERIF_SUMMARY	The p53 target sequences possessing the inverted repeat symmet DNA.
Literature	GENERIF_SUMMARY	p53 mutation spectra and differences with histology in lung cance
Literature	GENERIF_SUMMARY	differences in cellular responses to stress between the TP53 codon observed earlier for these genotypes
Literature	GENERIF_SUMMARY	polymorphism at codon 72 modulates the risk of lung cancer in Br
Literature	GENERIF_SUMMARY	Defective p53 signaling in p53 wild-type tumors attenuates p21wa that abrogate DNA damage-induced S and G2 arrest.
Literature	GENERIF_SUMMARY	the functions of p53 play substantial roles in many other pathologi
Literature	GENERIF_SUMMARY	The p53 Pro72 homozygous non-small cell lung cancer patients of patients with R72 homozygotes or heterozygotes.
Literature	GENERIF_SUMMARY	Together our results show that hDDA3 is a p53- and DNA-damage
Literature	GENERIF_SUMMARY	Point mutation at exon 5 of the p53 gene was present in colonic ar originated from a common epithelial stem cells.
Literature	GENERIF_SUMMARY	CARF exerts a vital control on the p53-HDM2-p21WAF1 pathway th
Literature	GENERIF_SUMMARY	Investigation of the mechanism underlying p53 reactivation in hep
Literature	GENERIF_SUMMARY	The morphology and cell cycle proteins immunoexpression of the decribed.
Literature	GENERIF_SUMMARY	A novel cis-element in the 5' coding region of p53 mRNA and its in decribed.
Literature	GENERIF_SUMMARY	Flotillin 2 is a direct transcriptional target of the p53 family membe
Literature	GENERIF_SUMMARY	enhanced phosphorylation of p38 and p53 (ser15) in ZS cells was
Literature	GENERIF_SUMMARY	Deletion of the 9p21 locus inhibits p53 protein; studies of the ARF-abnormalities in 17p and 9p
Literature	GENERIF_SUMMARY	findings provide a molecular rationale for the role of human Spot 1 diverse pathways in cells
Literature	GENERIF_SUMMARY	A novel isochroman derivative inhibited apoptosis in vascular endo
Literature	GENERIF_SUMMARY	the ability to promote Lys(63)-mediated polyubiquitination of COM
Literature	GENERIF_SUMMARY	Hibiscus syriacus extract exhibits a cytotoxic effect on lung cance
Literature	GENERIF_SUMMARY	p53beta and Delta40p53 are expressed in melanoma and this may damaging chemotherapy.
Literature	GENERIF_SUMMARY	study examined the presence of mutations in TP53 at codon 249 (circulating free DNA of patients with hepatocellular carcinoma or c
Literature	GENERIF_SUMMARY	P53 mutations are associated with higher levels of Intratumoral T

Main Category	Category		
Literature	GENERIF_SUMMARY	The prevalence of MDM2 gene amplifications and single nucleotide and genomic instability, is analyzed.	
Literature	GENERIF_SUMMARY	Both germ line and somatic alterations of the TP53 pathway influence	
Literature	GENERIF_SUMMARY	analysis of solar light-induced p53 mutagenesis in SKH-1 mouse skin	
Literature	GENERIF_SUMMARY	ERK and JNK MAPK/Elk-1/Egr-1 signal cascade is required for p53 in U-87MG human glioblastoma cells	
Literature	GENERIF_SUMMARY	PKC epsilon mediates TRAIL resistance by Akt-mediated phosphorylation of Bid in breast cancer cells	
Literature	GENERIF_SUMMARY	There is no any association of polymorphous marker C(-594)CC of	Moscow.
Literature	GENERIF_SUMMARY	Identification of anomalous, detectable conformational state of p53 fibroblasts from those of age-matched non-AD subjects and suggest	
Literature	GENERIF_SUMMARY	mutations in different exons of p53 are related to different phenotypes	
Literature	GENERIF_SUMMARY	quercetin stabilized p53 at both the mRNA and protein levels to reactivate	
Literature	GENERIF_SUMMARY	p53 status and efficacy of primary anthracyclines/alkylating agent-treated	
Literature	GENERIF_SUMMARY	tumor cell incubation with pioglitazone results in increased levels of	
Literature	GENERIF_SUMMARY	The expression of p53 was significantly correlated with lymph node	
Literature	GENERIF_SUMMARY	These findings suggest that inhibition of the class I PI3K signaling	
Literature	GENERIF_SUMMARY	Results correlate P53 status and mutation site/type with nuclear p53 high-level microsatellite instability.	
Literature	GENERIF_SUMMARY	Non-smoking and non-drinking patients with squamous cell carcinoma drinking counterparts without an increased expression of p53.	
Literature	GENERIF_SUMMARY	investigation of the involvement of the CDKN2A, CDKN2B and p53 in carcinoma	
Literature	GENERIF_SUMMARY	Rb antagonizes gankyrin to inhibit MDM2-mediate p53 ubiquitination and efficacy of cancer chemotherapy.	
Literature	GENERIF_SUMMARY	p53 is of limited value only, being largely overshadowed by the pro	
Literature	GENERIF_SUMMARY	Changes in p53 expression seen in urothelial and sinonasal inverted	
Literature	GENERIF_SUMMARY	p16(INK4a), p21(WAF1/CIP1), p27(KIP1), and p53 are expressed in	
Literature	GENERIF_SUMMARY	the expression manner of PTEN, beta-catenin, and p53 immunocytochemical atrophic, and endometrial glandular and stromal breakdown	
Literature	GENERIF_SUMMARY	[Review] Besides its ability to promote apoptosis through transcription independent of transcriptional regulation.	
Literature	GENERIF_SUMMARY	Polymorphism Arg72Pro in tumor suppressor gene TP53 increases	
Literature	GENERIF_SUMMARY	An analysis of the clinical and biologic significance of TP53 loss at myeloma.	
Literature	GENERIF_SUMMARY	PTEN acquires unexpected properties by enhancing gain-of-function p53 leads to induction of G(1)-S cell cycle progression and cell pro	

Main Category	Category	
Literature	GENERIF_SUMMARY	Tubal p53 signature merits serious consideration as an important
Literature	GENERIF_SUMMARY	nuclear extracts immunodepleted of p53 or nuclear extracts of p53 p53 by transfection restored the excision activity
Literature	GENERIF_SUMMARY	p53 family may play a role in the epithelial cell response to H pylori
Literature	GENERIF_SUMMARY	The association oxaliplatin/TRAIL should be restricted to patients
Literature	GENERIF_SUMMARY	p53 and p16(INK4A) are promising candidates for the pulmonary r
Literature	GENERIF_SUMMARY	conclude that the effect of p53 codon 72 genotype on breast cance with poor prognosis among patients with a wild-type p53 tumor
Literature	GENERIF_SUMMARY	confirmed 27 TP53 mutations in 68 primary breast cancers analyz scanning and automatic calling, there was high specificity (>95%) a
Literature	GENERIF_SUMMARY	mutated over wild-type P53 mRNA exists in glioblastoma cells with
Literature	GENERIF_SUMMARY	High zinc status in normal bronchial epithelial cells upregulates p5
Literature	GENERIF_SUMMARY	The specific binding of the C-terminal acidic domain (AC-D) of the TFIIH p62 subunit is demonstrated.
Literature	GENERIF_SUMMARY	stabilization of MDMX by Akt may be an alternative mechanism by p53 in tumor cells
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism appears to be an independent prognos chemotherapy.
Literature	GENERIF_SUMMARY	Notch-1 upregulates EGFR expression and also demonstrate Notch
Literature	GENERIF_SUMMARY	Smo mutants augment p53 binding to the E3 ubiquitin-protein liga
Literature	GENERIF_SUMMARY	polymorphisms and haplotypes in the TP53 gene, including Arg72P
Literature	GENERIF_SUMMARY	cytosolic p53 may participate in the regulation of clathrin-mediate
Literature	GENERIF_SUMMARY	Results could not indicate significance of P53 mutations for evalu
Literature	GENERIF_SUMMARY	Alterations in the p53 gene may be indicative of poorer prognosis a
Literature	GENERIF_SUMMARY	Body mass index is not associated with a higher TP53 mutation fre
Literature	GENERIF_SUMMARY	Skin cells grown in culture showed a notable decrease in the UVB f proliferation.
Literature	GENERIF_SUMMARY	Mutation of p53 gene is probably one of the most important factor
Literature	GENERIF_SUMMARY	p53 overexpression strongly downregulates the transcriptional effi recognition sequence.
Literature	GENERIF_SUMMARY	a high level of p53 downregulates the beta-catenin expression, but
Literature	GENERIF_SUMMARY	Conclude that the Ki-67 and p53 labeling indices are useful additio
Literature	GENERIF_SUMMARY	Elevated p53 expression is associated with dysregulation of the ub
Literature	GENERIF_SUMMARY	B7-H4 was expressed more often in pancreatic ductal carcinoma t
Literature	GENERIF_SUMMARY	Microsatellite alterations, and p53 tumor mutations are associated
Literature	GENERIF_SUMMARY	Neither germline variants in p53 nor MDM2 SNP309 play an underl

Main Category	Category	
Literature	GENERIF_SUMMARY	CARPs together with MDM2 enhance p53 degradation, thereby inh
Literature	GENERIF_SUMMARY	Increased TP53 expression was associated with invasive adenoca
Literature	GENERIF_SUMMARY	A correlation of p53 expression with AI and PI was found in pilocyt
Literature	GENERIF_SUMMARY	results support Killin as a missing link between p53 activation and should they escape G(1) blockade mediated by p21.
Literature	GENERIF_SUMMARY	Intrinsic radiosensitivity of 39 human tumor cell lines segregate int wtTP53, mutTP53, and an unidentified factor in some glioblastoma
Literature	GENERIF_SUMMARY	in endometrial carcinoma p53 overexpression was directly associa
Literature	GENERIF_SUMMARY	observations confirm a new role for p53 as a uPA mRNA binding p expression
Literature	GENERIF_SUMMARY	p53 single-nucleotide polymorphism is associated with the early d infection.
Literature	GENERIF_SUMMARY	determined the average ensemble structure of the intrinsically disc protein and in its complex with a specific DNA response element
Literature	GENERIF_SUMMARY	the functional regulation of p53 by triptolide was mediated by an ir which was inactivated by protein kinase C (PKC).
Literature	GENERIF_SUMMARY	Fbw7 regulates the activity of endoreduplication mediators and the
Literature	GENERIF_SUMMARY	acute loss of p53 in normal HKc induces EGFR expression by a me promoter
Literature	GENERIF_SUMMARY	TP53 Pro47Ser and Arg72Pro SNPs are not associated with risk an
Literature	GENERIF_SUMMARY	TP53 Pro47Ser and Arg72Pro SNPs are not involved either in susco
Literature	GENERIF_SUMMARY	The R allele of the TP53 R72P polymorphism may contribute to the expression tumors. Both TP53 C-8343G and C-1863T may be not a
Literature	GENERIF_SUMMARY	the functional role of the intrinsic activation of p53 during Mk diffe impeding cell cycling and promoting apoptosis.
Literature	GENERIF_SUMMARY	study showed that p53 expression is directly correlated with undiff
Literature	GENERIF_SUMMARY	disruption of the spindle-assembly checkpoint does not directly int to be activated before the accumulation of p21(CIP1/WAF1).
Literature	GENERIF_SUMMARY	UNC5H4 amplifies p53-dependent apoptotic response.
Literature	GENERIF_SUMMARY	These findings indicate that p53 is a transcriptional regulator of DU
Literature	GENERIF_SUMMARY	New triterpenoid from Panax ginseng exhibits cytotoxicity through
Literature	GENERIF_SUMMARY	structural analysis of the tumor suppressor p53 [review]
Literature	GENERIF_SUMMARY	Lentiviral delivery of small hairpin RNA targeting Tthymidylate kina cancer cells regardless of p53 status.
Literature	GENERIF_SUMMARY	p53/47 controls the folding, the oligomerisation and the post-trans cell stress-dependent fashion.
Literature	GENERIF_SUMMARY	KAI-1 and p53 show inverse expression in uterine and endometrial dysregulated p53 function and could be a step in endometrial carc

Main Category	Category	
Literature	GENERIF_SUMMARY	Downregulation of caspase 2 levels by p53 may help to determine
Literature	GENERIF_SUMMARY	Thus, elevated levels of CCN3 protein regulated by p53 might influ
Literature	GENERIF_SUMMARY	Data show that germ cell single base substitution mutation freque
Literature	GENERIF_SUMMARY	Trichostatin A causes p53 to switch oxidative-damaged colorectal
Literature	GENERIF_SUMMARY	in epithelial cells, some of the functions of p53 leading to cell-cycle defences, causing inhibition of virus transcription, are partially reta
Literature	GENERIF_SUMMARY	p53 codon 72 SNP ws not associated with susceptibility to or age associated with progression of OSCC, OS and DSF in irradiated pat
Literature	GENERIF_SUMMARY	inflammatory levels of NO inhibit epithelial cell migration, because potential consequences for epithelial repair and remodeling during
Literature	GENERIF_SUMMARY	Results suggest that the parthenolide-induced apoptosis of A549 c independent manner based on NF-kappaB signaling.
Literature	GENERIF_SUMMARY	data suggest that UVB-induced, stress-induced premature senesce and tumor suppression activity
Literature	GENERIF_SUMMARY	Results suggest that genetic analysis of TP53 can select patients benefit from early radical surgical procedures.
Literature	GENERIF_SUMMARY	K-ras and p53 genes are altered in Tamoxifen-associated endomet
Literature	GENERIF_SUMMARY	These results suggest that a p53-dependent cell cycle checkpoint
Literature	GENERIF_SUMMARY	an interactive effect was detected such that MDM2 TT TP53 Arg/A Pro allele, were at increased risk of t-AML
Literature	GENERIF_SUMMARY	DLBCL in pre-menopausal women of central European Caucasian c be correlated with age of onset, diagnosis, or survival of diffuse lar
Literature	GENERIF_SUMMARY	p53 is activated by stimulation of mismatch repair in response to t the lack of pyrimidine nucleoside triphosphates causes the rate of
Literature	GENERIF_SUMMARY	TGF-beta(1) production in carcinoma cells was associated with do T47D cells.
Literature	GENERIF_SUMMARY	oxidative modification of p53 could be involved in the neuronal los
Literature	GENERIF_SUMMARY	p53-mediated mir34a, mir34b, and mir34c up-regulation and ING2
Literature	GENERIF_SUMMARY	Overexpression of p53 is associated with several different clinicop grade and prognosis.
Literature	GENERIF_SUMMARY	might be markers of depth of invasion or lymph node involvement
Literature	GENERIF_SUMMARY	Data show that the elimination of the salt bridge and the inversion the tumor suppressor p53.
Literature	GENERIF_SUMMARY	The frequency of GST-P polymorphism was not associated with p5
Literature	GENERIF_SUMMARY	p53-Driven apoptosis limits centrosome amplification and genom
Literature	GENERIF_SUMMARY	autophagy is regulated by cytoplasmic p53
Literature	GENERIF_SUMMARY	p53 promotes theaflavin-induced apoptosis in a transcription-depe
Literature	GENERIF_SUMMARY	Combined increased p53 and reduced membranous beta-catenin p

Main Category	Category	
		squamous cell carcinoma.
Literature	GENERIF_SUMMARY	The role of p53 in the sustained phosphorylation of c-Jun-N-terminal kinase by p38 MAPK in human epidermal carcinoma cells treated with furanonaphthaquinone is reported.
Literature	GENERIF_SUMMARY	glioblastoma patients with TP53 codon 72 Arg/Pro alleles showed
Literature	GENERIF_SUMMARY	Induced the transition from cardiac hypertrophy to heart failure through increased oxidative stress, mitochondrial dysfunction, and angiogenesis in the hypertrophied heart and promotes apoptosis.
Literature	GENERIF_SUMMARY	The clinical outcome for breast cancer patients is significantly different
Literature	GENERIF_SUMMARY	p53 was not associated with survival after radiotherapy in high-risk
Literature	GENERIF_SUMMARY	Compared to PAI-1 protein levels, Chalkley counts and MIB-1, HER2/neu expression was not predictive of prognosis irrespective of nodal statusin breast cancer.
Literature	GENERIF_SUMMARY	Chromosome instability in human hepatocellular carcinoma depends on
Literature	GENERIF_SUMMARY	Pim-1 induces the p53 pathway in cultured cells and correlate with
Literature	GENERIF_SUMMARY	The p53 codon 72 polymorphisms are associated with a higher risk
Literature	GENERIF_SUMMARY	a novel role for p53 as an mRNA-binding protein that regulates intracellular signaling in normal and carcinoma cells
Literature	GENERIF_SUMMARY	the deregulation of both the p53 and the p73 pathways plays an important
Literature	GENERIF_SUMMARY	Data suggest that p53 pulses result from repeated initiation by ATM
Literature	GENERIF_SUMMARY	Inhibition of methylation in hnRNP K attenuated the recruitment of
Literature	GENERIF_SUMMARY	Different mutant/wild-type p53 combinations cause a spectrum of phenotypes in epithelial cells
Literature	GENERIF_SUMMARY	Expression of Survivin, Caspase-3 and p53 in surgical margin of LSCC and carcinoma.
Literature	GENERIF_SUMMARY	The data show that immunostaining for p53 and HbF as well as kaikan cells in patients with myelodysplastic syndrome and aplastic anemia.
Literature	GENERIF_SUMMARY	MMR-dependent intrinsic apoptosis is p53-independent, but stimulated by
Literature	GENERIF_SUMMARY	disruption of ERalpha-p53 interaction in vivo resulting in restoration
Literature	GENERIF_SUMMARY	ATO-induced activation of Chk2/p53 and p38 MAPK/p53 apoptosis pathway further indicating that ATO inhibits Wip1 phosphatase in vivo
Literature	GENERIF_SUMMARY	HIPK2 has a critical role in maintaining the transactivation activity of p53 by harboring wtp53
Literature	GENERIF_SUMMARY	Study identifies p53 acetylation as an indispensable event that determines
Literature	GENERIF_SUMMARY	an interaction between MDM2 SNP 309 and p53 with respect to tumor-free survival) was observed in sporadic Taiwanese OSCCs.
Literature	GENERIF_SUMMARY	c-Abl and Cdk5 cooperatively regulate maximal activation of p53, resulting in
Literature	GENERIF_SUMMARY	review of kinase-independent interaction of FAK with p53with focus on
Literature	GENERIF_SUMMARY	Elevated levels of pro-apoptotic p53 and its oxidative modification in Alzheimer's disease and cognitive impairment and Alzheimer's disease are reported.

Main Category	Category	
Literature	GENERIF_SUMMARY	This study provides the first evidence that p53 is involved in the re
Literature	GENERIF_SUMMARY	Resveratrol displays converse dose-related effects on fluorouracil-
Literature	GENERIF_SUMMARY	Genetically programmed cell death is related to the p27, cathepsin pseudophakic bullous keratopathy.
Literature	GENERIF_SUMMARY	TP53 may have a direct, allele specific, role in 5-FU mediated respo
Literature	GENERIF_SUMMARY	identify OKL38 as a novel p53 target gene that is regulated by Pep
Literature	GENERIF_SUMMARY	MIF physically associates with p53 and negatively regulates p53 fu
Literature	GENERIF_SUMMARY	p53 interacted with the N-terminal domain of Twist and repressed
Literature	GENERIF_SUMMARY	Study shows that mitochondrial p53 is highly efficient in inducing t outer and inner mitochondrial membrane integrity.
Literature	GENERIF_SUMMARY	These results suggest a role of PAD4 in the regulation of p53 targe
Literature	GENERIF_SUMMARY	A signaling cascade for the regulation of p53 in response to ionizin inactivation of GSK-3 and Mdm2.
Literature	GENERIF_SUMMARY	the human glutathione S-transferase P1 gene is a novel transcripti
Literature	GENERIF_SUMMARY	p53Arg homozygosity is associated with the development of sporad
Literature	GENERIF_SUMMARY	A possible correlation between overexpression of p53, proliferating laryngeal squamous cell carcinoma, was investigated.
Literature	GENERIF_SUMMARY	Results suggest the involvement of the p53 codon 72 polymorphis melanoma risk.
Literature	GENERIF_SUMMARY	These results represent a definitive argument demonstrating that l
Literature	GENERIF_SUMMARY	p53 levels were significantly higher in lung parenchyma in subjects
Literature	GENERIF_SUMMARY	p53 of stromal fibroblasts affects the response of a tumour agains production of growth factors acting onto the cancer cells by parac
Literature	GENERIF_SUMMARY	homozygous TP53 arginine genotype is not a potential risk factor r
Literature	GENERIF_SUMMARY	Cyclic pifithrin-alpha sensitizes wild type p53 tumor cells to antimi
Literature	GENERIF_SUMMARY	The role of p53, followed by Ki-67, as predictive factors
Literature	GENERIF_SUMMARY	All of the E6 genes from different HPV types displayed similar abili
Literature	GENERIF_SUMMARY	These results establish a link between the p53 tumor suppressor a
Literature	GENERIF_SUMMARY	stabilization of p53 mRNA in hepatocellular carcinoma cells is inv
Literature	GENERIF_SUMMARY	BAK oligomerization by p53 utilizes conserved residues of the p53
Literature	GENERIF_SUMMARY	confirmed a high incidence of TP53 mutations in AML with a comp without a complex aberrant karyotype
Literature	GENERIF_SUMMARY	Principal component analysis was performed on the atomic conta activator domain.
Literature	GENERIF_SUMMARY	p53 plays an important role in proliferation in our studied populatio
Literature	GENERIF_SUMMARY	The existence of a functional binding site for the tumor suppressor

Main Category		Category
		annexin A1 in human colon adenocarcinoma cells is driven by p53
Literature	GENERIF_SUMMARY	Extra-nuclear p53-dependent apoptosis may constitute a fail-safe
Literature	GENERIF_SUMMARY	p53 mutations are not always associated with malignant transform
Literature	GENERIF_SUMMARY	data clearly show neither association between SNP309 and cancer protein levels in human primary breast tumors.
Literature	GENERIF_SUMMARY	interaction of PI3K/Akt/mTOR and p53 pathways after their simult inhibitor Nutlin-3.
Literature	GENERIF_SUMMARY	Data identified TAF3 as an evolutionarily conserved negative regul
Literature	GENERIF_SUMMARY	The results show that p53 mutations characterize a small biologic prostatectomy.
Literature	GENERIF_SUMMARY	CARF may act as a novel key regulator of the p53 pathway at multi
Literature	GENERIF_SUMMARY	The presence and absence of a dominant negative p53 mutation n
Literature	GENERIF_SUMMARY	MGMT promoter methylation modulated by p53 status could partia
Literature	GENERIF_SUMMARY	L11 cooperates with L5, resulting in a robust inhibition of the E3 ac by p14(ARF).
Literature	GENERIF_SUMMARY	Expression of p53, in cervical intraepithelial neoplasia and invasive
Literature	GENERIF_SUMMARY	Nuclear TP53 accumulation may be relevant in patient's prognosis
Literature	GENERIF_SUMMARY	was no difference in the expression of EGFR, p185(erbB-2) or Bcl-2 women.
Literature	GENERIF_SUMMARY	Prognosis of patients with p53-overexpressing ovarian cancer is a generate immune responses to the p53 tumour antigen.
Literature	GENERIF_SUMMARY	Report relationship of Ki67, TP53, MDM-2 and BCL-2 expressions v in urothelial tumors of the bladder.
Literature	GENERIF_SUMMARY	PCAF regulates the balance between cell-cycle arrest and apoptos HIF-1alpha.
Literature	GENERIF_SUMMARY	Oral verrucous carcinoma tumorigenesis may involve the inactivat
Literature	GENERIF_SUMMARY	These findings suggest that the histone methyltransferase SETD2 the transcription factor p53.
Literature	GENERIF_SUMMARY	ATM is a key mediator of the MT-hTer-47A dysfunctional telomere
Literature	GENERIF_SUMMARY	A feedforward loop involving c-Myc and eIF4F that serves to link tr proliferation and neoplastic growth.
Literature	GENERIF_SUMMARY	Expressed in most dysmorphic neurons in focal cortical dysplasia
Literature	GENERIF_SUMMARY	Impaired p53 function in tumour stroma might be related to genom microenvironment.
Literature	GENERIF_SUMMARY	There was significant statistical correlation between survivin and p
Literature	GENERIF_SUMMARY	incidence and prognostic impact of TP53 mutations in a cohort of
Literature	GENERIF_SUMMARY	functional inactivity and mutations of p53 differentially affect TS, p

Main Category	Category	
Literature	GENERIF_SUMMARY	Localization of N-myc downstream-regulated gene 1 and its significance in tumor progression.
Literature	GENERIF_SUMMARY	These observations suggest that most endopolyploid tumour cells are resistant to irradiation of resistant tumours post-irradiation.
Literature	GENERIF_SUMMARY	Patients with head and neck squamous cell carcinoma having a high p53 expression in tumor groups
Literature	GENERIF_SUMMARY	Strong p53 nuclear staining was detected in smokeless tobacco karyogenic cells.
Literature	GENERIF_SUMMARY	IL-8 and p53 protein expression is regulated through inverse activation of NF- κ B and p53.
Literature	GENERIF_SUMMARY	p53 expression seems to negatively influence survival in non-smoking patients with head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	5-Aza-2'-deoxycytidine restores proapoptotic function of p53 in cancer cells.
Literature	GENERIF_SUMMARY	Monitoring for sequential change of serum p53-Abs before and after treatment may be useful for response to the treatment and prognosis of the patients.
Literature	GENERIF_SUMMARY	There is a molecular association of the p53 codon 72 arginine allele with poor survival in head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Ubiquitin over-expression promotes the destabilization of the ubiquitin-proteasome system and stabilization of p53.
Literature	GENERIF_SUMMARY	In the absence of p53 function, the resulting derepressed CD44 expression promotes tumorigenesis in mammary epithelial cells.
Literature	GENERIF_SUMMARY	p53 over-expression predicted both transformation to diffuse large B-cell lymphoma and follicular lymphoma.
Literature	GENERIF_SUMMARY	The data showed that hepatocellular carcinoma patients had a significantly higher p53 expression than patients and healthy control groups.
Literature	GENERIF_SUMMARY	analysis of 31 bilateral breast cancer (biBC) pairs (12 synchronous and 19 metachronous); 2 had mutations in both neoplasms & in 5 biBC pairs the mutations were in different p53 alleles.
Literature	GENERIF_SUMMARY	Andrographolide inhibits human colorectal cancer Lovo cell growth through p53-dependent pathway.
Literature	GENERIF_SUMMARY	Damage of exon 5 of p53 gene by arsenic is associated with precancerous lesions in human skin.
Literature	GENERIF_SUMMARY	These results provide a structural explanation for the dominant-negative effect of p53 mutants on wild-type p53.
Literature	GENERIF_SUMMARY	TP53 methylation was probably not implicated in gastric carcinogenesis.
Literature	GENERIF_SUMMARY	Phosphorylation of MUC1 by Met modulates interaction with p53 and inhibits its transcriptional activity.
Literature	GENERIF_SUMMARY	a TP53 mutation in follicular lymphoma may have a role in disease progression.
Literature	GENERIF_SUMMARY	TAF6delta has a pivotal node in a signaling pathway that controls p53 activity.
Literature	GENERIF_SUMMARY	A significant association was found in Dukes' B stage colorectal cancer patients with p53 expression.
Literature	GENERIF_SUMMARY	induction of p53 and apoptosis are reduced by green tea extract in human cells.
Literature	GENERIF_SUMMARY	These results indicate that the E1B protein fulfills an early function of p53 in the nucleus of Ad5-infected normal human cells.
Literature	GENERIF_SUMMARY	Although p53 is mutated in trophoblast, it is functionally incompetent in regulating cell growth.
Literature	GENERIF_SUMMARY	These observations suggest that the relative cytoplasmic abundance of p53 isoforms is critical for the coordinated expression of the p53 isoforms.

Main Category	Category	
Literature	GENERIF_SUMMARY	These results indicate that acidic domain of MDM2 provides essential and indispensable for MDM2 to negatively regulate the acetylation of p53.
Literature	GENERIF_SUMMARY	sPDZD2 sensitized mutant p53-positive DU145 cells and wild-type cells to cell death by sub-lethal concentration of hydrogen peroxide.
Literature	GENERIF_SUMMARY	ReportGene expression profiles modulated by the carcinogen aristolochic acid.
Literature	GENERIF_SUMMARY	No association was detected between the TGFB1, IL10, TP53, and IL6 polymorphisms and DGF associated with DGF in an adjusted analysis.
Literature	GENERIF_SUMMARY	neither the Ins16bp or Arg72Pro polymorphisms of p53 considered as risk factors for BRCA-mutation negative familial cases.
Literature	GENERIF_SUMMARY	we determined the methylation status of the promoter in putative methylated CpG sites.
Literature	GENERIF_SUMMARY	Zac1 might be involved in regulating the p21(WAF1/Cip1) gene and cell growth in HeLa cells.
Literature	GENERIF_SUMMARY	vascular endothelial growth factor, receptor KDR and p53 protein are involved in the regulation of endothelial cell growth.
Literature	GENERIF_SUMMARY	This study provides evidence of a positive association between p53 and p21.
Literature	GENERIF_SUMMARY	Overexpression of p53 in human embryo lung fibroblasts induced cell growth arrest.
Literature	GENERIF_SUMMARY	these results imply a regulatory connection between the FA pathway and p53.
Literature	GENERIF_SUMMARY	crystallographic analysis of molecules that bind to p53 from a drug library.
Literature	GENERIF_SUMMARY	P53 has a role in malignancy and epithelioid differentiation in GIST.
Literature	GENERIF_SUMMARY	MAP1B light chain can interact with the tumor suppressor p53.
Literature	GENERIF_SUMMARY	TP53 gene mutations of lung cancer patients in upper northern Thailand.
Literature	GENERIF_SUMMARY	A375 cells exposed to selenocystine showed an increase in levels of p53.
Literature	GENERIF_SUMMARY	senescence of primary NHP cells expressing progenitor cell marker genes, p53 expression, up-regulation of p16, and activation of p53.
Literature	GENERIF_SUMMARY	Its loss of function is critical for the molecular pathogenesis of uterine leiomyomas.
Literature	GENERIF_SUMMARY	CK1 has a role as the Ser20 site kinase for p53 in DNA virus-infected cells.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with metastatic pulmonary adenocarcinoma.
Literature	GENERIF_SUMMARY	p53-independent events regulating expression of protein-coding genes in response to DNA damage.
Literature	GENERIF_SUMMARY	Structure of the human Mdmx protein bound to the p53 tumor suppressor.
Literature	GENERIF_SUMMARY	SIRT1 confers protection against UVB- and H2O2-induced cell death.
Literature	GENERIF_SUMMARY	evaluated the expression of the tumour suppressors p14, p16 and p53 as potential risk factors for skin carcinogenesis (HPV, immune status and sun exposure).
Literature	GENERIF_SUMMARY	direct interaction of p53 with mitochondrial antiapoptotic proteins.
Literature	GENERIF_SUMMARY	No relationship was found between p53 mutations and the occurrence of DGF.
Literature	GENERIF_SUMMARY	p53 immunocytochemistry detected 87% of the malignancies in strictures suspected for malignancy.

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 expression in liver tissue was higher in the hepatitis C virus-associated liver cancer; p53 expression correlated well with the HCC grade; p53 is implicated in the poor prognosis of HCC
Literature	GENERIF_SUMMARY	TP53 inactivation may have a role in progression of chronic lymphocytic leukaemia
Literature	GENERIF_SUMMARY	Proteasome inhibition-mediated premature cell senescence can occur in the absence of p53
Literature	GENERIF_SUMMARY	The prevalence of COX2 and p53 risk-alleles contributes towards smoking-related lung cancer risk
Literature	GENERIF_SUMMARY	p53 represses the PDGFRB promoter, facilitating the p53-induced activation of p21. Inactivation of p53 and Myc could become refractory to the regulation.
Literature	GENERIF_SUMMARY	overexpression of p-ATF2, p-STAT3 and possibly p53, but not p63 correlates with poor survival in breast cancer
Literature	GENERIF_SUMMARY	findings suggest that the combined variants of p53 and p73 significantly increase the risk of lung cancer in smokers
Literature	GENERIF_SUMMARY	Suppression of inhibitor of differentiation 2, a target of mutant p53, suppresses tumorigenesis in mice
Literature	GENERIF_SUMMARY	data suggests that TP53 mutations are associated with poor outcome in breast cancer
Literature	GENERIF_SUMMARY	Describe TP53 expression in developing pituitary gland.
Literature	GENERIF_SUMMARY	Ethnicity determines association of p53Arg72Pro alleles with cervical cancer
Literature	GENERIF_SUMMARY	Noncanonical DNA motifs as transactivation targets by wild type and mutant p53
Literature	GENERIF_SUMMARY	wild type p53 suppressed the S100A6 promoter up to 12-fold in a cell-specific manner
Literature	GENERIF_SUMMARY	the TP53 polymorphism, at the 347 residue, is not associated with the risk of developing breast cancer
Literature	GENERIF_SUMMARY	a higher frequency of p53 genetic mutations and increased AgNO3-induced DNA damage in oral squamous cell papilloma
Literature	GENERIF_SUMMARY	These data indicate that elevated Skp2 expression may overcome p53-mediated growth arrest and apoptosis actions that are independent of p27(Kip1) degradation.
Literature	GENERIF_SUMMARY	A homozygous p53 R248W gain-of-function mutation as the result of a germline mutation in familial carcinomas. It has been demonstrated previously that p53 R248W is oncogenic
Literature	GENERIF_SUMMARY	15d-PGJ(2) induces vascular endothelial cell apoptosis through the p53-dependent pathway
Literature	GENERIF_SUMMARY	The export of p53 from the nucleus is not sufficient to activate its transcriptional activity in the cytoplasmic p53.
Literature	GENERIF_SUMMARY	The p53-dependent transcriptional regulation of p21 in response to DNA damage
Literature	GENERIF_SUMMARY	Tat contributes to neuronal degeneration through activation of a p53-dependent pathway
Literature	GENERIF_SUMMARY	analysis of the coordinated immediate responses by p16INK4A and p53
Literature	GENERIF_SUMMARY	Occupational exposure to coking oven emissions increases expression of p53
Literature	GENERIF_SUMMARY	The mRNA expression levels of some p53-mediating DNA damage response genes increase with increasing benzene concentration.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with chemoresistance in breast cancer cells (p53 domains L2/L3).
Literature	GENERIF_SUMMARY	wild-type TP53 in CRC cells favours the progression of tumours expressing p53
Literature	GENERIF_SUMMARY	Increased p53 expression in the malignant transformation of Barrett's esophagus

Main Category	Category	
		compartment.
Literature	GENERIF_SUMMARY	S100A6 is induced by tumor necrosis factor-alpha via an NF-kappaB pathway. S100A6 induces tumor necrosis factor-alpha-induced apoptosis by regulating p53 phosphorylation.
Literature	GENERIF_SUMMARY	Aberrant DNA methylation was not associated with p53 mutations.
Literature	GENERIF_SUMMARY	data link EWS-FLI1 to the NOTCH and p53 pathways and provide a mechanism for the association between these two cancers that retain wild-type p53
Literature	GENERIF_SUMMARY	Results suggest that the Arg/Arg genotype polymorphism of p53 may be a protective factor for cervical cancer independent of the human papillomavirus infection.
Literature	GENERIF_SUMMARY	cDNA microarray analysis does not indicate any specific target or over-expressed genes in cells over-expressing EGFR.
Literature	GENERIF_SUMMARY	Results further strengthen the association between germline TP53 mutations and the risk of developing a variety of cancers in the absence of familial tumour susceptibility.
Literature	GENERIF_SUMMARY	Presence of S100A6 coincides with more efficient nuclear accumulation of p53.
Literature	GENERIF_SUMMARY	Different from ERbeta, p53 interacts with HDAC1 and CtBP1 and forms a complex with ERalpha transcriptional complex and inhibit BRCA2 transcription.
Literature	GENERIF_SUMMARY	Influence of tetramerization on site-specific post-translational modification of p53.
Literature	GENERIF_SUMMARY	Data suggest that the R3IM motif of DSS1, in conjunction with the R3IM motif of RPN3, is involved in the recruitment of RPN3/S3 molecule, and utilizes a specific subset of poly-ubiquitin.
Literature	GENERIF_SUMMARY	In leukoblasts from 82 patients with acute myeloid leukemia, various mutations in TP53, RAS, and NF1 genes was observed.
Literature	GENERIF_SUMMARY	These results suggest that p53 influences TLR3 expression and function.
Literature	GENERIF_SUMMARY	STX6 can be induced by DNA damage and Mdm2 inhibitor Nutlin-3.
Literature	GENERIF_SUMMARY	Ins-72Pro haplotype in p53 with an increased cancer risk in BRCA2 carriers.
Literature	GENERIF_SUMMARY	Transcription from P2 is believed to be controlled by p53 and a single nucleotide polymorphism in P2 is associated with an increased risk for, and early development of, malignancies
Literature	GENERIF_SUMMARY	Several members of a Malaysian family had a duplication of a GGC motif in the p53 gene. The duplication results in the insertion of two amino acids between residues 334 & 336 in the tetramerization domain.
Literature	GENERIF_SUMMARY	The protein structure prediction of CP2 family in order to elucidate the mechanism of action.
Literature	GENERIF_SUMMARY	Epithelial ovarian cancer patients with positive expression of VEGF.
Literature	GENERIF_SUMMARY	PPARGgamma and TP53 genes may be candidates for molecular markers in the identification of therapeutic approaches in primary breast cancer.
Literature	GENERIF_SUMMARY	Patients from Kashmir Valley, India with TP53 mutant esophageal cancer.
Literature	GENERIF_SUMMARY	concomitant presence of somatic alteration in mtDNA and the DNA damage response.
Literature	GENERIF_SUMMARY	Together these results identify ASPP2 as a bona fide DDA3 interacting protein that is involved in the regulation of p53 stimulating the apoptotic signaling of p53.
Literature	GENERIF_SUMMARY	Proline oxidase, a p53-induced gene, targets COX-2/PGE2 signaling.
Literature	GENERIF_SUMMARY	In this immunohistochemical study, 80% of all vulvar intra-epithelial neoplasia cases were positive for p53.
Literature	GENERIF_SUMMARY	Alleles of three noncoding TP53 markers were associated with NT.

Main Category	Category	
Literature	GENERIF_SUMMARY	there was no association between the p53 antigen G72C polymorphism and Crohn's disease or granulomatosis
Literature	GENERIF_SUMMARY	maximum expression of p53-Ser15(P) coincided in time with the peak of tumor necrosis factor- α expression
Literature	GENERIF_SUMMARY	results demonstrate that in p53-deficient human gastric cancer cells, miR-34a promotes chemosensitization and apoptosis, indicating that miR-34 may represent a novel target for gastric cancer therapy
Literature	GENERIF_SUMMARY	This review concludes that a selective gain of pro-survival function of p53 may be a potential target for tumor therapy.
Literature	GENERIF_SUMMARY	Hsf1 is required for p53 nuclear importation and activation, which is essential for p53-dependent transcriptional activation
Literature	GENERIF_SUMMARY	An unusual p53 mutation detected in Burkitt's lymphoma
Literature	GENERIF_SUMMARY	Immunohistochemistry using antibodies to determine the protein expression of p53 in human gastric cancer tissues
Literature	GENERIF_SUMMARY	direct interaction between NM23-H1 and macrophage migration inhibitory factor-1 inhibits macrophage activity
Literature	GENERIF_SUMMARY	p53 phosphorylation and localization status is associated with expression of p21 and p27 in human breast cancer cells
Literature	GENERIF_SUMMARY	the cytoplasmic localization of p53 as the most important feature for the detection of p53 in human breast cancer cells
Literature	GENERIF_SUMMARY	the detection of a TP53 abnormality in early stage CLL is often associated with a high risk of relapse, and IGHV genes may have stable disease for many years, never requiring therapy
Literature	GENERIF_SUMMARY	p53 may induce cell cycle arrest not only by well described mechanism but also by recruitment of pathways that reduce the availability of intracellular ATP
Literature	GENERIF_SUMMARY	p53 directly affects hPar1 expression and function, thus providing a novel mechanism for p53-mediated regulation of cell growth
Literature	GENERIF_SUMMARY	increased level of p53 in astroglomas is increasing as the tumor grade increases
Literature	GENERIF_SUMMARY	the kinetic stabilization of microtubules enhances the microtubule-dependent function of p53
Literature	GENERIF_SUMMARY	analysis of the intramolecular interaction in FOXO3a and its binding to p53
Literature	GENERIF_SUMMARY	A panel of tests for p53 codon 72 Pro/Pro, PAI-1 4G/4G and VEGF 165/165 polymorphisms in patients with endometrial cancer
Literature	GENERIF_SUMMARY	Low rates of somatic p53 mutations in keratoacanthomas imply a different pathogenesis from squamous cell carcinoma
Literature	GENERIF_SUMMARY	the sarcomatous transformation of diffuse-type tenosynovial giant cell tumor is associated with p53 mutation
Literature	GENERIF_SUMMARY	Results describe the location and expression of human papillomavirus in the oral cavity
Literature	GENERIF_SUMMARY	Strap regulation reflects the coordinated interplay between different kinases, where phosphorylation by each kinase provides a distinct function
Literature	GENERIF_SUMMARY	PML disruption by EBNA1 requires binding to the cellular ubiquitin-proteasome system
Literature	GENERIF_SUMMARY	combined alpha-methylacyl coenzyme A racemase/p53 analysis may be useful for the detection of p53 in human breast cancer cells
Literature	GENERIF_SUMMARY	Epistatic analysis that p53 inhibition results in a maximum level of p21 expression
Literature	GENERIF_SUMMARY	53BP1 Tudor domain recognition of p53 dimethylated at lysine 382
Literature	GENERIF_SUMMARY	ANKRD11 has a role as a p53 coactivator and may be involved in a novel pathway for p53 activation
Literature	GENERIF_SUMMARY	Data show that nitric oxide derived from S-nitrosoglutathione activates p53, increases p53 expression, and induces accumulation of p53 in normal buccal cells

Main Category	Category	
Literature	GENERIF_SUMMARY	G > A polymorphism at intron 6 of p53 may contribute to the level of
Literature	GENERIF_SUMMARY	Data show that hTERT activity or inactivation of p53 can suppress processed.
Literature	GENERIF_SUMMARY	TP53 mutations in chronic lymphocytic leukemia were significantly
Literature	GENERIF_SUMMARY	p53 is not involved in the HDAC4 repression of p21(WAF1/Cip1) ex
Literature	GENERIF_SUMMARY	knockdown of endogenous MBP-1 is involved in cellular senescence
Literature	GENERIF_SUMMARY	Loss of the Arg allele at codon 72 was associated with earlier onset confers a growth advantage to cells lacking this allele.
Literature	GENERIF_SUMMARY	Influence of prothymosin alpha and its mutants on activity of the p
Literature	GENERIF_SUMMARY	p53 and GLi1 may have a role in tumor cell survival
Literature	GENERIF_SUMMARY	4-HNE is involved in p53-mediated signaling in in vitro cell cultures
Literature	GENERIF_SUMMARY	The p53 codon 72 single nucleotide polymorphism lacks a clinical nondonor IVF cycles.
Literature	GENERIF_SUMMARY	the identification and functional characterization of a novel TP53 gene in a Fraumeni syndrome family
Literature	GENERIF_SUMMARY	These results indicate a ROS-independent but p53/retinoblastoma
Literature	GENERIF_SUMMARY	Myc as an important target for cooperative actions of p53 and Pten self-renewal and tumorigenic potential
Literature	GENERIF_SUMMARY	TsA markedly down-regulated the expression of cyclin D1 and CDK at the G1 phase in MCF10A-ras cells
Literature	GENERIF_SUMMARY	p38 kinase which was activated during p53-induced senescence w
Literature	GENERIF_SUMMARY	incidence of additional cytogenetic abnormalities, reflecting an inc
Literature	GENERIF_SUMMARY	TP53 mutations may have a role in progression of breast cancer
Literature	GENERIF_SUMMARY	analysis of the expression of fatty acid synthase, Ki-67 and p53 in
Literature	GENERIF_SUMMARY	Mdm2 regulates p53 levels also by targeting ribosomal protein L20
Literature	GENERIF_SUMMARY	Results investigate eight polymorphisms in the region encompass
Literature	GENERIF_SUMMARY	three different COX-2 mutations and five different P53 mutations a
Literature	GENERIF_SUMMARY	integrin beta4 is implicated in and associated with p53 in autophag
Literature	GENERIF_SUMMARY	p53-dependent downregulation is consistent with an oncogenic fu transcriptional repression by p53.
Literature	GENERIF_SUMMARY	The over-expression of P53 in Nasal NK/T-cell lymphoma is probably for the expression of MRP and LRP
Literature	GENERIF_SUMMARY	observations provide support for the idea that up-regulation of IFI1 contribute to cellular senescence.
Literature	GENERIF_SUMMARY	JS-K inhibits E1 activity and kills transformed cells harboring wild-t
Literature	GENERIF_SUMMARY	Results describe the possible involvement of p53 in the osteocyte

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 siRNA enhanced reprogramming efficiency of pluripotent stem cells
Literature	GENERIF_SUMMARY	Results demonstrate for the first time that the 72R allele of the p53 gene is not associated with p53 overexpression in gastric cancer positive for p53 overexpression.
Literature	GENERIF_SUMMARY	A novel p53-dependent transcriptional mechanism regulates adaptive responses to oxidative stress, which is important in impairing endothelium-dependent vascular relaxation
Literature	GENERIF_SUMMARY	Germline p53 mutation is associated with adrenocortical carcinoma
Literature	GENERIF_SUMMARY	There was no clear evidence of case heterogeneity by P53 overexpression in gastric adenocarcinoma in relation to smoking and BMI.
Literature	GENERIF_SUMMARY	with aging there is an increase of mutant like conformation state of p53 in elderly patients
Literature	GENERIF_SUMMARY	WTH3 played an important role in MDR development and revealed that WTH3 antagonized p53's positive impact on WTH3 expression
Literature	GENERIF_SUMMARY	Inhibition of MT2A expression by siRNA in the HIPK2 knockdown cells
Literature	GENERIF_SUMMARY	The crystal structures of the p53 core domain incorporating the hot spot mutation suppressor mutation H168R and its sequence-specific complex with DNA
Literature	GENERIF_SUMMARY	the new oncogenic p53 target, PRL-1, may contribute to tumor development
Literature	GENERIF_SUMMARY	CARF plays a dual role in regulating p53-mediated senescence and cell cycle arrest
Literature	GENERIF_SUMMARY	Monocytic leukemia zinc finger (MOZ) interacts with p53 to induce cell cycle arrest
Literature	GENERIF_SUMMARY	REVIEW. p53 represses RHAMM and CD44 expression
Literature	GENERIF_SUMMARY	Participation of p53 in the formation of breast fibroadenomas.
Literature	GENERIF_SUMMARY	GBP-2 is regulated by p53 and may have a role in esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	Doublets in the EGFR and TP53 genes in human lung cancer are elevated in the transgenic mouse
Literature	GENERIF_SUMMARY	Polygonatum cyrtoneuma lectin induces apoptosis and autophagy via p53-dependent pathway
Literature	GENERIF_SUMMARY	Methylation on arginine residues is an underlying mechanism of covalent modification of p53
Literature	GENERIF_SUMMARY	p53 in mitochondria may be a component of an error-repair pathway
Literature	GENERIF_SUMMARY	E6 F47R-induced cellular senescence is strongly dependent on p53
Literature	GENERIF_SUMMARY	TP53 gene expression was significantly higher in colorectal cancer
Literature	GENERIF_SUMMARY	significant interrelationships of the investigated molecular alterations and the promising role of molecular markers (MGMT, p53, Ki-67)in the diagnosis of colorectal cancer
Literature	GENERIF_SUMMARY	Zalypsis provoked DNA double-strand breaks (DSBs), evidenced by gamma-H2AX formation and overexpression of p53 in p53 wild-type cell lines
Literature	GENERIF_SUMMARY	KLF6 and TP53 mutations are not frequent events in prostate cancer
Literature	GENERIF_SUMMARY	Proton beam induces apoptosis of hypoxic tumor cells by the p53-dependent pathway
Literature	GENERIF_SUMMARY	Report differential role of diphenyleneiodonium, a flavoenzyme inhibitor, in the regulation of p53
Literature	GENERIF_SUMMARY	Pleurotus ostreatus inhibits proliferation of human breast and colorectal cancer cells

Main Category	Category	
Literature	GENERIF_SUMMARY	Ets-1 binds cooperatively to the EBS palindrome of the hp53 promoter.
Literature	GENERIF_SUMMARY	Results suggest that nm23-H1 may act as a cellular protector against oxidative stress by regulating a related antioxidative pathway.
Literature	GENERIF_SUMMARY	Data suggest that the activation of the p53 pathway is involved in the regulation of cell growth and differentiation.
Literature	GENERIF_SUMMARY	demonstrated no evidence for association of MDM2 SNP 309 or TP53 SNP 309 (T>C), progression free survival, relapse free survival or time to treatment failure.
Literature	GENERIF_SUMMARY	Hdm2 is expressed in pancreatic cancer cells as a result of activation of p53-dependent genes by p53-independent mechanisms.
Literature	GENERIF_SUMMARY	This study demonstrated that baicalin-induced apoptotic cell death is mediated by bax and p53, implying potential crucial roles of bax and p53 in the baicalin-induced apoptosis.
Literature	GENERIF_SUMMARY	nucleoplasmic relocation of nucleostemin during nucleolar disassembly is associated with MDM2 stabilization and p53 inhibition.
Literature	GENERIF_SUMMARY	p53 nucleolar association occurs in lung and bladder carcinomas.
Literature	GENERIF_SUMMARY	the presence of the p53 codon 249 mutation from plasma DNA is associated with poor prognosis.
Literature	GENERIF_SUMMARY	expression of miRNAs is downregulated in senescent cells and in E2F1-mediated manner
Literature	GENERIF_SUMMARY	Overexpression of p53 oncoprotein is associated with gastric carcinoma.
Literature	GENERIF_SUMMARY	p53 mutation present in nonneoplastic mucosa of inflammatory bowel disease.
Literature	GENERIF_SUMMARY	CLL patients with p53 and/or ATM gene deletion had poor therapeutic response.
Literature	GENERIF_SUMMARY	Two conserved CPEs in the p53 3'UTR regulate stability and translation.
Literature	GENERIF_SUMMARY	analysis of p53 gene in prostate adenocarcinoma showed several mutations. The results showed localization of p53 & T antigen (TA) into cytoplasm, but in the nucleus.
Literature	GENERIF_SUMMARY	The authors show that Pirh2-p53 interaction is dependent on the C-terminal domain of p53.
Literature	GENERIF_SUMMARY	results demonstrate that the TP53-R337H mutation can significantly alter the function of cooperating genetic factors
Literature	GENERIF_SUMMARY	findings of higher DNA concentrations with some p53 mutations in the plasma of cancer patients from tumour DNA may hold promises that CFDNA may serve as a biomarker for cancer diagnosis.
Literature	GENERIF_SUMMARY	Results suggest that nonactivated p53 has limited binding activity, and that the transcriptional program of p53 is most likely required to activate the transcriptional program of p53.
Literature	GENERIF_SUMMARY	the pathways regulated by the NF1 and p53 tumor-suppressor protein are involved in cell differentiation
Literature	GENERIF_SUMMARY	Determination of well-known p53 polymorphisms might be a good prognostic factor in early-stage cancer patients.
Literature	GENERIF_SUMMARY	epirubicin-cyclophosphamide treatment induces senescence-like features in tumor cells, and induces mitotic catastrophe and tumor death
Literature	GENERIF_SUMMARY	Expression of p53, BCL-2 and Ki-67 was upregulated in clinically localized breast cancer. E-cadherin expression.
Literature	GENERIF_SUMMARY	single nucleotide polymorphisms in TP53 gene is associated with poor prognosis.

Main Category	Category	
Literature	GENERIF_SUMMARY	c-Abl and p53 are important for execution of the cell death program and p53 has an anti-apoptotic role
Literature	GENERIF_SUMMARY	Completely inhibits <i>Saccharomyces cerevisiae</i> growth under minimal growth conditions
Literature	GENERIF_SUMMARY	Chk1 affects Cdc25A via rapid phosphorylation and protein turnover leading to release of cell cycle arrest.
Literature	GENERIF_SUMMARY	epithelial tumor cells can suppress p53 induction in neighboring fibroblasts
Literature	GENERIF_SUMMARY	the Sirt1-dependent proapoptotic effect of Salermide is p53-independent
Literature	GENERIF_SUMMARY	HER-2/neu, AR, and p53 are expressed in a subset of histologically normal prostate glands and reliably predict early carcinomatous transformation in pleomorphic adenoma
Literature	GENERIF_SUMMARY	Hepatitis C virus genotype IV and p53 protein levels may have a role in liver cancer
Literature	GENERIF_SUMMARY	The inactivation of TP53 is similar in familial pancreatic adenocarcinoma and sporadic cases
Literature	GENERIF_SUMMARY	ATM is a key regulatory protein to promote activation of p53 and SIRT1 may play an important role in modulation of intracellular copper concentration
Literature	GENERIF_SUMMARY	Results suggest that apoptosis inhibitory proteins are highly induced in tumor cells compared to control cells.
Literature	GENERIF_SUMMARY	relation with p53 protein expression, p53 gene codon 72 polymorphism and p53 gene expression
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism (Arg72Pro) frequencies with respect to p53 protein expression
Literature	GENERIF_SUMMARY	The specific knockdown of individual protein kinases (PKs) has enhanced the effect of PCNA and p53 in ovarian cells.
Literature	GENERIF_SUMMARY	Alterations in both the p53 and p16-Rb pathways are associated with progression of disease
Literature	GENERIF_SUMMARY	Interferon-gamma induces cellular senescence through p53-dependent mechanisms
Literature	GENERIF_SUMMARY	p53 mutations are frequent in tumor-surrounding histologically normal cells
Literature	GENERIF_SUMMARY	neither the TP53 Arg72Pro polymorphism nor the MDM2 SNP309 polymorphism is associated with systemic lupus erythematosus
Literature	GENERIF_SUMMARY	Genotoxic stress promotes the p53-dependent up-regulation of the p53-dependent pathway
Literature	GENERIF_SUMMARY	additional inactivation of p53 in malignant primaries and benign recurrent papillomas may promote tumour growth.
Literature	GENERIF_SUMMARY	results support the hypothesis that p53 function is suppressed by the p53-MDM2 regulatory axis as a therapeutic strategy in synovial sarcoma
Literature	GENERIF_SUMMARY	All cases expressed p53 proteins in basal and suprabasal layers. In the suprabasal layer, cells with slightly stained nuclei were predominant
Literature	GENERIF_SUMMARY	P53 had neither diagnostic nor prognostic relevance in patients with squamous cell carcinoma
Literature	GENERIF_SUMMARY	p53 and ATF-2 partly mediate the overexpression of COX-2 in H(2)O(2)-induced cells
Literature	GENERIF_SUMMARY	Human papillomavirus-infected esophageal squamous papillomas express p53
Literature	GENERIF_SUMMARY	Over-expression of the Tp53, CCND1, and C-myc genes appears to be associated with progression of disease
Literature	GENERIF_SUMMARY	ING1 variants may modulate p53 activity and subsequently inhibit p53-dependent transcription
Literature	GENERIF_SUMMARY	The switch from Mnt-Max to Myc-Max during bile duct ligation (cholestatic liver injury) is associated with p53 activation

Main Category		Category
		induction in p53 and cyclin D1 expression and contributes to apoptosis
Literature	GENERIF_SUMMARY	Effect of ROS on angiogenesis in tumors expressing hot-spot p53 transcriptional factor responsible for up-regulation of VEGF-A mRNA
Literature	GENERIF_SUMMARY	results suggest that the TP53Pro variant may contribute to the risk
Literature	GENERIF_SUMMARY	Data show that absolute alcohol as a fixative produced the best im
Literature	GENERIF_SUMMARY	the essential role of p53 in hyperpigmentation of the skin via the re
Literature	GENERIF_SUMMARY	p53 is selectively stabilized because the unanchored polyubiquitin but not with Mdm2 for proteasomal recognition
Literature	GENERIF_SUMMARY	RYBP decreases MDM2-mediated p53 ubiquitination by interacting DNA damage.
Literature	GENERIF_SUMMARY	TP53 mutation but no CHEK2*1100DelC variant in familial gliomas
Literature	GENERIF_SUMMARY	Increased PDF mRNA stability in response to hypoxia and cobalt c expression occurs via diverse mechanisms.
Literature	GENERIF_SUMMARY	After treatment of HepG2 cells with DOX, the expression of p53 an treatment.
Literature	GENERIF_SUMMARY	p53 mutation is an initiating mutation in the majority of colitis-ass
Literature	GENERIF_SUMMARY	p53 oligomerization precedes its acetylation by providing docking
Literature	GENERIF_SUMMARY	Spy1 fulfills a novel regulatory role in the intrinsic DNA damage res and cell cycle progression in response to exogenous or intrinsic da
Literature	GENERIF_SUMMARY	p53-Mdm2 protein-protein and p53 mRNA-Mdm2 interactions affe
Literature	GENERIF_SUMMARY	The Snail-p53 binding as the new therapeutic target for K-Ras-muta
Literature	GENERIF_SUMMARY	p53 either alone or associated with Human papilloma virus was no
Literature	GENERIF_SUMMARY	There was a positive correlation between p53 and p63 in nasal and
Literature	GENERIF_SUMMARY	data suggest that the Mya arenaria p53 shares some functional sim at a critical juncture in evolution of this gene family
Literature	GENERIF_SUMMARY	Transcriptome profiling and TP53 sequencing of concurrent small entities.
Literature	GENERIF_SUMMARY	Review describes a family with TP53 germline mutations including primary leptomenigeal sarcomatosis; a paternal grandmother dia
Literature	GENERIF_SUMMARY	Suggest a synergistic effect between smoking and TP53 genetic p
Literature	GENERIF_SUMMARY	Tubulin acetylation stimulates the binding and the signaling functi
Literature	GENERIF_SUMMARY	This selectivity of flavokawain A for inducing a G(2)-M arrest in p53 prevention and treatment of bladder cancer.
Literature	GENERIF_SUMMARY	These results highlight the prognostic value of CDK4 amplification primary GBM.
Literature	GENERIF_SUMMARY	The aim of the study was to evaluate the correlation between clinic in cancer tissues.
Literature	GENERIF_SUMMARY	CPEB controls senescence and bioenergetics in human cells at lea

Main Category	Category	
Literature	GENERIF_SUMMARY	Data are the first demonstration that wild-type p53 protein binds to p53 promoter, inhibits p53 expression, and transcriptional repression of EpCAM contributes to p53-mediated growth inhibition
Literature	GENERIF_SUMMARY	The authors found that liberation of p53 through chemical antagonism of MDM2 by the p53 inhibitor, PRN-1000, led to apoptosis of established LCLs and suppressed EBV-mediated proliferation
Literature	GENERIF_SUMMARY	Up-regulation of p53 gene expression is associated with virus-mediated inhibition of cell growth
Literature	GENERIF_SUMMARY	A role for p53 in mediating altered trophoblast cell turnover in response to placental hypoxia
Literature	GENERIF_SUMMARY	p53-deficient neuroblastoma cells are largely resistant to nitric oxide-induced cell death, suggesting that p53 is not required for NO treatment
Literature	GENERIF_SUMMARY	TP53 mutation is highly recurrent in basal-like carcinoma independent of the presence of BRCA1/2
Literature	GENERIF_SUMMARY	The genetic polymorphisms of the p53, genes were found to be significantly associated with the risk of gastric cancer
Literature	GENERIF_SUMMARY	These results suggest that multiple TP53 mutations in glioblastoma cells are associated with the inactivation of the NBS1 gene.
Literature	GENERIF_SUMMARY	This is the first description of p53 signatures adjacent to carcinoma
Literature	GENERIF_SUMMARY	p53 deletion without multiple aberrations is an independent negative prognostic factor in colorectal cancer
Literature	GENERIF_SUMMARY	Crystal Structures of Human MdmX (HdmX) in Complex with p53
Literature	GENERIF_SUMMARY	p53 may play a role in influencing tumor metastasis through Lasp1
Literature	GENERIF_SUMMARY	Among the 112 patients with urothelial carcinoma of the upper urinary tract, 53 (47.3%) had p53 gene mutations
Literature	GENERIF_SUMMARY	the deregulated miR expression pattern, miR-34a, miR-29 and miR-143 were significantly up-regulated and associated to the biological subtypes of CLL
Literature	GENERIF_SUMMARY	UVA-induced apoptosis is caused by extensive oxidative damage leading to mitochondrial dysfunction and apoptosis signaling upstream of lysosomal membrane permeability
Literature	GENERIF_SUMMARY	Results describe the role of P53/P21 and RUNX 3 in the effects of oxidative stress on cell growth
Literature	GENERIF_SUMMARY	Data show that Cav-1 expression in tumor tissues was correlated with p53 expression
Literature	GENERIF_SUMMARY	p53 Mutations is associated with carcinoma of the esophagus and gastric cancer
Literature	GENERIF_SUMMARY	Mdm2-mediated control of p53 synthesis and degradation has evolved to regulate p53 activity
Literature	GENERIF_SUMMARY	Only a small fraction of naturally occurring sequence variations of p53 are tolerated
Literature	GENERIF_SUMMARY	The effects of specific p53 phosphorylations on its interaction with MDM2
Literature	GENERIF_SUMMARY	IFI16 and NM23/NDPK are simultaneously bound in vivo to the p53 protein
Literature	GENERIF_SUMMARY	A TP53 single nucleotide polymorphism is critical for oncogenesis
Literature	GENERIF_SUMMARY	a risk factor for lung cancer
Literature	GENERIF_SUMMARY	functional link between Cyr61 and p53 in cancers
Literature	GENERIF_SUMMARY	p53 was found to be a strong surrogate marker for outcome in melanoma
Literature	GENERIF_SUMMARY	results suggest that genetic polymorphism of p53 codon 72 played a role in the prognosis of gastric cancer
Literature	GENERIF_SUMMARY	p53 immunostaining did not correlate with those of the p53 genetic polymorphism
Literature	GENERIF_SUMMARY	P53 expression seems to be related to some histopathological features

Main Category	Category	
Literature	GENERIF_SUMMARY	The release of PCAF from hSirT1 repression favors the assembly of a p53-dependent apoptosis-inducing complex.
Literature	GENERIF_SUMMARY	Genetic and pharmacologic perturbation of p53 directly influences the growth of human colorectal cancer cells.
Literature	GENERIF_SUMMARY	The combination of the MDM2 SNP309 and the three TP53 polymorphisms (TP53 P72R, TP53 P279L, TP53 P527L) is associated with a poor prognosis in breast cancer.
Literature	GENERIF_SUMMARY	Immunohistochemistry detected inhibin-alpha, -betaA and -betaB, but not inhibin-gamma, in the cytoplasm of the tumor cells.
Literature	GENERIF_SUMMARY	Results identify PLA2R (phospholipase A2 receptor) as a potential target for p53 pathway activation through the activation of the p53 pathway.
Literature	GENERIF_SUMMARY	Change of mitochondrial DNA is a common event in colorectal cancer cells.
Literature	GENERIF_SUMMARY	gain-of-function p53 mutant acquires the de novo ability to stimulate cell growth in carcinomas
Literature	GENERIF_SUMMARY	p53 nuclear expression is associated with disease progression from low to high grade in breast cancer.
Literature	GENERIF_SUMMARY	p53 is as a cytotoxic bomb that can be triggered by granzyme K, leading to cell death.
Literature	GENERIF_SUMMARY	miR-145 provides a direct link between p53 and c-Myc in this gene.
Literature	GENERIF_SUMMARY	Study identifies PHLDA3 as a p53 target gene that encodes a PH domain protein that binds to the p53 protein, inhibiting Akt translocation to the nucleus.
Literature	GENERIF_SUMMARY	Analysis of pair wise genotype combinations revealed increase in mutation frequency in the p53 gene.
Literature	GENERIF_SUMMARY	Data indicate that the level of HCCR-1 in breast cancer tissues is correlated with the level of p53 expression. Determination of HCCR-1 levels as options for HER2 testing is proposed.
Literature	GENERIF_SUMMARY	Tp53 mutant human glioma cells are sensitive to UV-C-induced apoptosis.
Literature	GENERIF_SUMMARY	The p53 codon 72 exon 4 BstUI polymorphism is only weakly associated with breast cancer in women.
Literature	GENERIF_SUMMARY	PKR represents a cognitive decline biomarker able to dysregulate the function of lymphocytes
Literature	GENERIF_SUMMARY	The authors conclude that the E1B 55-kDa protein is not necessary for the induction of p53-dependent apoptosis.
Literature	GENERIF_SUMMARY	Lung adenocarcinoma occurring in young patients tends to have a p53 expression more closely correlated with p53 expression than in elderly patients.
Literature	GENERIF_SUMMARY	The results of our study do not support a relevant role of the p53 protein in the progression of HPV infection with the HPV status.
Literature	GENERIF_SUMMARY	CCR5 and p53 codon 72 gene polymorphisms
Literature	GENERIF_SUMMARY	The balance of G1I1 and p53 functions, thus, determines cell number and tumorigenesis.
Literature	GENERIF_SUMMARY	TBX2 is a cell type-dependent survival factor under a p53-negative regulation.
Literature	GENERIF_SUMMARY	first report showing p53 overexpression and its genetic background in human colorectal cancer.
Literature	GENERIF_SUMMARY	current understanding on p53 ubiquitination by Mdm2 with a particular emphasis on the role of ubiquitin modifications will direct the p53 response (Review)
Literature	GENERIF_SUMMARY	Thermodynamic experiments revealed the importance of hydrophobic interactions in the p53-Mdm2 complex (Thr18).
Literature	GENERIF_SUMMARY	Report role of p53 in the induction of cyclooxygenase-2 by cisplatin.

Main Category	Category	
Literature	GENERIF_SUMMARY	Ubiquitination of mammalian AP endonuclease (APE1) regulated b
Literature	GENERIF_SUMMARY	Binding sites of the p53 transactivation domain with the CBP KIX c
Literature	GENERIF_SUMMARY	study examined the associations between p53 mutations, p53 fun
Literature	GENERIF_SUMMARY	Relationship of immunohistochemistry scores of altered p53 prote
Literature	GENERIF_SUMMARY	The integration of PTEN and p53 into a common pathway for the in
Literature	GENERIF_SUMMARY	Unlike other DNA damage response-inducing agents, RITA treatme
Literature	GENERIF_SUMMARY	p53 stabilisation and caspase-3 activation concur to determine the
Literature	GENERIF_SUMMARY	We suggest that TP53 Pro47Ser and Arg72Pro polymorphisms and
Literature	GENERIF_SUMMARY	Results suggest that prevalent haplotypes within the TP53 gene m
Literature	GENERIF_SUMMARY	Transcriptome analyses revealed a consistent up-regulation of pol
Literature	GENERIF_SUMMARY	p53 activation may downregulate the AKT/mTOR pathway through
Literature	GENERIF_SUMMARY	p53 affects the speed of oocyte development and may influence th
Literature	GENERIF_SUMMARY	A recombinant cell-permeable p53 fusion protein is selectively sta
Literature	GENERIF_SUMMARY	SOX4, a new DNA damage sensor, is required for the activation of p
Literature	GENERIF_SUMMARY	p53 alterations were more frequent in non-endometrioid adenocar
Literature	GENERIF_SUMMARY	Deleterious mutations of p53 seemed to be responsible for approx
Literature	GENERIF_SUMMARY	p53 Pro72 variant is associated with an increased risk for colorect
Literature	GENERIF_SUMMARY	Mutations in TP53 is associated with Salivary Gland Neoplasms.
Literature	GENERIF_SUMMARY	Depletion of the outer kinetochore protein hBub1 upon activation o
Literature	GENERIF_SUMMARY	Results suggest that loss of IKKbeta activation is important for the
Literature	GENERIF_SUMMARY	EBNA3C enhances the intrinsic ubiquitin ligase activity of Mdm2 to
Literature	GENERIF_SUMMARY	Internalization of a peptide fragment derived from p53 tumor supp
Literature	GENERIF_SUMMARY	Increased p53 expression in luminal cells was related to focal infl
Literature	GENERIF_SUMMARY	ASPP2 primarily binds to the core domain of p53, whereas iASPP p
Literature	GENERIF_SUMMARY	Testing for p53 polymorphisms may allow identification of gastric
Literature	GENERIF_SUMMARY	p53 mutation is an early genetic event affecting a diversity of mole
Literature	GENERIF_SUMMARY	For urine cytology, immunostaining method with epidermal growth
Literature	GENERIF_SUMMARY	MDM2 released from p53 by RITA promotes degradation of p21 an

Main Category	Category	
Literature	GENERIF_SUMMARY	P53 physically interacts with hBub1 at kinetochores in response to p53 mediated cell death.
Literature	GENERIF_SUMMARY	These findings deciphered the structural basis for high-affinity pep
Literature	GENERIF_SUMMARY	a novel mechanism by which mutant p53 acquires its gain of functi
Literature	GENERIF_SUMMARY	Higher levels of ATP5a1 expression are associated with certain Sin
Literature	GENERIF_SUMMARY	combined deletion of p53 and Pten in bladder epithelium leads to i tumorigenesis in human bladder cells and is correlated with poor s
Literature	GENERIF_SUMMARY	there was no association between CTLA-4 (cytotoxic T-lymphocyte diseases
Literature	GENERIF_SUMMARY	Induction of p53 contributes to apoptosis of HCT-116 human color
Literature	GENERIF_SUMMARY	p53 acetylation liberates BAX from Ku70
Literature	GENERIF_SUMMARY	The N-terminal region of GSK3 beta binds p53, this association pro GSK3.
Literature	GENERIF_SUMMARY	Serum withdrawal also up-regulates human SIRT1 gene expression for the up-regulation.
Literature	GENERIF_SUMMARY	Hypoxia regulates human lung fibroblast proliferation via p53-depe
Literature	GENERIF_SUMMARY	Results showed that the positive expressions of the mutated BCRA
Literature	GENERIF_SUMMARY	The majority of the cases of Adenosquamous carcinoma of the pa
Literature	GENERIF_SUMMARY	Results establish a new role for H2AX in the p53/p21 pathway and stalling.
Literature	GENERIF_SUMMARY	Data show that upregulation of the p53 tumor suppressor during th phenotype in Rpl24-deficient mice.
Literature	GENERIF_SUMMARY	model that describes the influence that DNA damage has on the in induction via its activation of the p53 synthesis process
Literature	GENERIF_SUMMARY	This large study provides statistical evidence for a small increase i
Literature	GENERIF_SUMMARY	Repression of E6 and E7 oncogenes results in restoration of p53 s squamous cell cancer cell lines.
Literature	GENERIF_SUMMARY	p53-dependent apoptosis upregulated by the I143T/G384A mutant proteasome impairment
Literature	GENERIF_SUMMARY	ARNTL, RBCK1 and TNIP1 regulate p53 function.
Literature	GENERIF_SUMMARY	No apparent correlation was found between p12(DOC-1) and p53 e
Literature	GENERIF_SUMMARY	TP53 Arg72Pro associated with the increased risk of sporadic pap
Literature	GENERIF_SUMMARY	ALK signaling leads to the functional inactivation and/or degradati
Literature	GENERIF_SUMMARY	The results of this study demonstrate that gankyrin overexpression model. Mdm2 expression was not affected by gankyrin.
Literature	GENERIF_SUMMARY	None of the inverted papillomas exhibited mutations in TP53
Literature	GENERIF_SUMMARY	analysis of functional TP53 in nasopharyngeal carcinoma

Main Category	Category	
Literature	GENERIF_SUMMARY	Results suggest that a physiological level of TopBP1 is essential for p53 to perturb p53 function and contribute to an aggressive tumor behavior.
Literature	GENERIF_SUMMARY	We concluded that the p53 codon 72 Arg/Pro polymorphism is not a major determinant of the difference in p53 expression between mild and severe levels of p53.
Literature	GENERIF_SUMMARY	miR-125b, a brain-enriched microRNA, is a bona fide negative regulator of p53.
Literature	GENERIF_SUMMARY	P53 gene mutations are significantly correlated with p53 protein overexpression.
Literature	GENERIF_SUMMARY	Results show that p53 abrogation rescues both the small size phenotype and the telomeric DNA deficient mice with dysfunctional telomeres.
Literature	GENERIF_SUMMARY	A smaller-sized Sfp53 orthologue shows highly conserved native sequence and p53 transcriptional activity.
Literature	GENERIF_SUMMARY	Modulation of the oligomerization state of p53 by differential binding to MDM2.
Literature	GENERIF_SUMMARY	Results highlight the role of SMAR1 in masking the active phosphoserine, thereby regulating the p53 transcriptional response during stress response.
Literature	GENERIF_SUMMARY	Crystal structures of two complexes, a p53-like mutant peptide with MDM2 and a p53-like mutant peptide with MDM1.
Literature	GENERIF_SUMMARY	The impact of p53beta and p53gamma on the function of endogenous p53.
Literature	GENERIF_SUMMARY	Data show that neither the status of p53 (wild-type vs. mutated, or p53 overexpression) nor the status of DNA methyltransferase significantly affected the cell response to temozolomide.
Literature	GENERIF_SUMMARY	leukocyte elastase-induced apoptosis of lung epithelial cells is mediated by p53 and a PUMA- and Bax-dependent increase in mitochondrial permeability.
Literature	GENERIF_SUMMARY	JNK activation essential for the autophagic cell death resulted in ubiquitination and phosphorylation, suggesting that these pro-autophagic signaling pathways are involved.
Literature	GENERIF_SUMMARY	MDM2 acts as an ubiquitin E3 ligase, downstream of p53, to regulate p53 stability.
Literature	GENERIF_SUMMARY	Data show that FGFR1 and DDHD2 at 8p12 cooperated functionally with p53 to suppress the growth of TP53.
Literature	GENERIF_SUMMARY	Results reveal a novel and direct role for p14ARF in the p53-independent pathway.
Literature	GENERIF_SUMMARY	Stabilization and activation of p53 by spindle disruption requires the p53 pathway.
Literature	GENERIF_SUMMARY	The presence of deleterious TP53 mutations in most, if not all, BRCA1-associated tumorigenesis.
Literature	GENERIF_SUMMARY	The functional relationship of the the ubiquitin-proteasome system with p53 in vitro, was studied.
Literature	GENERIF_SUMMARY	The higher frequency of the Pro/Pro phenotype of p53 in African Americans is associated with the incidence of p53 mutations, with advanced tumor stage, and with survival.
Literature	GENERIF_SUMMARY	The studies unravel a molecular mechanism underlying sumoylation of p53, which antagonizes the inhibitory effect of sumoylation on p53 binding to MDM2.
Literature	GENERIF_SUMMARY	p53 normally suppresses the generation of tetraploid cells, presumably by inhibiting cell cycle progression.
Literature	GENERIF_SUMMARY	There is a tight association between cold winter temperature and p53 mutations in 4029 individuals across Eastern Asia that suggests causative selection.
Literature	GENERIF_SUMMARY	Study shows that TGFbeta-dependent cell migration, invasion and metastasis are regulated by p53.

Main Category	Category	
Literature	GENERIF_SUMMARY	Her-2/neu (47.1%), p-53 (31.74%), and their combined expression (
Literature	GENERIF_SUMMARY	Findings confirmed the relationship of p53, MDM2, and COX-2 with
Literature	GENERIF_SUMMARY	Study provides evidence that p53, binding with Snail, is exported fr using a p53-nuclear-exporting mechanism.
Literature	GENERIF_SUMMARY	down regulation of miR-34a, miR-29 and miR-17-5p in aggressive C
Literature	GENERIF_SUMMARY	cases of resistance to chemotherapy in CLL with TP53 mutation in
Literature	GENERIF_SUMMARY	Results describe the expression pattern of p53, BCL-2 and epiderm
Literature	GENERIF_SUMMARY	Data suggest that perhaps there are unclear mechanisms existed f
Literature	GENERIF_SUMMARY	Data show that p53 regulates ER expression through transcriptiona breast cancer.
Literature	GENERIF_SUMMARY	The binding interactions between the N-terminal transactivation do domains of CBP, and the p53-binding domain of HDM2, are examin
Literature	GENERIF_SUMMARY	The Pro allele at codon 72 of p53 was a risk factor for developing l
Literature	GENERIF_SUMMARY	simultaneous phosphorylation of S15 and S20 is causally associat apoptotic genes.
Literature	GENERIF_SUMMARY	AP-1 binds to the p53 gene promoter region and regulates its expr
Literature	GENERIF_SUMMARY	Data indicates that demethylation of the survivin promoter by deci inhibited by DNA methylation.
Literature	GENERIF_SUMMARY	Gastric cancer patients who had low FBXW7 expression levels and subgroups.
Literature	GENERIF_SUMMARY	HCC containing R249S can occur in the absence of significant rec aflatoxin exposure may allow the detection of R249S in plasma se
Literature	GENERIF_SUMMARY	Variants in the TP53 gene may modify the risk of late skin toxicity
Literature	GENERIF_SUMMARY	TP53 genotyping may be of clinical interest in selecting patients w cancer.
Literature	GENERIF_SUMMARY	Li-Fraumeni and Li-Fraumeni-like syndrome mutations in p53 are a
Literature	GENERIF_SUMMARY	Studied Neuroblastoma tumors from patients for miR-34a express TP53 binding site. No mutations were identified in the coding regio
Literature	GENERIF_SUMMARY	it is proposed that the loss of a second allele of Tp53 leading to th events that lead to morphological transformation & instigation of c
Literature	GENERIF_SUMMARY	p53 dysfunction in HCC can cause an upregulation of the HBx prot
Literature	GENERIF_SUMMARY	the mechanisms of mutation at codon 249 (R249S)and the possib
Literature	GENERIF_SUMMARY	Sirt1 inhibition resulted in an increase in senescence in PC3-p53 c
Literature	GENERIF_SUMMARY	depletion of Sestrin2 or Dram failed to affect autophagy in p53-def
Literature	GENERIF_SUMMARY	findings revealed Apak to be a negative regulator of p53-mediated
Literature	GENERIF_SUMMARY	A family with LFS harbors a germline TP53 mutation (R248W) loca DNA.

Main Category	Category	
Literature	GENERIF_SUMMARY	ZBTB2 is a potential proto-oncogenic master control gene of the p53 cell cycle arrest gene p21 by inhibiting p53 and Sp1
Literature	GENERIF_SUMMARY	An approximately 32-fold increase in caspase-1 expression was observed in p53-deficient cells
Literature	GENERIF_SUMMARY	p53 is required for etoposide-induced apoptosis of hESC and reveals a novel hESC
Literature	GENERIF_SUMMARY	p53 Arg72Pro Pro/Pro was associated with esophageal cancers.
Literature	GENERIF_SUMMARY	Cutaneous hidradenocarcinoma has a relatively low frequency of TP53 immunohistochemical level.
Literature	GENERIF_SUMMARY	A poorer survival was observed among carriers of the variant allele
Literature	GENERIF_SUMMARY	p53 inactivation may promote malignant transformation of a subpopulation of senescence
Literature	GENERIF_SUMMARY	Epstein-Barr virus nuclear antigen 3C, one of the EBV latent antigens
Literature	GENERIF_SUMMARY	Data show that with MAK3 knockdown, p53 is stabilized and phosphorylates genes downstream of p53, and that localization of Arl8b is altered.
Literature	GENERIF_SUMMARY	Artemis and DNA-PKcs participate in a new, signaling pathway to regulate respiration.
Literature	GENERIF_SUMMARY	Full sequencing of TP53 identifies identical mutations within in situ
Literature	GENERIF_SUMMARY	Novel germline p53 mutation is associated with glioblastoma and
Literature	GENERIF_SUMMARY	Control of p53's transcriptional activity is crucial for determining w
Literature	GENERIF_SUMMARY	Covalent modification of mutant p53 per se is sufficient to induce
Literature	GENERIF_SUMMARY	GATA-1 and p53 interact in erythroid cells, and activation of p53-regulation of GATA-1.
Literature	GENERIF_SUMMARY	Increased metallothionein and p53 expression is associated with c
Literature	GENERIF_SUMMARY	acetylation at Lys-120 of p53 negatively regulates a signaling path
Literature	GENERIF_SUMMARY	p53-mediated tumor suppression can be attributed at least in part
Literature	GENERIF_SUMMARY	Genetic changes in TP53 can be detected also in non-neoplastic le
Literature	GENERIF_SUMMARY	When the p53 and MDM2 polymorphisms were combined, no multiple the risk of developing AML
Literature	GENERIF_SUMMARY	11 TP53 SNPs were evaluated in women with CIN3+, 380 with HPV
Literature	GENERIF_SUMMARY	Increased risk of head and neck cancer among individuals with co those carrying the p53 exon 4-p53 intron 6 diplotype combination.
Literature	GENERIF_SUMMARY	Both Forkhead Transcription Factor 3a and Tumor Suppressor Protein physiological functions.
Literature	GENERIF_SUMMARY	p53 is primarily protective against ultraviolet rays-induced apopto
Literature	GENERIF_SUMMARY	p53 regulates angiogenesis in low-grade astrocytomas
Literature	GENERIF_SUMMARY	advanced DSB repair analysis may serve as a novel assay for the f
Literature	GENERIF_SUMMARY	The frequency of TP53 mutations in low-grade and high-grade carc

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism may serve as a susceptible factor aff
Literature	GENERIF_SUMMARY	Data show that it can function in an autoregulatory loop consisting role for this loop in genome stability and oncogenesis.
Literature	GENERIF_SUMMARY	Inhibition of de novo purine synthesis in human prostate cells resu
Literature	GENERIF_SUMMARY	Our results show that the combination of rAd-p53 and BAI was we delayed the disease progression.
Literature	GENERIF_SUMMARY	p53 gene mutations apparently precede the morphological change
Literature	GENERIF_SUMMARY	Results indicate that Wip1 up-regulation is important in the pathog dephosphorylation and the amplification of subsequent estrogenic
Literature	GENERIF_SUMMARY	NORE1A activates p21(CIP1) via promoting p53 nuclear localizatio
Literature	GENERIF_SUMMARY	Data show that FAT10 and mutant p53 levels in gastric cancer tiss metastasis staging.
Literature	GENERIF_SUMMARY	Co-depletion of Cdc6 and p53 in normal cells restored Cdk2 activa of replication.
Literature	GENERIF_SUMMARY	median pancreatic cancer survival in p53 positive group was 10.0+
Literature	GENERIF_SUMMARY	p53 overexpression, NF-kappaB positivity, and beta-catenin loss w adenocarcinomas.
Literature	GENERIF_SUMMARY	Results indicate that wtp53 and p53 mutants may differentially cor
Literature	GENERIF_SUMMARY	Data demonstrate a novel function of the evolutionarily conserved activity and permit cancer cell proliferation.
Literature	GENERIF_SUMMARY	Results show correlation between induction of p53, reactive oxyge markedly.
Literature	GENERIF_SUMMARY	cAMP levels may influence p53 function in malignant cells that ret initiation and maintenance, and as an effector of the apoptotic res
Literature	GENERIF_SUMMARY	Study provides evidence supporting the association of MDM2 SNF has a prognostic value for overall survival and EFS in osteosarcom
Literature	GENERIF_SUMMARY	The expressions of p53, p21 and Ki67 proteins are closely related v
Literature	GENERIF_SUMMARY	Results suggest that adenovirus-mediated transduction of p53 and
Literature	GENERIF_SUMMARY	HER-2/neu, and p53 do not seem to play a significant role in the pr
Literature	GENERIF_SUMMARY	functional inactivation of p53 by COX-2 can be one of the mechan
Literature	GENERIF_SUMMARY	the expression of p53, p21 and RB was not significantly different in
Literature	GENERIF_SUMMARY	Results suggest that an increased transcription of pro-apoptotic g endometriosis, which indicates dysregulation of apoptotic gene tra
Literature	GENERIF_SUMMARY	An association was found between the presence of the TP53-72Ar
Literature	GENERIF_SUMMARY	results also provide a plausible explanation for the evolutionary po the p53 pathway as a good example of antagonistic pleiotropy
Literature	GENERIF_SUMMARY	p53 plays a critical role in synergistic growth inhibition by erlotinib
Literature	GENERIF_SUMMARY	Study concludes p53 polymorphisms are not associated with prim

Main Category	Category	
Literature	GENERIF_SUMMARY	mutations may occur early or late in the development of oral squamous cell carcinoma
Literature	GENERIF_SUMMARY	TP53 mutations can exist in benign oral lesions for many years with no evidence of progression to carcinoma in carcinoma patients with positive TP53 protein expression.
Literature	GENERIF_SUMMARY	Plk1 modulates Topors activity in suppressing p53 function
Literature	GENERIF_SUMMARY	review of literature analysing influence of radon exposure on mutagenesis and the possible existence of a radon hotspot in TP53 gene [review]
Literature	GENERIF_SUMMARY	Pirh2 ubiquitin ligase has two novel isoforms that negatively regulate p53
Literature	GENERIF_SUMMARY	In the context of mutant p53, PML enhances its cancer-promoting activity
Literature	GENERIF_SUMMARY	status of p53 (wild-type versus mutant) rather than expression level of p53 is the determinant of outcome in esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	describes a third abnormal response pattern characterized by failure to up-regulate p21
Literature	GENERIF_SUMMARY	Findings suggest that p53beta might play an important role in the pathogenesis of RCC and might be a therapeutic target for RCC.
Literature	GENERIF_SUMMARY	The acetylation of Lys-120 does not appear to regulate the ability of p53 to bind to MDM2, and displacement of the inhibitory MCL-1 protein from BAK is compromised
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism might be a low-penetrant risk factor for oral cancer
Literature	GENERIF_SUMMARY	issues pertaining to the relationship between TP53, and lymphoid malignancies
Literature	GENERIF_SUMMARY	Studies discovered a novel molecular network between p53, KLF4 and p21
Literature	GENERIF_SUMMARY	Binding to a consensus DNA sequence enhances p53 stability and transcriptional activity
Literature	GENERIF_SUMMARY	p53 mRNA expression of chronic benzene poisoning workers or benzene-exposed mice
Literature	GENERIF_SUMMARY	analysis of different p53 recognition of MDM2 and MDMX
Literature	GENERIF_SUMMARY	DN-R175H mutant p53 exerts a gain of oncogenic function by promoting cell growth and inhibiting apoptosis signals.
Literature	GENERIF_SUMMARY	JFK promotes p53 turnover through assembly of an SCF (Skp1-Cul1) complex, thus providing a link between the SCF complex and p53 regulation.
Literature	GENERIF_SUMMARY	Combination of p53 expression and p21 loss has an independent prognostic impact in colorectal cancer
Literature	GENERIF_SUMMARY	Enhanced S100A4 protein expression is clinicopathologically significant in colorectal cancer
Literature	GENERIF_SUMMARY	COX-2 can increase the expression of p53 protein, therefore suppressing p53-mediated transcriptional activity
Literature	GENERIF_SUMMARY	lesions showed positive immunostaining of p53, affecting to the localization of p53. All the BD and bAK cases were positive for p16
Literature	GENERIF_SUMMARY	PAS may represent a novel class of drug that induces apoptosis in cancer cells through p53 regulation.
Literature	GENERIF_SUMMARY	Accelerated decline in lung function in cigarette smokers is associated with increased p53 expression
Literature	GENERIF_SUMMARY	TP53 ARG72PRO single nucleotide polymorphisms is associated with increased risk of oral cancer
Literature	GENERIF_SUMMARY	TP53 polymorphism has an age-dependent role n PAI-1 regulation
Literature	GENERIF_SUMMARY	analysis of the interaction between the transactivation domain of p53 and MDM2

Main Category	Category	
Literature	GENERIF_SUMMARY	Data indicate that MKRN1 is a novel modulator of p53 and p21, pre
Literature	GENERIF_SUMMARY	These observations suggest that the interaction of HBV and p53 a transactivation.
Literature	GENERIF_SUMMARY	Forodesine induces apoptosis of CLL cells bypassing the DNA-dan
Literature	GENERIF_SUMMARY	p53 induces cell apoptosis and inhibits cell migration in part by do be an important downstream target of p53.
Literature	GENERIF_SUMMARY	both NOLC1 and tumor protein 53 work together synergistically to
Literature	GENERIF_SUMMARY	TP53 PIN3 gene polymorphism is associated with a difference of before the age of 35 years is exclusively observed in A1A1 homozy
Literature	GENERIF_SUMMARY	p53 signatures occur with similar frequency in women at low and l
Literature	GENERIF_SUMMARY	XEDAR as a putative colorectal tumor suppressor that mediates p5
Literature	GENERIF_SUMMARY	P53 Arg/Arg or Arg/Pro genotype may be associated to metastatic
Literature	GENERIF_SUMMARY	Alterations in TP53, APC, K-ras, and DCC genes in the non-dysplast
Literature	GENERIF_SUMMARY	Epigenetic inactivation of MGMT plays an important role in the sur
Literature	GENERIF_SUMMARY	Data show that wt-p53 can suppress excessive replication of centr expression as well as the downregulation of Aurora A protein expre
Literature	GENERIF_SUMMARY	Data show that DADS induces G(2)/M arrest in colon cancer SW48 upregulation of p21(WAF1).
Literature	GENERIF_SUMMARY	serum level higher in acute myocardial infarction patients compar
Literature	GENERIF_SUMMARY	There were no significant differences in the genotype (P = 0.0927) endometriosis.
Literature	GENERIF_SUMMARY	Findings suggest that the influence of NAT2 genotype, alone or in
Literature	GENERIF_SUMMARY	RREB-1 participates in modulating p53 transcription in response to
Literature	GENERIF_SUMMARY	A method developed to predict the effects of mutations in the p53 cancers.
Literature	GENERIF_SUMMARY	Results indicate that 249(Ser) mutation is a HCC important factor tumors.
Literature	GENERIF_SUMMARY	Results define translational regulation of MDM2 expression by eIF- dependent apoptosis.
Literature	GENERIF_SUMMARY	p53 protein expression in sporadic keratocystic odontogenic tumo development and explain locally aggressive biological behaviour
Literature	GENERIF_SUMMARY	A significant link existed between LOH TP53 at intron 1 and p53 ov
Literature	GENERIF_SUMMARY	Both p53 and VEGF expression were associated with Microvessel
Literature	GENERIF_SUMMARY	Results demonstrated that the inhibition of spontaneous B cell ap regulation of p53 and caspase 3 mediated through PI3K/AKT signa
Literature	GENERIF_SUMMARY	Consistent with in vitro findings, a strong correlation between beta observed in wtp53-expressing breast carcinomas.
Literature	GENERIF_SUMMARY	p53 hot spots, proximal and distal colon tumors were more similar

Main Category	Category	
Literature	GENERIF_SUMMARY	findings suggest that Stat3 and p53 are cooperatively involved in the regulation of p53 expression and p53 expression may not be useful for predicting the prognosis of patients with gastric cancer
Literature	GENERIF_SUMMARY	P53 protein overexpression could be useful in the diagnosis of fibrosarcoma
Literature	GENERIF_SUMMARY	a proline in position 72 of p53 increases the risk of cervical carcinoma
Literature	GENERIF_SUMMARY	p53 staining was highest in Bowen's disease followed by actinic keratosis, squamous cell carcinoma and normal skin
Literature	GENERIF_SUMMARY	study found no link between polymorphisms in APOE, p53, and p21 in a sample of 1000 subjects; a larger sample is required to elucidate the role of these polymorphisms in cancer risk
Literature	GENERIF_SUMMARY	The data suggest that dephosphorylation of serine 376 on constitutively active p53 is required for DNA damage induced by ionizing radiation.
Literature	GENERIF_SUMMARY	Stochastic modeling and simulation of the p53-MDM2/MDMX loop
Literature	GENERIF_SUMMARY	Impaired p53 binding to importin
Literature	GENERIF_SUMMARY	Gambogic acid induced human breast cancer cells MCF-7 apoptosis
Literature	GENERIF_SUMMARY	miR-34a contributes to megakaryocytic differentiation of K562 cells
Literature	GENERIF_SUMMARY	Data show that oroxylin A enhanced 5-FU-induced apoptosis by elevating p53 levels and decreasing the expression of apoptotic-inhibitory proteins COX-2, Bcl-2, and survivin
Literature	GENERIF_SUMMARY	p53 (chromosome 17p) has been examined for frequency of loss of heterozygosity in acute leukemia and is 5% or less for both diseases.
Literature	GENERIF_SUMMARY	p53 was an essential factor for Sp1 overexpression-induced apoptosis
Literature	GENERIF_SUMMARY	This retrospective study evaluated 15 cases of inflammatory myofibroblastic tumor (IMT) and its features, outcomes, and expression of anaplastic lymphoma kinase (ALK)
Literature	GENERIF_SUMMARY	study investigated whether TP53 codon 72 polymorphism is associated with the risk of breast cancer
Literature	GENERIF_SUMMARY	The clearer definition of the transcriptional behavior of p53 interacting proteins is a fundamental role in cellular networks.
Literature	GENERIF_SUMMARY	Data show that downregulation of EMMPRIN by p53 leads to a decrease in cell proliferation
Literature	GENERIF_SUMMARY	Allelic imbalance at p53 and microsatellite instability are associated with poor prognosis in colorectal cancer
Literature	GENERIF_SUMMARY	in a population-based cohort of women with breast cancer, although p53 polymorphism did not independently impacted breast cancer-specific or all-cause mortality
Literature	GENERIF_SUMMARY	epigenetic silencing of the TP53 promoter is not a frequent cause of TP53 inactivation in germline mutations in the coding part of the gene
Literature	GENERIF_SUMMARY	GPR87 knockdown sensitized cancer cells to DNA damage-induced apoptosis
Literature	GENERIF_SUMMARY	there is an an association between HCV core and HAX-1, which promotes HCV RNA replication and inhibition
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphisms may be a risk factor for Nasopharyngeal carcinoma (NPC); Arg allele increase susceptibility to NPC, whereas Arg allele markedly decreased susceptibility to NPC
Literature	GENERIF_SUMMARY	Data show although detected at a higher frequency in primary effusion lymphoma (PEL) and/or PTEN mutations, as well as deletion of CDKN2A-ARF locus
Literature	GENERIF_SUMMARY	in p53-deficient settings, suppression of ATM sensitizes tumors to radiation; suppression of ATM or its downstream target Chk2 actually protected against radiation

Main Category	Category	
Literature	GENERIF_SUMMARY	Data indicate that p53 was significantly more frequently mutated in
Literature	GENERIF_SUMMARY	Data unveiled an important new signaling pathway that linked by h
Literature	GENERIF_SUMMARY	Data show that the decay of metabolically labeled p53 follows biphase, the first phase requires the 26 S proteasome.
Literature	GENERIF_SUMMARY	TP53 deletion and chromosome 17 aneusomy is a common event in human cancer, and is implicated in the distinct carcinogenesis process of diffuse and intestinal
Literature	GENERIF_SUMMARY	Results suggest that alteration of the substrate specificity via binding to Mdm2.
Literature	GENERIF_SUMMARY	Results suggest that ribavirin enhances activities of mTOR and p53
Literature	GENERIF_SUMMARY	A genetic predisposition such as the p53 mutation should be investigated
Literature	GENERIF_SUMMARY	SIK1 links LKB1 to p53-dependent anoikis and suppresses metastasis
Literature	GENERIF_SUMMARY	Elevated association between the TP53 G12139C polymorphism and
Literature	GENERIF_SUMMARY	No association was found between cervical cancer and TP53 codon
Literature	GENERIF_SUMMARY	a central tumour suppressor, p53, enhances the post-transcriptional regulation of miR-16-1, miR-143 and miR-145, in response to DNA damage
Literature	GENERIF_SUMMARY	Among human cancers, sebaceous carcinoma of the eyelid may be caused by exposure to UV. p21(WAF1/CIP1) downregulation may be
Literature	GENERIF_SUMMARY	Data show that NTD upregulated the expression levels of apoptosis
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism may contribute to susceptibility to breast
Literature	GENERIF_SUMMARY	The increased levels of p53 in post-selection human mammary epithelial cells do not result in its degradation.
Literature	GENERIF_SUMMARY	p53 induces expression of IGFBP7 upon binding to a p53 response
Literature	GENERIF_SUMMARY	inhibition of glycolysis may only be beneficial for radiation therapy
Literature	GENERIF_SUMMARY	Polymorphisms in p53 codon 72 and MDM2 SNP309 may be implicated
Literature	GENERIF_SUMMARY	Characterized the p53-dependent secretome of H358(human non-small cell lung cancer) demonstrate the modulation of exported proteins can also be detected
Literature	GENERIF_SUMMARY	The present study shows that the serum level of p53 is lower in the
Literature	GENERIF_SUMMARY	analysis of the complex between p53 DNA binding domain and Az
Literature	GENERIF_SUMMARY	The stimulating effect of HIPK2 on p53-triggered transcription is controlled by a loop controlling the p53 response
Literature	GENERIF_SUMMARY	the molecular mechanisms of different oxidizing molecules in inducing apoptosis in adenocarcinoma cells
Literature	GENERIF_SUMMARY	TP53 tumour suppressor gene mutations have a role in development of cancer in Hungary
Literature	GENERIF_SUMMARY	Alemtuzumab is effective irrespective of genetic high-risk subgroups
Literature	GENERIF_SUMMARY	NF-kappaB promotes oridonin-induced apoptotic and autophagic cell death
Literature	GENERIF_SUMMARY	Data show that nutlin-3 activates p53 resulting in a dramatic increase

Main Category	Category	
Literature	GENERIF_SUMMARY	M(3)-muscarinic receptor can regulate the apoptotic properties of p53 by controlling the trafficking and modification of p53 in a manner that is, in part, dependent on the
Literature	GENERIF_SUMMARY	we provided evidence for a crucial role for direct inhibition of p53 by MDM2 in tumorigenesis
Literature	GENERIF_SUMMARY	Our data show the first valid clinical evidence of the deregulation of p53 in the regulation of p53 multimerization that requires the concerted action of MDM2 and MDMX
Literature	GENERIF_SUMMARY	hCLCA2 Is a p53-Inducible Inhibitor of Breast Cancer Cell Proliferation and Invasion
Literature	GENERIF_SUMMARY	DNA pull-down assays using a 7,8-dihydro-8-oxoguanine duplex oligonucleotide revealed that binding
Literature	GENERIF_SUMMARY	zinc deficiency differentially modulated the Akt-Mdm2-p53 signaling pathway in MCF-7 cells.
Literature	GENERIF_SUMMARY	The results of particular polymorphisms analyses were not highly significant. The variation at the p53 and p73 gene may have a role in Alzheimer's disease
Literature	GENERIF_SUMMARY	The expression of p53 and p27 was not related to HPV genotype in cervical intraepithelial neoplasia
Literature	GENERIF_SUMMARY	No significant association was seen between IVS6 + 62A > G & breast cancer. Codon 72 is associated with breast cancer risk within certain ethnic groups
Literature	GENERIF_SUMMARY	TP53 increased in high-grade invasive ductal breast carcinoma compared with low-grade
Literature	GENERIF_SUMMARY	The median survival time was shorter in patients with tumor TF mRNA expression
Literature	GENERIF_SUMMARY	In a high-risk Venezuela population, Arg carriers had a 4.6-fold higher risk of poorly differentiated gastric adenocarcinomas & the Arg/Pro genotype in
Literature	GENERIF_SUMMARY	P53 protein is related to the malignancy of epithelial ovarian cancer
Literature	GENERIF_SUMMARY	Upregulation of survivin in non-small cell lung cancer is associated with poor prognosis
Literature	GENERIF_SUMMARY	incidence of TP53 mutations in pleomorphic xanthoastrocytoma may improve diagnostic precision
Literature	GENERIF_SUMMARY	results indicate that LOH of the PTEN gene and of D12S1051 is the most frequent event. The TP53 gene is an additional hit for the oncogenesis of choriocarcinoma
Literature	GENERIF_SUMMARY	When p53 dysfunction and low expression of JunB are simultaneous, they enhance the synergism in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	The pathway is accelerated in the absence of p53, indicating that p53 is a negative regulator
Literature	GENERIF_SUMMARY	The slow oligomerization of free p53, competing with spontaneous aggregation of proteins and DNA that affect tetramerization kinetics as well as equilibrium
Literature	GENERIF_SUMMARY	High incidence of TP53 dysfunction indicates a potential mechanism for the pathogenesis of IGHV
Literature	GENERIF_SUMMARY	Cabin1 inhibits p53 function on chromatin in the quiescent state; this inhibition is relieved upon DNA damage.
Literature	GENERIF_SUMMARY	Mutations in the p53 gene impair its tumor suppressor function. Some mutations confer oncogenic properties when overexpressed in p53-null cells.
Literature	GENERIF_SUMMARY	Nurr1 promotes cell survival through its interacting with and repression of p53
Literature	GENERIF_SUMMARY	High-throughput copy number and gene expression data of 36 microRNAs

Main Category		Category
		institution characterized for mutations in APC, KRAS, TP53 and loss
Literature	GENERIF_SUMMARY	Data show that p53-independent curcumin-induced apoptosis in o reduced expression of the antiapoptotic proteins Bcl-2 and survivin
Literature	GENERIF_SUMMARY	The TP53 expression values obtained by amplicon densitometry a homogenization (p
Literature	GENERIF_SUMMARY	the results of the present study suggest that TP53 codon 72 polym carcinoma.
Literature	GENERIF_SUMMARY	Anticancer DNA intercalators cause p53-dependent mitochondrial
Literature	GENERIF_SUMMARY	Positive expression of p16, Ki-67, and ProEx C and negative expres
Literature	GENERIF_SUMMARY	Analysis of NQO1 polymorphisms and TP53 protein expression in
Literature	GENERIF_SUMMARY	P63, followed by Ki-67, showed better correlation with cancer prog
Literature	GENERIF_SUMMARY	study demonstrates that p53 up-regulation happens exclusively in DNA damage induced by HIV-1 integration is required for p53 accu
Literature	GENERIF_SUMMARY	The study strongly suggested that serum p53 protein and antibody
Literature	GENERIF_SUMMARY	JNK activation is involved in the terbinafine-induced inhibition of E HUVEC
Literature	GENERIF_SUMMARY	Point mutation of p53 genes was identified in one case.
Literature	GENERIF_SUMMARY	p53-mediated repression of miR-17-92 expression likely has an im
Literature	GENERIF_SUMMARY	The levels of transcriptionally inactive native protein with inactivati
Literature	GENERIF_SUMMARY	The human p53 isoforms Delta133p53 and p53beta function in an
Literature	GENERIF_SUMMARY	Findings reveal that p53 increases human glioblastoma sensitivity
Literature	GENERIF_SUMMARY	Results correlate with altered p53 phosphorylation and target gene contributes to tumor cell survival including during radiation therapy
Literature	GENERIF_SUMMARY	There was no evidence that TP53 Arg72Pro or MDM2 309T>G, eith mutation carriers.
Literature	GENERIF_SUMMARY	p53 affects S phase progression following UV exposure by prevent
Literature	GENERIF_SUMMARY	identify NEDD8 as a crucial regulator of L11 RP signalling to p53. A from the nucleolus to the nucleoplasm.
Literature	GENERIF_SUMMARY	show here for the first time that hypoxia-induced HIPK2 deregulation reactivated p53 apoptotic response to drug
Literature	GENERIF_SUMMARY	No TP53 mutation was found in women who were diagnosed with
Literature	GENERIF_SUMMARY	These findings add further information on p53 tetramerization don
Literature	GENERIF_SUMMARY	These findings suggest that ferritin cooperates with p53 to cope w
Literature	GENERIF_SUMMARY	The prolyl cis/trans isomerase cyclophilin 18 interacts with the tum apoptosis.
Literature	GENERIF_SUMMARY	the increased expression of L1 mRNAs by p53 actually increases, dependent processes for genomic protection.

Main Category	Category	
Literature	GENERIF_SUMMARY	Higher frequencies of transitions at CpGs in the cluster that included codons 175, 248 and 273, the three major TP53 hotspots
Literature	GENERIF_SUMMARY	Results show that no striking relationship was found in expression
Literature	GENERIF_SUMMARY	Results suggest that lack of correlations between TGF-beta1 and p
Literature	GENERIF_SUMMARY	Results suggest that the electrophilic carbon center located in the critical for the control of DNA-binding activity as well as cellular lev
Literature	GENERIF_SUMMARY	Data show that the inhibition of cell proliferation with L.lac CF was expression, and retinoblastoma protein phosphorylation.
Literature	GENERIF_SUMMARY	Data show that phloretin inhibits cell proliferation via the induction kinase signaling.
Literature	GENERIF_SUMMARY	Data show that kidney bean husk extract exhibited antitumor effect p53 and p21.
Literature	GENERIF_SUMMARY	Overexpression of Notch1 in laryngeal carcinoma cell line was ass
Literature	GENERIF_SUMMARY	Cell cycle regulators, AKT, p53, and MAPK, as therapeutic targets f
Literature	GENERIF_SUMMARY	we described a tumor suppression function of miR-145 in breast c
Literature	GENERIF_SUMMARY	Axin is a critical determinant in p53-dependent tumour suppression apoptosis depending on the severity of genotoxic stress.
Literature	GENERIF_SUMMARY	Used nutlin-3a to study p53 activation in senescence using epithel senescence-like state; cells resume proliferation upon drug remova
Literature	GENERIF_SUMMARY	Differential p16 and p53 expression in basaloid squamous cell car conventional esophageal squamous cell carcinomas.
Literature	GENERIF_SUMMARY	In most cases, CDKN2A and TP53 mutations are early genetic even
Literature	GENERIF_SUMMARY	study used solution biophysical measurements and molecular sim N235K to restore unstable cancer mutants
Literature	GENERIF_SUMMARY	p53 repression of SHP-1 expression leads to trkA-Y674/Y675 phos
Literature	GENERIF_SUMMARY	Studies indicate that MAML1 functions as a coactivator for the tur
Literature	GENERIF_SUMMARY	Ten different p53 mutations found in human cancers were paired i used to select a Positive Region predicted to be enriched for p53 c
Literature	GENERIF_SUMMARY	Sgk1 activates MDM2-dependent p53 ubiquitylation.
Literature	GENERIF_SUMMARY	CK1alpha plays a central role in mediating MDM2 control of p53 a
Literature	GENERIF_SUMMARY	TP53 mutations in myeloid malignancies are either homozygous o
Literature	GENERIF_SUMMARY	the association between p53 codon 72 polymorphism and breast c
Literature	GENERIF_SUMMARY	Novel mutations in the TP53 gene are associated with lung adenoc
Literature	GENERIF_SUMMARY	the TP53 and MDM2 genotypes might be useful prognostic factors
Literature	GENERIF_SUMMARY	indicate that BRCA1-BARD1 and 53BP1 are proximal but not overla of these proteins in the DNA damage response pathway.
Literature	GENERIF_SUMMARY	Structural modeling analyses predict that an Asn1288 residue in C

Main Category		Category
		diminished its ability to interact with p53, leading to reduced activation of p53 target genes.
Literature	GENERIF_SUMMARY	p53 Arg at the polymorphic position 72 is not a risk factor for Moroccan breast cancer. There was no significant association between genotype distribution of the p53 polymorphism and the occurrence of breast cancer.
Literature	GENERIF_SUMMARY	The function of MDM2 depends on the p53 P72R genotype, resulting in different levels of p53 activation.
Literature	GENERIF_SUMMARY	p53(+)/bcl-2(-) phenotype is significantly correlated with the basal characteristics of the tumor in a cohort of molecular breast cancer.
Literature	GENERIF_SUMMARY	These data suggest that HCMV IE1-72 and/or IE2-86 transactivate p53 transactivation activity by a unique binding hindrance mechanism.
Literature	GENERIF_SUMMARY	Genotoxic stress induces α B-crystallin by a p53-dependent mechanism, which in turn activates α B-crystallin gene expression.
Literature	GENERIF_SUMMARY	there is no role for the p53 codon 72 polymorphism in anal carcinoma.
Literature	GENERIF_SUMMARY	the quantitative and qualitative (pattern of distribution) evaluation of the lesions and premalignant epidermal lesions, particularly in unsatisfactory cases.
Literature	GENERIF_SUMMARY	SAPHO syndrome may be linked to an imbalance between MDM2 and p53, favoring the expression of the 309 G allele."
Literature	GENERIF_SUMMARY	analysis of the transcriptional axis mutant p53, E2F1 and ID4 which are involved in the regulation of cell growth and differentiation.
Literature	GENERIF_SUMMARY	Data show that the stability of MDM2 is regulated by NEDD8 pathway, which is involved in the regulation of p53 activation.
Literature	GENERIF_SUMMARY	The arginine variant of rs1042522 within p53 is associated with increased risk of breast cancer.
Literature	GENERIF_SUMMARY	Egr1 is a novel regulator of stathmin expression and p53 mediates its effect on stathmin expression.
Literature	GENERIF_SUMMARY	Intronic polymorphisms in TP53 indicate lymph node metastasis in breast cancer.
Literature	GENERIF_SUMMARY	PRIMA-1 renews the susceptibility of mtp53-expressing breast tumor cells to apoptosis.
Literature	GENERIF_SUMMARY	organophosphorous pesticides parathion and malathion induced neurotoxicity in rats, which is mediated by p53 and c-Ha-ras.
Literature	GENERIF_SUMMARY	only HER2-positive cells, independently of their p53 status, upregulate p53 target genes.
Literature	GENERIF_SUMMARY	Immunoexpression of protein p53 does not correlate with recurrence of colorectal cancer.
Literature	GENERIF_SUMMARY	The high frequency of p53 gene mutations implicates p53 as a predictor of poor prognosis in breast cancer.
Literature	GENERIF_SUMMARY	Data evidenced that hypoxia decreased the responsiveness of HepG2 cells to p53 activation, resulting in decreased p53 inhibition and c-jun activation.
Literature	GENERIF_SUMMARY	In the absence of stress stimuli, MSK2 selectively suppressed the transcription of p53 target genes, which occurred independently of its kinase activity and of upstream MAPK activation.
Literature	GENERIF_SUMMARY	Data suggest that ARF antagonism of CtBP repression of Bik and c-Jun, leading to increased apoptosis and tumor suppression.
Literature	GENERIF_SUMMARY	The expressions of mdm2 and p53 are closely related with the pathogenesis of breast cancer.
Literature	GENERIF_SUMMARY	α B-crystallin was a novel p53-target gene and required for p53-mediated transcriptional activation.
Literature	GENERIF_SUMMARY	Data show that P53 can inhibit cyclin D1 promoter activity via an N-glycanase-dependent mechanism.

Main Category	Category	
Literature	GENERIF_SUMMARY	A molecular mechanism by which hyper-excitation of the stress ax
Literature	GENERIF_SUMMARY	these results point toward a correlation between GST P1 polymorp suggesting perhaps a crucial role for the GST P1 in expression of T
Literature	GENERIF_SUMMARY	Studies indicate that p53, arf and other tumor suppressors might b pluripotent stem cells.
Literature	GENERIF_SUMMARY	study reveals a ubiquitin ligase-independent function of parkin in c autosomal recessive forms of juvenile Parkinson's disease mutatio
Literature	GENERIF_SUMMARY	Data show that HEY1 Leu94Met gene polymorphism converts HEY also abolishes HEY1-mediated activation of p53.
Literature	GENERIF_SUMMARY	Results suggest that Akt confers resistance, in part, by modulating
Literature	GENERIF_SUMMARY	the p53 target Wig-1 is a previously undescribed AU-rich element-r implications both for the steady-state levels of p53 and for the p53
Literature	GENERIF_SUMMARY	Data show that cytoplasmic p300/CBP E4 activities ubiquitinate an p53 acetylation, activate p53.
Literature	GENERIF_SUMMARY	Mutation at K351N of transformation suppressor p53 has a reduce as bax.
Literature	GENERIF_SUMMARY	Overexpression of p53 is significantly associated with tamoxifen r 50 years of age who received tamoxifen following chemotherapy h
Literature	GENERIF_SUMMARY	Combination of p53 codon 72 polymorphism and inactive p53 mut
Literature	GENERIF_SUMMARY	investigation of the possibility of a direct interaction between the p evidence for direct binding between the bile acid UDCA and the p5
Literature	GENERIF_SUMMARY	divergent evolution of the oligomerization domain within the p53 f blocks in p53, allowing functional separation of the p53 pathway fr
Literature	GENERIF_SUMMARY	Data show that both Akt inhibitors decreased MCL-1 protein level, TP53 status.
Literature	GENERIF_SUMMARY	Determination of loss of heterozygosity (LOH) 1p/19q and TP53 st of unresectable gliomas.
Literature	GENERIF_SUMMARY	ATM controls p53 stability by regulating MDM2 RING domain oligo
Literature	GENERIF_SUMMARY	we draw the attention of histopathologists to the variable expressi
Literature	GENERIF_SUMMARY	Data show that miRNA-125a translationally arrests mRNA of the p between the seed sequence of miR-125a and the 3'-UTR of p53.
Literature	GENERIF_SUMMARY	As activation of p53 is usually accompanied by phosphorylation an C-terminus in favor of the N-terminus occurs upon the modificatio
Literature	GENERIF_SUMMARY	P53 (G199V) gains antiapoptotic function mediated by STAT3 in A therapeutic strategy for decreasing the extent and severity of toxic
Literature	GENERIF_SUMMARY	Data suggest that U19/EAF2 regulates the expression of TSP-1 via
Literature	GENERIF_SUMMARY	These results reveal a novel role for HIPK2 in activating p53 apopt
Literature	GENERIF_SUMMARY	Data show that the ATR-dependent phosphorylation of Chk1, but n
Literature	GENERIF_SUMMARY	Genes previously shown to be of relevance in high-grade gliomas i however, they are not significant biomarkers of outcome in pilocyti

Main Category	Category	
Literature	GENERIF_SUMMARY	Data show that the PLK1 phosphorylates MDM2 at Ser260 and stimulates its ubiquitination and degradation.
Literature	GENERIF_SUMMARY	our results indicated a close association between p53 protein expression and the outcome of invasive ductal carcinoma patients who received neoadjuvant chemotherapy.
Literature	GENERIF_SUMMARY	Results suggest an inherent role of the MTA1-p53-p53R2 pathway in the regulation of p53.
Literature	GENERIF_SUMMARY	Study showed a differential regulation of p53 activity and phosphorylation by mammalian PKC-alpha, -delta, -epsilon or -zeta.
Literature	GENERIF_SUMMARY	These data provide a possible mechanism on how p53 regulate HIF-1alpha in carcinoma development.
Literature	GENERIF_SUMMARY	DNA damage induces the citrullination of various proteins in a p53-dependent manner.
Literature	GENERIF_SUMMARY	Results suggest that proteasomal ATPases negatively regulate p53 activity.
Literature	GENERIF_SUMMARY	the p53-N-terminal domain has a role in p53 stabilization, conformational change, and transcriptional activation.
Literature	GENERIF_SUMMARY	Mutation analysis of the TP53 should be performed before each treatment.
Literature	GENERIF_SUMMARY	p53 immunoreactivity was present in the carcinomatous component of mixed mullerian tumors.
Literature	GENERIF_SUMMARY	38.5% of atypical leiomyomas showed immunoreactivity for p53.
Literature	GENERIF_SUMMARY	Our current results suggest a central role of p53 in the NO-induced regulation of cell death in NPCs that respond to overproduction of NO.
Literature	GENERIF_SUMMARY	MMP-2 transcriptional regulation by EGF in invasive trophoblasts is mediated by gamma, C/EBPepsilon and -lambda and SP-1. p53 mediates both transcriptional and translational regulation of MMP-2.
Literature	GENERIF_SUMMARY	Data show that the CIS surrounding morphologically normal urothelial cells has mutated protein expression, and a proliferative status underlying a preneoplastic state.
Literature	GENERIF_SUMMARY	p53 immunohistochemistry assays in morphologically ambiguous endometrial lesions are critical for decision making in difficult endometrial carcinomas.
Literature	GENERIF_SUMMARY	Silencing of the Lats2 tumor suppressor overrides a p53-dependent growth defect in transformation.
Literature	GENERIF_SUMMARY	This study shows that the activation of the p53-p21(Cip1/WAF1) pathway is essential for the induction of cell cycle arrest.
Literature	GENERIF_SUMMARY	Data show that both wt and mt HOSCC cells translocate FAK into the nucleus.
Literature	GENERIF_SUMMARY	DHCR24 is elevated in response to HCV infection and inhibits the p53 pathway in the cytoplasm and by inhibiting the acetylation of p53 in the nucleus.
Literature	GENERIF_SUMMARY	p73 and p63, but not p53, are modulated during the cell cycle.
Literature	GENERIF_SUMMARY	We prove that despite insignificant impact on overall toxicity, expression of p53 is a key factor in the response to chemotherapy.
Literature	GENERIF_SUMMARY	Benzene-induced mutational pattern in the p53 genes analyzed by sequencing.
Literature	GENERIF_SUMMARY	The majority of tumours showed strong p16, p21, p27, pRb and cyclin D1 expression, significantly more likely to be p53-positive and exhibit up-regulated expression of p53.
Literature	GENERIF_SUMMARY	there was altered expression of p53, Rad50, and cyclin-E in the mammary gland exposed cohort.
Literature	GENERIF_SUMMARY	Increased TP53 expression in the nucleus is associated with soft tissue sarcoma.
Literature	GENERIF_SUMMARY	mutation found at exon 6 of the gene TP53 could be associated with the development of the disease.

Main Category		Category
		inactivate the wild-type p53 and the p73alpha protein
Literature	GENERIF_SUMMARY	Haplotyping of 12 unrelated p.R337H carriers using a set of 29 tag SNPs, the frequency of the R337H haplotype, and presence of the mutation on this haplotype was correlated with the presence of the mutation on this haplotype
Literature	GENERIF_SUMMARY	Pyk2 functions to limit p53 levels, thus facilitating cell growth and survival
Literature	GENERIF_SUMMARY	a gain of oncogenic function shared by the most common p53 core mutations
Literature	GENERIF_SUMMARY	polymorphism in codon 72 of the TP53 gene was not associated with the presence of the mutation on this haplotype
Literature	GENERIF_SUMMARY	analysis of p53 and p53-autoantibodies in head and neck squamous cell carcinoma
Literature	GENERIF_SUMMARY	triptolide functions as an effective apoptotic inducer in a p53-independent manner
Literature	GENERIF_SUMMARY	polymorphisms in TYMS, MTHFR, p53 and MDR1 may have roles in the response to 5-fluorouracil
Literature	GENERIF_SUMMARY	p53 Mutation is associated with pathological response to chemoradiotherapy
Literature	GENERIF_SUMMARY	the orientation of the binding sites on a nucleosome may play a significant role in the recruitment of p53
Literature	GENERIF_SUMMARY	translation efficiency plays an important role in the selection of TP53 mutations
Literature	GENERIF_SUMMARY	This suggests the existence of a positive feedback loop between p53 and the E2F1 transcription factor in HPV infection
Literature	GENERIF_SUMMARY	Transactivation of the Pen2 promoter by presenilin 1/2 is p53-dependent
Literature	GENERIF_SUMMARY	RAS enables DNA damage- and p53-dependent differentiation of a subset of hematopoietic cells
Literature	GENERIF_SUMMARY	p53 activation enhances XIAP inhibition-induced cell death by promoting the formation of the SMAC complex (SMAC) and by inducing the expression of caspase-6.
Literature	GENERIF_SUMMARY	Data demonstrate a pathway that links the cytoskeleton with the p53 pathway: the p53 pathway is instrumental in coordinating cell motility with the p53 pathway
Literature	GENERIF_SUMMARY	Our findings of immunoreactivity for HMGA2 may lead to a novel, unique biomarker for the diagnosis and prognosis of carcinoma.
Literature	GENERIF_SUMMARY	Mutation of the DNA-binding domain of p53 is rare in nasopharyngeal carcinoma
Literature	GENERIF_SUMMARY	the phosphorylation of Gab1 by c-Src is important for hepatocyte growth factor-induced signaling
Literature	GENERIF_SUMMARY	an inherited genetic profile involving TP53 may favor HHV-7 infection and the development of an autoimmune process
Literature	GENERIF_SUMMARY	BCAS2 directly interacts with p53 to reduce p53 transcriptional activity in response to DNA damage. In the presence of DNA damage, BCAS2 prominently reduces p53 transcriptional activity
Literature	GENERIF_SUMMARY	Combined analysis of smoking, TP53, and FGFR3 mutations in Turkish lung cancer patients
Literature	GENERIF_SUMMARY	interaction of RAGE and its ligand S100B after myocardial infarction
Literature	GENERIF_SUMMARY	The Tp53 codon 72 Pro allele may modify the risk of breast cancer
Literature	GENERIF_SUMMARY	effects of tumorigenic DNA binding domain (DBD)mutations on the p53 pathway
Literature	GENERIF_SUMMARY	Two potential biomarkers were indicated in blood lymphocytes from patients with breast cancer
Literature	GENERIF_SUMMARY	MDM2 binding region in p53TAD (residues S15 to N29) is responsible for the p53 pathway
Literature	GENERIF_SUMMARY	Elevated expression of p53-R175H mutant may exert gain-of-function

Main Category	Category	
		invasive phenotype in endometrial cancer.
Literature	GENERIF_SUMMARY	Data show that coralyne treatment photosensitizes DNA, leading to
Literature	GENERIF_SUMMARY	p27 expression was associated with p53, both of which were nega
Literature	GENERIF_SUMMARY	stress-induced accumulation of non-ubiquitinated p53 in the cytop
Literature	GENERIF_SUMMARY	pathogenic role of germline mutations in TP53 in hereditary breast
Literature	GENERIF_SUMMARY	These findings provided strong evidence on the carcinogenic prom
Literature	GENERIF_SUMMARY	Ser392 is phosphorylated under normal, unstimulated conditions b of stimuli each of which leads to p53 stabilisation.
Literature	GENERIF_SUMMARY	Human breast cells in culture (MCF-7) transfected with p53-GFP re conformation is present in the cell
Literature	GENERIF_SUMMARY	Single-molecule FRET (SM-FRET) and ensemble FRET were used to isolation and in the context of tetrameric full-length p53.
Literature	GENERIF_SUMMARY	the Hdm2/p53 and proteasome pathways have a role in enhancing
Literature	GENERIF_SUMMARY	Ets-2 and p53 mediate cAMP- induced trophoblast invasiveness, th
Literature	GENERIF_SUMMARY	p53 polymorphism at codon 72 does not represent a risk factor for populations.
Literature	GENERIF_SUMMARY	Data show that the detection of both p53 and Bcl-2 proteins in cerv associated cervical cancer.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with poor response to chemotherapy
Literature	GENERIF_SUMMARY	By following the interaction of the two entire proteins by atomic fo between p53 and Mdm2.
Literature	GENERIF_SUMMARY	Measurement of MDM-2 as a bad prognostic marker even in cases molecular target for production of new cancer therapy.
Literature	GENERIF_SUMMARY	PRL-3, like PRL-1, can negatively regulate p53 via the activation of
Literature	GENERIF_SUMMARY	In tumor cells where both Hdm2 and HdmX are overexpressed, ren induction of p53 cell cycle arrest genes that negatively feedback o
Literature	GENERIF_SUMMARY	Cadein1, preferentially induces apoptosis in p53-defective cancer c
Literature	GENERIF_SUMMARY	Data show that the DmHsp22 interacts and inactivates wild type tu human cells.
Literature	GENERIF_SUMMARY	genetic association studies [India]
Literature	GENERIF_SUMMARY	we therefore assume that p53 plays no role in the transformation f
Literature	GENERIF_SUMMARY	results indicate that mutational mechanisms, in particular TP53 m cancer
Literature	GENERIF_SUMMARY	Data show that Lamellarin D also exerted a topoisomerase I-media upregulation of the DNA repair protein Rad51 and of p53.
Literature	GENERIF_SUMMARY	HPV16 E6 expression has no effect on chemotherapy sensitivity o
Literature	GENERIF_SUMMARY	Germline TP53 mutations may be responsible for a large fraction (

Main Category	Category	
Literature	GENERIF_SUMMARY	An immunochemical study of the expressions of Ki-67, estrogen receptor and p53 in uterine leiomyomas was performed.
Literature	GENERIF_SUMMARY	We raised a possibility that Dukes' stage C colorectal cancer patients may benefit from FU based postoperative chemotherapy.
Literature	GENERIF_SUMMARY	Inactivation of TP53 by mutations is a crucial molecular event in the progression of human cancer.
Literature	GENERIF_SUMMARY	BclxL changes conformation upon binding to wild-type but not mutant p53.
Literature	GENERIF_SUMMARY	p53 is not involved in the pathway of 17AAG sensitization to radiation in human breast cancer cells.
Literature	GENERIF_SUMMARY	association between tumor cells related to CFDNA and p53-Ab with the prognosis and offers a possibility to individualize treatment regimens.
Literature	GENERIF_SUMMARY	Data show that suppression of PUMA through the phosphoinositide 3-OH kinase/Akt pathway represents a novel molecular mechanism of growth factor-mediated intestinal neoplasia.
Literature	GENERIF_SUMMARY	LM03 acts as a co-repressor of p53, suppressing p53-dependent transcriptional activation.
Literature	GENERIF_SUMMARY	Data indicate that overexpression of AT2R led to apoptosis via an c-myc dependent pathway involving mitogen-activated protein kinase, caspase-8, and caspase-3 and p53.
Literature	GENERIF_SUMMARY	Results show that wild-type p53 protects cells from caspases dependent apoptosis.
Literature	GENERIF_SUMMARY	data suggests that IGFBP-3 silencing through IGFBP-3 promoter may promote tumor progression
Literature	GENERIF_SUMMARY	oral SCC cells with mutant-type are more resistant to Boron neutron capture therapy.
Literature	GENERIF_SUMMARY	CHM-1 exhibits vascular targeting activity associated with the induction of apoptosis and suggests its potential as an antivascular and antitumor therapeutic agent.
Literature	GENERIF_SUMMARY	TP53 phosphorylation at Ser20 and Ser392 is an early event in ovarian cancer.
Literature	GENERIF_SUMMARY	The results of this study indicated that TP53 mutations are relatively rare in peripheral nerve sheath tumors with the presence of neurofibromatosis type 1.
Literature	GENERIF_SUMMARY	patients with Gleason scale > 8 prostate cancer were characterized by increased expression and overexpression of cytoplasmic Bcl-2.
Literature	GENERIF_SUMMARY	Mutant p53 is associated with disease recurrence in bladder tumor.
Literature	GENERIF_SUMMARY	genetic association studies in women with breast cancer in Egypt.
Literature	GENERIF_SUMMARY	Mutations in HBx and p53 at codon 249 may cooperate in contributing to hepatocarcinogenesis.
Literature	GENERIF_SUMMARY	Germ-line mutations of the TP53 gene are associated with Li-Fraumeni syndrome.
Literature	GENERIF_SUMMARY	Results identify two critical acquired functions of a stably expressed p53: inhibition of cell cycle progression and escape from Kras(G12D)-induced senescence/growth arrest and suppression of tumorigenesis.
Literature	GENERIF_SUMMARY	Absence of members of the dystrophin-associated glycoprotein complex in the plasma membrane of embryonal rhabdomyosarcoma associated with mutation of p53 and p16.
Literature	GENERIF_SUMMARY	Iron-dependent regulation of MDM2 influences p53 activity and hence cell cycle progression.
Literature	GENERIF_SUMMARY	The genes that induced their mRNAs at the highest levels compared with the control were the p53-proline protein.
Literature	GENERIF_SUMMARY	The TP53 R72P variant may be an independent predictor for survival in breast cancer.
Literature	GENERIF_SUMMARY	Over-expression of TP53 protein was associated with the size of tumor.

Main Category	Category	
Literature	GENERIF_SUMMARY	Nuclear p53 protein expression is strongly associated with TP53 d
Literature	GENERIF_SUMMARY	Dietary folate and vitamin B6 are not associated with p53 mutation
Literature	GENERIF_SUMMARY	The proteins p53, p21/WAF1, and MDM2 were overexpressed in al
Literature	GENERIF_SUMMARY	the detailed sequence change for 159 TP53 mutations in sinonasa
Literature	GENERIF_SUMMARY	these results show strong preference of the p53 protein to natural
Literature	GENERIF_SUMMARY	Loss of TP53 function appears to be involved in the development o
Literature	GENERIF_SUMMARY	Data show that the carboxyl-terminal half of FE65, which contains the protein plays an important role in the stabilization of p53 in osr
Literature	GENERIF_SUMMARY	given that the genetic effect of the TP53 codon 72 polymorphism unlikely to be associated with schizophrenia
Literature	GENERIF_SUMMARY	two critical parameters of the stress-induced p53 transcriptional re frequent reinitiation
Literature	GENERIF_SUMMARY	HSP27 and p53 protein levels play a key role(s) in heat shock-med
Literature	GENERIF_SUMMARY	This review focuses on the recently discovered function of p53 as
Literature	GENERIF_SUMMARY	Galpha12/13 upregulate matrix metalloproteinase-2 via p53 promo
Literature	GENERIF_SUMMARY	Loss of function (transactivation activities) of p53 mutant proteins response to cisplatin-based neoadjuvant chemotherapy in patients
Literature	GENERIF_SUMMARY	Overexpression of p53 is associated with breast cancer.
Literature	GENERIF_SUMMARY	selective inhibition of 18 S rRNA processing provokes accumulatio
Literature	GENERIF_SUMMARY	p53 expression in human carotid atheroma is significantly related
Literature	GENERIF_SUMMARY	Nuclear factor kappaB- and specificity protein 1-dependent p53-m gene
Literature	GENERIF_SUMMARY	The confinement of p53 staining to immature cell nuclei is consist neoplasms.
Literature	GENERIF_SUMMARY	p53 acts as a tumor suppressor and its potential role in the outcom
Literature	GENERIF_SUMMARY	Invasion, loss of directionality of migration, and metastatic behavior depends on Rab-coupling protein and results in constitutive activat
Literature	GENERIF_SUMMARY	The AhR and p53 signaling pathways were the most significant car
Literature	GENERIF_SUMMARY	review of the tumor suppressor role of the p53 network and contex
Literature	GENERIF_SUMMARY	there is a p53-independent function of MTA1 in DNA damage resp
Literature	GENERIF_SUMMARY	The data do not support the association of the p53 codon 72 poly
Literature	GENERIF_SUMMARY	Data show that reduced phosphorylation of eIF2alpha by knocking apoptosis in accompany with activation of p53 signal cascade.
Literature	GENERIF_SUMMARY	induction of Foxp3 in the context of tumor suppression is regulate fate in p53-dependent DNA damage responses
Literature	GENERIF_SUMMARY	We found a fairly high rate of p53 expression in malignant neoplas spiradenocylindromas.

Main Category	Category	
Literature	GENERIF_SUMMARY	On mild DNA damage, SMAR1 selectively represses BAX and PUM1 and HDAC1.
Literature	GENERIF_SUMMARY	These results suggest that altered and deficient p53 affects the cell cycle susceptibility and augments cell proliferation and lung cancer development.
Literature	GENERIF_SUMMARY	we have demonstrated that p53 and estrogen receptor could greatly increase the response element in cis.
Literature	GENERIF_SUMMARY	The p53-Mdm2 interaction and its regulation have been conserved throughout evolution.
Literature	GENERIF_SUMMARY	1p19q whole loss was also significantly associated with Olig2 overexpression in oligodendroglial tumors
Literature	GENERIF_SUMMARY	simultaneous detection of p53, Rb, p16, and EGFR in a suspension culture system.
Literature	GENERIF_SUMMARY	The expression of p53, c-erbB-2 and Ki67 proteins in 20 simple intestinal carcinomas showed significant differences between SIM and gastrectomy.
Literature	GENERIF_SUMMARY	novel findings on the frequency of TP53 gene codon 72 polymorphisms: the C allele might be associated with increased risk of endometrial cancer.
Literature	GENERIF_SUMMARY	No evidence suggests that TP53 codon 72 polymorphisms may be associated with cancer risk.
Literature	GENERIF_SUMMARY	Inhibition of p38 activity or downregulation of p38 expression could enhance the growth of tumor cells.
Literature	GENERIF_SUMMARY	An allelic loss of p53 at exon 4 was detected in five nonseminoma testicular cancer samples.
Literature	GENERIF_SUMMARY	Wip1 (wild-type p53-induced phosphatase) expression is temporally regulated by p53.
Literature	GENERIF_SUMMARY	Findings reveal USP10 to be a novel regulator of p53, providing an additional mechanism for p53 regulation.
Literature	GENERIF_SUMMARY	our results are indicative of p53-mediated mitochondria-associated apoptosis and its effects on the AR pathway
Literature	GENERIF_SUMMARY	The Ki-67 Labeling Index in the malignant GIST group was higher than that in the p53-negative cases.
Literature	GENERIF_SUMMARY	CTCF protects the p53 gene promoter against repressive histone marks.
Literature	GENERIF_SUMMARY	p53 splice variants were present in 18 of 34 ovarian cancer cell lines and may be an independent prognostic marker
Literature	GENERIF_SUMMARY	Data show that cells subjected to chronic hypoxia the replicative rate, RPA, and cells reoxygenated after acute hypoxia underwent rapid proliferation.
Literature	GENERIF_SUMMARY	p53 mutation in breast cancer is associated with socio-economic status and the poorer outcome in women from deprived communities.
Literature	GENERIF_SUMMARY	this longitudinal cohort study suggests that p53 but not ki67 can w predict malignancy
Literature	GENERIF_SUMMARY	Wild-type p53-induced phosphatase 1 dephosphorylates histone v
Literature	GENERIF_SUMMARY	G9a and Glp methylate lysine 373 in the tumor suppressor p53
Literature	GENERIF_SUMMARY	Axin downregulates TCF-4 transcription via beta-catenin and independent of p53
Literature	GENERIF_SUMMARY	Fibroblast growth factor-2 transiently activates the p53 oncosuppressor
Literature	GENERIF_SUMMARY	These results suggest that ATM phosphorylates a noncanonical serine Ser15.

Main Category	Category	
Literature	GENERIF_SUMMARY	Proliferation of aneuploid human cells is limited by a p53-dependent mechanism.
Literature	GENERIF_SUMMARY	GRK5 as a novel kinase of p53, as well as a negative regulator of p53.
Literature	GENERIF_SUMMARY	Gossypol induces apoptosis by activating p53 in prostate cancer cells.
Literature	GENERIF_SUMMARY	p53 has a role in protecting cells from concanavalin A-induced apoptosis.
Literature	GENERIF_SUMMARY	mitochondrial p53 might regulate apoptosis in a biphasic manner.
Literature	GENERIF_SUMMARY	p53 tumor suppressor activity loss may have a role in negative prognosis.
Literature	GENERIF_SUMMARY	the FGFR4 Gly388Arg polymorphism and TP53 mutations, as well as cell carcinoma patients.
Literature	GENERIF_SUMMARY	Different internal promoter region haplotypes are associated with expression of DeltaN133p53.
Literature	GENERIF_SUMMARY	A combination of low beta-catenin and high p53 expression in primary the disease, the occurrence of metastasis, and a more severe outcome.
Literature	GENERIF_SUMMARY	p53
Literature	GENERIF_SUMMARY	Women homozygous for the p53 codon 72 Arg genotype were at a lower compared with those showing homozygosity for the Pro genotype.
Literature	GENERIF_SUMMARY	The p53 protein expression was higher in a group of adenocarcinoma mutation in exon 19.
Literature	GENERIF_SUMMARY	both Skp2 and Skp2B attenuate p53 activity through different pathways.
Literature	GENERIF_SUMMARY	p53 sensitizes all four cancer cells lines tested to BLM toxicity and agent in p53-null cells.
Literature	GENERIF_SUMMARY	TP53 mutations were detected in 4% of clear-cell cases, independent VHL-wild-type tumours and in 0% of tumours with VHL functional mutation.
Literature	GENERIF_SUMMARY	Changes of P53 transcriptional activity play an important role in the
Literature	GENERIF_SUMMARY	The frequency of p53 deletion in leukemia patients with chromosomal abnormalities.
Literature	GENERIF_SUMMARY	current evidence about the prognostic value of p53 in patients with
Literature	GENERIF_SUMMARY	study observed no long-term survivors among children with TP53-mutated
Literature	GENERIF_SUMMARY	MYCN transcriptionally upregulates p53 in neuroblastoma and uses
Literature	GENERIF_SUMMARY	These results show that a high proportion of neuroblastomas which
Literature	GENERIF_SUMMARY	A mathematical model was developed which combined coded stage markers of proliferation, and for p53, as a marker of apoptotic.
Literature	GENERIF_SUMMARY	An additional previously unknown binding site for mortalin exists with
Literature	GENERIF_SUMMARY	This study demonstrated that distinct stress-activated kinases mediate domain in response to diverse stresses.
Literature	GENERIF_SUMMARY	These results suggest that the ability of p16(INK4a) to inhibit the cyclin contribute to its role in senescence.
Literature	GENERIF_SUMMARY	CCDC106 promotes the degradation of p53 protein and inhibits its

Main Category	Category	
Literature	GENERIF_SUMMARY	Data report the crystal structure of the p53 core domain bound to
Literature	GENERIF_SUMMARY	p53-dependent senescence that arises from CENP-A reduction act undergoing mitotic proliferation that potentially leads to massive g
Literature	GENERIF_SUMMARY	diffuse large B-cell lymphoma patients with p53 overexpression ha
Literature	GENERIF_SUMMARY	The p53-mediated induction of the pro-apoptotic gene p53AIP1 wa
Literature	GENERIF_SUMMARY	Activating transcription factor 3 activates p53 by preventing E6-as
Literature	GENERIF_SUMMARY	TP53 gene mutations occur in some of endometrioid endometrial
Literature	GENERIF_SUMMARY	Studies indicate that both Mdm2 and Mdmx receive input from nur
Literature	GENERIF_SUMMARY	Study identifies RFWD3 as a positive regulator of p53 stability whe p53 is protected from degradation in the presence of high levels of
Literature	GENERIF_SUMMARY	Tp53 mutations are associated with high-grade gliomas.
Literature	GENERIF_SUMMARY	Possible modes of the p53 binding to the negatively or positively s
Literature	GENERIF_SUMMARY	Studies indicate that the mutation patterns of TP53, ATM and CDK genomic instability and TP53 and ATM mutations to oncogene-ind
Literature	GENERIF_SUMMARY	Mutated p53 showz ATM significant, though not independent, nega
Literature	GENERIF_SUMMARY	p53 wild type cells are protected from taxol by nutlin-3 in a combin
Literature	GENERIF_SUMMARY	Findings reveal that loss of miR-31 is associated with defects in th
Literature	GENERIF_SUMMARY	There is no statistically significant association between the expres
Literature	GENERIF_SUMMARY	current knowledge on TP53 gene variations observed in human ca knowledge (Review)
Literature	GENERIF_SUMMARY	coordinated regulation of IGF-1/AKT/mTOR pathways and the end systemic levels of activities in response to stress [review]
Literature	GENERIF_SUMMARY	analysis of biological manifestations of mutant p53 gain-of-functio [review]
Literature	GENERIF_SUMMARY	In the absence of p53, Mos knockdown prevents multipolar mitose
Literature	GENERIF_SUMMARY	TP53 overexpression is associated with urothelial carcinomas of t
Literature	GENERIF_SUMMARY	Molecular dynamics simulations have been used to explore the dif
Literature	GENERIF_SUMMARY	Induction of replicational stress activates NF-kappaB p65 and trigge
Literature	GENERIF_SUMMARY	Delta133p53 is a novel target of p53 that may participate in a nega
Literature	GENERIF_SUMMARY	Overexpression of Egr-1 is caused by mutation of p53 and appears p53.
Literature	GENERIF_SUMMARY	a novel pathway whereby LIMK2b, acting downstream of p53, ensu polymerization
Literature	GENERIF_SUMMARY	COX2 was correlated with clinical stage and tumor volume in early CD44V6 and clinical factors.
Literature	GENERIF_SUMMARY	Results of comparative genetic hybridization arrays showed that m mutation of TP53 gene in codon 273; triplet CGT coding Arg was c

Main Category	Category	
Literature	GENERIF_SUMMARY	Results show the Arg/Arg genotype at codon 72 of T053 was sign
Literature	GENERIF_SUMMARY	These findings demonstrate that Cdk2 maintains a balance of S-ph G(2)/M checkpoint activation.
Literature	GENERIF_SUMMARY	Cellular responses to chemotherapeutic drug treatment are determ
Literature	GENERIF_SUMMARY	This study further elucidates the molecular loop between p53 and
Literature	GENERIF_SUMMARY	The radiosensitivity shown in H460 cells may be due to the higher
Literature	GENERIF_SUMMARY	Perform a detailed documentation of the pedigree of an Li-Fraume
Literature	GENERIF_SUMMARY	Demonstrate that p53 could suppress the transcription of XAF1 th
Literature	GENERIF_SUMMARY	Flow cytometry can be a reliable approach to study p53 protein exp
Literature	GENERIF_SUMMARY	functional polymorphisms in TP53 codon 72 and NQ01 SNP609 as
Literature	GENERIF_SUMMARY	Antibodies to p53 are detected in the sera of 42% of patients with
Literature	GENERIF_SUMMARY	Both p53 and p73 have distinct and cooperative roles in mediating
Literature	GENERIF_SUMMARY	p53 function in ovarian carcinoma cell lines correlated well with ra
Literature	GENERIF_SUMMARY	The mean RNA expression level of p53 and that of hdm2 were elev
Literature	GENERIF_SUMMARY	Deletion of the basic domain enhances, whereas a mutation in act
Literature	GENERIF_SUMMARY	In conclusion, HPV-6E6 was responsible for the cytoplasmic locali
Literature	GENERIF_SUMMARY	ribosomal protein S9 silencing elicits a multitude of cellular respon
Literature	GENERIF_SUMMARY	Mutant p53-induced up-regulation of mitogen-activated protein kin
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism could be a risk marker for genetic su could be a risk marker for genetic susceptibility to SPM in patients
Literature	GENERIF_SUMMARY	Telomere capping is monitored at the G2/M transition by the p53/p p53 or p21 progress into mitosis prematurely with persisting uncap
Literature	GENERIF_SUMMARY	p53 status can determine the biological impact of vitamin D on tur
Literature	GENERIF_SUMMARY	Lifestyle factors and p53 mutation patterns in colorectal cancer pa
Literature	GENERIF_SUMMARY	BRD7 suppresses tumorigenicity by serving as a p53 cofactor requ
Literature	GENERIF_SUMMARY	observed that all three variants of non-structural protein 1 exhibe
Literature	GENERIF_SUMMARY	Rem2 mediates the fibroblastic growth factor 2 (FGF2) signaling p of p53 and cyclin D(1)
Literature	GENERIF_SUMMARY	Results show that AML patients heterozygous for ATM 4138C>T o outcomes.
Literature	GENERIF_SUMMARY	Interference with the interaction of p53 gain-of-function mutants w therapy.
Literature	GENERIF_SUMMARY	The G13964C intronic variant was significantly associated with far p53 Arg72Pro and Ins16bp in patients and controls.

Main Category	Category	
Literature	GENERIF_SUMMARY	Cis-acting genetic variation at an E2F1/YY1 response site and putative p53 binding site in the p21 ^{ras} transcript in normal human bronchial epithelium.
Literature	GENERIF_SUMMARY	Data show that the stability of mutant p53 can be regulated by phosphorylation and renders p53H175A392 more sensitive to mdm2-mediated degradation.
Literature	GENERIF_SUMMARY	Rates of new primaries are predicted to some extent by mutation status.
Literature	GENERIF_SUMMARY	Loss of p53, rather than beta-catenin overexpression, induces survival advantage.
Literature	GENERIF_SUMMARY	aryl hydrocarbon receptor ligands might contribute to tumor progression via the p53 pathway. The marker AGR2
Literature	GENERIF_SUMMARY	There were put forward suggestions concerning estimation of cancer risk.
Literature	GENERIF_SUMMARY	Finding provides important information regarding the efficacy of Nutlin-3. Loss of p53 or PTEN loss may benefit from Nutlin-3 treatment.
Literature	GENERIF_SUMMARY	although codon 249 mutation of p53 gene has been found very rare in Turkey
Literature	GENERIF_SUMMARY	data suggest that TP53 mutations alone are not responsible for abdominal carcinogenesis
Literature	GENERIF_SUMMARY	The study results suggest that genes that act upstream of p53, or downstream of p53, may be involved in the pathogenesis of BRCA1/2 with mutant BRCA1/2 alleles.
Literature	GENERIF_SUMMARY	Binding of the 53BP1 Tudor domain to p53 dimethylated at K382 may be suggested by chromatin immunoprecipitation and DNA repair assays.
Literature	GENERIF_SUMMARY	demonstrate that GTPBP4 knockdown induces p53 accumulation
Literature	GENERIF_SUMMARY	show that p53 regulates hypoxic signaling through the transcription factor HIF-1.
Literature	GENERIF_SUMMARY	Patients with choroid plexus tumors with low tumor total structural protein expression successfully treated without radiation therapy.
Literature	GENERIF_SUMMARY	Aim of the study was to access the relationship between R72P germline mutation (UC) and colorectal cancer (CRC).
Literature	GENERIF_SUMMARY	p53 transactivation is involved in the antiproliferative activity of the p53 pathway.
Literature	GENERIF_SUMMARY	show that these markers increased independent of p53 and the T, N, and M stages.
Literature	GENERIF_SUMMARY	p53 does not localize to one of the well-known structural components of the nucleolus, but to intranucleolar regions that constitute nucleolar cavities.
Literature	GENERIF_SUMMARY	These findings indicate that independent control of E-cadherin expression is involved in the induction of invasive phenotypes.
Literature	GENERIF_SUMMARY	MDM2, MDMX, Pirh2 and COP1 might inhibit p53 activity synergistically.
Literature	GENERIF_SUMMARY	The protein expression profiles of p53, p73, pRb family proteins, and p16 ^{INK4a} in human medulloblastoma cell lines, was examined.
Literature	GENERIF_SUMMARY	TP53 expression did not vary among subtypes of Hodgkin lymphoma.
Literature	GENERIF_SUMMARY	Investigated maspin, p53 and VEGF expression in patients with squamous cell carcinoma (SCLC).
Literature	GENERIF_SUMMARY	In pancreatic cancer, loss of p27 and increased p53 expression is associated with poor prognosis.
Literature	GENERIF_SUMMARY	Phosphate-activated glutaminase (GLS2) is a p53-inducible regulator of cell growth.

Main Category	Category	
Literature	GENERIF_SUMMARY	A statistically significant negative correlation is reported between lymphomas.
Literature	GENERIF_SUMMARY	RUNX3 acts as a novel co-activator for p53 through regulating its
Literature	GENERIF_SUMMARY	The findings suggest that variants in TNF and TP53 are risk factors for POAG, at least in the Chinese population.
Literature	GENERIF_SUMMARY	Induction of p53 and up-regulation of the p53 pathway occurs in th
Literature	GENERIF_SUMMARY	NS1 was able to associate with and inhibit the tumor suppressor p
Literature	GENERIF_SUMMARY	Loss of heterozygoty of 1p or 19q LOH was more frequent in p53 i
Literature	GENERIF_SUMMARY	Syrbactin class proteasome inhibitor-induced apoptosis and autoph
Literature	GENERIF_SUMMARY	present high-resolution crystal structures of complexes between p
Literature	GENERIF_SUMMARY	Phytic acid treatment significantly inhibited the growth of human g
Literature	GENERIF_SUMMARY	ATDC increases cell proliferation via inhibition of p53 nuclear activ
Literature	GENERIF_SUMMARY	The expressions of P53, P21 and Ki67 proteins are closely related
Literature	GENERIF_SUMMARY	Show in pancreatic cancer the growth inhibition and apoptosis by r
Literature	GENERIF_SUMMARY	[REVIEW]studies of tp53 mutagenesis induced by a variety of environ
Literature	GENERIF_SUMMARY	Findings suggest that MDM2 and MDMX are responsible for the fu
Literature	GENERIF_SUMMARY	UNC5A is a novel transcriptional target of p53 and plays a role in p
Literature	GENERIF_SUMMARY	Polymorphism-polymorphism interaction (both multiplicative and a
Literature	GENERIF_SUMMARY	as a unique p53 target gene, GLS2 is a mediator of p53's role in en
Literature	GENERIF_SUMMARY	The P53 gene codon 72 and Her-2 gene polymorphisms were not a
Literature	GENERIF_SUMMARY	Using HCT116 somatic knockout cells we show that mechanistica
Literature	GENERIF_SUMMARY	These results show a unique role for p53/47 in the p53 pathway an
Literature	GENERIF_SUMMARY	variants in TP53 were confirmed to be associated with risk of inva
Literature	GENERIF_SUMMARY	p16INK4A hypermethylation is associated with accumulation of p5
Literature	GENERIF_SUMMARY	p53 exerts a biphasic control on PKD1 gene transcription, dependi
Literature	GENERIF_SUMMARY	The Pro variant of tumor protein 53 Arg72Pro is an important gene
Literature	GENERIF_SUMMARY	WDR3 has an essential function in 40 S ribosomal subunit synthes
Literature	GENERIF_SUMMARY	p53 is an initiating factor in acrolein-induced death receptor activa

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 function is rescued by small-molecule RITA in cervical carcinoma
Literature	GENERIF_SUMMARY	The findings suggest that polymorphisms of MDM2 and TP53 gene
Literature	GENERIF_SUMMARY	SOX4 contributes to hepatocarcinogenesis by inhibiting p53-mediated
Literature	GENERIF_SUMMARY	PKB phosphorylates one of the anti-apoptotic proteins--transcription
Literature	GENERIF_SUMMARY	Mitochondrial p53 functions as a Bim derepressor by releasing Bim from engagement in Bak/Bax activation.
Literature	GENERIF_SUMMARY	we demonstrate that p53 is directly involved in the regulation of hu
Literature	GENERIF_SUMMARY	The functional and nonfunctional missense mutations may distinguish heterogeneity in the functionality of specific p53 mutations could a
Literature	GENERIF_SUMMARY	p53 overexpression is closely related to the 1p-intact status in olig
Literature	GENERIF_SUMMARY	The Arg allele of P53 gene codon 72 may increase susceptibility, a
Literature	GENERIF_SUMMARY	overexpression in esophageal mucosa correlates with the severity
Literature	GENERIF_SUMMARY	p53 overexpression combined with chromosome 17 numerical imbalances in adenocarcinomas.
Literature	GENERIF_SUMMARY	TP53 Pro/Pro genotype of 72 codon polymorphism could be an inde
Literature	GENERIF_SUMMARY	This review summarizes the different facets of MDM4-mediated repress function.
Literature	GENERIF_SUMMARY	these findings provide the first evidence that miR-1285 directly reg
Literature	GENERIF_SUMMARY	beta-amyloid 1-40 induces HIPK2 degradation and alters HIPK2 binding vulnerability to a noxious stimulus.
Literature	GENERIF_SUMMARY	We identified a novel germ line variant of the 177 mutant (Pro to Ala) neuron-specific enolase.
Literature	GENERIF_SUMMARY	The observed physical association of p53 and BRCA2 may have implications of homologous recombination.
Literature	GENERIF_SUMMARY	p53-mediated transcription from a (1/2) site response element can occur in a manner that is dependent on level of ER protein, the type of ER ligand
Literature	GENERIF_SUMMARY	Increased p53 expression in pneumocytes of chronic obstructive pulmonary disease is associated with cellular homeostasis defects.
Literature	GENERIF_SUMMARY	study characterized the two p53 isoforms (p53P(72) and p53R(72)) and the alteration in the secondary structure of p53 introduced by this polymorphism
Literature	GENERIF_SUMMARY	the anticancer action of selenium may involve transactivation of p53
Literature	GENERIF_SUMMARY	two spontaneously transformed human oral keratinocyte lines from patients with p21WAF1/Cip1 and overexpression of p-Rb-Ser807
Literature	GENERIF_SUMMARY	identification of ISG20L1 as a p53 family target and discovery that the connection between p53 signaling and autophagy
Literature	GENERIF_SUMMARY	Data from genetic association studies support association between p53 polymorphisms associated with Fok1 & CDX2 VDR genotypes.
Literature	GENERIF_SUMMARY	Alterations of the p53 and Bcl-2 proteins occur during the development

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 is both indispensable and sufficient for the radiation effect in
Literature	GENERIF_SUMMARY	Our study provides clinical and molecular characteristics of TP53 m
Literature	GENERIF_SUMMARY	High TP53 is associated with high-grade ovarian serous carcinoma
Literature	GENERIF_SUMMARY	Our data show that proline homozygosity at p53 codon 72 is assoc
Literature	GENERIF_SUMMARY	Loss of TP53 and increased incidence of autosomal aneuploidy an the progression of lung cancer.
Literature	GENERIF_SUMMARY	MIF can protect human vascular endothelium from the toxic effect
Literature	GENERIF_SUMMARY	Arg72Pro single nucleotide polymorphisms is associated with sus
Literature	GENERIF_SUMMARY	the p53 pathway harbors functional inherited single-nucleotide pol and clinical outcome (Review)
Literature	GENERIF_SUMMARY	PTTG1 overexpression in normal human fibroblasts caused chrom activation of DNA-damage response pathway.
Literature	GENERIF_SUMMARY	analysis of allelic loss at TP53 in endometrial carcinomas
Literature	GENERIF_SUMMARY	The p53 C terminus and its activation domain interact with differ strikingly, distinct p53-Mediator structures differentially affect Pol
Literature	GENERIF_SUMMARY	Our findings provide no evidence that p16(INK4A)/p14(ARF) and p
Literature	GENERIF_SUMMARY	Mutations in p53 is associated with up-regulated OCT4, NANOG an
Literature	GENERIF_SUMMARY	demonstrate that p53-induced quiescence actually results from su
Literature	GENERIF_SUMMARY	IDH1 and p53 may have a role in osteosarcoma
Literature	GENERIF_SUMMARY	These studies identify a complex relationship between p53, SirT3, the p53 protein for control of cellular fate independent of transcrip
Literature	GENERIF_SUMMARY	Polymorphism of MTHFR and p53 found in Down' and Elers-Danlos patients.
Literature	GENERIF_SUMMARY	The increased expression of p53 mediates silica-induced cell cycle fibroblasts.
Literature	GENERIF_SUMMARY	Studies indicate that positive feedback regulatory network based o and deterioration.
Literature	GENERIF_SUMMARY	Data show that overexpression of p53 was associated with lymph
Literature	GENERIF_SUMMARY	The present study investigated promoter hypermethylation of TP53 mitochondrial DNA (mtDNA) alterations in breast cancer patients l
Literature	GENERIF_SUMMARY	Decreased transcription-coupled nucleotide excision repair capaci to cisplatin.
Literature	GENERIF_SUMMARY	Results demonstrate that miR-34a acts as a tumor suppressor in p
Literature	GENERIF_SUMMARY	DNA binding cooperativity of p53 limits the proliferation of tumor c
Literature	GENERIF_SUMMARY	Despite p53 upregulation and activation, curcumin-induced apopto stress.
Literature	GENERIF_SUMMARY	a mechanistic basis for the p53-dependent and -independent funct

Main Category	Category	
Literature	GENERIF_SUMMARY	propose that Mdm2 facilitates, or at least enhances, the association of Mdm2 with p53. Mdm2 regulates this process
Literature	GENERIF_SUMMARY	From genetic association studies of children in Italy, an SNP in p53 was associated with the risk of childhood acute lymphoblastic leukemia
Literature	GENERIF_SUMMARY	Griseofulvin induced the nuclear localization of p53 and inhibited cell growth in human epidermal cells
Literature	GENERIF_SUMMARY	Mutations may predict the biological nature of pulmonary adenocarcinoma
Literature	GENERIF_SUMMARY	The ectopic expression of AICDA in rheumatoid arthritis fibroblasts leads to acquisition of tumour-like properties by RA-FLS.
Literature	GENERIF_SUMMARY	Meta-analysis provides strong evidence that the TP53 codon 72 polymorphism is associated with the risk of cancer
Literature	GENERIF_SUMMARY	This is the first study to show that DJ-1 immunoreactivity is present in GBMs and that its expression in GBMs varies directly with p53 nuclear immunoreactivity and inversely with p53 mRNA levels
Literature	GENERIF_SUMMARY	analysis of immortalization of oral keratinocytes by functional inactivation of p53
Literature	GENERIF_SUMMARY	DPYSL4 is a novel apoptosis-inducible factor controlled by p53 in mouse embryonic fibroblasts
Literature	GENERIF_SUMMARY	TP53 mutations are associated with subgroups of early-onset breast cancer
Literature	GENERIF_SUMMARY	Impairment of dyskerin function causes p53 inactivation due to a defect in p53 mRNA translation and protein levels in human breast cancer cells
Literature	GENERIF_SUMMARY	A p53 dysfunctional pathway emerged in refractory chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	Attempt to define genomic signature of TP53 mutations in ovarian cancer
Literature	GENERIF_SUMMARY	Resveratrol suppresses colon cancer cell proliferation and elevates p53 expression, suggesting that p53 signaling pathways and activation of p53.
Literature	GENERIF_SUMMARY	These data challenge the view of p53 as an angiogenesis-regulator in glioblastoma
Literature	GENERIF_SUMMARY	Seventeen p53 mutants exhibited temperature-dependency and distinct patterns of growth inhibition
Literature	GENERIF_SUMMARY	Results characterize a novel immunosuppressant, which shows p53-independent mechanism, especially in combination with Cisplatin.
Literature	GENERIF_SUMMARY	These findings suggest that p53 mutation in giant cell tumor of bone can be a prognostic factor
Literature	GENERIF_SUMMARY	Results suggest that SAMD4B is a widely expressed gene involved in the regulation of p53
Literature	GENERIF_SUMMARY	p53 overexpression is a late event during tumor development and is associated with poor prognosis
Literature	GENERIF_SUMMARY	Study showed that the Arg variant of TP53 gene is associated with chromosome instability and that this polymorphism appreciably influences occurrence of chromosome aberrations
Literature	GENERIF_SUMMARY	Necrosis-linked P53 aggregation may contribute to acquired apoptosis
Literature	GENERIF_SUMMARY	P53 mutations were found in 20.1% of bladder cancer patients.
Literature	GENERIF_SUMMARY	Tp53 gene mutation is associated with the differential diagnosis of bladder cancer
Literature	GENERIF_SUMMARY	Recent studies on the cooperative molecular mechanisms by which p53 controls cell growth and apoptosis
Literature	GENERIF_SUMMARY	Studies indicate that since the discovery of p53 over a quarter of a century ago, the decision to live and the decision to die are under the control of p53
Literature	GENERIF_SUMMARY	These results show that recombinant, purified wtp53 and endogenous protein in cells are capable of inducing apoptosis
Literature	GENERIF_SUMMARY	human TRP2 counteracts apoptotic cell death induction, possibly by inhibiting p53

Main Category	Category	
		pathway
Literature	GENERIF_SUMMARY	A multiplicative joint effect of MDM2 and p53 codon72 polymorph
Literature	GENERIF_SUMMARY	Data show that in addition to the risk for established LFS tumour ty colon cancer.
Literature	GENERIF_SUMMARY	P53 codon 72 and p21 codon 31 polymorphisms are associated w
Literature	GENERIF_SUMMARY	overexpression of serum p53 mutation related with Helicobacter p
Literature	GENERIF_SUMMARY	There were no significant associations between glutathione-S-tran (p>0.05).
Literature	GENERIF_SUMMARY	Genetic association study. We conclude that p53 codon 72 genoty depolarization and is not associated with clinical markers of disea
Literature	GENERIF_SUMMARY	CAGE induced the interaction between histone deacetylase 2 (HDA cells; CAGE confers drug resistance by regulating expression of p5
Literature	GENERIF_SUMMARY	Single nucleotide polymorphism Arg72Pro in MDM2 gene is not as
Literature	GENERIF_SUMMARY	The increased expression of cathepsin L in glioblastoma cells harb cells.
Literature	GENERIF_SUMMARY	In p53-deficient hepatoma, there are no significant changes in cell
Literature	GENERIF_SUMMARY	The data suggest that H. pylori cagA(+) contributes to p53 alterati may be a mechanism in which H. pylori can promote the developm
Literature	GENERIF_SUMMARY	Results demonstrate the direct negative regulation of p53 by miR-5 microRNAs in tumorigenesis.
Literature	GENERIF_SUMMARY	Polycyclic hydrocarbons produced significant levels of DNA adduct damage response.
Literature	GENERIF_SUMMARY	Malignant transformation of calcifying epithelial odontogenic tumo
Literature	GENERIF_SUMMARY	brain-expressed RING finger protein (BERP) is a gene whose expre
Literature	GENERIF_SUMMARY	P53 expression was a negative prognostic parameter for disease f
Literature	GENERIF_SUMMARY	Hep27 is regulated at the transcriptional level by the proto-oncoge
Literature	GENERIF_SUMMARY	No TP53 mutations were detected in any of the focal nodular hype
Literature	GENERIF_SUMMARY	we did not observe any evidence for a role of TP53 Arg72Pro polyr
Literature	GENERIF_SUMMARY	Deletion of the TP53 gene from MCF-10A cells eliminated p53 func stemming from the distinct chromosomal changes observed.
Literature	GENERIF_SUMMARY	DUSP26 functions as a p53 phosphatase
Literature	GENERIF_SUMMARY	Women possessing the Arg/Pro genotype of TP53 (tumor protein5 cancer development compared to Pro/Pro genotype
Literature	GENERIF_SUMMARY	results indicate that latitude may modify the effect of Arg72Pro po
Literature	GENERIF_SUMMARY	Gleditsia sinensis thorn extract increases p53 levels and down-reg
Literature	GENERIF_SUMMARY	The results establish the deficiency in pyrimidine biosynthesis as t
Literature	GENERIF_SUMMARY	Particular patient's CAF displayed the only p53 mutation in the coh

Main Category	Category	
		procancerous effects of CAFs are unlikely to be due to DNA copy n
Literature	GENERIF_SUMMARY	Data provided compelling evidence that deregulation of DNMT1 is of p53.
Literature	GENERIF_SUMMARY	Data show that silencing of p53 or p21/CDKN1A weakened the tet
Literature	GENERIF_SUMMARY	direct observation of the correlation between the incidence of TP5 suggesting a functionally different fusion gene product in the p53
Literature	GENERIF_SUMMARY	Myosin VI is differentially regulated by DNA damage in p53- and ce
Literature	GENERIF_SUMMARY	Data show that G2 and S-phase-expressed 1 (GTSE1) protein, a ne phosphorylation of GTSE1 promotes its nuclear localization.
Literature	GENERIF_SUMMARY	p53 was overexpressed in cells lacking Mdm2 and p53, p53 levels
Literature	GENERIF_SUMMARY	p53 was altered in 60% of the oral squamous cell carcinoma samp was poor, indicating high clonal heterogeneity and multiple pathwa
Literature	GENERIF_SUMMARY	Study identified driver mutations in three known pancreatic cancer
Literature	GENERIF_SUMMARY	GLI1 also requires NANOG activity forming a positive loop, which i
Literature	GENERIF_SUMMARY	study reports 3 unique cases of myelodysplastic syndrome arising
Literature	GENERIF_SUMMARY	results showed that the interaction of LBH and alphaB-crystallin m
Literature	GENERIF_SUMMARY	marker for malignant melanoma, S100B, likely contributes to canc
Literature	GENERIF_SUMMARY	MDM2 mediates formation of p53-SUV39H1/EHMT1 complex cap
Literature	GENERIF_SUMMARY	expression was not affected by age or sex. CONCLUSION
Literature	GENERIF_SUMMARY	These findings offer a new rationale for therapeutic targeting of PC
Literature	GENERIF_SUMMARY	increased expression of p53 is associated with progressive loss of
Literature	GENERIF_SUMMARY	mutations in exon 7 and exon 8 of TP53 are factors of tumor progr
Literature	GENERIF_SUMMARY	TP53 polymorphism may be associated with increased risk of pros
Literature	GENERIF_SUMMARY	Data suggest that both p53 transcription-independent and depend
Literature	GENERIF_SUMMARY	Dcr3 expression and p53-dependent apoptosis signalling pathway
Literature	GENERIF_SUMMARY	Proliferating cells show pulses of p53, associated with intrinsic DN keep p53 inactive, preventing it from inducing p21 expression and
Literature	GENERIF_SUMMARY	p53 operates as an upstream effector of Ankrd1/CARP, by up regul
Literature	GENERIF_SUMMARY	Wild-type p53 acts as a negative regulator of BCRP gene transcript
Literature	GENERIF_SUMMARY	p53 regulation in redox-perturbed states found in various diseases
Literature	GENERIF_SUMMARY	status of the mTOR pathway can determine, at least in part, the ch
Literature	GENERIF_SUMMARY	Our results suggest that p53 mutation is a factor in malignant tran
Literature	GENERIF_SUMMARY	these results suggest that p53 downregulation of mACON gene ex consensus p53 response elements found within the mACON prom
Literature	GENERIF_SUMMARY	These studies suggest that p53 aberrations may be involved in ade

Main Category	Category	
Literature	GENERIF_SUMMARY	Authors did not identify an association between TP53 rs1042522 and cancer risk, suggesting that the observed association is likely due to confounding rather than true biological effects.
Literature	GENERIF_SUMMARY	up-regulation in coal-combustion-type fluorosis, influenced by selected genetic polymorphisms.
Literature	GENERIF_SUMMARY	These data reveal distinct physiological roles of p53 that together with the known functions of p53, may provide a more complete understanding of the role of p53 in cellular homeostasis.
Literature	GENERIF_SUMMARY	increased levels of PBK/TOPK may contribute to tumor cell development and progression, while reductions in the cell-cycle regulatory proteins such as p21.
Literature	GENERIF_SUMMARY	A novel TERT-bFGF axis accelerates the inactivation of p53 and cooperates with telomerase to promote tumorigenesis.
Literature	GENERIF_SUMMARY	The association between TP53 mutations and recent beer consumption in Japanese men.
Literature	GENERIF_SUMMARY	The association of complete absence of p53 expression with unfavourable prognosis in breast cancer, compared to those underlying complete absence of p53 expression.
Literature	GENERIF_SUMMARY	expression of PARP, Bak and p53 was significantly greater for patients with advanced disease.
Literature	GENERIF_SUMMARY	The results of the present meta-analysis suggest that the TP53 Arg/Arg genotype is associated with increased susceptibility to bladder cancer in Asians.
Literature	GENERIF_SUMMARY	Overexpression of p53 was associated with pseudoprogression in nasopharyngeal carcinoma after radiotherapy.
Literature	GENERIF_SUMMARY	37% of the myeloma patients with del(17p) present a TP53 mutation.
Literature	GENERIF_SUMMARY	Observed allelic frequencies were
Literature	GENERIF_SUMMARY	The Mdm2-p53 interaction is decreased upon deletion, mutation or overexpression of Mdm2.
Literature	GENERIF_SUMMARY	manganese superoxide dismutase in the mitochondria may regulate p53.
Literature	GENERIF_SUMMARY	in patients with stage II colorectal cancer (CRC), data show high frequency of TP53 mutations, suggesting that c-Kit, p53 codon 72, and K-ras codon 12 are independent prognostic factors.
Literature	GENERIF_SUMMARY	A high percentage of p53-expressing cells in vulvar lesions appear to be in the process of senescence.
Literature	GENERIF_SUMMARY	data revealed that the p53 polymorphism do not impact the risk of tumor progression to a higher tumor stage.
Literature	GENERIF_SUMMARY	as unique regulators of replicative senescence in human cells, both p53 and pRB are essential for the expression of target genes required for replicative and oncogenic stress senescence.
Literature	GENERIF_SUMMARY	Data suggest that targeting cyclin B1 might be an attractive strategy to overcome resistance to CDK1 inhibitors and by reducing the Cdk1 activity.
Literature	GENERIF_SUMMARY	Codon 72 Arg/Arg is the most common polymorphism in TP53 in the general population and in CC.
Literature	GENERIF_SUMMARY	Results found that either complete loss of p53 (p53(f1/f1)) or the expression of a mutant p53 (p53(R172H/+)) resulted in the rapid development of rhabdomyosarcoma.
Literature	GENERIF_SUMMARY	DeltaNp63alpha-ATM-p53 damage-response pathway may therefore be involved in the regulation of p53.
Literature	GENERIF_SUMMARY	Nucleostemin is an important G1/S checkpoint regulator and it controls the expression of p53.
Literature	GENERIF_SUMMARY	p53 codon 72 GG genotype carriers more frequently show biochemical evidence of liver damage.
Literature	GENERIF_SUMMARY	The p53 codon 72 genetic polymorphism is associated with ulcerative colitis.
Literature	GENERIF_SUMMARY	The functionality of canonical and noncanonical response elements in the p53 promoter is regulated by p53s as well as transcriptional synergism of p53 with estrogen receptor.

Main Category	Category	
Literature	GENERIF_SUMMARY	study details the mechanism of activation of p53 and puts forth the
Literature	GENERIF_SUMMARY	Study reports the identification of lincRNAs that are regulated by p transcriptional responses.
Literature	GENERIF_SUMMARY	Gain of cellular adaptation due to prolonged p53 impairment leads to leukemia cells.
Literature	GENERIF_SUMMARY	Histone deacetylase inhibitors enhance the anticancer activity of m gene expression.
Literature	GENERIF_SUMMARY	Thirty breast tumors without BRCA mutation, along with adjacent normal promoter as well as the coding region of the TP53 gene.
Literature	GENERIF_SUMMARY	Coordination between cell cycle progression and cell fate decision
Literature	GENERIF_SUMMARY	Both their p53(-/-) diploid and their p53(+/+) tetraploid marked hyper particularly strong during mitosis.
Literature	GENERIF_SUMMARY	High TP53 is associated with endometrial cancer.
Literature	GENERIF_SUMMARY	Data show that ATP binding to Hsp90beta is a sufficient step for e
Literature	GENERIF_SUMMARY	The p53(R175H) mutant induces Twist1 expression involves allevi
Literature	GENERIF_SUMMARY	up-regulation of Dyrk1A contributes to altered neuronal proliferation p21(CIP1) induction.
Literature	GENERIF_SUMMARY	Data show that TP53 mutations in the absence of 17p deletions w patients with TP53 mutation in the absence of 17p deletion were s
Literature	GENERIF_SUMMARY	ULF is a bona fide E3 ligase for ARF and also suggest that ULF is a leukaemia cells.
Literature	GENERIF_SUMMARY	p53 Expression was statistically more common with less cyclin D1
Literature	GENERIF_SUMMARY	A strong positive correlation between EGFR amplification and EGF overexpression with p53 immunopositivity was observed.
Literature	GENERIF_SUMMARY	expression of miR-203 is dependent on p53, which may explain ho differentiation, as well as the response to DNA damage, in keratino
Literature	GENERIF_SUMMARY	HIF-1alpha as a potent regulator of p53 and NF-kappaB activity un
Literature	GENERIF_SUMMARY	found that Che-1 is required for sustaining mutant p53 expression both in vitro and in vivo
Literature	GENERIF_SUMMARY	Different pathological types of ductal hyperplasia of breast are acc expression in a cohort of Chinese women.
Literature	GENERIF_SUMMARY	Differences in expression levels of apoptosis- and proliferation-cor leukemia and uncover a correlation of levels of CDK4, P27 and P53
Literature	GENERIF_SUMMARY	The high incidence of P53 mutation is a major mechanism of oral
Literature	GENERIF_SUMMARY	p53 binding occurs preferentially within a chromatin context of hig
Literature	GENERIF_SUMMARY	REGgamma-mediated p53 proteolysis contributes, as least in part, modified during CVB3 infection to promote efficient viral replicatio
Literature	GENERIF_SUMMARY	results indicate that genetic polymorphisms in the ATM-P53 pathw polymorphisms might help to identify patients susceptible to deve

Main Category	Category	
Literature	GENERIF_SUMMARY	Data suggest that p53 codon 72 polymorphism is associated with stage of bladder cancer.
Literature	GENERIF_SUMMARY	the association between glutathione S-transferase M1 (GSTM1), G adult acute myeloid leukemia
Literature	GENERIF_SUMMARY	Findings suggest that there is a significant association between th southern women.
Literature	GENERIF_SUMMARY	The TP53 72CC genotype was associated with increased risk of N associated with an increased risk of NHL in Korea.
Literature	GENERIF_SUMMARY	upregulation of p53 was a frequent event in histological normal m with a mutation in the TP53 gene
Literature	GENERIF_SUMMARY	p53 is recruited to PML-nuclear bodies after ionizing radiation that at these sites and/or function in their repair
Literature	GENERIF_SUMMARY	These results indicate that Mfn2 is a novel p53-inducible target ge in the inhibition of cell proliferation, promotion of apoptosis, and m
Literature	GENERIF_SUMMARY	Findings suggest that breast cancer developing on a background o
Literature	GENERIF_SUMMARY	TP53 mutation but not PTEN loss is associated with diffuse large e
Literature	GENERIF_SUMMARY	NPM/B23 plays an important role in protecting cells from radiation pathway.
Literature	GENERIF_SUMMARY	anti-apoptotic function of mitochondrial p53 regulated by cyclin B1
Literature	GENERIF_SUMMARY	Most cases that were p53 positive had an increased proliferation a
Literature	GENERIF_SUMMARY	The present study is centered on the prognosis factors from the se immunomarker expression).
Literature	GENERIF_SUMMARY	Data suggest that downregulation of p53 in hypoxia reduces or eli syncytiotrophoblasts, thereby limiting cell death and maintaining th
Literature	GENERIF_SUMMARY	Mutant HBx proteins still retain their ability to bind to p53 thereby a
Literature	GENERIF_SUMMARY	the evaluation of p53 mutation provides the most useful predictor
Literature	GENERIF_SUMMARY	Histone deacetylase inhibitors valproic acid and depsipeptide sens p53 acetylation-phosphorylation.
Literature	GENERIF_SUMMARY	Midkine (MK) expression may affect prognosis via the p53 status a intervention in patients with cancer cells with mutant p53.
Literature	GENERIF_SUMMARY	Inhibition of the mTOR signal may be a promising strategy for radi cancer cell lethality and cell growth depression.
Literature	GENERIF_SUMMARY	Tp53 and EGFR mutations usually precede lymph node metastasis lymph node metastasis show predominantly a concordant pattern
Literature	GENERIF_SUMMARY	HepG2 cells expressing HBx showed no change in p53 expression
Literature	GENERIF_SUMMARY	TP53 was strongly and homogeneously expressed in colorectal ca
Literature	GENERIF_SUMMARY	evaluation of the impact of single-nucleotide polymorphisms in p5 damage.
Literature	GENERIF_SUMMARY	a striking inverse association of p68 and delta133p53 expression i

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 positivity in unamplified 17 polysomy identifies cases that are negativity that is similar to cases with HER2 amplification.
Literature	GENERIF_SUMMARY	mitochondrial translocation of p53 after treatment with luteolin or
Literature	GENERIF_SUMMARY	Results suggest that p53 Arg72Pro polymorphism, but not GSTP1
Literature	GENERIF_SUMMARY	A single nucleotide polymorphism (SNP) in the human MDM2 prom
Literature	GENERIF_SUMMARY	p53 is able to coregulate intronic miRNA-107 by transcriptional ind
Literature	GENERIF_SUMMARY	the existence of a dsRNA region containing complementary seque critical for its translational regulation by RPL26
Literature	GENERIF_SUMMARY	Data provide evidence that endogenous PPP1R13L acts as a nega
Literature	GENERIF_SUMMARY	This meta-analysis did not provide an evidence of confirming asso
Literature	GENERIF_SUMMARY	The author searched extensively for the expression and influence o regulation and tissue hypoxia
Literature	GENERIF_SUMMARY	Double mutant p53(S215A/S269A) was transcriptionally inactive a
Literature	GENERIF_SUMMARY	Cell cycle regulation through the p21WAF1/CIP1 signaling network
Literature	GENERIF_SUMMARY	In tumors with wild-type p53, its tumor suppressor function is ofte Likewise, MDM2 targets HIPK2 for protein degradation impairing p
Literature	GENERIF_SUMMARY	Phosphorylation at SER269 resulted in inactivation of p53 functio
Literature	GENERIF_SUMMARY	Importance of p53 regulators in prostate cancer development and
Literature	GENERIF_SUMMARY	Silencing of mutant p53 gene by RNA interference led to significan cell cycle arrest at G1 and G2/M phase, and ultimately induced ma
Literature	GENERIF_SUMMARY	the mechanism for p53-mediated cellular responses
Literature	GENERIF_SUMMARY	Adenovirus type 5 E1B-55K's association with promyelocytic leuke and then greatly facilitating its nuclear export
Literature	GENERIF_SUMMARY	Alphapapillomavirus E6 proteins' ability to degrade p53 is an evol species.
Literature	GENERIF_SUMMARY	Our results show that 1//3rd of the north Indian patients with GBC gene was a frameshift mutation at codon 271.
Literature	GENERIF_SUMMARY	Data indicate that local Sca-1low dermal mesenchymal stem/prog deficiencies in both p53 and Rb.
Literature	GENERIF_SUMMARY	The HPV 16/18 DNA level had positive relation with tumor grade a carcinoma.
Literature	GENERIF_SUMMARY	No association of tumor necrosis with expression of p53, bcl-2, an
Literature	GENERIF_SUMMARY	Our findings imply that TP53 mutations are rare at chronic lympho
Literature	GENERIF_SUMMARY	SET8-mediated methylation of p53 at Lys-382 promotes the intera
Literature	GENERIF_SUMMARY	DNA-damaging agents reduce GLUT3 expression in cancer cells th death or apoptosis
Literature	GENERIF_SUMMARY	inhibition of endogenous miR-380-5p in embryonic stem or neurob

Main Category	Category	
Literature	GENERIF_SUMMARY	These findings suggest that TP53 and MDM2 polymorphisms play
Literature	GENERIF_SUMMARY	A link between Alzheimer's disease (AD)pathology and an unfolded unfolded p53 occurs in healthy subjects and is peculiarly high in A
Literature	GENERIF_SUMMARY	These results suggest that NEEP21 may play a critical role in apop
Literature	GENERIF_SUMMARY	we identified distinct novel non-canonical transcriptome networks chemoresistance and invasion that arise following abrogation of p
Literature	GENERIF_SUMMARY	The direct amplification of plasma miR-221 can be used as a poten correlated with p53 expression.
Literature	GENERIF_SUMMARY	AMPK by TMZ contributes to glioblastoma cell apoptosis, probably
Literature	GENERIF_SUMMARY	hypervirulent strains possess at least two tandem repeats harborin
Literature	GENERIF_SUMMARY	Tp53 pathway inactivation is asociated with soft tissue sarcomas.
Literature	GENERIF_SUMMARY	USP7 regulates the sequence-specific DNA binding mediated by th
Literature	GENERIF_SUMMARY	Arg72Pro TP53 polymorphism is associated with cancer susceptibi
Literature	GENERIF_SUMMARY	Abnormal expression of p53 and pRb correlated with depth of inva worse survival than p53/pRb (normal/alterd).
Literature	GENERIF_SUMMARY	MAP/ERK kinase kinase 1 (MEKK1) mediates transcriptional repre tumor suppressor protein
Literature	GENERIF_SUMMARY	Studies indicate that mono-ubiquitination of p53 by MDM2 leads to
Literature	GENERIF_SUMMARY	Studies indicate that p53 regulates cellular metabolism, autophagy
Literature	GENERIF_SUMMARY	p53 over-expression seen in gallbladder cancer (GBC) and in dyspl mutation and dysplasia are early events in the evolution of GBC
Literature	GENERIF_SUMMARY	Data report that depletion of L37 leads to cell cycle arrest in a MDM
Literature	GENERIF_SUMMARY	Our findings argue that adenovirus attenuates p53-mediated p21 in
Literature	GENERIF_SUMMARY	In addition to miR-125b and miR-504, the human TP53 gene is neg
Literature	GENERIF_SUMMARY	In late rheumatoid arthritis, the rate of apoptosis and p-53-immuno sFas level.
Literature	GENERIF_SUMMARY	Delta133p53 transcript generates two different p53 isoforms, Delta
Literature	GENERIF_SUMMARY	In HCT116 colorectal cancer cells exposed to prolonged nutrient d pivotal component of the autophagic machinery.
Literature	GENERIF_SUMMARY	this study suggests that the p53 codon 72 polymorphism may be a genotype distribution may be associated with the location and sta
Literature	GENERIF_SUMMARY	results suggest that the success of strategies aimed at telomerase should be explored preferentially in chronic phase CML
Literature	GENERIF_SUMMARY	study demonstrates that intermittently sun-exposed skin contains and nonsense mutations in the p53 tumor suppressor gene
Literature	GENERIF_SUMMARY	All cytosines within CpGs of the TP53 DNA-binding domain, on bot knock-in (Hupki) mouse fibroblasts, as they were in human fibrobla
Literature	GENERIF_SUMMARY	an undescribed defect in mitochondrial p53 accumulation in Ataxia

Main Category		Category
		resistant to apoptosis following
Literature	GENERIF_SUMMARY	For diagnosis of BK virus infection in renal allograft biopsies, p53 s
Literature	GENERIF_SUMMARY	Report a novel p53-dependent mechanism for the regulation of en stimulated dysfunctional endothelium.
Literature	GENERIF_SUMMARY	p53-P72 and p53-R72 induce different levels of MDM-2 transcriptio
Literature	GENERIF_SUMMARY	The results suggest that p53 and KIT expression are associated w multifactorial.
Literature	GENERIF_SUMMARY	Reviewed is the contribution by Prof. Fersht and his group towards interactions.
Literature	GENERIF_SUMMARY	Data showed that ablation of p53 in fibroblasts enabled them to pr dependent on the increased expression of the chemokine SDF-1.
Literature	GENERIF_SUMMARY	Findings establish that NF-Y acts upstream of E2F1 in p53-mediate
Literature	GENERIF_SUMMARY	Dasatinib induced a variable but significant decrease of viability in combination of cell cycle block in G1 and apoptosis.
Literature	GENERIF_SUMMARY	Over-expression of p53 in association with cigarette smoking may population of northeastern Iran.
Literature	GENERIF_SUMMARY	SPARC regulates, in a cell-autonomous manner, cell cycle progress
Literature	GENERIF_SUMMARY	Aurora B interacts with NIR-p53, leading to p53 phosphorylation in
Literature	GENERIF_SUMMARY	Somatic inactivating mutations of the tumor suppressor gene TP5
Literature	GENERIF_SUMMARY	These data establish PLK1 as a direct transcriptional target of p53
Literature	GENERIF_SUMMARY	Low frequency of TP53 mutation is associated with hepatitis B viru
Literature	GENERIF_SUMMARY	Inherited germline TP53 mutation encoding a protein with an aberr
Literature	GENERIF_SUMMARY	tumor-predisposing p53 mutations hijack p63 to a different locatio
Literature	GENERIF_SUMMARY	Inhibition of p53 induces cell invasion by upregulating the PI3K/Ak
Literature	GENERIF_SUMMARY	CHIP-dependent p53 regulation occurs specifically during senesce
Literature	GENERIF_SUMMARY	threshold for loss of tumor suppressor activity in terms of the disr
Literature	GENERIF_SUMMARY	Results suggest that acetylation of p53 at K382 plays an importan
Literature	GENERIF_SUMMARY	The loss of expression of MGMT may lead to activation of the wild small cell lung cancer.
Literature	GENERIF_SUMMARY	The expression of p53 in pterygium was significantly higher than th
Literature	GENERIF_SUMMARY	severe dysplasia and p53 positivity were strongly associated with
Literature	GENERIF_SUMMARY	A significant association of p53 overexpression with lymph node n
Literature	GENERIF_SUMMARY	The results support an important role of the TP53 codon-72 polym
Literature	GENERIF_SUMMARY	Data show that Delta40p53 controls the switch from pluripotent ES critical targets such as Nanog and the IGF-1 receptor.
Literature	GENERIF_SUMMARY	Data show that Lats2 and ASPP1 shunt p53 to proapoptotic prom

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 alterations might contribute to the pathogenesis of gastritis and
Literature	GENERIF_SUMMARY	EGR2 is a direct transcriptional target of p53 family that can in part
Literature	GENERIF_SUMMARY	Altered p53 expression predicted poor response to radiotherapy.
Literature	GENERIF_SUMMARY	p53 protects against metabolic stress by up-regulation of oxidative
Literature	GENERIF_SUMMARY	Suppression of telomerase could activate the PML-dependent p53
Literature	GENERIF_SUMMARY	HPV-16 E6 may act through p53/ DNMT1 to regulate the developm
Literature	GENERIF_SUMMARY	Synergistic gastric cancer inhibition by chemogenetherapy with re
Literature	GENERIF_SUMMARY	Data indicated that interaction of betel quid with p53 genotypes in
Literature	GENERIF_SUMMARY	As diffuse and multiple features on imaging modalities represent i and aggressive nature of malignant astrocytomas
Literature	GENERIF_SUMMARY	a UV-induced, dose-dependent interaction between p38 and p53 ac
Literature	GENERIF_SUMMARY	A case-control study in Japan showed that the combination of the of colorectal cancer.
Literature	GENERIF_SUMMARY	in cases of intrauterine growth restriction p53 mRNA and protein e
Literature	GENERIF_SUMMARY	Fisetin caused up-regulation of p53 and shift in Bax/Bcl-2 ratio in b
Literature	GENERIF_SUMMARY	the present study suggests that LANA induce enhancement of p53 latent persistence.
Literature	GENERIF_SUMMARY	Mutant p53 co-localizes with amyloid-like protein aggregates sugg
Literature	GENERIF_SUMMARY	This study reveals that p53, a downstream effector of telomere-ini
Literature	GENERIF_SUMMARY	found that dominant-negative mutants of PML blocked AXIN-induc necessary for PML functions
Literature	GENERIF_SUMMARY	Overexpression of TP53 is associated with neuroendocrine carcino
Literature	GENERIF_SUMMARY	the current study was conducted to validate the prognostic role of
Literature	GENERIF_SUMMARY	SRF and Enigma coexpressed with MDM2 but not p53 in several liv
Literature	GENERIF_SUMMARY	Study shows the pivotal roles of Dmp1 in HER2/neu-p53 signaling
Literature	GENERIF_SUMMARY	Our investigation revealed that p53-overexpression as measured b with colorectal adenocarcinoma.
Literature	GENERIF_SUMMARY	p53 accumulates selectively in the erythroid lineage in primary hur the ribosomal protein gene deleted in the 5q-syndrome, or RPS19.
Literature	GENERIF_SUMMARY	p53 and EGFR mutations are uncommon in lymphoepithelioma-like carcinogenesis for this tumor subtype.
Literature	GENERIF_SUMMARY	p53 bound to FAK promoter in the presence of estradiol...suggesti
Literature	GENERIF_SUMMARY	Vif induces G2 cell cycle arrest through functional interaction with effect on HIV-1 replication.
Literature	GENERIF_SUMMARY	Data show that of primary tumors 64% were mutant for FGFR3, 11
Literature	GENERIF_SUMMARY	Results describe p53 mutations in esophageal cancer in a high-ris

Main Category	Category	
		chewing.
Literature	GENERIF_SUMMARY	We examined 24 cases of ependyoblastoma/embryonal tumour and beta-Catenin and for amplification of c-myc/N-myc.
Literature	GENERIF_SUMMARY	these results suggest that TAp63 may play a compensatory role in
Literature	GENERIF_SUMMARY	hUTP14a physically interacts with p53 and functionally promotes p
Literature	GENERIF_SUMMARY	Gene disruption of IP6K2 in colorectal cancer cells selectively imp binding directly to p53 and decreasing expression of proarrest gen
Literature	GENERIF_SUMMARY	This study reveals novel connections between actin cytoskeleton r
Literature	GENERIF_SUMMARY	There are novel p53 mutations in gastric cancer and mutation patt
Literature	GENERIF_SUMMARY	Results clearly indicate that the interaction between TCTP and p53
Literature	GENERIF_SUMMARY	This comprehensive analysis of the Pirh2 and Mdm2 RING domain
Literature	GENERIF_SUMMARY	REGgamma regulates cellular distribution of p53 by facilitating its
Literature	GENERIF_SUMMARY	No correlations could be found between any p53 alteration and cli
Literature	GENERIF_SUMMARY	The p53 inhibits transcriptional elongation from the HIV-1 promote
Literature	GENERIF_SUMMARY	These data suggest that expression of p53 and mdm-2 in primary grade.
Literature	GENERIF_SUMMARY	TP53 mutations, particularly the hot spot mutations R249S and V1 cell-like gene expression traits might contribute to the aggressive l
Literature	GENERIF_SUMMARY	Findings suggest that eBP1 p48 functions as an oncogene by prom downregulation.
Literature	GENERIF_SUMMARY	Data show that among 181 CRC patients, stratified by microsatellit (16%), PIK3CA (4%), PTEN (14%) and TP53 (51%).
Literature	GENERIF_SUMMARY	p53 and p16INK4a proteins and bcl-2 oncoprotein correlate with th
Literature	GENERIF_SUMMARY	These findings suggest that RNF43 is associated with p53-mediate
Literature	GENERIF_SUMMARY	hMena overexpression is involved in the progression of IDCs, and m
Literature	GENERIF_SUMMARY	In patients treated with radical cystectomy for squamous cell carc
Literature	GENERIF_SUMMARY	Cases with TP53 mutations in the absence of del(17p13) had a sin del(17p13) in Chinese patients with chronic lymphocytic leukemia.
Literature	GENERIF_SUMMARY	This is the first report of TP53 gene polymorphism in glioma patien
Literature	GENERIF_SUMMARY	Sporadic TP53 transition mutations in chronic cholecystitis are po
Literature	GENERIF_SUMMARY	Tp53 mutation is associated with oral squamous cell carcinoma a
Literature	GENERIF_SUMMARY	Tp53 aberration is associated with chronic lymphocytic leukemia.
Literature	GENERIF_SUMMARY	the expression of p53 alone has no prognostic value for early gast
Literature	GENERIF_SUMMARY	BRCA1-mutated and basal-like breast cancers have similar compa TP53 mutations.
Literature	GENERIF_SUMMARY	gene expressions were significantly higher in the cancer group and

Main Category		Category
		efficiency of therapy
Literature	GENERIF_SUMMARY	TP53 polymorphism with carriers of the MDM2 SNP309 G allele is
Literature	GENERIF_SUMMARY	The p53 codon 72 Arg72Pro status does not seem to be associate
Literature	GENERIF_SUMMARY	Substrate phosphorylation and feedback regulation in JFK-promot
Literature	GENERIF_SUMMARY	heterogeneous RB (pRb2 or p16) and p53 (p53, p14, or p21) pathw
Literature	GENERIF_SUMMARY	the 4 SNPs (XPA rs1800975, OGG1 rs1052133, ADPRT rs1136410, contribute to lung carcinogenesis
Literature	GENERIF_SUMMARY	Data show that binding of p53 to SAFB1 had a significant function expression.
Literature	GENERIF_SUMMARY	BCL-2 gene expression showed a significant correlation with FAS, cancer patients
Literature	GENERIF_SUMMARY	GNL3L depletion triggered G2/M arrest in the p53-wild-type HCT114-3-3sigma and p21).
Literature	GENERIF_SUMMARY	We found that proline form of single nucleotide polymorphism
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism is associated with cancer.
Literature	GENERIF_SUMMARY	Mutation of p53 gene and HPV infection may facilitate each other
Literature	GENERIF_SUMMARY	TP53 mutation is associated with ovarian serous and mucinous tu
Literature	GENERIF_SUMMARY	The oppositions between MCT-1 and p53 are firstly confirmed at m protein expression
Literature	GENERIF_SUMMARY	The biological usefulness of TP53 codon 72 polymorphism as a se
Literature	GENERIF_SUMMARY	p53 enables tumors to evade boron neutron capture therapy-induc
Literature	GENERIF_SUMMARY	Relevance of the combinatorial inactivation of p53 in non-small ce
Literature	GENERIF_SUMMARY	Data show the direct binding of PpIX to the N-terminal domain of p
Literature	GENERIF_SUMMARY	The association between BMI and diabetes depends on p53 polym
Literature	GENERIF_SUMMARY	Data demonstrated that the polymorphism in TP53 (rs1042522) w (rs1042522) and RAPGEF1 (rs11243444), or NRF1 (rs1882095) inc
Literature	GENERIF_SUMMARY	a conserved tethering function of the Golgi protein p115 CTF which
Literature	GENERIF_SUMMARY	a new role for 14-3-3gamma in protecting p21 from MDMX-mediated elevation of p21 levels independent of p53.
Literature	GENERIF_SUMMARY	Deacetylation of the DNA-binding domain regulates p53-mediated
Literature	GENERIF_SUMMARY	Suppression of p53 activity through the cooperative action of Ski a
Literature	GENERIF_SUMMARY	Data suggest a model in which loss of p53 function enables acqui progression.
Literature	GENERIF_SUMMARY	the p53 Arg72Pro SNP is implicated in bladder cancer, and the rare
Literature	GENERIF_SUMMARY	Loss of ATM/Chk2/p53 pathway components accelerates tumor d
Literature	GENERIF_SUMMARY	study contributes to the knowledge of cumulative chemical expos

Main Category	Category	
Literature	GENERIF_SUMMARY	The results of this paper are applied to the widely studied p53 path consistent with experimental observations from the published liter
Literature	GENERIF_SUMMARY	Data identify TSPYL5 as a suppressor of p53 function through its i
Literature	GENERIF_SUMMARY	study reveals a multilevel interplay between RPS27L/S27 and p53- regulator
Literature	GENERIF_SUMMARY	Data show that p53(S46) kinase HIPK2 accumulates on MYCN exp and apoptosis.
Literature	GENERIF_SUMMARY	EBV-LMP1, P53 and P16(INK4A) were overexpressed in 85.0%, 96.
Literature	GENERIF_SUMMARY	EBNA3C negatively regulate p53-mediated functions by interacting
Literature	GENERIF_SUMMARY	analysis of a model, in which the C-terminal domain mediates fast reassociation, allowing for rapid scanning of long DNA regions
Literature	GENERIF_SUMMARY	analysis of quaternary structure of p53 and different binding mode
Literature	GENERIF_SUMMARY	a mechanism underlying the SENP2-mediated regulation of Mdm2
Literature	GENERIF_SUMMARY	The observed differences in their presence in cell lines and derived in cell lines.
Literature	GENERIF_SUMMARY	There is a link between the p53 dependent cell cycle arrest and gamma expression levels of gamma-H2AX are associated with unfavourab
Literature	GENERIF_SUMMARY	p53 mutants have a different quality in gain-of-function activities e
Literature	GENERIF_SUMMARY	Phosphorylation of serine17 in the N-terminal ""lid"" of MDM2 bindi
Literature	GENERIF_SUMMARY	p53 functional activation was not closely correlated with its genoty also could be functionally activated while some wild-type p53 coul
Literature	GENERIF_SUMMARY	TP53 R337H mutation is associated not only with adrenocortical t osteosarcoma
Literature	GENERIF_SUMMARY	iASPP regulates the proliferation and motility of lung cancer cells.
Literature	GENERIF_SUMMARY	These results suggest that SUMO interaction motif-mediated HIPK of apoptosis.
Literature	GENERIF_SUMMARY	Data show that Removal of p53 significantly blocked Rh2-induced induced by Rh2 are mediated by p53 activity.
Literature	GENERIF_SUMMARY	p53 protein expression was able to subdivide the triple-negative ca
Literature	GENERIF_SUMMARY	an inverse correlation between expression of p53 and CD44 in the
Literature	GENERIF_SUMMARY	RB1CC1, RB1 and p53 have prognostic roles in breast cancer in Ja
Literature	GENERIF_SUMMARY	A microRNA/TP53 feedback circuitry is associated with CLL patho the association of 13q deletions with the indolent form of CLL that
Literature	GENERIF_SUMMARY	The primate-specific Alu repeats play an important role in shaping
Literature	GENERIF_SUMMARY	novel evidence that the inhibition of Nrf2 can suppress Mdm2 expr
Literature	GENERIF_SUMMARY	novel regulatory mechanism involving the phosphorylation of Sirt1 understanding of signaling mechanisms during DNA damage-indu
Literature	GENERIF_SUMMARY	DNA damaging agents and p53 do not cause senescence in quiesc

Main Category	Category	
		senescence.
Literature	GENERIF_SUMMARY	These results suggest that silibinin might induce p53-mediated autophagy through MEK/ERK and PI3K/Akt pathways.
Literature	GENERIF_SUMMARY	The mutual exclusiveness of miR-34a methylation and p53 mutation in human gastric cancer.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with chronic lymphocytic leukemia.
Literature	GENERIF_SUMMARY	MicroRNA miR-885-5p targets CDK2 and MCM5, activates p53 and induces cell cycle arrest.
Literature	GENERIF_SUMMARY	Targeting mortalin-p53 interaction with either mortalin small hairpin RNA or p53-specific apoptosis in hepatocellular carcinoma; p53-null hepatoma cells.
Literature	GENERIF_SUMMARY	The Tumor Suppressor Protein p53 upregulates expression of endoplasmic reticulum chaperones.
Literature	GENERIF_SUMMARY	p53 sensitizes tumor cells to the ethanol extract of <i>Iris nertschinskii</i> .
Literature	GENERIF_SUMMARY	Data show that p15/miR-23b/uPA are involved in HPV-16 E6-associated cellular transformation.
Literature	GENERIF_SUMMARY	Deletion and mutation analyses of the Cdc25B promoter revealed two distinct TATA and NF-Y binding sites.
Literature	GENERIF_SUMMARY	Our results reveal that Set7/9 is a critical regulator of the SIRT1-p53 interaction, leading to acting through a methylation-dependent mechanism.
Literature	GENERIF_SUMMARY	Transfection of U937 cells (a human monocytic leukemia cell line) with nucleolin-P53 complex.
Literature	GENERIF_SUMMARY	Findings suggest an unforeseen role for Zyxin in DNA damage-induced apoptosis.
Literature	GENERIF_SUMMARY	Data suggest that P53 dysfunction is prognostically most relevant in breast cancer, and markers will be needed for different molecular subsets of breast cancer.
Literature	GENERIF_SUMMARY	These findings identify a novel circuitry between HIF-1alpha and p53, which may be a target for cancer therapies.
Literature	GENERIF_SUMMARY	high single nucleotide polymorphism diversity in p53 gene between Chinese and non-Chinese association with cancer risk.
Literature	GENERIF_SUMMARY	p53beta and p53gamma isoform expression is associated, respectively, with the expression of p53alpha.
Literature	GENERIF_SUMMARY	The researchers found that the TP53 polymorphism Pro72Arg is associated with a higher risk of gastric cancer in Chilean individuals.
Literature	GENERIF_SUMMARY	MDM2 antagonist nutlin-3 has significant anticancer effects against human gastric cancer cells.
Literature	GENERIF_SUMMARY	Certain tubular adenomas were more likely to have a KRAS mutation.
Literature	GENERIF_SUMMARY	XPD may play an important role in cell apoptosis of hepatoma by inducing p53-dependent pathway.
Literature	GENERIF_SUMMARY	TP53 SNP was associated with a significant selection signal for clonal evolution.
Literature	GENERIF_SUMMARY	Data suggest that the anti-tumor activity of NF-kappaB inhibitors is dependent on p53.
Literature	GENERIF_SUMMARY	Data show that GCS silencing increased the levels of phosphorylated p53.
Literature	GENERIF_SUMMARY	The G-allele of TP53 rs1042522 is associated with an increased prevalence of gastric cancer.
Literature	GENERIF_SUMMARY	ATR is activated by mild hypothermia in mammalian cells and subsequent cell cycle arrest.
Literature	GENERIF_SUMMARY	polymorphisms of FAS LG, FAS promoter and TP53 may have a role in gastric cancer.

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutations may predict leukemic transformation in myelopro
Literature	GENERIF_SUMMARY	Data suggest that the growth-suppressive effect of CHK1 inhibition TP53 mutations.
Literature	GENERIF_SUMMARY	These data suggest that the p53 codon 72 Arg/Arg genotype and A
Literature	GENERIF_SUMMARY	Results identify a microRNA-dependent mechanism of p63/p73 cr squamous cell carcinoma.
Literature	GENERIF_SUMMARY	overexpression of poly (adenosine diphosphate-ribose) polymeras that these 2 markers might serve as an indicator of aggressive dis
Literature	GENERIF_SUMMARY	CREB preferentially down-regulates MDM2 and thereby contributin
Literature	GENERIF_SUMMARY	TP53 might influence aspects of myelin and white matter integrity described in schizophrenia
Literature	GENERIF_SUMMARY	When rRNA transcription was suppressed by nucleolar stress, MYE enhance p53 acetylation.
Literature	GENERIF_SUMMARY	High expression of p53 protein is associated with surgical molecu
Literature	GENERIF_SUMMARY	show that SPATA18 transcription is induced by p53 in a variety of c
Literature	GENERIF_SUMMARY	analyses showed that the TP53 germ-line mutation and its interact the association between MDM2 SNP309 and increased cancer risk
Literature	GENERIF_SUMMARY	SIAH2 expression is upregulated in basal-like breast cancers via co
Literature	GENERIF_SUMMARY	tumor-derived mutants of p53 may be selected for in tumor cells d
Literature	GENERIF_SUMMARY	data indicate AE induces caspase-8-mediated activation of mitoch independent manner.
Literature	GENERIF_SUMMARY	codon 72 polymorphism is associated with the risk of lung cancer
Literature	GENERIF_SUMMARY	These results suggest that SMT3IP1 is a new regulator of the p53-
Literature	GENERIF_SUMMARY	The GAS41-PP2Cbeta complex dephosphorylates p53 at serine 36
Literature	GENERIF_SUMMARY	loss of CSN6 enhances p53-mediated tumor suppression in vivo a and tumorigenesis through control of the MDM2-p53 signaling pat
Literature	GENERIF_SUMMARY	Mutant p53 internal ribosome entry site showed lesser binding wit
Literature	GENERIF_SUMMARY	data indicate that amplification and overexpression of UBE4B repr tumors
Literature	GENERIF_SUMMARY	This study confirms a high percentage of TP53 mutations in chron between TP53 aberrations and del(17p).
Literature	GENERIF_SUMMARY	study shows that in patients with chronic lymphocytic leukaemia, t clinical outcome irrespective of IGHV mutational status
Literature	GENERIF_SUMMARY	epithelial cells from premalignant to malignant lip disease exhibite
Literature	GENERIF_SUMMARY	The presence of TP53 alterations suggests that its mutational inac proliferations.
Literature	GENERIF_SUMMARY	Loss of p53 contributes to neo- vascularization through regulation
Literature	GENERIF_SUMMARY	phenanthridine alkaloids exhibit strong anti-proliferative activity in

Main Category	Category	
Literature	GENERIF_SUMMARY	loss of heterozygosity without copy number change at the tp53 loc
Literature	GENERIF_SUMMARY	Data show that VentX is a direct transcriptional activator of p53-p2
Literature	GENERIF_SUMMARY	Together these data suggest that Epstein-Barr virus BRRF1 plays a epithelial cells and that this effect requires both the TRAF2 and p5
Literature	GENERIF_SUMMARY	The aim of this study was to investigate the correlation between th parameters in primary breast carcinomas
Literature	GENERIF_SUMMARY	Data show that DNA ploidy and p53 immunopositivity are importan
Literature	GENERIF_SUMMARY	Reviews the role of TP53 in the molecular pathogenesis, epidemio
Literature	GENERIF_SUMMARY	the aggressiveness of Merkel cell carcinoma (MCC) seems to be in developing MCC
Literature	GENERIF_SUMMARY	NF-kB p65 binds to 27 of the mutant p53-bound promoters, indicat target genes.
Literature	GENERIF_SUMMARY	analysis of anticancer effects of the p53 activator nutlin-3 in Ewing
Literature	GENERIF_SUMMARY	A prognostic index in skin melanoma through the combination of r
Literature	GENERIF_SUMMARY	our results collectively suggest that p53- immunohistochemistry p myelomonocytic leukemia-1.
Literature	GENERIF_SUMMARY	p53 has a role in regulating EMT-MET (mesenchymal-epithelial tran
Literature	GENERIF_SUMMARY	p53 regulates biosynthesis through direct inactivation of glucose-6
Literature	GENERIF_SUMMARY	A secondary role for Nutlin-3 as a DDR triggering agent, independe
Literature	GENERIF_SUMMARY	Using yeast cells co-expressing the human wild-type p53 and a sin regulation of p53-mediated apoptosis by these PKC isoforms.
Literature	GENERIF_SUMMARY	Functional polymorphisms between p53 and HDM2 are associated
Literature	GENERIF_SUMMARY	In carriers of germline TP53 mutations transactivation-based class than DN effects, and haplo-insufficiency of TP53 gene is important
Literature	GENERIF_SUMMARY	The best overall sensitivity is achieved when fluorescence in situ h immunohistochemistry panel
Literature	GENERIF_SUMMARY	Loss of p53-related suppression of lung resistance-related protein and, therefore, chemotherapy resistance in tumor cells.
Literature	GENERIF_SUMMARY	A Brazilian Li-Fraumeni family with a germline R337H p53 mutation leiomyosarcoma in addition to the already-described childhood ad
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism is associated with vulnerability, progr
Literature	GENERIF_SUMMARY	the role of HDAC3 and expression of p53 in T cells
Literature	GENERIF_SUMMARY	The higher expression of R213R TP53 polymorphic allele in cancer expression
Literature	GENERIF_SUMMARY	that H3K4 tri- and dimethylation play an important role and that JA
Literature	GENERIF_SUMMARY	These results indicate that HAUSP-mediated p53 regulation is cruc p53-independent functions of HAUSP contribute to the neonatal le
Literature	GENERIF_SUMMARY	In hormone-independent breast cancer cases negative for CerbB-2

Main Category	Category	
		dependent CerbB-2-negative cases.
Literature	GENERIF_SUMMARY	differential radioresponsive proteins unique to CNE2p/SUPER may elucidating the mechanisms of p53-mediated NPC cellular response
Literature	GENERIF_SUMMARY	SNP Arg72Pro governs neuronal vulnerability to apoptosis and is a
Literature	GENERIF_SUMMARY	Overexpression of wild type p53 protein may suppress the express
Literature	GENERIF_SUMMARY	an interaction between endogenous p53 and ATM or 53BP1
Literature	GENERIF_SUMMARY	p53 in FLS might regulate Th1 and Th17 functions in patients with
Literature	GENERIF_SUMMARY	Methylation status of DSC3 DNA is a prognostic marker for colore
Literature	GENERIF_SUMMARY	TP53 protein specifically binds to the RASSF1A promoter and inhib
Literature	GENERIF_SUMMARY	TP53 gene polymorphisms is associated with sporadic breast can
Literature	GENERIF_SUMMARY	Data suggest that Pro allele in P53 Arg72Pro is significantly assoc
Literature	GENERIF_SUMMARY	TP53 mutations by therapy are associated with chronic lymphocyt
Literature	GENERIF_SUMMARY	The high incidence of TP53 mutations and absence of amplificatio
Literature	GENERIF_SUMMARY	are a specific subset of these CNS tumors.
Literature	GENERIF_SUMMARY	through binding to p53, EDD actively inhibits p53 phosphorylation l
Literature	GENERIF_SUMMARY	a monitoring mechanism of c-Myc and ASK1/p38 against abnormal
Literature	GENERIF_SUMMARY	identify a novel 3' RNA processing inhibitory function of p53, adding
Literature	GENERIF_SUMMARY	network
Literature	GENERIF_SUMMARY	TP53 pathway is altered by epigenetic mechanisms in the majority
Literature	GENERIF_SUMMARY	VRK1 downregulation is necessary to modulate the block in cell cy
Literature	GENERIF_SUMMARY	EGFR, like Bcl-2 and p53, was significantly up-regulated in tumors t
Literature	GENERIF_SUMMARY	Loss of p53 and acquisition of angiogenic microRNA profile are ins
Literature	GENERIF_SUMMARY	carcinoma.
Literature	GENERIF_SUMMARY	The genome-wide level of phosphorylation of Serine 46 of p53 bou
Literature	GENERIF_SUMMARY	The p53 transcriptional activity was found to be substantially enha
Literature	GENERIF_SUMMARY	the nucleolus may play the role of a sensor that monitors the prolo
Literature	GENERIF_SUMMARY	Both HIN domains of interferon, gamma-inducible protein 16 are c
Literature	GENERIF_SUMMARY	distinctive means.
Literature	GENERIF_SUMMARY	Data show that Olig2 affects a key posttranslational modification o
Literature	GENERIF_SUMMARY	the interaction of p53 with promoter elements of multiple target ge
Literature	GENERIF_SUMMARY	Induction of miR-93 expression and reduced p53 binding to p21 ge
Literature	GENERIF_SUMMARY	damage, suggesting a mechanism of in vivo carcinogenesis in age
Literature	GENERIF_SUMMARY	combination of TP53 variant genotypes and XRCC1 variant genoty
Literature	GENERIF_SUMMARY	smokers.
Literature	GENERIF_SUMMARY	TF may participate in both K-ras and p53 mutations involved in col
Literature	GENERIF_SUMMARY	Low p53 mRNA expression associates with worse prognosis in pa

Main Category	Category	
Literature	GENERIF_SUMMARY	we propose that human Delta133p53 also functions to promote cell development
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	Nuclear translocation of p53 was involved in induction of autophagy
Literature	GENERIF_SUMMARY	phytoestrogens induce apoptotic cell death of ERalpha-negative breast
Literature	GENERIF_SUMMARY	The purpose was to correlate markers expression of apoptosis (p53) with tumor severity.
Literature	GENERIF_SUMMARY	mt p53-R175H may desensitize tumours to Fas-mediated anchorage
Literature	GENERIF_SUMMARY	Studies indicate that elucidating the cell biological basis of how p53 affects of human maternal reproduction.
Literature	GENERIF_SUMMARY	These results suggest that vitamin C enhances cisplatin sensitivity
Literature	GENERIF_SUMMARY	Nondysplastic leukoplakias without dual p53p16INK4a and triple p53p16INK4a with these aberrations are at risk of progression, with very promising
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	both wild-type Hepatitis B virus X protein (WtHBx) and mutant HBx protein on p53-mediated gene transcription
Literature	GENERIF_SUMMARY	Zinc finger of P53 and Ring finger of BRCA1 are similar domains having
Literature	GENERIF_SUMMARY	This study provides evidence supporting the association of p53 SNPs with metastasis, chemoresistance, and poor prognosis.
Literature	GENERIF_SUMMARY	Study of the gain function of mutant p53 suggests that cancer could be
Literature	GENERIF_SUMMARY	results show for the first time that the R337H TP53 mutation is responsible for higher incidence of CPC in southern Brazil
Literature	GENERIF_SUMMARY	Data suggest that the p53 codon 72 polymorphism may be associated with
Literature	GENERIF_SUMMARY	Data show that TP53 Arg72 polymorphism carriers are significantly associated
Literature	GENERIF_SUMMARY	These studies help to better understand p53 functions in tissue injury and intestinal damage induced by radiation.
Literature	GENERIF_SUMMARY	PERP expression stabilizes active p53 via modulation of p53-MDM2
Literature	GENERIF_SUMMARY	an ubiquitination-independent mechanism of p53 regulation by MDM2
Literature	GENERIF_SUMMARY	mutant p53 is a target of arsenic compounds, which provides an interesting insight into mutant p53.
Literature	GENERIF_SUMMARY	Cancer susceptibility polymorphism of p53 at codon 72 affects phenotype
Literature	GENERIF_SUMMARY	Citrullination of inhibitor of growth 4 (ING4) by peptidylarginine deiminase
Literature	GENERIF_SUMMARY	c-Abl interconnecting Met-RTK and p53 core pathways, and its inhibition of a new path in which c-Abl and p38-MAPK are employed to elicit p53
Literature	GENERIF_SUMMARY	the DNA-binding domain of human p53, usually defined as residues 1-200
Literature	GENERIF_SUMMARY	In Scutellaria baicalensis extract-treated A549 tumor cells, increased expression of p53 and Bax.

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutation does not necessarily lead to a loss of p53 protein r
Literature	GENERIF_SUMMARY	SKIP is essential for p53 stress-induced expression of the p21
Literature	GENERIF_SUMMARY	defects in effector molecules downstream of p53 are remarkably r the response to MDM2 inhibition
Literature	GENERIF_SUMMARY	Hsp90 interacts with p53 by multiple transient interactions, formin molten globule.
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism is associated with gastric and colore
Literature	GENERIF_SUMMARY	This suggests that transcription of stress response genes, unlike, c regulators that normally function under physiological conditions.
Literature	GENERIF_SUMMARY	p53 function is a primary target for esophageal carcinogenesis bu squamous cell carcinoma
Literature	GENERIF_SUMMARY	Data show there was no correlation between the MDR1 genotypes status, CD38 expression, ZAP-70 expression, and p53 deletion.
Literature	GENERIF_SUMMARY	Data show that overexpression of TRIM29 promoted degradation a Tip60, resulting in enhancement of cell growth and transforming a
Literature	GENERIF_SUMMARY	Low p16(Ink4a) expression, overexpression of p53, cytoplasmic p2 carcinomas.
Literature	GENERIF_SUMMARY	Data suggest a possible relationship between p53 and the slow ac
Literature	GENERIF_SUMMARY	a model in which the organization of the TP53 gene domain corre
Literature	GENERIF_SUMMARY	Studies indicate that the redox-modification of p53 appears to be a
Literature	GENERIF_SUMMARY	results suggest that hypoxia downregulates beta-catenin by increa
Literature	GENERIF_SUMMARY	In head and neck squamous cell carcinomas, a truncating TP53 m
Literature	GENERIF_SUMMARY	The TP53 Pro/Pro genotype compared to the Arg/Arg genotype ha heavy smokers and excessive alcohol drinkers.
Literature	GENERIF_SUMMARY	The p53 positivity detected only in serous carcinomas shows its ro
Literature	GENERIF_SUMMARY	p53 mutations contribute to multipolar mitoses in esophageal can
Literature	GENERIF_SUMMARY	The translocated MYBBP1A induces acetylation and accumulation to the cell cycle arrest (or apoptosis).
Literature	GENERIF_SUMMARY	Data suggest that p53 serves as a guardian of immunological func autoimmunity.
Literature	GENERIF_SUMMARY	Using FTICR mass spectrometry, we show that of the 10 Cys resid preference for modification by the alkylating reagent N-ethylmalein
Literature	GENERIF_SUMMARY	TP53 intron 3, 16 bp duplication polymorphism is associated with
Literature	GENERIF_SUMMARY	In response to DNA damage, ULK1 and ULK2 are upregulated by p sustained autophagy activity induced by DNA damage.
Literature	GENERIF_SUMMARY	Polymorphisms of MDM2 and TP53 genes may be a genetic modifi
Literature	GENERIF_SUMMARY	Human papillomavirus infection, opposite to p53 gene mutation, is eyelid lesions development.

Main Category	Category	
Literature	GENERIF_SUMMARY	high expression levels of TP53 genes were found to be closely associated with leukaemia
Literature	GENERIF_SUMMARY	Large scale RNAi screen reveals that the inhibitor of DNA binding 2 is essential for keratinocyte differentiation.
Literature	GENERIF_SUMMARY	Gld4, a second non-canonical poly(A) polymerase, was found to regulate the expression of a subset of genes.
Literature	GENERIF_SUMMARY	we have established that the p53 protein directly induces OTX1 expression in retinal cells.
Literature	GENERIF_SUMMARY	These findings show an important role for p53 in the progression of colorectal cancer and the downregulation of E-cadherin by DNMT1-mediated promoter methylation.
Literature	GENERIF_SUMMARY	we investigated whether MDM2-SNP309 is associated with p53 R72H mutation in Taiwanese.
Literature	GENERIF_SUMMARY	First, increased expression of p53WT occurs frequently in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	our findings show IKKbeta increases DeltaNp73alpha protein stability and phosphorylates DeltaNp73alpha leading to its accumulation in the nucleus.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with impaired response and shortened survival in breast cancer.
Literature	GENERIF_SUMMARY	all TLR genes show responses to DNA damage, and most are p53-regulated.
Literature	GENERIF_SUMMARY	Cathepsin L is present in the nucleus and regulates the transcription of p53 target genes.
Literature	GENERIF_SUMMARY	Association of germline or somatic TP53 missense mutation with increased risk of second primary cancer in the Fraumeni-like syndrome
Literature	GENERIF_SUMMARY	p53 was overexpressed in breast cancer.
Literature	GENERIF_SUMMARY	we have identified STK17A as a novel direct target of p53 and a modulator of p53 activity.
Literature	GENERIF_SUMMARY	Cancerous tissues from 30 patients with HPSCC were examined for TP53 mutations at 9p21, 13q21, 6q22, and 17p13, respectively, using microsatellite markers.
Literature	GENERIF_SUMMARY	A high p53-LI (p53+) was observed in 17/59 cases (28.8%). many patients with p53+ cases showed high risk of tumor recurrence; patients with p53+/P53- cases showed low risk of tumor recurrence.
Literature	GENERIF_SUMMARY	CDKN2A/ARF, RAS and TP53, but not BRAF, PTEN, MAPK2 or EGFR, were mutated in the tumor.
Literature	GENERIF_SUMMARY	MDM4 might play a role in colorectal carcinogenesis that is not limited to the p53 pathway.
Literature	GENERIF_SUMMARY	p53 does indeed inhibit AAV integration. Further experiments suggest that the inhibition of p53 to the AAV Rep protein and the consequent inhibition of Rep protein function is essential for AAV integration.
Literature	GENERIF_SUMMARY	Head and neck tumours containing TP53 mutations in DNA-binding domain are more likely to recur outside those regions.
Literature	GENERIF_SUMMARY	Apoptosis Stimulating Proteins of p53 (ASPP) proteins can function as p53 co-repressors.
Literature	GENERIF_SUMMARY	DNA microarray analysis showed that 27 were TP53 mt-like tumor suppressor genes and TP53-related 31-genes
Literature	GENERIF_SUMMARY	our results point to a prominent and p53-independent role of HIPK1 in the regulation of p53.
Literature	GENERIF_SUMMARY	Both sodium selenite and selenomethionine supplementations reduced the growth of adenocarcinoma cells.
Literature	GENERIF_SUMMARY	our results show a novel PRX-I function to cause cell death in response to oxidative stress independent cytotoxicity caused by anticancer agents

Main Category	Category	
Literature	GENERIF_SUMMARY	19 of 60 (31.6%) bladder cancers had mutations of the TP53 gene
Literature	GENERIF_SUMMARY	epirubicin and its cellular effectors p53 and E2F1 modulate FOXM1 expression in the G2/M region.
Literature	GENERIF_SUMMARY	p53 regulates epithelial-mesenchymal transition through microRNAs
Literature	GENERIF_SUMMARY	study showed TP53 mutated populations may occur at early disease stages and TP53 mutations could not be predicted by common clinical features
Literature	GENERIF_SUMMARY	lupulone-triggered enhanced expression of p38 plays a major role in the growth of SW620 human colon cancer-derived metastatic cells
Literature	GENERIF_SUMMARY	results show that both high- and low-LET radiation exposure negatively affect cell lines independent of p53 status
Literature	GENERIF_SUMMARY	A novel function of Vpu in modulating the stability of p53 protein through ubiquitination
Literature	GENERIF_SUMMARY	maslinic acid induces apoptosis in human HT29 colon-cancer cells through activation of p53.
Literature	GENERIF_SUMMARY	The lower immunoexpression of p53 in the HPV-positive group correlates with its important role in cell cycle dysregulation.
Literature	GENERIF_SUMMARY	p53 gene mutations were detected in 47 NSCLC cases (41.6%). Patients with p53 mutations (42.9%, P = .0339) and a relatively poor prognosis after chemotherapy
Literature	GENERIF_SUMMARY	Data suggest that SPARCL1, Shp2, MSH2, E-cadherin, p53, ADCY-2, and RhoA are involved in the regulation of cell growth
Literature	GENERIF_SUMMARY	in glioblastoma multiforme MGMT expression was significantly lower in cells with p53 activity to decline with MGMT inactivation
Literature	GENERIF_SUMMARY	CXCR4 is capable of orchestrating a complex alteration in signaling pathways (RTKs), deregulation of p53/MDM2 axis
Literature	GENERIF_SUMMARY	p53 may modulate immune responses through suppression of RGS1
Literature	GENERIF_SUMMARY	Silencing of frataxin gene expression triggers p53-dependent apoptosis
Literature	GENERIF_SUMMARY	prognostic significance and impact of p53 protein and human epidermal growth factor receptor-2 in patients with stage II breast cancer
Literature	GENERIF_SUMMARY	Data show that in MCF7 cells, both ATM (p53, p21) and ATR (Chk1) are involved in the response to bleomycin and ICRF-193.
Literature	GENERIF_SUMMARY	Inhibition of p53 bypasses the senescence response to lamin A/C
Literature	GENERIF_SUMMARY	Observed that the interplay of an environmental risk factor, sun exposure, and p53 in the development of squamous carcinoma of the skin.
Literature	GENERIF_SUMMARY	tumor imaging response by FLT may be limited in human tumors with p53
Literature	GENERIF_SUMMARY	p53, its activation by MDM2 antagonists in combination with androgen deprivation therapy
Literature	GENERIF_SUMMARY	in the absence of PABP, the glycolytic enzyme GAPDH translocated to the nucleus, enhancing acetylation and serine 46 phosphorylation of p53.
Literature	GENERIF_SUMMARY	The recently discovered p53-MDMX feedback loop, which affects transcriptional activity
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism is not associated with Hodgkin and non-Hodgkin lymphoma
Literature	GENERIF_SUMMARY	High TP53 is associated with thyroid papillary carcinoma.

Main Category	Category	
Literature	GENERIF_SUMMARY	Peritoneal carcinomatosis was independently associated with TP53 mutations in the primary tumor contributes to the development of
Literature	GENERIF_SUMMARY	The results suggest that NADPH deriving from the pentose phospho its employment in combination with 3BrPA as possible tool for can
Literature	GENERIF_SUMMARY	Data show that among 62 TP53 mutation-positive families, there w
Literature	GENERIF_SUMMARY	The aim of this study was to clarify the relationship of the immuno ovarian cancer
Literature	GENERIF_SUMMARY	these data demonstrate a direct role for p53 in promoting cellular s transcriptional target, HO-1.
Literature	GENERIF_SUMMARY	The deletion of the NLSI sequence decreases p53 nuclear transloc growth.
Literature	GENERIF_SUMMARY	Downregulation of mutant p53 by eupatilin increases p21 expressi
Literature	GENERIF_SUMMARY	p53 was mutated significantly more frequently in MSS/BRAF muta
Literature	GENERIF_SUMMARY	activation of TP53 and its downstream effectors like CDKN1A by l of A549 cells
Literature	GENERIF_SUMMARY	molecular dynamics simulations at physiological temperature to s associated mutations in comparison to the wild-type protein
Literature	GENERIF_SUMMARY	S27a plays a non-redundant role in mediating p53 activation in res
Literature	GENERIF_SUMMARY	P53 codon 72 Pro carrier genotype and Helicobacter pylori positiv area of Gansu Province in China.
Literature	GENERIF_SUMMARY	CCNA1 methylation may play a crucial role in HPV16-induced carc
Literature	GENERIF_SUMMARY	the P53 intron 6 G>A and R72P G>C polymorphisms were associat
Literature	GENERIF_SUMMARY	Reports the identification of the microRNA miR-22 as a p53 target repressing p21.
Literature	GENERIF_SUMMARY	This polymorphism impacts the apoptotic function of p53 in a tiss association studies.
Literature	GENERIF_SUMMARY	There was a significant correlation between IDH1 mutation and TP
Literature	GENERIF_SUMMARY	Autoantibodies against p53 are associated with chromosome 17p
Literature	GENERIF_SUMMARY	MdmX protein is essential for Mdm2 protein-mediated p53 polyub
Literature	GENERIF_SUMMARY	we investigated atypical tubal metaplasia in regard to its immunoe its long-term clinical outcome
Literature	GENERIF_SUMMARY	Glucose restriction or treatment of human diploid fibroblasts (HDF protein.
Literature	GENERIF_SUMMARY	p73 G4C14-to-A4T14 polymorphism but not the p53 intron3 16 bp characteristics in northern Indian population.
Literature	GENERIF_SUMMARY	p53 has a two-phase role in the DNA damage response
Literature	GENERIF_SUMMARY	GDF-15 mediates the functions of p53 by autocrine/paracrine actio
Literature	GENERIF_SUMMARY	acetylation of lysine 382/381 of p53 may play an important role in p53 target genes.

Main Category	Category	
Literature	GENERIF_SUMMARY	the p53 codon 72 polymorphism was associated with an increased status modified the association between the p53 codon 72 polym
Literature	GENERIF_SUMMARY	p53 and EGR1 play the role in two phases of mitogenic signaling in
Literature	GENERIF_SUMMARY	These findings show that Hades (MUL1)-mediated p53 ubiquitinat
Literature	GENERIF_SUMMARY	TP53 polymorphism and arginine/arginine genotype may be correl Isfahan.
Literature	GENERIF_SUMMARY	The data of this study suggested that p53 influences microglial be deficiency promotes phagocytosis and gene expression associate
Literature	GENERIF_SUMMARY	HER-2 and p53 have important prognostic value in breast cancer a
Literature	GENERIF_SUMMARY	the heat-induced unfolding of 53BP1-BRCT domain
Literature	GENERIF_SUMMARY	findings show the feasibility of a clinical surveillance protocol for t mutations
Literature	GENERIF_SUMMARY	In esophageal-cancer free Japanese alcoholics with esophageal d degree of atypia and size of DIULs and with the presence of multip
Literature	GENERIF_SUMMARY	these results indicate that intron3 16 bp is likely an important susc associated with decreased breast cancer risk in Indian population
Literature	GENERIF_SUMMARY	low- and high-resolution mapping of nucleosome boundaries aroun p53 binding to its sites in cells and the consequent changes in nuc
Literature	GENERIF_SUMMARY	Missense mutations located in structural p53 DNA-binding motifs
Literature	GENERIF_SUMMARY	The Pro/Pro genotype of the p53 Arg72Pro polymorphism is associ population.
Literature	GENERIF_SUMMARY	Data show that the presence of p16(ink4a) accumulation and the a head and neck squamous cell carcinoma (HNSCC).
Literature	GENERIF_SUMMARY	High p21 and low p53 expression in Inverted Papilloma suggests a
Literature	GENERIF_SUMMARY	Findings indicate that Id2 functions as a proproliferative gene that malignant proliferation of glioma-derived tumor stem cells.
Literature	GENERIF_SUMMARY	p53 inhibited Ki-67 promoter activity via p53- and Sp1-dependent p
Literature	GENERIF_SUMMARY	p53 mediates DNA damaging doxorubicin-induced apoptosis in ne
Literature	GENERIF_SUMMARY	P53 target genes involved in apoptosis and cell cycle regulation ar
Literature	GENERIF_SUMMARY	Gene mutations and polymorphisms of TP53 is associated with es
Literature	GENERIF_SUMMARY	Mutations in TP53 is associated with ulcerative colitis-associated
Literature	GENERIF_SUMMARY	Elevation of cAMP levels in acute lymphoblastic leukemia cells exp
Literature	GENERIF_SUMMARY	TIM50, was upregulated in a non-small cell lung carcinoma cell line lacking p53.
Literature	GENERIF_SUMMARY	Data show that deletion of tumstatin and TSP1 in p53-/- mice lead
Literature	GENERIF_SUMMARY	Polymorphisms in TP53 gene is associated with lung squamous c
Literature	GENERIF_SUMMARY	Studies indicate that Mdm2 has the ability to catalyze both mono-

Main Category	Category	
Literature	GENERIF_SUMMARY	This leads to p53 SUMOylation and its export to the cytosol, where
Literature	GENERIF_SUMMARY	Inhibiting p53 function using PFT-alpha, a functional inhibitor of p53
Literature	GENERIF_SUMMARY	In response to DNA damage, p53 induces the expression of miR-125b, which inhibits p53 protein kinase.
Literature	GENERIF_SUMMARY	Suggest that increased p53 expression is not the determining factor for the development of carcinoma.
Literature	GENERIF_SUMMARY	For women
Literature	GENERIF_SUMMARY	Identify a variety of TP53 synthetic interactions unmasking the complex
Literature	GENERIF_SUMMARY	These results are consistent with a highly dynamic and nonspecific p53-MDM2 system, which results in changes in the client protein structure.
Literature	GENERIF_SUMMARY	Orphan nuclear receptor TR3 suppresses DNA double-strand break-induced p53 activity in hepatoma cells.
Literature	GENERIF_SUMMARY	p53-Inducible DHRS3 is an endoplasmic reticulum protein associated with
Literature	GENERIF_SUMMARY	understanding the p53 regulatory mechanisms active in hematopoietic malignancies and new therapeutic strategies that could eliminate the population of leukaemic
Literature	GENERIF_SUMMARY	A combination of cisplatin and CITED2 shRNA may represent an effective
Literature	GENERIF_SUMMARY	Results indicate that carbonic anhydrase IX (CA IX) expression was inversely correlated with Ki-67 expression, but was associated with p53 expression.
Literature	GENERIF_SUMMARY	Mad2 is also repressed by p53 and its upregulation is required for
Literature	GENERIF_SUMMARY	A polymorphism within the TP53 gene at codon 72 is associated with
Literature	GENERIF_SUMMARY	study concludes that none of the glioblastomas with a TP53 mutation
Literature	GENERIF_SUMMARY	A restricted pattern of p53 overexpression is preferentially associated with
Literature	GENERIF_SUMMARY	Regulation of Double Strand Break repair by EGFR involves both the phosphorylation of p53 and K-Ras mutation status.
Literature	GENERIF_SUMMARY	Association of the germline TP53 R72P and MDM2 SNP309 variant
Literature	GENERIF_SUMMARY	The p53 expression was threefold higher than normal in dysplasia and in carcinoma, abnormal protein expression was eightfold higher than normal and
Literature	GENERIF_SUMMARY	findings suggest the currently reported percentage of TP53 single nucleotide mutations; thus, the magnitude of the dominant-negative effect (DNE) of TP53
Literature	GENERIF_SUMMARY	Protein p53 is involved late in the process of tumour progression and in the cervix.
Literature	GENERIF_SUMMARY	The study evaluated the local secretion of hormones by breast carcinoma tissue
Literature	GENERIF_SUMMARY	Penta-O-galloyl-alpha-D
Literature	GENERIF_SUMMARY	The more recent studies, including meta-analysis reviews, point out
Literature	GENERIF_SUMMARY	p53 overexpression and increased Ki-67 proliferation index were more
Literature	GENERIF_SUMMARY	These findings suggest that a potential novel feedback loop exists

Main Category	Category	
Literature	GENERIF_SUMMARY	adenovirus E1B-55K-mediated suppression of p53 deregulates cell cycle and sensitizes cells to genotoxic agents doxo-rubicin and etoposide
Literature	GENERIF_SUMMARY	andrographolide induces apoptosis via inhibiting NF-kappaB-induced signaling pathway and mediated proapoptotic signaling.
Literature	GENERIF_SUMMARY	The nuclear exporter, Crm1, is regulated by NFY and Sp1 in cancer cells
Literature	GENERIF_SUMMARY	SPARC has a cell-autonomous survival activity, which requires Akt-mediated signaling
Literature	GENERIF_SUMMARY	The downregulation of p53 in SHSY5Y cells by siRNA induced a cell cycle arrest
Literature	GENERIF_SUMMARY	The TP53 PIN3 polymorphism has a sex-specific effect on the risk of prostate cancer
Literature	GENERIF_SUMMARY	p63 protein overexpression may be associated with p53 protein inactivation
Literature	GENERIF_SUMMARY	Accumulation of p53 protein in melanoma is due to posttranslational modification and is not necessarily disrupted although the p53 upstream signaling pathway remains intact
Literature	GENERIF_SUMMARY	Nuclear staining of p53 by immunohistochemistry is associated with poor survival in patients with head and neck cancer based chemotherapy
Literature	GENERIF_SUMMARY	Studies indicate that 48 biomarkers have been identified for ccRCC. Among them, p53, p21, p16, IMP-3 and VEGF-R2 are predictors of survival of pRCC patients.
Literature	GENERIF_SUMMARY	In mice and humans, colon inflammation induces apoptosis of intestinal epithelial cells and also activates an intrinsic apoptosis pathway associated with colitis
Literature	GENERIF_SUMMARY	non-synonymous SNPs of multiple DNA repair pathways are associated with cancer risk
Literature	GENERIF_SUMMARY	Ursolic acid causes DNA-damage, P53-mediated, mitochondria- and caspase-dependent apoptosis and atherosclerotic plaque formation in vivo.
Literature	GENERIF_SUMMARY	Data show that the dietary compounds, curcumin, andrographolide and resveratrol induce independent cell death in human neuroblastoma cells.
Literature	GENERIF_SUMMARY	MDM2 SNP309 and TP53 R72P are significantly associated with survival in colorectal cancer treated with FEC100, and their combination may be a useful predictive biomarker
Literature	GENERIF_SUMMARY	Study demonstrates that subamolide A triggered the mitochondrial pathway of apoptosis in urothelial carcinoma cell line.
Literature	GENERIF_SUMMARY	Resveratrol induces p53-independent, X-linked inhibitor of apoptosis protein-mediated, cytochrome c release and caspase activation.
Literature	GENERIF_SUMMARY	Data show that aneuploidy of chromosome 17 and deletion at 17p13 are associated with poor survival in tumors.
Literature	GENERIF_SUMMARY	Progression from papillary thyroid carcinomas to anaplastic thyroid carcinoma is associated with p53 mutation
Literature	GENERIF_SUMMARY	The results suggest an increased risk of SPM after index SCCHN with p53 mutation
Literature	GENERIF_SUMMARY	Mutation of p53 gene in hypoplastic marrow especially Fanconi's anemia is associated with poor survival
Literature	GENERIF_SUMMARY	p53 overexpression correlated with greater cancer-specific death rate in breast cancer treated with modified radical mastectomy.
Literature	GENERIF_SUMMARY	TP53 mutation and 17p deletion is associated with mantle cell lymphoma
Literature	GENERIF_SUMMARY	TP53 mutation is associated with a metabolic shift away from mitochondrial oxidative phosphorylation in carcinoma.
Literature	GENERIF_SUMMARY	Data indicate that MYCN is a central modulator of the p53/MDM2 pathway

Main Category	Category	
Literature	GENERIF_SUMMARY	Suppression of Polo like kinase 1 (PLK1) by p21(Waf1) mediates t
Literature	GENERIF_SUMMARY	five types of traditional Chinese medicine can attenuate G1 growth was caused by down-regulating the expression of cell-cycle regula
Literature	GENERIF_SUMMARY	ING1 stabilizes p53 by inhibiting polyubiquitination of multimono deubiquitinase with p53.
Literature	GENERIF_SUMMARY	The mutations in TP53, were detected with use of PCR-SSCP techn
Literature	GENERIF_SUMMARY	The expression levels of PCNA, Ki-67, Bcl-2 and mP53 are significa samples.
Literature	GENERIF_SUMMARY	downstream effectors of the p53-p21 and p16-pRB tumour suppre
Literature	GENERIF_SUMMARY	We did not find any association between overall sporadic amyotro
Literature	GENERIF_SUMMARY	These results define a Pin1/mutant p53 axis that conveys oncoge
Literature	GENERIF_SUMMARY	propose that targeting nuclear BRCA1 to the cytoplasm may offer a damage-based therapy
Literature	GENERIF_SUMMARY	findings uncover a new mechanism through which RelA can regula and loss of p53 can contribute to changes in tumor cell metabolis
Literature	GENERIF_SUMMARY	Data suggest E3 ligase murine double minute-2 (MDM2) as a drug stratifying putative candidates for clinical studies of p53-MDM2 in
Literature	GENERIF_SUMMARY	REport hepatic aflatoxin B1-DNA adducts and TP53 mutations in p southern Japan.
Literature	GENERIF_SUMMARY	Alterations of the TP53 gene are of particular importance in the rel
Literature	GENERIF_SUMMARY	p53 induces CTGF expression and promotes liver fibrosis
Literature	GENERIF_SUMMARY	apoptosis of cardiomyocytes, which is one of the important mecha p53.
Literature	GENERIF_SUMMARY	Acetylation of p53 is an important reversible enzymatic process th
Literature	GENERIF_SUMMARY	A small-molecule p53 activator induces apoptosis through inhibit
Literature	GENERIF_SUMMARY	Increased levels of cAMP augment the binding of p53 to its negati HDM2.
Literature	GENERIF_SUMMARY	MIB-1 and p53 immunohistochemistry do not correlate with aggre
Literature	GENERIF_SUMMARY	Coexpression of p53/MDM2 identifies a subset of patients with po
Literature	GENERIF_SUMMARY	Arsenic pollution caused by coal-burning can cause the hypermeth
Literature	GENERIF_SUMMARY	In melanomas expressing high levels of wild type p53 this tumor s
Literature	GENERIF_SUMMARY	Aurora-A phosphorylation of p53 sequesters the protein in the cyto of the three proteins
Literature	GENERIF_SUMMARY	Early onset HER2-positive breast cancer is associated with germlin
Literature	GENERIF_SUMMARY	Octreotide can inhibit the expressions of p53 and Ras and suppres
Literature	GENERIF_SUMMARY	Findings define the involvement of p53 in the regulation of specif
Literature	GENERIF_SUMMARY	identified RNPC1, a p53 target and a RNA-binding protein, as a crit

Main Category	Category	
Literature	GENERIF_SUMMARY	highlight that celecoxib alters pro- and anti-p53 networks, not in is infected cervical cancer cells
Literature	GENERIF_SUMMARY	endogenously expressed N-terminal truncated p53 lacks the ability the ability to promote apoptosis in response to DNA damage
Literature	GENERIF_SUMMARY	These data suggest that GRIM-19 can block E6/E6AP complex; an
Literature	GENERIF_SUMMARY	Findings support the crucial role played by p53 in cellular reprogra cells.
Literature	GENERIF_SUMMARY	GDF-15 promoted angiogenesis in hypoxic HUVECs possibly throu expression, and up-regulated the related downstream angiogenic s
Literature	GENERIF_SUMMARY	p53 regulates autophagy through a direct molecular interaction wi initiation.
Literature	GENERIF_SUMMARY	HSA-miR-125a-5p induces apoptosis via a p53-dependent pathway
Literature	GENERIF_SUMMARY	overall risk of prostate cancer was not associated with Arg72Pro S by the p53 Pro72 allele, suggesting an important role of apoptosis
Literature	GENERIF_SUMMARY	Data suggest that the combined detection of p33ING1, p53, and Be judgment for NSCLC, and can provide experimental evidence for br
Literature	GENERIF_SUMMARY	it can be stipulated that Ki-67 and p53 protein expression can be u
Literature	GENERIF_SUMMARY	His poor outcome might be associated with resistance to chemoth duplication that already existed at onset.
Literature	GENERIF_SUMMARY	data indicate that the JAK2(V617F) mutation affects p53 response MDM2
Literature	GENERIF_SUMMARY	High Tp53 is associated with prostate cancer recurrence.
Literature	GENERIF_SUMMARY	the association of gene TP53 polymorphic marker Pro72Arg with c
Literature	GENERIF_SUMMARY	The presence of an upstream ERE promotes the transcriptional eff expression of p21, and results in lower transfection rates through c
Literature	GENERIF_SUMMARY	Immunohistochemical analysis of p53 protein expression and FISH
Literature	GENERIF_SUMMARY	p53 protected against hypoxia-induced cell death mediated by p53 lines.
Literature	GENERIF_SUMMARY	fortilin is a novel p53-interacting molecule and p53 inhibitor
Literature	GENERIF_SUMMARY	patients with p53-negative tumours had significantly better four-ye tumours
Literature	GENERIF_SUMMARY	important impact on mitochondrial function and content [review]
Literature	GENERIF_SUMMARY	The importance of caspase-8-mediated positive feedback amplific
Literature	GENERIF_SUMMARY	these results suggest that GSN binds to p53 and this interaction le cytoplasm in HepG2 cells.
Literature	GENERIF_SUMMARY	Cholesterol-derived aldehydes, but not the polyunsaturated fatty a that leads to a loss of function of p53
Literature	GENERIF_SUMMARY	mutations of p53 play a crucial role in a substantial proportion of v
Literature	GENERIF_SUMMARY	serous tubal in-situ carcinoma and p53 signature as precursor lesi

Main Category	Category	
		contralateral fallopian tubes in unilateral tubal cancer
Literature	GENERIF_SUMMARY	p53 and DR5 expression decreased progressively with colorectal o tumor stages.
Literature	GENERIF_SUMMARY	TP53 is a very important tumor suppressor gene and its product, th
Literature	GENERIF_SUMMARY	The accumulation of p53 was significantly upregulated in CHMs co
Literature	GENERIF_SUMMARY	Results suggest that alteration of miR-34a expression is at least p to cells' mutability regardless of P53 status.
Literature	GENERIF_SUMMARY	p53 expression in epithelial cells of uterine carcinosarcoma appea
Literature	GENERIF_SUMMARY	We showed the preferential loss of the rs1042522 C allele, which is prerequisite for mutations, not methylation in retained G variant.
Literature	GENERIF_SUMMARY	[review] Currently available data do not support a role for p53 in th
Literature	GENERIF_SUMMARY	Data show that inactivation of Arf triggers germ cell-autonomous, resulting in reduced sperm production.
Literature	GENERIF_SUMMARY	We found a significant association of the p53 Pro/Pro genotype wi
Literature	GENERIF_SUMMARY	These results suggest that p53 can modulate the metabolic pathw
Literature	GENERIF_SUMMARY	Via phosphorylating hnRNPK Aurora-A participates in regulating p5
Literature	GENERIF_SUMMARY	TP53 deletion and monosomal karyotype is associated with acute
Literature	GENERIF_SUMMARY	p53 pathway is involved in response of cells to bystander signals b
Literature	GENERIF_SUMMARY	These results also show that the extent of advanced cancer traits, p53/MET regulatory network.
Literature	GENERIF_SUMMARY	Our findings support experimental data implicating combined effe
Literature	GENERIF_SUMMARY	Genotype-phenotype correlations and age-dependent variations in
Literature	GENERIF_SUMMARY	Data show that overexpression of DeltaNp73beta increases viabili degradation of DeltaNp73beta in a dose-dependent manner.
Literature	GENERIF_SUMMARY	In addition to a single-locus effect manifested by the association o risk, depending on menopause status
Literature	GENERIF_SUMMARY	Genetic polymorphisms in TP53, P73, and MDM2 are associated w
Literature	GENERIF_SUMMARY	This meta-analysis showed that individuals with the homozygous I recurrent pregnancy loss
Literature	GENERIF_SUMMARY	Study points to a significant relationship of p53 codon 72 polymor
Literature	GENERIF_SUMMARY	our results indicate that IDHR132H mutation correlates significant
Literature	GENERIF_SUMMARY	It is possible that OGG1 and p53 and TNF-alpha proteins together
Literature	GENERIF_SUMMARY	the reciprocal regulation of chromatin access by CSB and p53 cou regulate DNA repair, cell survival, and aging
Literature	GENERIF_SUMMARY	ZNF668 was identified as a novel breast tumor suppressor protein
Literature	GENERIF_SUMMARY	Data suggest that systemic inhibition of MdmX is both a feasible t and likely to be significantly safer than inhibition of Mdm2.

Main Category	Category	
Literature	GENERIF_SUMMARY	In the absence of the G1 checkpoint, mitotic catastrophe occurs in
Literature	GENERIF_SUMMARY	Data suggest that miR-34a is required for proper neuronal differen
Literature	GENERIF_SUMMARY	Studies provide a new approach for finding functionally important mechanism.
Literature	GENERIF_SUMMARY	Data support a model in which p53 plays an anti-recombinogenic r cell's ability to use HR for the removal of DSB induced by cytotoxic
Literature	GENERIF_SUMMARY	Results raise the possibility that p53-specific CD4(+) T cells reflect in processes of immunosurveillance or immunoregulation of p53-r
Literature	GENERIF_SUMMARY	Inhibition of glycolytic enzymes mediated by pharmacologically ac
Literature	GENERIF_SUMMARY	Modulation of MDM2 differentially regulates p53 in neuroblastoma
Literature	GENERIF_SUMMARY	The expression of P53 and MRP4 protein were independently asso
Literature	GENERIF_SUMMARY	p53 was increased in SEPW1 silenced cells and was inversely corr
Literature	GENERIF_SUMMARY	Increased expression of 14-3-3 gamma in lung cancer coincides w
Literature	GENERIF_SUMMARY	KLF5 transactivates NOTCH1 in the context of p53 mutation or los primary human keratinocytes harboring mutant p53, leading to the
Literature	GENERIF_SUMMARY	SEPW1 controls p21 by modulating levels of the p53 transcription
Literature	GENERIF_SUMMARY	Data demonstrate a crucial role of the gammaH2AX-ATM-p53 path mitosis with damaged DNA.
Literature	GENERIF_SUMMARY	Interference of POLR1A inhibited the synthesis of rRNA and hinder downregulation of the transcription factor E2F-1.
Literature	GENERIF_SUMMARY	low doses of X-rays are enough to cause a change in cell cycle dis
Literature	GENERIF_SUMMARY	Data suggest that TP53 expression in lung cancer cells (A549 cells targeting of the 3-prime-UTR of TP53.
Literature	GENERIF_SUMMARY	SMYD2 has a role in specifically recognizing and regulating functio
Literature	GENERIF_SUMMARY	These data suggest that IRTKS is a novel regulator of p53, modula
Literature	GENERIF_SUMMARY	miR-125b and miR-150 target p53, which in turn regulates RelA/NF
Literature	GENERIF_SUMMARY	There was insufficient difference between non-Hodgkin's lymphom
Literature	GENERIF_SUMMARY	the expressions of p53, c-MYC, BCL-2 protein and apoptotic index of osteosarcoma
Literature	GENERIF_SUMMARY	p53 binds to the Hsp90 C-terminal domain in its native-like state in middle and the N-terminal domains
Literature	GENERIF_SUMMARY	Viral capture of an ankyrin-like domain in Epstein-Barr virus BZLF1 p53 transcription factor families.
Literature	GENERIF_SUMMARY	p53 regulatory events are directly regulated by nucleoli. p53 is exp
Literature	GENERIF_SUMMARY	Data show that p53 directly up-regulates microRNA-149* (miR-149 expression of Mcl-1 and resistance to apoptosis in melanoma cells
Literature	GENERIF_SUMMARY	Individuals with p53R72P G>C, CC genotype demonstrated margin

Main Category	Category	
Literature	GENERIF_SUMMARY	The expression of Nup88 mRNA in the HCT-116;{p53 - / - } cell line
Literature	GENERIF_SUMMARY	Sumoylation modulates p53's transcriptional activation and repres
Literature	GENERIF_SUMMARY	In sporadic colorectal tumourspatients, the most frequently mutato BRAF (8.7%) and CTNNB1 (1.9%).
Literature	GENERIF_SUMMARY	MASPIN protein was 6 times more likely to be detected in cancer s gene
Literature	GENERIF_SUMMARY	p53-independent epigenetic repression of the p21(WAF1) gene in T
Literature	GENERIF_SUMMARY	Hydrophilic residues are crucial for ribosomal protein L11 (RPL11)
Literature	GENERIF_SUMMARY	Cell lines with disruptive TP53 mutations are more aggressive in a mutations to poor patient outcome.
Literature	GENERIF_SUMMARY	Fluazinam-induced apoptosis of SH-SY5Y cells is mediated by acc
Literature	GENERIF_SUMMARY	Transfection of siRNA specific for cMet, the HGF receptor, eliminat the HGF-mediated increase in p53, p21, and p27.
Literature	GENERIF_SUMMARY	Inactivation of fumarate hydratase drives a metabolic shift to aro tumor suppressor.
Literature	GENERIF_SUMMARY	CnB M118K fails to enhance the activities of NF-AT and p53 induc
Literature	GENERIF_SUMMARY	These findings suggest that pharmacological inhibition of BCL6, a leukemia-initiating cells in chronic myeloid leukemia.
Literature	GENERIF_SUMMARY	show that downregulation of p300 histone acetyltransferase activi p53, p21(CIP1) and p16(INK4A)
Literature	GENERIF_SUMMARY	Data describe the action of oxLDL that leads to macrophage death signaling pathway.
Literature	GENERIF_SUMMARY	TP53 PIN3 Ins 16bp duplication polymorphism is a genetically pre causal in patients under the age of 50 years.
Literature	GENERIF_SUMMARY	Examining p53 is helpful in identifying patients with more aggressi
Literature	GENERIF_SUMMARY	findings show TopBP1 interacts with p53 hot spot mutants and NF promoters; TopBP1 mediates mutant p53 gain of function in canc
Literature	GENERIF_SUMMARY	Rare WDR36 variants and the P53 p.R72P polymorphism behaved evidence for a genetic interaction between WDR36 and P53 varian
Literature	GENERIF_SUMMARY	genetic association studies in pediatric population in Italy
Literature	GENERIF_SUMMARY	Overexpression of P53 protein might be related to the occurrence
Literature	GENERIF_SUMMARY	Structure further supports our model that recognition of specific D domain of p53.
Literature	GENERIF_SUMMARY	This study suggested that p53 may play a role in the early stages o of oral squamous cell carcinoma .
Literature	GENERIF_SUMMARY	tp53 protein enhances susceptibility of human tumor cell to NK ce
Literature	GENERIF_SUMMARY	the p53 pathway should no longer be considered as regulated by o each other in regulating physiological functions
Literature	GENERIF_SUMMARY	arginine allele of TP53 appears to be at greater risk of developing i

Main Category	Category	
Literature	GENERIF_SUMMARY	role in ultraviolet A-induced cell death and G1 arrest in human derm
Literature	GENERIF_SUMMARY	there exists a negative feedback loop between p53 and CD43
Literature	GENERIF_SUMMARY	The strength of the associations between TP53 Arg72Pro polymor confidence intervals (CIs).
Literature	GENERIF_SUMMARY	data identify K351N as a critical mutation of p53 that contributes t
Literature	GENERIF_SUMMARY	These results are consistent with the model that ProTa may enhan complex.
Literature	GENERIF_SUMMARY	in ovarian carcinomas, findings show that patients with high posi survival
Literature	GENERIF_SUMMARY	Retinoid X receptor antagonist HX531 exerts anti-obesity/anti-diab arrest and the inhibition of cellular hypertrophy of adipocytes.
Literature	GENERIF_SUMMARY	Study provides a molecular mechanism involving protein deubiquit
Literature	GENERIF_SUMMARY	High cyclin B1 expression significantly correlated with the high tun p53 expression.
Literature	GENERIF_SUMMARY	CKII downregulation induces p53 stabilization by negatively regula
Literature	GENERIF_SUMMARY	Polymorphism p53 Arg72Pro was not associated with either gastr
Literature	GENERIF_SUMMARY	The study found a 5-years survival rate of 100% for the group with
Literature	GENERIF_SUMMARY	p53 is critical for senescence induction in the response to seleni
Literature	GENERIF_SUMMARY	the p73 G4C14-to-A4T14 homozygous variant genotype might be a polymorphism (Meta-Analysis)
Literature	GENERIF_SUMMARY	The relationship between up-regulation of p53 and Bcl-2 and poorl
Literature	GENERIF_SUMMARY	A large pool of plausible p53TAD structures were generated that w ray scattering data.
Literature	GENERIF_SUMMARY	41 cases of ovarian serous carcinomas were evaluated by immuno
Literature	GENERIF_SUMMARY	PAX 8 overexpression correlates with p53 expression and high-gra
Literature	GENERIF_SUMMARY	data suggest the potential regulation of HIF1alpha, p53 and PTEN
Literature	GENERIF_SUMMARY	this is the first study to show that a variant genotype of p53 Arg72 obvious arsenic exposure area.
Literature	GENERIF_SUMMARY	DNA damage inhibits p53 ubiquitination. ATM sites regulate multip damage.
Literature	GENERIF_SUMMARY	Mutant p53 drives multinucleation and breast cancer invasion thro
Literature	GENERIF_SUMMARY	findings support the clonal relationship of serous tubal intraepithe of p53 immunostaining as a surrogate for TP53 mutation in the his
Literature	GENERIF_SUMMARY	FIH activity is essential for tumor growth through the suppression
Literature	GENERIF_SUMMARY	Reactive oxygen species accumulation and G2/M cell cycle arrest p53 regulation pathway in HepG2 cells treated with tubeimoside-1.
Literature	GENERIF_SUMMARY	mutant tp53 plays a role in promoting various forms of genomic in

Main Category	Category	
Literature	GENERIF_SUMMARY	found that HDGF was overexpressed also in primary gastric, breast
Literature	GENERIF_SUMMARY	Results suggest that the arising p53 mutations in NSCLC may be d
Literature	GENERIF_SUMMARY	Delta133p53 expression was associated with prognosis in the vas serous carcinomas
Literature	GENERIF_SUMMARY	Mutation of the splice donor site in E6 proteins increased their p53
Literature	GENERIF_SUMMARY	Most p53-induced genes tend to be short-lived with U-rich 3'UTRs,
Literature	GENERIF_SUMMARY	destabilizing elements in the 3'UTR of many p53-induced transcrip
Literature	GENERIF_SUMMARY	let-7a and let-7b expression decreases significantly following expo expression is dependent on p53 and ATM.
Literature	GENERIF_SUMMARY	Normal mouse prostate epithelium containing floxed Pten and TP5 propagation as protospheres.
Literature	GENERIF_SUMMARY	A p53/miRNA-34 axis regulates Snail1-dependent cancer cell epith
Literature	GENERIF_SUMMARY	Down-regulation of Aurora B kinase induces cellular senescence in
Literature	GENERIF_SUMMARY	association between P53 and Bcl-2 family expression and apoptos proapoptotic proteins modulated through P53-dependent pathway
Literature	GENERIF_SUMMARY	In HeLa cells, PNR stimulated tumor suppressor p53-responsive p several cell types.
Literature	GENERIF_SUMMARY	RBM38 is induced by p53 and its ability to modulate miRNA-media
Literature	GENERIF_SUMMARY	Data show that p53 upregulated miR-194 expression in THBS1 retr levels.
Literature	GENERIF_SUMMARY	the essential role of Sin3B as an important associate of p53 in me genes
Literature	GENERIF_SUMMARY	There is a functional link between S100A14 and the tumor suppress
Literature	GENERIF_SUMMARY	CGB7 is identified as a direct transcriptional target gene of p53 by
Literature	GENERIF_SUMMARY	p53 regulates IGF-IR gene expression in uterine serous carcinoma
Literature	GENERIF_SUMMARY	Study demonstrates that Pdc4 is directly involved in translational into the translational control of p53 expression.
Literature	GENERIF_SUMMARY	p53-dependent histone 3-lysine-4-trimethylation of small heterodin
Literature	GENERIF_SUMMARY	These findings expose another facet of p53 functions unrelated to consequently of systemic lipid homeostasis and atherosclerosis d
Literature	GENERIF_SUMMARY	mp53 disrupts the role of ShcA in balancing the Smad-dependent c pathway regulating the tumor-promoting activity of TGF-beta
Literature	GENERIF_SUMMARY	High expression of P53 was found correlated with low contrast tur
Literature	GENERIF_SUMMARY	Data provide insight into the mechanisms by which a p53-miR-34 r
Literature	GENERIF_SUMMARY	the impact of mutations targeting the central folded core domain o by viral E6 oncoprotein.
Literature	GENERIF_SUMMARY	an extensive network of stress-inducible transcription factors and genes in DNA damage response and cancer development

Main Category	Category	
Literature	GENERIF_SUMMARY	High expression of the p53 gene is associated with chronic lymph
Literature	GENERIF_SUMMARY	PATZ1 may have an important role in the regulation of EC senesce diseases associated with aging.
Literature	GENERIF_SUMMARY	16 cases of p53 mutation were detected in 40 cases of nonspecifi point mutations in exon 6-7.
Literature	GENERIF_SUMMARY	The downstream response to DNA damage in p53 wild-type neuro sub-type and MYCN expression.
Literature	GENERIF_SUMMARY	study provides support for the multigenetic effects of the genetic v resulting in a significantly increased risk for HPV16-associated ora
Literature	GENERIF_SUMMARY	TP53 mutations and polymorphisms in primary myelofibrosis do n
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphisms is not associated with recurrence i
Literature	GENERIF_SUMMARY	Lpin1 expression in response to nutritional stress is controlled thro
Literature	GENERIF_SUMMARY	TP53 mutation was insufficiently an independent prognostic facto
Literature	GENERIF_SUMMARY	The gene expressions of PCNA, c-erbB-2, and p53 gradually decrea
Literature	GENERIF_SUMMARY	The Pro allele (Arg/Pro + Pro/Pro) of p53 codon 72 polymorphism
Literature	GENERIF_SUMMARY	relationship between potentially functional polymorphisms of apop polymorphisms was significantly associated with occurrence of TR in occurrence of TP53 mutations in lung cancer
Literature	GENERIF_SUMMARY	The expression of p53 in immortalized human dental pulp cells wa
Literature	GENERIF_SUMMARY	p53 modulates acquired resistance to EGFR inhibitors and radiatio
Literature	GENERIF_SUMMARY	Checkpoint kinase-2 (Chk2) binds to the beta-domain of pVHL and
Literature	GENERIF_SUMMARY	SMAR1 interacts with p53-p300 transcriptional complex and SMAR activation of p53 apoptotic targets and p53 regulated miRNA miR-
Literature	GENERIF_SUMMARY	The effect of miR-221/222 caused no change of p53 expression in
Literature	GENERIF_SUMMARY	Diverse p63 and p73 isoforms regulate Delta133p53 expression th
Literature	GENERIF_SUMMARY	Spiradenocarcinoma with low-grade basal cell adenocarcinoma pa
Literature	GENERIF_SUMMARY	analysis of radioresistance of human glioma spheroids and expres
Literature	GENERIF_SUMMARY	the pro-oncogenic activity of TR3 in lung cancer cells was due to ir
Literature	GENERIF_SUMMARY	The studies provide insights on how nucleolar stress through L11 a
Literature	GENERIF_SUMMARY	RAD6 can form a ternary complex with MDM2 and p53 that contrib
Literature	GENERIF_SUMMARY	the function of USP42 is required to allow the rapid activation of p stress.
Literature	GENERIF_SUMMARY	TP53 disruptive mutations lead to head and neck cancer treatment
Literature	GENERIF_SUMMARY	Mutations of TP53 are associated with Skin tumors induced by so
Literature	GENERIF_SUMMARY	our study demonstrates that SP1 and TP53 influence cell proliferat cells and Dental follicle cells .

Main Category	Category	
Literature	GENERIF_SUMMARY	Overexpression of p53 is linked to blastema dominant morphology
Literature	GENERIF_SUMMARY	Poly(ADP-ribose) polymerase inhibition enhances DNA damage response in a p53 independent fashion.
Literature	GENERIF_SUMMARY	Of all the 3 single nucleotide polymorphisms evaluated, only p53 c.480G>A was found in the North Indian population.
Literature	GENERIF_SUMMARY	changes in nucleolin conformation can alter the availabilities of doxorubicin and hence on p53 stability.
Literature	GENERIF_SUMMARY	Hoiamide D displays inhibitory activity against the p53/MDM2 interaction
Literature	GENERIF_SUMMARY	Loss of microRNA 122 expression in patients with hepatitis B enhances p53 activity
Literature	GENERIF_SUMMARY	PAX5 is a novel functional tumor suppressor in gastric carcinogenesis
Literature	GENERIF_SUMMARY	nonfunctional p53 was significantly associated with locoregional recurrence
Literature	GENERIF_SUMMARY	p53-Dependent induction of PVT1 and miR-1204.
Literature	GENERIF_SUMMARY	effect of temperature on the DNA-binding properties of p53
Literature	GENERIF_SUMMARY	cutaneous HPV23 E6 prevents HIPK2-mediated p53 Ser 46 phosphorylation
Literature	GENERIF_SUMMARY	Gain-of-function p53 proteins upregulate CXC-chemokine expression
Literature	GENERIF_SUMMARY	SPI-001 is a small molecule inhibitor of p53-inducible protein phosphatase
Literature	GENERIF_SUMMARY	the TP53 Arg72Pro SNP genotype and allelic frequency were related to cancer risk in subjects, while arginine amino acid was observed more among whites
Literature	GENERIF_SUMMARY	the regulation of p53 subcellular localization and apoptosis by PARC involves PARC post-translational processing and chemosensitivity.
Literature	GENERIF_SUMMARY	Nuclear p53 expression is associated with allelic imbalance in glioma
Literature	GENERIF_SUMMARY	wild-type p53 gene silencing reduced the expression of synthesis of p53 and its function
Literature	GENERIF_SUMMARY	Results established that wild-type p53 prevents manifestation of the disease by which p53 suppresses tumorigenesis acting at the level of cancer
Literature	GENERIF_SUMMARY	SIRT1-delta2/9 mRNA was bound by CUGBP2 (which downregulates p53 levels and supported p53 function in response to DNA damage.
Literature	GENERIF_SUMMARY	Overexpression of Otub1(D88A) or ablation of endogenous Otub1 inhibits p53-mediated DNA damage. Together, these results reveal a novel function for Otub1 in p53
Literature	GENERIF_SUMMARY	We found a pattern of global hypomethylation and promoter region methylation in the population of Omani Arabs.
Literature	GENERIF_SUMMARY	p53 binding sites reside in distinct genomic landscapes in normal cells
Literature	GENERIF_SUMMARY	P53 was also significantly associated with survival of oral squamous cell carcinoma improved by including these 2 factors in the prediction model.
Literature	GENERIF_SUMMARY	The expression of p53 and XRCC1 protein was equal, but lower compared to normal cells
Literature	GENERIF_SUMMARY	TDP-43 causes G2/M arrest in a partially p53-dependent manner
Literature	GENERIF_SUMMARY	p53 suppresses the mesenchymal state of colorectal cancer cells

Main Category	Category	
Literature	GENERIF_SUMMARY	MDM2 SNP309 was not associated with p53 mutational status, M
Literature	GENERIF_SUMMARY	Thioredoxin might play an important role in mild hyperthermia-indu
Literature	GENERIF_SUMMARY	In patients with penile cancer, the expression of p53 in the primary cancer specific survival.
Literature	GENERIF_SUMMARY	Data show that association of study-wide significance (P
Literature	GENERIF_SUMMARY	The distinct correlations of p53 and Bcl-2 with disease progression may be clinically useful in the determination of high-risk colorectal
Literature	GENERIF_SUMMARY	Data show that monoallelic expression (MAE) at TP53 exists only normal allele at IDH1 conferred worse survival even in IDH1 mutato
Literature	GENERIF_SUMMARY	The Au-NP-mediated p53 activation at both transcription and prote responsible for tumor regression, which may further find wider app
Literature	GENERIF_SUMMARY	in cancer cells, WT p53 chaperoning may either exist as a cellular e or to stabilize yet unidentified factors.
Literature	GENERIF_SUMMARY	report describes clinical and pathological characteristics of 4 chro abnormality dic(8;17)(p11;p11), that implied loss of the TP53 gene
Literature	GENERIF_SUMMARY	TP53 mutation and CDKN2A methylation specifically interact to pr
Literature	GENERIF_SUMMARY	Report downstream signaling events in the induction of cell cycle a injured rat carotid artery model.
Literature	GENERIF_SUMMARY	P53 binds to a P53 responsive element that is present in the prom
Literature	GENERIF_SUMMARY	CG-1521 and SAHA modulate similar cohorts of p53-responsive g
Literature	GENERIF_SUMMARY	In tumors the frequency of p53 positivity was 24%, that of bax pos
Literature	GENERIF_SUMMARY	There was no significant difference in the p53 codon 72 genotypes
Literature	GENERIF_SUMMARY	Widdrol breaks DNA directly in HT29 cells, resulting in checkpoint phase cell cycle arrest and apoptosis.
Literature	GENERIF_SUMMARY	Atomic force spectroscopy was used to investigate the interaction the single molecule level.
Literature	GENERIF_SUMMARY	direct correlation between p53 expression and gastric cancer and
Literature	GENERIF_SUMMARY	The high-grade serous carcinomas had a significantly higher expre expression level of Pax2.
Literature	GENERIF_SUMMARY	our results provides an explanation of how a p53 controlled pathw genomic alterations derived from chromosome instability induced
Literature	GENERIF_SUMMARY	TP53 germline mutations demonstrated a mutation prevalence of
Literature	GENERIF_SUMMARY	Taken together, these data indicate that p53 induction postslippag intrinsic apoptosis pathway
Literature	GENERIF_SUMMARY	This study indicates that p53 mutation and HPV 16/18 infection m coexistence is associated with poor prognosis.
Literature	GENERIF_SUMMARY	TP53 mutations did not appear to be associated with urothelial ca
Literature	GENERIF_SUMMARY	These results indicate both cooperative and interdependent roles f DNA damage.

Main Category	Category	
Literature	GENERIF_SUMMARY	GCS-alpha-1 regulation of p53 activity is important in prostate can
Literature	GENERIF_SUMMARY	Upon DNA damage in S phase, nucleotide excision repair could be import process.
Literature	GENERIF_SUMMARY	These experiments demonstrated that a small core domain of the adenoviral vectors to tumor cells lacking functional p53.
Literature	GENERIF_SUMMARY	The study results indicate allosteric communication in the mechar
Literature	GENERIF_SUMMARY	Data indicate that TP53 codon72 polymorphism appears to play a incidence and prognosis of bladder cancer.
Literature	GENERIF_SUMMARY	The data revealed a functional requirement for the p53 C-terminal terminus serves as a positive regulator for N-terminal activation ar
Literature	GENERIF_SUMMARY	No association has been found using meta-analysis between p53
Literature	GENERIF_SUMMARY	Findings suggest that the combination of TP53 72Pro and MDM2
Literature	GENERIF_SUMMARY	Promoter-localized deacetylation of H3 tails is a prerequisite for V
Literature	GENERIF_SUMMARY	the existence of a p53-Plk1-Cep55 axis in which p53 negatively reg Cep55 protein stability.
Literature	GENERIF_SUMMARY	Polymorphism R72P of TP53 gene is associated with human aging
Literature	GENERIF_SUMMARY	TP53 alteration is the most important prognostic factor in CK-AML
Literature	GENERIF_SUMMARY	Mutation in TP53 is the most common genetic alteration reported
Literature	GENERIF_SUMMARY	Codon 72 polymorphism (rs1042522) of TP53 is associated with c
Literature	GENERIF_SUMMARY	The p53 may not be necessary for the S-nitrosoglutathione-induce cells.
Literature	GENERIF_SUMMARY	14-3-3sigma-mediated molecular events that synergise with p53 m
Literature	GENERIF_SUMMARY	The mutant p53His175 induces miR-128-2 expression
Literature	GENERIF_SUMMARY	Arg72Pro polymorphism of TP53 influences cell apoptotic capacity
Literature	GENERIF_SUMMARY	Ki-67 and p53 staining may be helpful adjuncts in the differential d appropriate clinical setting.
Literature	GENERIF_SUMMARY	Mdm2 inhibited p53-mediated enrichment of HNF4alpha to the Ap recruitment of SHP to the ApoCIII promoter.
Literature	GENERIF_SUMMARY	identified Fra-1 as a new target of miR-34a and demonstrated that indirectly regulates Fra-1 expression via a miR-34a-dependant mar
Literature	GENERIF_SUMMARY	mutant p53 elevates expression of genes capable of enhancing ce recruitment of CBP and STAT2 on the promoters causing CBP-med
Literature	GENERIF_SUMMARY	These results suggest that p53 and DNA- PKcs independently func
Literature	GENERIF_SUMMARY	analysis of expression of the apoptosis-related genes Bcl-2 and p5
Literature	GENERIF_SUMMARY	p53 and CDKN1A genotypes are associated with endometriosis
Literature	GENERIF_SUMMARY	Study reveals a possible trend of ATM and TP53 polymorphisms in
Literature	GENERIF_SUMMARY	Report TP53 codon 72 polymorphism as a progression index for b

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 germline mutation in adrenocortical carcinomas, has poor p
Literature	GENERIF_SUMMARY	Mutant p53 uses p63 as a molecular chaperone to tether to the pr
Literature	GENERIF_SUMMARY	There was a correlation between a p53 overexpression and recurri
Literature	GENERIF_SUMMARY	Data indicate that a high prevalence of the genotype Arg/Pro at the (OSCC), especially in combination with the use of snuff (toombak)
Literature	GENERIF_SUMMARY	The results show a possible interaction between PTPN22 and p53 coronary artery disease.
Literature	GENERIF_SUMMARY	OD extracts enhance the tumor suppressor p53 expression as a re
Literature	GENERIF_SUMMARY	In response to stress, the RAX/PACT-PKR signaling pathway may in of p53 phosphorylation and translational activation.
Literature	GENERIF_SUMMARY	We found that the TP53-G245D variant but not TP53-R249S abrog cytoplasm.
Literature	GENERIF_SUMMARY	inactivating p53 is the only required Pax3 function during neural tu require Pax3-dependent transcription regulation
Literature	GENERIF_SUMMARY	heterogeneous tp53 mutation pattern is highly suggestive of a cau temperature and composition of tea may also influence mutagene
Literature	GENERIF_SUMMARY	results indicate that STAT1 is implicated in the mediation of Ang II
Literature	GENERIF_SUMMARY	Immunohistochemistry for progesterone receptor and p53 is valua muscle tumors.
Literature	GENERIF_SUMMARY	Data indicate that the differential expression of p53 isoforms coul pathogenesis.
Literature	GENERIF_SUMMARY	Authors examined whether forced expression of p53 inhibited grov cisplatin or pemetrexed.
Literature	GENERIF_SUMMARY	loss of Gli3 signaling leads to disruption of the MDM2-p53 interact cells
Literature	GENERIF_SUMMARY	Results suggest that despite deactivating mutation, p53 retains so
Literature	GENERIF_SUMMARY	Knockdown of HURP inhibits the proliferation of hepacellular carci
Literature	GENERIF_SUMMARY	Hypermethylation and mutation of TP53 is associated with cholan
Literature	GENERIF_SUMMARY	analysis of the relationship between p53 overexpression, human p
Literature	GENERIF_SUMMARY	Thymidylate synthase and p53 positivity was significantly associat
Literature	GENERIF_SUMMARY	meta-analysis suggests that the p53 codon 72 polymorphism may
Literature	GENERIF_SUMMARY	miR-122 as an amplifier of the antiapoptotic Akt/p53 circuit
Literature	GENERIF_SUMMARY	Expression of p53 is increased in keratoacanthoma over hypertrop
Literature	GENERIF_SUMMARY	Unfolded p53 can be considered as an early marker of oxidative im
Literature	GENERIF_SUMMARY	EPCAM deletion carriers only developed tumors of the digestive tr
Literature	GENERIF_SUMMARY	Suggest a novel apoptotic mechanism of genetically engineered a p21 and MDM2 suppression.

Main Category	Category	
Literature	GENERIF_SUMMARY	BCL11B directly interacts with P2 promoter region of HDM2 and in
Literature	GENERIF_SUMMARY	A favorable role of Delta40p53 in patients with mucinous ovarian c
Literature	GENERIF_SUMMARY	These data suggest that p53 acetylation-H1.2 phosphorylation cas response pathways.
Literature	GENERIF_SUMMARY	Data indicate a significant association of the variant allele (GC + C
Literature	GENERIF_SUMMARY	A positive correlation was observed between P53 immunoexpress
Literature	GENERIF_SUMMARY	we show that immunostaining of Arresten correlated with p53 stat
Literature	GENERIF_SUMMARY	The meta-analysis suggests that p53 codon 72 Pro/Pro Arg/Pro ge analysis]
Literature	GENERIF_SUMMARY	One of the largest TP53 mutation databases, IARC TP53 database collected 27,580 somatic mutations of TP53 in its latest version R
Literature	GENERIF_SUMMARY	The long-term outcomes of losing p53, such as genome instability
Literature	GENERIF_SUMMARY	TRIM8 is a p53 direct target gene that induces p53 stabilization an
Literature	GENERIF_SUMMARY	In hepatocellular carcinoma miR-519d is up-regulated by p53 and l
Literature	GENERIF_SUMMARY	Data suggest that neither the presence of p53 mutations nor their to alternative therapy in patients with chronic lymphocytic leukemi
Literature	GENERIF_SUMMARY	The ATM kinase switches Mdm2 from a negative to a positive regu
Literature	GENERIF_SUMMARY	Study reveals a striking association between TP53 mutation and c
Literature	GENERIF_SUMMARY	Study found that mutant p53 depletion is sufficient to phenotypica
Literature	GENERIF_SUMMARY	Data indicate EWS-Flt1 might deacetylate p53 to inhibit its transcri elucidate a novel molecular mechanism about the abrogation of p
Literature	GENERIF_SUMMARY	these data collectively indicate that beta1-integrin-related cell deat pathway is partly involved in the acquisition of resistance to apopt
Literature	GENERIF_SUMMARY	data suggest that mutations in TP53 and amplification of the CXCL with chromosomal instability
Literature	GENERIF_SUMMARY	Angiogenin interacts with p53 and colocalizes in the nucleus.
Literature	GENERIF_SUMMARY	tumor protein p53 mRNA increased 3 h postexercise in human ske
Literature	GENERIF_SUMMARY	suggest that mutations of TP53 are good markers of different aeti
Literature	GENERIF_SUMMARY	Mutations of the TP53 gene and dysregulation of the TP53 pathwa lymphomas.
Literature	GENERIF_SUMMARY	p53 mutations are associated with poor survival of patients with S expression profiles that might be helpful in identifying aggressive s
Literature	GENERIF_SUMMARY	This meta-analysis suggests that p53 codon 72 polymorphism is r and Asians [meta-analysis]
Literature	GENERIF_SUMMARY	analysis of p53 in chronic lymphocytic leukemia [review]
Literature	GENERIF_SUMMARY	Raf-1/JNK /p53/p21 pathway may be involved in apoptosis, and N
Literature	GENERIF_SUMMARY	BRCA1 and BRCA2 mutations correlate with TP53 abnormalities a

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 could interfere with mitochondrial functions such as MMP via
Literature	GENERIF_SUMMARY	the MTA1 gene is a target of p53-mediated transrepression
Literature	GENERIF_SUMMARY	Mutation of the p53 gene is not a pathway correlated genetic chan carcinoma.
Literature	GENERIF_SUMMARY	These data suggest that the polymorphism of TP53 at codon 72 a the two p53 isoforms to bind to polymerase gamma.
Literature	GENERIF_SUMMARY	Upon DNA damage and ribosomal stress, MdmX plays a positive r target genes including p21.
Literature	GENERIF_SUMMARY	Genetic variations in the cell cycle genes encoding p53 and p21 an progression.
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism might predispose individual for the
Literature	GENERIF_SUMMARY	Both hypoxia and TP53 deficiency increase induced pluripotent ste whereas hypoxia may impact molecular targets of epigenome norm
Literature	GENERIF_SUMMARY	Mutations and polymorphisms in TP53 gene are associated with c
Literature	GENERIF_SUMMARY	These findings suggest that p53 inactivation occurs in the progres
Literature	GENERIF_SUMMARY	p53 has a novel function in regulating purine biosynthesis, aided b
Literature	GENERIF_SUMMARY	Data indicate that cathepsin D+/caspase 3- and cathepsin D+/p53
Literature	GENERIF_SUMMARY	Piwil2 plays a role in anti-apoptosis in tumor cells possessing P53
Literature	GENERIF_SUMMARY	When angiogenesis and density of newly formed blood vessels are bcl-2 expression are of prognostic significance for disease outcom
Literature	GENERIF_SUMMARY	TP53 mutations may account for a minimal portion of early-onset
Literature	GENERIF_SUMMARY	TP53 alterations are strongly associated with a high proliferation i
Literature	GENERIF_SUMMARY	the TP53 mutational patterns found in human tumours can be only
Literature	GENERIF_SUMMARY	Increased p53 levels are necessary for a calcium-induced increase modulate cell cycle length during neurogenesis.
Literature	GENERIF_SUMMARY	A total of 80.8% of Chinese patients with colorectal cancer show v
Literature	GENERIF_SUMMARY	miRNA-dependent MDM2 turnover contributes to the equilibrium o
Literature	GENERIF_SUMMARY	new mechanism of p53 activation mediated by direct physical inte
Literature	GENERIF_SUMMARY	Patients with mutations in TP53 gene, Arg/Arg genotype of codon platinum-taxane chemotherapy.
Literature	GENERIF_SUMMARY	Apak competes with p53 for binding to inhibit p53AIP1 expression
Literature	GENERIF_SUMMARY	analysis of regulation of histone modification and chromatin struc
Literature	GENERIF_SUMMARY	High p53 expression was more frequent in astrocytomas and mixe
Literature	GENERIF_SUMMARY	Gemin3 binds with p53, forming a complex, and plays an anti-apop
Literature	GENERIF_SUMMARY	P53 Arg72Pro polymorphism is a common susceptibility factor for
Literature	GENERIF_SUMMARY	in this study we did not find an indication for melanoma recurrence

Main Category	Category	
		SNP309 or TP53 codon 72 Arg/Pro variant alleles.
Literature	GENERIF_SUMMARY	SIRT1 inhibition increased p53 acetylation and transcriptional activation of SIRT1 targeting on CML cells depended on p53 expression and
Literature	GENERIF_SUMMARY	These insights provide a novel link between HMGB1 and p53 in the
Literature	GENERIF_SUMMARY	Novel insights into the tumor suppressive functions of p53. [Review
Literature	GENERIF_SUMMARY	study suggests that p53 activation could participate in protection a known p53-activating agents affect the splicing machinery
Literature	GENERIF_SUMMARY	The 16-bp duplication polymorphism in TP53 contributes significa
Literature	GENERIF_SUMMARY	TP53 mutations occur more frequently in pleomorphic variants of
Literature	GENERIF_SUMMARY	p14(ARF)-induced apoptosis in p53 protein-deficient cells is media regulation of Mcl-1 and Bcl-xL proteins
Literature	GENERIF_SUMMARY	in this study, no significant association between the TP53 codon 7 exposure was detected at significant levels
Literature	GENERIF_SUMMARY	RECQL4 is essential for the transport of p53 to mitochondria.
Literature	GENERIF_SUMMARY	ATM-dependent downregulation of USP7/HAUSP by PPM1G activa
Literature	GENERIF_SUMMARY	Our data favor a model whereby mutp53 gain-of-function mutants to new locations.
Literature	GENERIF_SUMMARY	both of the TPR and OB-fold domains localize to the chromatin of p dependent p53 response
Literature	GENERIF_SUMMARY	The results show that either deletion of the p53 binding elements v reduce PYNOD promoter activity.
Literature	GENERIF_SUMMARY	evaluation of the role of apoptotic BCL-2 and TP53 genes in contri muscular dystrophy type 2C patients
Literature	GENERIF_SUMMARY	the PDCD5 binding site on p53 is localized within residues 41-56 o surface region around the C-terminals of helices alpha3 and alpha
Literature	GENERIF_SUMMARY	Different mutation profiles associated to P53 accumulation in colo
Literature	GENERIF_SUMMARY	The data provides the p53-dependent regulated proteins by exposu
Literature	GENERIF_SUMMARY	Increased p53 levels upon EDD depletion cause a G(1) arrest, as co progression.
Literature	GENERIF_SUMMARY	The work demonstrates that the ability of MDM4 to enhance p53 s
Literature	GENERIF_SUMMARY	Human cytomegalovirus UL44 inhibited the transcriptional activati
Literature	GENERIF_SUMMARY	Collectively, these findings suggest the existence of a novel recipr pathogenesis and treatment of metabolic diseases.
Literature	GENERIF_SUMMARY	an association between reduced lipids in MDS and expression of H be regulated by TP53.
Literature	GENERIF_SUMMARY	Reduced p53 expression, which is frequently observed in castration androgen receptor, thereby leading to changes in androgen recepto
Literature	GENERIF_SUMMARY	In accordance with the importance of MYC deregulation in Sezary

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 mutation leads to inactivation of the IL8-CXCR2-p53 signaling hyper-proliferation of neuroendocrine cells in small cell neuroendo
Literature	GENERIF_SUMMARY	Findings propose a model that suggests a certain subset of the po through RASSF1A, which affects both cancer incidence and survival
Literature	GENERIF_SUMMARY	The collective effects of p53 activation elongate the G1 phase and stem cells.
Literature	GENERIF_SUMMARY	RPS14 and RPS19 have distinct roles in regulating the MDM2-p53
Literature	GENERIF_SUMMARY	Secretory CLU expression was stimulated by insulin-like growth fac
Literature	GENERIF_SUMMARY	Knockdown of p53 in MCF-7 cells did not influence the growth inhibi rP1 transfection.
Literature	GENERIF_SUMMARY	Codon 72 SNP which results in amino acid substitution of Arginine cancer risk and carriers of Pro/Pro genotype and more than 50 year
Literature	GENERIF_SUMMARY	GANP, a homologue of yeast Sac3 that is involved in mRNA export knockdown causes apoptosis and necrosis of p53-insufficient can
Literature	GENERIF_SUMMARY	analysis of the codon 72 polymorphism of p53 gene and Ile/Val poly population
Literature	GENERIF_SUMMARY	analysis of P53, p16 and Ki67 immunoexpression in oral squamou
Literature	GENERIF_SUMMARY	analysis of P53, Bcl-2 and Ki67 immunoexpression in follicular soli
Literature	GENERIF_SUMMARY	High TP53 expression is associated with glial tumors.
Literature	GENERIF_SUMMARY	Wild-type tumor repressor protein 53 (Trp53) promotes ovarian car
Literature	GENERIF_SUMMARY	Data shows p53 mutations in Indian patients with ulcerative colitis mutations ulcerative colitis patients with colorectal adenocarcinon
Literature	GENERIF_SUMMARY	Our results implicate a novel cell signaling loop in Hct116 cells inv and action of centrosomes.
Literature	GENERIF_SUMMARY	The BRCA1/Chk1/p53 pathway mediated the upregulation of p21(p21(Cip1/Waf1) was inversely correlated with the activation status
Literature	GENERIF_SUMMARY	PLK1 in primary breast cancer is associated with TP53 mutation a
Literature	GENERIF_SUMMARY	It was also found that STX-1-induced p53 expression, and activate
Literature	GENERIF_SUMMARY	Current progress in the field about the functional and physical inter controlling p53.
Literature	GENERIF_SUMMARY	the expression of CD10 and p53 was significantly correlated with H
Literature	GENERIF_SUMMARY	A mutant SKI defective in transformation fails to increase p53 ubiq sumoylation of Ubc9
Literature	GENERIF_SUMMARY	The independent value of simultaneous membrane + cytoplasmic squamous cell carcinoma suggests that these markers may identi
Literature	GENERIF_SUMMARY	In contrast to previous reports, we found mutated p53 in keloidal ti
Literature	GENERIF_SUMMARY	loss of function of the ATM-Chek2-p53 cascade is strongly associa cancer
Literature	GENERIF_SUMMARY	results provide new insights into p53 exonuclease function and int

Main Category	Category	
		degradation by p53 under different cellular conditions
Literature	GENERIF_SUMMARY	p53 overexpression may be a possible predictive marker for adjuvant
Literature	GENERIF_SUMMARY	Compared serum sFas and p53 protein with that of serum CA 15-3 from breast cancer patients before surgery, 2 weeks after surgery
Literature	GENERIF_SUMMARY	transcriptional deregulation after FHIT modulation was higher in p
Literature	GENERIF_SUMMARY	Meta-analysis demonstrates that the p53 codon 72 polymorphism
Literature	GENERIF_SUMMARY	SFN increases p21(Cip1) promoter transcription via a mechanism
Literature	GENERIF_SUMMARY	p53 knock down or expression of different p53 mutants cooperate
Literature	GENERIF_SUMMARY	This report describes how carboxylated multiwalled carbon nanotu
Literature	GENERIF_SUMMARY	Novel but opposing roles for the p53 and TAp73 in the induction of
Literature	GENERIF_SUMMARY	results define miR-25 and -32 as positive regulators of p53, unders
Literature	GENERIF_SUMMARY	CLCA2 was remarkably induced by replicative senescence as well
Literature	GENERIF_SUMMARY	suggest a model in which the base pairings in the p53 UTR interact
Literature	GENERIF_SUMMARY	High TP53 is associated with african American in women with bre
Literature	GENERIF_SUMMARY	Study concluded that disturbances in the expression of p53, Bax, E
Literature	GENERIF_SUMMARY	This article explores the relationship of p53 and sebaceous neopla
Literature	GENERIF_SUMMARY	Ser17 phosphorylation is functionally neutral with respect to p53 b
Literature	GENERIF_SUMMARY	these study suggested that the four mutations lowered the stabilit
Literature	GENERIF_SUMMARY	these data suggest the role of p53 in regulating apoptosis through
Literature	GENERIF_SUMMARY	Findings indicate that SirT1 confers a higher radioresistance in hyp
Literature	GENERIF_SUMMARY	that S100A14 promotes cell motility and invasiveness by regulatin
Literature	GENERIF_SUMMARY	HCC patients with p53 mutation and upregulated expression in tur
Literature	GENERIF_SUMMARY	Abnormal p53 expression cannot be entirely explained by p53 mut
Literature	GENERIF_SUMMARY	Overexpression of SUV39H1 inhibits p53-dependent apoptosis.
Literature	GENERIF_SUMMARY	the simultaneous activation of p53 and JNK may constitute a ""fail
Literature	GENERIF_SUMMARY	Overexpression of p53 in the mitochondria reduces mtDNA abunda
Literature	GENERIF_SUMMARY	E2F-1 participates in p53-mediated DNA damage response and mi

Main Category	Category	
Literature	GENERIF_SUMMARY	PIWIL4 might play an oncogenic role in cervical cancer
Literature	GENERIF_SUMMARY	Failure of proline-rich domain mutants to respond to the activating accumulation of mutations, which potentially leads to late-onset tu
Literature	GENERIF_SUMMARY	RARbeta gene promoter methylation and P53 mutation were detect
Literature	GENERIF_SUMMARY	regulated sumoylation of HDAC2 controls p53 deacetylation and re
Literature	GENERIF_SUMMARY	Splicing mutations of TP53 gene is associated with loss-of-function
Literature	GENERIF_SUMMARY	Tumor suppressors p53, p63TAalpha, p63TAY, p73alpha, and p73b
Literature	GENERIF_SUMMARY	when nutrients are limited, Atg7 regulates p53-dependent cell cycl
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism is associated with acute myeloid le
Literature	GENERIF_SUMMARY	survivin may act as a transcription factor or cofactor to interact wi CIP1) expression at least in part by neutralizing p53-mediated tran
Literature	GENERIF_SUMMARY	association of TP53 loss of heterozygosity with an increased mito D310 mutation in thoracic esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	p73 mRNA stability is regulated by RNPC1, an RNA binding protein
Literature	GENERIF_SUMMARY	We demonstrate that treatment of cancer cells with a newly descri apoptosis.
Literature	GENERIF_SUMMARY	The expression of TIMP-3 in the non-small cell lung cancer and me
Literature	GENERIF_SUMMARY	Some p53 wild-type cancer cells have limited capacity to maintain
Literature	GENERIF_SUMMARY	Furthermore, the combination strategy for disruption of the p53-M and in vivo.
Literature	GENERIF_SUMMARY	TLP mediates p53-governed transcriptional activation of the p21 u
Literature	GENERIF_SUMMARY	the p53 CTD is a positive regulator of p53 tumor suppressor functi
Literature	GENERIF_SUMMARY	Data imply that activation of p53 may represent a mechanism by w
Literature	GENERIF_SUMMARY	Geranylgeranylacetone attenuates cisplatin-induced reductions in shock protein induction.
Literature	GENERIF_SUMMARY	the combined analysis of metallothionein and p53 may enhance th colorectal cancer
Literature	GENERIF_SUMMARY	findings suggest that variant genotypes of p53 and p73 genes may oropharyngeal cancer patients, particularly in never smokers
Literature	GENERIF_SUMMARY	Tp53 exon 4 (codon 72) polymorphism and exon 7 (codon 249) mu
Literature	GENERIF_SUMMARY	Our results indicate that the clinical efficacy of 5-FU chemotherapy
Literature	GENERIF_SUMMARY	Among the women at near-natural fertility, the P53 genotypes were modern reproductive behaviors, the P53 genotypes were associate
Literature	GENERIF_SUMMARY	Increased expression of p53 and p73 in esophageal carcinoma ma
Literature	GENERIF_SUMMARY	p53, TIAF1 and WOX1 acted synergistically in suppressing anchor
Literature	GENERIF_SUMMARY	p53 function, radio-sensitivity, and metastatic spread may be estim

Main Category	Category	
Literature	GENERIF_SUMMARY	The presence of a Tp53-72P allele is protective against cutaneous likely to have Tp53 mutations. In contrast Tp53-72R is a significant with HPV infection instead of Tp53 mutations.
Literature	GENERIF_SUMMARY	Mitochondrial genes are modulated in these cells after exposure to
Literature	GENERIF_SUMMARY	Ccr4d functions as an anti-proliferating protein through the induction suggest that Ccr4d might have an important role in carcinogenesis
Literature	GENERIF_SUMMARY	data support a model whereby p53 expression during megakaryopo apoptosis by impeding cell cycling and promoting apoptosis
Literature	GENERIF_SUMMARY	The aim of this retrospective study was to investigate the effect of survival (DFS) in the group of breast cancer patients treated with a
Literature	GENERIF_SUMMARY	CDIP expression correlates with sensitivity of cancer cells with TN survival response of cells to TNFalpha.
Literature	GENERIF_SUMMARY	p53 truncating mutations in node-positive breast cancer patients w for p53 status was detected.
Literature	GENERIF_SUMMARY	Germline nonsense mutation in exon 8 at codon 306 of the codified
Literature	GENERIF_SUMMARY	Uremic toxin indoxyl sulfate induces protein expression of TP53, p nephrectomized rats.
Literature	GENERIF_SUMMARY	hypoxia can activate p53 through inactivation of MDMX by the ATP
Literature	GENERIF_SUMMARY	This meta-analysis showed the evidence that TP53 codon 72 (CC v affect individual susceptibility to primary open-angle glaucoma [m
Literature	GENERIF_SUMMARY	MSP58 activates the DNA damage response and p53/p21 signaling
Literature	GENERIF_SUMMARY	Results indicate that acriflavine (ACF) acts through p53-dependent
Literature	GENERIF_SUMMARY	Inhibition of nicotinamide phosphoribosyltransferase (NAMPT) ac mediated cytotoxicity in a p53- and nicotinic acid phosphoribosyltr
Literature	GENERIF_SUMMARY	p53 signaling pathway is utilized during RVFV infection to induce c
Literature	GENERIF_SUMMARY	These data point to wood dust exposure as the causal factor in the through a chronic inflammatory process.
Literature	GENERIF_SUMMARY	p53 protein expression may be related to the early steps of carcino
Literature	GENERIF_SUMMARY	A half-site of the p53-binding site on the keratin 14 promoter is spe
Literature	GENERIF_SUMMARY	miR-205, oncosuppressive microRNA lost in breast cancer, is direc
Literature	GENERIF_SUMMARY	Studies indicate that mutations of TP53 and Ras proteins were fou
Literature	GENERIF_SUMMARY	Data show that mutant p53 can enhance MET signalling to promot mechanisms.
Literature	GENERIF_SUMMARY	the mechanisms of p53 induction following disruption of the synth simultaneously engaged, lead to full cell cycle arrest.
Literature	GENERIF_SUMMARY	Mutations in TP53 is associated with medulloblastomas.
Literature	GENERIF_SUMMARY	p53 and plasminogen activator inhibitor-1 expression, as well as a smoke exposure.
Literature	GENERIF_SUMMARY	tumor suppressor activity of RASSF3, which occurs through p53 st

Main Category	Category	
Literature	GENERIF_SUMMARY	incidence of del(17)(p13) of TP53 was similar in both groups but c samples and material originating from osteolyses
Literature	GENERIF_SUMMARY	We conclude that the NP-mediated sustained tumor p53 gene ther
Literature	GENERIF_SUMMARY	The p53 also plays a crucial role in the silibinin-induced GSH deple they are naturally devoid of a functional p53
Literature	GENERIF_SUMMARY	Aberrations of p53 and epidermal growth factor receptor genes are carcinoma.
Literature	GENERIF_SUMMARY	Analysis of multiple molecular genetic alterations in tissue sample microsatellite instability status are independent prognostic factors
Literature	GENERIF_SUMMARY	TP53 mutations are associated with advanced colorectal neoplasr
Literature	GENERIF_SUMMARY	Sirt3 overexpression upregulated p53 protein level through downre
Literature	GENERIF_SUMMARY	results define a mechanism of p53 inactivation during the cell cycl compromise the tumor suppressor function of p53
Literature	GENERIF_SUMMARY	B-cells bearing p53 mutations might undergo positive selection in
Literature	GENERIF_SUMMARY	the TP53 codon 72 polymorphism may be a risk factor for hepatoc
Literature	GENERIF_SUMMARY	RIG1 gene is a downstream target of p53 in cancer cell lines
Literature	GENERIF_SUMMARY	Data indicate that acute myeloid leukemia differentiation can be in signaling through an ATR/Chk1-dependent and p53-independent p
Literature	GENERIF_SUMMARY	Results show that p53 is an important target of the downstream m malignant transformation of melanocytes.
Literature	GENERIF_SUMMARY	Data identify NSC319726 as a p53(R175) mutant reactivator and a
Literature	GENERIF_SUMMARY	Report TP53/COX-2 expression in basal cell carcinoma and squam
Literature	GENERIF_SUMMARY	This paper describes the analysis of BRCA1, PTEN, and p53 at the methods to predict the relative temporal order of somatic events
Literature	GENERIF_SUMMARY	by combining statistical and experimental analyses, we provide a c database analysis
Literature	GENERIF_SUMMARY	meta-analysis suggests the Pro variant of TP53 Arg72Pro contribu
Literature	GENERIF_SUMMARY	The restoration of p53 tumor-suppressive function by RITA enhanc
Literature	GENERIF_SUMMARY	our analysis of human samples demonstrated that enhanced p53/ alcoholic fatty liver disease.
Literature	GENERIF_SUMMARY	the expression of p53 correlated significantly with Ki-67, suggestin
Literature	GENERIF_SUMMARY	These results highlight the role of p53 isoforms in the viral cycle o viral production in a p53-dependent manner.
Literature	GENERIF_SUMMARY	Although TP53 mutation and PTEN deletion are frequent in leiomy involved in the pathogenesis of angiosarcoma.
Literature	GENERIF_SUMMARY	It is concluded that a proportion of patients with therapy related m which is likely to contribute to therapy related leukaemogenesis.
Literature	GENERIF_SUMMARY	Malignant neoplasm should be suspected in any patient with Li-Fra should be sought.

Main Category	Category	
Literature	GENERIF_SUMMARY	Data suggest that genotype Pro/Pro of codon 72 polymorphism in
Literature	GENERIF_SUMMARY	Prevalence of germline TP53 mutations and history of Li-Fraumeni
Literature	GENERIF_SUMMARY	there is a dual role for the Mdm2 acidic domain in the regulation of
Literature	GENERIF_SUMMARY	results identify new pathways controlling the cellular response to p
Literature	GENERIF_SUMMARY	TP53 can alter the transcription of several miRNAs, and in some ca
Literature	GENERIF_SUMMARY	Data indicate that expression of miR-21 was observed in undifferen
Literature	GENERIF_SUMMARY	TP53 polymorphisms are not involved in myelodysplastic syndrom
Literature	GENERIF_SUMMARY	Odontogenic cystic lesions with features of dysplasia show increa
Literature	GENERIF_SUMMARY	Data suggest that expression of protein isoforms may constitute a
Literature	GENERIF_SUMMARY	these data shed light on the importance of tight control of the func
Literature	GENERIF_SUMMARY	The effect of DNA stressors on TLR expression was mainly mediat
Literature	GENERIF_SUMMARY	Findings implicate blockade of the ATM-p53-p21 pathway at the le
Literature	GENERIF_SUMMARY	Data indicate in primary gastric cancers, EZH2 expression was neg
Literature	GENERIF_SUMMARY	study provides evidence that acquisition and persistence of the TP
Literature	GENERIF_SUMMARY	The mTORC1 signalling pathway was frequently activated in these
Literature	GENERIF_SUMMARY	In response to replicative stress and unresolved DNA damage, p53
Literature	GENERIF_SUMMARY	these data reveal the characteristic cytoplasmic sequestration of p
Literature	GENERIF_SUMMARY	Data indicate that TP53/MDM2 alterations were common for adva
Literature	GENERIF_SUMMARY	This study corroborates the understanding of TP53 polymorphism
Literature	GENERIF_SUMMARY	Studies have uncovered a unique transient reprogramming activity
Literature	GENERIF_SUMMARY	The genotypes of the p53 gene for patients wih LOH in Rb were 43
Literature	GENERIF_SUMMARY	Data show that Sirt1, p53, and p38(MAPK) are involved in the detri
Literature	GENERIF_SUMMARY	Data indicate that endoreduplication and mitotic failure occur durin
Literature	GENERIF_SUMMARY	Data show that wild-type p53 activity hinders chemotherapy respo

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 deletion is associated with bone marrow relapse in childhood
Literature	GENERIF_SUMMARY	The HDMX-S/HDMX-FL ratio better defined patients with sarcoma
Literature	GENERIF_SUMMARY	dynamic behavior of p53 varies depending on stimulus; in response recover from DNA damage; cells exposed to sustained p53 signaling important part of a signal, directly influencing cell fate decisions
Literature	GENERIF_SUMMARY	The rs78378222 SNP in TP53 is the first confirmed rare susceptibility
Literature	GENERIF_SUMMARY	among Asians, the p53 codon 72 Arg/Arg genotype is associated with genotype distribution may be associated with cancer stage, location
Literature	GENERIF_SUMMARY	Ultraviolet A and Ultraviolet B damage..... DNA damage to skin
Literature	GENERIF_SUMMARY	The mechanism of p53-mediated epstein-barr viral Zta protein activation
Literature	GENERIF_SUMMARY	The loss of heterozygosity by p53 gene is confirmation of precocious malformation.
Literature	GENERIF_SUMMARY	we conclude that a novel p53-responsive gene PDCD6 is accumulated
Literature	GENERIF_SUMMARY	PUMA, c-Myb and p53 protein expression closely relates to the cancer in gallbladder adenocarcinoma.
Literature	GENERIF_SUMMARY	Mutant p53 aggregates into prion-like amyloid oligomers and fibrils
Literature	GENERIF_SUMMARY	DEC1 controls the response of p53-dependent cell survival vs. cell
Literature	GENERIF_SUMMARY	Study uncovers a role for p53 in activating necrosis. In response to mitochondrial permeability transition pore opening and necrosis by
Literature	GENERIF_SUMMARY	underexpression of AMPK is frequently observed in HCC, and that SIRT1-dependent manner.
Literature	GENERIF_SUMMARY	Studied the expression of RUNX3 in lung cancers.Results suggest KRAS mutations and EGFR and p53 protein expression were not correlated
Literature	GENERIF_SUMMARY	This is also the first report on significant p53 hypermethylation in colon between promoter methylation of p73 and the other genes under study
Literature	GENERIF_SUMMARY	A meta-analysis found null significant association between TP53 polymorphisms
Literature	GENERIF_SUMMARY	SEPW1 silencing increases MKK4, which activates p38gamma, p38beta
Literature	GENERIF_SUMMARY	Overexpression of Tat protein decreases both the deacetylase and acetylated p53 and (3) The activation of p53 leads to subsequent induction
Literature	GENERIF_SUMMARY	Alteration of expression ratio of delta133p53 and TAp53 isoforms inducing pro-angiogenic gene expression.
Literature	GENERIF_SUMMARY	results suggest that the P72 allele of TP53 is a strong risk factor for
Literature	GENERIF_SUMMARY	Overexpression of p53 causes rapid SHP protein degradation, which pathway
Literature	GENERIF_SUMMARY	The gene-gene interaction between TP53 Arg72Pro and MDM2 T302G
Literature	GENERIF_SUMMARY	Down regulation of TP53 and upregulation of miR-125a during in-vitro (hAMSC) may act as an indicator of the stemness of hAMSC.
Literature	GENERIF_SUMMARY	The review illustrates the critical role of Arf/p53 mutations-dependent

Main Category	Category	
Literature	GENERIF_SUMMARY	findings suggest that in hepatocellular carcinomas from The Gamla R249S mutation.
Literature	GENERIF_SUMMARY	Our results indicate a role for the rapid evolution of tandem repeats
Literature	GENERIF_SUMMARY	show that FOXO3a is required for activity in the absence of p53
Literature	GENERIF_SUMMARY	these results indicate a potential predictive role of p53 in choroid p
Literature	GENERIF_SUMMARY	Combination of p53 knockdown and human telomerase reverse tra
Literature	GENERIF_SUMMARY	results of the present meta-analysis suggest that TP53 status is a
Literature	GENERIF_SUMMARY	chemotherapy; further larger and well-designed prospective studie
Literature	GENERIF_SUMMARY	It was demonstrated that hTERT, MYC, and TP53 are deregulated in
Literature	GENERIF_SUMMARY	facilitate tumor initiation.
Literature	GENERIF_SUMMARY	FOS/AP-1 inhibition in SCC cell lines induced p53 expression. Epid
Literature	GENERIF_SUMMARY	dependent transcriptional activation of the metalloprotease TACE.
Literature	GENERIF_SUMMARY	analyses revealed that TP53 Ex2+19C>T and MDM2 309T>G polym
Literature	GENERIF_SUMMARY	additive interaction between TP53 rs2287498 and MDM2 rs93728
Literature	GENERIF_SUMMARY	activated GR can inhibit p53-dependent apoptosis through induction
Literature	GENERIF_SUMMARY	PKCalpha constitutes a crucial component of the integrin alphav-n
Literature	GENERIF_SUMMARY	data demonstrate that ribosomal protein S25 is a novel regulator o
Literature	GENERIF_SUMMARY	consequences of RP-MDM2-p53 interplay and also reveal the exist
Literature	GENERIF_SUMMARY	Knockdown of p53 partially rescued SRSF3-knockdown-induced se
Literature	GENERIF_SUMMARY	a novel link between NF-kappaB and growth-inhibitory pathways in
Literature	GENERIF_SUMMARY	The p53 Arg72Pro polymorphism is associated with increased risk
Literature	GENERIF_SUMMARY	TIGAR promotes p21-independent, p53-mediated G1-phase arrest
Literature	GENERIF_SUMMARY	p53 SNPs are not associated with endometriosis in Indian women
Literature	GENERIF_SUMMARY	endometriosis in Indian women
Literature	GENERIF_SUMMARY	Transcription factor NFAT1 activates the mdm2 oncogene indepen
Literature	GENERIF_SUMMARY	an insight into a feedback loop between ERalpha and p53 and a bi
Literature	GENERIF_SUMMARY	our results support the hypothesis that FAK activity might be invol
Literature	GENERIF_SUMMARY	these results suggest that Cr(VI) induction of BDA and ODD at dA a
Literature	GENERIF_SUMMARY	Results reveal a mechanism for the crosstalk between HR repair an
Literature	GENERIF_SUMMARY	ATR.
Literature	GENERIF_SUMMARY	miR-155 was up-regulated by mutant p53 to drive invasion
Literature	GENERIF_SUMMARY	a functional uncommon P53 rs78378222 variant is associated with
Literature	GENERIF_SUMMARY	Partial 17q gain resulting from isochromosomes, unbalanced trans
Literature	GENERIF_SUMMARY	high hyperdiploid childhood acute lymphoblastic leukemia.
Literature	GENERIF_SUMMARY	N-methylpurine DNA glycosylase negatively regulates p53-mediate
Literature	GENERIF_SUMMARY	E2F7-dependent mechanism contributes to p53-dependent cell cyc

Main Category	Category	
Literature	GENERIF_SUMMARY	identify a causal role for E2F7 in cellular senescence and uncover
Literature	GENERIF_SUMMARY	an interaction between the role of serotonin and the p53 status of
Literature	GENERIF_SUMMARY	Sodium butyrate enhances the activities of phase 2 enzymes via a protein levels of p53.
Literature	GENERIF_SUMMARY	Competitive binding between dynamic p53 transactivation subdom
Literature	GENERIF_SUMMARY	UPregulation of TP53 is associated with acute myeloid leukemia.
Literature	GENERIF_SUMMARY	Five percent of women with uterine serous carcinoma have germli
Literature	GENERIF_SUMMARY	summary of findings showing role for TP53 in enhancing lipid cata
Literature	GENERIF_SUMMARY	TRIAD1 as a novel modulator of the p53-MDM2 axis that induces p
Literature	GENERIF_SUMMARY	Together, these results suggest that the p53-p21 pathway is requir
Literature	GENERIF_SUMMARY	characterization of p53 isoform expression patterns in glioblastom expressed isoform in glioblastoma, Delta40p53, was uniquely expr and gliosis
Literature	GENERIF_SUMMARY	The TP53 codon 72 polymorphism and HPV infection do not confe
Literature	GENERIF_SUMMARY	DNA damage-induced Pc2 activation to the p53 transcriptional co-
Literature	GENERIF_SUMMARY	Results show that TP53 mutations are not a frequent event in SGN insalivary gland neoplasms.
Literature	GENERIF_SUMMARY	The TP53 promotion of aerobic metabolism reduces oxidative stre instability. [Review]
Literature	GENERIF_SUMMARY	Leukocyte p53 protein biosignature through standard-aligned two-
Literature	GENERIF_SUMMARY	The Pro allele of P53 Arg72Pro polymorphism is a risk factor for k
Literature	GENERIF_SUMMARY	disruption of p53-MDM2 interaction by Nutlin-3a might reduce cell and wt p53 status
Literature	GENERIF_SUMMARY	miR-34b/c rs4938723CC and TP53 Arg72-Pro polymorphisms may
Literature	GENERIF_SUMMARY	There was an inverse relationship between detectable TP53 protei
Literature	GENERIF_SUMMARY	These data provide a novel understanding of the roles of p53 gain- modulation of the miR-130b-ZEB1 axis.
Literature	GENERIF_SUMMARY	Noscapine induced apoptosis via downregulation of survivin in hu
Literature	GENERIF_SUMMARY	Mutations in the BRCA1 and BRCA2 along with mutations in TP53
Literature	GENERIF_SUMMARY	methylation in p53 promoter region may play an important role in c
Literature	GENERIF_SUMMARY	genetic association studies in a US population
Literature	GENERIF_SUMMARY	results suggest that the p53 codon 72 polymorphism modulates s
Literature	GENERIF_SUMMARY	Low concentration of dihydrotestosterone induced lower mRNA le dihydrotestosterone concentrations induced a significant increase
Literature	GENERIF_SUMMARY	a novel role for ANXA2 in NSCLC cell proliferation by facilitating th
Literature	GENERIF_SUMMARY	Endoplasmic reticulum stress enhanced p65 and p50 binding to th

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 binds to the PPARGC1A promoter and this event is positively
Literature	GENERIF_SUMMARY	The p53-dependent expression of frataxin controls 5-aminolevulini cells.
Literature	GENERIF_SUMMARY	TNF-induced iNOS activates a p53-dependent pathway of intestina
Literature	GENERIF_SUMMARY	Association with PHF20 promotes stabilization and activation of p
Literature	GENERIF_SUMMARY	IDH1 and EGFR. p53 protein expression was observed in three cas
Literature	GENERIF_SUMMARY	BMK1 activity has a role in suppressing p53 by blocking the interac
Literature	GENERIF_SUMMARY	analysis of first-order rate-determining aggregation mechanism of
Literature	GENERIF_SUMMARY	Kinetic mechanism of p53 oncogenic mutant aggregation and its i
Literature	GENERIF_SUMMARY	TSC-22 acts as a tumor suppressor by safeguarding p53 from poly
Literature	GENERIF_SUMMARY	TP53 deletions are associated with relapse in multiple myeloma.
Literature	GENERIF_SUMMARY	This report shows that much of the 682-gene signature of this mu models in which p53 is inhibited.
Literature	GENERIF_SUMMARY	data suggest that, although there is no association between the TP with shorter overall survival of medulloblastoma patients submitte
Literature	GENERIF_SUMMARY	The P53 codon 72 polymorphisms seems to be associated with ga may be an important biomarker of gastric cancer susceptibility for
Literature	GENERIF_SUMMARY	Basal tumors displayed significantly increased rates of TP53 trun
Literature	GENERIF_SUMMARY	examined frequency of chromosomal aberrations and mitotic inde 4 codon 72 Arg72Pro polymorphism; higher frequency of aberratio compared to patients and controls with other genotypes [Arg/Pro a
Literature	GENERIF_SUMMARY	FOXO3 interacts with the ATM-Chk2-p53 complex and induces the
Literature	GENERIF_SUMMARY	p53 is an important negative regulator of Aurora A.
Literature	GENERIF_SUMMARY	these results indicate that NAE1/APP-BP1 and NEDDylation are inv ionizing radiation
Literature	GENERIF_SUMMARY	Data suggest that survival of glioblastoma cells depends upon inte WOX1 leads to apoptosis but only in presence of gain-of-function r
Literature	GENERIF_SUMMARY	p53(R273H) mutant interferes with the normal response of human
Literature	GENERIF_SUMMARY	These findings suggest an interesting relationship between p53 m stemlike properties.
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism is associated with gastric cancer.
Literature	GENERIF_SUMMARY	Arg/Pro polymorphism in p53 gene is associated with lung cancer
Literature	GENERIF_SUMMARY	P53 Arg72Pro polymorphism is associated with bladder cancer in
Literature	GENERIF_SUMMARY	Our results support a link between liver cell apoptosis and miR-34a
Literature	GENERIF_SUMMARY	The p53 codon 72 Pro/Pro genotype identifies poor-prognosis neu
Literature	GENERIF_SUMMARY	p53 dimers associate with the head-to-tail element to repress cycl

Main Category	Category	
Literature	GENERIF_SUMMARY	Overexpression of MN1 confers resistance to chemotherapy, accel
Literature	GENERIF_SUMMARY	LM04 is a direct target of p53 and inhibits p53-mediated proliferat
Literature	GENERIF_SUMMARY	Low-level p53 expression changes transactivation rules and reveal
Literature	GENERIF_SUMMARY	Dynamic behaviors of p53 and p21 in the DNA damage response a reviewed.
Literature	GENERIF_SUMMARY	6 of 7 HNSCC cell lines were studied, the TP53 mutations, predicte
Literature	GENERIF_SUMMARY	p53 acts as a co-repressor to down-regulate K14 expression by bir
Literature	GENERIF_SUMMARY	Data suggest that OKL38 regulates mitochondria morphology and
Literature	GENERIF_SUMMARY	Significant association exists between the MDM2 polymorphism a
Literature	GENERIF_SUMMARY	PDCD5 may contribute to maintain a basal pool of p53 proteins in to regulate transcription and cell cycle arrest.
Literature	GENERIF_SUMMARY	In an attempt to investigate the structural character of ID protein, v over a range of temperatures and solution conditions.
Literature	GENERIF_SUMMARY	Mutations in TP53 is associated with worse response to therapy in
Literature	GENERIF_SUMMARY	Results highlight the essential role of catalase in p53-mediated ROS pathways are critically involved in intracellular ROS regulation.
Literature	GENERIF_SUMMARY	This study highlights the participation of the main genetic alteratio
Literature	GENERIF_SUMMARY	study observed that transiently expressed GFP-16E6 was located i apoptosis
Literature	GENERIF_SUMMARY	Molecular genetic aberrations involving the p53, cyclin E-FBXW7, a serous carcinoma.
Literature	GENERIF_SUMMARY	Immunohistochemical detection of the expression of MDR protein chemotherapeutics to improve prognosis and therapy.
Literature	GENERIF_SUMMARY	Pathogenic bacterium Helicobacter pylori alters the expression pro
Literature	GENERIF_SUMMARY	The infrequent TP53mutations, especially insertion A and 196 hotspots among the Iraqi patients who were exposed to war environmental
Literature	GENERIF_SUMMARY	the existence of TP53 mutations in 17% of MDS with isolated del(5
Literature	GENERIF_SUMMARY	findings support the possibility that p53 mutation could be a primary inhibitors in mantle cell lymphoma and multiple myeloma
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	The p53 target gene desmocollin 3 acts as a novel tumor suppress
Literature	GENERIF_SUMMARY	IPH-926 cells harbor a homozygous TP53 missense mutation encoding characteristics.
Literature	GENERIF_SUMMARY	results not only identify HEXIM1 as a positive regulator of p53, but cancer drugs and compounds.
Literature	GENERIF_SUMMARY	p53 inactivation upregulates p73 expression through E2F-1 mediated
Literature	GENERIF_SUMMARY	Authors conclude that assessment of TP53 mutation status is imp

Main Category	Category	
Literature	GENERIF_SUMMARY	Findings reveal an interdependence of the p53 response in cancer cancer cells control the response of their microenvironment to DN
Literature	GENERIF_SUMMARY	we examined the impact of the temporal expression of wild type p
Literature	GENERIF_SUMMARY	Mutant p53 is a viable target for antineoplastic agents to treat can
Literature	GENERIF_SUMMARY	APR-246 can induce p53 dependent biologic effects in tumor cells
Literature	GENERIF_SUMMARY	Domain-domain interactions in full-length p53 and a specific DNA
Literature	GENERIF_SUMMARY	study found that Twist1 acts to inactivate p53 in mesenchymal tur this interaction hinders key posttranslational modifications of p53
Literature	GENERIF_SUMMARY	DNA damage yields sustained oscillations of p53.
Literature	GENERIF_SUMMARY	The transcription factor CREBZF is a novel positive regulator of p5
Literature	GENERIF_SUMMARY	In chronic lymphocytic leukemia patients, a disease phase-specific
Literature	GENERIF_SUMMARY	cross-talk between p53 and Pax2 provides a transcriptional platfor
Literature	GENERIF_SUMMARY	TP53 nuclear translocation and induction of wild-type and phospho pathways involved in cell death.
Literature	GENERIF_SUMMARY	these results demonstrate allele specificity between gain-of-functi transactivation property of GOF p53; it also suggests importance o
Literature	GENERIF_SUMMARY	The p53 mutation accelerated the cell cycle and decreased expres
Literature	GENERIF_SUMMARY	P53 was positive in 86.36% of colorectal cancer cases, more inten adenocarcinoma was dominant.
Literature	GENERIF_SUMMARY	ATF3 is post-translationally modified by SUMO and SUMOylation o
Literature	GENERIF_SUMMARY	Both Ki-67 and p53 overexpression in CRC are associated with a w
Literature	GENERIF_SUMMARY	The prognostic implications of two polymorphisms in TP53 (p.R72
Literature	GENERIF_SUMMARY	Immunohistochemical determination of p53 may be helpful for the mucinous.
Literature	GENERIF_SUMMARY	This review focuses on the functions of mitochondrial p53 and alte
Literature	GENERIF_SUMMARY	Our observations indicate that the R280T mutation of p53 regulate
Literature	GENERIF_SUMMARY	Higher histological grades were associated with TP53 mutations in
Literature	GENERIF_SUMMARY	results showed that several of the polymorphisms and their haplot lung cancer
Literature	GENERIF_SUMMARY	Data indicate that the recognition by p53 of its targets and the timi change between multiple modes of binding.
Literature	GENERIF_SUMMARY	TP53 protein was an effect on the expression of key genes related END (BAX, FAS, PIG11, PTEN), as well as on genes associated with
Literature	GENERIF_SUMMARY	The protein expression levels of p53 were upregulated by extract fr
Literature	GENERIF_SUMMARY	DNA-free p53 tetramer adopts a relaxed conformation with separa bound conformation
Literature	GENERIF_SUMMARY	EGFR mutations in concert with P53 mutations accelerate cancer c

Main Category	Category	
Literature	GENERIF_SUMMARY	SNP in the 5' UTR of the p53 mRNA might have a role in translation
Literature	GENERIF_SUMMARY	DNA damage activates p53 in part by disrupting CK1a-MDMX inter
Literature	GENERIF_SUMMARY	p53 activation following ionizing radiation led to a decrease in IGF
Literature	GENERIF_SUMMARY	The findings from our comparative genomic analyses also support related to the nature of the TP53 mutation.
Literature	GENERIF_SUMMARY	The p53 Arg72Pro polymorphism may contribute to susceptibility t
Literature	GENERIF_SUMMARY	Mesothelin regulates growth and apoptosis in pancreatic cancer c
Literature	GENERIF_SUMMARY	results reveal a novel function for p53 in the methylation of RASSF
Literature	GENERIF_SUMMARY	The organization of actin and cytokeratin cytoskeleton and the exp epithelial cells, and OVCAR3 and SKOV3 ovarian epithelial cancer c
Literature	GENERIF_SUMMARY	The p53 gene may provide a useful indicator for the prognosis of c
Literature	GENERIF_SUMMARY	Tp53 gene mutation is associated with malignant epithelioid angio
Literature	GENERIF_SUMMARY	Human breast epithelial cells/cancer cells with wild-type p53 were
Literature	GENERIF_SUMMARY	specific down regulating of p53 can significantly increase the expr
Literature	GENERIF_SUMMARY	P53 expression status is a predictive factor for response in rectal c
Literature	GENERIF_SUMMARY	the p53 codon 72 PRO/PRO genotype is potentially associated wit
Literature	GENERIF_SUMMARY	Hard-metal (WC-Co) particles trigger a signaling cascade involving mononucleated cells.
Literature	GENERIF_SUMMARY	p53 arg/pro polymorphism has different pattern of frequency in dif
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphisms play a role in the development of lun population.
Literature	GENERIF_SUMMARY	oxidative damage occurs in carriers of a germline TP53 mutation
Literature	GENERIF_SUMMARY	the high p53 expression occurred in 35% of gastrointestinal stroma
Literature	GENERIF_SUMMARY	The incipient amphipathic helix in TP53 transactivation domain 2 r as a single-stranded DNA mimic.
Literature	GENERIF_SUMMARY	The Arg variant of p53 Arg72Pro is associated with progression of papillomavirus positivity.
Literature	GENERIF_SUMMARY	this study was focused on aberrations of the tumor suppressor ge
Literature	GENERIF_SUMMARY	data indicate p53(72Arg) variant appears to be a more potent in vi variant; the Arg72Pro genotype has no significant effects in patien
Literature	GENERIF_SUMMARY	Data suggest that LSD1 (lysine-specific demethylase 1) is critical i stabilization of either p53 or DNMT1(DNA methyltransferase 1).
Literature	GENERIF_SUMMARY	This meta-analysis suggests that p53 Arg72Pro polymorphism is a
Literature	GENERIF_SUMMARY	findings suggest an improved strategy for the treatment of ER+ bre that activate p53-mediated cell death
Literature	GENERIF_SUMMARY	Mutant TP53 in conjunction with active estrogen receptor (ER) sig

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53, MDM2 and USP7 gene polymorphisms indicates a possible
Literature	GENERIF_SUMMARY	no association between codon 72 TP53 gene polymorphism and ri
Literature	GENERIF_SUMMARY	SUMO modification plays a crucial role in the control of hnRNP-K's
Literature	GENERIF_SUMMARY	Report association of TP53 staining with actinic keratosis and squ
Literature	GENERIF_SUMMARY	The current data suggested that p53 Arg72Pro and MDM2 SNP309
Literature	GENERIF_SUMMARY	Data indicate that miR-214 down-regulated the expression of PSM mRNA levels.
Literature	GENERIF_SUMMARY	Nup98 functions as a potential tumor suppressor and regulates po
Literature	GENERIF_SUMMARY	UbcH10 expression is significantly higher in squamous cell and lar with the mutational status of p53 and EGFR, respectively.
Literature	GENERIF_SUMMARY	Overexpression of TERT was comparable to that for p53 in invasive differentiated vulvar intraepithelial neoplasia and high-grade classi
Literature	GENERIF_SUMMARY	Results indicate that any transcriptional regulatory effects of muta and other genes on chromosome 17p.
Literature	GENERIF_SUMMARY	The stabilities of the full-length p53 orthologs were marginal and c isolated DNA-binding domains.
Literature	GENERIF_SUMMARY	Hepatitis C virus NS5A repressed p53 expression, which was follow proliferation.
Literature	GENERIF_SUMMARY	a mode of phospho-TFIIB-independent transcriptional regulation th
Literature	GENERIF_SUMMARY	the cooperative binding of KLF4 and p53 to DNA exemplifies a reg
Literature	GENERIF_SUMMARY	A TP53 mutation frequency of 2% was found in this study of prima this disease.
Literature	GENERIF_SUMMARY	Telomere length shortening with TP53 somatic mutations, polymo
Literature	GENERIF_SUMMARY	p53 arginine homozygous was found to be increased in squamous indicating that HPV-positive patients with p53 Arg/Arg have an inc over-represented in p53 Arg homozygous women with cervical lesi
Literature	GENERIF_SUMMARY	The results indicate that the TP53*P72 allele influences negatively
Literature	GENERIF_SUMMARY	p53 expression was associated with better disease-free survival (D estrogen receptor, but worse DFS and OS among patients whose t
Literature	GENERIF_SUMMARY	the TP53 gene deletion rate is correlated with the level of different
Literature	GENERIF_SUMMARY	These findings suggest that Notch pathway mediates high glucose
Literature	GENERIF_SUMMARY	Partial knockdown of Annexin A2 and PSF showed decrease in p53
Literature	GENERIF_SUMMARY	Gatifloxacin induces S and G2-phase cell cycle arrest in pancreatic
Literature	GENERIF_SUMMARY	Phospho-Akt immunoreactivity in prostate cancer shows a relation
Literature	GENERIF_SUMMARY	The human p53 and Dmp53 proteins had a similar melting temper
Literature	GENERIF_SUMMARY	studies suggest that age-related posttranslational modifications o apoptosis and trigger the pathogenesis that could lead to age-rela

Main Category	Category	
Literature	GENERIF_SUMMARY	Findings reveal induction of mitotic cell death as a therapeutic strategy
Literature	GENERIF_SUMMARY	results strongly suggest that RUNX1 is required for the stimulation of p53-dependent transcription, and our results suggest that understanding the molecular mechanisms behind p53-dependent transcriptional activation is important for understanding the role of p53 in cancer
Literature	GENERIF_SUMMARY	DJ-1 inhibits p53 activity in a manner dependent on DNA-binding and p53-dependent transcriptional activation
Literature	GENERIF_SUMMARY	Polycomb group protein PHF1 regulates p53-dependent cell growth and differentiation
Literature	GENERIF_SUMMARY	The expressions of p21(Cip1/WAF1), Gadd45alpha and p53 are associated with the progression of gastric cancer
Literature	GENERIF_SUMMARY	different expression patterns and clinicopathologic significance of p53 gene mutations in gastric cardia and distal stomach.
Literature	GENERIF_SUMMARY	Reduced CDKN2B expression and increased p53-dependent smooth muscle cell proliferation are associated with aneurysmal disease.
Literature	GENERIF_SUMMARY	Our results reveal a new possible mechanism that AAV-2 Rep78 inhibits the transcriptional activity of p53 on the regulatory mechanism of AAV-2 on its helper virus, adenovirus
Literature	GENERIF_SUMMARY	Our data point to a novel regulatory network comprising p53, CD95 and caspase-3, which is involved in the regulation of apoptosis to apoptotic signals.
Literature	GENERIF_SUMMARY	Meta-analyses of available data suggest an obvious association between TP53 Arg72Pro polymorphism and cancer risk. However, the TP53 Arg72Pro polymorphism may have a race-specific effect on cancer risk.
Literature	GENERIF_SUMMARY	The P53 arg72pro single nucleotide polymorphism did not affect the expression of p53 protein in gastric cancer
Literature	GENERIF_SUMMARY	We therefore conclude that mutations in exons 5-7 of p53 gene are associated with the progression of gastric cancer
Literature	GENERIF_SUMMARY	endometriosis is not associated with gene mutations for p53codon 72 polymorphism
Literature	GENERIF_SUMMARY	Different patterns of TP53 mutations occur in squamous cell carcinoma of the head and neck
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism plays a significant role in the pathogenesis of gastric cancer
Literature	GENERIF_SUMMARY	p53 gene mutation may be associated with gastric carcinogenesis and its role in the pathogenesis of gastric cancer and peptic ulcer disease
Literature	GENERIF_SUMMARY	disrupted nucleoli may provide a platform for L5- and L11-dependent transcriptional activation and biogenesis stress
Literature	GENERIF_SUMMARY	TP53 is a reliable index suitable for distinguishing normal tissue and cancer tissue (NTAB) in many clinical biopsies.
Literature	GENERIF_SUMMARY	germline missense TP53 mutations dramatically alter the response to chemotherapy
Literature	GENERIF_SUMMARY	Genetic counseling and germline testing for TP53 should be offered to individuals with a family history of cancer, even if the strength of the family history would fail to identify mutation carriers
Literature	GENERIF_SUMMARY	together, our results suggest that c-myc, p53, C-erbB-2 and COX-2 play a role in the progression of gastric cancer
Literature	GENERIF_SUMMARY	roles for p53 and IKKalpha/IKKbeta in non-canonical Notch signaling
Literature	GENERIF_SUMMARY	the influence of omentin-1 on two types of human hepatocellular carcinoma
Literature	GENERIF_SUMMARY	TIP30 binds to the DNA-binding domain and the C-terminal domain of p53
Literature	GENERIF_SUMMARY	An meta-analysis suggest the Pro variant of TP53 Arg72Pro contributes to the progression of gastric cancer
Literature	GENERIF_SUMMARY	Results provide insight into the redox-sensitive signaling mechanism of p53

Main Category	Category	
Literature	GENERIF_SUMMARY	Study indicated significant differences in p53 and Ki67 immunostaining and a significant correlation of the expression of both proteins, in the studied tumors.
Literature	GENERIF_SUMMARY	All p53 isoforms counteract TAp73beta transactivation function but only p53beta is able to
Literature	GENERIF_SUMMARY	present meta-analysis of currently available data shows no association between p53 polymorphisms and
Literature	GENERIF_SUMMARY	The data suggest an interaction between p53 codon 72 and ACP which may influence when the disease occurs.
Literature	GENERIF_SUMMARY	Kras mutation and p53 overexpression rates in pseudomyxoma peritonei suggest a common
Literature	GENERIF_SUMMARY	Mutant p53R249S cooperates with HBx in liver carcinogenesis.
Literature	GENERIF_SUMMARY	The inhibition of the interaction between p53 and MDM2 by a novel small molecule
Literature	GENERIF_SUMMARY	In this review a role was determined for p53 in regulation of neurite outgrowth independent signaling.
Literature	GENERIF_SUMMARY	Results indicate that the Pro variant of p53 codon 72 polymorphism is associated with a primary retinal detachment.
Literature	GENERIF_SUMMARY	We think that examination for WT1 and p53 in curettage specimens may be useful in the diagnosis of
Literature	GENERIF_SUMMARY	Consistent with p53 derepression, NF90/NF45-depleted HeLa cells are more susceptible to camptothecin-induced apoptosis.
Literature	GENERIF_SUMMARY	p53 (C72G) polymorphism contributes to the risk of primary open-angle glaucoma.
Literature	GENERIF_SUMMARY	Data show that arginine at codon72 of p53 and GG genotype at 3024 polymorphism are associated with the
Literature	GENERIF_SUMMARY	analysis of ubiquitylation of p53 by the APC/C inhibitor Trim39
Literature	GENERIF_SUMMARY	Report topoisomerase I, topoisomerase IIalpha and p53 protein expression in
Literature	GENERIF_SUMMARY	in primary endometrial carcinoma, mutations in PIK3CA, TP53, PTEN and KRAS gene status
Literature	GENERIF_SUMMARY	we confirmed the model of BBC3-mediated apoptosis, which can be regulated by p53
Literature	GENERIF_SUMMARY	Downregulation of uPAR and cathepsin B quenched TGF-beta1-driven cell growth
Literature	GENERIF_SUMMARY	the role of those lncRNAs which are under the control of p53 or the p53 pathway under
Literature	GENERIF_SUMMARY	TP53 protein is expressed during the follicular phase in the submucosa of the
Literature	GENERIF_SUMMARY	Mutant TP53 induces temozolomide resistance in glioblastoma cells by up-regulating
Literature	GENERIF_SUMMARY	study confirms earlier report and shows the Pro/Pro genotype is significantly associated with the
Literature	GENERIF_SUMMARY	High-grade bladder in situ/muscle-invasive carcinoma on is characterized by
Literature	GENERIF_SUMMARY	Induction of PRAP1 expression by p53 in response to DNA-damage
Literature	GENERIF_SUMMARY	role of p53 in supporting cancer cell proliferation under serine starvation and its
		potential role in the treatment of p53-deficient tumours

Main Category	Category	
Literature	GENERIF_SUMMARY	mutant p53 protein binds to the promoter of ESR1 through direct interaction in ER-negative MDA-MB-468 cells.
Literature	GENERIF_SUMMARY	Clonal evolution from lower to higher risk implicated the emergence of clonal lesions in chronic lymphocytic leukemia.
Literature	GENERIF_SUMMARY	Crystal structures of the DNA-binding domain tetramer of the p53 protein and its elements
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism is associated with cervical cancer.
Literature	GENERIF_SUMMARY	our studies demonstrated that silencing FAM3B promoted p53 phosphorylation, which resulted in apoptotic cell death.
Literature	GENERIF_SUMMARY	Ten novel mutations in the p53 gene have been identified in breast cancer.
Literature	GENERIF_SUMMARY	RPS14 stabilized and activated p53 by inhibiting HDM2-mediated proteasomal degradation
Literature	GENERIF_SUMMARY	Two separate defects in p53 signaling appeared common in human cancer
Literature	GENERIF_SUMMARY	p53 was found to interact with the p35 fragment of caspase-9, and this interaction is required for caspase-9 activation
Literature	GENERIF_SUMMARY	HMGB2 is necessary to protect colorectal cancer cells from DNA damage-induced apoptosis by a mechanism of modulating HMGB2 expression.
Literature	GENERIF_SUMMARY	The genome guardian p53 plays a central part not only in DNA damage response but also in immune control of viral infections by orchestrating diverse signaling pathways [Review]
Literature	GENERIF_SUMMARY	Whole-exome sequencing revealed a nonsense variant of TP53 in a patient with chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	Apoptosis rate of HepG2 cells transformed with pEGFP-C1-wtp53/TP53 was significantly higher than that of control cells
Literature	GENERIF_SUMMARY	findings show significant increase of rare copy number variations(CNVs) in TP53 compared to controls and carriers of mild TP53 Brazilian variant; accumulation of CNVs provides a plausible explanation for anticipation in Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	these findings strongly suggest that DnaJC7 participates in p53/Mdm2 complex formation and activity of p53.
Literature	GENERIF_SUMMARY	this study reveals p53 amyloid formation and demonstrates its dual role in cancer: loss of tumor suppressor function and gain of toxic function, extensively described in several amyloidogenic diseases
Literature	GENERIF_SUMMARY	Identification of new modulators of p53-p53 and p53-Mdm2 interaction for potential use in tumor therapies
Literature	GENERIF_SUMMARY	Cooperation between p53 and v-Ras control critical genes related to cell growth and survival
Literature	GENERIF_SUMMARY	Emerging molecular mechanisms through which mutant p53 protein promotes tumorigenesis
Literature	GENERIF_SUMMARY	A background of chronic inflammation increases the frequency of p53 mutations in gallbladder.
Literature	GENERIF_SUMMARY	Elevated microvessel density with p53 null mutations are associated with poor survival in human cancer
Literature	GENERIF_SUMMARY	The tumor suppressor, p53, contributes to radiosensitivity of lung cancer cells
Literature	GENERIF_SUMMARY	These data support a mechanism whereby gC1qR induces apoptosis in human cell carcinoma.
Literature	GENERIF_SUMMARY	Our findings suggest that p53 codon 72 (Arg72Pro) polymorphism is associated with increased tumor mass.

Main Category	Category	
Literature	GENERIF_SUMMARY	study concludes that in chronic HCV carriers, the virus does not ge cells
Literature	GENERIF_SUMMARY	analysis of how TP53 and FGFR3 mutations are involved in bladde
Literature	GENERIF_SUMMARY	p53, MMP-2 and MMP-9 can be used for the histological grading o
Literature	GENERIF_SUMMARY	These results ascribe transcription enhancement activity to p53 w
Literature	GENERIF_SUMMARY	Our collective results identify a regulatory pathway involving ETV1, cancer cells
Literature	GENERIF_SUMMARY	A combined effect of p53 with JWA as efficient prognostic indicato
Literature	GENERIF_SUMMARY	p53 gene mutations in the urine for bladder tumors.
Literature	GENERIF_SUMMARY	TP53-dependent coupling of self-renewal and senescence pathwa stem cell-like EC cells safeguard DNA integrity, genome stability an
Literature	GENERIF_SUMMARY	the role of p53 in the bystander cell killing
Literature	GENERIF_SUMMARY	We now demonstrate that protection from double-strand break dan coactivators in intron 1 of the NBS1 gene
Literature	GENERIF_SUMMARY	Alterations of EGFR, p53 and PTEN that mimic changes found in b
Literature	GENERIF_SUMMARY	The homeobox transcription factor Prox1 inhibits proliferation of h phenotype
Literature	GENERIF_SUMMARY	Downregulation of HJURP in young cells led to premature senesce caused by HJURP reduction.
Literature	GENERIF_SUMMARY	the combined p53 Pro/Pro and MDM2 G/G genotype is associated
Literature	GENERIF_SUMMARY	Positive immunoexpression for protein p53, positive in 95% carcino condition of the latter lesion.
Literature	GENERIF_SUMMARY	TP53 mutations occurred in 9.4% of 318 myelodysplastic syndrom mechanistic roles.
Literature	GENERIF_SUMMARY	We further provide an outlook on the potential development of pha driven apoptosis, while repressing p53-dependent cell cycle check
Literature	GENERIF_SUMMARY	Data show that E2F1 overexpression, due to p53 or p21 inactivation
Literature	GENERIF_SUMMARY	The p53 binds to and transcriptionally activates both its proarrest
Literature	GENERIF_SUMMARY	p53 was verified to mediate Abeta(1-42) induced reduction of KLF2
Literature	GENERIF_SUMMARY	Y220C mutation casused p53 destabilized through structural fluct
Literature	GENERIF_SUMMARY	Data indicate the interactions of p53TAD2 with anti-apoptotic Bcl-2 calculation.
Literature	GENERIF_SUMMARY	TP53 up-regulation is associated with laryngeal epitheliopapilloma
Literature	GENERIF_SUMMARY	Mutation in p53 gene is not associated with phenytoin induced gin
Literature	GENERIF_SUMMARY	Genetic variation Arg72Pro of the p53 gene may contribute to high
Literature	GENERIF_SUMMARY	Investigated the mechanism of expression and significance of vas tissue.

Main Category	Category	
Literature	GENERIF_SUMMARY	DAP5, a translation initiation factor shown to positively regulate the internal ribosome entry site-driven translation of p53 mRNA.
Literature	GENERIF_SUMMARY	SCO2 functions as an apoptotic protein in tumor xenografts, thus p
Literature	GENERIF_SUMMARY	Data indicate that polyamide treatment activates p53 signaling and (RNAP2) large subunit RPB1.
Literature	GENERIF_SUMMARY	Results indicate that RNF2 is an E3 ligase for p53 degradation in s suppression through p53 in certain tumor cells.
Literature	GENERIF_SUMMARY	the initial interaction of p53 with MDM2 is long-lived relative to nut away from the binding site, suggestive of an allosteric mechanism
Literature	GENERIF_SUMMARY	There was significant difference between congenital and acquired
Literature	GENERIF_SUMMARY	findings unraveled a novel mechanism by which YY1 inhibition dis
Literature	GENERIF_SUMMARY	Data indicate BOZF1 represses transcription of CDKN1A by inhibiti
Literature	GENERIF_SUMMARY	overexpression of p53 was not identified in BillIN lesions and was l
Literature	GENERIF_SUMMARY	Tp53 overexpression is associated with malignant bone tumors.
Literature	GENERIF_SUMMARY	p53 and translation attenuation regulate distinct cell cycle checkp
Literature	GENERIF_SUMMARY	p53 plays an important role in regulating energy homeostasis thro
Literature	GENERIF_SUMMARY	ATM-dependent phosphorylation of heterogeneous nuclear ribonu
Literature	GENERIF_SUMMARY	Report TP53 mutations in pancreatic ductal carcinoma and their re
Literature	GENERIF_SUMMARY	The activation of the p53-dependent DNA damage response by me
Literature	GENERIF_SUMMARY	the phosphorylation/activation of Akt was significantly suppressed that EESB could effectively induce G1/S arrest in human colon car
Literature	GENERIF_SUMMARY	Tp53 mutation is associated with bladder cancer.
Literature	GENERIF_SUMMARY	MDM2 SNP309 promoter polymorphism and mutations in p53 wer T1 urinary bladder carcinoma.
Literature	GENERIF_SUMMARY	Report differential effects of garcinol and curcumin on histone and
Literature	GENERIF_SUMMARY	Our data suggest that inactivation of p53 and p21 may play an imp
Literature	GENERIF_SUMMARY	work shows that disease-free and overall survival in patients with a are the same as those in wild-type TP53 patients
Literature	GENERIF_SUMMARY	results do not support an association between the protein p53 and population
Literature	GENERIF_SUMMARY	Computational methods identify a transiently open binding pocket
Literature	GENERIF_SUMMARY	Our findings suggest that altered PTEN, ATRX, CHGA, and CHGB ex useful adjunct prognostic markers to Ki-67 in PNETs.
Literature	GENERIF_SUMMARY	These results are at variance with the view that pentoxifylline prefer are irradiated in the presence of the drug.
Literature	GENERIF_SUMMARY	study shows that Grail has a novel, p53-dependent role in regulatin
Literature	GENERIF_SUMMARY	Significant association was shown between Helicobacter pylori an

Main Category	Category	
Literature	GENERIF_SUMMARY	Our study uncovers the novel mechanism by which redox alteration promotes epithelial transformation and invasion via RNS-mediated ICAM1 signaling.
Literature	GENERIF_SUMMARY	Results suggest that by regulating JMJD2b and SUV39H1 expression, we can accelerate a rate-limiting step in the repair of complex genomes.
Literature	GENERIF_SUMMARY	Rsf-1 interacts and collaborates with cyclin E1 in neoplastic transformation of the RSF/cyclin E1 complex.
Literature	GENERIF_SUMMARY	Immunocytochemical detection of the p16 and Ki67 proteins can be used to assess the significance and low grade squamous intraepithelial lesions.
Literature	GENERIF_SUMMARY	Our findings suggest that miR-16 represses colorectal cancer cell growth.
Literature	GENERIF_SUMMARY	adhesion regulatory protein supervillin increases cell survival by decreasing apoptosis.
Literature	GENERIF_SUMMARY	TP53, P21 and P27 positivity correlates with survival outcome in laryngeal cancer.
Literature	GENERIF_SUMMARY	In COPD patients, the presence of serum p53 antibodies was found to be a risk factor of cancer development.
Literature	GENERIF_SUMMARY	KLLN is a transcription factor directly regulating AR, TP53, and TP73.
Literature	GENERIF_SUMMARY	Two cases of bilateral Wilms tumor demonstrated a strong association with TP53.
Literature	GENERIF_SUMMARY	Report TP53 expression in ovarian serous carcinoma.
Literature	GENERIF_SUMMARY	Suggest that MYBBP1A is required for p53 activation during anoikis in breast cancer cells.
Literature	GENERIF_SUMMARY	The consequences of high-unfolded p53 expression resulted in loss of TP53 (GAP-43) mRNA and protein levels.
Literature	GENERIF_SUMMARY	Peritumoral expression of p53 protein is frequently seen in oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	This review discusses the central role of p53 and the redox-inert metal ions in the {REVIEW}
Literature	GENERIF_SUMMARY	A feedback loop between p53 and the poly(A)-specific ribonuclease P, which is regulated by destabilizing p53 mRNA, is reported.
Literature	GENERIF_SUMMARY	Results suggest HDAC6-p53 molecular network controlling hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	study evaluated 98 newly diagnosed adult acute lymphoblastic leukemia patients; findings indicate TP53 mutations are more frequent in T-ALL than in B-ALL genes
Literature	GENERIF_SUMMARY	Differential TP53 protein isoform expression, at the protein and mRNA levels, is observed in human cancer.
Literature	GENERIF_SUMMARY	Loss of wild type-p53 may promote the bone metastasis of prostate cancer.
Literature	GENERIF_SUMMARY	These results suggest that the natural variants, E6 D25E and L83V, of p53 protein may be involved in the regulation of cell growth.
Literature	GENERIF_SUMMARY	p53beta and p53gamma share functionality in chemosensitizing and radiosensitizing cells.
Literature	GENERIF_SUMMARY	study found p53 exerts a suppressive effect on white adipocyte differentiation; depending on specific adipogenic differentiation program.
Literature	GENERIF_SUMMARY	The A2A2 genotype of rs17878362 of tp53 protein is associated with increased risk of cancer.
Literature	GENERIF_SUMMARY	Increase in caspase-3 activity and no change in p53 activity with time suggest apoptosis to be caspase dependent and p53 independent.

Main Category	Category	
Literature	GENERIF_SUMMARY	Modulation of p53 C-terminal acetylation by mdm2, p14ARF, and c
Literature	GENERIF_SUMMARY	we describe p53-mediated regulation of several physiological path
Literature	GENERIF_SUMMARY	This study is the first to show that terrein has an effect on the anti
Literature	GENERIF_SUMMARY	findings establish that wild-type p53 encoded by HPV-positive hea important roles in promoting apoptosis and cell cycle arrest
Literature	GENERIF_SUMMARY	TP53 mutation spectra is associated with urothelial carcinomas of
Literature	GENERIF_SUMMARY	findings showed that TP53 codon 72 polymorphism was associated chemotherapy
Literature	GENERIF_SUMMARY	p14(ARF) in the epidermis has a role in widespread apoptosis and
Literature	GENERIF_SUMMARY	PRX2 battles poly(ADP-ribose) polymerase 1- and p53-dependent p
Literature	GENERIF_SUMMARY	MOZ is an acetyltransferase of p53 at K120 and K382 and colocali stress.
Literature	GENERIF_SUMMARY	In CML patients, TP53 codon 72 polymorphism may contribute to c
Literature	GENERIF_SUMMARY	in non-small cell lung cancer patients the increase of transversions
Literature	GENERIF_SUMMARY	functional alterations in BALB/c-Trp53+/- mice
Literature	GENERIF_SUMMARY	Allogeneic hematopoietic stem cell transplantation can provide lon independent of the presence of TP53, SF3B1, and NOTCH1 mutati
Literature	GENERIF_SUMMARY	a stress p53-Mdm2-p300-HDAC1 regulatory network that is activat
Literature	GENERIF_SUMMARY	p53 expression was significantly associated with both the epithelia
Literature	GENERIF_SUMMARY	a parkin-dependent ER-stress-associated modulation of DJ-1 and i signaling cascade in cells and in vivo.
Literature	GENERIF_SUMMARY	p53 promotes VEGF expression and angiogenesis in the absence o
Literature	GENERIF_SUMMARY	The pro-apoptotic effect of p53 was verified by the results in which silencing also reduced the OGD-induced NDRG2 up-regulation
Literature	GENERIF_SUMMARY	p53 coding regions become hypomethylated during gastritis devel deamination decreases.
Literature	GENERIF_SUMMARY	A significant increase of PTPN22 *T allele in endometriosis is obs
Literature	GENERIF_SUMMARY	hnRNP K reduction induces apoptosis independent of p53 status i
Literature	GENERIF_SUMMARY	A novel mechanism by which heat shock stimulates p53 protein ac
Literature	GENERIF_SUMMARY	Siva1 promotes the ubiquitination and degradation of ARF, which i
Literature	GENERIF_SUMMARY	PTEN, VEGF, HER2, p53 expressions were compared with bevacizu
Literature	GENERIF_SUMMARY	No significant association was found for NQO1 C609T or its comb women.
Literature	GENERIF_SUMMARY	Expression of CDKN2A/p16, TP53, and SMAD4/DPC4 strongly pre
Literature	GENERIF_SUMMARY	the intramolecular interaction in ASPP2 regulates its binding to p5
Literature	GENERIF_SUMMARY	p53 R72P polymorphism is associated with modulating susceptibi

Main Category	Category	
Literature	GENERIF_SUMMARY	Oncogenic splicing factor SRSF1 stabilizes the tumor suppressor p
Literature	GENERIF_SUMMARY	it was not found correlation between the intensity of the protein P- one element of multiple factors involved in pathogenesis of steato
Literature	GENERIF_SUMMARY	Serbian women carrying Arg allele of codon 72 may have an increa
Literature	GENERIF_SUMMARY	EGCG promotes MDM2 expression in a p53-dependent manner.
Literature	GENERIF_SUMMARY	diminishing the activity of HDACs and SIRT1 was also found to rev and apoptosis
Literature	GENERIF_SUMMARY	BAL1 represses the anti-proliferative and pro-apoptotic IFNgamma DLBCL.
Literature	GENERIF_SUMMARY	Authors exploited RNA interference to achieve essentially complet
Literature	GENERIF_SUMMARY	DACH1 binds p53 to inhibit NSCLC cellular growth.
Literature	GENERIF_SUMMARY	MiR-128 exerts pro-apoptotic effect in a p53 transcription-depende
Literature	GENERIF_SUMMARY	Findings evidenced a decrease of survivin, p53, Bcl-2 expression a compared to pre-(90)Y-RE.
Literature	GENERIF_SUMMARY	These results demonstrate that mitochondrial matrix p53 sensitize mitochondrial function.
Literature	GENERIF_SUMMARY	TP-53 Arg72-Pro Polymorphisms of TP53 gene is associated with
Literature	GENERIF_SUMMARY	under nucleolar stress, the HBx oncoprotein down-regulates p53 a
Literature	GENERIF_SUMMARY	Report role of TP53 protein in prognosis of colorectal liver metasta
Literature	GENERIF_SUMMARY	HSF1 affects clonogenic growth in a p53 context-dependent mann upon clonogenicity.
Literature	GENERIF_SUMMARY	Delta40p53 modulates transcriptional activity by interfering with th
Literature	GENERIF_SUMMARY	AgNPs are bona fide anticancer agents that act in a p53-dependen
Literature	GENERIF_SUMMARY	We identified multiple single nucleotide variants (SNVs) in the TP5 large B-cell lymphoma.
Literature	GENERIF_SUMMARY	The combination of all three parameters of the expression of ss-ca predictor for adenoma recurrence in patients with advanced colore
Literature	GENERIF_SUMMARY	miR491-5p effectively downregulated TP53 and Bcl-XL gene expre
Literature	GENERIF_SUMMARY	folate withdrawal also induced CerS6/C16-ceramide elevation acco novo ceramide pathways in cellular stress response.
Literature	GENERIF_SUMMARY	The staining intensities of Snail and Slug are associated with decre intensities of p53 and p63 are not significantly correlated with the
Literature	GENERIF_SUMMARY	This study demonstrated that reactive oxygen species production the leptospire-induced cell cycle arrest and caspase-independent a
Literature	GENERIF_SUMMARY	the HPV 16/18 E6 protein, which is involved in the p53 inactivation codon 72 genotype; the combination of HPV 16/18 E6 status and p parameter
Literature	GENERIF_SUMMARY	P53 expression may be a negative prognostic factor in endometria

Main Category	Category	
Literature	GENERIF_SUMMARY	PLK1 knockdown in young cells induced premature senescence. In p53-deficient cells, no senescence phenotypes. Cell senescence by PLK1 inhibition was observed in p53-proficient cells.
Literature	GENERIF_SUMMARY	Only a complete loss of TP53 function correlated with low microRNA-143 expression in human colon cancer.
Literature	GENERIF_SUMMARY	Studies indicate that Gfi1 recruits LSD1 to p53 and dampens its activity in hematopoietic cells.
Literature	GENERIF_SUMMARY	It has been shown that p53 expression is more frequently registered in patients with lung adenocarcinoma with this syndrome.
Literature	GENERIF_SUMMARY	The results indicated that the polymorphism in TP53 (rs1042522) was associated with a higher risk of breast cancer in women.
Literature	GENERIF_SUMMARY	Studied the p53 status in 36 samples of glioblastoma by functional assays and p53 protein levels were further analyzed by cDNA and gDNA sequencing in 17 patients.
Literature	GENERIF_SUMMARY	Data indicate that exposure to benzylguanine (6BG)/temozolomide (TMZ) induces DNA damage and p53 activation.
Literature	GENERIF_SUMMARY	The autophagic potential of PRIMA-1 could be modulated in a different manner by p53.
Literature	GENERIF_SUMMARY	GABARBP can regulate the pro-apoptotic activity of cisplatin via the p53 pathway.
Literature	GENERIF_SUMMARY	showed a significant association of A/A genotype with severe clinical manifestations and a higher extent of organ involvement
Literature	GENERIF_SUMMARY	multikinase (IPMK) acts as a transcriptional coactivator for p53 and is involved in the p53 pathway.
Literature	GENERIF_SUMMARY	Positive expression of p53 protein was found in ovarian tissue in 20 (66.7%) of 30 patients.
Literature	GENERIF_SUMMARY	Epithelial cancer cells use IL-1beta as a communication factor instead of p53 to regulate the microenvironment.
Literature	GENERIF_SUMMARY	modes of mutp53 binding to topologically constrained DNA substrates.
Literature	GENERIF_SUMMARY	Validate the use of combined TP53/CDKN2A immunohistochemistry in the diagnosis of gastric carcinomas.
Literature	GENERIF_SUMMARY	Nrf2 and p53 cross talk in primary alveolar type II cells affect the sensitivity to oxidative stress.
Literature	GENERIF_SUMMARY	Mutant p53-R273H gains new function in sustained activation of E2F1.
Literature	GENERIF_SUMMARY	In the majority of Merkel cell cancer lines, wild-type p53 is expressed and effectively restrict cellular survival or growth in these cell cultures.
Literature	GENERIF_SUMMARY	Tp53 codon 72 Arg/Pro polymorphism is associated with hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	TP53 p.R337H is a conditional cancer-predisposing mutation.
Literature	GENERIF_SUMMARY	Expression of p53 mRNA is a useful predictor of survival in patients with colorectal cancer.
Literature	GENERIF_SUMMARY	As rs78378222 changes the polyadenylation signal of TP53 leading to a truncated protein, it may be directly functional contributing to the aetiological basis of glioma.
Literature	GENERIF_SUMMARY	RBEL1A appears to function as a novel p53 negative regulator that is involved in the p53 pathway.
Literature	GENERIF_SUMMARY	analysis of of four HPV-18 E6 mutations shows that E6 overexpresses p53 and regulates viral DNA amplification
Literature	GENERIF_SUMMARY	A haplotype of ""CC"" in the TP53 gene with an increased risk of 34% for breast cancer.
Literature	GENERIF_SUMMARY	Functional p53 strengthens the efficacy of Plk1 inhibition alone or in combination with docetaxel.

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 wild type was associated with tumor regression grading and resection of adenocarcinoma.
Literature	GENERIF_SUMMARY	Rotavirus Nsp1 modulates cellular apoptosis by interaction with p53
Literature	GENERIF_SUMMARY	Data indicate that ING5 associates with Tip60 (KAT5) to form a complex
Literature	GENERIF_SUMMARY	Sunitinib treatment performance could be attributable to TIS, despite
Literature	GENERIF_SUMMARY	ATM activates p53 by direct phosphorylation, causing cells to move
Literature	GENERIF_SUMMARY	observed a low prevalence of germline TP53 mutations among unselected
Literature	GENERIF_SUMMARY	MYBBP1A-p53 binding property can account for efficient p53-activation MYBBP1A plays catalytic roles in p53 acetylation and activation
Literature	GENERIF_SUMMARY	study elucidates a novel correlation between the tumor suppressor p53 and knowledge about the function of p53 in EMT process
Literature	GENERIF_SUMMARY	The results revealed that the p53 mutation spectrum is dominated by
Literature	GENERIF_SUMMARY	comprehensive review evaluating somatic mutations in TP53 and TP53 (HCC); also report the mutational analysis of TP53 (exons 4-9) and
Literature	GENERIF_SUMMARY	DDX3 loss by p53 inactivation via MDM2/Slug/E-cadherin pathway
Literature	GENERIF_SUMMARY	one of the pathways affected by mutant p53 to increase cellular resistance consequent upregulation of STMN-1
Literature	GENERIF_SUMMARY	MiR-125b suppresses p14(ARF) to modulate p53-dependent and p53
Literature	GENERIF_SUMMARY	TP53 gene may be an important biomarker for carcinogenesis susceptibility
Literature	GENERIF_SUMMARY	The role of the p53 response element, post-translational modification response to DNA damage. [Review]
Literature	GENERIF_SUMMARY	study identified NuMA as a binding partner of p53; NuMA is required for complex and a promoter of p53-mediated p21 gene function
Literature	GENERIF_SUMMARY	Myc-induced metabolic changes are coupled via AMPK and phosphatase intrinsic mechanism to counteract uncontrolled proliferation
Literature	GENERIF_SUMMARY	p53 activation results in mTOR inhibition and a consequent global
Literature	GENERIF_SUMMARY	Tristetraprolin provides an important link between p53 activation and
Literature	GENERIF_SUMMARY	Results suggest that the TP53 Pro allele acts as a risk factor for development
Literature	GENERIF_SUMMARY	Our results suggest that nuclear p53 accumulation in sporadic colorectal patients at high risk of mortality.
Literature	GENERIF_SUMMARY	MES treatment enhanced p53 transcriptional function and increased Importantly, MES treatment triggered G2 cell cycle arrest, but not cell
Literature	GENERIF_SUMMARY	EZH2 has a role in regulation of p21 and mutant p53 involved in growth
Literature	GENERIF_SUMMARY	the data indicate that p53-dependent upregulation of XPC and DDB1 resistance towards DNA cross-linking agents.
Literature	GENERIF_SUMMARY	A large number of melanocytic nevi is not associated with TP53 polymorphism intron 6) or the TP53 promoter polymorphism -12256C>G (rs2287429)
Literature	GENERIF_SUMMARY	EBV-encoded miR-BART20-5p inhibits T-bet translation with second

Main Category	Category	
Literature	GENERIF_SUMMARY	suggests that the p53/miR15a/16-1/Mcl-1 axis may be an important aggressive phenotype in CLL cells with loss of p53
Literature	GENERIF_SUMMARY	Studied how the K24N mutation affects the affinity, structure, and
Literature	GENERIF_SUMMARY	oroxylin A could increase protein and mRNA expression of TP53-inducible oxidase 2 (SCO2), which are the key metabolic modulators regulat
Literature	GENERIF_SUMMARY	A novel p53 mutant found in iatrogenic urothelial cancers is dysfun
Literature	GENERIF_SUMMARY	Down-regulation of wild-type p53-induced phosphatase 1 (Wip1) p
Literature	GENERIF_SUMMARY	senescent tumor cells.
Literature	GENERIF_SUMMARY	No statistically significant correlation between trastuzumab resista
Literature	GENERIF_SUMMARY	Concurrent evaluation of p53 and Bcl-2 in patients with gastric ade
Literature	GENERIF_SUMMARY	PTEN and p53 immunoexpression helps both in accurate diagnosi
Literature	GENERIF_SUMMARY	Short telomeres were particularly associated with high-risk genetic
Literature	GENERIF_SUMMARY	to treatment (TTT) and overall survival (OS) (both P
Literature	GENERIF_SUMMARY	our results suggest that an ATM kinase inhibitor may be an effectiv
Literature	GENERIF_SUMMARY	These results suggested that the 16-bp duplication polymorphism
Literature	GENERIF_SUMMARY	p53 polymorphisms, especially Arg72Pro in exon 4 could significan
Literature	GENERIF_SUMMARY	Study provides a clinical link of how sumoylation signaling may ac
Literature	GENERIF_SUMMARY	Most tetraploids arrest and die in a p53-dependent manner after th
Literature	GENERIF_SUMMARY	we identified a novel TP53 microindel in hepatocellular carcinoma,
Literature	GENERIF_SUMMARY	virus infections typically associated with mutational inactivation o
Literature	GENERIF_SUMMARY	We demonstrated in this case-control study that polymorphisms o
Literature	GENERIF_SUMMARY	thus increase the risk of endometrial cancer.
Literature	GENERIF_SUMMARY	The tumor suppressor p53 plays a role in regulating nuclear GSK-3
Literature	GENERIF_SUMMARY	p53 might play a role in pathogenesis of extranodal nasal type NK/
Literature	GENERIF_SUMMARY	Mutant P53 attenuates the tumor associated fibroblast antitumor r
Literature	GENERIF_SUMMARY	Thus, p53 and LC3A co-expression is an independent prognostic m
Literature	GENERIF_SUMMARY	Breast cancer patients with the p53-R/R72 variant were more likely
Literature	GENERIF_SUMMARY	P/P72 variants.
Literature	GENERIF_SUMMARY	PI3K-mTOR inhibition can enhance TP53 expression and significan
Literature	GENERIF_SUMMARY	ClpP protease inhibited growth and induced apoptosis in SK-N-SH
Literature	GENERIF_SUMMARY	independent pathway and ClpP-induced apoptosis appears to be n
Literature	GENERIF_SUMMARY	there is a functional interplay between mutated p53 and parkin in g
Literature	GENERIF_SUMMARY	Hepatocellular carcinoma and liver cirrhosis TP53 mutation analys
Literature	GENERIF_SUMMARY	PPM1D/Wip1 mutations in tumor cells impair the p53-dependent C
Literature	GENERIF_SUMMARY	HMGB1 distribution is linked to p53 activity and senescence-asso
Literature	GENERIF_SUMMARY	TP53 does not directly bind to the RLIM promoter, it physically inte

Main Category	Category	
Literature	GENERIF_SUMMARY	Transcriptional regulation of KIF23 is mediated by TP53.
Literature	GENERIF_SUMMARY	Findings indicate p53-independent roles for MDM2 and HUWE1 in overcome lapatinib resistance.
Literature	GENERIF_SUMMARY	CXCL12 and TP53 genetic polymorphisms as markers of susceptibility
Literature	GENERIF_SUMMARY	If both p53 and the SAPKK MKK4 are simultaneously inactivated, p inhibition of centrosome duplication conspire to induce supernumerary
Literature	GENERIF_SUMMARY	Palb2 synergizes with Trp53 to suppress mammary tumor formation
Literature	GENERIF_SUMMARY	we hypothesize that pAkt weakens the predictive value of p53 cod
Literature	GENERIF_SUMMARY	LKB1 LOH was more frequent in males, smokers, and tumors with
Literature	GENERIF_SUMMARY	EVI1 binds to DeltaNp63 promoter element directly and down regul do not express p53, that eventually delay cell cycle progression at
Literature	GENERIF_SUMMARY	p53 plays a role in MSC-induced apoptosis through ROS generation
Literature	GENERIF_SUMMARY	Germline TP53 mutation c.566C>T results in the missense mutatio
Literature	GENERIF_SUMMARY	Patients with mtp53 tumors were older at diagnosis, had more incl
Literature	GENERIF_SUMMARY	miR-150 targets the 3'-UTR of p53, and p53 protein promotes the e that miR-150, p53 protein and relevant miRNAs are members of a r
Literature	GENERIF_SUMMARY	BRCA1 protein associates to GADD153 promoter after DNA damage
Literature	GENERIF_SUMMARY	Acute inflammation is characterized by high levels of p53 Consider inability to repair.
Literature	GENERIF_SUMMARY	UHRF1 is a critical negative regulator of TIP60 and suggest that UH tumorigenesis.
Literature	GENERIF_SUMMARY	p53 suppresses BRCA2-stimulated ATPase and strand exchange f
Literature	GENERIF_SUMMARY	Expression of JMJD2A in infiltrating duct carcinoma is higher than
Literature	GENERIF_SUMMARY	there may be specific genetic targets with these chewing ingredien associated with OSCC at somatic cell level but the polymorphism v
Literature	GENERIF_SUMMARY	Knockdown of p53 expression by siRNA inhibits IR-induced senesc
Literature	GENERIF_SUMMARY	Physalin A-induced apoptosis was triggered by activation of p53-N
Literature	GENERIF_SUMMARY	Oropharyngeal carcinomas were associated with the presence of H polymorphisms.
Literature	GENERIF_SUMMARY	The ATM/p53-p21 cross-regulatory network may play a crucial role
Literature	GENERIF_SUMMARY	this data suggest that plakoglobin regulates gene expression in co which may account, in part, for the tumor/metastasis suppressor a
Literature	GENERIF_SUMMARY	In head and neck squamous cell carcinoma, no significant differen negative margins.
Literature	GENERIF_SUMMARY	Loss of ARID1A expression, PI3K-Akt pathway alterations, TP53 st
Literature	GENERIF_SUMMARY	Hypoxia decreased p53 protein level.
Literature	GENERIF_SUMMARY	Studied mutations of Kras and Tp53 in urethral and lung neoplasms

Main Category	Category	
Literature	GENERIF_SUMMARY	Data indicate taht TGF-beta coordinately represses both TP53 tran
Literature	GENERIF_SUMMARY	Data indicate the Set8-Numb-p53 signaling axis as an important re Numb methylation.
Literature	GENERIF_SUMMARY	these data suggest that upregulated STAT1 and interferon signals prognosis for HPV-positive oropharyngeal squamous cell carcinom
Literature	GENERIF_SUMMARY	Our study demonstrated that p53 mutants interfere with the ability
Literature	GENERIF_SUMMARY	The p53 codon 72 polymorphism may weakly modify the risk for lu
Literature	GENERIF_SUMMARY	Association between TP53 and VEGFR1 polymorphisms and predi
Literature	GENERIF_SUMMARY	reported that DeltaNp73 exhibits anti-apoptotic and oncogenic pro
Literature	GENERIF_SUMMARY	p53 and Ki-67 markers are associated with cell proliferation in chil condition of the esophagus
Literature	GENERIF_SUMMARY	A novel p53-miR-34c-RUNX2 network controls cell growth of osseo
Literature	GENERIF_SUMMARY	Post-tumorectomy wound surface injection of rAd-p53 combining cancer or gingival carcinoma .
Literature	GENERIF_SUMMARY	Data indicate that among three deductive p53 response element (p transactivated by p53.
Literature	GENERIF_SUMMARY	SG7605-11R-p53 has potent specific cytotoxicity against GBC cells
Literature	GENERIF_SUMMARY	RPS26 acts distinctively in different scenarios of p53 activation.
Literature	GENERIF_SUMMARY	Using Ki-67, Bcl-2, p53, and Cox-2 markers, we managed to disting from low-grade endometrial carcinoma.
Literature	GENERIF_SUMMARY	The probability that use of tumor tissue versus unaffected tissue f was associated with a bias estimated to be higher than 99%.
Literature	GENERIF_SUMMARY	TP53 gene mutation in neonatal screening is important to detect e
Literature	GENERIF_SUMMARY	Data suggested altered mTOR signaling and mitochondrial functio
Literature	GENERIF_SUMMARY	Association of MDM2 T309G and p53 Arg72Pro polymorphisms ar
Literature	GENERIF_SUMMARY	The combination of mutational, genomic, protein and downstream prognostic effect on colon cancer patients
Literature	GENERIF_SUMMARY	analysis of a rare TP53 variant, rs78378222, that may have a prote or lung cancer.
Literature	GENERIF_SUMMARY	In the sera of post-acute myocardial infarction (AMI) patients who levels of 3 p53-responsive microRNAs were elevated by the early c
Literature	GENERIF_SUMMARY	Our study has suggested a significant association between the rs1
Literature	GENERIF_SUMMARY	Tp53 mutation is associated with telomeric dysfunction resulting i
Literature	GENERIF_SUMMARY	polymorphisms of mouse double minute 2 and P53 genes may be
Literature	GENERIF_SUMMARY	Growth suppression and cell invasion may be differentially regulat
Literature	GENERIF_SUMMARY	show that miR-150 specifically targets the 3'-UTR of p53 and regul promotes apoptosis

Main Category	Category	
Literature	GENERIF_SUMMARY	Mutations or loss of heterozygosity of p53 were found in all three
Literature	GENERIF_SUMMARY	Alternative mechanism to halt genomic instability is the activation
Literature	GENERIF_SUMMARY	a high expression of S100A4 in tumors has the potential of inhibiti
Literature	GENERIF_SUMMARY	Wild-type p53 is enriched at the miR-34a promoter.
Literature	GENERIF_SUMMARY	YAP functions as a tumor suppressor that enhances apoptosis by
Literature	GENERIF_SUMMARY	Mitochondrial biogenesis is only indirectly regulated by p53, whose factor 1 alpha degradation.
Literature	GENERIF_SUMMARY	Report frequency of TP53 mutations in cervical mucus to screen fo
Literature	GENERIF_SUMMARY	computational approaches have been able to predict rescue mark respect to the second site recombination for three hot spot cancer
Literature	GENERIF_SUMMARY	USP7 deubiquitinase activity is required for the stabilization of Tip genotoxic stress.
Literature	GENERIF_SUMMARY	Human osteosarcoma U2OS cells treated with anti-cancer drugs D
Literature	GENERIF_SUMMARY	p53 played both positive and negative roles in herpes simplex virus
Literature	GENERIF_SUMMARY	Data indicate that MDM2-p53 interaction inhibitor MI-888 is capab
Literature	GENERIF_SUMMARY	alpha-particle-induced bystander effect is regulated by p53 and its
Literature	GENERIF_SUMMARY	Ki-67 and p53 might have influence on meningioma development a
Literature	GENERIF_SUMMARY	the cooperative effect of inactivation of both pRB and p53 tumor s
Literature	GENERIF_SUMMARY	The mechanism of increased invasiveness upon EGFR and p53(R1
Literature	GENERIF_SUMMARY	Functional MDM4 rs4245739 SNP, alone and in combination with F breast cancer in Chinese populations.
Literature	GENERIF_SUMMARY	TP53 mutations have an important role in the development of both
Literature	GENERIF_SUMMARY	S100A6 and the TAZ2 domain of p300 bind p53 with similar affinit
Literature	GENERIF_SUMMARY	results suggest that p53 has a miR-34a-dependent integrated mec
Literature	GENERIF_SUMMARY	TP53 R allele oral squamous cell carcinoma patients with pathoge
Literature	GENERIF_SUMMARY	Human eEF1A1 is a negative regulator of the pro-apoptotic functio
Literature	GENERIF_SUMMARY	p53 oscillation may function as a suppressor, maintaining a low le that allows damage repair.
Literature	GENERIF_SUMMARY	exposure to T-oligo upregulates p53 expression and phosphorylati apoptotic cascade.
Literature	GENERIF_SUMMARY	Data indicate that [indoline-3,2'-thiazolidine] derivatives inhibited in
Literature	GENERIF_SUMMARY	We conclude that the level of p53 expression in the CORE needle b chemotherapy.
Literature	GENERIF_SUMMARY	a critical role for TAp73 in regulating metabolism, and connect TAp
Literature	GENERIF_SUMMARY	TP53 codon 72 Arg/Pro polymorphism is a risk factor for lung can

Main Category	Category	
Literature	GENERIF_SUMMARY	Results show that The apoptosis induced by human adenovirus se proteins and the p53 pathway.
Literature	GENERIF_SUMMARY	Ceragenin CSA-13 induces cell cycle arrest and antiproliferative ef
Literature	GENERIF_SUMMARY	No associations were found between the p53 R72P genotypes.
Literature	GENERIF_SUMMARY	Report prognostic value of TP53 determination in fine needle aspir
Literature	GENERIF_SUMMARY	Quantification of TP53 in bladder cancer should be modified accor
Literature	GENERIF_SUMMARY	Nuclear morphometry significantly correlated with p53 and bcl-2 e
Literature	GENERIF_SUMMARY	This study investigated the impact of KRAS, NRAS, BRAF, PI3KCA a
Literature	GENERIF_SUMMARY	data suggest that Vpr may inhibit Ebp1 to stabilize p53, which in tu
Literature	GENERIF_SUMMARY	Arg-II promotes mitochondrial dysfunction leading to VSMC senes p66Shc, and p53, contributing to atherosclerotic vulnerability phen
Literature	GENERIF_SUMMARY	MiR-375 targets p53 in cancer cells to regulate the response to ion
Literature	GENERIF_SUMMARY	Subgroup-specific analysis reconciles prior conflicting publications medulloblastoma.
Literature	GENERIF_SUMMARY	Studied associations between 19 SNPs spanning the TP53 locus a hepatocellular carcinoma cases and 132 controls from Thailand.
Literature	GENERIF_SUMMARY	Patients carrying p53 Arg/Arg or Arg/Pro had a higher risk of esop
Literature	GENERIF_SUMMARY	Through down regulation of p53 expression, Survivin attenuates th BCRP expression.
Literature	GENERIF_SUMMARY	TP53 mutations accounts for approximately one-quarter and one-t cancers.
Literature	GENERIF_SUMMARY	these findings present a novel mechanism of ROS-regulated apopt mutant p53 exposed to DHA.
Literature	GENERIF_SUMMARY	p53 serves as a key regulator of keratinocyte thrombomodulin exp
Literature	GENERIF_SUMMARY	prion-like characteristics for p53 protein, based on the fact that p5 aggregate with cellular p53.
Literature	GENERIF_SUMMARY	This meta-analysis suggests that p53 codon 72 polymorphism cor
Literature	GENERIF_SUMMARY	cisplatin-induced non-apoptotic death requires mitochondria Cyp-D
Literature	GENERIF_SUMMARY	based on immunohistochemical results, p53 was overexpressed in present study, either at the epithelial or mesenchymal component.
Literature	GENERIF_SUMMARY	Data indicate that forty-eight (58%) of 83 patients with pancreatic expressed TP53 and CD133, respectively.
Literature	GENERIF_SUMMARY	BACH2 competes with BCL6 for promoter binding and reverses BC
Literature	GENERIF_SUMMARY	The polymorphism of p53 codon 72 Arg/Pro may play a protective
Literature	GENERIF_SUMMARY	A structural study of single and double p53 mutants showed that i stabilizing interactions with the DNA backbone, and that reactivati mutations.
Literature	GENERIF_SUMMARY	the cellular senescence caused by CXCR2 upregulation depends o

Main Category	Category	
Literature	GENERIF_SUMMARY	These results establish a mechanism in which SET1 complex and modifications, to facilitate the function of p53.
Literature	GENERIF_SUMMARY	The expressions of p53 and mdm2 is correlated with the severity of
Literature	GENERIF_SUMMARY	Results show that mammary prolactin decreased the latency of tumor low carcinomas.
Literature	GENERIF_SUMMARY	our data indicate p53 showing predicting role in diagnosis to death of metastases to death (OS2).
Literature	GENERIF_SUMMARY	Depending on the stage of hepatosteatosis, p53 causes apoptosis
Literature	GENERIF_SUMMARY	Data indicate that p38delta mediates oncogene-induced senescence
Literature	GENERIF_SUMMARY	TP53 may play determinant roles in the progression of high-grade
Literature	GENERIF_SUMMARY	Investigated importance of codon context in influencing the likely of the ssDNA target specificities of cytidine deaminases of the AID/A
Literature	GENERIF_SUMMARY	TXNIP has a role in the pathway involving hEcd to increase p53 sta
Literature	GENERIF_SUMMARY	These results identify KLF5 as a transactivator of HIF-1alpha and s KLF5 and p53.
Literature	GENERIF_SUMMARY	The study demonstrates coordinated regulation of Numb, MDM2 a
Literature	GENERIF_SUMMARY	Hepatitis B virus genetic variation and TP53 R249S mutation is ass
Literature	GENERIF_SUMMARY	Our results suggested that a combination of CK7 and TP53 immun associated dysplasia in difficult cases.
Literature	GENERIF_SUMMARY	germline TP53 mutations are not rare in adult patients with sarcon
Literature	GENERIF_SUMMARY	Data indicate that combined treatment using SFK (LYN, HCK, or FG approach to increasing p53 activity and enhancing targeting of acu
Literature	GENERIF_SUMMARY	Data indicate that knockdown of any component of the novel mut-
Literature	GENERIF_SUMMARY	Results suggest that p53-modulating agents can serve as potentia
Literature	GENERIF_SUMMARY	Our data indicate that parallel expression of MMP-2 epithelial/stro carcinoma.
Literature	GENERIF_SUMMARY	Sox4 is required for p53-independent apoptotic cell death mediate
Literature	GENERIF_SUMMARY	Report prognostic role of TP53 expression in urinary bladder neop
Literature	GENERIF_SUMMARY	Each E6 variant of human papillomavirus 18 distinctively affects p
Literature	GENERIF_SUMMARY	the data presented here demonstrate that co-transduction of RPL2 models of human gastric cancer and support the use of this strate
Literature	GENERIF_SUMMARY	pro-IL-1beta is degraded in a proteasome-dependent manner in E6
Literature	GENERIF_SUMMARY	a complex regulatory system involving TP53, KRAS, and let-7a
Literature	GENERIF_SUMMARY	HCT116 cells were transfected with p53 siRNA and the effect of kn showed that expression levels of both legumain mRNA and protein
Literature	GENERIF_SUMMARY	special function of p53 family members in the development, chem
Literature	GENERIF_SUMMARY	Data indicate that stapled alpha-helical peptide ATSP-7041 binds b

Main Category	Category	
		tumors in vitro and in vivo.
Literature	GENERIF_SUMMARY	results strongly suggest that expression of NTRK1-pY674/pY675 t improved disease-free survival in breast cancer
Literature	GENERIF_SUMMARY	report that the transcription factor E2F1 binds only to the E2F1 dis cell line
Literature	GENERIF_SUMMARY	Influenza NS1 interacts with p53 and alters its binding to p53-resp
Literature	GENERIF_SUMMARY	Down-regulation of p53 proteins attenuated the onset of teroxirone
Literature	GENERIF_SUMMARY	Furthermore, our study reveals that high expression of RPN2 and c cohort of metastatic breast cancer patients.
Literature	GENERIF_SUMMARY	PIAS3 activates the intrinsic apoptotic pathway in non-small cell lu
Literature	GENERIF_SUMMARY	Data indicate that miR-29a represses androgen receptor (AR) expr
Literature	GENERIF_SUMMARY	Data show that downregulation of aurora A kinase by the therapeu induced expression of PHLDA1 and P53 proteins.
Literature	GENERIF_SUMMARY	KRAS mutations with synchronous TP53 mutations occur predomi background of this ovarian cancer type.
Literature	GENERIF_SUMMARY	p53 upregulates expression of endoplasmic reticulum aminopeptid
Literature	GENERIF_SUMMARY	mitochondrial p53 may be an important regulator of normal mitoch inside mitochondria.
Literature	GENERIF_SUMMARY	Interferon signaling induces p53 SUMOylation, which results in the functions of interferon.
Literature	GENERIF_SUMMARY	p53 activation of the viral L4P promoter is significant during adenoc immortalized or normal cells led to severely reduced late gene exp
Literature	GENERIF_SUMMARY	activation of apoptosis genes with non-canonical response elemen cistrome analysis comprehensively explains why p53-induced apo
Literature	GENERIF_SUMMARY	galectin-7 could be part of a common pathway used by mutant p53
Literature	GENERIF_SUMMARY	This study demonstrates that patient with GOF mutp53 is characte metastatic properties in HGS-OvCa.
Literature	GENERIF_SUMMARY	we elucidated the prognostic implications of the expressions of AT
Literature	GENERIF_SUMMARY	Mutations in TP53 is associated with cisplatin resistance in gastri
Literature	GENERIF_SUMMARY	Thus, our results indicated abnormal expression of CD44V6, CDH1 important indicators for further research.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with poor prognosis in a breast ca
Literature	GENERIF_SUMMARY	These results suggest RNF38 is an E3 ubiquitin ligase that may pla
Literature	GENERIF_SUMMARY	p53 directly binds to a 22 bp response element in the TRPC6 gene
Literature	GENERIF_SUMMARY	300-500 muM and strongly to Mcl-1 with a Kd
Literature	GENERIF_SUMMARY	The role of co-existing germline P53 and PMS2 mutations in famili
Literature	GENERIF_SUMMARY	Our results show that MDM2 overexpression, unlike p53 overexpre rituximab-CHOP protocol patients.

Main Category	Category	
Literature	GENERIF_SUMMARY	Loss of P53 promotes the invasion and metastasis ability of prostate cancer cells
Literature	GENERIF_SUMMARY	our data indicate that S-nitrosylation of parkin, leading to p53-mediated apoptosis, is involved in Parkinson's disease
Literature	GENERIF_SUMMARY	The result indicate that the prognostic significance of all types of rhabdomyosarcoma is related to the binding domain having a certain code structure is important for esophageal cancer
Literature	GENERIF_SUMMARY	Low E-cadherin expression is significantly correlated with low p53 expression in gastric cancer
Literature	GENERIF_SUMMARY	Increase of serum p53 is associated with acute leukemia.
Literature	GENERIF_SUMMARY	These results indicate that N protein-dependent p53 degradation through ubiquitination is not employed by Hantaan virus N protein.
Literature	GENERIF_SUMMARY	losses of LKB1 at the transcriptional level by altered activity of the transcription factor p53
Literature	GENERIF_SUMMARY	A novel tumor cell line, established from an epiglottic neoplasm, contains a wild-type p53 gene
Literature	GENERIF_SUMMARY	p53-CBP axis regulated apoptosis through Puma/Noxa induction, independent of p53 phosphorylation
Literature	GENERIF_SUMMARY	RASSF6-induced apoptosis partially depends on p53. RASSF6 binds to p53 in response to UV exposure and up-regulation of p53 target genes
Literature	GENERIF_SUMMARY	Aggregation of p53 into a mixture of oligomers and fibrils sequesters p53 from its target DNA [Review]
Literature	GENERIF_SUMMARY	We determined whether p53 alterations were present after stem cell transplantation
Literature	GENERIF_SUMMARY	The rapid increase in p53 tetramers requires a combination of activation and inhibition of p53 sufficient to activate p53 transcriptional targets.
Literature	GENERIF_SUMMARY	these results suggest that p53 expressed in T cells functions as a transcription factor
Literature	GENERIF_SUMMARY	Our results failed to demonstrate a relationship between Slug and p53
Literature	GENERIF_SUMMARY	we demonstrated that a polyclonal antibody raised against mouse p53 was able to detect p53 overexpressed in human lung tumor tissues and exhibited a stress response
Literature	GENERIF_SUMMARY	Data establish c-Kit as a new direct target of miR-34 and demonstrate its role in hematopoietic cells.
Literature	GENERIF_SUMMARY	CD44 expression in intestinal epithelium and colorectal cancer is increased
Literature	GENERIF_SUMMARY	Depletion of HRP-3 induces apoptosis of radio- and chemoresistant cells and inhibits p53-induced cell death.
Literature	GENERIF_SUMMARY	These data unveil a p53/PCAF/Gli1 circuitry centered on PCAF that regulates cell growth
Literature	GENERIF_SUMMARY	Ei24 is a novel E2F1 target gene contributing to the survival of p53-deficient cells and is a therapeutic target of certain chemotherapy for treating p53-deficient cancer
Literature	GENERIF_SUMMARY	This study demonstrates that the acetylation status of P53 and the expression of p53 in renal cell carcinoma
Literature	GENERIF_SUMMARY	HNF6 inhibits EMT, cell migration, and invasive growth through a mechanism involving p53
Literature	GENERIF_SUMMARY	GIC lines and their derived differentiated cultures expressed CD95 at a variable extent
Literature	GENERIF_SUMMARY	The suitable cut-off value for p53 overexpression was determined by immunohistochemistry in patients with luminal/HER2-negative breast cancer

Main Category	Category	
Literature	GENERIF_SUMMARY	GFI1 is repressed by p53
Literature	GENERIF_SUMMARY	Results from Gene expression profiling show that LDLR, TP53, and Malaysian study population.
Literature	GENERIF_SUMMARY	P53 expression did not correlate with disease-free survival.
Literature	GENERIF_SUMMARY	presence of cyclin E isoforms in p53 silenced clones also does not
Literature	GENERIF_SUMMARY	p53 acts as a safeguard of protein synthesis by regulating FBL and
Literature	GENERIF_SUMMARY	Hypertrimethylation on H3K27 of the p53 gene promoter region due in its full-length form might serve as a new mechanism underlying
Literature	GENERIF_SUMMARY	The developmental stage of Tp53 inactivation affects karyotypes of thymocytes is sufficient to cause thymic lymphomas with oncogen
Literature	GENERIF_SUMMARY	We hypothesized that p53 function and therefore cell fate might be N-terminal amino acids of the full-length protein including the trans
Literature	GENERIF_SUMMARY	Alterations in p53 may be a potential cause of nuclear atypia in ne
Literature	GENERIF_SUMMARY	p53 Arg72Pro polymorphism may be associated with thyroid cancer (Analysis)
Literature	GENERIF_SUMMARY	Results suggest that intratumor genetic heterogeneity may be an important small cell lung cancer patients.
Literature	GENERIF_SUMMARY	The importance of Sirt1 in mediating Oct4-dependent pluripotency in hESCs prevents p53 activation and hESC differentiation.
Literature	GENERIF_SUMMARY	TP53 PEX4 C allele showed an increased risk for WT development
Literature	GENERIF_SUMMARY	Data show that p53 activation diminished SALL2 RNA and protein
Literature	GENERIF_SUMMARY	These results show that Helicobacter pylori infection affects p53 e
Literature	GENERIF_SUMMARY	Targeted suppression of p53 could support effective erythropoiesi
Literature	GENERIF_SUMMARY	data suggest that hsa-miR-125a-3p induces apoptosis not only via
Literature	GENERIF_SUMMARY	Findings suggest that PICT1 has a crucial role in gastric cancer pro
Literature	GENERIF_SUMMARY	there is limited evidence for the association between the TP53 Arg
Literature	GENERIF_SUMMARY	Studies indicate that tumor suppressor gene p53 and other genes are critical for the development of pterygium.
Literature	GENERIF_SUMMARY	Ki67 index, TP53 status, or PR negativity can be used to segregate significantly different clinical outcomes.
Literature	GENERIF_SUMMARY	the NIS gene is a direct target of the p53 family.
Literature	GENERIF_SUMMARY	Gastric tumors showed TP53 gene deletions, and decreased mRNA
Literature	GENERIF_SUMMARY	Ki-67 and p53 expression rates were statistically significantly corre
Literature	GENERIF_SUMMARY	Indeed, the wealth of PTMs that we have identified is consistent with previously anticipated.
Literature	GENERIF_SUMMARY	p53 and MDM2 immuno-reactivity was found to be potentially usef
Literature	GENERIF_SUMMARY	stromal p53 status impacts the recruitment of Mesenchymal strom

Main Category	Category	
		other mechanisms.
Literature	GENERIF_SUMMARY	These data indicate that the profiles of TP53 mutations, SNP72 polymorphisms, and TP53 expression are different in gastric carcinoma and other HNSCCs.
Literature	GENERIF_SUMMARY	discussion of the most common TP53 mutations in ovarian cancer
Literature	GENERIF_SUMMARY	Loss of VHL promotes progerin expression, leading to impaired p130Cas
Literature	GENERIF_SUMMARY	RECQL4 and p53 potentiate the activity of polymerase gamma and
Literature	GENERIF_SUMMARY	Adenovirus E4orf4 protein-induced death of p53-/- cancer cells follows
Literature	GENERIF_SUMMARY	TP53 mutation is not associated with physical activity and breast cancer
Literature	GENERIF_SUMMARY	Pint lincRNA connects the p53 pathway with epigenetic silencing b
Literature	GENERIF_SUMMARY	The presence of the mutant Htt protein enhances p53 activity and
Literature	GENERIF_SUMMARY	patients.
Literature	GENERIF_SUMMARY	Combining p53 expression and HDGF expression significantly imp
Literature	GENERIF_SUMMARY	Downregulation of mutant p53 with concomitant enhanced expres
Literature	GENERIF_SUMMARY	toward EZH2-mediated suppression of pancreatic ductal adenocarc
Literature	GENERIF_SUMMARY	Partial silencing of RPS14 inhibits the proliferation of SKM-1, an ac
Literature	GENERIF_SUMMARY	SKM-1 cells.
Literature	GENERIF_SUMMARY	these data can help to better understand p53-mediated response t
Literature	GENERIF_SUMMARY	The model of p53 action on E2F1-activated PLK1 gene may explain
Literature	GENERIF_SUMMARY	in cellular stresses including DNA damage stress
Literature	GENERIF_SUMMARY	Five SNPs located within the DNA-binding domain of p53 were fou
Literature	GENERIF_SUMMARY	The findings expand the registry of p53-regulated genes to define p
Literature	GENERIF_SUMMARY	we revealed that artemisinin treatment led to an increased express
Literature	GENERIF_SUMMARY	We performed a meta-analysis of 24 studies that evaluated the cor
Literature	GENERIF_SUMMARY	expression indicates a poor prognosis
Literature	GENERIF_SUMMARY	this review questions the cancer theory of the two hits because the
Literature	GENERIF_SUMMARY	In specimens with mutant TP53 cultured with Tnv-6, changes in the
Literature	GENERIF_SUMMARY	TP53 loss of function mutations as well as low baseline expression
Literature	GENERIF_SUMMARY	Human TTC5, a novel tetratricopeptide repeat domain containing g
Literature	GENERIF_SUMMARY	E2F4 complexes are effectors of p21-dependent p53-mediated rep
Literature	GENERIF_SUMMARY	Oxygen protects infarct myocardium by recruiting p53 on NOS3 pr
Literature	GENERIF_SUMMARY	Long non-coding RNA MEG3 inhibits NSCLC cells proliferation and
Literature	GENERIF_SUMMARY	A20 bound p53 to form complexes in colon cancer tissue and colo
Literature	GENERIF_SUMMARY	Biochemical and structural studies are presented of V157F, an onc
Literature	GENERIF_SUMMARY	and without the associated second-site rescue mutations N235K a
Literature	GENERIF_SUMMARY	Data indicate that decreased CHCHD4 expression prevents the mi
Literature	GENERIF_SUMMARY	activity.

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutations are associated with a shorter recurrence-free survival in head and neck squamous cell carcinoma of the head and neck.
Literature	GENERIF_SUMMARY	In conclusion, this study shows that TP53 mutations are common and frequent of the truncating type.
Literature	GENERIF_SUMMARY	We show that p53 oscillations that have been observed in individual cells are not occurring after DNA damage.
Literature	GENERIF_SUMMARY	adverse prognostic impact on time to treatment and overall survival.
Literature	GENERIF_SUMMARY	The updated meta-analysis supports the evidence that the polymorphism is more frequent in cancer among the populations of both Asian and Caucasian.
Literature	GENERIF_SUMMARY	our findings suggest association of RAD51 135G>C and TP53 Arg72Pro polymorphisms.
Literature	GENERIF_SUMMARY	Suppression of the ERK pathway reduced P53-mediated apoptosis in human breast cancer cells.
Literature	GENERIF_SUMMARY	Malignant salivary neoplasms showed higher frequency of the TP53 mutation, which may have an impact on genes involved in apoptosis.
Literature	GENERIF_SUMMARY	p53 mRNA expression levels are increased in epicardial and subcutaneous adipose tissue can be regulated by sympathetic activation pathway.
Literature	GENERIF_SUMMARY	The integration of the immunocytochemical score of Ki-67 and p53 expression is useful.
Literature	GENERIF_SUMMARY	Significant association was observed between disease-free survival and p53 expression.
Literature	GENERIF_SUMMARY	Study uncovered a single-nucleotide polymorphism in a functional region that may regulate transcription of the KITLG gene. The SNP resides in KITLG gene and is associated with association studies.
Literature	GENERIF_SUMMARY	The degradation of TP53 and MDM2 by the proteasome can be seen in human cells.
Literature	GENERIF_SUMMARY	P53 alteration may be involved in dysregulated EZH2 expression, a hallmark of squamous cell carcinoma.
Literature	GENERIF_SUMMARY	p53 mutation is associated with smoking-induced lung cancer. Smoking is a major risk factor for lung cancer (Analysis)
Literature	GENERIF_SUMMARY	These data indicated that the requirement of Trp53 for maintaining genomic stability is essential for the development of the organism.
Literature	GENERIF_SUMMARY	A rare G>C mutation in TP53 is associated with arsenic-related lung cancer.
Literature	GENERIF_SUMMARY	Our findings integrate KSR1 into a network involving DBC1 and SIRI1.
Literature	GENERIF_SUMMARY	Wnt/beta-catenin signaling mediates the senescence of bone marrow stromal cells via the p53/p21 pathway.
Literature	GENERIF_SUMMARY	p21 gene promoter contains numerous p53 target sequences, some of which are essential for p53-mediated transcriptional activation.
Literature	GENERIF_SUMMARY	Results suggest that decreased expression of AKR1B10 could distinguish colorectal cancer patients.
Literature	GENERIF_SUMMARY	The miR-661 locus tends to be amplified in tumors harboring p53 mutations.
Literature	GENERIF_SUMMARY	OTUD5 is required for the stabilization and the activation of a p53 target.
Literature	GENERIF_SUMMARY	Report TP53 mutations in mammary analogue secretory carcinoma.
Literature	GENERIF_SUMMARY	p53 and p16 expressions are important for the development of triploid endometrial carcinoma.

Main Category	Category	
Literature	GENERIF_SUMMARY	p53/p21 Pathway involved in mediating cellular senescence of bone marrow stromal cells in elderly patients.
Literature	GENERIF_SUMMARY	p53 deficiency may lead to the failure of BubR1 downregulation by p53 in the carcinogenesis associated with aneuploidy.
Literature	GENERIF_SUMMARY	The REGgamma-proteasome pathway is regulated differentially by p53 in human cells.
Literature	GENERIF_SUMMARY	the TP53 Pro72Pro genotype and Ser47/Pro72 haplotype has an increased risk of lung cancer
Literature	GENERIF_SUMMARY	NEK2 as a novel p53-repressed gene
Literature	GENERIF_SUMMARY	DNA-sequence-specific-binding and DNA-nick-sensing of mutant-p53
Literature	GENERIF_SUMMARY	Mutation of TP53 is associated with lung adenocarcinomas.
Literature	GENERIF_SUMMARY	p53 protein profile analysis by IHC might be useful in the differential diagnosis of lung cancer that do not need hard-line management.
Literature	GENERIF_SUMMARY	we investigated the effect of S(+)-ibuprofen on neuroblastoma cell lines and found that favorable neuroblastoma genes in vitro as biomarkers of malignancy
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism is associated with an increased lung cancer risk
Literature	GENERIF_SUMMARY	We report the association of TP53 mutations with the resistance of human glioblastoma model with the IGF-1R inhibitor picropodophyllin.
Literature	GENERIF_SUMMARY	this study shows that TRIM22 is greatly under-expressed in breast cancer and its regulation.
Literature	GENERIF_SUMMARY	FOXF1 and p53 form a portion of a regulatory transcriptional network in human cells.
Literature	GENERIF_SUMMARY	These results suggest that activation of HAT in the presence of Sp1 is required for the activity of p-p53 and acetyl p53.
Literature	GENERIF_SUMMARY	Metabolic stresses activate AMPK, which, in turn, phosphorylates p53 and inhibits its transcriptional activity.
Literature	GENERIF_SUMMARY	P53 facilitates stabilization of the closed Hsp90 dimer eliciting the release of the bound protein
Literature	GENERIF_SUMMARY	Joint detection of CD44v6 and CD62P in the peripheral blood or tissue is associated with poor clinical outcome.
Literature	GENERIF_SUMMARY	Acetylation of lysine 382 and phosphorylation of serine 392 in p53 are required for its transcriptional activity
Literature	GENERIF_SUMMARY	Ki-67 and p53 expression varies in morphologically normal tubal epithelium
Literature	GENERIF_SUMMARY	our results suggest that Src kinase suppresses the apoptotic p53 pathway
Literature	GENERIF_SUMMARY	Molecular alterations in p53 and the mTORC1 pathway play differential roles in the progression of human glioblastoma
Literature	GENERIF_SUMMARY	Zhangfei/CREBZF stabilizes p53 and co-localizes with it in cellular nuclei, suggesting its role in growth and interaction with p53.
Literature	GENERIF_SUMMARY	inactivation of p53 is necessary for maintenance of HPV16 and for the progression of the disease independent of inactivating p53 must also contribute to the maintenance of the disease
Literature	GENERIF_SUMMARY	Knocking down PI5P4Kalpha and beta in a breast cancer cell line by siRNA resulted in impaired growth on plastic and in xenografts.
Literature	GENERIF_SUMMARY	Our results indicate that all p53 family members are abnormally expressed in human glioblastoma
Literature	GENERIF_SUMMARY	p53 acetylation at K120 plays a critical role in the regulation of the p53 pathway by p53 via miRNAs plays a role in determining stress-specific cellular responses

Main Category	Category	
Literature	GENERIF_SUMMARY	a clear relationship between mutant p53, TAp63, and Dicer that mi reveal TAp63-independent functions of mutant p53 in controlling D
Literature	GENERIF_SUMMARY	Dihydromyricetin induces HepG2 cells apoptosis by up-regulating I
Literature	GENERIF_SUMMARY	VEGF-A, Otx2 homeobox and p53 family genes are expressed in pr
Literature	GENERIF_SUMMARY	Report high frequency of coexpression of maspin and p63, as well
Literature	GENERIF_SUMMARY	The endogenous p53 isoforms Delta133p53 & p53beta are physiolo
Literature	GENERIF_SUMMARY	Decreased miR-34a expression and increased FOXP1, p53, and BC B-cell lymphoma patients
Literature	GENERIF_SUMMARY	ZNF280B upregulates GUCY1A3 expression and downregulates TF
Literature	GENERIF_SUMMARY	Treatment of ETV6/RUNX1-positive leukemic cell lines with Nutlin- and induces apoptosis
Literature	GENERIF_SUMMARY	FATS stabilizes p53 and promotes its activation in response to DN
Literature	GENERIF_SUMMARY	LUDLU-1 contains somatic mutations in TP53 and BRCA2, allelic in polymorphisms and reduced transcription of a potentially endoge
Literature	GENERIF_SUMMARY	Selected antisense oligonucleotides which were designed based o significantly reduce the level of p53 protein in MCF-7 cells.
Literature	GENERIF_SUMMARY	Gain of function of mutant TP53 is associated with drug resistance
Literature	GENERIF_SUMMARY	Data show that human herpesvirus 8 viral interferon regulatory fac phosphorylation on serine residues S15 and S20, and antagonizes
Literature	GENERIF_SUMMARY	p53 overexpression is present in a subset of Moroccan nasophary
Literature	GENERIF_SUMMARY	A 30 ns simulation study was analyzed to observe the local structu rescue mutants
Literature	GENERIF_SUMMARY	TP53 driven transactivation of miRNA genes in human cancer cells
Literature	GENERIF_SUMMARY	XPC W690S pathogenic mutant is specifically defective for MDM2
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism probably had little association with
Literature	GENERIF_SUMMARY	study indicated that the TP53 gene Arg72Pro polymorphism of the Chinese Han males
Literature	GENERIF_SUMMARY	There is a significant association between lung cancer risk and int
Literature	GENERIF_SUMMARY	results support the molecular similarity between gastric high-grade relevant role for TP53 in the progression to the invasive phenotype
Literature	GENERIF_SUMMARY	cyclophilin B (CypB) is a prolyl isomerase residing in the endoplasmic multiforme cells through myc and mutant p53
Literature	GENERIF_SUMMARY	Data suggest that assessing expression of thymidylate synthase a of patients suitable for 5-fluorouracil (5FU)-based adjuvant chemo
Literature	GENERIF_SUMMARY	they also demonstrate that entinostat-induced cytotoxic effects pa for p53.
Literature	GENERIF_SUMMARY	Data indicate glycogen synthase kinase 3-mediated regulation of M
Literature	GENERIF_SUMMARY	The activation level of the EEF1A2/PI3K/AKT/mTOR/MDM4 axis s

Main Category	Category	
Literature	GENERIF_SUMMARY	there is a p53-induced double-negative feedback loop involving miR-221 which may determine metastatic prowess in colorectal cancer
Literature	GENERIF_SUMMARY	Overexpression of Gli1, MDM2 and mutant p53 contributes to the clinical role in predicting PC patients' prognosis.
Literature	GENERIF_SUMMARY	Tp53 Arg72Pro polymorphism is associated with the risk of human
Literature	GENERIF_SUMMARY	As cellular ATP levels recover, TAF1 is able to phosphorylate p53 on
Literature	GENERIF_SUMMARY	Deletion of p53 in renin-expressing compartment of pancreas lead
Literature	GENERIF_SUMMARY	Epstein Barr virus infection is associated with the expression of CO
Literature	GENERIF_SUMMARY	Human herpesvirus-6B protein U19 contains a p53 BOX I homolog
Literature	GENERIF_SUMMARY	53BP1 and TP53 gene interactions were not associated with lung
Literature	GENERIF_SUMMARY	These studies indicate the critical role of p53AIP1 under DNA dam synoviocytes containing the p53R248Q mutation.
Literature	GENERIF_SUMMARY	Immunofluorescence expression (IFE) of cell cycle regulators p16 in different types of cervical intra-epithelial lesions, was assessed.
Literature	GENERIF_SUMMARY	Data indicate that seven genes showed statistical enrichment for m
Literature	GENERIF_SUMMARY	MDM2 is a direct target of miR-221, and a feed-forward loop is des p53/mdm2 axis by inhibiting MDM2 and, in turn, p53 activation cor
Literature	GENERIF_SUMMARY	Intronic TP53 polymorphisms are associated with increased acute
Literature	GENERIF_SUMMARY	In right colon adenocarcinoma tumors, MMP2, p53, and beta-cater
Literature	GENERIF_SUMMARY	meta-analysis suggests that p53 codon72 Arg/Pro polymorphism subgroup analysis of Asian and Caucasian population
Literature	GENERIF_SUMMARY	Negative effect of P72 polymorphism on p53 gene in IVF outcome
Literature	GENERIF_SUMMARY	results suggest that Id4 regulates the activity of p53 and promoted acetylation of p53 at K373, a critical post-translational modification
Literature	GENERIF_SUMMARY	genetic activation of beta cell glucokinase, initially triggering replic of the tumor suppressor p53.
Literature	GENERIF_SUMMARY	study demonstrates that G4 polymorphisms in haplotypes of the V carriers
Literature	GENERIF_SUMMARY	single nucleotide polymorphisms in miR-34b/c and TP53 codon 72 and genetic variants influence each other with regard to colorectal
Literature	GENERIF_SUMMARY	The p53/Cyp-D mitochondrial complexation was prevented by CsA
Literature	GENERIF_SUMMARY	This review focuses on translational regulation of p53 isoforms by
Literature	GENERIF_SUMMARY	Lack of TP53 staining in astrocytomas.
Literature	GENERIF_SUMMARY	p53-dependent signals might be responsible for the abscopal effec
Literature	GENERIF_SUMMARY	suggests that p53 codon 72 polymorphism does not appear to rep Caucasians
Literature	GENERIF_SUMMARY	The KRAS mutation is not present in about one-third of CRC patien the molecular mechanisms of CRC and its treatment.

Main Category	Category	
Literature	GENERIF_SUMMARY	MDM2 isoforms have a role in mutant p53 accumulation and gain-
Literature	GENERIF_SUMMARY	Rbm24 is a novel player in the p53 pathway, which may be explored
Literature	GENERIF_SUMMARY	we discovered a new MDM2 interacting protein, DNAJB1, and provide
Literature	GENERIF_SUMMARY	More residual foci are observed in RC10.1 than in RKO, indicating that
Literature	GENERIF_SUMMARY	The same result was achieved by knocking down p53 and p21 with
Literature	GENERIF_SUMMARY	these results suggest that nutlin-3 induces HO-1 expression via the
Literature	GENERIF_SUMMARY	The TP53 codon 72 polymorphism may be associated with less fa
Literature	GENERIF_SUMMARY	of mTORC1 signaling to 4E-BP1 requires the coordinated activity of
Literature	GENERIF_SUMMARY	A high frequency of somatic mutations in p53 (44.3%; 43/97) and/
Literature	GENERIF_SUMMARY	TP53 rs2078486 SNP is potentially a novel TP53 SNP that may aff
Literature	GENERIF_SUMMARY	Full-length MCPyV LT-Ag interacts with p53 and inhibits p53-depen
Literature	GENERIF_SUMMARY	TP53 gene status/role in 3AB-OS cells-a highly aggressive cancer
Literature	GENERIF_SUMMARY	This article reviews the functions and mechanisms of wild-type and
Literature	GENERIF_SUMMARY	significant association between the polymorphism (rs16917496) of
Literature	GENERIF_SUMMARY	Studies indicate that the frequent loss of wild-type tumor suppress
Literature	GENERIF_SUMMARY	Global gene expression analyses revealed that cell cycle regulatory
Literature	GENERIF_SUMMARY	the meta-analysis suggests that TP53 Arg72Pro polymorphism is a
Literature	GENERIF_SUMMARY	MYBBP1A functions to enhance p53 tetramerization that is necess
Literature	GENERIF_SUMMARY	the combination of MDM2 SNP 309 and TP53 Arg72Pro genotypes
Literature	GENERIF_SUMMARY	SBC-induced apoptosis was accompanied by up-regulation of the
Literature	GENERIF_SUMMARY	The p53-CDKN1A-Bax signaling pathway appears to be activated in
Literature	GENERIF_SUMMARY	Evaluation of TP53 codon 72 polymorphism may be of prognostic
Literature	GENERIF_SUMMARY	Ser46-phosphorylated p53 orchestrates tumor suppressive microR
Literature	GENERIF_SUMMARY	A pivotal role of arginine 213 determines the p53 mediated functio
Literature	GENERIF_SUMMARY	TP53 Y220C mutant provides a specific protection against steatos
Literature	GENERIF_SUMMARY	Understanding the signaling pathways that result in TP53 modifica

Main Category	Category	
Literature	GENERIF_SUMMARY	Identification of double-stranded genomic DNA spanning all chromosomes in human pancreatic cancer.
Literature	GENERIF_SUMMARY	These results could justify more extensive research to assess p53 as a potential target for cancer therapy.
Literature	GENERIF_SUMMARY	RhoE may participate in human cancer progression and act as a candidate tumor suppressor and could serve as a potential target for cancer therapy.
Literature	GENERIF_SUMMARY	codon-specific mutant p53 conferred a more aggressive phenotype in human cancer cells.
Literature	GENERIF_SUMMARY	These data reveal novel insights into the Otub1 inhibition of E2 ubiquitin ligase function to suppress it.
Literature	GENERIF_SUMMARY	BRD4 associates with p53 in DNMT3A-mutated leukemia cells.
Literature	GENERIF_SUMMARY	High TP53 expression is associated with breast cancer.
Literature	GENERIF_SUMMARY	Data indicate that HPV16 E6 suppresses the expression of PinX1 and telomerase activity.
Literature	GENERIF_SUMMARY	Data show that NEDD4-1 E3 ligase as a novel component of the tumor suppressor loop that controls p53 activity during stress responses.
Literature	GENERIF_SUMMARY	The prognostic impact of minor TP53-defective subclones is currently unclear in cancer therapy.
Literature	GENERIF_SUMMARY	TP53 levels were not prognostic in patients receiving adjuvant chemotherapy.
Literature	GENERIF_SUMMARY	Reactive oxygen species activate NFkappaB (p65) and p53 and induce cell death.
Literature	GENERIF_SUMMARY	Results suggest a possible role of secondary structure folding of the DeltaNp53 translation initiation.
Literature	GENERIF_SUMMARY	TP53 and CDKN2a mutations in never-smoker OTSCC are associated with poor prognosis.
Literature	GENERIF_SUMMARY	Report TP53 expression in renal cell carcinoma subtypes.
Literature	GENERIF_SUMMARY	In conclusion, our study indicates that the combination of TP53 Antisense and recurrent pregnancy loss .
Literature	GENERIF_SUMMARY	The p53 protein is the most frequently mutated tumor suppressor gene, and its function is compromised by the presence of a mutation.
Literature	GENERIF_SUMMARY	no significant associations have been detected between TP53 mutations and cancer risk.
Literature	GENERIF_SUMMARY	p21 transcription during replicative senescence of HEFs is up-regulated by p53 phosphorylation.
Literature	GENERIF_SUMMARY	HCT 116 colorectal cancer cells expressing p53 (+/+) and not expressing p53 (-/-) copper transport.
Literature	GENERIF_SUMMARY	The results of an meta-analysis suggest that the TP53 Arg72Pro SNP is associated with cancer risk.
Literature	GENERIF_SUMMARY	Findings suggest that the combined therapy of Pmp53, a plasmid expressing p53 gene, with zinc is an effective therapeutic strategy.
Literature	GENERIF_SUMMARY	Results suggest that SNPs within TP53 binding sites might be valuable for cancer diagnosis.
Literature	GENERIF_SUMMARY	Conflicting results and limitations of experimental approaches not fully addressed, mostly available in the public domain and accessible through data mining.
Literature	GENERIF_SUMMARY	present meta-analysis of currently available data suggests that the TP53 Arg72Pro SNP is associated with cancer risk in Caucasians.

Main Category	Category	
Literature	GENERIF_SUMMARY	Results reveal a novel mechanism whereby p53 is involved in the p molecular explanation for the role of somatic mutations of p53, in
Literature	GENERIF_SUMMARY	model where p53 binding to the SMRT deacetylase activation dom coactivation of p53-dependent gene expression
Literature	GENERIF_SUMMARY	these observations establish an important negative regulatory role
Literature	GENERIF_SUMMARY	Aflatoxin induced p53 mutation at codon 249 (R249s) is associate
Literature	GENERIF_SUMMARY	Loss of TP53 expression is associated with cervical squamous ce
Literature	GENERIF_SUMMARY	In Guangxi area, the significant association between aflatoxin B1-in role for p53 mutations in carcinogenesis of hepatocellular carcin
Literature	GENERIF_SUMMARY	Arg72Pro polymorphism related to risk of cutaneous melanoma
Literature	GENERIF_SUMMARY	MPS1 was the most significant gene associated with TP53 status
Literature	GENERIF_SUMMARY	TP53 K351N mutation may be associated with induction of platinu
Literature	GENERIF_SUMMARY	Individuals carrying the p53 rs1042522 genotype were at higher ris
Literature	GENERIF_SUMMARY	were not able to establish a strong association between patient pr
Literature	GENERIF_SUMMARY	we demonstrate for the first time that structural proteins of KSHV
Literature	GENERIF_SUMMARY	our study describes a new mechanism for p53 stabilization throug treatment of pathobiological disorders linked to hypoxic stress.
Literature	GENERIF_SUMMARY	p53 promotes miR-506 expression level, indicating that miR-506 m
Literature	GENERIF_SUMMARY	mTOR activity was markedly increased in p53-deficient tumors and as a critical p53 tumor suppressive function
Literature	GENERIF_SUMMARY	LincRNA1611 and Ppp3ca were highly expressed in pancreatic car
Literature	GENERIF_SUMMARY	No mutation of TP53 was identified in the esophageal case
Literature	GENERIF_SUMMARY	SNPs in the p53 binding region may modulate the risk of ESCC in t
Literature	GENERIF_SUMMARY	The MTHFR/p53 genetic combinations AA/ArgArg and AA/ArgPro women.
Literature	GENERIF_SUMMARY	Aldose reductase contributes to diabetes-mediated mitochondrial
Literature	GENERIF_SUMMARY	p53 regulation by TRP2 is not pervasive in melanoma.
Literature	GENERIF_SUMMARY	Using the evolution and content of the TP53 LSDB as a paradigm, descriptions, the accumulation and organization of knowledge in c
Literature	GENERIF_SUMMARY	Authors propose that the formation of this DNA loop and protein-b other proximal binding sites.
Literature	GENERIF_SUMMARY	The most frequent mutation in sporadic brain tumors is R273C. M common in low grades than in grade 4. Mean age of onset is low
Literature	GENERIF_SUMMARY	Patients whose pancreatic cancers had loss of ATM but normal TP
Literature	GENERIF_SUMMARY	Myo10 upregulation in mutant p53-driven cancers is necessary for
Literature	GENERIF_SUMMARY	reveals no evidence for significant association between p53 Arg72

Main Category	Category	
Literature	GENERIF_SUMMARY	Pro/Pro genotype of p53 codon 72 polymorphism is associated with
Literature	GENERIF_SUMMARY	we highlight the existence of networks and cross-talks among the their modulators, as well as the transcriptional targets.
Literature	GENERIF_SUMMARY	Another important mechanism by which tumors bypass TP53 func
Literature	GENERIF_SUMMARY	The VRK1-p53 basal complex is an early-warning system for imme
Literature	GENERIF_SUMMARY	in AML and MDS, loss of the long arm of chromosome 5 due to un moreover, with clonal evolution, mutations in the TP53 gene and a
Literature	GENERIF_SUMMARY	In a large randomized trial, TP53 mutation does not predict surviva
Literature	GENERIF_SUMMARY	Data indicate that cell lines carrying mutations in both p53 and PT
Literature	GENERIF_SUMMARY	The potential for an imbalance in p53 and Mdm2 expression.
Literature	GENERIF_SUMMARY	p53-Dependent and cell specific epigenetic regulation of the polo-l
Literature	GENERIF_SUMMARY	In primary glioblastoma TP53 promoter methylation does not play regulated by other genetic and epigenetic mechanisms.
Literature	GENERIF_SUMMARY	Relationship between VEGF, P53 and telomerase expression and th Microvascular density (MVD) and the expression of VEGF, P53 and
Literature	GENERIF_SUMMARY	Both HPV status and p53 expression are valuable prognostic facto
Literature	GENERIF_SUMMARY	Perturbations of ribosome biogenesis can trigger a p53-dependent suppressor ARF through inhibitory interactions of specific ribosom
Literature	GENERIF_SUMMARY	FAT10 suppresses transcriptional activity of p53 and accelerates t
Literature	GENERIF_SUMMARY	In virus-related head and neck squamous cell carcinoma, p53 muta
Literature	GENERIF_SUMMARY	TP53 polymorphism (rs1042522) cannot exclude that it is not caus
Literature	GENERIF_SUMMARY	Data demonstrate a differential clinical impact of various TP53 alt
Literature	GENERIF_SUMMARY	hTOP3alpha interacts with p53, regulates p53 and p21 expression,
Literature	GENERIF_SUMMARY	We investigated the role of SOCS3 in p53- and PTEN-mediated act
Literature	GENERIF_SUMMARY	results suggest that TP53 rs1042522 polymorphism might contrib Eastern Asians [meta-analysis]
Literature	GENERIF_SUMMARY	miRNA-181a binds to the TP53 gene and inhibits its expression, de
Literature	GENERIF_SUMMARY	p53 and SIRT1 co-regulate miR-34a expression in keratinocytes.
Literature	GENERIF_SUMMARY	High expression of PgR and low expression of p53 were significan
Literature	GENERIF_SUMMARY	Report p53 up-regulation in alveolar epithelial cells from idiopathio
Literature	GENERIF_SUMMARY	ATF3 can suppress mutp53 oncogenic function, thereby contributi
Literature	GENERIF_SUMMARY	In endometrioid endometrial carcinoma, 11.9% showed TP53 muta
Literature	GENERIF_SUMMARY	These data demonstrate the importance of S100A2 downstream c enforcing growth control mechanisms through destabilisation of n
Literature	GENERIF_SUMMARY	functional characterization of a radiation-induced p53 mutation in resistance

Main Category	Category	
Literature	GENERIF_SUMMARY	the role of p53 in genomically stable embryonic stem cells
Literature	GENERIF_SUMMARY	genetic association studies in population of adults in Germany
Literature	GENERIF_SUMMARY	upregulation of p53 and p21 via HO-1 induction and subsequent re damage in cancer cells frequently challenged by redox-cycling anti
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism interactions with dietary and tobacco
Literature	GENERIF_SUMMARY	Our results suggest that Li-Fraumeni syndrome can be subdivided
Literature	GENERIF_SUMMARY	Mutant p53R175H protein, unlike wild type p53, can form a stable
Literature	GENERIF_SUMMARY	GST pulldown experiments revealed that both IE72 and wt p53 bou
Literature	GENERIF_SUMMARY	this newly identified p53PIAS3 interaction through the 1-52 amino increases the half-life of p53, but also its transactivation of target
Literature	GENERIF_SUMMARY	Loss of p53 is associated with metastatic ovarian cancer.
Literature	GENERIF_SUMMARY	UBE4B regulates p53 in breast cancer
Literature	GENERIF_SUMMARY	This study identified novel TP53 mutations in low grade gliomas.
Literature	GENERIF_SUMMARY	results suggest that activation of the p21 upstream promoter is m
Literature	GENERIF_SUMMARY	VASH2 overexpression downregulated wild-type p53.
Literature	GENERIF_SUMMARY	Cancer cell lines bearing mortality-associated p53 mutations displ chemotherapeutic drugs.
Literature	GENERIF_SUMMARY	DR6 protein from human herpesvirus-6B induces p53-independent
Literature	GENERIF_SUMMARY	results reveal a novel p53- and Mdm2-independent oncogenic func Mdmx.
Literature	GENERIF_SUMMARY	TP53INP1 SUMOylation is essential for the regulation of p53 activi
Literature	GENERIF_SUMMARY	associated with recurrence in glottic carcinoma
Literature	GENERIF_SUMMARY	TP53 codon72 polymorphism did not correlate with myeloma risk. overall survival in thalidomide therapy
Literature	GENERIF_SUMMARY	describe a novel, reproducible scoring system and assess the relat mutation status and patient outcomes in breast cancer
Literature	GENERIF_SUMMARY	These studies highlight the role of free radicals in p53 activation a transcriptional axis.
Literature	GENERIF_SUMMARY	TP53 Pro72 allele may have a role in poor prognosis with TP53 mu
Literature	GENERIF_SUMMARY	Data suggest that dexamethasone-induced osteoblast cell death is
Literature	GENERIF_SUMMARY	the immunohistochemical distribution of PCNA and p53 are strong
Literature	GENERIF_SUMMARY	In Wilms tumor cells, mutant WT1 proteins facilitate expression of
Literature	GENERIF_SUMMARY	Immunohistochemical assessment of p53, particularly in combina diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	B lymphoblastic leukemia/lymphoma with low hypodiploidy is cha
Literature	GENERIF_SUMMARY	NIAM regulates 2 critical pathways that control p53 function and a

Main Category	Category	
Literature	GENERIF_SUMMARY	Tp53 altered expression is not associated with colorectal cancer.
Literature	GENERIF_SUMMARY	TP53 aneuploidy molecular targeted therapy maybe a viable additi
Literature	GENERIF_SUMMARY	The p53 was an independent factor of progression into muscle-inv
Literature	GENERIF_SUMMARY	TP53 is a critical gene within the 17p13 minimally deleted region a
Literature	GENERIF_SUMMARY	UBXN2A binds to mot-2 and releases sequestrated p53, which lea
Literature	GENERIF_SUMMARY	Knockdown of NS inhibited proliferation, arrested the cell cycle, an
Literature	GENERIF_SUMMARY	genetic variants in the PTEN, AKT1, MDM2 and p53 tumor suppress
Literature	GENERIF_SUMMARY	Chinese populations
Literature	GENERIF_SUMMARY	study shows that the p53/miR-148b/p55PIK axis has an important
Literature	GENERIF_SUMMARY	target for treating cancers containing p53 mutations or losses.
Literature	GENERIF_SUMMARY	These findings prove that the epitope p53110-124/AcK120 is imm
Literature	GENERIF_SUMMARY	p53, human telomerase reverse transcriptase, Wilms tumor-1, and
Literature	GENERIF_SUMMARY	lymphocytes that showed cytotoxicity against pancreatic cancer c
Literature	GENERIF_SUMMARY	The findings add neuroblastoma to the complex repertoire of huma
Literature	GENERIF_SUMMARY	termination and polyadenylation of TP53 transcripts.
Literature	GENERIF_SUMMARY	we found no correlation between p53 activation and thymocyte se
Literature	GENERIF_SUMMARY	a family in which segregation of a TP53 mutation in two generatio
Literature	GENERIF_SUMMARY	there was no significant difference in survival between TP53 muta
Literature	GENERIF_SUMMARY	acute myeloid leukemia patients with SNP P72R
Literature	GENERIF_SUMMARY	High expression of c-Myc/Ki-67 extranodal NK/T-cell lymphoma, na
Literature	GENERIF_SUMMARY	A structural basis for a conserved binding mechanism between p5
Literature	GENERIF_SUMMARY	MSP revealed GATA4 promoter methylation in 44 of 54 in the carci
Literature	GENERIF_SUMMARY	observed in TP53 gene.
Literature	GENERIF_SUMMARY	Disturbed flow promotes endothelial senescence via a p53-p21-de
Literature	GENERIF_SUMMARY	TP53 and SF3B1 mutations appear among the strongest prognost
Literature	GENERIF_SUMMARY	first-line therapy.
Literature	GENERIF_SUMMARY	p57 regulates T-cell development and prevents lymphomagenesis
Literature	GENERIF_SUMMARY	Data support the hypothesis that genetic variants that are associ
Literature	GENERIF_SUMMARY	with prolonged lifespan in a gender-specific manner.
Literature	GENERIF_SUMMARY	IP7, formed by IP6K2, binds CK2 to enhance its phosphorylation o
Literature	GENERIF_SUMMARY	stimulates p53 phosphorylation at serine 15 to activate the cell de
Literature	GENERIF_SUMMARY	The association between exposure to aflatoxin, mutation in TP53,
Literature	GENERIF_SUMMARY	population in Hyderabad, India.
Literature	GENERIF_SUMMARY	Endogenously high levels of Mdm4 inhibit and sequester p53 in AM
Literature	GENERIF_SUMMARY	Findings suggest that a key mechanism by which mutant p53 prom
Literature	GENERIF_SUMMARY	resulting in derepression of a network of oncogenic let-7i target ge
Literature	GENERIF_SUMMARY	Upregulation of p53 downstream transcripts.

Main Category	Category	
Literature	GENERIF_SUMMARY	We also discuss the evolution of the statistical methods used to do process vital to the release of an accurate TP53 mutation databases
Literature	GENERIF_SUMMARY	Mdmx may contribute to the regulation of p53 independently of M
Literature	GENERIF_SUMMARY	these findings indicate the contribution of the transcription-indepe oxidative stress in response to intense heat stress
Literature	GENERIF_SUMMARY	These findings may contribute to future diagnosis and therapy in T
Literature	GENERIF_SUMMARY	TP53 mutations are frequent events in double-hit B-cell lymphoma
Literature	GENERIF_SUMMARY	Persistent STAT5 activation in myeloid neoplasms recruits p53 into
Literature	GENERIF_SUMMARY	This study validates p53 immunohistochemistry as a strong and cl syndromes.
Literature	GENERIF_SUMMARY	Data indicate that missense mutant p53 stabilization is a complex characteristics but is unrelated to structural or functional properties
Literature	GENERIF_SUMMARY	complex role in squamous cell carcinoma
Literature	GENERIF_SUMMARY	We clarify that wildtype human p53, expressed in E. coli BL21 (DE3
Literature	GENERIF_SUMMARY	Unc5D is thus a newly identified transcriptional target of proapopto phosphorylation at ser15.
Literature	GENERIF_SUMMARY	Acetylation is critical in regulating human p53 responses to DNA d
Literature	GENERIF_SUMMARY	Nondisruptive mutations in the TP53 gene are an independent pro
Literature	GENERIF_SUMMARY	A stand-alone application can be used to browse the database and
Literature	GENERIF_SUMMARY	Genetic evaluation based on family history and Her2 status correc
Literature	GENERIF_SUMMARY	we observe how the clinical criteria for TP53 mutation screening a mutations continues to expand.
Literature	GENERIF_SUMMARY	p53 was not associated with infection prevalence or parasite dens argues against a major respective role of the TP53 codon 72 polym
Literature	GENERIF_SUMMARY	PP4 and Wip1 are differentially required to counteract the p53-dep responses, respectively
Literature	GENERIF_SUMMARY	WT-p53 is a potent suppressor of TGF-beta-induced Nox4 in p53-n enhanced Nox4 expression in both TGF-beta-dependent and TGF-b
Literature	GENERIF_SUMMARY	Establishment of Ki67, p53 and CD34 expression in human tooth b
Literature	GENERIF_SUMMARY	we also detected the protein expression of p53.
Literature	GENERIF_SUMMARY	Statistical analysis showed significantly different expression of p5
Literature	GENERIF_SUMMARY	Findings suggest that PTEN as well as p53 plays a critical role in D development of mammary tumors.[Review]
Literature	GENERIF_SUMMARY	Immunohistochemistry-based detection of altered expression of p progression of gastric carcinoma, even in the early stages.
Literature	GENERIF_SUMMARY	Results identify HERC2 as a regulator of p53 signaling.
Literature	GENERIF_SUMMARY	Study combined several orthogonal approaches and models to exp pancreatic ductal adenocarcinoma (PDAC)and identified the PDGF

Main Category	Category	
		and metastasis in both a murine model and human PDAC cells.
Literature	GENERIF_SUMMARY	These results demonstrate that p53 mutations increase apoptotic SIRT1 expression.
Literature	GENERIF_SUMMARY	some mutant p53 proteins regulate the expression of specific microRNAs
Literature	GENERIF_SUMMARY	An intronic promoter and two novel exons have been identified responsible for the regulation of p53 expression. These elements are additional targets for mutation events impairing the tumor suppressor function of p53.
Literature	GENERIF_SUMMARY	MDM2 rs2279744 and TP53 rs1042522 SNPs were associated with increased risk of gastric cancer.
Literature	GENERIF_SUMMARY	miR-3151 introns within BAALC have roles in driving leukemogenesis.
Literature	GENERIF_SUMMARY	p53 positive status was associated with a good response in gastric cancer patients (Meta-analysis)
Literature	GENERIF_SUMMARY	Results show that p53 loss is insufficient to drive lung adenocarcinoma cells to gain alterations that drive dissemination.
Literature	GENERIF_SUMMARY	Overexpression of miR-19b observed in human cancer cells can drive p53-dependent transcriptional repression.
Literature	GENERIF_SUMMARY	Mutations of the FGFR3 and TP53 genes are rare or absent in urothelial carcinoma.
Literature	GENERIF_SUMMARY	p53 is activated upon ribosomal biogenesis stress
Literature	GENERIF_SUMMARY	the mechanisms of cytoplasmic p53 activation
Literature	GENERIF_SUMMARY	codon 72 of the p53 Arg>Pro polymorphism may not significantly change the p53 protein stability
Literature	GENERIF_SUMMARY	Collectively, the data suggest that molecules such as p28 bind with the p53 protein and inhibit its function by interfering with the Mdm2 and Cop1 pathways.
Literature	GENERIF_SUMMARY	impact of SIRT1 on melanoma tumor cell growth and survival through p53 pathway
Literature	GENERIF_SUMMARY	Recommendations and guidelines for reporting and annotating TP53 mutations in cancer genomics data are easy to understand, analyze, and exchange across various cancer types.
Literature	GENERIF_SUMMARY	Drp1 and p53 interdependently induce mitochondrial damage and apoptosis
Literature	GENERIF_SUMMARY	Elevated p53 protein expression at diagnosis may be an indicator of poor outcome in colorectal cancer
Literature	GENERIF_SUMMARY	Intron 3 16 bp polymorphism of TP53 is not associated with breast cancer risk
Literature	GENERIF_SUMMARY	TP53BP1 rs2602141 A/C polymorphism is associated with cancer risk
Literature	GENERIF_SUMMARY	miR-542-3p is an important positive regulator of p53 with potential therapeutic implications
Literature	GENERIF_SUMMARY	mutant p53 protein via direct interaction with activated p-Ser326 Hsp27
Literature	GENERIF_SUMMARY	Protein expressions of p53 pathways are different between Nigerian and Chinese breast cancer patients, suggesting ethnic differences in tumour biology.
Literature	GENERIF_SUMMARY	kras and p53 undergo separate pathways in colorectal tumorigenesis and p53 is a prognostic factor correlated to poor outcome
Literature	GENERIF_SUMMARY	Knockdown of PLCE1 markedly increased 9.26 folds of the expression of p53 and inhibited the p53 promoter methylation
Literature	GENERIF_SUMMARY	The exogenous FOXO3a, interaction and mutually exclusive events with p53
Literature	GENERIF_SUMMARY	The presence of individual and multiple alterations of p53, p16 and p21 in breast carcinoma.

Main Category	Category	
Literature	GENERIF_SUMMARY	Uncoupling of ACSL5 and mitochondrial mortalin by mutated TP53
Literature	GENERIF_SUMMARY	TP53 mutation is associated with cancer.
Literature	GENERIF_SUMMARY	p53 Mutations are found in a high percentage of sebaceous carcin
Literature	GENERIF_SUMMARY	We set out to reveal the mechanisms by which embryos are proteo that express a conformational mutant of p53.
Literature	GENERIF_SUMMARY	combined analysis of TP53 polymorphisms Arg72Pro and 16-bp In Brazilian women.
Literature	GENERIF_SUMMARY	Report accumulation of somatic mutations in TP53 in gastric epith
Literature	GENERIF_SUMMARY	activation of p38 and JNK pathways may revert resistance of TP53
Literature	GENERIF_SUMMARY	EGFR/p53 mutations were associated with tumor size >1 cm, and adenocarcinoma. p53 mutation was significantly correlated with tu
Literature	GENERIF_SUMMARY	Knocking down WWP1 promoted cleaved caspase3 protein and p5 prevent cell apoptosis induced by the knockdown of WWP1.
Literature	GENERIF_SUMMARY	P53 and p21 null cells escaped complete arrest.
Literature	GENERIF_SUMMARY	In the regulation of p53-targeting miRNAs.
Literature	GENERIF_SUMMARY	Cellular apoptosis susceptibility and importin-alpha1 are targets o growth.
Literature	GENERIF_SUMMARY	p53 gene expression is related to the carcinogenesis of oral cavity
Literature	GENERIF_SUMMARY	Results suggest that CIP exerts its effect in TK6 cells by promoting p53 phosphorylation and increasing Bcl-2 production.
Literature	GENERIF_SUMMARY	This study reveals that TP53 mutations have different clinical relev in the biology underlying breast cancer development.
Literature	GENERIF_SUMMARY	TET1 suppresses cancer formation by coupling DNA demethylation
Literature	GENERIF_SUMMARY	Findings define palmdelphin as a target of serine-46-phosphorylate
Literature	GENERIF_SUMMARY	HDMX and HDM2 act as nonredundant IRES trans-acting factors to
Literature	GENERIF_SUMMARY	p53 negatively modulates Bcl-2 by controlling miR-1915.
Literature	GENERIF_SUMMARY	The BCL-xl/p53 complex is characterized by NMR spectroscopy.
Literature	GENERIF_SUMMARY	p53 expression was observed in 10% (2/20) of the Neuroblastoma
Literature	GENERIF_SUMMARY	As predicted by docking and molecular dynamics simulations, p53 dependent ubiquitylation and 26S proteasome-mediated degradati
Literature	GENERIF_SUMMARY	Suggest that the ability of cisplatin to induce apoptosis of rat meso
Literature	GENERIF_SUMMARY	Data found no strong evidence that common variants in the TP53 p it is unlikely that TP53 Arg72Pro is implicated in the UCB in white B
Literature	GENERIF_SUMMARY	Wnt/beta-catenin regulated the proliferation and differentiation of
Literature	GENERIF_SUMMARY	our data indicate that miR-125a-5p antagonism results in the activ miRNA in the biopathology of multiple myeloma
Literature	GENERIF_SUMMARY	Study shows that TRIM24 is destabilized by ATM-mediated phosph

Main Category	Category	
		interactions and promotes the degradation of TRIM24.
Literature	GENERIF_SUMMARY	PLZF-RARalpha as an oncogenic transcriptional repressor of cyclin genes
Literature	GENERIF_SUMMARY	Similar to other cancers, the median overall survival was significantly improved by TP53.
Literature	GENERIF_SUMMARY	They underscore the new role of USF1 and give new clues of how p
Literature	GENERIF_SUMMARY	Trp53 haploinsufficiency and EGFR overexpression cooperate in vi sheath tumorigenesis
Literature	GENERIF_SUMMARY	The ""AGT"" to ""ACT"" missense mutation was identified at position
Literature	GENERIF_SUMMARY	TP53 mutations strongly correlated with poorer survival in higher r azacitidine
Literature	GENERIF_SUMMARY	loss of SETD2 may afford an alternative mechanism for the inactiv mutations in TP53.
Literature	GENERIF_SUMMARY	Propose that lsg15-dependent degradation of p53 represents an a pathway for drug discovery.
Literature	GENERIF_SUMMARY	Temporal separation of pro- and anti-apoptotic signaling induced b chemotherapy in p53-mutated HACAT cells.
Literature	GENERIF_SUMMARY	We studied 3 cases of leukemic, non-nodal mantle cell lymphoma
Literature	GENERIF_SUMMARY	Results suggest that p53-regulated TUG1 is a growth regulator, wh
Literature	GENERIF_SUMMARY	Under conditions of energy stress, gain-of-function mutp53s, but n activation.
Literature	GENERIF_SUMMARY	the p53-SLC2A9 pathway is a novel antioxidant mechanism that us accumulation of reactive oxygen species-associated damage that
Literature	GENERIF_SUMMARY	Data shows that MEG3 inhibits epithelial ovarian cancer cells proli
Literature	GENERIF_SUMMARY	These findings provide novel insights into the role of p53 as a regul Warburg effect
Literature	GENERIF_SUMMARY	APC, KRAS, and TP53 gene mutations were more common in color
Literature	GENERIF_SUMMARY	Studies indicate that the tumor protein p53 codon 72 G > C polym
Literature	GENERIF_SUMMARY	The role of distinct SGK1/FOXO3A-associated regulation in p53 ve affect reciprocal SGK1-FOXO3A-Akt regulation.
Literature	GENERIF_SUMMARY	We identified differential therapeutic vulnerabilities that emerge up and PI3K provides increased efficacy in hormone-insensitive adva
Literature	GENERIF_SUMMARY	results enable the study of many uncharacterized p53 target genes
Literature	GENERIF_SUMMARY	IDH1/IDH2 but not TP53 mutations together with other prognostic in patients with glioblastomas
Literature	GENERIF_SUMMARY	p53 expression was positive in 55.6% of tumors in a cohort with co
Literature	GENERIF_SUMMARY	In triple negative breast cancer, TP53 expression was correlated w ultrasound.
Literature	GENERIF_SUMMARY	The findings couple p73 with p53 in determining cell fate under AM

Main Category	Category	
Literature	GENERIF_SUMMARY	We used a mouse model with Trp53 LOH (similar to human tumors) to assess how p53 mutations affect response to autophagy inhibition.
Literature	GENERIF_SUMMARY	Although the P53c72 polymorphism does not appear to be a predictor of tumor susceptibility in Northern Iran, the Pro/Pro genotype could be considered as a risk factor for gastric cancer tumor.
Literature	GENERIF_SUMMARY	miR-339-5p expression is downregulated in tumors harboring wild-type p53, and its overexpression elicits a growth response in p53-competent tumor cells.
Literature	GENERIF_SUMMARY	Up-regulation of P53/microRNA-34 axis has a potent tumor-suppressive effect in human gastric cancer.
Literature	GENERIF_SUMMARY	Report TP53 expression in association with hormone replacement therapy in breast cancer.
Literature	GENERIF_SUMMARY	Survivin plays an essential role in proper amphitelic kinetochore-spindle attachment and chromosome segregation in aneuploidy which cannot be controlled by p53.
Literature	GENERIF_SUMMARY	Assessing p53 basal positivity by image analysis with an optimal threshold value for the detection of UC-associated early-stage neoplasia.
Literature	GENERIF_SUMMARY	overexpression of tumor protein p53 may be responsible for the high incidence of gastric cancer with conditions of low apoptotic cell death
Literature	GENERIF_SUMMARY	Results show that some of the mature tumor vascular endothelium exhibit TP53 mutations and p53 cyto-genetic abnormality (an abnormal nuclear accumulation of p53 protein).
Literature	GENERIF_SUMMARY	Data indicate that ellipticine-induced apoptosis is exerted through p53-dependent mechanism.
Literature	GENERIF_SUMMARY	In conclusion, this study provides a p53-dependent mechanism by which ellipticine induces apoptosis.
Literature	GENERIF_SUMMARY	P53 protein accumulation is significantly associated with HER2 overexpression in gastric cancer. P53 polymorphism in PIK3CA gene is inversely associated with P53 protein accumulation.
Literature	GENERIF_SUMMARY	In OSCC, TP53 mutations were observed in 26 of 79 patients (32.9%).
Literature	GENERIF_SUMMARY	Data indicate that in addition to frequent biallelic loss of TP53 protein, TP53 mutations are observed in 26 of 79 patients (32.9%).
Literature	GENERIF_SUMMARY	The current evidence suggests that s-p53 antibody has potential diagnostic and therapeutic value in gastric, hepatic, lymphoma, lung and ovarian cancer.
Literature	GENERIF_SUMMARY	The observations in this study point to a major role of p53(mut_c) in the regulation of ABCG2/G2 overexpression, high GSH and metabolic activity levels in gastric cancer.
Literature	GENERIF_SUMMARY	data suggest that the attenuation of p53 phosphorylation on Ser46 is involved in the regulation of p53 phosphorylation on Ser46.
Literature	GENERIF_SUMMARY	sequencing analysis revealed missense mutations in PIK3CA, and p53 protein accumulation is significantly associated with HER2 overexpression in gastric cancer.
Literature	GENERIF_SUMMARY	in mice, mutant Trp53 accelerated BRAF(V600E)-driven melanoma growth, suggesting that p53 mutations in human melanoma may be associated with a more aggressive phenotype.
Literature	GENERIF_SUMMARY	The observed anti-apoptotic effect of leptin in placenta is in part mediated by p53.
Literature	GENERIF_SUMMARY	TP53 mutations may possibly be associated with a more indolent clinical course.
Literature	GENERIF_SUMMARY	Data indicate that a positive correlation was found between expression of p53 and histological grade (HL).
Literature	GENERIF_SUMMARY	The regulation of alternative splicing of TP53 can be a new therapeutic target for cancer treatment.
Literature	GENERIF_SUMMARY	p53 was established as a master regulator of translational control and several p53-dependent cellular responses were identified.
Literature	GENERIF_SUMMARY	Data suggest that the GAS5-derived snoRNAs are under control of p53.

Main Category	Category	
		damage, which may not relate to their function in the ribosome.
Literature	GENERIF_SUMMARY	We conclude that looking at the accumulation of cells in the G2 co and that the G2 block itself is indeed independent of functional p53.
Literature	GENERIF_SUMMARY	Data indicate that germline mutations in DNA-binding domain of TP53
Literature	GENERIF_SUMMARY	Expression levels of TP53 in large gastric hyperplastic polyps did not
Literature	GENERIF_SUMMARY	Both p53 wildtype and mutant human lung adenocarcinoma tumors
Literature	GENERIF_SUMMARY	the use of p53 and pRB protein expression has no contribution in the hepatocellular carcinoma and hepatoblastoma.
Literature	GENERIF_SUMMARY	It was observed that the TP53 CGC to CCC polymorphism in exon-4 confirmed through the meta-analysis of the published data.
Literature	GENERIF_SUMMARY	Inheritance of TP53 R337H mutation may significantly contribute to
Literature	GENERIF_SUMMARY	Knockdown of tp53 leads to a decrease in breast cancer cell swelling
Literature	GENERIF_SUMMARY	results provide novel insights into the role of ATF3 as an essential treatment, and this may be a useful biomarker for TRAIL-based anti-
Literature	GENERIF_SUMMARY	Using gene manipulation strategies, authors reveal for the first time SWCNT-transformed cells partly through p53 dysregulation.
Literature	GENERIF_SUMMARY	In summary, the results of the present study provide mechanistic evidence cytotoxicity in prostate cancer cells.
Literature	GENERIF_SUMMARY	we validated the top two synthetic lethal gene pairs, CSNK1E-TP53
Literature	GENERIF_SUMMARY	induced by IL-15, promotes migration and invasion of bladder cancer
Literature	GENERIF_SUMMARY	TRP53 mutation plays a role in young patients tongue cancer with
Literature	GENERIF_SUMMARY	High-grade dysplasia and gastric carcinomas can be distinguished by high specificity and good sensitivity using a combination of the immun
Literature	GENERIF_SUMMARY	this study demonstrated that ERR alpha plays an important role in and attenuating the activation of p53 mediated apoptosis signaling
Literature	GENERIF_SUMMARY	A meta-analysis suggest that the TP53 codon 72 polymorphism is of human papillomavirus infection.
Literature	GENERIF_SUMMARY	The study advances the understanding of the molecular basis of p
Literature	GENERIF_SUMMARY	Assessment of TP53 functionality in chronic lymphocytic leukaemia
Literature	GENERIF_SUMMARY	Mutations of p53 increase the stability of the protein, which in turn
Literature	GENERIF_SUMMARY	p53, KLF4, and p21 showed altered expression patterns in pulmonary with accumulation of aggressive features in typical carcinoids.
Literature	GENERIF_SUMMARY	lower expression in patients with chronic rhinosinusitis with nasal
Literature	GENERIF_SUMMARY	Our results indicated that cisplatin attenuates prostate cancer cell pathway or p53-independent NFkappaB pathway.
Literature	GENERIF_SUMMARY	data indicated that UVB (50 mJ cm(-2)) alone is not a good inducer of induction of ROS and p53 by UVB
Literature	GENERIF_SUMMARY	p53MVA was well tolerated and induced robust CD8+ T-cell response

Main Category	Category	
		sustain immune responses and lead to enhanced clinical benefit.
Literature	GENERIF_SUMMARY	Suppression of the DHX9 helicase induces premature senescence
Literature	GENERIF_SUMMARY	p53 protein expression in the tumor tissue is an independent predictor of cancer
Literature	GENERIF_SUMMARY	these results identify sIL-1Ra as a novel mutant p53 target gene, with the microenvironment through which mutant p53 promotes tumor malignancy
Literature	GENERIF_SUMMARY	genetic polymorphism may be associated with susceptibility to endometrial cancer
Literature	GENERIF_SUMMARY	demonstrated that Cullin7 promoted breast cancer cell proliferation
Literature	GENERIF_SUMMARY	In the p53 mutation group with additional aberrations, those who received radiotherapy had a significantly better overall survival than those treated with non-matched-therapy or those who received no treatment
Literature	GENERIF_SUMMARY	p53 and nitric oxide are involved in the mediation of apoptosis induced by hydrogen peroxide
Literature	GENERIF_SUMMARY	p53 directly activates expression of the NAD(+)-dependent histone deacetylase, leading to histone deacetylation and export to the cytoplasm.
Literature	GENERIF_SUMMARY	Two candidate p53 binding sites located in proximity to the replication origin
Literature	GENERIF_SUMMARY	expression of EGFR, CDKN2A and TP53 may be associated with tumor progression
Literature	GENERIF_SUMMARY	Our study provides novel insights of p53-mediated responses under oxidative stress
Literature	GENERIF_SUMMARY	Western blot analysis data demonstrated that miR-504 abrogates TP53
Literature	GENERIF_SUMMARY	Ash2L acts in concert with P53 promoter occupancy to activate RPL10A, a gene required for its activation.
Literature	GENERIF_SUMMARY	several mutant p53 proteins bind the Pla2g16 promoter at E26 transcription start site, suggesting that mutant p53 induction of Pla2g16.
Literature	GENERIF_SUMMARY	Report prognostic implications of p53 staining in HPV-independent oropharyngeal cancer
Literature	GENERIF_SUMMARY	mutations of CRP and p53 or K-ras appear to be unrelated
Literature	GENERIF_SUMMARY	our findings suggest that patients who present heterozygous genotypes for p53 may have a higher risk of distant metastasis and this could serve as potential auxiliary biomarker for prognosis
Literature	GENERIF_SUMMARY	vimentin, survivin and p53 may have a role in clear cell renal cell carcinoma
Literature	GENERIF_SUMMARY	p53 staining is not a reliable diagnostic adjunct in irradiated breast cancer
Literature	GENERIF_SUMMARY	ATG5-expressing cells showed elevated p53 levels and increased p53 activity
Literature	GENERIF_SUMMARY	We conclude that not Pro47Ser SNP but Arg72Pro p53 SNP is involved in the development of nasopharyngeal carcinoma
Literature	GENERIF_SUMMARY	TP53 mutations were detected in 3 out of 5 cerebellar glioblastoma samples
Literature	GENERIF_SUMMARY	13q14 copy number and MIR15A/MIR16-1 levels correlate positively with p53 expression, suggesting that MIR15A/MIR16-1 at chromosome 13q14 may de-repress oncogenes
Literature	GENERIF_SUMMARY	p53 expression increases under oxidative stress.
Literature	GENERIF_SUMMARY	18 (50.0%) had a TP53 mutation.
Literature	GENERIF_SUMMARY	inactivation of MSH4 in germ cells may have played a role in the acquisition of p53 mutations
Literature	GENERIF_SUMMARY	The loss of wild-type p53 in high-grade endometrioid endometrial carcinoma

Main Category	Category	
		tumors.
Literature	GENERIF_SUMMARY	PHF2 acts as a tumor suppressor in association with p53 in cancer
Literature	GENERIF_SUMMARY	autophagy inhibition was effective against pancreatic ductal adenocarcinoma
Literature	GENERIF_SUMMARY	TRIM59 interacts with P53, promoting its ubiquitination and degradation
Literature	GENERIF_SUMMARY	Cigarette smoke condensate decreased AP-2alpha expression by suppressing p53-dependent transcription in p53-deficient NCI-H1299 cells.
Literature	GENERIF_SUMMARY	This study confirms p53 as a potential predictive and prognostic factor in breast cancer
Literature	GENERIF_SUMMARY	These findings suggest that the Brazilian founder mutation p.R337G is a pathogenic variant and not a benign germline alteration in Portuguese women diagnosed with breast cancer
Literature	GENERIF_SUMMARY	The type of TP53 mutations and the genetic background of a cancer are important factors in determining the clinical outcome of patients with TP53 mutations
Literature	GENERIF_SUMMARY	TP53 rs1042522 polymorphism may play a role in modulating risk of breast cancer
Literature	GENERIF_SUMMARY	p53 acts as a molecular switch in monitoring IGF-1-induced proliferation and differentiation, involving IGF-1-SIRT1-p53 signaling in cellular senescence and aging
Literature	GENERIF_SUMMARY	Expression of NF-kappaBp65 and p53 in a dose-dependent manner in response to oxidative stress
Literature	GENERIF_SUMMARY	TP53 mutational status acts as effect modifier the association between trastuzumab and survival in breast cancer
Literature	GENERIF_SUMMARY	TP53 mutation status in NSCLC tumors expressing p53Psi displayed a decreased survival rate
Literature	GENERIF_SUMMARY	Degradation of p53 protein induced by bacterial CagA protein is controlled by MDM2 and HDM2, are involved in this process.
Literature	GENERIF_SUMMARY	The p53-MDM2-MEF axis is a feedback mechanism that exquisitely regulates cell growth and differentiation
Literature	GENERIF_SUMMARY	Cytoplasmic p53 may have a special role in cell viability by influencing mitochondrial function and apoptosis in the striatum of young and aged rats.
Literature	GENERIF_SUMMARY	TP53 mutation is frequently accompanied by loss of chromosome 17p13.1, leading to a significant decrease in survival time (1.9 years versus >5 years for TP53 mutation-free patients)
Literature	GENERIF_SUMMARY	Abrogation of the P53-mediated apoptosis response to DNA damage in human cells
Literature	GENERIF_SUMMARY	We have predicted three deleterious coding non-synonymous single nucleotide polymorphisms (SNPs), rs28934874 (P151T) in TP53 with a phenotype in breast tumors.
Literature	GENERIF_SUMMARY	Data suggest that tumor protein 53 (P53) single nucleotide polymorphisms (SNPs) and their associated genotypes may be potentially used as sensitive genetic markers for cancer diagnosis and prognosis
Literature	GENERIF_SUMMARY	Mathematical simulation of p53-Mdm2 protein biological system reveals the role of p53 in cell cycle regulation
Literature	GENERIF_SUMMARY	TP53 mutant p53 enhances cancer progression by inhibiting KLF17 expression
Literature	GENERIF_SUMMARY	These findings demonstrate that (a) p53 and Oma1 mediate L-Opa1-induced apoptosis in OVCA and CECA cells, and (c) dysregulated mitochondrial function is involved in the process
Literature	GENERIF_SUMMARY	p53 is critical for enhancing TRAIL-induced apoptosis in colon cancer cells
Literature	GENERIF_SUMMARY	Results revealed an important role and mechanism of p53 in antagonizing the growth of tumor cells and its function in tumor suppression.
Literature	GENERIF_SUMMARY	Study demonstrates a link between p53 and Bcl-2 proteins as regulators of mitochondrial function, especially ND5, as their functional target in lung tumor cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	Our data indicate that both PARP1 and p53 activation is a feature i
Literature	GENERIF_SUMMARY	Our data support the hypothesis of prognostic significance of P53 needed to clarify the issue.
Literature	GENERIF_SUMMARY	Ductal adenocarcinoma of the pancreas metastasing to the liver re
Literature	GENERIF_SUMMARY	Report tumor marker expression in conventional renal cell carcinom
Literature	GENERIF_SUMMARY	TP53 is a powerful tumor suppressor, and oncogenic transformation p53 not only prevents tumorigenesis, but also tumor progression, l
Literature	GENERIF_SUMMARY	The deletion of p53 is associated with advanced stage of the chro
Literature	GENERIF_SUMMARY	elevated protein expression of p53, cyclin D1 and Ki-67 in the seco the secondary tumor
Literature	GENERIF_SUMMARY	In conclusion, p53, p21 and Cdc2 may be involved in the occurrenc
Literature	GENERIF_SUMMARY	we found that the somatic mutation 747 (G-->T), a hot spot mutati HCC tumour samples.
Literature	GENERIF_SUMMARY	These findings suggest that targeting miR-146a expression may ha
Literature	GENERIF_SUMMARY	Using the VLSM approach, we identified that GBMs with p53 mutat
Literature	GENERIF_SUMMARY	SIRT1 exerted anti-carcinogenic effects via the AMPK-mTOR pathw
Literature	GENERIF_SUMMARY	Data suggest that TP53/p53-dependent oxidative damage and apo particulate matter- (PM2.5-) induced apoptosis in bronchial epithel
Literature	GENERIF_SUMMARY	Esophageal carcinoma patients with a normal TP53 marker status fluorouracil, whereas those with a mutant TP53 marker status app
Literature	GENERIF_SUMMARY	Functional studies reveal that p21 and p53 cooperate to facilitate p53(R273H), a mutant lacking trans-activating activity.
Literature	GENERIF_SUMMARY	Altered expression of genes associated with telomere maintenanc
Literature	GENERIF_SUMMARY	Autophagic degradation of the inhibitory p53 isoform Delta133p53
Literature	GENERIF_SUMMARY	Studied the apoptosis of hepatic stellate cells induced by SEA; fou siRNA and in hepatic stellate cells that were treated with DR5-spec
Literature	GENERIF_SUMMARY	these results demonstrate that DNAJB9 is a downstream target of
Literature	GENERIF_SUMMARY	for both oncogene- and DNA damage-induced cellular senescence and this repression is necessary for cell-cycle exit during senescen
Literature	GENERIF_SUMMARY	Genetic aberrations in CDKN2A were found in 16 (14.2%) and thos
Literature	GENERIF_SUMMARY	The data demonstrate large differences in invasion capacities of 5 histologically all cell lines belong to the glioblastoma grade IV.
Literature	GENERIF_SUMMARY	short telomere length in peripheral blood leukocytes is a biomarker effects with p53 variants & HPV seropositivity regarding the risk of
Literature	GENERIF_SUMMARY	ArhGAP30 is required for p53 acetylation and functional activation
Literature	GENERIF_SUMMARY	TP53mut analysis and MDM2(SNP309) genotyping may be useful benefit from new drugs targeting the p53 signaling pathway.
Literature	GENERIF_SUMMARY	LincRNA-p21, a transcriptional target of p53, feeds back to enhanc

Main Category	Category	
Literature	GENERIF_SUMMARY	The decrease of p53 function and level reduced frataxin mRNA and
Literature	GENERIF_SUMMARY	This study demonstrates that p53 is still an important determinant in various conditions.
Literature	GENERIF_SUMMARY	SIRT1 suppressed UVB-induced p53 acetylation and its transcriptional activity
Literature	GENERIF_SUMMARY	L-GILZ stabilizes p53 proteins by decreasing p53 ubiquitination and subsequent degradation
Literature	GENERIF_SUMMARY	Strap augments the apoptotic effects of mitochondrial p53.
Literature	GENERIF_SUMMARY	These data suggest that there are significant associations between p53 polymorphisms and the TP53 codon 72 polymorphism with cervical cancer in Chinese women
Literature	GENERIF_SUMMARY	The results of present study indicated that among the five TP53 polymorphisms, the genotype combination contribute to breast cancer susceptibility in Chinese women
Literature	GENERIF_SUMMARY	Data show that tumor protein TP53 codon 72 polymorphism may be associated with the occurrence of breast cancer
Literature	GENERIF_SUMMARY	TP53 reponse element polymorphisms are associated with increased risk of breast cancer
Literature	GENERIF_SUMMARY	The data obtained suggest that HIV-infected women are more susceptible to HPV, and Pro72Pro of TP53 gene and TG of MDM2 SNP309 genotype are associated with HPV infection
Literature	GENERIF_SUMMARY	A new gatekeeper role for p53 in repressing c-MYC-induced cancer
Literature	GENERIF_SUMMARY	the evaluation of p53 expression in keratocysticodontogenic tumors
Literature	GENERIF_SUMMARY	orthotopic transplantation of G-2 cells as well as of G-2 cells expressing p53, the epithelial phenotype, closely similar to that of endogenous primary
Literature	GENERIF_SUMMARY	We found that 20% of the patients with basal cell carcinoma harbor mutations in the p53 gene. Four of the six TP53 mutations showed
Literature	GENERIF_SUMMARY	findings demonstrate that BIRC6 overexpression in hepatocellular carcinoma p53 facilitates degradation of p53
Literature	GENERIF_SUMMARY	disease-free survival and overall survival rates were significantly lower
Literature	GENERIF_SUMMARY	This study highlights that the gain of MYC and TP53 copies seems to be associated with poor prognosis
Literature	GENERIF_SUMMARY	According to our preliminary genetic analysis, PIN3 Ins16pb polymorphism is associated with breast cancer in Moroccan population.
Literature	GENERIF_SUMMARY	Considering the proposed role for mutant p53 as a driver of cancer progression, with other oncogenic alterations, stands out as a possibility for the
Literature	GENERIF_SUMMARY	mutant p53 proteins are critical components of oncogenic transcriptional activation
Literature	GENERIF_SUMMARY	dominant p53 mutants that have gained oncogenic functions can be
Literature	GENERIF_SUMMARY	review three mechanisms that influence p53 activity and provide insight into
Literature	GENERIF_SUMMARY	This chapter will discuss current mechanisms of how p53 mutation affects cellular outcomes based on p53 status
Literature	GENERIF_SUMMARY	Relief from Mdm2 suppression is required for p53 to be stabilized and
Literature	GENERIF_SUMMARY	address the multifaceted ways in which intrinsic mutant p53 proteins affect the p53 phenotype
Literature	GENERIF_SUMMARY	Mdm2, p53 and HIF1alpha all respond to hypoxia, and intriguingly,

Main Category	Category	
Literature	GENERIF_SUMMARY	Dysregulation of p53-independent functions could be responsible to explain why approximately 10 % of human tumors overexpress Mdm2
Literature	GENERIF_SUMMARY	establish that p53 acts as an important linchpin between upstream recombination, and apoptosis
Literature	GENERIF_SUMMARY	Understanding the metabolic and antioxidant functions of p53 allow inactivated
Literature	GENERIF_SUMMARY	focuses on lung cancer stem cells, p53 mutations noted in these cells
Literature	GENERIF_SUMMARY	A total of 66.7% of human papillomavirus-positive Bowen disease and negative Bowen disease.
Literature	GENERIF_SUMMARY	The TP53 Arg72Pro and the MDM4 rs4245739 polymorphisms contribute
Literature	GENERIF_SUMMARY	Therefore, Beclin-1-p53 interaction defines one additional molecular
Literature	GENERIF_SUMMARY	expression of K-Ras and RalB and possibly RalA proteins is critical to reactivates p53 by significantly enhancing its stability, contributing
Literature	GENERIF_SUMMARY	No statistically significant association was observed between the
Literature	GENERIF_SUMMARY	These findings indicate that p53 and MMR system play an important role could be a potential therapeutic target for tobacco-related cancers
Literature	GENERIF_SUMMARY	binding mode of the phosphorylated transactivation domain of tumor
Literature	GENERIF_SUMMARY	In human primary schwannoma cells p53 was found to be downregulated survival
Literature	GENERIF_SUMMARY	The normal p53 gene is also known as wild-type p53 (wtp53), and induces apoptosis.
Literature	GENERIF_SUMMARY	Our data suggest that LCE1 is a novel p53 downstream target that functions through modulation of the PRMT5 activity.
Literature	GENERIF_SUMMARY	Mutations in the TP53 gene and to lesser extent in the PIK3CA gene in carcinoma and CIN3
Literature	GENERIF_SUMMARY	Genomic landscape of Ewing sarcoma defines an aggressive subtype
Literature	GENERIF_SUMMARY	Data suggest that the TP53 allele with PIN3 duplication shows high heterozygotes (A1/A2) might be partially responsible for TP53 hap
Literature	GENERIF_SUMMARY	Up-regulation of Fas-L and cell surface localization of FAS induced
Literature	GENERIF_SUMMARY	we provide evidence for the co-segregation of a TP53 tetramerization syndrome pedigree
Literature	GENERIF_SUMMARY	There was no significant difference between the p53 codon 72 polym
Literature	GENERIF_SUMMARY	Hypofractionated radiotherapy enhances p53 gene transcription and
Literature	GENERIF_SUMMARY	our results demonstrate an antitumoral role of HO-1 in colorectal cancer
Literature	GENERIF_SUMMARY	Suggest that TAp73 keeps p53 activity in check in regulating cell fate
Literature	GENERIF_SUMMARY	Using human glioblastoma multiforma cell lines, this research team p53 via a tumor-targeted nanocomplex limited the development of
Literature	GENERIF_SUMMARY	KLF9 suppresses the growth of hepatocellular carcinoma cells in vitro

Main Category	Category	
Literature	GENERIF_SUMMARY	Data [including data from studies on recombinant p53(1-93)] suggest that the Ala/Pro polymorphism is important for p53 stability; Ala/Pro residues appear to contribute to properties of intracellular p53
Literature	GENERIF_SUMMARY	case-control study for sporadic cases of colorectal cancer(CRC)involving TP53 polymorphisms and susceptibility to CRC; there are 2 important genotypes
Literature	GENERIF_SUMMARY	Genetic polymorphisms of ERCC1 and TP53 are risk factors for nasopharyngeal cancer
Literature	GENERIF_SUMMARY	results show that the need of a functional p53 signaling pathway could be a prognostic factor for survival
Literature	GENERIF_SUMMARY	Data indicate that TRIML2 is part of a feed-forward loop that activates p53
Literature	GENERIF_SUMMARY	Results identified p53 as the major early response transcription factor in response to DNA damage
Literature	GENERIF_SUMMARY	The results show an intricate interplay between p53 and TGF-beta3 that may regulate p53-mediated responses and impede tumor cell invasion and migration
Literature	GENERIF_SUMMARY	we present the first demonstration that the purified SH3 domains of p53 can discriminate between the two polymorphic variants P72R and P73R
Literature	GENERIF_SUMMARY	p53 aggregation is a potential therapeutic target for reversing chemoresistance
Literature	GENERIF_SUMMARY	Intronic polymorphisms and alternative splicing in TP53 gene is associated with cancer susceptibility
Literature	GENERIF_SUMMARY	Cygb stabilizes p53 by inhibiting its ubiquitination and elicit cell cycle arrest
Literature	GENERIF_SUMMARY	TP53 protein-positive expression can serve as an independent, unfavorable prognostic factor in colorectal cancer
Literature	GENERIF_SUMMARY	Our findings indicated an interplay between BUBR1 and p53 in colorectal cancer cells leading to chromosomal instability.
Literature	GENERIF_SUMMARY	structural information obtained in the present study provides a rationale for the design of p53 inhibitors
Literature	GENERIF_SUMMARY	We found that shRNA-58335 evokes the apoptotic response following p53 activation
Literature	GENERIF_SUMMARY	Single nucleotide polymorphism in the TP53 gene is associated with susceptibility to colorectal cancer
Literature	GENERIF_SUMMARY	FOXA1/2 is required for p53-independent p21 expression
Literature	GENERIF_SUMMARY	ABRO1 is a novel p53 regulator that plays an important role in tumor suppression
Literature	GENERIF_SUMMARY	Data indicate that combined analyses of genetic aberrations and p53 expression can predict the outcome of diffuse large B-cell lymphomas patients with poor outcome
Literature	GENERIF_SUMMARY	protein levels of the tumor suppressor p53 and its targets, p21 and p27, were significantly reduced in cells treated with RPL31 siRNA.
Literature	GENERIF_SUMMARY	Minor TP53 mutations may be present before therapy and may occur during therapy and may lead to drug resistance
Literature	GENERIF_SUMMARY	KAISO is a regulator of p53-mediated transcription of CDKN1A and CDKN2A
Literature	GENERIF_SUMMARY	cells lacking Ras and p53 proteins owe their proliferative properties to a novel, Ras- and p53-independent mechanism
Literature	GENERIF_SUMMARY	Finding
Literature	GENERIF_SUMMARY	Intensive oxidative stress induces sustained high levels of gammaH2AX
Literature	GENERIF_SUMMARY	p53 isoforms target an intrinsic balance between the G1 and G2 checkpoint and the DNA damage response pathway that suppresses p21 and lowers the apoptotic threshold to maintain genomic stability
Literature	GENERIF_SUMMARY	Data indicate that tumor suppressor P53 can suppress canonical NF-κB signaling

Main Category	Category	
		PTCH1 homolog.
Literature	GENERIF_SUMMARY	Data indicate that the rates of BCL6 gene rearrangement, P53 gene mutation (5/65), respectively.
Literature	GENERIF_SUMMARY	The role of P53 was evaluated by immunohistochemistry in an adenocarcinoma.
Literature	GENERIF_SUMMARY	Meanwhile, miRNAs directly/indirectly control the expression level of p53, indicating that the interplay between p53 and miRNA is overly complicated. [11]
Literature	GENERIF_SUMMARY	Suppression of genes within the RB and p53 pathways induces cell growth.
Literature	GENERIF_SUMMARY	TP53 mutations are present in circulating tumor cells but not in serum.
Literature	GENERIF_SUMMARY	The results emphasize the potential of Ki-67 and p53 as biomarkers for tumor progression.
Literature	GENERIF_SUMMARY	Lack of functional p53 renders DENSpm-induced autophagy and apoptosis.
Literature	GENERIF_SUMMARY	Data indicate that MiR-125b regulates lens epithelial cell apoptosis.
Literature	GENERIF_SUMMARY	This study reports on a oxazoloisoindolinone scaffold for antineoplastic activity.
Literature	GENERIF_SUMMARY	XAF1 stimulates HIPK2-mediated Ser-46 phosphorylation of p53 and inhibits p53-mediated transcriptional activation of ZNF313.
Literature	GENERIF_SUMMARY	Wilms tumour with diffuse anaplasia patients carrying TP53 mutations have a poor prognosis, suggesting a more unstable genome.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with neoplasms.
Literature	GENERIF_SUMMARY	There is an increased risk of endometrial cancer in postmenopausal women.
Literature	GENERIF_SUMMARY	Studies suggest that positive/high tumor suppressor protein p53 expression is associated with gastric cancer.
Literature	GENERIF_SUMMARY	LIF has a role in negatively regulating tumour-suppressor p53 through inhibition of p53 transcriptional activity.
Literature	GENERIF_SUMMARY	TP53 gene mutation is associated with breast cancer .
Literature	GENERIF_SUMMARY	Immunoexpression and gene mutation of p53 was not simultaneously observed in the same tumor.
Literature	GENERIF_SUMMARY	Deletion of Pten and p53 in mammary epithelium accelerates triple negative breast cancer.
Literature	GENERIF_SUMMARY	Our results indicate that alterations in p53 may be an early biomarker for colorectal carcinogenesis.
Literature	GENERIF_SUMMARY	Cigarette smoking and overexpression of p53 or p21 are associated with lung cancer.
Literature	GENERIF_SUMMARY	These compounds all inhibited ATR-selective phosphorylation and subsequent p53 activation.
Literature	GENERIF_SUMMARY	High-expression of Rsf-1 is associated with pathologic subtypes of colorectal cancer, which confers tumor aggressiveness through chromatin remodeling.
Literature	GENERIF_SUMMARY	Report TP53 mutation status in colorectal neoplasms and neuroendocrine tumors.
Literature	GENERIF_SUMMARY	Overexpression of TP53 is associated with hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	TP53 polymorphisms is associated with esophageal cancer.
Literature	GENERIF_SUMMARY	Results show that in response to DNA damage, p53 total levels increased and phosphorylated p53 was formed at a constant rate under the control of ARC protein.
Literature	GENERIF_SUMMARY	p53 activation by inauhzin via inhibiting SIRT1, also inhibits cellular growth.

Main Category	Category	
		thus representing in a new anti-cancer strategy.
Literature	GENERIF_SUMMARY	Results propose that combined TP53/CDKN1A mutation with loss of p53 target genes may confer particular sensitivity to the combination of a DNA-damaging chemotherapeutic agent.
Literature	GENERIF_SUMMARY	These data indicate that both nuclear and extranuclear signaling pathways are involved in the regulation of p53 in HUVECs.
Literature	GENERIF_SUMMARY	Study showed that the expression of COX-2, EZH-2, and p53 may be associated with the progression of breast lesions and may be regarded as potential prognostic factors.
Literature	GENERIF_SUMMARY	Study observed epigenetic alterations (global genome hypomethylation and hypermethylation) in metastatic breast cancer cells of the 21 T series. These alterations were associated with transcription at the P1 promoter.
Literature	GENERIF_SUMMARY	This study did not detect any significant differences regarding MDM2 expression between the two groups.
Literature	GENERIF_SUMMARY	LAMP3 and TP53 protein expression was significantly higher in cancer cells. LAMP3 expression correlated with poor overall survival.
Literature	GENERIF_SUMMARY	Increasing residual p53 helicity results in stronger Mdm2 binding, leading to increased cell cycle arrest upon DNA damage.
Literature	GENERIF_SUMMARY	Cytosolic galectin-7 impairs p53 functions and induces chemoresistance in cancer cells.
Literature	GENERIF_SUMMARY	The activation of AMPK under ACLY knockdown conditions may lead to p53 activation.
Literature	GENERIF_SUMMARY	Sarcopenia risk depends on p53 SNP and antropometric values.
Literature	GENERIF_SUMMARY	I162F germline p53 mutation is associated with simultaneous Adrenocortical carcinoma and pheochromocytoma.
Literature	GENERIF_SUMMARY	A sustained deficiency of mitochondrial respiratory complex III induces p53 activation and inhibits activities of the ATF4.
Literature	GENERIF_SUMMARY	the combined computational and experimental screening protocol identified a set of compounds from available compound databases for identification of novel, small molecule inhibitors of p53-MDM2 interaction.
Literature	GENERIF_SUMMARY	expression of the p53 target Wig-1 is associated with HPV status and tumor progression.
Literature	GENERIF_SUMMARY	transient p53 activation can promote a tetraploid-G1 arrest and, as a result, cell death.
Literature	GENERIF_SUMMARY	Establish UBTD1 as a regulator of cellular senescence that mediates p53-dependent transcriptional impacts p53 dynamics during cellular senescence and tumourigenesis.
Literature	GENERIF_SUMMARY	Loss of p53 function may result in upregulation of 14-3-3gamma in cancer cells.
Literature	GENERIF_SUMMARY	These data suggest that future studies should take into consideration the role of p53 in the regulation of cell cycle options.
Literature	GENERIF_SUMMARY	MLL gene amplification in acute myeloid leukemia and myelodysplastic syndrome is associated with TP53 gene mutation.
Literature	GENERIF_SUMMARY	These data indicate that TP53, along with TP63, may act as pioneer transcription factors in the regulation of cell cycle.
Literature	GENERIF_SUMMARY	depleted during Chlamydia infection, dependent on functional MDM2.
Literature	GENERIF_SUMMARY	results suggest that most MLS/RCLS cases carry functional TP53 gene, and the p53 pathway is not observed in this tumor entity.
Literature	GENERIF_SUMMARY	The BMP signalling pathway differentially modulates Wnt signalling in cancer cells.
Literature	GENERIF_SUMMARY	Suggest wild type p53 may promote apoptosis during the inflammatory response.

Main Category	Category	
Literature	GENERIF_SUMMARY	The 72Pro TP53 allele may influence the irradiation-induced apopt
Literature	GENERIF_SUMMARY	Review/Meta-analysis
Literature	GENERIF_SUMMARY	TP53 expression was not associated with prognosis in limited-stage
Literature	GENERIF_SUMMARY	TP53 overexpression is associated with poor prognosis in patients independent predictor of poorer overall survival.
Literature	GENERIF_SUMMARY	We propose that the crosstalk between p53 and NFkappaB can lead cancer phenotypes and potentially modify the efficacy of cancer th
Literature	GENERIF_SUMMARY	A positive correlation was found between expression of mutant ge
Literature	GENERIF_SUMMARY	This review demonstrates the diverse activities of p53 in the liver. In term, yet in the long term, p53 may lead to malignant transformation
Literature	GENERIF_SUMMARY	this study emphasizes that the coordinated action of hGzmB-activated cytotoxic lymphocyte/Natural Killer Cell-mediated killing of target c
Literature	GENERIF_SUMMARY	Survival analysis showed that nuclear SIRT1, P53 and YAP2 overexpression predicted longer overall survival.
Literature	GENERIF_SUMMARY	p53-mediated repression of PHGDH enhances the apoptotic response
Literature	GENERIF_SUMMARY	These findings demonstrate that SPAG6 might have a role in malign proteins and p53, suggesting that SPAG6 may be a potential therapeutic
Literature	GENERIF_SUMMARY	DBC1 modification by Small Ubiquitin-like Modifier 2/3 is crucial for
Literature	GENERIF_SUMMARY	Authors docked twelve known activators to p53 into the open pocket
Literature	GENERIF_SUMMARY	p53-independent apoptosis follows rRNA inhibition, cell-cycle arrest
Literature	GENERIF_SUMMARY	these results demonstrate an emerging role for PBF in colorectal tumors prognostic indicator for invasive tumors.
Literature	GENERIF_SUMMARY	There is an association between p53(-16 ins-Pro) haplotype with disease patients.
Literature	GENERIF_SUMMARY	Data indicate that the period circadian protein Per2 modulates hp53
Literature	GENERIF_SUMMARY	SHMT1 knockdown in lung cancer cells leads to cell cycle arrest and
Literature	GENERIF_SUMMARY	Our data indicate that p53 protein expression, evaluated in bone marrow stratifies patients with therapy-related myeloid neoplasms independently
Literature	GENERIF_SUMMARY	In multivariate analysis, U2AF1 and TP53 mutations retained independent
Literature	GENERIF_SUMMARY	Association between TP53 single nucleotide polymorphism and risk
Literature	GENERIF_SUMMARY	These results therefore indicate that p53-mediated up-regulation of through dephosphorylating ERK1/2
Literature	GENERIF_SUMMARY	Data support the model for p53 binding to the human genome in a number pathways.
Literature	GENERIF_SUMMARY	MDM2 can inhibit p63 binding to p53R175H but enhances the weak
Literature	GENERIF_SUMMARY	P53 codon 72 single nucleotide polymorphism is capable of withstanding
Literature	GENERIF_SUMMARY	the absence of the heterozygous 'AC' genotype in the 439 cancer cases cervical and breast cancers of Indian origin

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 downregulation leads to an increase in miR-1228 expression
Literature	GENERIF_SUMMARY	results show C-deletion mutation at exon 4 of codon 63 of p53 ger patients with a habit of betel nut and tobacco lime quid chewing.
Literature	GENERIF_SUMMARY	Our data suggests that TP53 mutations occur late in gastric carcin
Literature	GENERIF_SUMMARY	Patients with high RAB27A expression and high TP53 expression h
Literature	GENERIF_SUMMARY	The G/G genotype of the TP53 rs1625895 polymorphism was shov patients according to the probability of remission as well as 5-year
Literature	GENERIF_SUMMARY	electrical stimulation -inducible SIVA1 modulates p53 activities in HDM2/SIVA1 axis leading to increased proliferation during re-epith
Literature	GENERIF_SUMMARY	Blockade of p53 attenuates the tumor inhibition of SOX30.
Literature	GENERIF_SUMMARY	A positive linear correlation was found between bcl-2 and p53 sug carcinoma.
Literature	GENERIF_SUMMARY	TP53 antibodies could be regarded as a specific biomarker for can sensitivity of HCC.
Literature	GENERIF_SUMMARY	Pro72 allele was significantly enriched in squamous cell carcinoma was enriched in esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	downregulation of p53 is a key event in the chlamydial life cycle th chlamydial growth.
Literature	GENERIF_SUMMARY	RITA overexpression increased expression of p53 and Fbxw7 and c These changes led to growth inhibition and induced G0/G1 cell cyc
Literature	GENERIF_SUMMARY	Localization of cellular tumor suppressor p53.
Literature	GENERIF_SUMMARY	The endoplasmic reticulum (ER) stress decreased Pin1 expression induced cell death. These data reported here support the importan
Literature	GENERIF_SUMMARY	Either loss of endogenous p53 or overexpression of a temperature response, resulting in cell stratification and expulsion.
Literature	GENERIF_SUMMARY	Study showed that DAB2IP can be functionally inactivated by phys cancer cells to inflammatory cytokines.
Literature	GENERIF_SUMMARY	The role of p53 as a regulator of bioenergetics metabolism, especi
Literature	GENERIF_SUMMARY	demonstrate the presence of a novel subtype of patients with HGS and specific gene expression profiles
Literature	GENERIF_SUMMARY	the mechanism of DNA damage-independent activation of p53 via cancer therapies.
Literature	GENERIF_SUMMARY	results established a critical role of CUL4B in negatively regulating
Literature	GENERIF_SUMMARY	TP53 mutations are not associated with Ewing sarcoma.
Literature	GENERIF_SUMMARY	nuclear factor kappa B (NF-kappaB), nuclear E2-related factor 2 (N
Literature	GENERIF_SUMMARY	PDZ-binding kinase/T-LAK cell-originated protein kinase correlates lung adenocarcinoma
Literature	GENERIF_SUMMARY	these data identify a cascade of events involving mitochondrial p5 during zinc deficiency.

Main Category	Category	
Literature	GENERIF_SUMMARY	Estradiol and estrogen agonists inhibit colorectal cancer cell proliferation
Literature	GENERIF_SUMMARY	USP11 is a novel regulator of p53, which is required for p53 activation
Literature	GENERIF_SUMMARY	We also discuss the potential diagnostic and prognostic applications of p53 being developed to target the MDM2-p53 pathway.
Literature	GENERIF_SUMMARY	We found that the polymorphisms of P53 (rs1042522) and MDM2 (rs180150) are associated with the clinical outcome of gastric cancer
Literature	GENERIF_SUMMARY	Akt-Mdm2-p53 signaling involved in the molecular response of gastric cancer cells to chemotherapy
Literature	GENERIF_SUMMARY	p53 is activating upon nucleolar stress resulting in cell cycle arrest and apoptosis
Literature	GENERIF_SUMMARY	we found that the p53 p. Pro72Arg, MDM2 c.14 + 309T > G and MDM2 c.14 + 309T > G polymorphisms are associated with the clinical outcome of platinum-based chemotherapy treatment in advanced NSCLC patients
Literature	GENERIF_SUMMARY	The results reveal genome-wide and cell type-specific alterations in the p53 pathway by the tumor suppressor protein p53.
Literature	GENERIF_SUMMARY	Cancer genome studies document recurrent genetic inactivation of p53 in many types of cancers. [Review]
Literature	GENERIF_SUMMARY	epithelial cell-derived periostin exerts tumor-suppressor activities in the p14(ARF)/Mdm2 signaling pathway.
Literature	GENERIF_SUMMARY	The data suggest that cytotoxic therapy does not directly induce TP53 activation
Literature	GENERIF_SUMMARY	p53 phosphorylation at serine 15 is the most responsive cell signaling event
Literature	GENERIF_SUMMARY	p53-dependent activation of microRNA-34a in response to etoposide treatment in cells with negative p53 expression.
Literature	GENERIF_SUMMARY	p53 binds to CCL2, consequently significantly downregulating CCL2 expression (CCL2 A549) in p53-deficient mice for 3 weeks strongly induced subcutaneous tumor growth
Literature	GENERIF_SUMMARY	p53 reactivation by small molecules could provide an efficient strategy for cancer therapy
Literature	GENERIF_SUMMARY	Data suggest that the status of p53 and KRAS may be considered as prognostic factors in colorectal cancer
Literature	GENERIF_SUMMARY	Findings have uncovered an apoptotic signaling cascade linking PI3K/Akt/mTOR to p53
Literature	GENERIF_SUMMARY	Taken together, our results indicate that DNA damage resistance in RCC cells can be improved by targeting p53, which will improve the oncological outcomes of RCC patients.
Literature	GENERIF_SUMMARY	The dAbd C7 induced rapid and massive EWS cell death through MDM2 inhibition and p53 in p53wt EWS cells decreased CD99-induced EWS cell death
Literature	GENERIF_SUMMARY	Mir-660 inhibits lung tumorigenesis by targeting MDM2-p53 interaction
Literature	GENERIF_SUMMARY	the polymorphism of p53 codon 72 in exon 4 does not seem to play a role in the clinical outcome of gastric cancer
Literature	GENERIF_SUMMARY	It is concluded that a high number of foci with p53 up-regulation in the nucleus is associated with a poor prognosis in gastric cancer.
Literature	GENERIF_SUMMARY	We examined allelic imbalance (AI) on loci 17p13.1 (TP53), 1p36.1 (CDKN2A) in 100 patients with gastric cancer
Literature	GENERIF_SUMMARY	Through its interference with the LKB1-p53-p21/WAF1 pathway expression, p53 is involved in the regulation of cell cycle and apoptosis
Literature	GENERIF_SUMMARY	Expression of p53 in pathologic specimens as measured by immunohistochemistry in patients with ypN+ rectal cancer with preoperative chemoradiotherapy
Literature	GENERIF_SUMMARY	in the absence of p53 or in the presence of MdmX overexpression, p53 is not required for the induction of cell cycle arrest and apoptosis

Main Category	Category	
Literature	GENERIF_SUMMARY	Rbm38 deficiency markedly decreases the tumor penetrance in mi
Literature	GENERIF_SUMMARY	Expression of JAK2-V617F combined with Tp53 loss in patients wi acute myeloid leukemia.
Literature	GENERIF_SUMMARY	Our results indicate that the screening approach used in this study receptor agonists may show enhanced efficacy in p53-negative lun
Literature	GENERIF_SUMMARY	high grade endometrial carcinomas are highly associated with TP5
Literature	GENERIF_SUMMARY	Bcl-X(L) and p53-mediated amplification mechanisms played impo mediated apoptosis
Literature	GENERIF_SUMMARY	HDAC2 inhibition reduces proliferation and induces apoptosis via t the p53 signaling pathway.
Literature	GENERIF_SUMMARY	Two of the p53-regulated lncRNAs are required for the efficient bin
Literature	GENERIF_SUMMARY	Results showed that variants in p53 codon 72 may be independent carcinoma patients.
Literature	GENERIF_SUMMARY	Studies performed genotyping analyses of eight functional CDKN1 polymorphisms (SNPs) in 330 gastric cardia adenocarcinoma (GC
Literature	GENERIF_SUMMARY	Findings identify P53-MYC interactions at medulloblastoma relaps
Literature	GENERIF_SUMMARY	p53 binds the promoter of the neurogenic transcription factor Neu
Literature	GENERIF_SUMMARY	both p53 inactivation and ASPP2 expression level were involved in
Literature	GENERIF_SUMMARY	The transcription factor TAp73 opposes HIF-1 activity through a no
Literature	GENERIF_SUMMARY	TP53 Arg 72Pro polymorphism is associated with colorectal cance
Literature	GENERIF_SUMMARY	the alternative role of FGFR3 and TP53 mutations in the developm the tumors studied
Literature	GENERIF_SUMMARY	This study revealed that the TP53 codon 72 polymorphism may be
Literature	GENERIF_SUMMARY	This study demonstrated that Poor survival of patients with TP53 m
Literature	GENERIF_SUMMARY	Median of overall survival correlated with koilocytosis, expression of negative prognosis for overall survival.
Literature	GENERIF_SUMMARY	A novel mutation (W235F) in the acidic domain of MDM2 uncouple
Literature	GENERIF_SUMMARY	Our results suggest that the anchoring tails of lipid second messen independently of PTEN/PI3-kinase activity but is instead linked to p
Literature	GENERIF_SUMMARY	present study showed that dental follicles of smokers have higher
Literature	GENERIF_SUMMARY	Nutlin-3 regulates the subcellular localization of IFI16 in HCC cells
Literature	GENERIF_SUMMARY	HPV infection appears to be involved in cancer progression in squa used as a surrogate marker for HPV infection in squamous cell car
Literature	GENERIF_SUMMARY	Results establish that Tip60-T158 phosphorylation by p38 plays an pathway that ultimately leads to apoptosis in response to DNA dar
Literature	GENERIF_SUMMARY	Data indicate the role of cyclin-dependent kinase inhibitor 1A (p21) leukemic activity of sodium dichloroacetate (DCA) in oncoprotein p
Literature	GENERIF_SUMMARY	Loss of p53 tumor suppressor function in breast cancers leads to

Main Category	Category	
		disease.
Literature	GENERIF_SUMMARY	In a nutshell, this review attempts to describe structural biology of
Literature	GENERIF_SUMMARY	TP53 mutational status does not impact the efficacy of boron neut
Literature	GENERIF_SUMMARY	TP53 aberrations are associated with treatment response in chron
Literature	GENERIF_SUMMARY	findings show that RECQL4 is critical for skeletal development by r
Literature	GENERIF_SUMMARY	Increased the expression of p53, and decreased the expression of
Literature	GENERIF_SUMMARY	Cases of larynx carcinoma in which high levels of p16 and p53 exp
Literature	GENERIF_SUMMARY	Mutations in TP53 influence exercise capacity in humans.
Literature	GENERIF_SUMMARY	Data indicate a coupled increase in the expression of renal, relA, N (AKI).
Literature	GENERIF_SUMMARY	reviewed immunohistochemistry data of 66 p.R337H carriers in co
Literature	GENERIF_SUMMARY	Hepatitis b mutants can up-regulate Skp2, which then down-regula hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	Increased activation of p53 signaling in tumors.
Literature	GENERIF_SUMMARY	The absence of the E4 Orf3 protein increased expression of severa
Literature	GENERIF_SUMMARY	This p53 regulated response appears to have been tuned via evolu originating from primate-specific transposon elements.
Literature	GENERIF_SUMMARY	Point mutations in TP53 but not in p15(Ink4b) and p16(Ink4a) gene
Literature	GENERIF_SUMMARY	TP53 mutations are associated with a complex karyotype in both g
Literature	GENERIF_SUMMARY	Study identifies mutant p53 as an essential player in ErbB2 and EG importance of targeting mutant p53 in this subset of patients with
Literature	GENERIF_SUMMARY	Data suggest that trans-splicing would be developed as a therapeu mutation.
Literature	GENERIF_SUMMARY	Genetic alterations in either of TP53, PDGFRbeta, or TERT promote
Literature	GENERIF_SUMMARY	p53 mutations correlated with alterations in ETC subunit composi
Literature	GENERIF_SUMMARY	TP53 mutations are prevalent in children with ACC but decline with
Literature	GENERIF_SUMMARY	disulfide formation involving Cysteine 275 is critical for inducing o
Literature	GENERIF_SUMMARY	miR-34a increases the sensitivity of colon cancer cells to 5-FU trea
Literature	GENERIF_SUMMARY	Data suggest that ATMmutated, NOTCH1mutated and surprisingly combinations including small molecule activator of the p53 pathw
Literature	GENERIF_SUMMARY	I3C induced cell growth inhibition by G1 cell cycle arrest and trigge showed increased expression after I3C treatment. Real-time PCR a
Literature	GENERIF_SUMMARY	These results suggest an important role of p53 in regulating tumor
Literature	GENERIF_SUMMARY	RPS27a appears to be a novel stress sensor in the cell which ampli
Literature	GENERIF_SUMMARY	we evaluated the association of gene polymorphisms, including th non-small cell lung cancer

Main Category	Category	
Literature	GENERIF_SUMMARY	Although the precise mechanisms of how p53 protects against the development of p53 in CD4+ T cells could be a therapeutic strategy for autoimmune diseases.
Literature	GENERIF_SUMMARY	These findings uncovered an apoptotic signaling cascade linking YAP1 to p53.
Literature	GENERIF_SUMMARY	Mutant P53 expression was significantly associated with tumor size and stage.
Literature	GENERIF_SUMMARY	Tp53 codon 72 gene polymorphism with environmental factors is a risk factor for lung cancer.
Literature	GENERIF_SUMMARY	TP53 Arg72Pro, variant C allele was associated with decreased racial/ethnic disparities in survival.
Literature	GENERIF_SUMMARY	Selective inhibition of HDAC2 in lung tumor cell causes survivin downregulation and Mdm2.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with chronic lymphocytic leukemia (CLL).
Literature	GENERIF_SUMMARY	The p53 Pro72 allele was more frequent in Iranian primary open-angle glaucoma (POAG) patients, and the individuals with the Pro/Pro genotype may be more likely to develop POAG.
Literature	GENERIF_SUMMARY	Among the 78 fathers who were carriers of a germline TP53 mutation, 10% had a child with Choriocarcinoma occurring in their female partners.
Literature	GENERIF_SUMMARY	show that REV1 is a novel binding partner of the tumor suppressor p53.
Literature	GENERIF_SUMMARY	Wild-type but not mutant p53 transcriptionally upregulated DUSP1 in hepatocarcinogenesis via a positive regulatory loop.
Literature	GENERIF_SUMMARY	HIF1alpha has a role in protecting cervical carcinoma cells from apoptosis and p53 under hypoxia
Literature	GENERIF_SUMMARY	p53 gene downregulation induced significant epithelial-mesenchymal transition in cells, increased perineural invasion, and decreased apoptosis.
Literature	GENERIF_SUMMARY	Association between the presence of high-risk mutations and decreased survival in breast cancer.
Literature	GENERIF_SUMMARY	Overall, our results demonstrate that p53 is a negative regulator of aromatase regulation in obesity and breast cancer.
Literature	GENERIF_SUMMARY	These results suggest that INMAP might function through p53/p21 pathway.
Literature	GENERIF_SUMMARY	Human gp96 promotes p53 degradation via increasing Mdm2 E3 ligase activity.
Literature	GENERIF_SUMMARY	Patients with chronic lymphocytic leukemia (CLL) carrying deletion 17p13.1 had increased propensities to progress to symptomatic disease
Literature	GENERIF_SUMMARY	The complex repertoire of biological outcomes induced by p53 fine-tuned by isomerases and the p53 pathway.
Literature	GENERIF_SUMMARY	Alpha-enolase is upregulated on the cell surface and responds to p53.
Literature	GENERIF_SUMMARY	The increased expression of GSK3beta correlated positively with cancer progression.
Literature	GENERIF_SUMMARY	500-kb centromeric of tumor protein p53 (Tp53), and is codeleted with 17p13.1 contributing to CLL progression
Literature	GENERIF_SUMMARY	HPV presence was not associated with age, stage or grade of tumor.
Literature	GENERIF_SUMMARY	our work offers a p53 pathway marker, which both refines our understanding of p53 and provides a clinical tool.
Literature	GENERIF_SUMMARY	Findings highlight the direct involvement of transcriptionally active p53 in DNA repair mechanisms.

Main Category	Category	
Literature	GENERIF_SUMMARY	A novel posttranslational modification-driven conformation switch
Literature	GENERIF_SUMMARY	p53-derived host restriction of HIV-1 replication is likely attributable to a novel pathway in HIV-1 infection and AIDS pathogenesis.
Literature	GENERIF_SUMMARY	Data suggest that p53 expression in breast cancer is highly predictive of survival in p53-positive sentinel lymph node who have undergone axillary lymph node dissection conducted in Spain.
Literature	GENERIF_SUMMARY	ATM kinase and Wip1 phosphatase were identified as opposing regulators of p53. DAXX itself are independent of p53-mediated gene expression.
Literature	GENERIF_SUMMARY	CP-31398 induced p53 downstream target molecules in cultured H1299 cells.
Literature	GENERIF_SUMMARY	A functional difference related to the presence or absence of functional p53
Literature	GENERIF_SUMMARY	Data shows that downregulation of P14/ARF expression seems to be associated with pleural mesotheliomas patients.
Literature	GENERIF_SUMMARY	Combination therapy with pazopanib and vorinostat
Literature	GENERIF_SUMMARY	BM2 is able to functionally interact with p53.
Literature	GENERIF_SUMMARY	The 14-3-3zeta-driven contextual changes of Smad partners from p53-dependent cancer progression
Literature	GENERIF_SUMMARY	MDM2 polymorphism may be one of the important factors for the poor clinical outcome and ultimately may contribute in the poor clinical outcome of the patients.
Literature	GENERIF_SUMMARY	Transcriptomic data in patients with non-small cell lung cancer indicate
Literature	GENERIF_SUMMARY	Our findings suggest that alteration of p16, p14, p27, p21, and p53 expression in endometrial adenocarcinoma of the uterine cervix
Literature	GENERIF_SUMMARY	Nkx2.5 and p53 synergistically activate the promoter of the striated muscle-specific genes, coordinating of proliferation and apoptosis during myogenic differentiation.
Literature	GENERIF_SUMMARY	The results of p53 shRNA experiment further demonstrated that p53 plays a key role in implicating the important role of p53 played in chamaejasmine's anti-tumor activity.
Literature	GENERIF_SUMMARY	Data suggest that enhancing autophagy in tumor protein 53 (p53)-deficient cells leads to resistance to DNA-binding agents that inhibit transcription.
Literature	GENERIF_SUMMARY	Ser 215 residue of p53 is critical for functional regulation by AK-B kinase. Serine residues 106, 111 and 205 was important for p53 regulation.
Literature	GENERIF_SUMMARY	a subset of high-risk TP53 mutations Identification of TP53 mutations in preclinical models of head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	INZ(c) treatment decreased c-Myc expression at both mRNA and protein levels in lymphoma Raji cells with mutant p53.
Literature	GENERIF_SUMMARY	Arg72Pro polymorphism not associated with risk of occurrence of oral cancer
Literature	GENERIF_SUMMARY	present study identified the different roles of the p53beta isoform in the regulation of p53. Regarding the p53 status is required for the development of specific
Literature	GENERIF_SUMMARY	PIK3CA, SMAD4, and TP53 are most often involved in clonal divergence and tumor progression or metastases.
Literature	GENERIF_SUMMARY	Examination of EC and normal endometrium specimens confirmed that p53 is overexpressed in p53-positive specimens than in p53-negative specimens.

Main Category	Category	
Literature	GENERIF_SUMMARY	miR-27b promotes drug response specifically in patients carrying p
Literature	GENERIF_SUMMARY	overexpression of p53 correlated with poor differentiation
Literature	GENERIF_SUMMARY	Data show that increased p53, together with deceased cyclin D1 and let-7 inhibition.
Literature	GENERIF_SUMMARY	Parkinson disease induction increased the expression of the apopt
Literature	GENERIF_SUMMARY	p53 Promotes Cell Survival upon Glucose Deprivation by Stimulating
Literature	GENERIF_SUMMARY	leptin induces autophagy and contributes to suppression of apopto
Literature	GENERIF_SUMMARY	These [Zn(2+)]free levels are predicted to result in approximately 9
Literature	GENERIF_SUMMARY	p53 overexpression results in the suppression of LPS-induced Rho opposite effects.
Literature	GENERIF_SUMMARY	Correlation of myelodysplastic syndromes with i(17)(q10) and TP5
Literature	GENERIF_SUMMARY	ectopically expressed SHIP1 accumulates in nucleolar cavities and
Literature	GENERIF_SUMMARY	Tp53 protein directly binds to the promoter of Rap2a and activates
Literature	GENERIF_SUMMARY	Chicken embryo fibroblasts were transfected and expressed the re transfected and expressed in chicken embryo fibroblasts and stag
Literature	GENERIF_SUMMARY	Down-expression pattern of Ku70 and p53 coexisted in colorectal c
Literature	GENERIF_SUMMARY	Mutant p53 depletion profoundly influenced PARP1 localization an
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism is potentially a genetic predisposing
Literature	GENERIF_SUMMARY	High TP53 expression in squamous cell carcinomas were significa
Literature	GENERIF_SUMMARY	TP53 mutation combined with FHIT deletion correlates with decre
Literature	GENERIF_SUMMARY	Tp53 mutation is associated with esophageal Squamous Cell Carc
Literature	GENERIF_SUMMARY	miR-214 functions as an oncogene in BC, at least partly by promot
Literature	GENERIF_SUMMARY	The study suggests that p53 overexpression in non-muscle invasive recurrence-free survival, especially in Asian populations. [meta-an
Literature	GENERIF_SUMMARY	TP53 mutations and chromosome 17 loss of heterozygosity, with s adrenocortical tumours.
Literature	GENERIF_SUMMARY	data presented in this communication supports the view that the c in the Chinese population
Literature	GENERIF_SUMMARY	p53 codon72 polymorphism is involved in susceptibility to develop
Literature	GENERIF_SUMMARY	the tumor suppressor p14(ARF) may have an important role in cou
Literature	GENERIF_SUMMARY	Data from studies using peptide fragments suggest that complexed acetyltransferase p300) exhibit different conformations and play r
Literature	GENERIF_SUMMARY	Our findings show that Delta133p53beta supports CSC potential. M suppressor gene, also acts as an oncogene via the Delta133p53be
Literature	GENERIF_SUMMARY	Results show that PATZ1 binds to p53 and inhibits p53-dependent
Literature	GENERIF_SUMMARY	Smad1 elevation serves as a compensatory mechanism for p53 de

Main Category	Category	
Literature	GENERIF_SUMMARY	a novel nucleolar stress-response pathway involving PPAN, NPM, and p53.
Literature	GENERIF_SUMMARY	Rap2B itself is not necessary for p53-dependent cell cycle arrest.
Literature	GENERIF_SUMMARY	Intron 1 rearrangements cause p53-driven malignancies by both gain and loss of function. Inactivation of p53 by intron 1 rearrangements in LFS, which might explain the diagnostic gap of formalin-fixed paraffin-embedded tissue.
Literature	GENERIF_SUMMARY	p53 can both attenuate and cooperate with the TGF-beta pathway.
Literature	GENERIF_SUMMARY	These findings comprise the largest Myelodysplastic syndrome with p53 mutation.
Literature	GENERIF_SUMMARY	Authors performed mutational analysis to define a PML interaction. The PML interaction is not required for p53, Mre11 and Daxx interaction.
Literature	GENERIF_SUMMARY	In ovarian endometriomas the autophagic process is up-regulated, and p53 is involved in the regulation of autophagy.
Literature	GENERIF_SUMMARY	CHIP stabilizes amyloid precursor protein via proteasomal degradation.
Literature	GENERIF_SUMMARY	P53 Pro could be a KCOT-susceptible allele.
Literature	GENERIF_SUMMARY	By down-regulating Bak, P53, P21, BRCA1, BCL-XL.
Literature	GENERIF_SUMMARY	p53 Arg72Pro polymorphism may contribute to an increased risk of cancer.
Literature	GENERIF_SUMMARY	The study is currently recruiting and has met the interim analysis criteria after 12 cycles of CHOP-O.
Literature	GENERIF_SUMMARY	Ras induces the formation of a complex between NORE1A and the p53 protein.
Literature	GENERIF_SUMMARY	knockdown of CDK2AP1 in primary human fibroblasts reduced proliferation and p53 dependent
Literature	GENERIF_SUMMARY	elevated CXCR5 expression may contribute to abnormal cell survival.
Literature	GENERIF_SUMMARY	The p53 signature is thought to be associated with precancerous lesions.
Literature	GENERIF_SUMMARY	Results show that in triple negative breast cancer cells, PELP1 interacts with p53 and regulates its expression.
Literature	GENERIF_SUMMARY	Caffeic acid phenethyl ester induced cell cycle arrest and growth inhibition.
Literature	GENERIF_SUMMARY	these data indicate that the regulation of reticular Ca2+ homeostasis is a critical component of the p53 pathway employed inducers of oxidative stress.
Literature	GENERIF_SUMMARY	We propose that the mutation of a single p53 allele provides a pro-oncogenic effect on UVB-induced lincRNA-p21 expression and the subsequent cell cycle arrest.
Literature	GENERIF_SUMMARY	cancer. Our data reveal distinct phenotype associations of chronic inflammation.
Literature	GENERIF_SUMMARY	Studied the prognostic value of Ki-67, p27, and p53 immunoreactivity.
Literature	GENERIF_SUMMARY	DNA methylation status of the hTERT and MLH1 gene promoters and p53 expression in cells.
Literature	GENERIF_SUMMARY	Tp53 Overexpression is associated with Gastrointestinal Stromal Tumors.
Literature	GENERIF_SUMMARY	The p53 C terminus domain controls site-specific DNA binding and the C-terminal domain is critical for structural changes within the p53 tetramer.
Literature	GENERIF_SUMMARY	Data suggest that LKB1 loss early in ovarian serous tumorigenesis is associated with the presence of mutated p53 in fallopian tube cells.
Literature	GENERIF_SUMMARY	findings uncover a new mode of tumour suppression based on p53.

Main Category	Category	
Literature	GENERIF_SUMMARY	these findings indicate an association between p53 codon72 polymorphism and
Literature	GENERIF_SUMMARY	PTEN loss initiates tubular dysfunction via SMAD3- and p53-mediated pathways, cell cycle arrest, and cooperates with TGFbeta1 to induce the expression of p21.
Literature	GENERIF_SUMMARY	Slug inversely regulated PUMA and p53 expression in both CNE-2 and H1299 cells.
Literature	GENERIF_SUMMARY	These findings collectively reveal a novel role for the p53 target gene p21 in regulating cell cycle independently of p53.
Literature	GENERIF_SUMMARY	the TP53 Arg72Pro polymorphism can increase the risk of endometrial cancer.
Literature	GENERIF_SUMMARY	Bleomycin A5 can increase caspase-3 and p53 levels and inhibit telomerase activity in H1299 cells.
Literature	GENERIF_SUMMARY	NF2 (frequently deleted in MPM) inhibited Snail-mediated p53 suppression.
Literature	GENERIF_SUMMARY	Mutations in TP53 gene is associated with triple negative breast cancer.
Literature	GENERIF_SUMMARY	Data indicate that both p53-binding protein oncoprotein MDM2 and MDM1 interact with the DNA binding domain, but the interactions appear to be regulated differently.
Literature	GENERIF_SUMMARY	Analysis of mutations associated with prostate cancer metastasis demonstrates that acquisition of TP53 mutations is linked with the progression of the disease.
Literature	GENERIF_SUMMARY	Our data identify IL6 detection as a potential causal biomarker for colorectal cancer.
Literature	GENERIF_SUMMARY	There was a statistically significant difference between WDET (Gravidity) and WDET (Parity).
Literature	GENERIF_SUMMARY	Arg72Pro SNP of TP53 gene is connected with higher susceptibility to thyroid cancer in patients with elevated TSH levels, hence, implicated in thyroid carcinogenesis.
Literature	GENERIF_SUMMARY	Mutant p53 expression decreased gradually from cancerous to non-cancerous tissues.
Literature	GENERIF_SUMMARY	LN metastatic colorectal carcinomas have a tendency of being less bcl-2 staining, and less aneuploidy in comparison to their primary colorectal carcinomas.
Literature	GENERIF_SUMMARY	Pro and dup16 minor alleles of TP53 gene, and Arg/Pro-W/dup16 genotype were associated with the occurrence of occupational genesis in glass fiber manufacturing workers.
Literature	GENERIF_SUMMARY	highly reliable association of combined susceptible genotypes of p53 gene with small cell lung cancer and both its subtypes.
Literature	GENERIF_SUMMARY	The association of TP53 gene haplotype wArgG with diffuse large B-cell lymphoma and dupProG in diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	negative-ER ,negative-PR ,positive-p53 and higher Ki-67 expression (p=0.019) and negative-HER-2/neu expression (p=0.061) were associated with the occurrence of breast cancer.
Literature	GENERIF_SUMMARY	PUMA expression increases further during transformation while the alterations might be a late event during the evolution of myelodysplastic syndrome.
Literature	GENERIF_SUMMARY	No statistical significant distinctions between the genotypes and age.
Literature	GENERIF_SUMMARY	There was no significant association between the TP53 intron 6 G/T polymorphism and the occurrence of breast cancer in Iranian-Azeri patients.
Literature	GENERIF_SUMMARY	mRNA expression of p53 in heat stress(HS) and (aspirin + HS)-cells after HS was followed by a biphasic increase.
Literature	GENERIF_SUMMARY	the binding interactions between hDM2 and p53 result in both biosynthesis and degradation of p53.
Literature	GENERIF_SUMMARY	we describe the methods and techniques used in the discovery of p53.

Main Category	Category	
Literature	GENERIF_SUMMARY	FAK and p53 coordinately control each other's expression and inte
Literature	GENERIF_SUMMARY	P53, EGFR and MGMT proteins play important roles in the occurre
Literature	GENERIF_SUMMARY	In breast cancer cells FBX011 interacts with p53 and promotes its
Literature	GENERIF_SUMMARY	DDX24 is a negative regulator of p53 transcriptional activity.DDX24
Literature	GENERIF_SUMMARY	Results show that HPV-negative squamous cell carcinoma of the a
Literature	GENERIF_SUMMARY	Our results collectively suggested that JARID1B expressed in lung partly associated with the p53 expression
Literature	GENERIF_SUMMARY	Data suggest activation of p53 (tumor protein p53) in human fibro stabilization of AHR; activation of p53 in murine macrophages dov
Literature	GENERIF_SUMMARY	Aberrations of chromosome 17 and p53 gene mutations as well as carcinoma.
Literature	GENERIF_SUMMARY	Authors suggest that NKX2-1 as a tumour suppressor or a tumour
Literature	GENERIF_SUMMARY	Studies suggest partial confirmation of the association between th susceptibility.
Literature	GENERIF_SUMMARY	p53 binding occurs predominantly within enhancers in response to
Literature	GENERIF_SUMMARY	Detection of serum p53 antibodies in non-small cell lung cancer pa
Literature	GENERIF_SUMMARY	we identified appropriate datasets for cross-validation and two rob predictive value for breast cancer patients.
Literature	GENERIF_SUMMARY	UGT2B17-deletion interacting with p16 (+) may modify effects of s mutations to raise relapse rates among Japanese patients with he
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism (rs1042522) was positively associa
Literature	GENERIF_SUMMARY	Arg72Pro polymorphism in a WT p53 context may act as a primary
Literature	GENERIF_SUMMARY	High P53(Mut) protein expression is associated with lymph node r
Literature	GENERIF_SUMMARY	inhibition of AKT/FoxO3a signaling may contribute to H1-mediated PUMA expression in response to p53-independent cytotoxic effect
Literature	GENERIF_SUMMARY	MiR-34a may be a tiemolecule between the p53 and SIRT1.
Literature	GENERIF_SUMMARY	This review focuses on the role of p53 as a master regulator of aut
Literature	GENERIF_SUMMARY	Studied disordered conformation of the p53 transactivation domain
Literature	GENERIF_SUMMARY	Functional characterization of NUPR1L as a new p53-induced gene
Literature	GENERIF_SUMMARY	The level of p53 protein, p53-phosphorylation at ser33, p53 nuclea expressing wild-type and Ala253-substituted TF, or in cells pre-incu
Literature	GENERIF_SUMMARY	Strong association of rs78378222
Literature	GENERIF_SUMMARY	Epigenetic silencing of BCL6B inactivates p53 signaling and cause
Literature	GENERIF_SUMMARY	Targeting the acetylation of p53 may enable the modulation of rad
Literature	GENERIF_SUMMARY	increased NO production may select cells with low levels of p53-de progression

Main Category	Category	
Literature	GENERIF_SUMMARY	miR-124 functions as a tumor-suppressive miRNA in B-cell lymphoma. Regulation of miR-124 by p53 bridges this tumor-suppressive node.
Literature	GENERIF_SUMMARY	Mdm2 overexpression and p73 loss cooperate in genomic instability. The combined effect of inhibiting p53 and p73 functions
Literature	GENERIF_SUMMARY	Frequent mutations and loss of heterozygosity in TP53 were found
Literature	GENERIF_SUMMARY	The Pro/Pro (BB) genotype and the B allele are risk factors for lung cancer in smokers.
Literature	GENERIF_SUMMARY	SMIFH2 reduces expression and activity of p53.
Literature	GENERIF_SUMMARY	germline TP53 mutational spectrum in French Canadians with breast cancer
Literature	GENERIF_SUMMARY	Truncated HBx deregulates cell growth via direct silencing of GAS2. HBx facilitate cancer development via TP53 signaling.
Literature	GENERIF_SUMMARY	TP53 SNPs may contribute to confer susceptibility to Hashimoto's thyroiditis
Literature	GENERIF_SUMMARY	Hypoxia led to Tip110 protein degradation through the ubiquitin-proteasome pathway. Destabilized Tip110.
Literature	GENERIF_SUMMARY	HSF4 may work as a switch between lens epithelial cell proliferation and differentiation
Literature	GENERIF_SUMMARY	Increase of HDAC1 acetylation and reduced level of SIRT1 protein suggest that the mechanism underlying the dynamic regulation of p53 acetylation
Literature	GENERIF_SUMMARY	Our findings support the recent notion that heterozygous TP53 mutations are under selection upon exposure to cytotoxic therapy
Literature	GENERIF_SUMMARY	Positive association between RPRM and p73 expression suggest that RPRM expression.
Literature	GENERIF_SUMMARY	Human OCCs harboring different TP53 HSMs were selectively resistant to cisplatin
Literature	GENERIF_SUMMARY	these results identify mediators of hypoxia-induced p53-dependent transcription in deficient tumors.
Literature	GENERIF_SUMMARY	Mutation in TET2 or TP53 predicts poor survival in patients with multiple myeloma after transplantation.
Literature	GENERIF_SUMMARY	MDM4/HIPK2/p53 cytoplasmic assembly uncovers coordinated response to DNA damage
Literature	GENERIF_SUMMARY	Functional importance of H3K9me3 in hypoxia-induced P53-dependent transcription
Literature	GENERIF_SUMMARY	Additionally, its mechanism may partially be associated with the down-regulation of the Bcl-2/Bax signaling pathway.
Literature	GENERIF_SUMMARY	Nutlin-induced increase in Mdm2 inhibited DNA double-strand break recombination
Literature	GENERIF_SUMMARY	p53 and EGFR expression was positively correlated in triple-negative breast cancer. Characteristics of TNBC, so as to provide new ideas for the treatment
Literature	GENERIF_SUMMARY	In patients with TP53 germline mutation, cytotoxic treatment may increase the risk of second primary cancer
Literature	GENERIF_SUMMARY	phosphorylation of p53 on serine 46 is not straightforwardly associated with its transcriptional activity
Literature	GENERIF_SUMMARY	FBP1 promotes hepatitis C virus replication by inhibiting p53 expression
Literature	GENERIF_SUMMARY	p53/Che1 interaction results in preferential transactivation of growth arrest-inducible genes

Main Category	Category	
Literature	GENERIF_SUMMARY	The nucleoprotein of influenza A virus targets RNF43 to modulate an enhanced apoptosis level in the host cells.
Literature	GENERIF_SUMMARY	miR-377 downregulated p53, PTEN and TIMP1 expression by direct targeting of p53, PTEN and TIMP1. miR-377 potentially served as a new molecular predictive biomarker of GC tumor progression.
Literature	GENERIF_SUMMARY	authors identified TP53-mutated tumor cells in the xenografts derived from the primary tumor. The TP53 mutation enabled us to track back their origin to a minority sub-clonal population.
Literature	GENERIF_SUMMARY	TP53 16-bp INS/INS and DEL/INS+INS/INS genotypes as well as the TP53 protein expression were analyzed in 100 patients with gastric cancer.
Literature	GENERIF_SUMMARY	TP53 Protein reveals tumor aggressiveness and treatment response in gastric cancer.
Literature	GENERIF_SUMMARY	Cisplatin-induced expression of miR125a and miR125b inhibited cisplatin-induced apoptosis and up-regulated levels of p53.
Literature	GENERIF_SUMMARY	Mekk1 mediates p53 protein stability in the presence of Mdm2 and regulates the ubiquitin-proteasome pathway.
Literature	GENERIF_SUMMARY	a role for the BRCT domain in stimulating BARD1 nuclear export and in the formation of BRCA1/BARD1 complexes to regulate specific activities such as apoptotic function.
Literature	GENERIF_SUMMARY	The additive prognostic effects of CDKN2A and TP53 deletions were evaluated in a cohort of 100 patients with gastric cancer.
Literature	GENERIF_SUMMARY	results reveal that JMJD5 is a novel binding partner of p53 and it functions as a transcriptional repressor of the repression of p53 pathway.
Literature	GENERIF_SUMMARY	MDM2 and P53 polymorphisms combined contribute to both the risk and prognosis of gastric cancer.
Literature	GENERIF_SUMMARY	Mutant p53 protein increased in all the patients with proliferative activity.
Literature	GENERIF_SUMMARY	a novel mechanism of p53 degradation through an APE1-mediated pathway.
Literature	GENERIF_SUMMARY	HIFs and the p53 family acts as a determinant of cancer progression, metastasis, and recurrence.
Literature	GENERIF_SUMMARY	In MCF-7 cells p53 associates with the Notch transcriptional complex and regulates its activity.
Literature	GENERIF_SUMMARY	SGK1 inhibits intestinal epithelial cell apoptosis and promotes proliferation.
Literature	GENERIF_SUMMARY	The miR-132/SIRT1/TP53 axis was identified as a novel pathway to regulate the interactions between tumor microenvironments and CLL cells.
Literature	GENERIF_SUMMARY	Results show that breast cancer cells underwent epithelial-mesenchymal transition (EMT) and increased expression level suggesting AP4 can regulate cell migration via the regulation of EMT.
Literature	GENERIF_SUMMARY	the data presented here suggest that CEA promoter-targeted exogenous siRNA can effectively suppress the growth of carcinoma that retains wt-p53.
Literature	GENERIF_SUMMARY	We propose that the nucleolus functions as a stress sensor to modulate cell cycle arrest and apoptosis by regulating MYBBP1A translocation.
Literature	GENERIF_SUMMARY	Our data suggest that genetic mutations in the TP53 gene are associated with the progression of gastric cancer.
Literature	GENERIF_SUMMARY	Surveillance protocols for TP53 mutation carriers have the potential to improve the prognosis of gastric cancer.
Literature	GENERIF_SUMMARY	Combination of replication-competent AdF35 and Ad5/p53 achieved a higher transduction efficiency in gastric cancer cells.
Literature	GENERIF_SUMMARY	EGFR and p53 are the major targets in TNBC also for our population.
Literature	GENERIF_SUMMARY	Study shows that a group of polycistronic miRNA-like non-coding RNA is repressed by p53 through their host gene, SNHG1. The most abundant miRNA-like non-coding RNA is miR-377.

Main Category	Category	
Literature	GENERIF_SUMMARY	Lower-grade gliomas with an IDH mutation either had 1p/19q code
Literature	GENERIF_SUMMARY	p53 attenuates AKT signaling by modulating membrane phospholi
Literature	GENERIF_SUMMARY	demonstrate that the effect of TP53 mutational status on TLR4 ac that the viability of TLR4 as a therapeutic target depends on TP53
Literature	GENERIF_SUMMARY	Targeted gene deletion of TP53, Pten, and NF1 in mouse brain cau
Literature	GENERIF_SUMMARY	Mutant TP53's control of nucleotide biosynthesis has both a drivin
Literature	GENERIF_SUMMARY	TP53 mutation is associated with Adenocarcinoma in Barrett's Esc
Literature	GENERIF_SUMMARY	Genotoxic stress induces the ALOX5 mRNA and protein expression
Literature	GENERIF_SUMMARY	high DAPK1 expression causes increased cancer cell growth and e data sets revealed that high DAPK1 expression associates with wo
Literature	GENERIF_SUMMARY	In a cohort of patients with triple negative breast cancer, 79% of tu
Literature	GENERIF_SUMMARY	Our results demonstrate that the p53 target miR-200b/200c/429 m
Literature	GENERIF_SUMMARY	TP53 gene expression regulation in tumor cells elucidated through
Literature	GENERIF_SUMMARY	mutant p53 impacts transcription of VEGFR2 as well as myriad oth the SWI/SNF chromatin remodeling complex
Literature	GENERIF_SUMMARY	Polymorphism in the tumor suppressor p53 is associated with myc
Literature	GENERIF_SUMMARY	LOH and TP53 mutations detected in lip squamous cell carcinoma mutation does not seem to significantly contribute to LSCC pathog
Literature	GENERIF_SUMMARY	Report frequency of germline TP53 mutations in patients with earl
Literature	GENERIF_SUMMARY	Report differential expression of TP53/Bcl-3/c-kit protein in pure v
Literature	GENERIF_SUMMARY	Results suggest that p53 codon 72 polymorphism is associated w
Literature	GENERIF_SUMMARY	This study identified that individuals carrying the arginine allele at between codon 72 SNP of the TP53 gene and HNSCC prognosis o
Literature	GENERIF_SUMMARY	Lafora disease proteins laforin and malin negatively regulate the H
Literature	GENERIF_SUMMARY	UHRF1 regulates p53 ubiquitination and p53-dependent cell apopt
Literature	GENERIF_SUMMARY	both p53 mitochondrial translocation and Ca(2+) signal mediated translocation.
Literature	GENERIF_SUMMARY	mutation of TP53 was further analyzed by sequencing for these ca identified. These results suggested that TP53 mutation plays a rol
Literature	GENERIF_SUMMARY	Our findings indicate that phosphorylation-dependent restriction o
Literature	GENERIF_SUMMARY	Data indicate that FX11 administration inhibited pyruvate-to-lactat
Literature	GENERIF_SUMMARY	These results indicated that b-arr1 regulated ER stress/PUMA-indu signaling pathway activation and that b-arr1 is a potential therapeu
Literature	GENERIF_SUMMARY	Our results suggested that p53 Arg72Pro polymorphism may partl
Literature	GENERIF_SUMMARY	FBXO31-mediated loss of MDM2 leads to elevated levels of p53, re p53 levels do not increase following genotoxic stress

Main Category	Category	
Literature	GENERIF_SUMMARY	BAI1 may be involved in the negative regulation of bladder transition state associated with a reduction in p53 mutations.
Literature	GENERIF_SUMMARY	the present study provides initial evidence that RITA upregulates the expression of p53 in irradiated mtp53-expressing cervical cancer cells
Literature	GENERIF_SUMMARY	Findings indicate molecular simulations of c-mdm2 proto-oncogene in explicit-solvent simulations.
Literature	GENERIF_SUMMARY	p53 level is diminished during replicative senescence and oncogene-induced deacetylation at the p53 promoter. The reduced intracellular p53 level may contribute to the development of epithelial cancer in the elderly because of the loss of p53 function.
Literature	GENERIF_SUMMARY	The codon 72 polymorphism in the p53 gene did not show any correlation with the risk of melanoma.
Literature	GENERIF_SUMMARY	austrobailignan-1 is a novel DNA damaging agent and displays a toxic effect on cells. It induces DNA damage response signaling for cell cycle G2/M arrest.
Literature	GENERIF_SUMMARY	RNF31 decreased p53 stability. RNF31 depletion caused cell cycle arrest and apoptosis associated with the p53/MDM2 complex, facilitating p53 polyubiquitination.
Literature	GENERIF_SUMMARY	The phosphate group of pTyr99 imposes extensive steric clashes with the peptide ligand, decreasing the binding affinity of MDMX for p53.
Literature	GENERIF_SUMMARY	The TP53 CC genotype was not associated with the risk of melanoma.
Literature	GENERIF_SUMMARY	A p53-dependent pathway guards against genome instability by preventing replication fork collapse.
Literature	GENERIF_SUMMARY	Overexpression of microRNA125a3p effectively inhibits the cell growth and cell cycle homolog/p53 signaling pathway
Literature	GENERIF_SUMMARY	Results imply CST5 as an important mediator of tumor suppression.
Literature	GENERIF_SUMMARY	Cep63-deficient mice recapitulate Seckel syndrome pathology. The growth defect and size is rescued by the deletion of p53.
Literature	GENERIF_SUMMARY	Report a mutation spectrum that includes GNAS, KRAS and TP53 mutations.
Literature	GENERIF_SUMMARY	p53 was involved in inhibiting recombination by both BRCA1-dependent and -independent pathways.
Literature	GENERIF_SUMMARY	Novel interactions of TPPII, p53, and SIRT7 presented in this study suggest new apoptotic pathways and to the understanding mechanisms of aging.
Literature	GENERIF_SUMMARY	Combined immunohistochemistry of PLK1, p21, and p53 can predict the prognosis of colorectal cancer.
Literature	GENERIF_SUMMARY	Suggest p16 and p53 as markers of disease biology and clinical outcome.
Literature	GENERIF_SUMMARY	we identified that TP53 mutations were the most common genetic alterations in the tumor samples.
Literature	GENERIF_SUMMARY	miR-18a modulated P53 expression by directly targeting IRF2 and IRF3.
Literature	GENERIF_SUMMARY	NANOG-NUMB-p53 signaling axis is an important regulatory pathway in embryonic stem cells.
Literature	GENERIF_SUMMARY	miR-34a might act at a systems level to stabilize the robustness of the p53 network.
Literature	GENERIF_SUMMARY	UTD1, a genetically engineered epothilone analog and a new microtubule stabilizer, was demonstrated by its enhanced transcriptional activity and accumulation in cells.
Literature	GENERIF_SUMMARY	Molecular marker expressions of both EGFR and p53 were found significantly elevated in squamous cell carcinoma patients.
Literature	GENERIF_SUMMARY	our data describe a close interrelation between p53 and PBRM1 in the regulation of cell cycle.

Main Category	Category	
Literature	GENERIF_SUMMARY	These results identify Mdmx growth dependency in wt p53 expressing cells. Mdmx targeting is an attractive strategy for treating BrCas harboring p53.
Literature	GENERIF_SUMMARY	these findings suggest that p53-R273H can specifically drive AKT signaling and anoikis resistance.
Literature	GENERIF_SUMMARY	NF-kappaB response element, located close to the p53RE#1, mediates the p53
Literature	GENERIF_SUMMARY	The integration of multiple omics methods allowed the comprehensive analysis and leads into the mechanisms of p53-mediated tumor suppression.
Literature	GENERIF_SUMMARY	Descriptive Statement The pattern of mutations of IDH1, TP53 and PTEN in glioma.
Literature	GENERIF_SUMMARY	identified a unique case of adult acute B-cell lymphoblastic leukemia.
Literature	GENERIF_SUMMARY	CIRP inhibits DNA damage-induced apoptosis by regulating p53 protein.
Literature	GENERIF_SUMMARY	females carrying 22 base-pair deletion in the promoter region of the TP53 proline allele at codon 72 of their TP53 gene.
Literature	GENERIF_SUMMARY	Enhanced phosphorylation of p53 by microRNA-26a leads to growth inhibition, proliferation along with inhibition of colony formation and cell migration.
Literature	GENERIF_SUMMARY	53% of the ovarian tumors showed aberrant p53 expression (i.e., cytoplasmic) in subtype tumors.
Literature	GENERIF_SUMMARY	In laryngeal squamous cell carcinoma, high LAMP3 and high TP53 expression in patients with high expression of these proteins had poor overall survival.
Literature	GENERIF_SUMMARY	TP53 mutations/telomere length may be involved in chromosomal instability.
Literature	GENERIF_SUMMARY	Data show that the ketogenic diet does not affect growth of Ptch1 ^{fl} mice.
Literature	GENERIF_SUMMARY	HER2 and PTEN expression appears as early as the 9-12 weeks postnatal period and then disappears. EGFR appears only during the 13-16 weeks period.
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism was associated with endometriosis.
Literature	GENERIF_SUMMARY	The incipient impact of lncRNAs in the p53 biological response may be mediated by these noncoding molecules.
Literature	GENERIF_SUMMARY	abnormal enhanced miR-675 expression increases bladder cancer progression. effective treatment strategies for bladder cancer
Literature	GENERIF_SUMMARY	Validation of the automated intensity scoring threshold suggests a need for further studies.
Literature	GENERIF_SUMMARY	Mutations in TP53 gene is associated with acute erythroid leukemia.
Literature	GENERIF_SUMMARY	Expression of p53 was found to be statistically significant correlated with
Literature	GENERIF_SUMMARY	p53 is regulated mainly through protein turnover and operates with
Literature	GENERIF_SUMMARY	Polymorphism of BAX and TP53 genes may be potential genetic markers
Literature	GENERIF_SUMMARY	Data indicate that patients with a tumor protein 53 (TP53) DNA binding site significantly different overall survival (OS) and progression free survival
Literature	GENERIF_SUMMARY	The strength of association between p53 codon 72 and endometriosis
Literature	GENERIF_SUMMARY	The response to treatment of myelodysplastic syndrome patients

Main Category	Category	
Literature	GENERIF_SUMMARY	HOXA5-induced apoptosis was p53-independent.
Literature	GENERIF_SUMMARY	p53-dependent amplification of transcriptional response to TLR5 and several molecular mechanisms
Literature	GENERIF_SUMMARY	Potential compensatory indels were identified in two tumor suppressor frameshift indels that can recover the original reading frame.
Literature	GENERIF_SUMMARY	These data suggest that the p53(R248) mutant endows ovarian cancer cells are associated with the mutation-enhanced ovarian cancer-mesothelioma
Literature	GENERIF_SUMMARY	The miR-375-UBE3A axis is important in modulating radiosensitivity
Literature	GENERIF_SUMMARY	Mutation in the TP53 gene is associated with Breast and/or Ovarian Cancer
Literature	GENERIF_SUMMARY	present study showed that p53 is required for metformin or phenformin
Literature	GENERIF_SUMMARY	genotype and haplotype association with breast cancer risk and clinical
Literature	GENERIF_SUMMARY	p53-induced expression of DD1alpha thus prevents persistence of DD1 [DD1alpha]
Literature	GENERIF_SUMMARY	highly expressed HBXIP accelerates the MDM2-mediated degradation resulting in the fast growth of breast cancer cells.
Literature	GENERIF_SUMMARY	MicroRNA-21 cross talk with PTEN and p53 in bladder cancer.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with distinct clinic-biological features stable during disease progression.
Literature	GENERIF_SUMMARY	Data suggest that use of a human cell type with functional tumor protein
Literature	GENERIF_SUMMARY	Data indicate a DNA damage tumor protein p53-dependent transcription
Literature	GENERIF_SUMMARY	Activation of BAX through the concerted action of cytosolic p53 and
Literature	GENERIF_SUMMARY	Our results suggested that operable primary breast cancer patients undergoing cyclophosphamide-based neoadjuvant chemotherapy and have a favorable
Literature	GENERIF_SUMMARY	HAUSP-nucleolin interaction is regulated by p53-Mdm2 complex in
Literature	GENERIF_SUMMARY	data suggest that the CCR4-NOT complex regulates B cell differentiation
Literature	GENERIF_SUMMARY	Overexpression of p53 and Ki-67 could be used to discriminate low-risk
Literature	GENERIF_SUMMARY	gene amplification, p53 and Rb disruption, and E2F1 activation drive progression in cell models
Literature	GENERIF_SUMMARY	This study clearly illustrates that, due to DNA-contact mutants, the The structural loss might affect the p53-DNA interaction and leads
Literature	GENERIF_SUMMARY	Expression of GDF15 was upregulated via DNA demethylation and
Literature	GENERIF_SUMMARY	Pancreatic cells infected with both fiber-modified replication-competent expressing the p53 gene. Replication-competent Ad augmented apoptosis
Literature	GENERIF_SUMMARY	The level of serine 20 phosphorylation is influential on p53 mitochondrial
Literature	GENERIF_SUMMARY	Extended treatment with Nutlin-3 did not result in emergence of p53 combining cisplatin and Nutlin-3 as a potential therapy against nasopharyngeal
Literature	GENERIF_SUMMARY	Authors found that loss of p53 function activates the IRE1alpha/XBP1 IRE1alpha and subsequent activation of its target XBP1.

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 and FGFR3 mutations in bladder tumors increased and decre
Literature	GENERIF_SUMMARY	This study assessed the relation of GLS2 downregulation in gliobla islands, appear to contribute to silencing of GLS2 in glioblastoma c
Literature	GENERIF_SUMMARY	TP53 expression was not useful in differential diagnosis of atypica
Literature	GENERIF_SUMMARY	Thus, BAG2 promotes mutant p53 accumulation and gain-of-funct
Literature	GENERIF_SUMMARY	Taken together, our discovery of the function of TCP80 and RHA in understanding of the mechanisms that regulate IRES-mediated p5
Literature	GENERIF_SUMMARY	CARF promotes carcinogenesis in p53-deficient cells by repressing
Literature	GENERIF_SUMMARY	ZNF322A overexpression transcriptionally dysregulates genes invo poor prognosis
Literature	GENERIF_SUMMARY	findings suggest that p53 sequesters TAF9 from GLI1, which may
Literature	GENERIF_SUMMARY	Lack of p53 resulted in the impaired expression of genes involved in IAV-infected mice
Literature	GENERIF_SUMMARY	PCs expression and p53 activation as a regulator of cell proliferati plaques.
Literature	GENERIF_SUMMARY	This case-control study was designed to analyse the association S p21 rs1801270 and retinoblastoma (RB) in a Chinese Han populati
Literature	GENERIF_SUMMARY	The results do not support our hypothesis that common germline y medulloblastoma.
Literature	GENERIF_SUMMARY	NAT12/NAA30 plays an important role in growth and survival of gl of p-MTOR (Ser2448) and the p53 pathway.
Literature	GENERIF_SUMMARY	Identify a novel BCR-ABL/IkappaBalpha/p53 network, whereby BCR
Literature	GENERIF_SUMMARY	Loss of p53 tumor suppressor function through progressive steps
Literature	GENERIF_SUMMARY	ZnCl2 might be a valuable adjuvant in chemotherapeutic regimens the amount of drugs for antitumor purposes.
Literature	GENERIF_SUMMARY	Differential Gene Expression of BRCA1,ERBB2 and TP53 biomarke
Literature	GENERIF_SUMMARY	Cancer-associated fibroblast activation-stromal co-evolution is unc
Literature	GENERIF_SUMMARY	demonstrate the critical role of p53 mutational status in determini may inform the utility of NF-kappaB inhibitor treatment in HNSCC
Literature	GENERIF_SUMMARY	20(S)-ginsenoside Rg3 attenuated gallbladder cancer growth prob senescence and mitochondrial-dependent apoptosis.
Literature	GENERIF_SUMMARY	The Trp53DeltaP mouse, which carries a germline homozygous de spontaneous tumors in a mixed 129/Sv and C57BL/6 genetic back body exposure to 4 Gy gamma (gamma) radiation.
Literature	GENERIF_SUMMARY	cytoplasmic accumulation of P53 was strongly associated with th these two proteins in sporadic colorectal cancer
Literature	GENERIF_SUMMARY	Summary of recent advances on different mechanisms of TP53 in inactivation.[review]
Literature	GENERIF_SUMMARY	P53, a multifunctional tumor suppressor, regulated apoptosis in O

Main Category	Category	
Literature	GENERIF_SUMMARY	Data suggest that microRBA mir-886 (VTRNA2-1-5p) is a direct reg role in the apoptosis and proliferation of cervical cancer cells.
Literature	GENERIF_SUMMARY	Data show that tumor protein p53 (TP53) proficient mammary epit dysfunction genotoxic stress is produced in a defective cyclin-dep
Literature	GENERIF_SUMMARY	Report feedback loop between PTTG1 targeting miRNAs, PTTG1 a
Literature	GENERIF_SUMMARY	the codon 72 Arg>Pro polymorphism of the p53 gene might not co
Literature	GENERIF_SUMMARY	Interaction between the TP53 GC and MDM2 GG genotypes resulte
Literature	GENERIF_SUMMARY	analysis of c-Rel nuclear expression and REL amplification and cro cell lymphoma
Literature	GENERIF_SUMMARY	TP53 loss leads to abnormal centrosome numbers and genomic in
Literature	GENERIF_SUMMARY	a novel chromatin mechanism underlying the progression of tumor combinatorial chromatin-based therapies for treating individual ca
Literature	GENERIF_SUMMARY	Our data suggest a mechanism by which CT-Cx43 may regulate ce
Literature	GENERIF_SUMMARY	analysis of novel links between glycolysis and autophagy that dete
Literature	GENERIF_SUMMARY	INO80 complex negatively regulates p21 expression in a p53-medi chromosome stability.
Literature	GENERIF_SUMMARY	Data shows that CTNNB1 and TP53 somatic mutations seem to be either overt or occult HBV infection.
Literature	GENERIF_SUMMARY	Twist promotes reprogramming of glucose metabolism in MCF10A integrin/FAK/PI3K/AKT/mTOR pathway and inhibition of the p53 p
Literature	GENERIF_SUMMARY	We have for the first time demonstrated that the tumor suppressor
Literature	GENERIF_SUMMARY	this meta-analysis provides supporting evidence that the Pro/Pro g population, especially in Southern China.
Literature	GENERIF_SUMMARY	Targeted Knockdown of the Kinetochore Protein D40/Knl-1 Inhibits
Literature	GENERIF_SUMMARY	The cholesterol metabolite 27-hydroxycholesterol may contribute t an MDM2-dependent manner.
Literature	GENERIF_SUMMARY	Molecular analysis performed on fourteen patients revealed a high
Literature	GENERIF_SUMMARY	The Protein Tyrosine Phosphatase Rptpzeta Suppresses Osteosar
Literature	GENERIF_SUMMARY	Data suggest that a negative-feedback loop exists, whereby p53 ca activation of Fascin.
Literature	GENERIF_SUMMARY	TP53 muattion is associated with gastric cancer.
Literature	GENERIF_SUMMARY	p53 mutations are associated with less favorable tumor characteri
Literature	GENERIF_SUMMARY	Inhibition of ROS and p53 respectively reversed the cell death indu
Literature	GENERIF_SUMMARY	Expressions of COX-2, p53, and MDM2 increased with oral submuc
Literature	GENERIF_SUMMARY	Report p53-regulated response to ionizing radiation in vivo.
Literature	GENERIF_SUMMARY	TP53 mutations are indicators of malignant transition in the progre
Literature	GENERIF_SUMMARY	The cross-talk between Wnt and p53 signaling pathways allows to

Main Category	Category	
Literature	GENERIF_SUMMARY	endogenous IGFBP-3 is a p53 target that plays a role in breast can
Literature	GENERIF_SUMMARY	Data suggest that various pathogenic bacteria/viruses actively inh regulation of multiple cellular stress responses/innate immunity a
Literature	GENERIF_SUMMARY	downregulation of these genes through the p53-p21-DREAM-CDE/ p53.
Literature	GENERIF_SUMMARY	Phosphorylation of p53 by LRRK2 induces p21(WAF1/CIP1) expres
Literature	GENERIF_SUMMARY	Leptin diminished p53 half-life.
Literature	GENERIF_SUMMARY	TCP80 and RNA helicase A (RHA) bind to the p53 internal ribosom increased expression and synthesis of p53.
Literature	GENERIF_SUMMARY	DBH-AS1 can be induced by HBx and inactivated by p53, and cons signaling in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	ATRX loss may predict better clinical outcome in astrocytoma pati
Literature	GENERIF_SUMMARY	Suggest that p53 controls mRNA translation via a common mecha during the unfolded protein response.
Literature	GENERIF_SUMMARY	our data purport that p53 not only increased Puma expression dire revealed that miR-203 overexpression induced apoptosis and inhib
Literature	GENERIF_SUMMARY	LRH-1 drives colon cancer cell growth by repressing the expressio
Literature	GENERIF_SUMMARY	TP-53 Arg72Pro polymorphism may contribute to the susceptibility
Literature	GENERIF_SUMMARY	72 polymorphism may not be a risk factor for acute leukemia
Literature	GENERIF_SUMMARY	This is the first report on hTERT genetic variation in mood disorder depression.
Literature	GENERIF_SUMMARY	The p53-KLF4-CEBPA axis is deregulated in AML but can be functi
Literature	GENERIF_SUMMARY	USP4 inhibits p53 and NF-kappaB through deubiquitinating and sta
Literature	GENERIF_SUMMARY	we have shown that the predicted activity of p53 has prognostic in
Literature	GENERIF_SUMMARY	MDM2 may be less effective than inducing p53-independent cell d
Literature	GENERIF_SUMMARY	Data indicate that a significant correlation between rab GTP-binding observed.
Literature	GENERIF_SUMMARY	In patients with high levels of p53 tumoral expression, the size of t
Literature	GENERIF_SUMMARY	TP53 codon 72 Arg/Arg genotype is associated with increased risk
Literature	GENERIF_SUMMARY	The biomarker TP53 independently predicted effect of adjuvant 5F 5FU is known to have no effect.
Literature	GENERIF_SUMMARY	NOTCH1, TP53, and MAP2K1 mutations in splenic diffuse red pulp
Literature	GENERIF_SUMMARY	inherited abnormalities in DNA repair pathway related to XPF 3002 free survival and overall survival of CM patients.
Literature	GENERIF_SUMMARY	p53 activation by MDM2 blockade can sensitize chronic myeloid le TKI-induced apoptosis.
Literature	GENERIF_SUMMARY	Data show that proto-oncogene protein Mdm2 inactivation succes effects of Wee1 protein inhibition.

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 protein overexpression was found in the group of acute myeloid leukemia patients >3-6 months post-hematopoietic stem cell transplantation.
Literature	GENERIF_SUMMARY	Studies indicate that Programmed Cell Death 5 (PDCD5) interacts with p53 and is involved in the regulation of p53-mediated apoptosis.
Literature	GENERIF_SUMMARY	p53 exerts a dual and contrasting regulatory role on cancer energy metabolism.
Literature	GENERIF_SUMMARY	The p53 gene polymorphism affects the proliferation, apoptosis, and treatment of prostate cancer.
Literature	GENERIF_SUMMARY	The combined determination of Ebp1 and p53 expression levels in breast cancer predicts tumor potential and patient prognosis.
Literature	GENERIF_SUMMARY	Core domain mutant Y220C of p53 protein has a key role in copper homeostasis.
Literature	GENERIF_SUMMARY	Delineating the role of estrogen in regulating the activation of p53 provides a new understanding of the sex difference observed in HCC.
Literature	GENERIF_SUMMARY	Data show that alpha-linolenic acid (ALA) decreased the expression of human papillomavirus type 16/18 onco-proteins E6 and E7, resulting into more sensitive cancer cell lines.
Literature	GENERIF_SUMMARY	R248Q mutation affects TP53 DNA binding and induce conformational changes.
Literature	GENERIF_SUMMARY	High expression of TP53 is associated with colorectal cancer in gastric cancer.
Literature	GENERIF_SUMMARY	Data indicate that high expression of p16 and p53 and low expression of p21 are associated with progression from benign lesions to invasive cancer.
Literature	GENERIF_SUMMARY	Findings suggest that silibinin's efficacy against UVB-induced photoproducts is mediated by protein p53.
Literature	GENERIF_SUMMARY	In gastric cancer, p53 relevant and non-relevant pathways exist, and the p53 pathway is a key pathway.
Literature	GENERIF_SUMMARY	p53 immunoexpression differs in SCC and VC, suggesting different mechanisms of differentiation between the 2 types of cancer.
Literature	GENERIF_SUMMARY	High-grade B-cell lymphoma with MYC rearrangement and without p53 rearrangement has a poor prognosis.
Literature	GENERIF_SUMMARY	The association of colorectal adenomas with the rs6983267 variant of the TP53 gene was identified with a further four variants of four independent genes.
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism may not be a risk factor for acute myeloid leukemia.
Literature	GENERIF_SUMMARY	Results uncover distinct mechanisms of PRIMA-1met in CRC with different p53 status, suggesting efficacy of PRIMA-1met in CRC patients with different p53 status.
Literature	GENERIF_SUMMARY	Occurrence of Neuroblastoma among TP53 p.R337H Carriers
Literature	GENERIF_SUMMARY	The growth-inhibitory effects of mithramycin in malignant pleural mesothelioma with p53 overexpression
Literature	GENERIF_SUMMARY	This study aimed to demonstrate the association between the 133 miRNAs and the 133 miRNAs.
Literature	GENERIF_SUMMARY	Data indicate that 38 miRNAs (33 upregulated and 5 downregulated) were significantly associated with (133 upregulated and 1057 downregulated) that were significantly associated with the disease.
Literature	GENERIF_SUMMARY	p53 is a novel regulator of the mevalonate pathway.
Literature	GENERIF_SUMMARY	findings identify a novel mechanism whereby inhibition of alpha5beta1 integrin is involved in the apoptotic answer of glioma cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	SETDB1 regulates cancer cell growth via methylation of p53.
Literature	GENERIF_SUMMARY	FBXO11 regulates the TGF-beta pathway in the embryonic lung via
Literature	GENERIF_SUMMARY	we report on the preclinical effects of SAR405838, a novel and high Dedifferentiated liposarcoma models.
Literature	GENERIF_SUMMARY	a correlation between the distinct cytotoxicity of chalcones 1 and 2
Literature	GENERIF_SUMMARY	Data indicate a statistical evidence of a combination effect of tumor polymorphisms on the risk of hepatocellular carcinoma (HCC).
Literature	GENERIF_SUMMARY	Mutations in TP53 and STK11 also impacted tumor biology regarding STK11 with suppression of immune surveillance.
Literature	GENERIF_SUMMARY	Sp100A exhibits tumor-suppressive activity, not only by stabilizing
Literature	GENERIF_SUMMARY	Data indicate that the tumor protein p53 (p53) unstructured C term tetramer.
Literature	GENERIF_SUMMARY	treatment of MDM2-amplified/TP53 wild-type pdlc-derived model (significantly increased survival of glioblastoma
Literature	GENERIF_SUMMARY	IL-17 Induces MPTP opening through ERK2 and P53 signaling path
Literature	GENERIF_SUMMARY	Serum anti-p53 antibody positivity did not predict chemoresistance chemotherapy.
Literature	GENERIF_SUMMARY	the p53 Arg72Pro polymorphism was closely related to the risk of
Literature	GENERIF_SUMMARY	P53 could be used to distinguish early HCC from advanced hepatoc
Literature	GENERIF_SUMMARY	our data suggest a novel mechanism for mutant p53V143A accumulation
Literature	GENERIF_SUMMARY	Mutant p53 may confer cisplatin resistance via upregulation of Nrf
Literature	GENERIF_SUMMARY	Suppression of ATAD2 impaired the growth of HepG2 and Hep3B s
Literature	GENERIF_SUMMARY	This study demonstrated that RRP12 was crucial for cell survival d may enhance chemotherapeutic effect in cancers
Literature	GENERIF_SUMMARY	Loss of Numb induces a p53-dependent senescence following ske
Literature	GENERIF_SUMMARY	Data provide evidence for the involvement of HURP protein in the n mediated by the ubiquitination of ATM and p53.
Literature	GENERIF_SUMMARY	Data suggest that long non-coding RNA ZFAS1 may function as on cyclin-dependent kinase 1 (CDK1)/cyclin B1 complex leading to ce
Literature	GENERIF_SUMMARY	Data show that mutant p53 protein activates the sterol regulatory e prostate cancer (PCa) cells.
Literature	GENERIF_SUMMARY	Tobacco and alcohol use has no link to P53 gene mutations.
Literature	GENERIF_SUMMARY	TP53 mutation variant allele frequency predicts phenotype and out
Literature	GENERIF_SUMMARY	Data suggest that targeting BNIP3L protein in wild-type p53 tumor signaling and the mitophagy-related cell death pathway.
Literature	GENERIF_SUMMARY	that miR-4516 mediated down-regulation of UBE2N promotes p53 is mediated by the RIG-I in a p53 and NFkappaB dependent manne
Literature	GENERIF_SUMMARY	Although ARID3B and ARID3A share overlapping functions, ARID3B

Main Category	Category	
Literature	GENERIF_SUMMARY	DGKzeta plays a role in sequestration of the limiting pool of CBP/p
Literature	GENERIF_SUMMARY	DNA damage induced necrosis through a PARP1-dependent and p
Literature	GENERIF_SUMMARY	Data establish the DLX3-p53 interplay as a major regulatory axis in carcinogenesis.
Literature	GENERIF_SUMMARY	A significant increase in the expression of the p53 was observed w correlated with tumorigenesis and prognosis of OSCC and may se
Literature	GENERIF_SUMMARY	anti-tumor effect of miR-34a was primarily dependent on the regul
Literature	GENERIF_SUMMARY	TP53 is possibly involved in the pathogenesis of oncocytic follicula
Literature	GENERIF_SUMMARY	Results suggest that p53-mediated transcriptional regulation of CD capacity of CSCs
Literature	GENERIF_SUMMARY	Ell3 stabilizes p53 following cisplatin treatment via its effects on u cancer cells.
Literature	GENERIF_SUMMARY	In contrast, it is likely that p53 has a far more important role to play
Literature	GENERIF_SUMMARY	Functional validation demonstrated that TBMS1-induced NCI-H460 clone 2 (MDM2), mTOR, and NF-kappaB signaling pathways.
Literature	GENERIF_SUMMARY	Gene alterations in TERT promoter, TP53, CTNNB1, and hepatitis B development
Literature	GENERIF_SUMMARY	Our finding suggests that TP53 (Arg72Pro) polymorphism may pla patients
Literature	GENERIF_SUMMARY	provided support for a link between autophagy and epithelial-to-me evidence for the signaling pathway (MIR517C-KPNA2-cytoplasmic
Literature	GENERIF_SUMMARY	the TP53 codon 72 polymorphism is not associated with RIF risk in population (Meta-Analysis)
Literature	GENERIF_SUMMARY	The type and the pattern of TP53 mutations vary according to the l
Literature	GENERIF_SUMMARY	Data suggest that synergistic mechanism between heat shock pro provide an alternative treatment for chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	After radiation/SN38 treatment the expression of microRNAs, cyto
Literature	GENERIF_SUMMARY	Effect of Fenugreek seed extract (FCE) was studied using HepG2 c due to FCE.
Literature	GENERIF_SUMMARY	ISCU expression was decreased in the majority of human liver can mutation.
Literature	GENERIF_SUMMARY	AZD6738, a novel ATR kinase inhibitor sensitized TP53- or ATM-de
Literature	GENERIF_SUMMARY	Considerations for rational design of small molecule therapeutics around the hydrophobic patch and conserved residues may consti
Literature	GENERIF_SUMMARY	The expression of p53 mutant with 21-bp deletion in MCF-7/del p5 of the MCF-7/adr cells.
Literature	GENERIF_SUMMARY	changes in the protein content of PGC-1alpha, p53, and PHF20 are respiration than mitochondrial content.
Literature	GENERIF_SUMMARY	the role of the tetramerization (oligomerization), which is modulate interactions with its binding proteins, in regulating the tumor suppr

Main Category	Category	
Literature	GENERIF_SUMMARY	Compared with p53 and siVEGF single transfections, the Pvp53 co inhibited cell motility and proliferation.
Literature	GENERIF_SUMMARY	p53/PUMA expression in human pulmonary fibroblasts mediates c
Literature	GENERIF_SUMMARY	PML IV enhances global SUMO-1 conjugation, particularly that of p
Literature	GENERIF_SUMMARY	These data from ATp53 mutations collectively demonstrate that p5 prognosticate better survival
Literature	GENERIF_SUMMARY	Studied effects of X-radiation in lung cancer cell lines. Cell death a and cell cycle were analyzed. Total and phosphorylated P53 were a
Literature	GENERIF_SUMMARY	Characterization of TP53 as a downstream effector of miR-3151 p
Literature	GENERIF_SUMMARY	TP53 Mutants Overrepresented in Ovarian Cancer Impact CNV, TP
Literature	GENERIF_SUMMARY	Downregulated Expression of TP53 is associated with Gastric Dise
Literature	GENERIF_SUMMARY	statistically significant association was found between the combin survival
Literature	GENERIF_SUMMARY	Authors sequenced p53 in breast tumours from 139 patients, com Delta40p53
Literature	GENERIF_SUMMARY	p53 gain-of-function mutations accelerate endometrial carcinoma miR-26a-1 processing, resulting in reduced miR-26a expression an
Literature	GENERIF_SUMMARY	LATS1 and LATS2 are frequently down-regulated in breast cancer; a tumor suppressor into a tumor facilitator
Literature	GENERIF_SUMMARY	pancreatic ductal cells, whereas exhibiting relative resistance to or adenocarcinoma in the setting of gain-of-function mutations in p53
Literature	GENERIF_SUMMARY	Suggest that the p53-p21-DREAM-CDE/CHR pathway regulates p53
Literature	GENERIF_SUMMARY	The evaluation of a panel of human supratentorial primitive neuroe
Literature	GENERIF_SUMMARY	metformin may be a radiosensitizer in p53-deficient colorectal tum
Literature	GENERIF_SUMMARY	we knocked down TRIM59 and found that p53 protein expression l growth through other pathways but not the p53 signaling pathway
Literature	GENERIF_SUMMARY	Data show that heterogeneous nuclear ribonucleoprotein A0 (hnRN Gadd45alpha mRNAs.
Literature	GENERIF_SUMMARY	In this study, we developed a novel rotary microfluidic device whic
Literature	GENERIF_SUMMARY	Survivin, p53, and beta-catenin overexpression, as prognostic mark the poor prognosis
Literature	GENERIF_SUMMARY	MnSOD emerges as a poor prognostic biomarker in p53 expressing
Literature	GENERIF_SUMMARY	133p53 and p53beta, which are possible indicators for the diagnos different gastric tissues
Literature	GENERIF_SUMMARY	Case Report
Literature	GENERIF_SUMMARY	Combined analysis revealed that the genotypes of rs4938723 CT/C % CI = 1.38-3.53). These findings suggest that the pri-miR-34b/c rs cervical cancer.
Literature	GENERIF_SUMMARY	Data show that the miR-27b/cyclin G1 protein (CCNG1)/p53 tumor

Main Category	Category	
		(GC)-associated multidrug resistance (MDR).
Literature	GENERIF_SUMMARY	Data show that HTLV-1 basic leucine zipper (bZIP) factor (HBZ) represses the transcriptional activity of p300/CBP and the HAT activity of HBO1
Literature	GENERIF_SUMMARY	Infiltrated mast cells could alter prostate cancer chemotherapy and inhibit the phosphorylation of ATM.
Literature	GENERIF_SUMMARY	The findings suggest that the role of cyclin E and tumor specific loci is dependent on p53 context.
Literature	GENERIF_SUMMARY	low levels of miR-34a or miR-143 may relieve MDM4 and SIRT1 or p53-mediated suppression in oral tumors.
Literature	GENERIF_SUMMARY	H. pylori associated development of the gastric adenocarcinoma is dependent on p53 protein.
Literature	GENERIF_SUMMARY	The expressions of p53, Bcl-2, and p-glycoprotein were not significantly different between the two groups.
Literature	GENERIF_SUMMARY	Suppression of p53, in conjunction with cell cycle arrest at G1 and induction of transdifferentiation of human fibroblasts to induced dopaminergic neurons.
Literature	GENERIF_SUMMARY	Our study via modeling in combination with quantitative experimental data reveals the feedback loops in conferring robustness to the system performance of stress response.
Literature	GENERIF_SUMMARY	these data reveal a potential novel regulation of p53 and RelA/p65 transcription factor.
Literature	GENERIF_SUMMARY	Mutations in TP53 may serve as a predictive biomarker of response to therapy in advanced sarcoma.
Literature	GENERIF_SUMMARY	The overexpression of miR590 inhibited oxLDL-induced endothelial cell apoptosis and caspase3.
Literature	GENERIF_SUMMARY	As depicted in Figure 3, APC (25%) followed by KRAS (20%), TP53 (15%), and RAS (10%).
Literature	GENERIF_SUMMARY	p53 expression was a significant prognostic factor in myelodysplastic syndrome.
Literature	GENERIF_SUMMARY	positive expression of p53 and Bcl-2 and amplification of c-erbB-2 were significantly correlated with urinary bladder cancer advanced tumor stage.
Literature	GENERIF_SUMMARY	Mutations in TP53 gene is associated with Merkel cell carcinomas.
Literature	GENERIF_SUMMARY	Studies show that roughly 50 % of very early onset adrenocortical carcinoma have TP53 mutations are equal in their tumor suppressing potential. [review]
Literature	GENERIF_SUMMARY	Evidence of presence of field cancerization, evaluated by histopathological studies and biopsies of oral squamous cell carcinoma patients.
Literature	GENERIF_SUMMARY	Data show that off the 81 BRCA-negative patients, 3 exonic mutations were found in cancer patients.
Literature	GENERIF_SUMMARY	A significant association was found between TP53Arg72Pro (rs1042562) and breast cancer. Pro/Pro genotypes were associated with increased risk of breast cancer. The allele also increased the risk.
Literature	GENERIF_SUMMARY	A Novel Naphthalimide Compound Restores p53 Function in Non-small Cell Lung Cancer Transcriptional Regulation.
Literature	GENERIF_SUMMARY	We conclude that incorporating TP53 mutation analysis can enhance the accuracy of cancer diagnosis.
Literature	GENERIF_SUMMARY	The present study suggests a novel dimension of TP53 gene regulation that can modulate internal promoter usage.

Main Category	Category	
Literature	GENERIF_SUMMARY	The inhibition of DNMT1 contributed to the activation of p53 pathway
Literature	GENERIF_SUMMARY	oxidative stress-induced glycolysis-to-OXPHOS switch is mediated by mitochondrial function. We suggest that the mitochondrial-mediated OXPHOS function as a compensatory alteration in Fanconi anemia energy metabolism and suggest a cautious approach to manipulating
Literature	GENERIF_SUMMARY	p53 causes the butein-mediated apoptosis of leukemic cells.
Literature	GENERIF_SUMMARY	R337H mutation of the TP53 gene has significant predictive and prognostic
Literature	GENERIF_SUMMARY	findings suggest that expression of cFLIPL regulates the basal interaction of Beclin-1 during autophagic stress to determine the fate of cell death
Literature	GENERIF_SUMMARY	Bmal1 could directly bind to the p53 gene promoter and thereby transcription in a dependent manner in pancreatic tumors.
Literature	GENERIF_SUMMARY	Immunostaining allowed the identification of specific cell types with
Literature	GENERIF_SUMMARY	Six1 regulates p53 via a dual mechanism involving upregulation of
Literature	GENERIF_SUMMARY	Very high frequency and a diverse pattern of p53 mutations in oral
Literature	GENERIF_SUMMARY	p53 is unable to slow the increased mitochondrial biogenesis and This study suggests that p53 might act as a new potential therapeutic
Literature	GENERIF_SUMMARY	The TP53-induced glycolysis and apoptosis regulator (TIGAR) is a
Literature	GENERIF_SUMMARY	A new pathway of proliferation restriction for tetraploid untransformed failure involves Chk1 and p53 activation during G2.
Literature	GENERIF_SUMMARY	Whole-exome sequencing of these lesions revealed the acquisition of heterogeneity and allowing the identification of cooperating genes
Literature	GENERIF_SUMMARY	TP53 regulates miRNA association with AGO2 to remodel the miRNA
Literature	GENERIF_SUMMARY	this review is focused on the role of CD30 receptor and p53 as novel involvement in ALK+ ALCL pathogenesis
Literature	GENERIF_SUMMARY	PTTG1 enhances HBV replication through suppression of P53.
Literature	GENERIF_SUMMARY	Silencing of CD24 enhanced restoration of PRIMA-1-induced mutagenesis
Literature	GENERIF_SUMMARY	These data collectively suggest a novel mechanism involving CSLC in cancer.
Literature	GENERIF_SUMMARY	SIRT1 protected LECs from oxidative stress via the inhibition of the ocular aging and cataract in the future.
Literature	GENERIF_SUMMARY	single or combined genomic alterations and survival in diffuse large
Literature	GENERIF_SUMMARY	3 fold, whereas other genes (p53, PTEN, TIMP-1) were upregulated
Literature	GENERIF_SUMMARY	data indicate a close association of PrP expression with clinical and as abnormalities of p53
Literature	GENERIF_SUMMARY	Using fluorescence in situ hybridization we detected loss of the TP53 from 54 analyzed AC samples (37.0%). We did not find any statistical status
Literature	GENERIF_SUMMARY	the gland of postmenopausal endometrial polyps showed a difference p53S was not rare in postmenopausal endometrial polyps
Literature	GENERIF_SUMMARY	Data indicate that P53 single-chain fragment variable (scFv) antibody

Main Category	Category	
Literature	GENERIF_SUMMARY	This study demonstrates that AGR2, which is overexpressed in a variety of human cancers, is a novel p53 target, which subsequently inhibits p38 MAPK and prevents p53 activation.
Literature	GENERIF_SUMMARY	Patients with esophageal adenocarcinoma and TP53 gene mutations have a significantly higher survival rate than those without, and this effect is independent of tumor stage (Meta -Analysis)
Literature	GENERIF_SUMMARY	Our findings reconcile the 2 biological events and point to a multistep process in which p53 provides a failsafe mechanism against consequences of compromised DNA damage response.
Literature	GENERIF_SUMMARY	Our data indicate that p53 Arg72Pro polymorphism plays a significant role in the development of gastric cancer.
Literature	GENERIF_SUMMARY	Astemizole-Histamine induces Beclin-1-independent autophagy by activating the mTORC1 pathway.
Literature	GENERIF_SUMMARY	Computational simulations were used to understand how phospho-TAZ2 interacts with the CBP TAZ2 domain.
Literature	GENERIF_SUMMARY	the markers Ets-1 and APAF-1 relative to p53, Ki-67 and PTEN expression.
Literature	GENERIF_SUMMARY	The investigation of p53 and Ki-67 expression is useful in identifying the role of p53 in the evolution of gastric cancer.
Literature	GENERIF_SUMMARY	Report high frequency of L1CAM expression in high-risk endometrial cancer.
Literature	GENERIF_SUMMARY	By changing Bax/Bcl-2 ratio (about 4-fold increase) and p53 (5-fold decrease), we can regulate the apoptosis of cells.
Literature	GENERIF_SUMMARY	MDM2 supports the PRC2 mediated repression of lineage-specific genes in embryonic stem cells.
Literature	GENERIF_SUMMARY	show the effectiveness of targeting a specific aggregation defect caused by p53.
Literature	GENERIF_SUMMARY	This meta-analysis revealed a weak association between the codon 72 polymorphism and endometrial cancer risk. homozygous Arg72 may be more susceptible to endometrial cancer.
Literature	GENERIF_SUMMARY	As a p53 target, GLS2 mediates p53's function in metastasis suppression.
Literature	GENERIF_SUMMARY	P53, EGFR and MGMT could play a role in the occurrence, development and prognosis of glioma.
Literature	GENERIF_SUMMARY	Work identifies the TP53 tumor suppressor as a novel target through the regulation of p53.
Literature	GENERIF_SUMMARY	Cystatin C expression was significantly downregulated in breast cancer cells and was associated with poor prognosis of breast cancer.
Literature	GENERIF_SUMMARY	TP53 mutation in patients with high-risk acute myeloid leukaemia is associated with poor prognosis after transplantation.
Literature	GENERIF_SUMMARY	Imiquimod induced ROS production to stimulate ATM/ATR pathway in human skin fibroblasts.
Literature	GENERIF_SUMMARY	a direct role of p53-bound enhancer domains in the activation of lineage-specific genes.
Literature	GENERIF_SUMMARY	Data suggest that TP53 plays roles in maintaining integrity of mitochondrial DNA and mitochondrial activities in both the nucleus and the mitochondria. [REVIEW]
Literature	GENERIF_SUMMARY	This prompts for further studies on the mechanisms behind the TP53 pathway and the role of miR-145 in lung cancer.
Literature	GENERIF_SUMMARY	The increased content of collagen fibers and overexpression of S100A4 in HCM can be used in future HCM research. Blockade of S100A4 may have therapeutic potential.
Literature	GENERIF_SUMMARY	Acute myeloid leukemia patients with TP53 mutations had significantly higher survival rates, and identified TP53 mutation status as the most significant prognostic factor.
Literature	GENERIF_SUMMARY	FOXP3 is regulated, at least in part, by the binding of p53 to several transcription factors in psoriasis.

Main Category	Category	
Literature	GENERIF_SUMMARY	The null or present polymorphism of GSTM1 and GSTT1 genes and
Literature	GENERIF_SUMMARY	angiogenesis regulators VEGF-R2 and VEGF-A but not VEGF-R1 ha
Literature	GENERIF_SUMMARY	HPV-16 physical status was heterogeneous in our Japanese OPSO
Literature	GENERIF_SUMMARY	We also observed that a dedifferentiated osteosarcomas (OS)harb that bone oncogenesis driven by TP53 or RB1 mutations occurs or represents a clinico-pathological entity with distinct oncogenic me
Literature	GENERIF_SUMMARY	crystal structure of a ternary complex comprising full-length huma domain of p53
Literature	GENERIF_SUMMARY	Conclude that PRIMA-1(Met) through its ability to directly reactivat
Literature	GENERIF_SUMMARY	A positive association between the expressions of COX2 and p53 i
Literature	GENERIF_SUMMARY	The two most frequently mutated genes were TP53 (86%) and RB1 regulation as well as the mTOR pathway
Literature	GENERIF_SUMMARY	This review will focus on the aberrant splicing of tumor suppressor
Literature	GENERIF_SUMMARY	Microglandular adenosis associated with triple-negative breast cancer mutations.
Literature	GENERIF_SUMMARY	clinical data support conclusions generated from patient-derived xen biomarker for TNBC.
Literature	GENERIF_SUMMARY	Using the human mammary epithelial cell line MCF10A, we show that cellular senescence, whereas it exacerbates their centrosome ampl
Literature	GENERIF_SUMMARY	rs78378222[C] lead to haploinsufficiency of p53, a new mechanism (LFL) Syndrome.
Literature	GENERIF_SUMMARY	Report TP53 overexpression in non-small cell lung carcinomas.
Literature	GENERIF_SUMMARY	our study exhibited the expression patterns and correlation of RNF
Literature	GENERIF_SUMMARY	There was no association noted between the histologic grade or p
Literature	GENERIF_SUMMARY	the ECL immunosensor was successfully applied for quantification human normal and cancer skin fibroblast cells showing much satisf
Literature	GENERIF_SUMMARY	Use of s-p53-antibodies has potential diagnostic value.
Literature	GENERIF_SUMMARY	Among the OTSCCs, p53 expression is associated with tumour age
Literature	GENERIF_SUMMARY	Decreased expression of TP53 is associated with colorectal cancer
Literature	GENERIF_SUMMARY	A Temperature Sensitive Variant of p53 Drives p53-Dependent Micro Silencing.
Literature	GENERIF_SUMMARY	our results highlight a miRNA-mediated oncogenic gain of function mutant p53-associated miRNA signature
Literature	GENERIF_SUMMARY	Ubiquitination of p53 protein is associated with chemoresistance i
Literature	GENERIF_SUMMARY	MiRNA sponges against miR-19 or miR-155 inhibit the functions of cells and in human myeloma cells.
Literature	GENERIF_SUMMARY	Alterations in p53 and p21 expression suggest that these proteins interrelated in early events of this process.

Main Category	Category	
Literature	GENERIF_SUMMARY	The proposed immunoassay exhibited high sensitivity and selectivity for the detection of p53.
Literature	GENERIF_SUMMARY	TP53 mutations in the peripheral blood mononuclear cells were not detected in the patients.
Literature	GENERIF_SUMMARY	These clinically-relevant findings suggest that PL-induced oxidative stress leads to p53 activation, which in turn promotes glutathionylation and contributes to the increased drug sensitivity.
Literature	GENERIF_SUMMARY	Our results indicated fenofibrate inhibited pancreatic cancer cells proliferation and induced apoptosis.
Literature	GENERIF_SUMMARY	HDAC inhibitors can induce p53 acetylation at lysine 120, which in turn promotes p53-mediated transcriptional regulation of Apaf-1.
Literature	GENERIF_SUMMARY	two frameshift mutations are not registered in the International Agency for Cancer Research database.
Literature	GENERIF_SUMMARY	Given the critical tumor suppressor role of p53, SETD1A-mediated p53 acetylation is expected to have profound consequences on tumorigenesis.
Literature	GENERIF_SUMMARY	Chk1's expression is controlled by p53 and RB/E2F1 at the transcriptional level.
Literature	GENERIF_SUMMARY	Data indicate that identified tumor protein p53 variants were mostly wild-type.
Literature	GENERIF_SUMMARY	Authors demonstrate that mtp53 prevents the COP1/DET1 complex from targeting p53 for degradation, suggesting that mtp53 destabilizes DET1 and also disrupts the DET1/ETS2 complex.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with response to chemotherapy in myeloid leukemia.
Literature	GENERIF_SUMMARY	show that ERbeta1 binds to and opposes the transcriptional activation of p53.
Literature	GENERIF_SUMMARY	This shows that Pin1 is implemented in maintaining the susceptibility of p53 to ubiquitination and subsequent apoptosis and cell cycle signaling pathways.
Literature	GENERIF_SUMMARY	Repression of ATMIN in hypoxia is mediated by both p53 and HIF-1.
Literature	GENERIF_SUMMARY	These results demonstrate that cisplatin-mediated p53(V172F) mutation leads to increased recruitment of MDM4 by the homomeric or heteromeric p53, which represents a novel cellular mechanism of p53 inhibition, and, therefore, may contribute to drug resistance.
Literature	GENERIF_SUMMARY	Two p53 binding sites were mapped in the STAT5A gene and named p53-1 and p53-2.
Literature	GENERIF_SUMMARY	Ultrastructural findings support the hypothesis that P53 immunoreactivity is associated with DNA damage.
Literature	GENERIF_SUMMARY	A complex three-way translocation with deletion of the TP53 gene was identified in the tumor.
Literature	GENERIF_SUMMARY	Studies suuggest Wip1 role in tumorigenesis through regulation of p53.
Literature	GENERIF_SUMMARY	Findings suggest that the transcriptional regulation of PKCdelta is involved in the response to DNA damage.
Literature	GENERIF_SUMMARY	18 out of 33 p53-regulated miRNAs were identified to contain p53 binding sites.
Literature	GENERIF_SUMMARY	Conclusion Oxygen pressure during incubation with a (10)B-carrier significantly affects the p53 expression.
Literature	GENERIF_SUMMARY	Frequent TP53 mutations and aberrant TP53 gene expression in uterine leiomyosarcoma.
Literature	GENERIF_SUMMARY	Strong p53 protein expression may serve as a favorable prognostic factor in breast cancer.
Literature	GENERIF_SUMMARY	An independent set of Sarcomatoid Renal Cell Carcinoma demonstrates that p53 is a prognostic factor.
Literature	GENERIF_SUMMARY	The repair capacity of lung cancer cell lines A549 and H1299 depends on the p53 status.
Literature	GENERIF_SUMMARY	In patients with prosthetic valves, the underlying mechanism behind the p53 expression is not clear.

Main Category	Category	
Literature	GENERIF_SUMMARY	If serum p53 antibody level continues to be positive for long after c
Literature	GENERIF_SUMMARY	p53 R273H mutation unleashes the inhibition effect of miR-30a on p53 cascade in tumor cells.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with Non-Small Cell Lung Cancer.
Literature	GENERIF_SUMMARY	Akt phosphorylates MAZ at Thr385, and the phosphorylated MAZ i
Literature	GENERIF_SUMMARY	AKT stabilizes p53 during nutrition deprivation. AKT-p53 axis prote
Literature	GENERIF_SUMMARY	Therapeutic response to non-genotoxic activation of p53 by Nutlin
Literature	GENERIF_SUMMARY	In pancreatic neoplasms, miR-137 targets KDM4A mRNA during R
Literature	GENERIF_SUMMARY	suppressor pathways.
Literature	GENERIF_SUMMARY	Co-suppression of RelB or p53 with ARNT isoform 1 prevented cell
Literature	GENERIF_SUMMARY	we identified MT1JP as a critical factor in restraining cell transform
Literature	GENERIF_SUMMARY	TP53*72 may be associated with susceptibility to BC, although mo
Literature	GENERIF_SUMMARY	Association between TP53 mutation and expression indicates a po
Literature	GENERIF_SUMMARY	sequencing and mRNA expression analysis may be required to pre
Literature	GENERIF_SUMMARY	Results provide evidence that miR-30a forms a positive feedback l
Literature	GENERIF_SUMMARY	cancer drugs.
Literature	GENERIF_SUMMARY	Mechanistic investigations revealed that p28 induced a post-transl
Literature	GENERIF_SUMMARY	cell-cycle inhibition at the G2-M phase
Literature	GENERIF_SUMMARY	Studies indicate that histone deacetylase 8 protein (HDAC8) aberr
Literature	GENERIF_SUMMARY	transformation and maintenance.
Literature	GENERIF_SUMMARY	TP53 plays a role in the osteosarcoma cells apoptosis caused by F
Literature	GENERIF_SUMMARY	Findings suggested that uc.206 acts as a novel oncogene by targe
Literature	GENERIF_SUMMARY	RNF12 is a novel positive regulator of p53 pathway and an externa
Literature	GENERIF_SUMMARY	It is hypothesized that TF1 may confer tumour-promoting features
Literature	GENERIF_SUMMARY	Mice possessing the R72 variant of p53 are more obesity prone an
Literature	GENERIF_SUMMARY	p53 is one of the key proteins that coordinate radiation-induced DN
Literature	GENERIF_SUMMARY	Dominant alleles of RAD51, TP53 and XRCC1 combined genotypes
Literature	GENERIF_SUMMARY	TP53 Pro72Arg polymorphism association with genetic predisposi
Literature	GENERIF_SUMMARY	These findings suggest that TGM2-mediated autophagy and CDKN
Literature	GENERIF_SUMMARY	prevent oncogenic transformation.
Literature	GENERIF_SUMMARY	MDM2 antagonists induced a major hematopoietic defect in vitro a
Literature	GENERIF_SUMMARY	This study examined the immunohistochemical expression of ki-67
Literature	GENERIF_SUMMARY	The prevalence of p53 positive samples of pterygium was 44%.
Literature	GENERIF_SUMMARY	These results suggest that Ku-mediated repression of p53 mRNA t
Literature	GENERIF_SUMMARY	translation.
Literature	GENERIF_SUMMARY	Results show that monoubiquitination of mutant p53 increases fol

Main Category	Category	
		checkpoint.
Literature	GENERIF_SUMMARY	Study suggests that p53 is transcriptionally active in the brains of markers in the presence of Alzheimer's disease pathology
Literature	GENERIF_SUMMARY	both in vitro and in vivo studies proved that CypD inhibitor-based reduction. All together, these findings indicate that the countering transformation.
Literature	GENERIF_SUMMARY	Recognition of the disordered TP53 transactivation domain by the
Literature	GENERIF_SUMMARY	This study concluded that M. catarrhalis reduces antiviral defense infections.
Literature	GENERIF_SUMMARY	endogenous levels of IL-27 affected the oncogenic properties of m shortened survival times and increased incidence of osteosarcom
Literature	GENERIF_SUMMARY	Reduced MUTYH, MTH1, and OGG1 expression and TP53 mutation
Literature	GENERIF_SUMMARY	our findings suggest that MIF regulates brain tumor-initiating cells molecular mechanisms underlying the tumorigenicity of certain m
Literature	GENERIF_SUMMARY	results imply that the selective advantage produced by human chr dosage of linked tumour suppressor genes
Literature	GENERIF_SUMMARY	disease causing mutation in HD increases the propensity of chrom to a pluripotent state by a commonly used episomal-based method
Literature	GENERIF_SUMMARY	LRRC8A is an essential regulator of cisplatin induced p53 protein a Cip1 and MDM2, as well as activation of caspase-9 and -3 in tumor
Literature	GENERIF_SUMMARY	feedback regulation between cMyc and p53 is important for the T
Literature	GENERIF_SUMMARY	TP53 mutation occurs in the early stages of colorectal cancer deve tumors--but is involved at an earlier stage in non-granular laterally
Literature	GENERIF_SUMMARY	results herein have revealed a set of residues R65-E69 on MDM2 p deviating significantly from similar residues elsewhere in the prote
Literature	GENERIF_SUMMARY	Mutations of TP53 gene in adult acute lymphoblastic leukemia at e early relapse and very poor survival.
Literature	GENERIF_SUMMARY	As a result, ATF3 rather protected the p53 wild-type cells from UV-i irradiation in a p53-dependent manner.
Literature	GENERIF_SUMMARY	Mutant p53 protein (Mutp53) binds and sequesters RNA helicases maturation.
Literature	GENERIF_SUMMARY	This review summarizes accumulating data on the mechanisms by promote the viability and survival of both normal and cancer cells,
Literature	GENERIF_SUMMARY	may be used as a marker for the biological behavior of giant cell tu
Literature	GENERIF_SUMMARY	Findings reveal a novel mechanism by which p53 utilizes TFIIS.h to death in response to severe DNA damage.
Literature	GENERIF_SUMMARY	particular p53 pathway genes are highly sensitive to heritable and types.[review]
Literature	GENERIF_SUMMARY	these results demonstrate complex links between different signal premature senescence via p53/p21/Rb pathway.
Literature	GENERIF_SUMMARY	TRIM65 is a potential oncogenic protein, highly likely through p53 i

Main Category	Category	
Literature	GENERIF_SUMMARY	loss of Che-1 inhibits proliferation and promotes apoptosis in MG-
Literature	GENERIF_SUMMARY	Results suggest that the cancer-inhibitory activity of sodium butyrate and CRM1 proteins in the nucleus, an event that may trigger activa
Literature	GENERIF_SUMMARY	In this setting, it appears that mTORC1 activates senescence through mTORC1 by rapamycin decreases HDM2 phosphorylation and bloc
Literature	GENERIF_SUMMARY	Tp53 mutation is associated with lymph node metastasis in Recta
Literature	GENERIF_SUMMARY	The results indicate a role for the p53 protein in keratoacanthomac
Literature	GENERIF_SUMMARY	These data indicate MMR deficiency in colorectal cancer can give mechanism.
Literature	GENERIF_SUMMARY	Long range recognition and selection in an intrinsically disordered
Literature	GENERIF_SUMMARY	Ablation of E6 by siRNA induces the tumor suppressor p53 and dir UM-SCC-104 head and neck cancer cells.
Literature	GENERIF_SUMMARY	These results demonstrate a mode different from that assumed pr on p53 activity as a transcriptional regulator of cellular response to Symbol Description Delete Gene Link human TP53 BCC7 LFS1 P53
Literature	GENERIF_SUMMARY	The present findings confirmed that coinhibition of miR21 and miR and p53mediated amplification of the transcription of proapoptotic
Literature	GENERIF_SUMMARY	Data suggest that Per2 is not only a tumor suppressor gene but ca
Literature	GENERIF_SUMMARY	HER2-positive tumors in our study had a lower Ki-67 index and wer
Literature	GENERIF_SUMMARY	Expression of p53 had a inverse correlation with lymph node meta
Literature	GENERIF_SUMMARY	The link between NF-kappaB and p53 in the modulation of apoptot
Literature	GENERIF_SUMMARY	p53 expression is low in luminal breast carcinomas than HER-2 an total.
Literature	GENERIF_SUMMARY	As these mutations were mostly clustered within the regions of TP architecture, they are likely to be of prognostic relevance in diseas routinely to identify rare mutations across a range of diseases
Literature	GENERIF_SUMMARY	Mutant p53, which is known to support tumorigenesis via MVP, pro
Literature	GENERIF_SUMMARY	Copper induces the activation of apoptosis through casp3/casp8/mechanism is dependent on the concentration, time of exposure to
Literature	GENERIF_SUMMARY	The present study was undertaken to explore further the interrelati
Literature	GENERIF_SUMMARY	TP53 loss causes increased topological conflict between transcrip
Literature	GENERIF_SUMMARY	Clinically relevant GAs in genes involved in DNA repair, chromatin r Loss-of-function mutations in TP53 and CDKN2A were significantl
Literature	GENERIF_SUMMARY	there is no association between TP53 Arg72Pro polymorphism and Arg72Pro polymorphism CC genotype may increase the risk of acu
Literature	GENERIF_SUMMARY	We showed that p53 and PG cooperatively reduced growth and act
Literature	GENERIF_SUMMARY	We observed rapid and clinically meaningful responses in TP53-dis durable in the patients treated to date for >6 months. Our experien disrupted B-PLL.

Main Category	Category	
Literature	GENERIF_SUMMARY	this report highlights the importance of a p53 threshold necessary transcriptional targets are involved in the manifestation of p53-dep
Literature	GENERIF_SUMMARY	A recursively partitioned mixture model of all 3 somatic alteration burden profile were associated with the PAM50 subtype and muta
Literature	GENERIF_SUMMARY	we observed significantly higher COX-2 expression in Juvenile poly formulate chemopreventive therapies as an adjunct to its surgical
Literature	GENERIF_SUMMARY	p53 expression is positively and significantly associated with TP53 secondary acute myeloid leukemia.
Literature	GENERIF_SUMMARY	TP53 genetic variants were not detected in testicular germ cell tum
Literature	GENERIF_SUMMARY	Cationic LSN-mediated p53 gene delivery may have potential appli
Literature	GENERIF_SUMMARY	Enhancer of zeste homolog 2 (EZH2) expression is positively corre with the expression of GSK-3beta and TP53 in cervical cancer tissu
Literature	GENERIF_SUMMARY	The resultsn of this study indictes that comprehensive molecular a pathway contributes to the poor outcome in CCT-treated primary c
Literature	GENERIF_SUMMARY	ZNF224 increases cell survival and decreases apoptosis by decrea
Literature	GENERIF_SUMMARY	Authors show that MYC inhibition by Omomyc, a dominant-negativ carrying MYC, MYCL, or MYCN amplification.
Literature	GENERIF_SUMMARY	HBeAg and its precursors promote HDM2-mediated degradation a contributing to hepatocellular carcinoma development.
Literature	GENERIF_SUMMARY	p53/p21Cip1/Waf1/p16INK4a may be an important pathway invol cells.
Literature	GENERIF_SUMMARY	In head and neck squamous cell carcinoma, neither p16 nor p53 ex with the histological subtype and the T stage even in non-orophary
Literature	GENERIF_SUMMARY	These results suggest that secondary intermolecular interaction is phenomenon in complexes containing multidomain proteins.
Literature	GENERIF_SUMMARY	the present study demonstrated that the upregulation of P53 induc conversely, downregulating Bcl-2 and BIRC5 levels ultimately led to
Literature	GENERIF_SUMMARY	Data indicate that miR-145-5p and miR-483-3p expressions related
Literature	GENERIF_SUMMARY	mutations in tumor p53 induce strong, polyclonal autoantibodies w
Literature	GENERIF_SUMMARY	Taken together, our results suggest that ROS generation might be a transformed B cells through the upregulation of XAF1 and GADD45
Literature	GENERIF_SUMMARY	p53/BPEI-beta-CD/AD-dox complex released Dox and enabled the expressed p53 gene showed successive inhibition of the growth o
Literature	GENERIF_SUMMARY	observed a high rate of p53 mutations in a single center
Literature	GENERIF_SUMMARY	TP53 mutations confer unfavorable prognosis in patients with Lum predict for trastuzumab benefit in the adjuvant setting.
Literature	GENERIF_SUMMARY	Identification of UBE2C as a target of wild-type and GOF mutant p5 checkpoint
Literature	GENERIF_SUMMARY	Data show that HMG-box transcription factor 1 protein HBP1-medi pathways contributes to both cellular senescence and tumor inhib

Main Category	Category	
Literature	GENERIF_SUMMARY	Simulation of HEY1 Ser-68 phosphorylation prevents its interaction with ribosomal stress. Our findings uncover a novel mechanism for cro
Literature	GENERIF_SUMMARY	Tp53 overexpression is associated with bladder cancer.
Literature	GENERIF_SUMMARY	Overexpression of long non-coding RNA LOC572558 was associated with bladder cancer cells.
Literature	GENERIF_SUMMARY	some autoantibodies, such as anti-MAGEA4, anti-CTAG1 or anti-TP53, may be used in early detection tests (not necessarily restricted to gastric cancer) v
Literature	GENERIF_SUMMARY	investigated the in vitro tumor/metastasis suppressor effects of p53 on E-cadherin profiles
Literature	GENERIF_SUMMARY	p53 stabilization, along with antagonism of its signaling partners, h
Literature	GENERIF_SUMMARY	Review/Meta-analysis
Literature	GENERIF_SUMMARY	NML depletion increases 60S ribosomal protein L11 (RPL11) levels in the 60S complex, which activates the p53 pathway.
Literature	GENERIF_SUMMARY	The present study evaluates the prognostic role of the p53, Bax, Bcl-2, and
Literature	GENERIF_SUMMARY	results demonstrate the ability of duplex sequencing to detect rare TP53 somatic TP53 mutation in noncancerous tissue.
Literature	GENERIF_SUMMARY	p53-dependent SIRT6 expression protects cells from Abeta42-induced neurotoxicity
Literature	GENERIF_SUMMARY	suggest that small-bowel resection reduces p85alpha and TP53, with subsequent adaptation in patients with short bowel syndrome
Literature	GENERIF_SUMMARY	The present findings indicate that p53, in turn, decreases CSL expression in cells.
Literature	GENERIF_SUMMARY	Human p53 is the key factor involved in acitominophen induced cell death
Literature	GENERIF_SUMMARY	Taken together, our findings indicate that MEG3 is downregulated in breast cancer and indicate MEG3 a potential therapeutic target for breast cancer.
Literature	GENERIF_SUMMARY	TP53 Mutations are associated with Head and Neck Squamous Cell Carcinoma
Literature	GENERIF_SUMMARY	Results indicate that the clinical impact of TP53 mutations in lower grade tumors is related to mutational burden.
Literature	GENERIF_SUMMARY	In this study, we indicate that P53 (N340Q/L344R) promotes hepatocellular carcinoma
Literature	GENERIF_SUMMARY	The survival function of LCN2 in endometrial carcinoma cells may be regulated by
Literature	GENERIF_SUMMARY	VentX induces apoptosis of cancer cells in a p53-independent manner
Literature	GENERIF_SUMMARY	Increased expression of p53 and ASPP1 and downregulation of iASPP1 in
Literature	GENERIF_SUMMARY	80% of archival primary tumor tissue from a patient with metastatic colorectal cancer (10 missense mutations and 4 missense mutations) that are frequently found in colorectal
Literature	GENERIF_SUMMARY	The radiosensitizing effect of inhibition of TGF-beta1 signaling in MCF-7 cells
Literature	GENERIF_SUMMARY	The RP-p53 pathway was activated by miR-1908 mimic.
Literature	GENERIF_SUMMARY	TMP altered expression of p53.
Literature	GENERIF_SUMMARY	This study demonstrated that KRAS and TP53 mutations are frequently found in lung cancer with early stage lung cancer. These mutations were found not only

Main Category	Category	
		active smokers, from ex-smokers and never smokers.
Literature	GENERIF_SUMMARY	The inhibition of Wip1 might fortify p53-mediated tumor suppression
Literature	GENERIF_SUMMARY	In this paper, the authors found that miR-138 showed a pronounced effect on p53 activity, which is mediated by p53 binding sites in the promoter region of its target
Literature	GENERIF_SUMMARY	The proposed non-linear feedback control and perturbations complicate the design of chemotherapy schemes where the infusion of medication will be based on the
Literature	GENERIF_SUMMARY	we propose that Wig1, a key p53 downstream molecule in HD controls HD progression by accelerating HD pathology in the mHtt-p53-Wig1 positive feedback loop
Literature	GENERIF_SUMMARY	Effect of TIS21 on the regulation of p53 activity was confirmed by Western blot analysis
Literature	GENERIF_SUMMARY	Lysines in the tetramerization domain of p53 selectively modulate the stability of the p53 tetramer
Literature	GENERIF_SUMMARY	TP53 mutations were significantly more frequent in cases with a large deletion of 17p13.1 with TP53 mutations and with additional chromosomal aberrations
Literature	GENERIF_SUMMARY	Our results suggest that the known protective effect of GH signaling is mediated by regulating p53 expression
Literature	GENERIF_SUMMARY	we investigated the association between polymorphisms in p53 and OP risk. Compared with the carriers of the Arg72Pro GG genotype, carriers of the Arg72Pro AG genotype had a 1.96-fold increased OP risk
Literature	GENERIF_SUMMARY	SIRT2 is a promising marker of cellular senescence at least in cells with a functional p53
Literature	GENERIF_SUMMARY	These findings suggest that vitamin C can promote the proliferation of p53 and the regulation of p53-p21 signal pathway.
Literature	GENERIF_SUMMARY	SOCS1 may promote apoptosis of intestinal epithelial cells at least in part through p53
Literature	GENERIF_SUMMARY	Results provide evidence that Foxp3 is a downstream target of p53 and promotes cellular senescence.
Literature	GENERIF_SUMMARY	TP53 mutations had an unfavorable impact on 2-year overall survival in patients with
Literature	GENERIF_SUMMARY	knockdown of HMGI-C led to the significant induction of apoptosis in MB-468 cells in vitro.
Literature	GENERIF_SUMMARY	p53 could be altered in benign-appearing breast glands in patients with
Literature	GENERIF_SUMMARY	miR-34a has a crucial role in the pathogenesis of osteoarthritis through p53
Literature	GENERIF_SUMMARY	the genotype Pro/Pro in p53 might be associated with a major risk of
Literature	GENERIF_SUMMARY	The study of biopsies from metastatic sites from patients with advanced prostate cancer showed genomic alterations. Common genomic alterations observed in castration-resistant
Literature	GENERIF_SUMMARY	It is now clear that functional p53 is critical to protect the genome from DNA damage. In multiple ways p53 contributes to genome stability and how two of these pathways are described. [review]
Literature	GENERIF_SUMMARY	Chromatin-bound MDM2 regulates serine metabolism and redox homeostasis
Literature	GENERIF_SUMMARY	uL5 and uL18 contributors to nucleolar integrity and act as an Hdm2
Literature	GENERIF_SUMMARY	The results indicate that p53 interferes with the interaction between p53 and p21. II.
Literature	GENERIF_SUMMARY	Data suggest a close association between the nonfunctionality of p53 and

Main Category	Category	
		(CLL) cells in response to DNA damage.
Literature	GENERIF_SUMMARY	These results define a p53-dependent, and in the absence of p53, b-PCL nanoparticle formulation should be considered for treatment
Literature	GENERIF_SUMMARY	Authors concluded that TP53 mutations are early events in CLL and
Literature	GENERIF_SUMMARY	results suggests that BRCA1 mutation carriers with breast cancer carriers and non-carriers (Meta-analysis).
Literature	GENERIF_SUMMARY	found a very high mutation rate of TP53 in a cancer type where p53
Literature	GENERIF_SUMMARY	LASS5 interacts with SDHB and synergistically represses p53 and
Literature	GENERIF_SUMMARY	Our approach yields high confidence ranked target gene maps for CC regulation. A web-based atlas at www.targetgenereg.org enable
Literature	GENERIF_SUMMARY	Here, the authors unveil nerve growth factor receptor (NGFR, p75N NGFR inactivates p53 by promoting its MDM2-mediated ubiquitin- preventing its DNA-binding activity.
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism predicts chronic myeloid leukemia s
Literature	GENERIF_SUMMARY	Histone deacetylases (HDACs) inhibitor MGCD0103 (MGCD) induc
Literature	GENERIF_SUMMARY	Results indicate the usefulness of TP53 DNA binding domain (DBD prognostic stratification of oral cavity squamous cell carcinoma (C
Literature	GENERIF_SUMMARY	While TP53 mutation and MYC amplification were synergistic in pr oncogenic effect of either the TP53 mutation or MYC amplification mutated and/or MYC amplified breast cancer
Literature	GENERIF_SUMMARY	We show that ibrutinib was effective in increasing survival, activation on the remaining wild-type Trp53 allele. These data provide evidence TP53 mutations.
Literature	GENERIF_SUMMARY	A
Literature	GENERIF_SUMMARY	Loss of p53 expression is accompanied by upregulation of beta-ca
Literature	GENERIF_SUMMARY	TP53 mutation is associated with response to chemotherapy in ne
Literature	GENERIF_SUMMARY	This study presents first evidence of global modes of p53 transcrip
Literature	GENERIF_SUMMARY	This study has shown that by direct transcriptional activation of C apoptotic cellular response.
Literature	GENERIF_SUMMARY	Overexpression of p53 mRNA was found in all patients with laryng
Literature	GENERIF_SUMMARY	P53 has a role in activation of apoptotic signaling pathways after g
Literature	GENERIF_SUMMARY	RNAi-mediated knockdown of endogenous FUCA1 significantly att
Literature	GENERIF_SUMMARY	The study highlights a need to retain the flexibility of the p53 DNA the diverse interactions responsible for its functionality.
Literature	GENERIF_SUMMARY	EP2 receptor activation protects against endoplasmic reticulum st
Literature	GENERIF_SUMMARY	Positive results were found in 15 situations when genes were anal p53, ERb and GSTM1 seen in 20%; PROGINS, ERb and GSTM1 in 18 GSTM1- PROGINS and GSTT1-CYP1A1 polymorphism
Literature	GENERIF_SUMMARY	EZH2 and p53, which affect lymph node metastasis and prognosis

Main Category	Category	
Literature	GENERIF_SUMMARY	gastric cancer with TP53 mutations seems to develop as different invasion
Literature	GENERIF_SUMMARY	Increased expression of LACE1 partitions p53 to mitochondria, can mediate mitochondrial translocation of p53 and its transcription-f
Literature	GENERIF_SUMMARY	meta-analysis suggests that the polymorphism of p53 codon 72 m
Literature	GENERIF_SUMMARY	Data from genome-wide studies confirmed that TP53 is the most f of mutations outside the DNA-binding domain in specific cancer ty
Literature	GENERIF_SUMMARY	Chromatin-related factors that affect both global p53-dependent tr identified.
Literature	GENERIF_SUMMARY	induction of TNFAIP8 is critical for the evasion of apoptosis by tum
Literature	GENERIF_SUMMARY	Oxidative DNA damage is an intervening variable for TP53 mutatio potential marker of TP53 mutation in colorectal carcinogenesis.
Literature	GENERIF_SUMMARY	The mutant p53-proteasome axis globally affects protein homeost
Literature	GENERIF_SUMMARY	By upregulating p53 and p21 expression and inhibiting Akt (Ser473
Literature	GENERIF_SUMMARY	Findings suggest that USP2 stabilizes Mdm2 which antagonizes p CTCL.
Literature	GENERIF_SUMMARY	FGF21 protects against Ang II-induced cerebrovascular aging via in dependent manner.
Literature	GENERIF_SUMMARY	These findings define a hitherto novel mechanism of action for Sam Sam68 in the regulation of tumor suppressor activities.
Literature	GENERIF_SUMMARY	TP53 and PIK3CA mutations appear to have diverse effects on the mutated or not, and for TP53 according to tumor-infiltrating lymph
Literature	GENERIF_SUMMARY	inhibiting the expression of p53 decreased the proliferation ability
Literature	GENERIF_SUMMARY	The authors identified 53BP1 and USP28 as essential components only to centrosome loss, but also to other distinct defects causing
Literature	GENERIF_SUMMARY	TP53 codon 72 analysis could distinguish low-risk cases, in which plan.
Literature	GENERIF_SUMMARY	The tumor protein p53 mutations were located at codons 31 (n=2;
Literature	GENERIF_SUMMARY	The purpose of this chapter is to provide a recent progress of nonc its potential implications in both basic science and clinical applica
Literature	GENERIF_SUMMARY	p53 single nucleotide polymorphism at codon 72 carries high mate
Literature	GENERIF_SUMMARY	p53 induced the transcription of miR-139-5p, which in turn suppres involved in multiple tumor promoting processes.
Literature	GENERIF_SUMMARY	nucleolar stress induced by 5-fluorouracil in colon cancer cells dev
Literature	GENERIF_SUMMARY	We further hypothesize that mTOR/PKM2 pathway stimulation ser of chemoresistance and of aerobic glycolysis of cancer cells
Literature	GENERIF_SUMMARY	We conclude that parainflammation, a low-grade form of inflamma harboring p53 mutations. Our data suggest that parainflammation treatment.
Literature	GENERIF_SUMMARY	analysis of the endogenous miR-34A-p53 tumor suppressor netwo

Main Category	Category	
Literature	GENERIF_SUMMARY	PCNA, bcl-2 protein, and cyclin D1 expressions could be useful in clinical presentation
Literature	GENERIF_SUMMARY	Expression of the Cyclin D1, CDK4, and p53 genes are correlated w
Literature	GENERIF_SUMMARY	To confirm this result, we analyzed survival data from 142 LGGs fr rate of censored data, we found that CNLOH 17p, including the TP
Literature	GENERIF_SUMMARY	Together these findings suggest that evodiamine is a strong induc that could involve both intrinsic as well as extrinsic pathway of ap cancer.
Literature	GENERIF_SUMMARY	changes in O-GlcNAc homeostasis activate the wild type p53 path treatment for ovarian carcinoma.
Literature	GENERIF_SUMMARY	Findings indicate the function of tumor suppressor protein p53 (p5 endogenous or exogenous replication stress.
Literature	GENERIF_SUMMARY	miR-644a/CTBP1/p53 have roles in suppressing breast cancer dru
Literature	GENERIF_SUMMARY	We found the higher expression of P53 isoforms in inverted papillo their role in local aggressiveness and malignant proliferation in hea
Literature	GENERIF_SUMMARY	In conclusion, genetic variants of the p14ARF/MDM2/TP53 pathwa predictors of the prognosis of esophageal squamous cell carcinom
Literature	GENERIF_SUMMARY	The results show that as an important partner of CTCF, ZNF143 he
Literature	GENERIF_SUMMARY	Data show that tumor supressor p53 (p53) binding to telomeric G-
Literature	GENERIF_SUMMARY	In conclusion, miR-214 functions as a tumor suppressor by regulat adjunct therapy in breast cancer harboring wild type p53.
Literature	GENERIF_SUMMARY	The upregulation of the tumor suppressor protein p53 was linked t
Literature	GENERIF_SUMMARY	G9a inhibition potentiates the anti-tumour activity of DNA double-s
Literature	GENERIF_SUMMARY	TP53 was identified as a target of miR125b, and the minor allele o
Literature	GENERIF_SUMMARY	our data indicate that AML patients with TP53 mutations generally temporary suppression of the TP53-mutated clone in a subset of p
Literature	GENERIF_SUMMARY	TP53 mutation was commonly detected in pancreatic juice sample concentrations could distinguish PDAC from Intraductal Papillary I
Literature	GENERIF_SUMMARY	USP28-53BP1-p53-p21 signaling pathway is also required to arrest
Literature	GENERIF_SUMMARY	analysis of centrinone resistance identified a 53BP1-USP28 modul an enforcer of the singularity of centrosome assembly.
Literature	GENERIF_SUMMARY	Although the p53 codon 72 SNP is not associated with clinical ma be a contributing factor for this population having an increased ris
Literature	GENERIF_SUMMARY	Tp53 expression may lead to aggressive clinical behavior in Merke
Literature	GENERIF_SUMMARY	the transactivation inhibitory (TI) domains within the alpha-isoform
Literature	GENERIF_SUMMARY	Combined treatment with gamma-irradiation (gammaIR) and a dua proficient glioblastoma multiforme stem cells (GBM-SCs).
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with lung and colonic cancer.
Literature	GENERIF_SUMMARY	Loss of TP53 expression is associated with skin neoplasms.

Main Category	Category	
Literature	GENERIF_SUMMARY	We show that high proliferation of tumours and strong and consistent survival and overall survival in the overall study population. However, expression and high Ki67 expression was restricted to the disease
Literature	GENERIF_SUMMARY	Data show that p53 binds to the viral DNA at the SV40 large T-antigen
Literature	GENERIF_SUMMARY	HDAC3-mediated p53 acetylation and oligomerization is induced by
Literature	GENERIF_SUMMARY	PM2.5 exposure strongly induced the activation of the ATR (ATR serine phosphorylation subsequently triggered TP53-dependent autophagy and VEGFA production
Literature	GENERIF_SUMMARY	The mechanisms by which silencing Mcl-1 sensitizes hepatoma cells to p53 but the dysfunction of p53 through Mcl-1/p53 interaction. Mcl-1
Literature	GENERIF_SUMMARY	our data highlight the key role of p53 in regulating the tumor-reactive significance in adoptive T-cell therapy
Literature	GENERIF_SUMMARY	We conclude that TP53 mutations predict sensitivity to VEGF/VEGFR treatment with antiangiogenesis agents, a finding of seminal importance
Literature	GENERIF_SUMMARY	Nested multiplex polymerase chain reactions to detect the presence of the detection of cell cycle-related proteins p16, p27, p53 and Ki-67 in infected papillomas
Literature	GENERIF_SUMMARY	Simultaneous determination of the AFP, AFP-L3 and TP53 yielded a better biomarker alone.
Literature	GENERIF_SUMMARY	Schistosoma japonicum egg antigen p40 through action on the STAT3/STAT3 partly restored cell senescence.
Literature	GENERIF_SUMMARY	Downregulated expression of TP53 is associated with melanoma.
Literature	GENERIF_SUMMARY	we detected the hotspot c.7541_7542delCT NOTCH1 mutation in 10% of the affect the same CLL cells. In the NOTCH1-TP53-mutated patients
Literature	GENERIF_SUMMARY	MiR-122 overexpression reduced cell invasion and migration ability and suppress bile duct carcinoma cell proliferation and induce apoptosis
Literature	GENERIF_SUMMARY	Loss of TP53 is associated with pathogenesis of malignant peripheral
Literature	GENERIF_SUMMARY	cancer-affected humans with the S47 variant might not be effectively
Literature	GENERIF_SUMMARY	These findings demonstrated that VHL and P53 act synergistically and have important roles in the regulation of cell proliferation and apoptosis
Literature	GENERIF_SUMMARY	chronic lymphocytic leukemia patients with disrupted TP53 have significantly
Literature	GENERIF_SUMMARY	The cumulative cancer risk in TP53 + individuals was very high.
Literature	GENERIF_SUMMARY	PAK4 overexpression in hepatocellular carcinoma (HCC) promotes
Literature	GENERIF_SUMMARY	TP53 mutation is associated with sarcoma.
Literature	GENERIF_SUMMARY	Our results suggest that PIN1 plays a role in cancer cell proliferation and mutation status in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	This study demonstrated that a high p53 expression could be associated with TIGAR expression.
Literature	GENERIF_SUMMARY	Germline TP53 mutation is associated with Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	HDAC1 depletion-induced p53 expression alters cardiac-derived micro

Main Category	Category	
Literature	GENERIF_SUMMARY	the underlying mechanism of S100B-mediated effects on cancer s advanced glycation end products (RAGE), but might be through int
Literature	GENERIF_SUMMARY	DNA copy number variation in TP53 gene is associated with gliobl
Literature	GENERIF_SUMMARY	In aggressive cancers, mutation is so common that it may not have mutation or by other mechanisms). The clinical significance of TP
Literature	GENERIF_SUMMARY	C23 has a role in promoting tumorigenesis via suppressing p53 ac
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with hepatocellular carcinoma
Literature	GENERIF_SUMMARY	the top-down approach uses probabilistic graphical models to pre protein. Two networks are predicted, namely a network of eight ge interactions
Literature	GENERIF_SUMMARY	These data suggest that SIRT1 is involved in hydroquinone -induce activation of KRAS.
Literature	GENERIF_SUMMARY	The influx of unfolded p53 into the mitochondrial matrix in respons it from Trap1 complexes. This activates CypD's isomerase activity. aggregation) and the structural components of the mPTP pore, inc
Literature	GENERIF_SUMMARY	Our study mechanistically explains a p53-independent mode of ac antitumoral immune responses, following polyploidization of tumo
Literature	GENERIF_SUMMARY	The aim of this study is to analyze the immunoexpression of Ki67, impacted teeth and to identify a possible correlation between the i odontogenic tumors.
Literature	GENERIF_SUMMARY	this study demonstrated that p53-R273H missense mutant promot doxorubicin
Literature	GENERIF_SUMMARY	Data indicate cellular E3 ubiquitin ligase ring-finger and CHY zinc-f unique domain (SUD) and papain-like protease (PL(pro)), and, as a replication.
Literature	GENERIF_SUMMARY	In the very high-risk Bladder Cancer patients , several genes had a database, including TP53. Mutation associations with receipt of ne survival were analyzed.
Literature	GENERIF_SUMMARY	p53-deficient cancer cells produced reactive oxygen species, whic growth factor (VEGF) both in vivo and in vitro
Literature	GENERIF_SUMMARY	These results indicate that p53-independent upregulation of MDM
Literature	GENERIF_SUMMARY	TP53 mutations to be highly prevalent and concordant in primary t provides ground for further investigating the use of TP53 mutation
Literature	GENERIF_SUMMARY	MMP-14 is regulated by a cascade of IL-6 and p53, demonstrating cells to drive an invasive phenotype
Literature	GENERIF_SUMMARY	Study identified exonic and intronic polymorphisms of TP53 assoo manner.
Literature	GENERIF_SUMMARY	Bcl-2 confers resistance to mTORC1/2 inhibitors in TP53 wild type
Literature	GENERIF_SUMMARY	p53 mutants that retain the ability to transactivate TLR3, can be us
Literature	GENERIF_SUMMARY	Findings show the cell-context dependent effects of PRIMA-1MET methyltransferase (MGMT) as a potential molecular target of PRIM
Literature	GENERIF_SUMMARY	that COP1 may play a role in promoting glioma cell proliferation by

Main Category		Category
		protein c-JUN
Literature	GENERIF_SUMMARY	Lysine methylation represses p53 activity in teratocarcinoma cancer proliferation.
Literature	GENERIF_SUMMARY	This study identifies that CLL harboring del17p/TP53-mutated cells in wild-type cells
Literature	GENERIF_SUMMARY	in the context of Trp53 deficiency, wild type levels of Nucks1 are regulated by the NUCKS1 protein in the DNA damage response
Literature	GENERIF_SUMMARY	epigenetic silencing and TP53 mutation have an effect on the expression of p53
Literature	GENERIF_SUMMARY	in the Project HOPE cohort, strong accumulation of the germline TP53 mutation in patients had this mutation; study focused on these 6 patients; It is highly penetrant in some pedigrees
Literature	GENERIF_SUMMARY	DNA damage induces ISG15 conjugation to p53 and this modification is as well as of its own gene by promoting phosphorylation and acetylation
Literature	GENERIF_SUMMARY	Nijmegen breakage syndrome neural stem cells display downregulation of p53
Literature	GENERIF_SUMMARY	53BP1-USP28 cooperation is essential for normal p53-promoter elongation and 53BP1-dependent DNA double-strand repair regulation.
Literature	GENERIF_SUMMARY	a WWOX-p53 network regulates normal bone formation and that disruption of this network leads to osteoporosis
Literature	GENERIF_SUMMARY	these data demonstrate that therapeutic inhibition of MDM2-p53 interaction in ACC xenograft tumors to cisplatin, and eliminated tumor growth. The therapeutic inhibition of the MDM2-p53 interaction
Literature	GENERIF_SUMMARY	PK11007 may be a lead for anticancer drugs that target cells with a wide variety of mutant p53 cells.
Literature	GENERIF_SUMMARY	Actinomycin-D induces upregulation of PUMA, and of p53 interaction with MDM2
Literature	GENERIF_SUMMARY	inhibition of Chk1 can potentiate activity of nucleoside analogs in cancer cells
Literature	GENERIF_SUMMARY	We found that c-jun or c-fos was significantly associated with lymph node metastasis, poor differentiation, and poor survival. c-jun and c-fos were significantly associated with lymph node metastasis, poor differentiation, and poor survival.
Literature	GENERIF_SUMMARY	CDH6 is expressed in the oviduct, but not the ovary, and is repressed by p53
Literature	GENERIF_SUMMARY	Study provide the first clinical demonstration of the emergence of HDM2 inhibitor resistance.
Literature	GENERIF_SUMMARY	Homozygosity for p.V143A c.428T>C mutation in exon5 of TP53 gene is a predictive biomarker for therapy for gastric cancer.
Literature	GENERIF_SUMMARY	Mechanistic investigation revealed that HUWE1 can regulate p53 pathway in thyroid cancer progression, which may represent a novel therapeutic target
Literature	GENERIF_SUMMARY	TP53 mutation influences energy metabolism at multiple levels
Literature	GENERIF_SUMMARY	Amplification of 19q12 CCNE1/URI was found in 10.4% (28/270) of advanced FIGO stage, and aberrant tumor suppressor p53 expression
Literature	GENERIF_SUMMARY	There is no association between P53 codon 72 polymorphism and adenocarcinoma in never-smoker patients
Literature	GENERIF_SUMMARY	In the univariate analyses, TP53, PPP1R3A, and KMT2B were significant prognostic factors in cancers.

Main Category	Category	
Literature	GENERIF_SUMMARY	Transcriptome analysis revealed that SepH deficiency induces an i renders larvae susceptible to oxidative stress and DNA damage. F accelerate gastrointestinal tumor development
Literature	GENERIF_SUMMARY	Data show that a dominant-negative effect is widely spread within the isoforms of p53 and p73 tested exhibit a dominant-negative po
Literature	GENERIF_SUMMARY	In summary, deletion of 37 amino acid residues (356-393) and 3' n to the mitotic inhibitor navelbine
Literature	GENERIF_SUMMARY	Results showed the antagonistic interplay between HuR and miR-1 the p53 mRNA 3'-UTR prevented miR-125b mediated translation re miR-125b.
Literature	GENERIF_SUMMARY	The results indicate regions of structural vulnerability in the p53 D and aggregation, a potential approach to cancer therapy.
Literature	GENERIF_SUMMARY	point mutation in p53 structure, which diminishes p53
Literature	GENERIF_SUMMARY	These results suggest that oxaliplatin exerts its inhibitory effects i manner.
Literature	GENERIF_SUMMARY	p53-dependent control of CDC7 levels is essential for blocking G1/
Literature	GENERIF_SUMMARY	KRAS and TP53 mutations are negative predictors of survival in AV
Literature	GENERIF_SUMMARY	Data indicate high TP53 mutation rates in triple negative breast ca response to an intense neoadjuvant chemotherapy in these two m
Literature	GENERIF_SUMMARY	Data suggest that p53 (a) regulates pancreatic beta cell function i regulates insulin resistance in liver and skeletal muscle. [REVIEW]
Literature	GENERIF_SUMMARY	p53 codon 72 polymorphism could play a role as a prognostic mar
Literature	GENERIF_SUMMARY	Rapamycin up-regulates tumor suppressor protein p53 (p53) at the
Literature	GENERIF_SUMMARY	TP53 mutations in Tunisian families with hematological malignanc
Literature	GENERIF_SUMMARY	Data indicate that cadmium exposure decreased tumor suppressor autophagy.
Literature	GENERIF_SUMMARY	The current study supports a relevant role for p15, p16, and DAPK hypermethylation also might be an important step in the progressi
Literature	GENERIF_SUMMARY	we identified a novel c-Abl
Literature	GENERIF_SUMMARY	this study characterizes immunohistochemical correlates of TP53
Literature	GENERIF_SUMMARY	identification of the oncoprotein SET as a major cellular factor who
Literature	GENERIF_SUMMARY	a novel EWSR1/ETS chimeric gene, was identified in a patient diag cases of AML. This fusion gene is very likely to exhibit oncogenic p
Literature	GENERIF_SUMMARY	Data show that elevated expression of DNA-dependent protein kin (p53) in ovarian serous adenocarcinoma tissues are an indication
Literature	GENERIF_SUMMARY	Our findings provide explanations to 2 long-lasting and important c
Literature	GENERIF_SUMMARY	We also uncovered the suppression of the p53 signaling pathway t expression levels were higher in the 150 glioma patients than thes
Literature	GENERIF_SUMMARY	wtp53 binds to MYC promoter region containing putative G-quadr binding to G-quadruplexes can take part in transcriptional regulatio

Main Category	Category	
Literature	GENERIF_SUMMARY	Results show that TP53 expression is under the regulation of eEF1 stability.
Literature	GENERIF_SUMMARY	OTSCC in non-smokers have TP53 mutation rates similar to other l exposure based on the mutational spectrum and clinical history. T remain elusive and further studies are needed.
Literature	GENERIF_SUMMARY	These observations indicate that p53 serves as an important regul infection.
Literature	GENERIF_SUMMARY	The frequency of the rs1042522 polymorphism of TP53 was signif
Literature	GENERIF_SUMMARY	Results revealed the universal spatial heterogeneity of driver muta acquisition of driver mutations, such as TP53 mutation, varies in d
Literature	GENERIF_SUMMARY	Data show human p53 protein caused early senescence and fascia
Literature	GENERIF_SUMMARY	that p53 immunoexpression in more than 1% of the cells in a cutar
Literature	GENERIF_SUMMARY	ZIP9 expression affects phosphorylation states of p53.
Literature	GENERIF_SUMMARY	15 years of research into an unusual germline TP53 mutation (p.R3 was reviewed. The p.R337H mutation exists at a very high frequen total population of approximately 100 million. [review]
Literature	GENERIF_SUMMARY	Co-expression of p16/p53 may be of help in distinguishing betwee
Literature	GENERIF_SUMMARY	The significance and key features of the disordered C-terminal don described. (Review)
Literature	GENERIF_SUMMARY	This case contradicts previous reports of p53 and BRAF mutations further studies are needed to delineate the role of genetic characte
Literature	GENERIF_SUMMARY	These data support the concept that identifying germline TP53 var for SMN development, who could benefit from modified therapeuti
Literature	GENERIF_SUMMARY	Mechanistically, exercise-induced nuclear transcription factor FOX translocation of p53 to the mitochondria and thereby increasing p5
Literature	GENERIF_SUMMARY	Heptaocellular carcinoma p53 protein expression was not significa presence of viral B and C infections or liver cirrhosis.
Literature	GENERIF_SUMMARY	The data suggest that p53 may contribute to defense of the cells f
Literature	GENERIF_SUMMARY	2-Methoxy-5((3,4,5-trimethosyphenyl)seleninyl) phenol shows exce apoptosis, which is associated with MDM2 inhibition.
Literature	GENERIF_SUMMARY	DNA-PKcs inhibitor acriflavine exerts a p53-dependent synergistic
Literature	GENERIF_SUMMARY	Rhaponticum carthamoides extracts from transformed and norma reduce glioma cell proliferation.
Literature	GENERIF_SUMMARY	The results suggest that Cr(VI) has a role in premature senescence
Literature	GENERIF_SUMMARY	Phosphorylation of MITF by AKT affects its downstream targets an
Literature	GENERIF_SUMMARY	findings show that the most common p53 cancer mutants express translated from the mutated full-length p53 mRNA.
Literature	GENERIF_SUMMARY	simultaneous mutations at all four acetylation sites completely ab Moreover, p53(4KR) is still capable of inducing the p53-Mdm2 feed
Literature	GENERIF_SUMMARY	Dual mutations of NRXN1 and TP53 proteins are associated with c

Main Category	Category	
Literature	GENERIF_SUMMARY	Two benign tumors were detected in two TP53 mutation carriers
Literature	GENERIF_SUMMARY	53BP1 embodies two distinct activities
Literature	GENERIF_SUMMARY	Inhibition of GART induced cellular apoptosis and suppressed the p38 mitogen-activated protein kinase (MAPK) pathway, following v
Literature	GENERIF_SUMMARY	New mechanism by which mutp53 confers oncogenic functions by
Literature	GENERIF_SUMMARY	Report TP53 gene mutation analysis in chronic lymphocytic leuker
Literature	GENERIF_SUMMARY	the role of miR-30 in the development of Gastric cancer
Literature	GENERIF_SUMMARY	p53 might increase mtDNA copy number through its regulation on T
Literature	GENERIF_SUMMARY	NF2 regulates the interaction of FAK-p53 and MDM2-p53.
Literature	GENERIF_SUMMARY	In conclusion, our data suggest that P53 expression and MYC -R o lymphoma patients
Literature	GENERIF_SUMMARY	high-level MDM2 expression is needed in order to perform a critica the p53 pathway during retinoblastoma tumorigenesis.
Literature	GENERIF_SUMMARY	TP53 Mutation is associated with esophageal squamous cell carc
Literature	GENERIF_SUMMARY	Results indicate that it is possible to detect mutated p53 genes wi recurrence during the clinical evolution of the transplanted patients
Literature	GENERIF_SUMMARY	p53 tetramers induce rapid apoptosis and cell growth arrest, while
Literature	GENERIF_SUMMARY	Our results suggest the protective effect of minor allele 72C of TP death regulation may be involved in pathophysiology of MDD.
Literature	GENERIF_SUMMARY	we found p53 to play a crucial role as a Smad partner in TGF-beta- caused by p53 loss or its mutation during tumor development.
Literature	GENERIF_SUMMARY	Together, these studies reveal that TP53 exon-6 truncating mutatio could inform the development of strategies to target cancers drive
Literature	GENERIF_SUMMARY	These findings establish a unique PHF20-mediated link between M and suggest a model for rapid spreading of H4K16ac-enriched ope
Literature	GENERIF_SUMMARY	Novel MDM2 inhibitor SAR405838 induces p53-mediated apoptosi
Literature	GENERIF_SUMMARY	using pifithrin alpha we observed a decrease in apoptosis induced sensitivity occurs in part through an increase in both the levels and might permit the activation of cell death, providing new opportunit
Literature	GENERIF_SUMMARY	The Pro allele of the Tp53 Arg72Pro SNP showed higher levels of c endothelial growth factor and stromal cell-derived factor-1alpha - a with the homozygous Arg allele patients, which is compatible with
Literature	GENERIF_SUMMARY	that DNAJA1 controls the fate of misfolded stabilization of mutant
Literature	GENERIF_SUMMARY	the structural features of these regions and their specific role in th
Literature	GENERIF_SUMMARY	TP53 is a critical tumor suppressor gene that regulates cell cycle p strategy. (Review)
Literature	GENERIF_SUMMARY	specific inhibitor of CDK4/6 kinase blocked Her4-induced stabiliza
Literature	GENERIF_SUMMARY	miR-300 promoted proliferation and epithelial-mesenchymal transi

Main Category	Category	
Literature	GENERIF_SUMMARY	miR-24 functions as an oncogene in hepatocellular carcinoma, at l
Literature	GENERIF_SUMMARY	Data showed elevated expression of p53 in all the megaloblastic a apoptosis in megaloblast cells isolated from pernicious anemia pa
Literature	GENERIF_SUMMARY	TP53 mutations, especially exon 8 mutations, reduce responsiveness carrying exon 19 deletions.
Literature	GENERIF_SUMMARY	Expression of ERbeta and p53 significantly correlated with age and favorable outcomes.
Literature	GENERIF_SUMMARY	A new study describes a long noncoding RNA, DINO, transcribed fr promotes efficient activation of p53 target genes in response to DN
Literature	GENERIF_SUMMARY	P53 activation is an early and specific event in ZIKa virus-infected
Literature	GENERIF_SUMMARY	we found an excess of mutations in genes encoding histone H2A a harboring the histone gene cluster containing these genes.We also the nucleosome remodeling deacetylase complex).
Literature	GENERIF_SUMMARY	PKM2 knockdown resulted in increased p53 expression and prolom promote MDM2-mediated p53 ubiquitination. The dimeric PKM2 s
Literature	GENERIF_SUMMARY	Demonstrate a novel p53-independent activity of PRIMA-1Met to in
Literature	GENERIF_SUMMARY	Recent studies indicate that successful strategies to extract core a dependencies entail the superimposition of large-scale analyses p models. This will hopefully soon lead to the long-awaited inclusion
Literature	GENERIF_SUMMARY	PKM2 interferes with phosphorylation of P53 at serine 15, known t
Literature	GENERIF_SUMMARY	These studies provide novel evidence for a p53-dependent integrat starvation.
Literature	GENERIF_SUMMARY	The nucleolar protein CSIG is a novel and crucial regulator of the M the nucleoplasm in response to nucleolar stress. Moreover, knocko response to nucleolar stress
Literature	GENERIF_SUMMARY	The role of TP53 in tumor initiation and progression is context dep development of basal-like breast cancers and ovarian cancers. The including high frequency of TP53 mutation, which seems to be an
Literature	GENERIF_SUMMARY	Findings reveal a new mechanism whereby HUR protects NONO fr component within the complex network of players underlying the D genotoxic stress.
Literature	GENERIF_SUMMARY	TRAF6 prevents the mitochondrial translocation of p53 and sponta
Literature	GENERIF_SUMMARY	TP53 polymorphism in codon 72 is not associated with the pathog
Literature	GENERIF_SUMMARY	Karyotypic complexity rather than chromosome 8 abnormalities ag aberrations.
Literature	GENERIF_SUMMARY	Mutations and copy number loss of CD58 or TP53 are identified to
Literature	GENERIF_SUMMARY	Exposure to high fat diet restricted to either puberty or adulthood i obesity.
Literature	GENERIF_SUMMARY	Inhibition of MDM2 re-sensitizes rapamycin resistant renal cancer
Literature	GENERIF_SUMMARY	quantitative detection of p53-MDM2 interaction in breast cells and
Literature	GENERIF_SUMMARY	PICT-1 is a major nucleolar sensor of the DNA damage repair respo

Main Category	Category	
		pathway.
Literature	GENERIF_SUMMARY	weight p53 aggregates, which were shown to be primarily located covalent cross-linking and nuclear retention of p53.
Literature	GENERIF_SUMMARY	the expression of p53, p16 and Ki67 in 91 cases of cutaneous squ
Literature	GENERIF_SUMMARY	p53's nuclear shuttling was significantly favored by ectopic expres
Literature	GENERIF_SUMMARY	Studies indicate tumor protein p53 (p53) as an illustration of the p proteoforms by various mechanisms defines the ability of this prot
Literature	GENERIF_SUMMARY	Tp53 binds to an intragenic enhancer region in TNFAIP8 variant 2 a
Literature	GENERIF_SUMMARY	The sensitivity of p53 null colon cancer cells to 5-FU can be enhan
Literature	GENERIF_SUMMARY	applying loss-and-gain function analysis, we demonstrated that mi p53 was found to monitor the expression of miR-34a in NSCLC cel was modulated via p53/miR-34a/MYCN axis.
Literature	GENERIF_SUMMARY	Doxorubicin treatment of lung mucoepidermoid cells results in Hsp dissociation and instauration of replicative senescence.
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism is associated with breast cancer.
Literature	GENERIF_SUMMARY	Report up-regulation of TP53/MDM2 signaling pathway in breast c
Literature	GENERIF_SUMMARY	the class I subgroup of histone deacetylases, but not the class IIb p53 and NF-kappaB.
Literature	GENERIF_SUMMARY	hese findings confirmed that 53BP1 loss might be a negative facto suppressing ATM-CHEK2-P53 signaling, and finally inducing 5-FU re
Literature	GENERIF_SUMMARY	study assessed the frequency of the TP53 Arg72Pro polymorphism evaluated its clinical impact on outcomes of non-selected patients
Literature	GENERIF_SUMMARY	TP53 c.215G >C polymorphism is a risk factor for Down Syndrome
Literature	GENERIF_SUMMARY	The results show TP53 mutations as additional somatic events in
Literature	GENERIF_SUMMARY	Genistein induced mitotic arrest by inhibiting Plk1 activity and, con mutations were more sensitive to cell death by treatment of geniste
Literature	GENERIF_SUMMARY	Data show that Prima-1 kills hypoxic wt p53 KRAS-mutant cells res
Literature	GENERIF_SUMMARY	TP53 recurrent mutation c.541C>T (rs587782596) may be the first
Literature	GENERIF_SUMMARY	Using p53 and/or Ki-67 in addition to cytology increases the specif
Literature	GENERIF_SUMMARY	finding demonstrates that the overexpression of Delta133p53 not iPS cells.
Literature	GENERIF_SUMMARY	This study explored the associations of TP53 mutations, gene exp
Literature	GENERIF_SUMMARY	findings reveal a novel function of p53 in controlling inflammatory and accelerate synovial inflammation
Literature	GENERIF_SUMMARY	TP53 protein stabilization is associated with acute myeloid leukem
Literature	GENERIF_SUMMARY	a novel p53/POMC/Galphas/SASH1 autoregulatory positive feedba hyperpigmentation phenotype.
Literature	GENERIF_SUMMARY	Nucleoplasmic translocation of NPM1 is a prerequisite for stress-i

Main Category	Category	
Literature	GENERIF_SUMMARY	Knockdown of TP53, which is a gene encompassed by the deleted
Literature	GENERIF_SUMMARY	These data suggest that CACUL1 is a novel regulator that negative
Literature	GENERIF_SUMMARY	TGF- β promotes the translation of USP15 through activation of ma Upregulation of USP15 translation links the crosstalk between TGF cancer progression.
Literature	GENERIF_SUMMARY	TP53 Codon 72 Polymorphism Alone or in Combination with HDM
Literature	GENERIF_SUMMARY	data suggesting that p53 promotes nucleotide biosynthesis in resp (PFK2) isoform 6-phosphofructo-2-kinase/fructose-2,6-biphosphat
Literature	GENERIF_SUMMARY	These results suggest that the TP53 Arg72Pro polymorphism CC g and among Asians.
Literature	GENERIF_SUMMARY	Newcastle disease virus infection diminished hypoxia-induced HIF independent of VHL and p53.
Literature	GENERIF_SUMMARY	Disturbed p53-MDM2 feedback loop contributing to the pathogene
Literature	GENERIF_SUMMARY	not a significant association between POAG risk and p53 codon 72
Literature	GENERIF_SUMMARY	A near-native models of the p53-MDM2 complex have been preser
Literature	GENERIF_SUMMARY	p53 and synthetic PIF pathways could interact in human trophobla
Literature	GENERIF_SUMMARY	Our results show that T.A.T triplex comprises a new class of p53 b cells. The contribution of p53 DNA structure-dependent binding to
Literature	GENERIF_SUMMARY	he study results revealed that the rs1042522 genotype with the C a decreased CRC risk in patients with Lynch syndrome in Taiwan.
Literature	GENERIF_SUMMARY	EV11 transcription is directly regulated by LEF1/ β -catenin comp key regulator for β -catenin-EV11 in myeloid blast crisis of chroni
Literature	GENERIF_SUMMARY	Studies indicate that frequently altered genes in type I carcinomas
Literature	GENERIF_SUMMARY	Results show that Trp53 expression is regulated by ID4 which prom
Literature	GENERIF_SUMMARY	in contrast to many other tumor types, TP53 mutations may correl for those who undergo molecular testing within 12 months of the s
Literature	GENERIF_SUMMARY	we investigated how Rb is integrated to control bladder cancer pro lower in patients with bladder tumor, while E2F3 level is high. Rb kn p53 silence.
Literature	GENERIF_SUMMARY	P53 and MDM2 mRNA and protein were elevated in endometrial p clinical staging of endometrial adenocarcinoma.
Literature	GENERIF_SUMMARY	AXL overexpression or activation through growth arrest-specific 6 decreases p53 activity.
Literature	GENERIF_SUMMARY	ASPP2 suppresses p53 target gene transactivation, promoter occu
Literature	GENERIF_SUMMARY	tumor suppressor p53 functions as an essential antiviral molecule
Literature	GENERIF_SUMMARY	ENTPD5 is a mediator of mutant p53 gain of function activity in clo colonization in lung cancer and its mouse models
Literature	GENERIF_SUMMARY	this study demonstrates that although early-onset breast cancer is attributed to TP53 polymorphisms alone, or MDM2 SNP309

Main Category	Category	
Literature	GENERIF_SUMMARY	These findings suggest that normal p53 function is crucial in ATM, leading to differential LDIR biological activities between breast tumors
Literature	GENERIF_SUMMARY	Patients with acute myeloid leukemia (AML) or myelodysplastic syndrome (MDS) at high risk, TP53 mutations, or both had favorable clinical responses and overall survival with decitabine.
Literature	GENERIF_SUMMARY	No significant relationship was found between p53 expression and tumor size, lymph node invasion, involvement of lymph nodes, and vascular invasion.
Literature	GENERIF_SUMMARY	Considering a potential cross talk between p53 and NF-kappaB, we investigated the effect of p53 and NF-kappaB on the UV-mediated suppression of TNF-alpha-activated NF-kappaB
Literature	GENERIF_SUMMARY	Delta40p53alpha acts as an important tumor suppressor in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Central nervous system posttransplant lymphoproliferative disorder (PTLD) is a rare entity in immunohistochemistry, and can present with numerous background patterns
Literature	GENERIF_SUMMARY	P53 role in neuroblastoma cell differentiation
Literature	GENERIF_SUMMARY	CIZAR induces apoptosis not only through the restoration of p53/Rb pathway but also through p53/Rb-independent pathways and the mitochondrial death-signal pathway
Literature	GENERIF_SUMMARY	BACH1 overexpression impaired the association between p53 and MDM2, leading to increased p53 expression.
Literature	GENERIF_SUMMARY	p53 overexpression may help judge the prognosis of patients who have gastric cancer
Literature	GENERIF_SUMMARY	TP53 alterations are present in almost all cases of Acute lymphoblastic leukemia (ALL). The lymphoid transcription factor IKZF2 and the tumor-suppressor protein p53 in hypodiploid ALL in children are present in nontumor cells. [review]
Literature	GENERIF_SUMMARY	NPM1 downregulation by P-STAT5 is mediated by impairing the BCR-ABL1 pathway. The decreased NPM1 levels led to suppression of p53 expression, resulting in increased cell survival.
Literature	GENERIF_SUMMARY	PHLDB3 promotes tumour growth by inactivating p53 in a negative feedback loop
Literature	GENERIF_SUMMARY	Curcumin treatment significantly inhibited the cellular viability and induced apoptosis in human breast cancer cells
Literature	GENERIF_SUMMARY	Thus p53 status with intracellular GSH is critical for the modulation of cellular response to oxidative stress
Literature	GENERIF_SUMMARY	TP53 and RB1 mutations seem to be restricted to high-risk/malignant tumors, suggesting a high frequency.
Literature	GENERIF_SUMMARY	A significant increase in the risk of non-small cell lung cancer was observed in patients with TP53 mutations
Literature	GENERIF_SUMMARY	Report multiple novel splice variants of long non-coding RNA GAS5 in human neuroblastoma cells. BRCA1 and p53 in human neuroblastoma cells.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with invasion of breast cancer cells
Literature	GENERIF_SUMMARY	Data suggest that cisplatin (cis-Pt) and oxaliplatin (oxali-Pt) intrastimulate p53 to phosphorylate tumor protein p53 (p53) at Ser20, activate p53 and induce apoptosis
Literature	GENERIF_SUMMARY	This work provides evidence that TP53 and KRAS mutation in lung cancer cells is associated with anti-PD-1/PD-L1 immunotherapy
Literature	GENERIF_SUMMARY	adipose stem cell extract regulates Abeta-induced mitochondrial apoptosis
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	VHL missense mutations in the p53 binding domain show differential effects on p53 function in carcinoma, enhancing tumor cell survival.

Main Category	Category	
Literature	GENERIF_SUMMARY	The combination of metformin and 2-deoxyglucose reverses MDR accumulation.
Literature	GENERIF_SUMMARY	This review focus is on the latest progress in identifying novel regulatory functional connection between defective IRES-mediated p53 trans
Literature	GENERIF_SUMMARY	Pattern of p53 and particularly SOX2 protein expression in esopha
Literature	GENERIF_SUMMARY	Tumors with POLE EDMs had the most favorable prognosis, and th curves (p53 wt and MMR-D) was observed
Literature	GENERIF_SUMMARY	Despite a significant prevalence of BRAF mutation, more than 70% concurrent mutations of other genes such as TP53, PIK3CA, CTNN
Literature	GENERIF_SUMMARY	Our study firstly identifies the role of SHARPIN in promoting wild-ty cancer.
Literature	GENERIF_SUMMARY	Increased the expression of tumor suppressor genes such as Cdk
Literature	GENERIF_SUMMARY	TP53 mutation is associated with inflammatory bowel disease-ass
Literature	GENERIF_SUMMARY	We further discuss how dysfunction in the p53- and/or Rb-mediate pathways might provide good targets for developing anticancer the
Literature	GENERIF_SUMMARY	These data imply that p53 can excise incorrect sugar in addition to replication errors by HIV-1 reverse transcriptase.
Literature	GENERIF_SUMMARY	TLP Prevents p53 Degradation through Disrupting the p53-MDM2 I
Literature	GENERIF_SUMMARY	Studies indicate that nucleolar stress triggers several response pa dependent or p53-independent.
Literature	GENERIF_SUMMARY	FOXO1 down-regulation and p53 overexpression characterizes a g disease recurrence.
Literature	GENERIF_SUMMARY	Statistically significant correlations were found only in Morbus Bov and p53-p16.
Literature	GENERIF_SUMMARY	Combined inactivation of the XRCC4 non-homologous end-joining characteristics of human glioblastoma.
Literature	GENERIF_SUMMARY	MDM4 protein is frequently abundant in the context of mutant p53 proliferation of these BC cells. MDM4 is crucial for the establishme
Literature	GENERIF_SUMMARY	Mutations in each of the KRAS, CDKN2A, TP53, and SMAD4 genes
Literature	GENERIF_SUMMARY	Disruption of CK1alpha function in myeloma cells resulted in decre AKT.
Literature	GENERIF_SUMMARY	MDM2 is involved in fibroblast activation, mediating renal tubuloin ubiquitination and proteasome degradation.
Literature	GENERIF_SUMMARY	Results showed that the protein expression levels of ASPP2 and P paired noncancerous tissues.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with non-small-cell lung cance
Literature	GENERIF_SUMMARY	The C allele for rs1042522 in p53 was genetically associated with attempting replication of PVR-associated risk alleles in a nonwhite
Literature	GENERIF_SUMMARY	The TP53 Pro72Arg SNP in de novo acute myeloid leukaemia - res
Literature	GENERIF_SUMMARY	Network analysis on shortest paths connecting gene targets sugg

Main Category		Category
		pathway. These data confirm and extend our knowledge on the mi
Literature	GENERIF_SUMMARY	Long term expression of p53 responsive miRNAs leads to an exce MDM2, BTG2 and CDKN1A mRNA and/or protein.
Literature	GENERIF_SUMMARY	The anti-proliferative effect of silibinin on LX-2 human stellate cells p27, Akt and sirtuins.
Literature	GENERIF_SUMMARY	Circulating exosomal DNA in 5 out of 9 CP patients enabled the de exosomal DNA, 2.6% presented with KRAS(G)(12)(D) mutation and
Literature	GENERIF_SUMMARY	mir-486-5p is positively regulated by mir-660-5p in lung cancer cell
Literature	GENERIF_SUMMARY	a novel molecular mechanism which, in silico, is capable of trigger p53 can provide mechanistic insights into an excitability of the p53 response to single and double strand breaks.
Literature	GENERIF_SUMMARY	NF-kappaB targeted cell signaling is involved in AGE-mediated auto
Literature	GENERIF_SUMMARY	PIDDosome acts as a first barrier, engaging p53 to halt the prolifer integrity.
Literature	GENERIF_SUMMARY	all results suggested that CQ synergistically sensitized human colo apoptotic pathway via p53-ROS cross-talk. Lastly, we showed that in xenograft models
Literature	GENERIF_SUMMARY	These data add to the concept that tp53, while classically a tumor oxidative stress.
Literature	GENERIF_SUMMARY	Other important genes regulating cancer onset/progression also n status for making a better conclusive statement regarding cancer
Literature	GENERIF_SUMMARY	The findings of our study indicated that p53 codon 72 polymorphis stage cervical cancer patients. Further studies need to be done in
Literature	GENERIF_SUMMARY	The combined p16- and p53-expression status in cervical metastas of these biomarkers in large prospective trials is essential to desig
Literature	GENERIF_SUMMARY	Results indicate that the relation between HPV and the p53 codon this relationship need to be further elucidated.
Literature	GENERIF_SUMMARY	Data suggest that three new candidate genes involved in the devel
Literature	GENERIF_SUMMARY	TP53 mutation-associated genomic instability may promote chron chemoresistance and recurrence
Literature	GENERIF_SUMMARY	EPSIN 3 is a novel p53 target and a key mediator of apoptosis. Chr regulation of EPSIN 3 and subsequently caused apoptosis resistan
Literature	GENERIF_SUMMARY	Findings suggest that the tumor suppressor capability of wtp53 is mutp53 is independent of NMIIA.
Literature	GENERIF_SUMMARY	establish a new cancer stem cell signalling pathway downstream o
Literature	GENERIF_SUMMARY	These findings suggest that Mdm2 splice isoforms may play critic biochemical mechanism.
Literature	GENERIF_SUMMARY	TP53 mutations were present in 15.8% of patients, half of which w identified in 25.4% of the patients. CONCLUSIONS
Literature	GENERIF_SUMMARY	Study suggests that D-type cyclin overexpression is an acute event tumours and that its overexpression is dispensable in later stages

Main Category	Category	
Literature	GENERIF_SUMMARY	Data suggest that the model can replicate amplified p53 response manipulating p53 dynamics.
Literature	GENERIF_SUMMARY	these findings indicate that reduced levels of HSPA9 may contribu
Literature	GENERIF_SUMMARY	Results indicate a pathway via which microRNA miR-17-5p inhibits
Literature	GENERIF_SUMMARY	p53 controls the induction of DNA polymerase eta in DNA damage
Literature	GENERIF_SUMMARY	The BRG1/SIRT1/p53 signal axis is a novel mechanism of cell sen
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with renal cell carcinoma.
Literature	GENERIF_SUMMARY	Our finding suggests a significant relationship between the TP53 r
Literature	GENERIF_SUMMARY	Genetic analyses of isolated high-grade pancreatic intraepithelial r pancreatic ductal adenocarcinoma.
Literature	GENERIF_SUMMARY	Data show that siRNA-mediated depletion of general control nond and induces the p53 pathway activation.
Literature	GENERIF_SUMMARY	Compared to single-gene-targeted cells and parental controls, cells phenotypes including cell proliferation, soft agar colony formation,
Literature	GENERIF_SUMMARY	a soft extracellular matrix causes downregulation of ROCK2 expres
Literature	GENERIF_SUMMARY	Although tumor protein p53 (p53) does not directly control the lum properties by luminal cells and predisposes them to development o
Literature	GENERIF_SUMMARY	Altered expressions of Notch-1 signaling proteins and beta-catenin suggests that Notch-1 signaling pathway and cell adhesiveness m
Literature	GENERIF_SUMMARY	Transcriptome analysis of MUC16 KD showed a downregulation (F MUC16 overexpression induced cisplatin and gemcitabine resistan
Literature	GENERIF_SUMMARY	the frequency and association of polymorphisms in the TP53 and (RB) in northern Mexico, was examined.
Literature	GENERIF_SUMMARY	p53 isoform delta133p53ss regulates cancer cell apoptosis in a RB
Literature	GENERIF_SUMMARY	Data show that the resveratrol/docetaxel combination up regulated CIP1 and p27KIP1.
Literature	GENERIF_SUMMARY	These findings suggest that this TP53 polymorphism influences N
Literature	GENERIF_SUMMARY	these results suggest that OTUD1 is a novel regulator of p53 stabil
Literature	GENERIF_SUMMARY	p53 modulates the phenotype of specific cell-cycle defects throug
Literature	GENERIF_SUMMARY	Authors revealed that lncRNA-ROR expression level was obviously lncRNA-ROR has a tumor-promoting effect on Colorectal Cancer p suppress the p53 pathway.
Literature	GENERIF_SUMMARY	Frameshift mutation in TP53 gene is associated with mismatch re
Literature	GENERIF_SUMMARY	In the olaparib LT group, 244 genetic alterations were detected, wit respectively). BRCA2 mutations were enriched among the LT respo HRD score (>42) and/or BRCA1/2 mutation was associated with L
Literature	GENERIF_SUMMARY	The results suggest that TP53 and RAS-pathway mutations predic myelodysplastic syndromes, respectively. However, for patients wi with transplantation.

Main Category	Category	
Literature	GENERIF_SUMMARY	We conclude that p53 protein accumulation, detected by immunohistochemistry, is a marker for progression in patients with Barrett's metaplasia
Literature	GENERIF_SUMMARY	Our results indicate that enhanced chemosensitivity of cells lacking p53 is not dependent on the
Literature	GENERIF_SUMMARY	the data confirmed the role of silibinin as an antiproliferative compound in human
Literature	GENERIF_SUMMARY	p53 activation alters APOBECA3 gene regulation.Activated p53 binds to the APOBECA3 promoter
Literature	GENERIF_SUMMARY	These findings indicate that LINC00672 can influence LASP1 expression, thereby impacting endometrial cancer and chemosensitivity to paclitaxel.
Literature	GENERIF_SUMMARY	Our purpose was the evaluation of microsatellite stability status with respect to the contribution.we noted a 10% frequency of MSI events where MSI-H and nuclear overexpression was noted with a 70% frequency and p53 was
Literature	GENERIF_SUMMARY	Tumor size, lymph node involvement, family history, Ki-67 and p53 expression in breast cancer (TNBC) patients with positive p53 or Ki-67 high index or family history study suggests that p53, Ki-67 and family history are useful prognostic factors
Literature	GENERIF_SUMMARY	MELK-inhibitor has a role in triple-negative breast cancer cells demonstrating
Literature	GENERIF_SUMMARY	These findings suggested that CNPY2 promoted cancer cell growth and
Literature	GENERIF_SUMMARY	SNF5 is indispensable for CRIF1-enhanced p53 activity and its function in
Literature	GENERIF_SUMMARY	findings show an important role for TP53 variants as negative predictors of survival, especially for TP53 inactivating mutations in advanced stage tumors. G-allele as possible risk factor for non-small cell lung cancer
Literature	GENERIF_SUMMARY	This study confirms that Diosmetin (Dios), can induce cell apoptosis and p38 phosphorylation.
Literature	GENERIF_SUMMARY	Kidney biopsies from patients with IgA nephropathy and diabetic nephropathy showed increased expression of SOCS7, and increase in profibrotic proteins and miRNAs
Literature	GENERIF_SUMMARY	Reactivation of p53 is a potential way to treat tumors by inhibiting
Literature	GENERIF_SUMMARY	Studied diosmetin effect on signal pathway and apoptosis in HepG2 cells. Effects of Dios on cellular P53 and CYP1A1/CYP1A2 proteins levels were determined; diosmetin; p53 downregulation by pifithrin caused inhibition of apoptosis
Literature	GENERIF_SUMMARY	diffuse large B-cell lymphoma progression is accompanied by the
Literature	GENERIF_SUMMARY	p53 negatively regulates the expression of the PRR11-SKA2 bidirectional transcription unit. PRR11-SKA2 bidirectional transcription unit after loss of p53 might be
Literature	GENERIF_SUMMARY	Somatic TP53 mutations characterize preleukemic stem cells in acute myeloid leukemia
Literature	GENERIF_SUMMARY	results reveal a spectrum of genomic alterations in the TP53 pathway
Literature	GENERIF_SUMMARY	The expression of p53 fulllength transcript and Delta133p53 isoform was determined by reverse transcriptionquantitative polymerase chain reaction in corresponding adjacent noncancerous tissues.
Literature	GENERIF_SUMMARY	This work establishes a p53 dependent epigenetic signalling mechanism as a potential adjuvant therapy for p53 mutant tumours
Literature	GENERIF_SUMMARY	Our results indicate that a balance between lncRNA SNHG1 and hnRNPA2B1 is required for treatment, and further indicate that a change in lncRNA subcellular localization
Literature	GENERIF_SUMMARY	RASSF10 induces apoptosis in papillary thyroid carcinoma (PTC) cells and is a potential target for PTC.

Main Category	Category	
Literature	GENERIF_SUMMARY	Germline TP53 mutations are identified in 75% of patients with clonal epigenome in LFS families in the context of germline TP53 mutations transform the clinical management of patients. [review]
Literature	GENERIF_SUMMARY	These results indicate that TP53 gene rs1042522 C>G polymorphism in Chinese children
Literature	GENERIF_SUMMARY	These data - while cautioning that not all genetic mouse models faithfully recapitulate human disease - suggest that p53 gene expression is a critical prerequisite for missense mutant p53 stabilization and
Literature	GENERIF_SUMMARY	Our results highlight a novel role for miR-377-DNMT1-p53 axis in HNSCC and identify future opportunities for its therapeutic prevention
Literature	GENERIF_SUMMARY	Allele-specific expression of wild-type TP53 may allow an unaffected homozygous wild-type TP53 individuals than their affected offspring
Literature	GENERIF_SUMMARY	Targeting NOP14 allows for effective suppression of tumor invasion and approach for attenuating metastasis in p53-mutant tumors
Literature	GENERIF_SUMMARY	Data show that p50 is important as a unique mechanism of R-CHOC without TP53 mutations.
Literature	GENERIF_SUMMARY	Increased nuclear p53 phosphorylation and PGC-1alpha protein co-localization are important early molecular events in the exercise-induced response
Literature	GENERIF_SUMMARY	TP53 deletion or mutation is frequent in B-cell malignancies and is a key component of the B-cell malignancy landscape, from B-Acute Lymphoblastic Leukemia to Diffuse Large B-cell Lymphoma. A number of actors both upstream and within the p53 pathway, namely MYC, MYD88, and
Literature	GENERIF_SUMMARY	Out of 171 EGFR mutated tumor-patient cases, 20 were sequenced for concurrent TP53 mutation, 10% PIK3CA mutation, 5% PTEN mutation
Literature	GENERIF_SUMMARY	ERK1/2/p53/PUMA signaling axis is related to cisplatin-induced cell death
Literature	GENERIF_SUMMARY	ionizing radiation (IR) inhibits the activity of SMG1, a phosphoinositide-dependent kinase-1 (PI3K) in the 5'UTR region near exon 9 of p53 precursor mRNA and promoting the binding of
Literature	GENERIF_SUMMARY	This study reveals a critical link between two key factors in tumor progression: p53 and Akt. The p53 signaling axis in lung cancer.
Literature	GENERIF_SUMMARY	Consistently, forced expression of p53 significantly stimulated ACER2 expression, which was enhanced by ACER2. Depletion of the essential autophagy gene ATG13L significantly
Literature	GENERIF_SUMMARY	Results indicate that the induction of long non-coding RNA NEAT1 by p53 and NEAT1 constitute a transcriptional network contributing to
Literature	GENERIF_SUMMARY	Our data showed that relative TP53 mRNA expression was not significantly altered in skin tissue was not significantly altered, but in muscle tissue. Infrared laser radiations alter ATM mRNA expression related to
Literature	GENERIF_SUMMARY	Progesterone, via P4 receptors (PRs), induces necroptosis in Trp53-deficient epithelium.
Literature	GENERIF_SUMMARY	patients with TP53 alterations displayed a younger age and the presence of TP53 mutation in SS as well as in erythrodermic MF making it a potential role for TP53 mutation in SS as well as in erythrodermic MF making it a potential role for TP53 mutation in SS as well as in erythrodermic MF making it a potential
Literature	GENERIF_SUMMARY	E6/E7-p53-POU2F1-CTHRC1 axis promotes cervical cancer cell invasion
Literature	GENERIF_SUMMARY	p53 gene polymorphism is associated with apoptotic signaling and
Literature	GENERIF_SUMMARY	The p53 degradation is involved in thyroxine-mediated sperm DNA

Main Category	Category	
Literature	GENERIF_SUMMARY	miR-888-5p increased the expression of MMP-2 and MMP-9 protein which further enhanced the cell tumorigenicity.
Literature	GENERIF_SUMMARY	Together these data suggest that PICART1 is a novel p53-inducible signaling cascade.
Literature	GENERIF_SUMMARY	we show that PLAC1 transcript number is significantly negatively correlated with TP53 mutation status, p53 protein status and PLAC1 transcript levels in patients diagnosed with serous ovarian cancer.
Literature	GENERIF_SUMMARY	Moreover, inhibition on miR-374b relieved the suppressed AKT1 protein expression by miR-374b/AKT1 signaling that may regulate BLM-induced apoptosis and chemotherapy in CRC.
Literature	GENERIF_SUMMARY	Abnormal p53 immunoexpression (null staining pattern or staining pattern) was observed in carcinoma of the bladder.
Literature	GENERIF_SUMMARY	RNA-binding motif 5 silencing reduced the messenger RNA and protein levels of p53. Motif 5 downregulation is involved in gastric cancer progression and metastasis.
Literature	GENERIF_SUMMARY	p53 Arg/Arg homozygous genotype at codon 72 was associated with positive human papillomavirus E6/E7 expression. SNPs 248 were not associated with positive human papillomavirus E6/E7 expression.
Literature	GENERIF_SUMMARY	accumulated mutant-p53 protein suppresses the expression of SLC1A1 and inhibits its binding to the master antioxidant transcription factor NRF2.
Literature	GENERIF_SUMMARY	TP53 SNPs rs1801133 and rs1801394 variants showed strong association with HNSCC risk.
Literature	GENERIF_SUMMARY	ECRG2 in combination with cisplatin (DDP) can inhibit viability and induce apoptosis. Upregulation of p53 expression and downregulation of PCNA expression were observed.
Literature	GENERIF_SUMMARY	Evolution of Tumor Formation in Humans and Mice with Inherited TP53 Mutation
Literature	GENERIF_SUMMARY	Study identified TP53 and RET among the most mutated oncogenes in HNSCC.
Literature	GENERIF_SUMMARY	In this study, in recombinant adenovirus-ASPP2-infected HepG2 cells, ASPP2 overexpression promoted cell proliferation in a dose-dependent manner.
Literature	GENERIF_SUMMARY	Treatment of cells with the compounds increased phosphorylation of p53, suggesting a central role of activation of DNA damage signaling in regulating apoptosis in cancer cells and provide support for their further development.
Literature	GENERIF_SUMMARY	Relevant SNPs in DNA repair (ERCC1 and ERCC5) and apoptosis (Mdm2) were associated with HNSCC risk. Prospective clinical SNP-based validation is needed.
Literature	GENERIF_SUMMARY	p53/p21 signaling pathway role in melanoma cells
Literature	GENERIF_SUMMARY	A direct link between Y14 and p53 expression and suggests a functional role for Y14 in p53 signaling.
Literature	GENERIF_SUMMARY	Upregulation of Delta133p53 is an endogenous mechanism that facilitates p53-mediated apoptosis and maintained apoptotic and DNA repair activities.
Literature	GENERIF_SUMMARY	Regulation of transcriptional activators by DNA-binding domain (DBD) of p53 is ubiquitinated and degraded. Ubiquitin is orientated towards, and makes contact with, the DNA.
Literature	GENERIF_SUMMARY	rs1800372 polymorphism of TP53 might be the marker of unfavorable prognosis in HNSCC.
Literature	GENERIF_SUMMARY	high A1AT expression correlated with increased tumor stage, elevated TNM stage, and poor prognosis.
Literature	GENERIF_SUMMARY	This study suggests that functional p53 plays a critical role in cellular growth and DNA damage associated with breast cancer risk.
Literature	GENERIF_SUMMARY	Meta-analysis identified the prognostic significance of TP53 mutation in HNSCC.

Main Category	Category	
		mutated TP53 was significantly associated with poor prognosis in accurate individual therapeutic regimens.
Literature	GENERIF_SUMMARY	Results show that TP53 mutation carriers exhibit a constitutive de TP53 dominant-negative missense mutations is explained by a ma
Literature	GENERIF_SUMMARY	we have developed an easily constructed DNA nanoassembly-base free hairpin probe (LHP) for target p53 gene analysis.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with Lung Adenocarcinoma.
Literature	GENERIF_SUMMARY	Single-nucleotide polymorphisms od TP53 gene Correlates with Co
Literature	GENERIF_SUMMARY	We describe first the time the analysis of TP53 mutations in esoph megaesophagus. The observed high frequency of mutations, sugg unexplored etiological condition.
Literature	GENERIF_SUMMARY	In three warty or basaloid SCSC HPV16-DNA and E6*I-mRNA were However, of three usual-type SCSC, all were HPV-negative and two
Literature	GENERIF_SUMMARY	Loss of heterozygosity of TP53, P16, SMAD4 and APC genes was
Literature	GENERIF_SUMMARY	an intricate link between caveolin-1 and Src kinase-mediated cell s through p53 and uPA system-mediated cross-talk, is reported.
Literature	GENERIF_SUMMARY	About half of HPV-negative penile cancers are driven by oncogenic function
Literature	GENERIF_SUMMARY	TP53 R337H carriers have a lifelong predisposition to cancer with
Literature	GENERIF_SUMMARY	Together, these results indicate that Fusaric acid is genotoxic and
Literature	GENERIF_SUMMARY	Taken together, our results suggest that MsrB3 plays a critical role
Literature	GENERIF_SUMMARY	Collectively, our findings present the first to elucidate that miR-29c target gene involved in colon cancer metastasis.
Literature	GENERIF_SUMMARY	Results showed that p53 protein was overexpressed in patients wi survival.
Literature	GENERIF_SUMMARY	Although the TP53 G72C genotype was not associated with overall
Literature	GENERIF_SUMMARY	data suggest the possibility that checkpoint inhibitors could efficie
Literature	GENERIF_SUMMARY	Results show that P53 interacts with Parkin resulting in its degrad
Literature	GENERIF_SUMMARY	It showed a link between the status of MDC1 protein and TP53 gen
Literature	GENERIF_SUMMARY	our work demonstrates that the loss of lncRNA MEG3 leads to AM development via both p53-dependent and p53-independent pathwa
Literature	GENERIF_SUMMARY	WDR79 colocalized and interacted with USP7 in the nucleus of non Mdm2 and p53, thereby increasing the stability and extending the l
Literature	GENERIF_SUMMARY	Dmp1 (Dmp1alpha) physically interacts with p53, stabilizes p53's b
Literature	GENERIF_SUMMARY	Knockdown of HOTAIR induced significant decrease in the express
Literature	GENERIF_SUMMARY	Gliosarcoma patients with TP53 mutations showed a significantly transition.
Literature	GENERIF_SUMMARY	Taken together, these data suggest that WDR5 is directly involved i A549 cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	Formononetin prevents cisplatin-induced acute kidney injury by tar
Literature	GENERIF_SUMMARY	Activation of the p53 pathway.
Literature	GENERIF_SUMMARY	Excitability in the p53 network mediates robust signaling with tuna
Literature	GENERIF_SUMMARY	structured RNAs prevent p53C aggregation through surface interac
Literature	GENERIF_SUMMARY	The research data established that the missense mutations (Gain- a multitude of oncogenic genes and cancer signaling pathways inc
Literature	GENERIF_SUMMARY	Study provided the fi rst evidence that NDRG2 promoting sensitivit entering the nucleus rather than changing its expression.
Literature	GENERIF_SUMMARY	Studied association of tumor protein p53 and drug metabolizing en cell lung cancer.
Literature	GENERIF_SUMMARY	The cytotoxic and genotoxic potential of oxygen functionalized gra
Literature	GENERIF_SUMMARY	Tumor cells bearing a p53 mutation showed increased damage lev irradiation reduced colony-forming ability and survival of tumor cel damage repair and tumor cell survival. We therefore recommend fr
Literature	GENERIF_SUMMARY	mutation of TP53, the most frequent genetic alteration in ER-negat differential influence on clinical outcomes according to ER status.
Literature	GENERIF_SUMMARY	our study supports the presence of a p53-independent mechanism support the feasibility of targeting DHX9 as a chemotherapeutic ap
Literature	GENERIF_SUMMARY	chaperone-mediated autophagy pathway activation appears to dec degradation of HMGB1 protein which reduced p53 expression
Literature	GENERIF_SUMMARY	Germline BRCA1/2 gene mutations could result in genomic instabi cells compared with the general population, predisposing BRCA ca
Literature	GENERIF_SUMMARY	these data uncover two distinct mechanisms by which mutp53 enl
Literature	GENERIF_SUMMARY	Since most ATCs were reported to carry the mutated form of p53, levels are regulated, at least in part, by the p53 status in thyroid ca
Literature	GENERIF_SUMMARY	A function that may involve ROS/p53/p21Cip1/Waf1/ p16INK4a si
Literature	GENERIF_SUMMARY	Clustered regularly interspaced short palindromic repeat (CRISPR) R (PKR) restored p53 responses while boosting hepatitis C virus re
Literature	GENERIF_SUMMARY	HULC activates p53-p21 pathway and promotes nasopharyngeal c
Literature	GENERIF_SUMMARY	human pluripotent stem cells recurrently acquire and expand domi their differentiated derivatives should be carried out before clinical
Literature	GENERIF_SUMMARY	Data suggest that H2O2 regulates cell death in granulosa cells via
Literature	GENERIF_SUMMARY	EGFR gene amplification and mutations are rare in triple-negative b markers of EGFR-related chromosomal aberrations and combined patients with operable TNBC receiving conventional adjuvant chen
Literature	GENERIF_SUMMARY	Treatment with 240 mg/l matrine reduced the protein expression le and inhibited their proliferation, which may be associated with the levels.
Literature	GENERIF_SUMMARY	High expression of TP53 is associated with colorectal cancer.
Literature	GENERIF_SUMMARY	This work highlights the importance of the p53-miR-191-SOX4 axis

Main Category	Category	
		lines (MCF7 and ZR-75)
Literature	GENERIF_SUMMARY	TP53 comutation with KRAS or EGFR is not a significant prognostic factor. TP53 mutation seems to be predictive of shortened survival in patients with
Literature	GENERIF_SUMMARY	We found
Literature	GENERIF_SUMMARY	This study reveals a synergistic interaction between epigenetic, genetic and environmental factors in the high incidence region of Northeast India. The inactivation of either p16 or p53 leads to a crosstalk between the important cell cycle genes.
Literature	GENERIF_SUMMARY	Studied combination of metformin and nutlin-3a on malignant mesothelioma cells. Both mTOR and p53 signal pathways.
Literature	GENERIF_SUMMARY	Colorectal cancer patients with p53 positive tended to be related to shorter disease-free survival and overall survival.
Literature	GENERIF_SUMMARY	Contextual ablation of BLIMP-1 and p53 led to development of IgM ⁺ B cells, B cell homeostasis, regulation, and accumulation of somatic mutations, as demonstrated in mice.
Literature	GENERIF_SUMMARY	TP53 mutation is associated with sarcomas.
Literature	GENERIF_SUMMARY	The combined data fit best with the hypothesis that the R72 polymorphism in p53 is associated with a differential response to nutrient deprivation may explain part of the observed phenotypic differences. It has been more frequent.
Literature	GENERIF_SUMMARY	In patients with CLL, our results lean towards the absence of clinical significance of TP53 expression.
Literature	GENERIF_SUMMARY	High TP53 expression is associated with retinoblastoma.
Literature	GENERIF_SUMMARY	Results in U2OS cells demonstrate that the functions of CUL9 in repressing p53 are mediated by p53, and that CUL9 is a critical p53 activator.
Literature	GENERIF_SUMMARY	miR-1301 functions as a tumor suppressor that inhibits tumor cell growth and invasion via the p53 pathway.
Literature	GENERIF_SUMMARY	In this study, we investigate the activities of p53 under normal low-level expression. In a group of important tumor suppressor genes at baseline, many of them show p53 suppression
Literature	GENERIF_SUMMARY	Oncogenic signaling induces ARF, and ARF further promotes p53 activation.
Literature	GENERIF_SUMMARY	diffuse large B cell lymphoma lacking CD19 or PAX5 expression with TP53 mutation.
Literature	GENERIF_SUMMARY	TRIB3 promotes acute promyelocytic leukemia progression through p53-dependent and -independent senescence.
Literature	GENERIF_SUMMARY	p53 tumor suppressor pathway was downregulated as demonstrated in human colon cancer cells. p53 were also significantly dysregulated in tumors compared with normal cells.
Literature	GENERIF_SUMMARY	Data provide evidence that the most frequent missense mutation p53 is located in the DNA binding domain.
Literature	GENERIF_SUMMARY	The study determined p53 protein abundances and cell to cell variability. The fractional width of the distributions is the same in both cases despite the different p53 levels.
Literature	GENERIF_SUMMARY	p53 expression was greater and more frequently strong in higher grade tumors. p53 expression predicting higher grade and stage of bladder cancer.
Literature	GENERIF_SUMMARY	9 TP53 mutations were identified in 8 patients with clonal cytopenia of unknown significance.
Literature	GENERIF_SUMMARY	USP7 inhibition is selectively cytotoxic to CLL cells independently of p53 status.
Literature	GENERIF_SUMMARY	this report conceives a novel strategy of Twist1 suppression through p53 pathway.

Main Category	Category	
		premature senescence in p53-defective invasive cancer cells.
Literature	GENERIF_SUMMARY	the upregulation of Cav1 contributed to the DHA-mediated p53 act
Literature	GENERIF_SUMMARY	Among the adenocarcinoma patients with wild-type p53, High-MA (72.1%, P=0.037), whereas had no difference in p53 aberrant tumor (hazard ratio; 2.12, P=0.030).
Literature	GENERIF_SUMMARY	These results suggested that SUVmax of 18F-FDG PET/CT could b gastric adenocarcinoma patients.
Literature	GENERIF_SUMMARY	Antibody therapy targeted at AFP-producing tumor cells showed a functional stabilization of PTEN. PTEN simultaneously induced bo associated with PTEN.
Literature	GENERIF_SUMMARY	Germline TP53 mutation p.Pro190Arg is associated with lung and
Literature	GENERIF_SUMMARY	TP53 mutant cancer cells had elevation of ribonucleotide reductas
Literature	GENERIF_SUMMARY	the combination therapy upregulated the expression level of p-p53
Literature	GENERIF_SUMMARY	PKCzeta was specifically involved in ACOT7 depletion-mediated ce human breast carcinoma and A549 human lung carcinoma cells.
Literature	GENERIF_SUMMARY	Ki-67 and p53 expression correlates well with microscopic and mo dismissing an impression of dysplasia in routine pathological work
Literature	GENERIF_SUMMARY	Tumor suppressor p53 protein mutation from lung carcinoma patie expression of Rho GTPase activating protein 44 in both mRNA and
Literature	GENERIF_SUMMARY	80% of primary invasive vulvar SCC were HPV-negative carcinomas mutations."
Literature	GENERIF_SUMMARY	Results show that p53 exerts negative regulation on NIS function i on human NIS promoter.
Literature	GENERIF_SUMMARY	the genomic pattern according to MATH demonstrated that mutati the latter two were only significant in male patients. As MATH incr more SCNA events was independently associated with MATH in m
Literature	GENERIF_SUMMARY	Inactivation of p53 circumvented APOBEC3B-induced cell cycle arr
Literature	GENERIF_SUMMARY	In high grade glioma, recurrent TP53 point mutations may be the k
Literature	GENERIF_SUMMARY	data suggests that Jab1-mediated phosphorylation of p53 at Thr1
Literature	GENERIF_SUMMARY	These findings revealed a novel glucose metabolism-related mech G6PD blockage might be a potential therapeutic strategy for colon
Literature	GENERIF_SUMMARY	These findings suggest that TRIM45 is a novel tumor suppressor t
Literature	GENERIF_SUMMARY	Senescent fibroblasts promote p53 to adopt a hotspot mutant like cytoskeleton-anchoring. Interestingly, the shorter p53 isoforms car
Literature	GENERIF_SUMMARY	Although TP53 and BAX immunoreactivity levels were associated TP53 and BAX did not reveal any prognostic significance in ccRCC
Literature	GENERIF_SUMMARY	The p53-mediated sensitivity of breast cancer cells to chemothera phosphorylation might possibly increase the chemosensitivity of b
Literature	GENERIF_SUMMARY	Heterozygosity and mutant homozygosity as well as the combinat increase the risk of colorectal cancer development in Bangladeshi

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53mut and JAK2mut are potential biomarkers associated with p
Literature	GENERIF_SUMMARY	findings uncover a new function of p53 in the regulation of Akt sign
Literature	GENERIF_SUMMARY	malignant proliferation without differentiation, also referred to as c corepressors (e.g., DNMT1) releases p53-independent terminal dif that express stem cell transcription factors"
Literature	GENERIF_SUMMARY	this study shows that human papilloma virus E7 oncoprotein abrog
Literature	GENERIF_SUMMARY	A novel inframe deletion in TP53 that likely results in the loss of p5
Literature	GENERIF_SUMMARY	Also it was reflected in significantly increased mRNA level while th
Literature	GENERIF_SUMMARY	Using a novel RNA pulldown approach that utilized endogenous S1 PINCR associates with the enhancer region of these genes by bind
Literature	GENERIF_SUMMARY	P53 induced miR199a-3p expression and, in turn, miR199-3p decre
Literature	GENERIF_SUMMARY	High expression of TP53 is associated with colorectal cancer.
Literature	GENERIF_SUMMARY	Results of ensemble kinetic and single-molecule fluorescence mea p53 modulates the quaternary structure of the complex between p DNA.
Literature	GENERIF_SUMMARY	AXL is influenced by p53 status and could cause the emergence o
Literature	GENERIF_SUMMARY	Elevated expression of TP53 target FZD8 promoted prostate canc
Literature	GENERIF_SUMMARY	While in human solid tumors TP53 is mutated in more than half of leukemia (AML) cases. Nevertheless, wild-type (wt) p53 dysfunctio AML entities, bearing, presumably, a greater impact than is current
Literature	GENERIF_SUMMARY	palmitate-induced apoptosis of vascular smooth muscle cell depe
Literature	GENERIF_SUMMARY	findings show that TP53 mutations are associated with poor progr
Literature	GENERIF_SUMMARY	these results indicate that Notch contributes to the pathogenesis o
Literature	GENERIF_SUMMARY	Flow cytometry assay showed that Oridonin significantly enhance results suggest that the combined treatment of Nutlin-3 plus Orido
Literature	GENERIF_SUMMARY	It is considered that the mutation of the p53 gene plays a crucial ro biomarker in the early stages of Ulcerative colitis (UC)-associated tool in UC-associated colon cancers. [review]
Literature	GENERIF_SUMMARY	prolonged endoplasmic reticulum stress promotes apoptosis via a
Literature	GENERIF_SUMMARY	Primary endothelial cells with excess centrosomes in vascular spr markers
Literature	GENERIF_SUMMARY	The total mutation frequency of p53 gene in 150 patients with fam China is higher than the frequency previously reported. The pathog function analysis in the future study. The deletion mutation 643_66
Literature	GENERIF_SUMMARY	both the p53-Puma/Noxa/Bax pathway and the cell cycle arrest-as p21) and DNA double-strand breaks (gamma-H2AX), while euploid
Literature	GENERIF_SUMMARY	P53 expression varies among mesenchymal stem cells derived fro
Literature	GENERIF_SUMMARY	a heretofore unappreciated effect of chronic high fat diet on beta-c p53 activation and a resultant inhibition of mRNA translation.

Main Category	Category	
Literature	GENERIF_SUMMARY	These findings support the existence of a direct link between the p53 and human lung cancer cells. So the p53(DEL) is a promising target for
Literature	GENERIF_SUMMARY	This review provides an update on the current knowledge of the role of p53 as a target for the treatment of the most aggressive variants of this dis
Literature	GENERIF_SUMMARY	Clonal analysis suggested that TP53 mutations and methylation o
Literature	GENERIF_SUMMARY	a subset of whole-chromosome aneuploidies can be propagated in the presence of p53.
Literature	GENERIF_SUMMARY	TP53 autoantibody levels provide a biomarker with clinically significant assessment of autoantibodies in combination with CA125 holds p
Literature	GENERIF_SUMMARY	sodium valproate (NaVP)has a function in blocking the growth, inv growth interferes with EZH2 and p53 molecular pathways, support
Literature	GENERIF_SUMMARY	uPA protection is independent of its catalytic activity, as the amino acid oxidative DNA damage is the p53 target hOGG1. We found a significant hOGG1 completely abrogated the protective effect of uPA
Literature	GENERIF_SUMMARY	This work provides mechanistic evidence by which mannose phosphate as a novel regulator of p53 and Warburg metabolism.
Literature	GENERIF_SUMMARY	Using a massively parallel assay, this study demonstrates that syn their impact on splicing.
Literature	GENERIF_SUMMARY	results highlight a key role for MALAT1 in control of VEGFA isoform ID4 proteins.
Literature	GENERIF_SUMMARY	High TP53 expression is associated with Non-Small Cell Lung Can
Literature	GENERIF_SUMMARY	The synergy score was significantly higher in TP53-altered group o critical factor that determines the use of antioxidant supplements
Literature	GENERIF_SUMMARY	These results identified p53 as a novel up-stream signaling molecu
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with osteosarcoma.
Literature	GENERIF_SUMMARY	these data provide the first reported evidence that induction of p53 data suggest that nucleolar stress might be a pathway suitable for
Literature	GENERIF_SUMMARY	miR612 is identified as associated with esophageal squamous cell expression.
Literature	GENERIF_SUMMARY	By directly binding to the 3'UTRs of ITGA6 and ITGB1, we found mi together, miR-30e-5p is a novel effector of P53-induced suppressio
Literature	GENERIF_SUMMARY	we identified a novel mutant p53
Literature	GENERIF_SUMMARY	Using integrated analysis of genome-wide short hairpin RNA (shRNA) study identified GSK3 as one of the key factors in p53-mediated ap
Literature	GENERIF_SUMMARY	conclude that comprehensive genetic assessment adds to TP53 s
Literature	GENERIF_SUMMARY	mutp53 augments insulin-induced AKT1 activation by binding and cytoplasm
Literature	GENERIF_SUMMARY	present observations strongly suggest that RUNX2/mutant p53/TA mutated pancreatic cancer cells
Literature	GENERIF_SUMMARY	loss of ERbeta function acts in collaboration with p53 inactivation basal-like characteristics.

Main Category	Category	
Literature	GENERIF_SUMMARY	High levels of glucose leads to endothelial dysfunction via TAF1-m
Literature	GENERIF_SUMMARY	the results of our study suggest that SIRT7 is involved in protecting mediated proapoptotic signaling pathway, indicating a potential th
Literature	GENERIF_SUMMARY	These results revealed the antiapoptotic role of miRNA504 in vasc direct targeting of p53.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with hepatocellular carcinoma
Literature	GENERIF_SUMMARY	This study furthers implementation of clinical genomics in MDS an
Literature	GENERIF_SUMMARY	telomere shortening in combination with loss of TP53 induces incr heterochromatic regions.
Literature	GENERIF_SUMMARY	The results suggest that p53 simultaneously controls multiple pat
Literature	GENERIF_SUMMARY	Translocation of p53 is regulated by androgen-dependent sumoyla knockdown results in reduced tumor growth and increased nuclea long-term androgen deprivation.
Literature	GENERIF_SUMMARY	These findings reveal a novel, p53-independent activity of Mdm2 a treatment of Mdm2-overexpressing tumors. Herein is shown that t topoisomerase II poisons but not other DNA damaging agents
Literature	GENERIF_SUMMARY	TP53 expression is upregulated in renal cell carcinoma. p53 expre
Literature	GENERIF_SUMMARY	the interaction between the disordered N-terminal transactivation resolved electrospray ionization with hydrogen-deuterium exchang p53 TAD when it is bound to the PH domain but instead increases
Literature	GENERIF_SUMMARY	c-Myc and p53 are potential hepatocellular carcinoma (HCC) diagn accuracy of HCC.
Literature	GENERIF_SUMMARY	P53 exerts a protective effect on the viability of intervertebral disc
Literature	GENERIF_SUMMARY	A two-hit loss involving VHL predicted for clear-cell renal cell carci predicted for Sarcomatoid clear-cell renal cell carcinoma and wors
Literature	GENERIF_SUMMARY	Knockdown of tumor protein p73 (TAp73) in tumor suppressor p53 resistance.
Literature	GENERIF_SUMMARY	Our results suggest that ALDH1L1 may be a biomarker for predicti expression were associated with TP53 expression in HBV-related h
Literature	GENERIF_SUMMARY	Findings show that p53 regulates tubular recycling endosome biog suppressed in colorectal cancer tissues.
Literature	GENERIF_SUMMARY	These results demonstrate that the linker participates in a target s contact DNA.
Literature	GENERIF_SUMMARY	these results demonstrated that the messenger RNA expression le induced by omethoate and provided strong evidence for the mecha
Literature	GENERIF_SUMMARY	Loss of TP53 is associated with papillomavirus involvement in Bar
Literature	GENERIF_SUMMARY	On the contrary, BMP7 specific antibody inhibits the HNK-induced Our findings suggested that HNK may be a promising anticancer d HNK, which may be initialized partly by the HNK-induced upregulat
Literature	GENERIF_SUMMARY	Among the hits, miR-596 was identified as a regulator of p53. The inducing apoptosis.

Main Category	Category	
Literature	GENERIF_SUMMARY	Data demonstrates that p53 inhibits OSX binding to their responsive element (OSRE) and that the inhibition is dependent on IBSP or COL1A1.
Literature	GENERIF_SUMMARY	PD-L1, Ki-67, and p53 staining individually had significant prognostic value in patients with oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Results showed that the high levels of HDAC11 and lower levels of p53 were significantly correlated with poor survival between the data of HDAC11 and p53.
Literature	GENERIF_SUMMARY	demonstrated for the first time the critical value of p53 deletion in the development of the human phenotype
Literature	GENERIF_SUMMARY	p53-CTD inhibits LSD1 activity and that the direct association between p53-CTD and LSD1 is required for p53-CTD-mediated repression of LSD1 target genes.
Literature	GENERIF_SUMMARY	Study provides evidence that p53 gain of function is not required for the development of the human phenotype
Literature	GENERIF_SUMMARY	In spinal cord tissue, lower PAX3 expression, higher p53 expression and higher p53/PAX3 ratio were found in anencephaly cases but not in spina bifida cases where PAX3 expression was normal.
Literature	GENERIF_SUMMARY	Vorinostat synergizes with AZD1775 in head and neck squamous cell carcinoma and the combination of HDAC and WEE1 inhibition deserves further clinical investigation.
Literature	GENERIF_SUMMARY	our results demonstrate the antimyeloma activity of amiloride and suggest that it may be a potential anti-tumor therapeutic target in relapsed multiple myeloma patients, especially those with 17p deletion.
Literature	GENERIF_SUMMARY	Among diffuse large B-cell lymphoma (DLBCL)cases, the TP53 mutation status was significantly correlated with the response to cyclophosphamide, doxorubicin, vincristine and prednisone) and disease-free survival.
Literature	GENERIF_SUMMARY	The results of this study showed that p53 is an important restriction factor for the replication of HIV-1. The results suggested that p53 mediates the inhibition of retrovirus infection by blocking the functions to influence formation of 1-LTR cycle and 2-LTR cycle DNA structures.
Literature	GENERIF_SUMMARY	study found that p53 stimulates the expression of Epstein-Barr Virus (EBV) latent protein LMP1, which in turn promotes the expression of EBV latent protein LMP2.
Literature	GENERIF_SUMMARY	Ru(II)/diphenylphosphine/pyridine-6-thiolate complexes induce S-Taxol-induced apoptosis in human breast cancer cells Bcl-2 and p53/Bax activation.
Literature	GENERIF_SUMMARY	Cryo-Electron Microscopy studies on p53-bound RNA Polymerase II reveal the mechanism of p53-mediated transcriptional repression by blocking RNA elongation, providing new insights into p53-mediated transcriptional repression.
Literature	GENERIF_SUMMARY	DNA-damaging agents can induce apoptosis, necrosis or both depending on the dose and the cell type. The results indicate p53-dependent apoptosis.
Literature	GENERIF_SUMMARY	Data found that trp53 was highly expressed in human bladder cancer cells, and that the expression of wild-type form up-regulated GLIPR1 but not the mutated form.
Literature	GENERIF_SUMMARY	Familial alcohol dependence was associated with hypermethylation of the 5' regulatory region of the 7q36.3 gene.
Literature	GENERIF_SUMMARY	These results suggest that stathmin acts as an oncogene and is therefore a potential anti-tumor therapeutic target in oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Depletion of USP3 lead to accelerated degradation of p53 in normal cells, and the expression of wildtype USP3, but not the USP3 C168S mutant, restored the stability of p53.
Literature	GENERIF_SUMMARY	Data indicate that nuclear envelope rupture in cancer cells is likely to be a potential anti-tumor therapeutic target in oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	These findings not only provide means that can be applied to other cancer types but also suggest the development of cancer therapies based on restoring the function of p53.
Literature	GENERIF_SUMMARY	Functional analysis implicates TNRC6A, NAT10, MED14, and WDR37 in the regulation of p53-mediated transcriptional repression.
Literature	GENERIF_SUMMARY	mantle cell lymphoma should be stratified according to TP53 status and the expression of p53.
Literature	GENERIF_SUMMARY	Nongenotoxic p53 activation suppresses mTOR activity. Moreover, p53 activation suppresses mTOR activity in a dose-dependent manner.

Main Category	Category	
		enhances the in vivo antitumor activity of temsirolimus
Literature	GENERIF_SUMMARY	The expression of alpha-enolase, Ki67 and p53 in pancreatic cancer primary antibodies on the commercial tissue arrays
Literature	GENERIF_SUMMARY	Data show that p53 acetylation modulates promoter residence time
Literature	GENERIF_SUMMARY	No association was found between the polymorphism of the p53 gene
Literature	GENERIF_SUMMARY	Clear genetic patterns differentiating gastric papillary adenocarcinoma by a hierarchical cluster analysis, but microsatellite stability was linked to the histological type
Literature	GENERIF_SUMMARY	p53 was over expressed in 82% of the non-small cell lung cancer cell lines
Literature	GENERIF_SUMMARY	isotretinoin-stimulated overactivation of p53 during embryogenesis
Literature	GENERIF_SUMMARY	These results indicate a critical role for p53 in rat germ cell survival
Literature	GENERIF_SUMMARY	High-grade Mullerian adenosarcoma is a distinct subset with driver mutations
Literature	GENERIF_SUMMARY	Data suggest that TP53 peptide fragment (92-312) of the DNA binding domain, but not the DNA-contact mutants, R248Q and R273H, which show significant correlation with survival
Literature	GENERIF_SUMMARY	The data suggest that high expression of CBX8 plays a critical oncogenic role in promoting cancer cell proliferation by repressing the p53 pathway, and may be a potential therapeutic target for patients.
Literature	GENERIF_SUMMARY	there is a relation between the E1B-deleted adenovirus replication and p53 expression
Literature	GENERIF_SUMMARY	Patients with dual TP53/EGFR mutations, especially missense mutations, may benefit from EGFR TKI therapy.
Literature	GENERIF_SUMMARY	a new class of macrophages activated via the HO-1-SIRT1-p53 signaling pathway
Literature	GENERIF_SUMMARY	Study reports that mutations in several cutaneous squamous cell carcinoma occur in normal chronically sun-exposed skin but are not detected within the same skin area. These mutations, including those in the TP53 gene, are subclonal within the tumor
Literature	GENERIF_SUMMARY	mutant Mdm2 was unable to rescue a p53-induced apoptotic phenotype
Literature	GENERIF_SUMMARY	Data demonstrate a causative role for TRP53 mutants in developmental defects
Literature	GENERIF_SUMMARY	p53 overexpression and GPRC5A induction markedly inhibited tumor growth
Literature	GENERIF_SUMMARY	The findings reveal that the population prevalence of potentially pathogenic variants from family-based studies.
Literature	GENERIF_SUMMARY	In southern Brazil, pediatric adrenocortical tumor is a sentinel cancer
Literature	GENERIF_SUMMARY	Increased p53 expression in the placental tissue in early pregnancy
Literature	GENERIF_SUMMARY	In breast tumor cells, p53 dynamics are coupled to MYC repression of transcription inhibition, but p53 targets bypass the inhibition. MYC promotes cell cycle and apoptosis.
Literature	GENERIF_SUMMARY	Study reports that p53 is a transcriptional regulator of RCC2 that a p53-MYC signaling is important for regulation of cell migration and suppression of invasion
Literature	GENERIF_SUMMARY	in FOXO3-death-resistant cells no point mutations in the TP53-DBD domain were found to the BIM-promoter, but not the induction of the detoxifying protein in high-stage-derived neuroblastoma cells
Literature	GENERIF_SUMMARY	after mitosis, the transferred CCND1 mRNA and p53 protein induce cell cycle arrest

Main Category		Category
		determines cell-cycle commitment in daughter cells
Literature	GENERIF_SUMMARY	Here we present, as far as we are aware, the first case of metastatic melanoma with a TP53 mutation and chromosomal losses in cyclin dependent kinase 2.
Literature	GENERIF_SUMMARY	An Arg-to-His, but not Arg-to-Lys, mutation in the transcription factor p53 is sufficient to suppress the growth of cells in response to DNA damage in fibroblasts and breast cancer cells with high pH.
Literature	GENERIF_SUMMARY	Pro-opiomelanocortin (POMC), a precursor of alpha-melanocyte-stimulating hormone, is a potent inducer of hyperpigmentation, which is in contrast to the mechanism of action of the melanocyte-stimulating hormone.
Literature	GENERIF_SUMMARY	We clarified the role of CD137L in osteosarcomagenesis and its potential role in the regulation of the immune response through p53.
Literature	GENERIF_SUMMARY	Our findings showed novel regulatory mechanisms of p53 in regulating the cell cycle.
Literature	GENERIF_SUMMARY	These results suggested that variants MDM2 SNP309 and p53 Arg72Pro are associated with increased risk of breast cancer.
Literature	GENERIF_SUMMARY	Results suggest that Delta40p53 can be generated by a 20S proteasome.
Literature	GENERIF_SUMMARY	The results revealed statistically significant increased expression of p53 in the sperm of obstructive azoospermia infertility patients.
Literature	GENERIF_SUMMARY	Functionally, p53 is activated by a host of stress stimuli and, in turn, regulates a wide range of biological responses. Despite the fact that the mechanisms by which p53 exerts its diverse effects remains unclear. [Review]
Literature	GENERIF_SUMMARY	These data suggested that Annexin A2 induces cisplatin resistance in ovarian cancer cells and provided an evidence that blockade of Annexin A2 could serve as a potential therapeutic target.
Literature	GENERIF_SUMMARY	Increased Cdc7-dependent replication initiation is a hallmark of p53 pathway activation.
Literature	GENERIF_SUMMARY	Findings provide new insights regarding i(17q) in CLL and show a strong association between i(17q) and p53 pathway activation.
Literature	GENERIF_SUMMARY	Altogether, these findings suggest that in normal/high glucose conditions, the DRAM gene occurred, modifying the ADR-induced cancer cell death.
Literature	GENERIF_SUMMARY	miR-300 regulates the cellular sensitivity to ionizing radiation through p53 pathway.
Literature	GENERIF_SUMMARY	these results suggested that Aloin may induce apoptosis in A549 cells through p53-dependent phosphorylation. These results implicate Aloin as a potential therapeutic agent for cancer treatment.
Literature	GENERIF_SUMMARY	a germline missense mutation, c.145G>C (p.D49H), of TP53 was detected in a family with Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	Apoptosis pathways are impaired in fibroblasts from patients with Li-Fraumeni syndrome and involved in dysfunction of apoptosis mechanisms in fibroblasts of patients with Li-Fraumeni syndrome.
Literature	GENERIF_SUMMARY	Serum TP53 has a certain positive significance for the diagnosis, prognosis and treatment of breast cancer.
Literature	GENERIF_SUMMARY	TP53 genetic testing revealed a never reported TP53 deletion arose in a family trio.
Literature	GENERIF_SUMMARY	This finding expands the universe of p53 binding sites and demonstrates that p53 binds to clusters of more than one binding site.
Literature	GENERIF_SUMMARY	Accordingly, our results demonstrated that NAMPT is a prognostic factor for breast cancer and establishes another link between NAMPT and apoptosis events in breast cancer.
Literature	GENERIF_SUMMARY	results first demonstrate that p53 enables Oligo-Fucoidan to effectively inhibit cell growth and alter tumor microenvironment.
Literature	GENERIF_SUMMARY	Data indicate that TP53 mutation was associated with malignant neoplasms.

Main Category	Category	
Literature	GENERIF_SUMMARY	These results indicate that loss of miR-200c, as a consequence of in breast cancer
Literature	GENERIF_SUMMARY	A significant increase in ulcerative colitis risk was found among ca
Literature	GENERIF_SUMMARY	Collectively, our findings suggest UBE2T serves as a promising pro miR-543/UBE2T/p53 axis may represent a new potential therapeutic
Literature	GENERIF_SUMMARY	Breast cancer patients carrying TP53 mutations express lower leve
Literature	GENERIF_SUMMARY	The survival advantage conferred by MCUR1-mediated mitochondr reactive oxygen species and subsequent AKT/MDM2- induced P53
Literature	GENERIF_SUMMARY	Long non-coding RNA HNF1A-AS1 mediated the metastatic progre
Literature	GENERIF_SUMMARY	total of 40 different mutations of TP53 were found
Literature	GENERIF_SUMMARY	mutant p53 activates small GTPase Rac1 is a critical mechanism f
Literature	GENERIF_SUMMARY	Using endogenous expression, we demonstrated that the p53Delta expression and apoptosis
Literature	GENERIF_SUMMARY	Chronic TNF-alpha signaling promotes the enhancer binding and tr
Literature	GENERIF_SUMMARY	The tobacco-specific nitrosamine 4-(methylnitrosamino)-1-(3-pyrid outcomes in patients with p53 mutations by perturbing proper mit
Literature	GENERIF_SUMMARY	In our cohort of specimens with equivocal urothelial atypia, very fe cancer (1 of 22), suggesting that CK20 and p53 staining results sh
Literature	GENERIF_SUMMARY	model reproduces the observed cellular phenotypes in experiment
Literature	GENERIF_SUMMARY	e presence of mutations in TP53 or in any other of the high-risk ge
Literature	GENERIF_SUMMARY	Inhibition of the mammalian target of rapamycin allows efficient ca human pluripotent stem cells during high-density monolayer cultur production.
Literature	GENERIF_SUMMARY	results imply that TLR9-mediated activation of B-cells not only pro consequences of enhanced activation and proliferation
Literature	GENERIF_SUMMARY	Author demonstrated that LRRK2 increases the expression of p53 Loss-of-function in LRRK2 has the opposite effect to that of LRRK2
Literature	GENERIF_SUMMARY	Long non-coding RNA MALAT1 interacts with DBC1 to regulate p53
Literature	GENERIF_SUMMARY	p53 regulates enhancer accessibility and activity in response to DN
Literature	GENERIF_SUMMARY	PTB interacts specifically with 3'UTR of p53 mRNA and positively r protein at the 3'UTR can play pivotal role in fine tuning the express
Literature	GENERIF_SUMMARY	Results support important contributions of TSC2 heterozygous and p53 during reprogramming.
Literature	GENERIF_SUMMARY	lncRNA MEG3 could inhibit the proliferation and metastasis of gas
Literature	GENERIF_SUMMARY	We demonstrated an association between six previously published rs8079544 [TP53], rs25489 [XRCC1], rs1673041 [POLD1], and rs treated by radiation therapy.
Literature	GENERIF_SUMMARY	Data show that APOBEC3B (A3B) expression is inversely related to and pivotal role for p53 in repressing A3B expression.

Main Category	Category	
Literature	GENERIF_SUMMARY	Multivariate analysis demonstrated that TP53 gene mutation in the poor prognostic factor for overall survival and relapse-free survival in negative AML cases aged 70 years or below with intermediate cyto
Literature	GENERIF_SUMMARY	In the cultured human lens epithelial cells, HSF4 could stabilize and death receptor (Fas) and Bcl-2-associated X apoptosis regulator (E
Literature	GENERIF_SUMMARY	our study proved that Betulinic acid (BA)could induce colorectal ca induced protective autophagy by degrading wtp53 and mutp53 dep suggesting that BA might serve as a novel desirable drug for mutp
Literature	GENERIF_SUMMARY	The function of nuclear mitotic apparatus protein (NuMA) in rDNA role for NuMA in cellular homeostasis.
Literature	GENERIF_SUMMARY	Investigation highlights the diversity of different p53 mutants in ter
Literature	GENERIF_SUMMARY	p53 deficiency promotes Yap signaling and that PTPN14 and TP53
Literature	GENERIF_SUMMARY	The interactive modulation among miR-124 and iASPP in p53-muta resistance when p53 is mutated or deleted, in the process of photo
Literature	GENERIF_SUMMARY	This is the first description of a de novo TP53 mutation mosaicism
Literature	GENERIF_SUMMARY	In most cases, IDH1, TP53 and TERTp mutation status and MGMT indicate that these alterations occurred early in astrocytic tumour r
Literature	GENERIF_SUMMARY	Concurrent p53 nuclear staining and EAF2 downregulation was as
Literature	GENERIF_SUMMARY	These investigations demonstrated etoposide-induced NMI can su signaling pathway in lung carcinoma. Our results provide an altern role in suppressing lung carcinoma progression.
Literature	GENERIF_SUMMARY	These results demonstrate that mitophagy controls the activities o autophagy is required to promote hepatocarcinogenesis
Literature	GENERIF_SUMMARY	studies identify a crucial link among oncogene signaling, glucose r combination therapy in GBM and possibly other malignancies
Literature	GENERIF_SUMMARY	Identifying a TP53 mutation in a gene panel test is a challenging re lack of consensus about surveillance
Literature	GENERIF_SUMMARY	The results indicated that simultaneously knocking down MDM2 a arrest in H1299 cells, compared with either alone.
Literature	GENERIF_SUMMARY	stress hormone cortisol suppresses p53 in hepatocellular carcinor
Literature	GENERIF_SUMMARY	Under glucose starvation condition, p53 directly upregulates a nov starvation) in tumor cells. TRINGS binds to STRAP and inhibits STR
Literature	GENERIF_SUMMARY	p53 orchestrates with the binding affinity to target genes to confer
Literature	GENERIF_SUMMARY	FGF1 protects neuroblastoma cells from p53-dependent apoptosis
Literature	GENERIF_SUMMARY	head and neck squamous cell carcinoma in human immunodeficie particularly in the TP53 gene.
Literature	GENERIF_SUMMARY	Clinicopathologic features and outcomes of children with ACTs wi germline TP53 mutations.
Literature	GENERIF_SUMMARY	Considering the medical impact of TP53 mutation identification, m mosaic mutations
Literature	GENERIF_SUMMARY	Knockdown of CITED2 led to a decreased interaction of p53 with it

Main Category	Category	
		indicate that CITED2 functions in pathways regulating p53 activity.
Literature	GENERIF_SUMMARY	Citral induced p53 and ROS-mediated mitochondrial-mediated apo
Literature	GENERIF_SUMMARY	Partially purified peptides of G superba rhizome demonstrated ant and downregulation of nuclear factor kappa B (NF-kappaB).
Literature	GENERIF_SUMMARY	Differentiation-dependent downregulation of p53 is a prerequisite
Literature	GENERIF_SUMMARY	Low TP53 expression promotes invasion of colorectal cancer.
Literature	GENERIF_SUMMARY	Knockdown of p53 protein promotes gliomagenesis not by altering locked in a self-renewing and brain-invasive state.
Literature	GENERIF_SUMMARY	TP53 missense mutant alleles that occur in human cancers are dis structures to determine the structural features of mutations (review
Literature	GENERIF_SUMMARY	Overview of mutant p53 interactions on convergent transcription fa and an evolving appreciation of gain-of-function mechanisms (review
Literature	GENERIF_SUMMARY	data demonstrate that ASXL1-compromised cells benefit from loss
Literature	GENERIF_SUMMARY	Data indicate that absence of KRAS, TP53 and SMAD4 genetic alte
Literature	GENERIF_SUMMARY	Authors have identified a novel mechanism by which P53 was inac underlying the malignancy of PTEN-deficient NSCLC.
Literature	GENERIF_SUMMARY	The activation of p38 in response to low doses of ultraviolet radiat favor the survival of p53-defective HaCaT cells by sustaining the a
Literature	GENERIF_SUMMARY	Expression of Ki-67, p53 and K-ras in the intestinal mucosa was de reaction (qRT-PCR), respectively. 1.03% patients (n = 7) underwent Histological analysis for expression of p53 and K-ras can guarante
Literature	GENERIF_SUMMARY	(31) RRR(33) and (50) KRSIK(54) motifs of angiogenin might play a cancer cells.
Literature	GENERIF_SUMMARY	In p53-deficient breast cancers, compensatory mechanism of NFk that would influence all aspects of tumor progression.
Literature	GENERIF_SUMMARY	Detection of p53 by immunohistochemistry can help to distinguish
Literature	GENERIF_SUMMARY	In this cohort of GEP-NEC patients, p53 expression could not be co expression was correlated with shorter PFS and OS
Literature	GENERIF_SUMMARY	The method was applied to the assay of p53 in human plasma san mouse C3H (L929), colon cancer cell-HCT, prostate cancer cell line
Literature	GENERIF_SUMMARY	the two cell lines exhibited relatively low protein expression levels cells. Taken together, these findings suggest that the resistance of STAT5-mediated ROS production, and the abnormality of the p53 p
Literature	GENERIF_SUMMARY	These findings suggested that the ATM/p21 pathway directly parti tumor cells, whereas this mechanism was absent in normal prosta in regulating the ATM/p21 pathway activated by LDIR.
Literature	GENERIF_SUMMARY	According to immunohistochemistry and immunoblot analysis, the decreased after treatment and were similar with those in the norm
Literature	GENERIF_SUMMARY	Polymorphisms in TP53 and P21 proteins are associated with an i
Literature	GENERIF_SUMMARY	Results show the oligomerization of p53 during activation by CK2 PAb1620 and masks the cryptic epitopes of PAb240 and DO12, inc

Main Category	Category	
		only in the presence of ATP and in the absence of DNA.
Literature	GENERIF_SUMMARY	Our data indicate that miR-17-5p acts as a tumour suppressor in TNBC. miR-17-5p may be involved in the pathogenesis of TNBC. These findings suggest that miR-17-5p may be a potential therapeutic target for TNBC.
Literature	GENERIF_SUMMARY	This study revealed TP53 Arg72 as a favorable prognostic factor for breast cancer patients who received as frontline therapy
Literature	GENERIF_SUMMARY	that SIRT3 dysfunction leads to p53-mediated mitochondrial and nuclear DNA damage
Literature	GENERIF_SUMMARY	These results suggest that p53 codon 72 polymorphism could not be a reliable prognostic factor for breast cancer
Literature	GENERIF_SUMMARY	our data confirmed the individual susceptibility to BC resulting from the polymorphism of p53, as well as of apoptosis inhibition genes (MDM2).
Literature	GENERIF_SUMMARY	HRAS mutations were more common in epithelial-myoeptithelial carcinoma than in ductal carcinoma in situ. The genetic profile of EMCA varies from that of DCIS. Progression to higher grade EMCA with intact PLAG1 and HMGA2
Literature	GENERIF_SUMMARY	P53-deficiency gene signature defined based on RNA-seq provides a robust prognostic marker in both RNA-seq and microarray platforms.
Literature	GENERIF_SUMMARY	This data extends the earlier mechanisms proposed to rationalize the 12/1 set... understanding the conformational landscapes of the p53 protein and its mechanisms
Literature	GENERIF_SUMMARY	A significant increase in the expression of p53 and Bax was observed in the tumor cells after treatment with alpha-spinasterol. The expression of p53 and Bax was regulated upon exposure to alpha-spinasterol.
Literature	GENERIF_SUMMARY	We conclude that a combined analysis of beta-catenin and p53 could be used as a prognostic marker in colorectal cancer and contribute to the identification of patients who may benefit from targeted therapy
Literature	GENERIF_SUMMARY	A chimeric cDNA construct of human p53 was made where the 1-299 amino acid region of p53 was fused to the H1299 cell line. The tetramerization ability of the chimeric p53 protein was evaluated by transactivation and super sensitivity to Mdm2 mediated degradation
Literature	GENERIF_SUMMARY	BCL7A, BRWD3, and AUTS2 demonstrate significantly higher mutation frequencies in B-cell malignancies. Moreover, we detected a significant difference in the expression of these genes between B-cell malignancies and normal B-cells. Our study provides rationale for interrogating diverse tumor cohorts for these genes
Literature	GENERIF_SUMMARY	These findings demonstrate the critical regulation of TIP60/p53 pathway in the regulation of p53 and down-regulation of TIP60 in tumor cells.
Literature	GENERIF_SUMMARY	Our data suggest that the expression of MDM2 confers sensitivity to Nutlin. The expression of MDM2 has a positive effect of Nutlin even on p53-deficient neoplasms.
Literature	GENERIF_SUMMARY	Sertad1 could antagonize iASPP function by hindering its entrance into the nucleus and subsequent overproduction.
Literature	GENERIF_SUMMARY	Authors conclude that quantitative measurements of intratumor heterogeneity could augment prognostication in breast cancer patients.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with hepatocellular carcinoma and poor prognosis
Literature	GENERIF_SUMMARY	Data suggest that in cases with a wild-type tumor protein p53 (TP53), the presence of a TP53 mutation is helpful to confirm the presence of a TP53 mutation.
Literature	GENERIF_SUMMARY	Studied association of SIRT2 and p53/NF-kB p65 signal pathways in endothelial cells. The study demonstrated that SIRT2 overexpression is associated with decreased endothelial cell apoptosis and vascular endothelial cell inflammation response.
Literature	GENERIF_SUMMARY	increases in ERbeta and p53 immunoreactivity were significantly correlated with the presence of endometrioid carcinoma

Main Category	Category	
Literature	GENERIF_SUMMARY	our present study strongly suggests that an autonomous RUNX1-p53 acquisition of chemo-resistance of AML cells, and potentially prov
Literature	GENERIF_SUMMARY	Overview of the connections between p53-MDM2 axis and human
Literature	GENERIF_SUMMARY	Study reports the interaction of BCL-XL with RASSF6. BCL-XL inhibi Consequently, BCL-XL antagonizes RASSF6-mediated apoptosis. Th role of BCL-XL.
Literature	GENERIF_SUMMARY	TP53 expression (>50% positive cells) has shorter time to treatme International Prognostic Index score and Ki67 index.
Literature	GENERIF_SUMMARY	The administration of plumbagin had an ability to suppress tumou sample; it has also increased p53 gene expression.
Literature	GENERIF_SUMMARY	p53 knockout compensates osteopenia in murine Mysm1 deficien
Literature	GENERIF_SUMMARY	miR-150 suppresses cigarette smoke-induced lung inflammation a expression and NF-kappaB activity.
Literature	GENERIF_SUMMARY	treatment of tumor-bearing mice with the clinical form of Nutlin-3a fibrosis. All together our work uncovers new functions for stromal
Literature	GENERIF_SUMMARY	Tumor protein p53 (p53) bound to auto-PARylated poly(ADP-ribose (CTD) interaction, which conveyed target specificity for its covalen
Literature	GENERIF_SUMMARY	p53 expression showed a statistically significant impact on renal c
Literature	GENERIF_SUMMARY	Hypoxia-inducible factor prolyl-4-hydroxylase-1 is a convergent poi
Literature	GENERIF_SUMMARY	Study identifies a novel role of NeuroD2 as a tumor suppressor and miR-210.
Literature	GENERIF_SUMMARY	These results suggest that p53 mediates DDR and exerts its tumor regulates the bioactive sphingolipid lipids.
Literature	GENERIF_SUMMARY	these data indicate that activation of autophagy reduces expressio the anti-cancer effects of the Halofuginone. These findings may pr
Literature	GENERIF_SUMMARY	this study not only suggests potential roles of SIRT6 in regulating a lead compound for the development of potent and selective SIRT6
Literature	GENERIF_SUMMARY	PEPD directly binds to p53 in the nucleus and cytoplasm and supp p53, which does not require PEPD enzymatic activity.
Literature	GENERIF_SUMMARY	Negative correlation was detected between the severity of cases a
Literature	GENERIF_SUMMARY	It summarizes recent evidence linking the mevalonate pathway-mu of this axis.
Literature	GENERIF_SUMMARY	BTG2 expression was lower in human bladder cancer tissues than BTG2 than the less-differentiated. Reporter assays with site-mutat BTG2 gene expression was dependent on the p53 response eleme
Literature	GENERIF_SUMMARY	these findings demonstrate that p53 can repress MCAK promoter MCAK elevation in human tumor cells might be due to p53 mutatio
Literature	GENERIF_SUMMARY	low VB12 and VB9 in male and female patients directly correlate w expression and its activity, only in MBA cases but not in non-MBA
Literature	GENERIF_SUMMARY	monosomal karyotype (p = 0.04) and not TP53 mutations (p = 0.07
Literature	GENERIF_SUMMARY	Positive p53 and negative p16 staining was seen in 4 (17%) cases

Main Category	Category	
Literature	GENERIF_SUMMARY	Mechanical cues control mutant p53 stability through a mevalonate pathway
Literature	GENERIF_SUMMARY	Overall, these results suggest that p53 is involved in improving insulin sensitivity through the PI3K/Akt (MAPKs) and NF-kappaB pathways.
Literature	GENERIF_SUMMARY	Ours is the first study demonstrating the association of TP53 P72R mutation with the loss of p53 from narrow anterior chamber angle, impaired apoptotic mechanisms and increased intraocular pressure.
Literature	GENERIF_SUMMARY	Authors show that loss of the tumor suppressor p53 increased MYC expression. In cells lacking wild-type p53, SRC acted to overcome p53-mediated inhibition of eIF4E phosphorylation.
Literature	GENERIF_SUMMARY	Our results suggest that TP53 may be linked with type 2 diabetes mellitus through oxidative stress associated with chronic hyperglycaemia
Literature	GENERIF_SUMMARY	this study suggests that disease progression of lower-risk del(5q) myelodysplastic syndrome patients carrying a TP53 mutation.
Literature	GENERIF_SUMMARY	A novel transcription-independent Gain of function mutant p53-AM101 inhibits the growth of mutant p53s' gain-of-function activities in Head and neck squamous cell carcinoma
Literature	GENERIF_SUMMARY	Stratification of intrahepatic cholangiocarcinoma patients based on TP53 mutation and unique oncogenic programs (mutational, structural, epimutational)
Literature	GENERIF_SUMMARY	Local application of rAd-p53 combined with local injection of bleomycin was effective for treatment of uterine sarcoma, especially for patients with TP53 mutation
Literature	GENERIF_SUMMARY	TP53 mutation is associated with hypopharyngeal squamous cell carcinoma
Literature	GENERIF_SUMMARY	TP53 Gene Pro72Arg (rs1042522) Single Nucleotide Polymorphism is associated with cervical intraepithelial neoplasia
Literature	GENERIF_SUMMARY	the TP53 R72P genotype may serve as a clinical prognostic factor for cervical intraepithelial neoplasia
Literature	GENERIF_SUMMARY	Study shows that recessive dystrophic epidermolysis bullosa- squamous cell carcinoma (EB-Squamous) UV-related SCCs. Mutations in NOTCH1/2/4 and TP53 and copy number alterations in the Notch signaling pathway, seem to play a major role in this malignancy.
Literature	GENERIF_SUMMARY	These results suggest that the wild type p53 plays a role in regulating the expression of the p21 gene
Literature	GENERIF_SUMMARY	TP53 mutation and right-sidedness are associated with poor treatment outcome in colorectal cancer.
Literature	GENERIF_SUMMARY	Loss-of-function germline TP53 variants predispose children to acute myeloid leukemia
Literature	GENERIF_SUMMARY	TP53 missense mutations are associated with castration-resistant prostate cancer
Literature	GENERIF_SUMMARY	Data show no patient positive for KRAS mutation and/or p53 mutation. Thus, p53 mutation in plasma is not an effective screening tool for pancreatic cancer. TP53 mutation is not a marker for pancreatic transformation in the pancreas.
Literature	GENERIF_SUMMARY	p53 levels were increased in asthenozoospermic males
Literature	GENERIF_SUMMARY	These results demonstrate a previously unrecognized relationship between TP53 and cisplatin resistance in chemotherapy treatment plans that reduce cisplatin resistance in ovarian cancer
Literature	GENERIF_SUMMARY	Blood-tissue analysis of TP53 polymorphisms and survival of patients with colorectal cancer
Literature	GENERIF_SUMMARY	There was no association between the WWOX expression with the survival of patients with colorectal cancer
Literature	GENERIF_SUMMARY	Resistance was dependent on external calcium presence and thus on the regulation of the tumor suppressor protein expression via the pro-survival PI3K/Sgk-1/Ser-110 pathway, but also via another unexpected E3 ubiquitin ligase, Nedd4-2.
Literature	GENERIF_SUMMARY	the overexpression of miR501-5p stimulates cell proliferation in kidney cancer

Main Category		Category
		signaling.
Literature	GENERIF_SUMMARY	it can be concluded that miR-15b, HOTAIR, and p53 constitute a re provides a new target for the treatment of gliomas.
Literature	GENERIF_SUMMARY	Germline TP53 mutations in Denmark are likely to be drastically un surveillance options of LFS patients, lack of pre-symptomatic testi
Literature	GENERIF_SUMMARY	Studies suggest that depending on the wild-type or mutant tumor s suppress or exacerbate tumor development [Review].
Literature	GENERIF_SUMMARY	There is a shift toward a more aggressive biological phenotype as
Literature	GENERIF_SUMMARY	The decrease of SIX1 facilitated the expression of DACH1, thus ac and in vivo.
Literature	GENERIF_SUMMARY	The Hsp90 independence of the interaction between p23 and p53 raises the intriguing possibility that p23, like other small charged p
Literature	GENERIF_SUMMARY	Importantly, p53 defects or depletion unexpectedly allow mutagen authors find reflected in p53 defective breast-cancer patient COSM replication homeostasis within a DNA restart network.
Literature	GENERIF_SUMMARY	p53 expression was knocked down using p53 small interfering RN inhibited Bax protein expression and caspase3 activity, and induce
Literature	GENERIF_SUMMARY	Gendicine combination regimens yield progression-free survival tir gene is mutated in >50% of all human cancers, p53 mutation statu Ad-p53-treated patients.
Literature	GENERIF_SUMMARY	Data indicate that 131 acute myeloid leukemia patients of whom 3
Literature	GENERIF_SUMMARY	133p53 promotes tumour invasion via IL-6 by activation of the JAK
Literature	GENERIF_SUMMARY	Novel insights pertaining the mechanism by which mutant p53 enh cancer stem cells sub-populations within CRC tumors, and unders
Literature	GENERIF_SUMMARY	higher level of the p53 isoform, p53beta, predict better prognosis i
Literature	GENERIF_SUMMARY	by combining pharmacological and genetic approaches, we show
Literature	GENERIF_SUMMARY	the increased level of autophagy might be the mechanism for the r emodin treatment .
Literature	GENERIF_SUMMARY	Glutaredoxin-1 silencing induces cell senescence via p53/p21/p16
Literature	GENERIF_SUMMARY	Findings suggest the mechanisms by which tumor protein p53 (p5 opposing actions of Rac family small GTPase 1 (Rac1) and ras hor
Literature	GENERIF_SUMMARY	downregulation of the key regulators of autophagic flux, BECN1 an expression.
Literature	GENERIF_SUMMARY	study outlined the immunohistochemical expression of p-ATM/p53 response role. A ""non-oncogene addiction"" to ATM for NEp53 gliob inhibiting drugs."
Literature	GENERIF_SUMMARY	In the former, p53 binds to the CDH1 (encoding E-cadherin) locus t levels of acetylation of H3K27 (H3K27ac).
Literature	GENERIF_SUMMARY	Mechanistically, Delta133p53 binds to DeltaNp63 and utilizes its tr glycolysis. While increased glycolysis provides cancer cells with a selective cancer cell killing.

Main Category	Category	
Literature	GENERIF_SUMMARY	Study revealed that PDGFRalpha/HER2 and PDGFRalpha/p53 co-e suggesting that cooperation between these proteins might enhance
Literature	GENERIF_SUMMARY	USP10 was expressed primarily in the cytoplasm of prostate cancer levels of AR, G3BP2, and p53 in the cytoplasm. High expression of cancer.
Literature	GENERIF_SUMMARY	PAX8 positively regulates the expression of TP53 in high grade ser by the gain of function activity of mutant p53. Surprisingly, mutant cytoplasm of HGSC cells where it plays a non-canonical, pro-prolifer
Literature	GENERIF_SUMMARY	COP1 forms complex with p53 protein nd plays a role in p53 down
Literature	GENERIF_SUMMARY	p16, p21, and p53 proteins play an important role in the deregulation neoplasia.
Literature	GENERIF_SUMMARY	TP53 germline mutations in individuals of sub-Saharan African and
Literature	GENERIF_SUMMARY	Deletion of NF1 leads to mutant oligodendrocyte precursor cell (OP deletion of p53 impairs OPC senescence. Signaling analysis shows signaling remains at the basal level in pre-transforming mutant OP
Literature	GENERIF_SUMMARY	miR-24 is up-regulated in age-related cataracts. It appears to enhance p53, suggesting that the miR-24-p53 pathway may play a critical ro
Literature	GENERIF_SUMMARY	These findings suggest that DRAK1 translocates in response to sti p53 and/or ANT2.
Literature	GENERIF_SUMMARY	The response of cells to the microtubule-stabilizing agent PLA unc
Literature	GENERIF_SUMMARY	Altogether, our results provided a novel insight into CREPT in regul pathways.
Literature	GENERIF_SUMMARY	PANDAR controlled the transcription of the CDKN1A gene by comp
Literature	GENERIF_SUMMARY	The level of TP53 expression in Ameloblastoma is significantly hig TP53 expression predicted a better response to marsupialization i
Literature	GENERIF_SUMMARY	the efficient transactivation of p53-responsive gene promoters by l binding to its DNA cognate sites.
Literature	GENERIF_SUMMARY	this study shows an inhibitory effect of wild-type P53 gene transfe
Literature	GENERIF_SUMMARY	Restoration of 133p53 expression may be a novel therapeutic strat Syndrome in vivo.
Literature	GENERIF_SUMMARY	Upregulation of p53 disrupted the pentose phosphate pathway, lea
Literature	GENERIF_SUMMARY	Double mutation of PIK3CA and TP53 is an independent predictive based chemotherapy.
Literature	GENERIF_SUMMARY	Results suggest that PGRMC1 suppresses the p53 and Wnt/beta-c
Literature	GENERIF_SUMMARY	Chronic low-dose of UVB (CLUV) treatment activates p53, which co recruited at chromatin bound, suggesting a more efficient cyclobut
Literature	GENERIF_SUMMARY	A human-specific switch of alternatively spliced AFMID isoforms c
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with clear cell and endometri
Literature	GENERIF_SUMMARY	mutation analysis in TP53 plays a minor role in the subgroup of hig
Literature	GENERIF_SUMMARY	Fifty-two percent of patients diagnosed with glioma/glioblastoma

Main Category	Category	
Literature	GENERIF_SUMMARY	Low-level TP53 mutational load antecedes clonal expansion in chr
Literature	GENERIF_SUMMARY	These results identify PITA and PISA as selective regulators of p53
Literature	GENERIF_SUMMARY	Our findings indicate that in the Indian population, there is a high p
Literature	GENERIF_SUMMARY	p53 in cytoplasm improves the accuracy of DNA synthesis of HIV-
Literature	GENERIF_SUMMARY	Results indicate that the underlying mechanisms whereby etoposid linked to p53 activation alone.
Literature	GENERIF_SUMMARY	Mutant p53 reprogram macrophages to tumor supporting macroph
Literature	GENERIF_SUMMARY	Decreases in LKB1 expression by HBx protein-mediated p53 inacti
Literature	GENERIF_SUMMARY	In Pakistani women the association of TP53 gene codon 72 arginin
Literature	GENERIF_SUMMARY	The TP53, rs1042522, p.Arg72Pro gene polymorphism, which enco left coronary artery. To the best of our knowledge, this study provid in a Greek or any other populations.
Literature	GENERIF_SUMMARY	Authors discovered a mechanistic link between inhibition of cap-d cancer cells without causing collateral damage to normal cells.
Literature	GENERIF_SUMMARY	A panel including p53 and ASRGL1 immunohistochemistry was ide Within this panel, patients were allocated into high- (5.9%), interme risk (P
Literature	GENERIF_SUMMARY	Data indicate no significant correlation between the presence of se overall survival.
Literature	GENERIF_SUMMARY	RSV infection impairs global p53 transcriptional activity, notably vi
Literature	GENERIF_SUMMARY	post-translational modifications within the alpha1-alpha2 intrinsic inhibits the proapoptotic activity of two types of regulatory targets
Literature	GENERIF_SUMMARY	the apoptotic regulator p73 also coordinates with Delta133p53 to p
Literature	GENERIF_SUMMARY	P53 degradation is mediated by COP1 in the breast cancer.
Literature	GENERIF_SUMMARY	Simultaneous inactivation of EAF2 and p53 can act to activate STA
Literature	GENERIF_SUMMARY	Study identified p53 as a key factor for UVB-induced melanocyte s expression and sustained high levels following UVB exposure.
Literature	GENERIF_SUMMARY	results indicate that LGASC of the breast is a low-grade triple-nega expression, and shows a high rate of PIK3CA mutations but no TP
Literature	GENERIF_SUMMARY	A rearranged p53 signal was found in 20/37 cases of pediatric ost
Literature	GENERIF_SUMMARY	Spindlin 1 (SPIN1) sequesters ribosomal protein uL18 in the nucle and alleviating uL18-mediated inhibition of MDM2 ubiquitin ligase
Literature	GENERIF_SUMMARY	dimeric mutant p53 is partially unfolded and is a target for ubiquiti derived mutant forms of p53 into dimer configuration results in hyp
Literature	GENERIF_SUMMARY	Mechanistically, MIR205HG depletes endogenous miR-590-3p lea transcriptional and post-transcriptional molecular network that inc which are enriched in head and neck squamous cell carcinoma pat
Literature	GENERIF_SUMMARY	RUNX2 is one of the promising molecular targets for the treatment
Literature	GENERIF_SUMMARY	TP53 Arg72Pro variation is associated with increased risk of color

Main Category	Category	
Literature	GENERIF_SUMMARY	In a compairison of endometrial neoplasms to non-malignant controls, Bax is over-expressed, Bax is under-expressed and the Bcl2 to Bax ratio is high
Literature	GENERIF_SUMMARY	We find that most JAK2 mutations, some TP53 mutations, and rare mutations are not tumor. Clinicians ordering plasma genotyping must be prepared for mutations mutated in CH, may not represent true tumor genotype.
Literature	GENERIF_SUMMARY	POH1 knockdown induced cell apoptosis through increased expression of p53
Literature	GENERIF_SUMMARY	p53 expression was reduced by activation of nuclear factor-kappaB
Literature	GENERIF_SUMMARY	This review provides a systematization of the p53 influence on glycolysis and p53 with key signaling pathways, including c-Myc, HIF-1, LKB1/AMPK, leading to a better understanding of distinct metabolic profiles in heterogeneous tumors
Literature	GENERIF_SUMMARY	Knockdown of the Sprr2b gene or inhibition of SPRR2B phosphorylation induced cell cycle arrest.
Literature	GENERIF_SUMMARY	Infection of HIV-1 and subsequent HIV-1 reverse transcription are inhibited by the suppressor gene p53 expression is upregulated in non-cycling cells, and ribonucleotide reductase R2 subunit expression and phosphorylation
Literature	GENERIF_SUMMARY	Study demonstrated that the cytosolic lncRNA P53RRA is downregulated in tumor progression. P53RRA bound G3BP1 and cytosolic P53RRA-G3BP1 complex translocated in the nucleus, which led to cell-cycle arrest, apoptosis, and ferroptosis
Literature	GENERIF_SUMMARY	p53 status determines PARP inhibitor sensitization by ionizing radiation in breast cancer patients are most likely to benefit from combination therapy
Literature	GENERIF_SUMMARY	The p53-responsive lncRNA GUARDIN is important for maintaining genomic stability under genotoxic stress.
Literature	GENERIF_SUMMARY	a USP15-dependent lysosomal pathway controls p53-R175H turnover
Literature	GENERIF_SUMMARY	degradation of p53 by E6 protein of high risk human papillomavirus in cervical oral carcinogenesis[review]
Literature	GENERIF_SUMMARY	In wild-type and p53 knockout HCT116 cells, pyruvate dehydrogenase activity competes with competing cytosolic metabolism. The results confirmed the positive effect of p53 on competing cytosolic metabolism
Literature	GENERIF_SUMMARY	HBx levels are upregulated via a positive feedback loop involving p53
Literature	GENERIF_SUMMARY	c-Jun N-terminal kinase (JNK) phosphorylation of mutant and wild-type p53 (p73) complex that determines cell fate
Literature	GENERIF_SUMMARY	p53-S100A2 positive feedback loop regulates wound repair process
Literature	GENERIF_SUMMARY	Targeting HAUSP as an anti-cancer strategy in both p53 wildtype and mutant cells
Literature	GENERIF_SUMMARY	these findings indicated that miR31a5p is involved in hypertension-induced cell apoptosis through targeting TP53.
Literature	GENERIF_SUMMARY	the present study revealed a negative correlation between the expression of mutant p53 expression. The negative correlation between STAT-1 and the occurrence and development of glioma, and may be a diagnostic marker
Literature	GENERIF_SUMMARY	Results found abnormal expression of TP53 in 87.6% of ovarian high-grade serous carcinoma (LGSC) samples. It can be use along with AGR3 for differential diagnosis
Literature	GENERIF_SUMMARY	Taking these results together, it is concluded that AdCRM197 induced resistance to p53 deletion. found that Adp53 can reverse the resistance of p53-deletion human cells
Literature	GENERIF_SUMMARY	Study found that in 10,522 cancer genomes from The Cancer Genome Atlas

Main Category	Category	
		and expression of proliferation genes.
Literature	GENERIF_SUMMARY	findings demonstrate a protective function of OS-induced heterochromatin recruitment play a critical role.
Literature	GENERIF_SUMMARY	SOCS2 expression was heterogeneously upregulated in some human colon cancer cells and may be associated with the tumorigenic potential of colon cancer.
Literature	GENERIF_SUMMARY	High expression of synthesis of cytochrome c oxidase 2 and TP53 in lung adenocarcinoma
Literature	GENERIF_SUMMARY	PGEA-AN modulates P53 system which further leads to the death of tumor cells. This study is a future prospect for development of anticancer moiety against neuroblastoma.
Literature	GENERIF_SUMMARY	deleterious TP53 mutations correlate with BRAF mutational status in melanoma and histiocytosis.
Literature	GENERIF_SUMMARY	Meta-analysis revealed that TP53 alterations serve as a clinical prognostic factor associated with the status of H3.3 mutations and a higher WHO grade. With successful TP53 reactivation, we may be able to increase the survival of patients.
Literature	GENERIF_SUMMARY	Results showed that the crystal structure of mutant p53R280K DNase I binding domain (DBD), without any crevice and with zinc(II) ion coordinated, revealed the inability of the residue K280 to establish two hydrogen bonds with the phosphate group of the DNA.
Literature	GENERIF_SUMMARY	TRRAP silencing attenuated p53 accumulation in lymphoma and colon cancer cells, suggesting a role for TRRAP across cancer entities and p53 mutations.
Literature	GENERIF_SUMMARY	Identification of nonsynonymous TP53 mutations in hydatidiform mole and their association with p53 expression.
Literature	GENERIF_SUMMARY	Single nucleotide polymorphism rs1042522 of the TP53 gene is not associated with the risk of colorectal cancer.
Literature	GENERIF_SUMMARY	Data show that plakoglobin interacted with p53R175H and decreased its transcriptional activity.
Literature	GENERIF_SUMMARY	If, as expected, the consequences of the deregulation of the CDKN2A/p53 pathway in mouse models, the disruption of this axis might be useful to predict tumor progression and therapeutic strategies in human Precursor T-cell lymphoblastic lymphoma.
Literature	GENERIF_SUMMARY	Histopathological features, i.e. presence of low-grade areas, may predict a poor prognosis in gliomagenesis. Combination of p53 and EGFR alone may be a better prognostic factor.
Literature	GENERIF_SUMMARY	implementation of TP53 mutation analysis in clinical practice may be a useful tool to identify target for therapy
Literature	GENERIF_SUMMARY	O(6)-methylguanine-induced transcriptional mutagenesis reduces the expression of p53-dependent genes.
Literature	GENERIF_SUMMARY	The study highlights the existence of a novel axis linking p53 to ERK1/2, which is part of the complex network whereby p53 inactivation affects TNBC clinical outcome.
Literature	GENERIF_SUMMARY	Inhibition of cancer progression by a novel trans-stilbene derivative through p53-dependent apoptosis.
Literature	GENERIF_SUMMARY	In the present study, immunostaining p53 showed 90% sensitivity, specificity, and accuracy, of 98.5%. The technical simplicity, easy availability, and comparative cost-effectiveness in patients with Barrett esophagus.
Literature	GENERIF_SUMMARY	The relation between Ser15 or Ser20 and tumor cell viability might be a useful prognostic status.
Literature	GENERIF_SUMMARY	This study demonstrated that the Tp53 Arg72Pro SNP controls PCa progression by mitochondrial p53 stabilization and then modulates TIA-induced ischaemia-reperfusion injury.
Literature	GENERIF_SUMMARY	miR-122 effectively inhibited the expression of TP53 gene in Hela cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	HPV16E6 protein and p53 protein may play an important role in the
Literature	GENERIF_SUMMARY	Seshat is a beneficial tool to interpret the ever-growing TP53 sequen the TP53 Website
Literature	GENERIF_SUMMARY	Mutations in both the p53 tumor suppressor gene and K-ras oncog predominance of G-->T transversions in both genes and the occur codons on the non-transcribed strand are consistent with exposure
Literature	GENERIF_SUMMARY	A novel regulatory mechanism of p53 in early onset breast cancer
Literature	GENERIF_SUMMARY	In patients without PIK3CA alteration, TP53 nonfunctional mutatio
Literature	GENERIF_SUMMARY	NF-kappaB signaling was regulated by p53.
Literature	GENERIF_SUMMARY	High Rates of TP53 Mutation are associated with African American
Literature	GENERIF_SUMMARY	miR-154 inhibits proliferation and induces apoptosis of human skin
Literature	GENERIF_SUMMARY	Oncosuppressor proteins p53 and cyclin-dependent protein kinase genes.
Literature	GENERIF_SUMMARY	There was a significant correlation between telomere dysfunction
Literature	GENERIF_SUMMARY	In silico molecular docking and dynamics studies with MDM2-p53 binding of MDM2 with p53 and, therefore, could trigger apoptosis i
Literature	GENERIF_SUMMARY	this study proposes azadirachtin as a potential therapeutic agent v mutations in p53.
Literature	GENERIF_SUMMARY	Data suggest that the enhanced expression levels of WT1 transcrip leukemia (AML) patients is supportive of their intermediate role in
Literature	GENERIF_SUMMARY	he early expansion of centrosome amplification correlated with an loss of wild-type expression and hotspot mutations. Our work show transformation, being repressed by p53.
Literature	GENERIF_SUMMARY	In the 33 cases included in poor prognosis group, TP53 was most was exclusive of this group (p = 0.024). TP53 and ARID1A are mut ARID1A genes and amplification of MET gene as independent prec
Literature	GENERIF_SUMMARY	IL-6 treatment downregulated wild-type TP53 protein and induced protein 2 (MBD2), specifically the alternative mRNA splicing varian
Literature	GENERIF_SUMMARY	Patient-derived neurons made without MECP2 showed signs of str
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with glioma.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with adenovirus infection.
Literature	GENERIF_SUMMARY	p53 acts via Sp1/3 to repress CD51 transcription, and CD51 is requ downregulated by p53.
Literature	GENERIF_SUMMARY	Co-mutations in JAK and TP53 as well as MAP kinase pathway act differentiation.
Literature	GENERIF_SUMMARY	The expression levels of ER, CD34 and p53 in breast cancer tissue assessing the prognosis of these patients.
Literature	GENERIF_SUMMARY	The test results of diffusion-weighted imaging and magnetic reso reflect the inactivation or mutation of PTEN and p53.
Literature	GENERIF_SUMMARY	RXRalpha provokes tumor suppression through p53/p21/p16 and

Main Category	Category	
Literature	GENERIF_SUMMARY	These findings suggest that USP49 has an important role in DNA c positive feedback loop with p53.
Literature	GENERIF_SUMMARY	Post-RT[radiotherapy] cfDNA [Cell-free DNA] levels were negatively RT cfDNA levels as an early predictor of treatment responses and
Literature	GENERIF_SUMMARY	High rate of TP53 R249S mutation has been found in cell-free DNA
Literature	GENERIF_SUMMARY	The p53 parabasal and mid-epithelial staining without involvement intraepithelial neoplasia (CVIN) with superimposed lichen simplex
Literature	GENERIF_SUMMARY	USP12 deubiquitinates MDM2 and AR, which in turn controls the le
Literature	GENERIF_SUMMARY	H19, as a molecular marker for promoting fracture healing, promot
Literature	GENERIF_SUMMARY	Our study reveals that different combinations of TP53, EGFR, and S parameters to identify best responders to PD-1 blockade.
Literature	GENERIF_SUMMARY	This result suggests that p53 has an important role in hemangiom suggest that the propranololinduced HemEC apoptosis pathway is
Literature	GENERIF_SUMMARY	This study stratified the patients with TP53-mutated acute myeloid transplantation comorbidity index (HCT-CI) , PS, and disease status better with this procedure.
Literature	GENERIF_SUMMARY	Intermediate-sized non-coding RNA 761 could interact with DEAD-cell)) cell apoptosis and proliferation inhibition via the p53.
Literature	GENERIF_SUMMARY	Germline mutation in the TP53 gene is associated with uveal mela
Literature	GENERIF_SUMMARY	TP53 transactivation domain is necessary for iPSCs to repair dam
Literature	GENERIF_SUMMARY	Our results suggest that CSCs in the ER(+) cells escape the effect
Literature	GENERIF_SUMMARY	the present study demonstrated that the function of KPNA2 in the p53, KPNA2 can support autophagy to promote the chemoresistan
Literature	GENERIF_SUMMARY	Novel TP53 variants were identified in cases of high-grade serous
Literature	GENERIF_SUMMARY	Bioinformatics analyses revealed that a gene signature, upregulate survival in GBM.
Literature	GENERIF_SUMMARY	p53 codon72 Pro/Pro genotype more associated with the disease
Literature	GENERIF_SUMMARY	It has been shown that MDM2 and MDMX are targetable vulnerabi
Literature	GENERIF_SUMMARY	Inc-HUR1 can interact with p53 and inhibit its transcriptional regula
Literature	GENERIF_SUMMARY	The mRNA expression of FAS was lower in patients with TP53 mut negative predictor of metastatic melanoma treated with CTLA-4 bl
Literature	GENERIF_SUMMARY	Lenalidomide plus bendamustine-rituximab does not overcome the
Literature	GENERIF_SUMMARY	we review recent discoveries and emerging trends in the study of t ferroptosis and oxidative stress.
Literature	GENERIF_SUMMARY	Expression of Ki-67 was lower and expression of p53 was higher in
Literature	GENERIF_SUMMARY	PTEN-L-p53 freely entered the cells and suppressed the viability of composed of endogenous protein/peptide bearing low immunogen new immune epitope.
Literature	GENERIF_SUMMARY	SIRT1 had a pivotally protective role in the regulation of ADSCs agi

Main Category	Category	
Literature	GENERIF_SUMMARY	Our studies identify a previously undefined function of ERG to restrain prostate cancer. Our findings suggest ERG fusion as a biomarker to
Literature	GENERIF_SUMMARY	various p53-dependent liver secretome profiles, were identified.
Literature	GENERIF_SUMMARY	Overexpression of miR-142-3p attenuates the invasive capacity of
Literature	GENERIF_SUMMARY	The signaling axis of p53, miR-155-5p, and sirt1 in autophagic proo
Literature	GENERIF_SUMMARY	This study provides links between the DNA damage response, the inhibition of p53 activity and begins to explain how virus-infected c pathways during productive virus infections.
Literature	GENERIF_SUMMARY	Fluorescence experiments revealed conformational changes of the molten globule conformers, some of which were highly prone to ag which could be modulated from unfolding to aggregation pathway
Literature	GENERIF_SUMMARY	Significant increase in frequencies ofTP53 (rs1042522 G/C), BRCA patients compared to controls.
Literature	GENERIF_SUMMARY	high RAMP3 expression is an independent prognostic factor of fav expression might reduce the negative effect of TP53 mutation on s
Literature	GENERIF_SUMMARY	TP53 mutations define a subset of ALK-translocated non-small cel chromosomal instability, leading to the co-occurrence of pathogen
Literature	GENERIF_SUMMARY	demonstrated TP53 mutation and p53 expression in subtypes of p immunostaing pattern with the status of TP53 mutation
Literature	GENERIF_SUMMARY	Elevation of the TP53 isoform Delta133p53beta is an alternative p an immunosuppressive and chemoresistant environment.
Literature	GENERIF_SUMMARY	findings suggest that p53 accumulation and heparanase overexpres increased risk of venous thrombosis with age and that heparanase endothelial phenotype with age.
Literature	GENERIF_SUMMARY	High expression of TP53 is associated with oral epithelial dysplasi
Literature	GENERIF_SUMMARY	The authors showed that homozygote proline/proline in controls w conclude that detection of allelic polymorphisms of codon 72 of th breast cancer and valuable tool for determining prognosis, progres
Literature	GENERIF_SUMMARY	Brain-specific angiogenesis inhibitor 1 (BAI1) prevents proto-onco polyubiquitination, and its loss substantially reduces p53 levels.
Literature	GENERIF_SUMMARY	The chaperone activity of Lon is important to bind with mitochond oxidative stress.
Literature	GENERIF_SUMMARY	Ubqln4 regulated p21 through both p53-dependent and p53-indepe negatively regulated its expression level, which in turn stabilized p2
Literature	GENERIF_SUMMARY	our findings successfully demonstrate for the first time that LACTB of p53, supporting the pursuit of LACTB as a potential therapeutic
Literature	GENERIF_SUMMARY	These results suggested that KIAA0101 knockdown suppressed th Sp1 complex in breast cancer.
Literature	GENERIF_SUMMARY	the data support a tumor suppressor role for DAXX as low-dose ion mice than wild-type controls. While DAXX has important in vivo fun pathway.
Literature	GENERIF_SUMMARY	A presenilin-1 mutation causes Alzheimer disease without affectin

Main Category	Category	
Literature	GENERIF_SUMMARY	Overexpression of TRAF3 in HPV(+) cell lines with decreased endo NF-kappaB reporter activity, while increasing the expression of IFN of TRAF3 also enhanced TP53 and RB tumor suppressor proteins
Literature	GENERIF_SUMMARY	Ubiquitin-conjugating enzyme E2S (UBE2S) enhanced the ubiquitin cells.
Literature	GENERIF_SUMMARY	TP53 mutations are associated with colorectal liver metastases.
Literature	GENERIF_SUMMARY	Elevated p53gamma expression is associated with reduced progre
Literature	GENERIF_SUMMARY	Our preclinical study supports further clinical evaluation of combin (G12C) and wild-type p53 status.
Literature	GENERIF_SUMMARY	the findings from our own patient cohort confirm the importance o tumors
Literature	GENERIF_SUMMARY	Colorectal tumors with multiple pit patterns exhibited more advan tumors with a single pit pattern
Literature	GENERIF_SUMMARY	Our results suggest that TP53 c.215G>C, p. (Arg72Pro) polymorph Moroccan population
Literature	GENERIF_SUMMARY	Twenty-seven patients had ctDNA samples available for NGS. The catenin (CTNNB1; 37.0%).
Literature	GENERIF_SUMMARY	Mutant p53 cooperates with MLL4 to regulate aberrant enhancer a immune signaling.
Literature	GENERIF_SUMMARY	The association between p53 oligomeric state and clinical phenoty implementation of new genotype-adapted guidelines for the mana
Literature	GENERIF_SUMMARY	Interactions of Vascular Endothelial Growth Factor and p53 with m
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with chemoresistance in ovari
Literature	GENERIF_SUMMARY	The TP53 codon 72 polymorphism had a significant association w
Literature	GENERIF_SUMMARY	This study hints at an unexplored mechanism for p53 regulation a damage.
Literature	GENERIF_SUMMARY	HER2 over-expression is induced by p53 mutants through HER2 tra
Literature	GENERIF_SUMMARY	results showed that a) alterations of the p53 and Rb pathways are cell-cycle proteins is associated with adverse histopathological pa
Literature	GENERIF_SUMMARY	Data show that DNA damage-inducible transcript 4 (DDIT4) was up protein kinase and p53 signaling pathways were involved in the su
Literature	GENERIF_SUMMARY	Moreover, under positive p53 expression, low expression of ATM[a cystic carcinoma] (p=0.017). CONCLUSION
Literature	GENERIF_SUMMARY	results highlight the differential outcome of distinct p53 mutations throughout evolution.
Literature	GENERIF_SUMMARY	The tumor suppressor p53 (p53) mutant lacking the disordered C-t lacking the structured core domain maintained IST, indicating the i
Literature	GENERIF_SUMMARY	Investigated the role and position of tumor protein p53 (TP53) mu TP53, results showed patients with mutations in turn regions show
Literature	GENERIF_SUMMARY	Describe subcutaneous fatty neoplasm characterized by notable a adipocytic atypia, p53 overexpression, RB1 gene abnormalities and

Main Category	Category	
Literature	GENERIF_SUMMARY	P53 level and transvaginal color Doppler ultrasound can provide ce cancer.
Literature	GENERIF_SUMMARY	The role of PTEN in the process is potentially significant providing
Literature	GENERIF_SUMMARY	MMSET is a regulator of p53 stability via methylation of AURKA in
Literature	GENERIF_SUMMARY	To investigate the reasons for which miR-375 holds a special place network analyses of miR-375 target genes and their interactions w the key players of MI disease module.
Literature	GENERIF_SUMMARY	These findings contribute advances to cancer radiotherapy by usin cancers.
Literature	GENERIF_SUMMARY	Inactivation of HUWE1 in a human lung cancer cell line inhibited p phenotype was driven by increased p53, which was due to attenua
Literature	GENERIF_SUMMARY	These findings identify a potent small molecule that may be therap activating p53, and binding microtubules without detectable toxicit
Literature	GENERIF_SUMMARY	p53 does act downstream of selinexor and nutlin-3a, and that p53 is more p53-dependent.
Literature	GENERIF_SUMMARY	Igf2, a maternal imprinted gene, and c-jun, a proto-oncogene, are re in human amniotic fluid cells and to transcriptional activation of its p53 induction as differentiation progresses.
Literature	GENERIF_SUMMARY	Mutations of KRAS and DDR2 were found in large cell carcinoma (mutations of TP53 were seen in SCC and lung adenocarcinoma su patients.
Literature	GENERIF_SUMMARY	TP53 Mutation is associated with Mouth Neoplasms.
Literature	GENERIF_SUMMARY	Study discovered that a p53-dependent tumor-suppressor (TS) net the p53-miR-101 circuit, enables induction of apoptosis in p53 WT direct repression of EG5.
Literature	GENERIF_SUMMARY	Here we identify the nucleosome assembly protein TSPY-Like 2 (T p300 function. We demonstrate that, upon DNA damage, TSPYL2 i acetylation and activation, finally stimulating p53 acetylation and p
Literature	GENERIF_SUMMARY	TP53 represses the expression of SETDB1 via increasing miR-29s
Literature	GENERIF_SUMMARY	Study show that DNA targets CATG motifs upon it binding to p53.
Literature	GENERIF_SUMMARY	Fluctuations in the oscillatory pattern of the tumor suppressor p53 escape from arrest.
Literature	GENERIF_SUMMARY	Results show that uniform nuclear p53 expression was associated
Literature	GENERIF_SUMMARY	in p53(wt) colon cancer cells chemosensitivity against oxaliplatin to reduced autophagy and mitochondrial respiration.
Literature	GENERIF_SUMMARY	DPYSL4 plays a key role in the tumor-suppressor function of p53 b association with mitochondrial supercomplexes, possibly linking to
Literature	GENERIF_SUMMARY	p53 expression is related to the survival of nasopharyngeal carcino
Literature	GENERIF_SUMMARY	role of TNFAIP8 in NSCLC proliferation and cisplatin chemoresista
Literature	GENERIF_SUMMARY	Study revealed that the Wnt/beta-catenin signaling pathway and its targets p53 tumor suppressor. miR552 may serve as an important absence of p53 protein in colorectal cancer.

Main Category	Category	
Literature	GENERIF_SUMMARY	The PFT-alpha group had increased proliferation and S-phase cell p CCNB1 silencing inhibits cell proliferation and promotes cell senes
Literature	GENERIF_SUMMARY	The p53 promoter polymorphism is not associated with the suscep
Literature	GENERIF_SUMMARY	Findings suggest that pro-tumorigenic entotic engulfment activity genomic instability.
Literature	GENERIF_SUMMARY	High prevalence of germline and somatic Allele Drop out (ADO) in evaluation of ADO prevalence and causes in clinically important ca
Literature	GENERIF_SUMMARY	the expression of Ser216pCdc25C was also increased in the comb and SW620 cells through the ATM/Chk/Cdc25C/Cdc2 pathway.
Literature	GENERIF_SUMMARY	High mutant p53 expression is associated with oral cancer.
Literature	GENERIF_SUMMARY	Chronic lymphocytic leukemia with proliferation centers in bone m and increased frequency of TP53 alterations.
Literature	GENERIF_SUMMARY	The bioinformatic prediction revealed that TP53 was a putative tar the expression array when comparing HR vs LR expression levels a
Literature	GENERIF_SUMMARY	to reveal the prognostic value of TP53 in advanced non-small cell l
Literature	GENERIF_SUMMARY	inhibits fibrosis by modulating autophagic hypertrophic scar fibrob
Literature	GENERIF_SUMMARY	The affected P53 activity caused by STK11 mutations in PJS patie
Literature	GENERIF_SUMMARY	Structure determination of the transactivation domains of p63 and and p73, p63 has a single transactivation domain.
Literature	GENERIF_SUMMARY	Low TP53 expression is associated with drug resistance in colorec
Literature	GENERIF_SUMMARY	Data suggest the p53(N236S) mutant function of gain of function i
Literature	GENERIF_SUMMARY	we identify a core cistrome signature composed of genes appearin specific, demonstrating new functions for p53 in cell biology. Our a basic and translational studies.
Literature	GENERIF_SUMMARY	analysis of how the African-centric S47 variant of TP53 responds t
Literature	GENERIF_SUMMARY	p53 expression evaluated by immunohistochemistry in bone marro characteristics in patients with normal diploid cytogenetics and is
Literature	GENERIF_SUMMARY	p53 promotes the expression of SLC1A3, an aspartate/glutamate t extracellular glutamine. Tumor cells with high levels of SLC1A3 exp growth of these cells in vitro and in vivo, suggesting a therapeutic p
Literature	GENERIF_SUMMARY	Genetic alterations in TP53 are a critical factor in determining the
Literature	GENERIF_SUMMARY	mutant TP53 G245C and R273H can lead to more aggressive phen
Literature	GENERIF_SUMMARY	TP53 rs1042522 may not confer susceptibility to OSCC. In addition between TP53 rs1042522 and OL risk.
Literature	GENERIF_SUMMARY	The ability of p53 to induce Twist1 degradation is abrogated when EMT and the acquisition of a more invasive cancer phenotype.
Literature	GENERIF_SUMMARY	Study provides evidence that loss-of-function mutation of TP53 ca both transiently potentiating androgen-independent cell growth an
Literature	GENERIF_SUMMARY	The prognosis of p53(+) triple-negative breast cancer (TNBC) has chemotherapy. It suggests that p53(+) TNBC would be more sensi

Main Category	Category	
Literature	GENERIF_SUMMARY	tumors harboring TP53 mutations, which can impair epithelial function in smoking-associated tumors.
Literature	GENERIF_SUMMARY	The CTD-truncation mutations of TP53 cause IBMFS, providing insight into IBMFSs.
Literature	GENERIF_SUMMARY	In this review, we summarize the information known to date on the functional interactions with p53.
Literature	GENERIF_SUMMARY	PTTG and PBF interact in head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Study suggested that TP53 codon 72 polymorphism might be associated with HCC but not in Chinese population.[meta-analysis]
Literature	GENERIF_SUMMARY	Deletion of these VP4 regions also inhibited the suppressive effect of p53.
Literature	GENERIF_SUMMARY	These results indicate structural and functional destabilization of p53, thus understanding the process that drives the fate of p53 upon phosphorylation.
Literature	GENERIF_SUMMARY	In ALK-rearranged NSCLC co-occurring TP53 mutations predict an improved prognosis.
Literature	GENERIF_SUMMARY	lncRNA 00607 inhibits the p65 transcription by binding to the p65 protein.
Literature	GENERIF_SUMMARY	The results suggest that immunophenotypic dysplasia correlates with p53 antigens.
Literature	GENERIF_SUMMARY	the MEG3-P53 pathway is involved in the apoptosis of A549cells in response to oxidative stress.
Literature	GENERIF_SUMMARY	HMG A2 promotes intestinal carcinogenesis by decreasing the stability of p53 degradation.
Literature	GENERIF_SUMMARY	Our findings suggested that RBM38 may be a core contributor in sporadic HCC and a potential novel target to provide a therapeutic strategy for HCC.
Literature	GENERIF_SUMMARY	data in the current study have revealed a novel role for IKKbeta in regulating p53-dependent IKKbeta reduction to mediating cancer cell apoptosis.
Literature	GENERIF_SUMMARY	the oncogenic cooperation between YAP and mutant p53 may transduce signals.
Literature	GENERIF_SUMMARY	Study summarizes the different functions of p53 in adipocyte development and manipulation of p53 levels in adipose tissue depots and the impact on metabolism [review]
Literature	GENERIF_SUMMARY	In Hepatocellular Carcinoma the most well described TP53 mutations are associated with
Literature	GENERIF_SUMMARY	TP53 mutations are associated with mutated MYD88 and CXCR4, and
Literature	GENERIF_SUMMARY	Cases of oropharyngeal cancer with positive human papillomavirus infection
Literature	GENERIF_SUMMARY	blocking of PLK4 or STIL functions leads to centrosome loss followed by mitotic divisions, upregulation of p53, chromosome instability, and, importantly,
Literature	GENERIF_SUMMARY	This study found that miR-138 transiently decreased in the hippocampus after CFC memory.
Literature	GENERIF_SUMMARY	This review outlines the roles of important E3(Ub)-ligases and their substrates
Literature	GENERIF_SUMMARY	TP53 mutations are rare in nasopharyngeal carcinoma and EBV-associated
Literature	GENERIF_SUMMARY	Invasive pancreatic ductal adenocarcinoma can infiltrate back into the pancreas, cancerization of ducts, characterized by p53/Smad4 expression.
Literature	GENERIF_SUMMARY	findings provided a comprehensive mutation profiling of AKT1, PIK3CA, and

Main Category	Category	
		potential implications in clinical management.
Literature	GENERIF_SUMMARY	While both cell populations shared a homozygous TP53 mutation on chromosome 17 where the P53 inducible miRNAs 15a/16-1 are located, and the correlation between the two was not significant.
Literature	GENERIF_SUMMARY	The phenomenon of p53 regulating CYP1A1 expression in human liver cells is discussed.
Literature	GENERIF_SUMMARY	A new SNP in intron 7 of p53 (rs1437756379) (A>T) was significantly associated with the T/A genotype was more frequent (T/A vs T/T, two-sided Fisher exact test, P=0.001). Hyperpigmentation was more prevalent in subject with T/A genotype.
Literature	GENERIF_SUMMARY	Study demonstrates that deleterious TP53 variants identified in blood samples of patients' ovarian cancer in 3 of 6 TP53-positive patients.
Literature	GENERIF_SUMMARY	A significant positive correlation was observed between sperm motility and TNF-alpha. A significant relation was observed between TNF-alpha and semen parameters.
Literature	GENERIF_SUMMARY	that proliferation potential-related protein promotes esophageal cancer cell growth and expression of p53 and IL-17
Literature	GENERIF_SUMMARY	A non to light smoking habit might contribute to an improvement in survival. Affect survival in smokers harboring KRAS codon 12.
Literature	GENERIF_SUMMARY	TP53 mutations V157, R158, and A159 are enriched in lung cancer.
Literature	GENERIF_SUMMARY	Findings indicate that p53 activity is inhibited by I2PP2A upstream of p53.
Literature	GENERIF_SUMMARY	Widely-acting and tissue-specific mutational processes combine with TP53 mutations to drive cancer development.
Literature	GENERIF_SUMMARY	gains of 5p and TP53 mutations occurred early in tumor development.
Literature	GENERIF_SUMMARY	p53 is acetylated in response to shear in both immature and mature endothelial cells.
Literature	GENERIF_SUMMARY	p.Gly187Arg TP53 variant results in Li-Fraumeni syndrome.
Literature	GENERIF_SUMMARY	Study of TP53 carrier frequency in patients with breast cancer outcomes. The rate, which was highest when selecting patients according to an early onset of disease.
Literature	GENERIF_SUMMARY	The expression pattern of the IL-17A in chronic obstructive pulmonary disease (COPD) samples, and their main role in the regulation of and p53-fibrinolytic activity in smokers with COPD.
Literature	GENERIF_SUMMARY	Data show that TP53 mutations were present in 17/87 (20%) and 41/92 (45%) patients.
Literature	GENERIF_SUMMARY	p53R245W tumors are the most aggressive and exhibit metastatic potential.
Literature	GENERIF_SUMMARY	Lower mitochondrial biogenesis, deficient HIF-1alpha/mutant p53 pathway, and apparent biochemical mechanisms underlying glycolysis activation in p53(R248Q).
Literature	GENERIF_SUMMARY	MDM2 inhibition required functional p53 and showed synergistic activity with p53-induced resistance by activation of the extracellular signal-regulated kinase cascade, which was specifically overcome by ERK1/2 pathway inhibition.
Literature	GENERIF_SUMMARY	Tumor suppressor p53 (TP53) wild-type status conferred superior 5-year survival.
Literature	GENERIF_SUMMARY	Results showed that in invasive ductal carcinomas, p53 was mutated. A mechanism for mitochondrial quality control is a new function of TP53.
Literature	GENERIF_SUMMARY	change of TP53 gene mutational status after > 5 years suggests disease progression.
Literature	GENERIF_SUMMARY	Results demonstrate that gain of function mutp53 stabilizes the cyclin D1 protein.

Main Category	Category	
		cytoplasmic localization, thus supporting glycolysis of cancer cells
Literature	GENERIF_SUMMARY	Information on molecular markers obtained from immunohistochemical analysis of microvessel density.
Literature	GENERIF_SUMMARY	Data indicate C16-ceramide as a natural small molecule activating
Literature	GENERIF_SUMMARY	The results lend support to p53beta isoforms being a marker of di
Literature	GENERIF_SUMMARY	These studies suggest that MSK1 acts through a direct interaction upstream MAPK signaling is important for efficient p21 gene expression
Literature	GENERIF_SUMMARY	Study provide evidence that TP53 and CDKN2A are the most frequent
Literature	GENERIF_SUMMARY	The results suggested that the two TP53 polymorphisms did not exist as the possible risk genotype of the codon 72 polymorphism
Literature	GENERIF_SUMMARY	These data suggest that subclonal TP53 mutations are a novel prognostic marker. Next-generation sequencing technologies for risk stratification in the
Literature	GENERIF_SUMMARY	MicroRNA-645 represses hepatocellular carcinoma progression by
Literature	GENERIF_SUMMARY	p53 increases in actinic keratosis, not in a gradual manner but in the
Literature	GENERIF_SUMMARY	Nuclear resident HDAC4 induces senescence in human fibroblasts
Literature	GENERIF_SUMMARY	the predictive power of the p53 interactome model for Malignant p
Literature	GENERIF_SUMMARY	meta-analysis indicates no evidence for the association between t
Literature	GENERIF_SUMMARY	oncogenic mutant p53 isoforms are able to inhibit SESN1 expression and downregulation of the AMPK/PGC-1alpha/UCP2 axis and mitochondrial
Literature	GENERIF_SUMMARY	co-immunoprecipitation (CoIP) experiments showed that RRS1 knockdown. Taken together, our results suggest that RRS1 may contribute to brain
Literature	GENERIF_SUMMARY	we found an unanticipated effect of p53 loss in mouse and human
Literature	GENERIF_SUMMARY	Tumor suppressive miR-6775-3p inhibits esophageal squamous cell carcinoma MAGE-A family proteins.
Literature	GENERIF_SUMMARY	expression of PIG3 is frequently reduced in gastric cancer (GC) tissues. PIG3 may act as a potential diagnostic marker and a potential therapeutic
Literature	GENERIF_SUMMARY	Results show that p53 is phosphorylated at S15 by MTOR protein tyrosine
Literature	GENERIF_SUMMARY	It was suggested that the transfection of miR-126 mimics could inhibit and delay the senescence of HGMCs. The results may serve as a new strategy
Literature	GENERIF_SUMMARY	TP53 mutation was significantly associated with poor outcomes and disease relapse.
Literature	GENERIF_SUMMARY	P53 can suppress inflammation in a plethora of human tissues. Given its capacity to affect the complex networks of cellular regulation via C-terminal phosphorylation, it is an ideal target for drug development developed for clinical applications
Literature	GENERIF_SUMMARY	RSF1 is necessary for p53-dependent gene expression.
Literature	GENERIF_SUMMARY	Study identified a new mechanism that impairment of p53 K120 affects its function. Also, the results show that the tumorigenesis mechanism involves a splicing event, thereby depleting p53 function.
Literature	GENERIF_SUMMARY	These data suggest that the percentage of cells with del(17p), the

Main Category		Category
		considered to build refined prognostication models for patients with
Literature	GENERIF_SUMMARY	This study shows a higher-than-expected population prevalence of conservative estimates.
Literature	GENERIF_SUMMARY	These data provide structural and functional insights into the dynamic
Literature	GENERIF_SUMMARY	Results demonstrate that XIST can inhibit p53 expression by binding
Literature	GENERIF_SUMMARY	Both combinations were able to increase the expressions of p53, TP53
Literature	GENERIF_SUMMARY	results show that NMR order parameter-derived conformational entropy denaturation, the latter being a well-established reporter of stability
Literature	GENERIF_SUMMARY	Ag/Au bimetallic nanoparticles induce apoptosis in human cancer cells
Literature	GENERIF_SUMMARY	Authors found that miR-492 was upregulated in cells with wild-type p53 treatments with cytotoxic reagents including irradiation and 5-FU and
Literature	GENERIF_SUMMARY	The cisplatin-induced long non-coding RNA PANDAR dictates the cell cycle phosphorylation.
Literature	GENERIF_SUMMARY	Data reveal a GOF effect of p53 mutants in hypoxic tumors and suggest implications for cancer progression.
Literature	GENERIF_SUMMARY	reveals the optimal quaternary DNA binding mode of the DNA binding result of the R175H mutation, indicating a recognition mechanism for genomic elements
Literature	GENERIF_SUMMARY	A functional interplay between TET2 and p53 during anti-cancer therapy resistance associated with mutant p53 tumors.
Literature	GENERIF_SUMMARY	The overexpression of miR-944 caused G1 phase arrest and increased targeting E3 ligases COP1 and MDM2. Overexpression of COP1 and
Literature	GENERIF_SUMMARY	Highly expressed HOXB-AS3 was confirmed to promote the proliferation was related to the regulatory role of HOXB-AS3 in p53 expression by
Literature	GENERIF_SUMMARY	Data revealed that XPD silencing promoted growth of hepatoma cells
Literature	GENERIF_SUMMARY	TP53 germline mutations do not predispose to the invasive lobular carcinoma
Literature	GENERIF_SUMMARY	Knockdown of GTSE1 obviously suppressed the proliferation, migration which suggested that GTSE1 could serve as a potential therapeutic participate in the regulation of FoxM1/CCNB1 expression via the inhibition
Literature	GENERIF_SUMMARY	We delineate two potentially distinct molecular-genetic subtypes of TP53 and/or RB1 [20/29 (70%) patients, including 10 patients who concomitant mutations affecting NOTCH genes.
Literature	GENERIF_SUMMARY	The N-terminal region is dynamically disordered in the full-length protein solvent and states in which it makes transient contacts with the DNA
Literature	GENERIF_SUMMARY	PPPDE1 is a key modulator of p53 protein level and its downstream Hepatocellular carcinoma driver gene.
Literature	GENERIF_SUMMARY	results do not support an association of the PIN3 (rs17878362) genotype patients
Literature	GENERIF_SUMMARY	these data strongly suggested that AMPK activation may be enhanced ATP levels. In addition, activated AMPK may be at least partially responsible p53+/+cells.

Main Category	Category	
Literature	GENERIF_SUMMARY	The involvement of DEC1 provides new insight into the positive or cells.[differentiated embryo chondrocyte 1]
Literature	GENERIF_SUMMARY	Studies indicate the importance of accurately testing for tumor pro of treatment to allow for appropriate treatment decisions that can
Literature	GENERIF_SUMMARY	These data highlight the involvement of ZNF185 and cytoskeleton
Literature	GENERIF_SUMMARY	ACTL6A interacted with and was co-localized with Sox2 and p53 in
Literature	GENERIF_SUMMARY	This study shed light on the oncogene role of lncRNA GCInc1, a ne
Literature	GENERIF_SUMMARY	Results suggest that mutant p53 interferes with the intramolecular increased accumulation in tumor cells.
Literature	GENERIF_SUMMARY	NR4A3 is a novel target of p53 that contributes to apoptosis
Literature	GENERIF_SUMMARY	Apparent diffusion coefficient (parameters were correlated with K
Literature	GENERIF_SUMMARY	We demonstrate a distinct but overlapping pattern of gene mutatio TP53 mutation on progression-free survival but not overall survival
Literature	GENERIF_SUMMARY	The TP53 codon 72 Arg allele and XRCC1 codon 399 Gln allele are individuals older than 50 years of age. XRCC1 and TP53 genotypin
Literature	GENERIF_SUMMARY	Racial/ethnic differences in expression profiles of mtp53, MDM2, a
Literature	GENERIF_SUMMARY	TSPYL5 depletion-mediated loss of Endothelial cell functions was
Literature	GENERIF_SUMMARY	crosstalk among p53, lipid metabolism, insulin resistance, inflamm
Literature	GENERIF_SUMMARY	The findings highlight the significance of TP53 mutation as amajor
Literature	GENERIF_SUMMARY	The Meg3-dependent association of PTBP3 with the promoters of studies reveal a novel role of Meg3 and PTBP3 in regulating p53 si restore endothelial homeostasis.
Literature	GENERIF_SUMMARY	The expression of COX-2 increase with stage of the endometrial tu
Literature	GENERIF_SUMMARY	Results find that p53 activity is regulated through its binding to AH cell lung cancer (NSCLC) cell stemness.
Literature	GENERIF_SUMMARY	ARPE-19 cell death induced by adriamycin may be caspase-depende dysfunction, activating the p53 signaling pathway through DNA da
Literature	GENERIF_SUMMARY	Histone modifications of certain miRNA loci, such as the miR-183-
Literature	GENERIF_SUMMARY	This study furthers the identification of a clinical significant limit o
Literature	GENERIF_SUMMARY	Ferritin heavy subunit enhances apoptosis of non-small cell lung c
Literature	GENERIF_SUMMARY	Cells were transfected with miR-590-3p mimic and inhibitor and th miR-590-3p upregulation on the acetylation of p53 as well as cell v flow cytometry, respectively
Literature	GENERIF_SUMMARY	p53-Family Proteins in Odontogenic Cysts
Literature	GENERIF_SUMMARY	In triple-negative breast cancer patients who received adjuvant che breast cancer-specific survival.
Literature	GENERIF_SUMMARY	p53 activation and XIAP suppression were two independent ways
Literature	GENERIF_SUMMARY	zinc and p53 disrupt mitochondrial binding of HK2 in prostate can

Main Category	Category	
Literature	GENERIF_SUMMARY	only TP53 mutation was the strongest independent prognostic factor
Literature	GENERIF_SUMMARY	Comprehensive genetic analysis revealed the role of germline and somatic
Literature	GENERIF_SUMMARY	RBM25 binds directly to circAMOTL1L and induces its biogenesis, and
Literature	GENERIF_SUMMARY	MDM2 is critically involved in regulating WRN function via ubiquitination of WRN, and cellular senescence through a p53-independent manner.
Literature	GENERIF_SUMMARY	to investigate the possible mechanism, bioinformatics analysis and network analysis of the changing molecule and signaling pathways, and it was determined that p53 was associated with tumor protein 53, hypoxia inducible factor1alpha and
Literature	GENERIF_SUMMARY	Study found that alphaSMA expression is associated with the survival of breast cancer, and upregulates alphaSMA expression in tamoxifenresistant breast cancer cells
Literature	GENERIF_SUMMARY	CDK9 promotes cervical cancer development via AKT2/p53 pathway
Literature	GENERIF_SUMMARY	Mutant p53 proteins can favor cancer cell survival and tumor progression in response to transformation-related stress stimuli, including DNA lesions, oxidative stress, and the microenvironment, and the immune system.
Literature	GENERIF_SUMMARY	Study results revealed that the expression of LOC285194 was significantly increased with the corresponding non-tumor tissues. Its expression was correlated with the protein interaction analysis revealed that p53 was the direct binding partner
Literature	GENERIF_SUMMARY	The results of the present study suggest that changes in TP53 may be a result of TP53 substitutions in CC mitogenomes.
Literature	GENERIF_SUMMARY	Deleterious variants are associated with an increased risk of relapse and progression with compound gene hits in both early and advanced disease, and
Literature	GENERIF_SUMMARY	Aberrant methylation of TP53 promoter as a result of reduced TET1 expression and behavior in gastric adenocarcinoma with enteroblastic differentiation
Literature	GENERIF_SUMMARY	mRNA expression of BNIP3 and p53 was significantly increased in placental tissue pregnancies.
Literature	GENERIF_SUMMARY	CUL4A and TP53 protein expression was significantly higher in cancer tissues. CUL4A and TP53 expression was observed. CUL4A expression was significantly correlated with survival (DFS).
Literature	GENERIF_SUMMARY	Cocaine treatment increased alanine aminotransferase (ALT) and aspartate aminotransferase (AST) damage. Consistently, these increases were attenuated by inhibition of PKC. Cocaine treatment significantly increased PKCdelta, cleaved PKCdelta, and
Literature	GENERIF_SUMMARY	Hyperglycemia- or insulin resistance-induced IRS-1 down-regulation and inhibition of proliferation.
Literature	GENERIF_SUMMARY	P53 R273H mutation with RNA N6-methyladenosine methylation is associated with
Literature	GENERIF_SUMMARY	Synthetic lethality between DNA repair factors Xlf and Paxx is responsible for
Literature	GENERIF_SUMMARY	Findings demonstrate that repression of the mevalonate pathway is essential for
Literature	GENERIF_SUMMARY	The spectrum of TP53, SF3B1, and NOTCH1 mutations in chronic lymphocytic leukemia nuclear plant accident has been characterized.
Literature	GENERIF_SUMMARY	Findings suggest that GYS2 serves as a prognostic factor and functionally is responsible for the deregulation of glycogen metabolism.
Literature	GENERIF_SUMMARY	Loss of p53 phosphorylation might be an interesting candidate for further study and comprehensive validation in future studies.

Main Category	Category	
Literature	GENERIF_SUMMARY	CD34 staining in megakaryocytes was associated with p53 expression and survival in patients (p=0.0281). CONCLUSION
Literature	GENERIF_SUMMARY	Transfection with the BANCER expression vector significantly inhibited the expression levels of proapoptotic Bax and p53. Therefore, it may induce apoptosis through the upregulation of Bax and p53.
Literature	GENERIF_SUMMARY	TP53 p.Arg337His germline mutation prevalence in Southern Brazilian population
Literature	GENERIF_SUMMARY	Dual inhibition of MDM2 and MDM4 in virus-positive Merkel cell carcinoma
Literature	GENERIF_SUMMARY	Finding that patients with higher mutational burden are more likely to respond to immunotherapy in Ewing sarcoma (ES), supports the hypothesis that more aggressive tumors have higher mutational burden.
Literature	GENERIF_SUMMARY	PRIMA-1 can rescue amyloid-state p53 mutants
Literature	GENERIF_SUMMARY	We failed to detect a significant relationship between rs1042522 C and rs1042522 G. We conclude that TP53 rs1042522 C does not detect a significant relationship. We conclude that TP53 rs1042522 C does not detect a significant relationship.
Literature	GENERIF_SUMMARY	P53 aberrant overexpression is frequently observed in oral cavity squamous cell carcinoma
Literature	GENERIF_SUMMARY	Pancreatic juice from PDAC patients is rich in KRAS mutations often found in other regions of the pancreas. The inclusion of TP53 mutation detection in the analysis of pancreatic juice samples in early cancer detection may be a promising clinical potential.
Literature	GENERIF_SUMMARY	In patients with oropharyngeal squamous cell carcinoma (OPSCC), protein p53 expression has a survival benefit in a select population. There is no statistically significant association between p53 expression and survival.
Literature	GENERIF_SUMMARY	Restoring expression of the endogenous p53 isoform, 133p53, protects against astrocyte-mediated neuroinflammation
Literature	GENERIF_SUMMARY	TP53 gene is highly associated with susceptibility to cervical cancer
Literature	GENERIF_SUMMARY	Repression of LDHA induced by wt-p53 blocks tumor growth and invasion
Literature	GENERIF_SUMMARY	In this study, high expression of the p53 gene could regulate the gene expression profile. Furthermore, rAd-p53 effectively improved the survival of patients with melanoma. This method for human malignant melanoma.
Literature	GENERIF_SUMMARY	Sirt1-mediated inhibition on nucleolar stress response may represent a novel mechanism independent of lysine deacetylation; this process may represent a novel mechanism
Literature	GENERIF_SUMMARY	9% (P
Literature	GENERIF_SUMMARY	Study data indicated that exogenous p53wt mediates the regulation of the p53 pathway, and that p53 deficiency is associated with high malignancy
Literature	GENERIF_SUMMARY	Germline TP53 mutations in the sporadic triple-negative breast cancer
Literature	GENERIF_SUMMARY	Monosomal karyotype, high complexity, and TP53 mutation were independent
Literature	GENERIF_SUMMARY	results suggest that during mouse lens development, p53 activity is involved in inactivation. p53 can regulate multiple groups of genes to mediate
Literature	GENERIF_SUMMARY	The possibility of targeting mutant p53 specifically to improve clinical
Literature	GENERIF_SUMMARY	Interactions between MDM2/transactivation domain of p53 and Stochastic Dynamics and the Markov State Model.
Literature	GENERIF_SUMMARY	SYT7 interacted with P53 and enhanced the interaction between P53 and
Literature	GENERIF_SUMMARY	Preferential digestion of PCNA-ubiquitin and p53-ubiquitin linkages

Main Category	Category	
Literature	GENERIF_SUMMARY	Activating transcription factor 3 was restrained in cholangiocarcinoma (EMT) while activating the p53 signalling pathway.
Literature	GENERIF_SUMMARY	The failure to observe stabilization of one of the mutants through the collaborators could either reflect upon the failure of the DBD (at least the experimental construct or could result from the fact that any mutant
Literature	GENERIF_SUMMARY	Deregulation of the p53
Literature	GENERIF_SUMMARY	Involved in the IAV-induced modulation of the TP53 alternative splicing
Literature	GENERIF_SUMMARY	It demonstrates that wild-type p53 (wtp53), but not mutant p53 (mutp53)
Literature	GENERIF_SUMMARY	ICMT expression is repressed by WT p53. This work unveils a link between the functional interplay between WT and mutant p53 alters ICMT levels
Literature	GENERIF_SUMMARY	Nutlins, including nutlin-3, are a new class of small molecules that inhibit
Literature	GENERIF_SUMMARY	molecular docking demonstrated that quercetin binds stably in the nucleus and increases the nuclear localization of p53 by interrupting E6/E6AP complex
Literature	GENERIF_SUMMARY	Genetic variation from a wide allele frequency spectrum contributes to the within TP53, with 0.5 cm wider heads in increaser-allele carriers versus of TP53 transcripts in human cranial development.
Literature	GENERIF_SUMMARY	P53 role in the mitophagy in the radiation resistant cancer.
Literature	GENERIF_SUMMARY	our study as presented here identify the mitochondrial protein QCRP and this suppression can be potentially reversed by another mitochondrial
Literature	GENERIF_SUMMARY	The importance of p53 regulation by MDM2.
Literature	GENERIF_SUMMARY	No significant differences were found in the frequency of TP53 and
Literature	GENERIF_SUMMARY	THR18 phosphorylation affects TP53 binding affinity to MDM2.
Literature	GENERIF_SUMMARY	Our results demonstrate that the HU resistance developed in aneuploid cells value of combining karyotypic and p53 status in clinical cancer treatment
Literature	GENERIF_SUMMARY	The TP53 SNPs are not strongly associated with genetic predisposition
Literature	GENERIF_SUMMARY	AICAr-induced proliferation inhibition was independent of AMPK activation
Literature	GENERIF_SUMMARY	the time course of Mdm2-p53 dissociation may impact on intracellular long-lasting Mdm2 binding plays a key role in the mobilization of intracellular
Literature	GENERIF_SUMMARY	For both EJ and HCT cells the migratory speeds and effective diffusion of expressing cells.
Literature	GENERIF_SUMMARY	Among Mexican Breast cancer (BC) patients diagnosed at a young age identified. All patients with the TP53 mutations have a family history of high-grade and HER2-positive tumors. None of these mutations or
Literature	GENERIF_SUMMARY	The clinicopathologic characteristics including cytogenetics and morphologic hematologic malignancies were REVIEWED.
Literature	GENERIF_SUMMARY	p53 but not CD31 may predict survival of ovarian cancer patients
Literature	GENERIF_SUMMARY	This review describes the structure, function and regulation of the p53 (CLL), and the relevance of TP53 disruption in CLL.
Literature	GENERIF_SUMMARY	WTp53 has role in promoting the cancer metabolic switch by dominating

Main Category	Category	
Literature	GENERIF_SUMMARY	Neoantigen screening identifies broad TP53 mutant immunogenic
Literature	GENERIF_SUMMARY	the redox-regulated pyruvate kinase muscle 2 (PKM2) directly bind
Literature	GENERIF_SUMMARY	Results suggest that Lamin A/C-p53 network is important for p16/
Literature	GENERIF_SUMMARY	The survival effect of SNP72 combined with a p53 missense muta
Literature	GENERIF_SUMMARY	ERbeta modulates genistein's cisplatin-enhancing activities in bre
Literature	GENERIF_SUMMARY	Together, HMGB1 and p53 provided a subtle balance between auto quinone-treated cells
Literature	GENERIF_SUMMARY	In response to DNA damage, the transcription factor p53 accumula temporal expression dynamics in response to p53 pulsing.
Literature	GENERIF_SUMMARY	PKN0X2 is a tumor suppressor in gastric cancer by activation of IC
Literature	GENERIF_SUMMARY	It has been proposed that a subset of p53 targets regulated by a lo
Literature	GENERIF_SUMMARY	Breast cancer patients with lower expression levels of either PRR1 compared to others with p53 mutations and/or higher expression transcription unit might be an oncogenic contributor.
Literature	GENERIF_SUMMARY	PARN regulates miRNA levels by stabilizing either mature or precu knockdown destabilizes multiple miRNAs that repress p53 transla
Literature	GENERIF_SUMMARY	Gene alterations, such as TP53 mutation, PIK3CA mutation, ERBB2 associated with pCR in our study.
Literature	GENERIF_SUMMARY	These findings suggest that R248Q p53 mutation, but not R248W p
Literature	GENERIF_SUMMARY	endothelial p53 negatively regulates endothelium-dependent vaso
Literature	GENERIF_SUMMARY	a comprehensive review on p53-related programmed cell death me apoptosis, autophagic cell death, ferroptosis, necroptosis.
Literature	GENERIF_SUMMARY	We show that TP53 IHC is a reproducible and rapid tool for detecti relapse in TP53-mutated AML and MDS patients.
Literature	GENERIF_SUMMARY	Study has suggested a tumor protein p53 (P53)/miR-34a/SIRT1 pa
Literature	GENERIF_SUMMARY	Rs3818626 and rs9895829 were significantly associated with SMC
Literature	GENERIF_SUMMARY	Our study suggests that the codon 72 Arg>Pro polymorphism is no breastfeeding might be breast cancer (BC) risk factors for carriers
Literature	GENERIF_SUMMARY	The study confirmed the prognostic value of poor overall survival a
Literature	GENERIF_SUMMARY	High expression of TP53 is associated with high grade of Cervical
Literature	GENERIF_SUMMARY	Patients with somatic co-mutation of TP53 and PIK3CA were asso and PIK3CA could be used as a potential prognosis marker in post
Literature	GENERIF_SUMMARY	Results show that P53 accumulates in the nucleus in response to a pulse, but P53 also enters the nucleus in response to other signals
Literature	GENERIF_SUMMARY	The expression of E6 and L1 is markedly lower, and expression of p rafts containing HFK-HPV18. Among all formula of REE, ethanol-ex
Literature	GENERIF_SUMMARY	Trophoblastic p53 homeostasis is maintained by the p38-Wip1 fee placentas of pregnancies complicated by PE, and thereby leads to

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 and protein kinase D Co-Mutations are associated with Lung
Literature	GENERIF_SUMMARY	p53 immuno-expression in non-neoplastic and dysplastic Barrett's microanatomy
Literature	GENERIF_SUMMARY	Modulation of p53 and prion protein aggregation by RNA.
Literature	GENERIF_SUMMARY	Studies indicate that tumor protein p53 (TP53) rs1042522 polymorphisms are associated with the occurrence of various types of tumors [Meta-analysis].
Literature	GENERIF_SUMMARY	This study establishes that GRA16 is a HAUSP inhibitor that targets p53 in a dependent manner. The efficacy of GRA16 could be newly highlighted in the treatment of various types of cancer.
Literature	GENERIF_SUMMARY	Genomic data in prognostic models - What is lost in translation? TP53 mutations in breast cancer
Literature	GENERIF_SUMMARY	Using a quantitative model, a total of 730 TP53 missense variants were identified in the human genome. The majority of these variants were found in the TP53 protein-coding region.
Literature	GENERIF_SUMMARY	Long non-coding RNA FAM83H-AS1 is regulated by human papillomavirus and promotes cell proliferation and tumorigenesis
Literature	GENERIF_SUMMARY	findings link p53 to ureagenesis and ammonia metabolism, and further suggest that p53 may be a potential target for the treatment of liver disease and cancer.
Literature	GENERIF_SUMMARY	TP53 mutations, especially nondisruptive mutations, negatively affect the prognosis of NSCLC patients.
Literature	GENERIF_SUMMARY	our results suggested that TRIM69 and p53 are closely involved in the regulation of p53 ubiquitination and subsequent degradation in HLECs by inducing p53 ubiquitination.
Literature	GENERIF_SUMMARY	The positivity of p53 and COX-2 in a large proportion of Basal cell carcinoma suggests that these two markers involvement in tumor progression.
Literature	GENERIF_SUMMARY	p53 repress MALAT1 expression through directly binding to the promoter region of MALAT1
Literature	GENERIF_SUMMARY	In prostate cancer, TP53 mutation is associated with higher tumor grade and poor prognosis
Literature	GENERIF_SUMMARY	This study investigated a fragment of the disordered p53 C-terminal region and its interaction with representative Intrinsically disordered regions (IDRs).
Literature	GENERIF_SUMMARY	Exploring the binding mechanism of saccharin and sodium saccharin with p53
Literature	GENERIF_SUMMARY	The NN + ND/DD (dominant) genotype frequencies of rs17878362 were 0.018 (95% CI 1.480-4.754). In addition, the CC + GC/GG (recessive) genotype frequencies were 0.018 (95% CI 1.169-9.616).
Literature	GENERIF_SUMMARY	Tumor protein p53 (TP53) seemed to acquire a particular sensitivity to the treatment of various types of cancer.
Literature	GENERIF_SUMMARY	the p53 wild-type cell lines were more sensitive to volasertib treatment than the p53 mutant cell lines in small-cell lung cancer. Moreover, our results pave the way for new therapeutic strategies.
Literature	GENERIF_SUMMARY	Association between rs4938723 polymorphism and the risk of primary biliary cirrhosis
Literature	GENERIF_SUMMARY	Authors found that Ser389 phosphorylation of p53 was a downstream event in the regulation of p53 trafficking during HMS stimuli. Transfecting p53-shRNA C2C12s with p53-shRNA C2C12s underwent significantly lower apoptosis than transfection with wild-type p53.
Literature	GENERIF_SUMMARY	Data report the development of a new transgenic lung cancer mouse model. The observation of accelerated tumor growth in these mice suggests an enhanced oncogenic function of conformational change in p53.
Literature	GENERIF_SUMMARY	P53 Ser15 phosphorylation is associated with poor outcomes in patients with proliferating cell nuclear antigen (PCNA) for predicting the survival of patients with proliferating cell nuclear antigen (PCNA).
Literature	GENERIF_SUMMARY	We found that tumor expression of cyclin D1 and p53 may predict the prognosis of patients with proliferating cell nuclear antigen (PCNA).

Main Category		Category
		associated with OS in children with MPNST
Literature	GENERIF_SUMMARY	Study revealed a CK2/CCDC106/p53 signaling axis in the progression of MPNST
Literature	GENERIF_SUMMARY	TP53 mutations in KRAS-mutant colorectal cancer: TP53 mutations in TP53 were shown to confer poor survival in the KRAS-mutant colorectal cancer
Literature	GENERIF_SUMMARY	This study is also the first to describe an IPM associated with TP53 mutations. Notably, the IPM provides an immunological perspective to elucidate the pathogenesis of TP53-mutant colorectal cancer
Literature	GENERIF_SUMMARY	Down-regulation of Egr1 partially reduced the injurious effects of hydrogen peroxide on TP53 expression and function in H1299 cells
Literature	GENERIF_SUMMARY	TP53(mut) circulating tumor DNA (ctDNA) shows potential as a tumor marker in ovarian cancer. TP53(mut) ctDNA levels at 3 months post treatment were significantly higher in ovarian cancer patients than in healthy controls
Literature	GENERIF_SUMMARY	this study provides detailed insights into the dynamic interplay of p53 and its downstream targets in the progression of colorectal cancer
Literature	GENERIF_SUMMARY	Because DBC1 maintains p53 stability in the nucleus, where p53 exerts its transcriptional activity, DBC1 deletion might enhance p53 function in the nucleus
Literature	GENERIF_SUMMARY	p53-mild expression status was found to be an independent prognostic factor in stage II colorectal cancer
Literature	GENERIF_SUMMARY	NRF2 transcriptional target NQO1 has low mRNA levels in TP53-mutant colorectal cancer
Literature	GENERIF_SUMMARY	Mutant p53 regulates LPA signaling through lysophosphatidic acid receptor 1
Literature	GENERIF_SUMMARY	TP53 mutations resulting in loss of function or located at known hotspots are associated with poor survival in colorectal cancer
Literature	GENERIF_SUMMARY	In keloid fibroblasts TRAF4 interacted with the deubiquitinase USP7. Knockdown of p53 rescued cell proliferation in TRAF4-knockdown cells. Keloids relied on p53. In keloid patient samples, TRAF4 expression was upregulated
Literature	GENERIF_SUMMARY	Low expressions of TP53 is associated with non-small cell lung cancer
Literature	GENERIF_SUMMARY	Mutant TP53 expression enhanced colony formation and an RPPA analysis showed that mutant TP53 upregulated a number of genes
Literature	GENERIF_SUMMARY	Our data demonstrate that the contribution of p53 in regulating TRAF4 is not to the TRAF4 protein level, but rather to p53-mediated upregulation of Bax, favouring apoptosis
Literature	GENERIF_SUMMARY	The role of p53 isoforms' expression and p53 mutation status in renal cell carcinoma
Literature	GENERIF_SUMMARY	Metabolic stress controls mutant p53 R248Q stability in acute myeloid leukemia
Literature	GENERIF_SUMMARY	Strong expression of p53 in the bone marrow at 0-3-months after diagnosis is associated with poor survival in acute lymphoblastic leukemia patients
Literature	GENERIF_SUMMARY	SPAG5 is upregulated in lung adenocarcinoma. SPAG5 knockdown reduces cell proliferation in a p53-and p21-dependent manner.
Literature	GENERIF_SUMMARY	Authors found that GTSE1 could regulate the p53 function to alter its transcriptional activity. That GTSE1 played a key role in the progression of breast cancer
Literature	GENERIF_SUMMARY	ALOX12 missense mutations from human cancers abrogate its ability to induce ferroptosis. Notably, ALOX12 is dispensable for ferroptosis induced by GPX4 inhibition but dispensable for p53-mediated ferroptosis
Literature	GENERIF_SUMMARY	Patients with myeloid neoplasms carrying DDX41 mutations show poor survival
Literature	GENERIF_SUMMARY	We concluded that there were the correlations between NPSCC survival, TP53 gene mutations, and TP53 gene mutations were independent predictors of survival
Literature	GENERIF_SUMMARY	One of only few reports demonstrating the mutated p53 gainoffunction in colorectal cancer. TP53 R248Q revealed that expression of GOF mutant p53R248Q decreased the survival of colorectal cancer patients

Main Category	Category	
		transactivationindependent manner.
Literature	GENERIF_SUMMARY	Mucosal human papillomavirus detection and TP53 immunohistochemistry in cervical intraepithelial neoplasia.
Literature	GENERIF_SUMMARY	The TP53 p.R337H mutation is highly prevalent among children with neuroblastoma.
Literature	GENERIF_SUMMARY	the ability to regulate the stability and activity of the p53 tumour suppressor protein. The results suggest that the interaction between this protein family and chemoresistance. Indeed, they can be used as a target for the development of novel anticancer drugs.
Literature	GENERIF_SUMMARY	Activation of the p21 gene by p53 in response to DNA damage requires the p53-MDM2 complex.
Literature	GENERIF_SUMMARY	TP53E10 but not TP53E3 cells exhibited aberrant transcriptional activation of p21, suggesting that the p53-MDM2 complex is involved in the regulation of p21 expression. In contrast, the p53-MDM2 complex in human colon cancer cells affects the malignant potential.
Literature	GENERIF_SUMMARY	the current study highlights the significance of stabilization of SESN1 in response to oxidative stress.
Literature	GENERIF_SUMMARY	These results demonstrated that JSK could trigger cell cycle arrest mediated via the p53/p21WAF1/CIP1 and p27KIP1 pathways. Overexpression of JSK in human non-small cell lung cancer (NSCLC) cells inhibited cell growth and induced cell cycle arrest.
Literature	GENERIF_SUMMARY	A novel regulatory circuit between p53 and GFI1 controls induction of p21 in response to DNA damage.
Literature	GENERIF_SUMMARY	findings suggest that altered p53, p16, and/or Rb expression is related to the development of oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Mechanistic studies demonstrated that overexpression of Fn14 could downregulate p53 expression and inhibit p53-mediated transcriptional activation of p21, suggesting that degradation of p53 is involved in the regulation of p21 expression.
Literature	GENERIF_SUMMARY	The current study supports our ongoing investigations on the crucial role of p53 in the regulation of the APE1/Ref1 protein. The results suggest that the p53-MDM2 complex is involved in the regulation of the APE1/Ref1 protein.
Literature	GENERIF_SUMMARY	Our results suggest that the p53 conformation is constantly removed from the cell cycle and the levels of free molecular chaperones are important factors in the regulation of p53 function.
Literature	GENERIF_SUMMARY	The analyzed cancer mutants are likewise destabilized by interaction with Hsp90. We propose that the Hsp90-MDM2 complex balance conformational plasticity with conformational stability.
Literature	GENERIF_SUMMARY	first report of cytoplasmic Delta40p53 in endometrial carcinoma cells.
Literature	GENERIF_SUMMARY	capital TE, Cyrilliccapital ER, Cyrillic53 Codon 72 Polymorphism is associated with the development of oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	The cffDNA [cell-free fetal DNA] in maternal plasma can be used for the detection of Down syndrome.
Literature	GENERIF_SUMMARY	aggressive HER2 positive breast cancers with densely sclerotic stroma.
Literature	GENERIF_SUMMARY	Our data suggest that PCAF-mediated p53 acetylation is an essential step in the regulation of p53 function in human colorectal cancer (CRC) cells.
Literature	GENERIF_SUMMARY	Dyn1- and Akt-dependent perimeter APPL1 endosomes function as a platform for the regulation of p53 function and are amplified in mutant p53-driven cancer cells to increase migration.
Literature	GENERIF_SUMMARY	p53 involvement in clonal hematopoiesis of indeterminate potential.
Literature	GENERIF_SUMMARY	TP53 expression associated with poor prognosis and poor disease-free survival in human breast cancer.
Literature	GENERIF_SUMMARY	The TP53 Apoptotic Network Is a Primary Mediator of Resistance to Chemotherapy in Human Breast Cancer Cells.
Literature	GENERIF_SUMMARY	Copy number variations of TP53 tumour suppressor gene associated with the development of schwannomas.

Main Category	Category	
Literature	GENERIF_SUMMARY	RAS/TP53 co-mutation was the only factor independently associated with metastasis.
Literature	GENERIF_SUMMARY	rs1042522 is significantly associated with bipolar disorder risk in the general population and BD risk and for rs1042522 and rs17879353 and schizophrenia.
Literature	GENERIF_SUMMARY	MicroRNA-661 upregulation in myelodysplastic syndromes induces cell cycle arrest.
Literature	GENERIF_SUMMARY	Down-regulation of TFAM increases the sensitivity of tumour cells to oxidative stress.
Literature	GENERIF_SUMMARY	The lung-enriched p53 mutants V157F and R158L/P regulate a gain-of-function transcriptional program.
Literature	GENERIF_SUMMARY	mutant p53 protein may be involved in the Warburg effect of esophageal cancer.
Literature	GENERIF_SUMMARY	Important signaling pathways regulated by WWOX and p53 that are involved in maintaining genomic instability in aggressive breast cancer. [review]
Literature	GENERIF_SUMMARY	Results found that TP53 mutation status affects L1 methylation levels and is significantly different in advanced gastric cancers according to p53 expression.
Literature	GENERIF_SUMMARY	Loss of Tp53 and Tsc1 resulted in the development of renal cell carcinoma.
Literature	GENERIF_SUMMARY	Enhanced P53 protein expression.
Literature	GENERIF_SUMMARY	p53 protein plays a key role in the aging of melanocytes via IGF1 signaling.
Literature	GENERIF_SUMMARY	The results indicate that the cellular TP53 status is linked to the SUN1 protein expression spectrum of p53's targets.
Literature	GENERIF_SUMMARY	Transient fibroblasts p53-mediated regenerative senescence in the heart.
Literature	GENERIF_SUMMARY	Most p53 signatures (80%) and incidental serous tubal intraepithelial carcinoma showed telomere shortening compared with adjacent normal-appearing fallopian tube.
Literature	GENERIF_SUMMARY	Loss of TP53 expression along with dependency on TPRKB is associated with poor prognosis.
Literature	GENERIF_SUMMARY	Wild type- and mutant p53 proteins in mitochondrial dysfunction.
Literature	GENERIF_SUMMARY	LncRNA SNHG7 participates in osteosarcoma progression by downregulating p53.
Literature	GENERIF_SUMMARY	The present study demonstrated that the transfection of the Delta 129-130 adenocarcinoma cell line (H1299) led to the reduction of chemoresistance.
Literature	GENERIF_SUMMARY	TP53 germline mutations occur more frequently in very early onset of cancer.
Literature	GENERIF_SUMMARY	The antimalarial drug mefloquine enhances TP53 premature termination.
Literature	GENERIF_SUMMARY	our results suggest that p300 plays an important role in aging process via the p53 pathway
Literature	GENERIF_SUMMARY	The most frequently mutated driver genes in our cohort were TP53, KMT2D, and KMT2D (chromatin modification).
Literature	GENERIF_SUMMARY	this study provides evidence for the existence of a p53/miR-30a-5p regulatory network in apoptosis, and migration in non-small-cell lung cancer, highlighting the potential of miR-30a-5p as a novel therapeutic target.
Literature	GENERIF_SUMMARY	Disruption of TP63-miR-27a* Feedback Loop by Mutant TP53 in Hepatocellular Carcinoma.
Literature	GENERIF_SUMMARY	Wip1 cooperates with KPNA2 to modulate the cell proliferation and survival.
Literature	GENERIF_SUMMARY	No significant association between gender, clinical staging system (AJCC), TP53 expression, and TP53 codon 72Arg/Pro polymorphisms.

Main Category	Category	
Literature	GENERIF_SUMMARY	p53 protein phosphorylation at serine 20 is correlated with CD133, carcinoma stem cells phenotype
Literature	GENERIF_SUMMARY	TP53 is commonly mutated in mantle cell lymphoma (MCL). TP53 harbor subclonal TP53 mutations which may serve as a useful bio detection of clonal expansion.
Literature	GENERIF_SUMMARY	p53 induces miR-199a-3p to suppress mechanistic target of rapam
Literature	GENERIF_SUMMARY	To suppress TP53 expression in fibroblasts.
Literature	GENERIF_SUMMARY	R270H/R273H p53 mutant protein does not manifest definite gain
Literature	GENERIF_SUMMARY	our findings indicate that TP53 changes and CDKN2A deletions ter tumors, as well as CDKN2A and PTEN deletions, since a significant are involved with malignant progression of gliomas.
Literature	GENERIF_SUMMARY	We demonstrated that patients with high CRYAB and p53 co-expre and death compared with other patients.
Literature	GENERIF_SUMMARY	Common genetic variants in the TP53 pathway and their impact on
Literature	GENERIF_SUMMARY	The exosome-derived miR-27a plays an important role in prostate primary prostate fibroblasts (PSC27cells) to explore the mechanis miR-27a produced by PSC-27cells improved chemoresistance by r
Literature	GENERIF_SUMMARY	p16 and p53 were detected in 50.7 and 57.3% of lung adenocarcin 88).
Literature	GENERIF_SUMMARY	we show that non-B DNA structures formed by TNR (TTC, GAA, CT
Literature	GENERIF_SUMMARY	Opposing effects of acute versus chronic inhibition of p53 on deci
Literature	GENERIF_SUMMARY	There was a direct relationship between P53 mutations and gray-le patients.
Literature	GENERIF_SUMMARY	TP53 plays a significant role in the initiation and progression of OS modification in the present treatment modalities for OSCC can brin
Literature	GENERIF_SUMMARY	The effects of CAPON-L overexpression on glioma cell proliferation inhibits U251 cell proliferation through the AKT/mTOR signaling pa through down-regulating the P53 level.
Literature	GENERIF_SUMMARY	p53 mediates PEDF-induced autophagy in human umbilical vein en
Literature	GENERIF_SUMMARY	the methylation status of the TP53 promoter was investigated in p
Literature	GENERIF_SUMMARY	Escherichia coli increases cell apoptosis in bacterial prostatitis by
Literature	GENERIF_SUMMARY	The interactions between p53 and DNA damage response signalin
Literature	GENERIF_SUMMARY	Results found that p53 expression is up-regulated in colorectal ade
Literature	GENERIF_SUMMARY	TRPV1 expression was significantly decreased in colorectal cancer respectively. Then, we found that the TRVP1 agonist capsaicin trea
Literature	GENERIF_SUMMARY	PGM5-AS1 was transcriptionally activated by p53 and it could dire inhibiting esophageal squamous cell carcinoma (ESCC) progressio and restoration of PGM5-AS1 may be a promising avenue for treat
Literature	GENERIF_SUMMARY	we have demonstrated a crucial role of SIRT7 in suppressing p53-c cancer cells to cell death inducing chemotherapeutics such as dox

Main Category	Category	
Literature	GENERIF_SUMMARY	Comprehensive Data of P53 R282 Gene Mutation with Human Papilloma Virus Infection
Literature	GENERIF_SUMMARY	myelodysplastic syndrome patients with TP53 mutation have unique clinical features and their prognosis is poor
Literature	GENERIF_SUMMARY	chronic lymphocytic leukemia patients with abnormal TP53 gene have poor prognosis
Literature	GENERIF_SUMMARY	decreased ribosome biogenesis in Aortic smooth muscle cells results in increased collagen deposition, one of the underlying mechanisms of aortic dissection.
Literature	GENERIF_SUMMARY	Long telomeres cooperate with p53, MDM2, and p21 polymorphisms to regulate telomerase activity
Literature	GENERIF_SUMMARY	Human colorectal cancer derived-MSCs promote tumor cells escape from immune surveillance
Literature	GENERIF_SUMMARY	Results provide evidence that the acetylation of p53 is enhanced by histone deacetylase inhibitors
Literature	GENERIF_SUMMARY	Mutation Status of RAS, TP53, and SMAD4 is Superior to Mutation Status of KRAS in Predicting Metastases.
Literature	GENERIF_SUMMARY	TP53 somatic variants are more frequent in Cushing's disease compared with non-Cushing's disease
Literature	GENERIF_SUMMARY	Authors confirmed that high expression of HDAC1 in CLL patients is associated with poor prognosis
Literature	GENERIF_SUMMARY	TP53 gene polymorphism could increase risks of several kinds of cancer, but the association between codon72 polymorphism and prostate cancer risk is still unclear
Literature	GENERIF_SUMMARY	PLAC2 long non-coding RNA upregulates p53 to mediate hepatocellular carcinoma cell apoptosis
Literature	GENERIF_SUMMARY	These results provide a molecular basis for the novel recognition mechanism of p53
Literature	GENERIF_SUMMARY	PC4 emerges as a global co-regulator of p53 and a therapeutic target for cancer treatment, playing a crucial role.
Literature	GENERIF_SUMMARY	TRIM67 stabilizes p53 and activates p53 signaling pathway in the nucleus
Literature	GENERIF_SUMMARY	Tetra-substituted pyrrole derivatives act as potent activators of p53
Literature	GENERIF_SUMMARY	This study performed extensive replica exchange with solute temperature sampling to generate ensembles of p53-N-terminal transactivation domain (TAD) using a novel method, a key step toward establishing the sequence-disordered ensemble-former
Literature	GENERIF_SUMMARY	The N-terminal extracellular domain of Lgr5 could directly bind to PDCD5 and leading to the loss of p53 stabilization.
Literature	GENERIF_SUMMARY	Bacterial quorum-sensing signal IQS induces host cell apoptosis by activating p53
Literature	GENERIF_SUMMARY	Ultra-Sensitive TP53 Sequencing for Cancer Detection Reveals Prognostic Value
Literature	GENERIF_SUMMARY	This work supports the role for P53 as an effector of synaptic and neuronal homeostasis
Literature	GENERIF_SUMMARY	LIMCH1 is a negative regulator involved in a new molecular mechanism of p53 activation
Literature	GENERIF_SUMMARY	The authors found that KLF4 played a tumor-promoting role in nasopharyngeal carcinoma
Literature	GENERIF_SUMMARY	this review focuses on the roles of different p53 modification types and their downstream outcomes by modulating p53 activities or targeted to treat different types of cancer
Literature	GENERIF_SUMMARY	this study found higher frequencies of ETV6 and RUNX1 alteration in childhood acute lymphoblastic leukemia on ALL-BFM 2002 treatment
Literature	GENERIF_SUMMARY	Ki-67, p53 and BCL-2 Expressions and their Association with Clinicopathological Features in Breast Cancer

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 stability is regulated by MYC.
Literature	GENERIF_SUMMARY	The primary mechanism contributing to the observed action of p33 ^{TP53} is the induction of p53 tetramerization, which in turn enhances nuclear export and de
Literature	GENERIF_SUMMARY	Highly sensitive and specific in situ hybridization assay for quantifying TP53 mutations with negative and low SOX11 expression.
Literature	GENERIF_SUMMARY	E4orf6 triggers Cullin5 neddylation, which activates the CRL5 E3 ligase
Literature	GENERIF_SUMMARY	In cancer with missense TP53 mutation, ATF6 activity is necessary for the effect of mutant p53-targeting drugs to specifically sensitise cancer cells to
Literature	GENERIF_SUMMARY	Tumor Suppressor p53-Mediated Structural Reorganization of the Nucleolus
Literature	GENERIF_SUMMARY	Mutant p53-a potential player in shaping the tumor-stroma crosstalk
Literature	GENERIF_SUMMARY	Expression of histone deacetylase 5, 7 and 9 is a potential prognostic factor in breast cancer (p53 and histological subtype).
Literature	GENERIF_SUMMARY	Ectopic expression of IRP2 suppressed cell growth in a mutant p53-dependent manner. This growth can be suppressed by IRP2 and Ferredoxin reductase deficiency, b
Literature	GENERIF_SUMMARY	A small subset of ovarian clear cell carcinomas has an abnormal p53 genotype. These tumors have features including extrapelvic disease, nodal metastases, and recur
Literature	GENERIF_SUMMARY	SCF(FBXW7)-specific targeting of p53 is crucial for the recovery of hematopoietic stem cells
Literature	GENERIF_SUMMARY	TP53 gene mutation in adult acute myeloid leukemia: a retrospective study of 100 diagnosed adult acute myeloid patients with TP53 gene mutation
Literature	GENERIF_SUMMARY	WT1 and IGF-1 gene expression was associated with tumor location and size
Literature	GENERIF_SUMMARY	negative correlation between P72R/WT genotype and leiomyoma occurrence
Literature	GENERIF_SUMMARY	Phase 1 study of the MDM2 inhibitor AMG 232 in patients with advanced solid tumors
Literature	GENERIF_SUMMARY	Radioresistance of KRAS/TP53-mutated lung cancer can be overcome by targeting
Literature	GENERIF_SUMMARY	30 of 80 CD5-positive DLBCL patients had p53 overexpression. The
Literature	GENERIF_SUMMARY	the results of the current study are the first to demonstrate that the response to LR, and mdm2 exerts a negative regulatory effect on p
Literature	GENERIF_SUMMARY	Aberrant co-expression of P53 and MDM2 is associated with advanced disease and overexpression is a frequent and critical genetic event in LSCC and
Literature	GENERIF_SUMMARY	Findings provide a detailed account of the biochemical and cellular functions of p53 and identify it as a gain-of-function TP53 variant.
Literature	GENERIF_SUMMARY	Hypoxia-induced feedback of HIF-1alpha and lncRNA-CF129 controls
Literature	GENERIF_SUMMARY	The germline TP53 codon 72 polymorphism was associated with r
Literature	GENERIF_SUMMARY	he synergistic action of phosphate overload and IL-6 enhances senescence and anti-aging agent (resveratrol) in a dose-dependent manner.
Literature	GENERIF_SUMMARY	analyze a haplotype comprising four SNPs, including rs1042522, rs1042523, rs1042524, and WRAP53 genes as molecular prognostic and predictive biomarkers
Literature	GENERIF_SUMMARY	Unusual TP53 missense mutations are presented in Glioblastoma
Literature	GENERIF_SUMMARY	Characterization of myeloid malignancies with TP53 mutations an

Main Category	Category	
Literature	GENERIF_SUMMARY	Mutant p53 induces a hypoxia transcriptional program in gastric a
Literature	GENERIF_SUMMARY	THE DIAGNOSIS AND RELAPSE PREDICTION OF PATIENTS WITH M MUTATION POSSESSED HIGH ACCURACY
Literature	GENERIF_SUMMARY	iASPP inhibits p53 through a distinct surface overlapping the E6 fo therapy.
Literature	GENERIF_SUMMARY	Genetic Changes of P(53) and Kras in Gallbladder Carcinoma in Ku
Literature	GENERIF_SUMMARY	Cooperation between KRAS and TP53 oncogenic mutations in pan malignancies and evade the immune system. KRAS primarily acts protein expression, whereas, TP53 facilitates ARF6 activation by p
Literature	GENERIF_SUMMARY	Role of Asparagine Endopeptidase in Mediating Wild-Type p53 Ina
Literature	GENERIF_SUMMARY	Expression of circZNF609 was down-regulated in colorectal cance p53.
Literature	GENERIF_SUMMARY	Our results suggest that transient disruption of the p53-Mdm2 inte alleviating GI syndrome in patients undergoing radiotherapy.
Literature	GENERIF_SUMMARY	CPHSP treatment inhibited MDM2 protein expression and up-regul
Literature	GENERIF_SUMMARY	The Tap63 repressed MYCN/NCYM bidirectional transcription, cor
Literature	GENERIF_SUMMARY	p53 can strongly influence TLR8-mediated immune responses and RSV disease and other diseases that might have a TLR8 compone
Literature	GENERIF_SUMMARY	The Delta133p53beta isoform promotes an immunosuppressive e
Literature	GENERIF_SUMMARY	Results provide evidence that TP53 and DNMT3A mutations detec from clonal hematopoiesis of indeterminate potential rather than f
Literature	GENERIF_SUMMARY	Predicting the cardiotoxicity of chemotherapy using the polymorph increased risk of anthracyclineinduced cardiotoxicity
Literature	GENERIF_SUMMARY	These findings provide mechanistic insights into regulation of the regulate lncRNA biological function.
Literature	GENERIF_SUMMARY	myeloid cells TP53 loss allows for the development of complex ka segregation errors
Literature	GENERIF_SUMMARY	The present study unveiled a high-confidence set of lncRNAs regul two of them, lnc273-31 and lnc273-34, were required for colorectal
Literature	GENERIF_SUMMARY	This work clarifies the function and consequences of p53 modifica carcinogenesis.
Literature	GENERIF_SUMMARY	Studied effects of the ethanol extract of the root of Asiasarum het reactive oxygen species dependent differential regulation of tumor
Literature	GENERIF_SUMMARY	The results suggest that the CK1alpha mutations observed in tumo loss-of-function in suppressing Wnt signaling.
Literature	GENERIF_SUMMARY	Depletion of PIK3CD attenuates vitreous-induced activation of AKT
Literature	GENERIF_SUMMARY	our results did not demonstrate the direct association of p53 expre
Literature	GENERIF_SUMMARY	Overexpression of TP53 protein is associated with the lack of adju
Literature	GENERIF_SUMMARY	Chronic lymphocytic leukemia with TP53 gene alterations

Main Category	Category	
Literature	GENERIF_SUMMARY	A low-grade epithelial component is a superior predictor of the prognosis in colorectal cancer patients with microsatellite mismatch repair proteins and p53 expression status. In some cases, a sarcomatous component.
Literature	GENERIF_SUMMARY	These results suggest the existence of p53-p73-DMPK axis which is involved in the regulation of cell death.
Literature	GENERIF_SUMMARY	we demonstrated that the clinically approved drug metformin sensitizes ovarian cancer cells to the p53 pathway. Collectively, our data implicate that p53-PDK1-HKII pathway is involved in OVCA.
Literature	GENERIF_SUMMARY	In contrast to p53-null state, wild-type and mutant p53 displayed different patterns of interaction with p53-inducible ribonucleotide reductase 2 (p53R2), which are involved in the regulation of cell death.
Literature	GENERIF_SUMMARY	A substantial proportion of apparently heterozygous TP53 pathogenic variants in the TCGA pan-cancer cohort are acquired somatically.
Literature	GENERIF_SUMMARY	this study reveals a role for p53 in regulating malaria-induced inflammation.
Literature	GENERIF_SUMMARY	multipolyubiquitination of p53 by the E6AP-E6 ubiquitin ligase complex.
Literature	GENERIF_SUMMARY	CSB has a role in modulating the competition between HIF-1 and p53.
Literature	GENERIF_SUMMARY	In response to changes in iron availability, H1299 cells harboring a p53 mutation (R175H) show different responses, but neither IRP1 RNA binding activity nor p53 expression is affected.
Literature	GENERIF_SUMMARY	result suggests that part of the function of the Hsp90-p53 interaction is to regulate the p53 pathway.
Literature	GENERIF_SUMMARY	p53 expression could be regulated by the ATF6/XBP1/CHOP axis in the endoplasmic reticulum.
Literature	GENERIF_SUMMARY	Characterization of SMG7 14-3-3-like domain reveals phosphoserine phosphorylation as a regulatory mechanism.
Literature	GENERIF_SUMMARY	The RNA-binding protein RBM47 is a novel regulator of cell fate decisions.
Literature	GENERIF_SUMMARY	Long non-coding RNA GAS5 inhibits migration and invasion in gastric cancer cells.
Literature	GENERIF_SUMMARY	p53 remodels cancer-cell metabolism to enforce changes in chromatin structure.
Literature	GENERIF_SUMMARY	Exosome-dependent immune surveillance at the metastatic niche.
Literature	GENERIF_SUMMARY	SLMP53-1 is a p53-activating agent with the ability to directly target p53. Application of SLMP53-1 in the personalized treatment of cancer patients.
Literature	GENERIF_SUMMARY	KMT2D mutations and TP53 disruptions are poor prognostic biomarkers in colorectal cancer.
Literature	GENERIF_SUMMARY	In hypoxic cells, this HIF-1alpha-induced p53 is transcriptionally induced. WT and MT p53 proteins bind and chaperone HIF-1a to stabilize its DNA binding. HIF-1alpha increases synthesis of HIF-regulated genes and thus promotes cell survival.
Literature	GENERIF_SUMMARY	The pharmacological reactivation of p53 function improves breast tumor response to chemotherapy.
Literature	GENERIF_SUMMARY	Linc-ROR regulates apoptosis in esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	findings suggest a novel oncogenic function of GRWD1 as a transcriptional activator and prognostic marker in cancer therapy
Literature	GENERIF_SUMMARY	Our results identify p53 as a possible biomarker for response of cancer cells to chemotherapy. suggest that p53 mutation status should be considered in the design of clinical trials.
Literature	GENERIF_SUMMARY	DHPS-dependent hypusination of eIF5A1/2 is necessary for TGFbeta1-induced cell growth. DHPS is a prognostically unfavorable genomic alteration in TP53

Main Category	Category	
Literature	GENERIF_SUMMARY	We have developed a network model to probe how p53-inducible miR-192 and miR-22 are induced under different conditions.
Literature	GENERIF_SUMMARY	Mutated TP53 is a marker of increased VEGF expression
Literature	GENERIF_SUMMARY	Ubiquitin ligase TRIM71 suppresses ovarian tumorigenesis by degradation of p53
Literature	GENERIF_SUMMARY	TP53 codon 72 Pro/Pro polymorphism may isolate a relatively high-risk group of patients with early-stage breast cancer
Literature	GENERIF_SUMMARY	The desmosomal cadherin desmoglein-3 acts as a keratinocyte and tumor suppressor
Literature	GENERIF_SUMMARY	EZH2 targeting reduces medulloblastoma growth through epigenetic silencing of p53
Literature	GENERIF_SUMMARY	SDH5 Depletion Enhances Radiosensitivity by Regulating p53
Literature	GENERIF_SUMMARY	Results provide evidence that p53 upregulates TAGLN in human bladder cancer
Literature	GENERIF_SUMMARY	RNA-binding motif protein 10 induces apoptosis and suppresses proliferation in human breast cancer cells
Literature	GENERIF_SUMMARY	TAT1 expression was positively correlated with favorable differentiation-related to tumor stage, tumor grade, and lymph-node invasion. Kaplan-Meier survival analysis showed that p53-negative patients, regarding prognosis, were significantly better than p53-positive patients.
Literature	GENERIF_SUMMARY	HSP90 regulates osteosarcoma cell apoptosis by targeting the p53 pathway
Literature	GENERIF_SUMMARY	Actinomycin V causes up-regulation of p53 by which the growth of human breast cancer cells is inhibited
Literature	GENERIF_SUMMARY	P53 expression augments the negative prognostic effect of MYC(+) in human breast cancer
Literature	GENERIF_SUMMARY	We have determined in this study that p53, Ki-67 and laminin may be useful markers for the diagnosis and prognosis of Keratoacanthoma and well-differentiated squamous cell carcinoma
Literature	GENERIF_SUMMARY	Results suggest that protein kinase CK2 (CK2) downregulation induces p53-dependent apoptosis and increases the stability of suppressor of variegation 3-9 homolog 1 (SVH1)
Literature	GENERIF_SUMMARY	Voltage-gated sodium channels beta3 subunit promotes tumorigenesis in human breast cancer
Literature	GENERIF_SUMMARY	The NAP1L1 regulates cell fate by controlling the expression of p53
Literature	GENERIF_SUMMARY	p53 acetylation at specific sites during normal homeostasis and in response to DNA damage
Literature	GENERIF_SUMMARY	Long noncoding RNA VCAN-AS1 contributes to the progression of human breast cancer
Literature	GENERIF_SUMMARY	SMARCD1 is a transcriptional target of specific non-hotspot mutations in p53
Literature	GENERIF_SUMMARY	Findings suggest that TP53 somatic mutations, particularly at codon 72, are associated with poor prognosis. Our results confirm recent research showing inflammation-related gain-of-function mutations in TP53
Literature	GENERIF_SUMMARY	results of our work highlight the complex interplay between DNMT3A and p53 in the regulation of DNA methylation in clinically derived mutations in each of the interacting partners.
Literature	GENERIF_SUMMARY	TRIP13 interference inhibited the proliferation and metastasis of the human breast cancer cells and downregulated the mesenchymal transition related genes expression.
Literature	GENERIF_SUMMARY	Moderate-to-strong expression of FGFR3 and TP53 alterations in a subset of human breast cancer
Literature	GENERIF_SUMMARY	BRCA1 facilitates p300-mediated p53 acetylation.
Literature	GENERIF_SUMMARY	Regulation of the MDM2-p53 pathway by the ubiquitin ligase HERC6
Literature	GENERIF_SUMMARY	Metabolic functions of the tumor suppressor p53
Literature	GENERIF_SUMMARY	The thermostability of tree shrew p53 tetramerization domain is modulated by the presence of the p53-binding domain

Main Category	Category	
Literature	GENERIF_SUMMARY	M1 macrophage dependent-p53 regulates the intracellular survival
Literature	GENERIF_SUMMARY	Li-Fraumeni syndrome heterogeneity.
Literature	GENERIF_SUMMARY	Tumor protein p53 (P53) was down-regulated in cervical squamous WT1-AS.
Literature	GENERIF_SUMMARY	rs78378222 variant was associated with predisposition to soft tiss
Literature	GENERIF_SUMMARY	P21-rs1801270 and TP53-rs1042522 polymorphisms were involve decreased P21 mRNA expression. The hyper-methylation of P21 a
Literature	GENERIF_SUMMARY	Inhibition of mTOR Signaling Enhances Maturation of Cardiomyocy Quiescence.
Literature	GENERIF_SUMMARY	The prevalence and prognostic value of KRAS co-mutation subtype
Literature	GENERIF_SUMMARY	TP53 mutation is associated with lung cancer risk.
Literature	GENERIF_SUMMARY	Direct regulation of Chk1 protein stability by E3 ubiquitin ligase HU
Literature	GENERIF_SUMMARY	NeuroD1 as a novel regulator of the p53/p21 axis.
Literature	GENERIF_SUMMARY	This review summarizes information of the interactions of p53 with p53 DNA binding targets for its complex regulatory functions. [rev
Literature	GENERIF_SUMMARY	Coaltered Ras/B-raf and TP53 Is Associated with Extremes of Surv Cancer.
Literature	GENERIF_SUMMARY	Psychosocial effects of whole-body MRI screening in adult high-ris
Literature	GENERIF_SUMMARY	Mutant p53 drives cancer chemotherapy resistance due to loss of
Literature	GENERIF_SUMMARY	The TP53 p.R337H mutation is uncommon in a Brazilian cohort of
Literature	GENERIF_SUMMARY	TP53 alterations were enriched and useful as prognostic markers i
Literature	GENERIF_SUMMARY	Electrostatic complementarity of B-cell receptor CDR3s and TP53- survival rates.
Literature	GENERIF_SUMMARY	this study shows that p53 suppresses tumor growth by prompting
Literature	GENERIF_SUMMARY	Prognostic and predictive roles of microRNA411 and its target STK invasion via the p53 signaling pathway in cervical cancer.
Literature	GENERIF_SUMMARY	Radiotherapy-induced malignancies in breast cancer patients with
Literature	GENERIF_SUMMARY	The authors results show an association between TP53 hotspot m early gastric cancer.
Literature	GENERIF_SUMMARY	Data suggest that Fusobacterium nucleatum infection promoted th damage via the Ku autoantigen, 70 kDa (Ku70)/tumor supressor p
Literature	GENERIF_SUMMARY	The frequency of males with TP53 mutation is greater than female males is contributed by high frequencies of TP53 mutations and a networks.
Literature	GENERIF_SUMMARY	Gain-of-Function Mutant p53 R273H Interacts with Replicating DNA
Literature	GENERIF_SUMMARY	Clinical relevance of TP53 hotspot mutations in high-grade serous
Literature	GENERIF_SUMMARY	The neoantigen-associated mutations PIK3CA (p.H1047R) and TP usage.

Main Category	Category	
Literature	GENERIF_SUMMARY	Assessment of TP53 lesions for p53 system functionality and drug
Literature	GENERIF_SUMMARY	This review summarizes our current knowledge about the biological functions of p53, p53alpha, and p53beta, on cellular senescence, ageing, and
Literature	GENERIF_SUMMARY	Competitive ubiquitination activates the tumor suppressor p53.
Literature	GENERIF_SUMMARY	RAS and TP53 can predict survival in adults with T-cell lymphoblastic
Literature	GENERIF_SUMMARY	SKA3 Promotes tumor growth by regulating CDK2/P53 phosphorylation
Literature	GENERIF_SUMMARY	Mutant p53 induces SIRT3/MnSOD axis to moderate ROS production
Literature	GENERIF_SUMMARY	Gain-of-function mutations in p53 and their role in tumorigenesis and
Literature	GENERIF_SUMMARY	TP53 Gain-of-Function Mutations in Circulating Tumor DNA in Metastatic
Literature	GENERIF_SUMMARY	p53 Protects Cells from Death at the Heatstroke Threshold Temperature
Literature	GENERIF_SUMMARY	This mouse model demonstrates for the first time that degradation of p53 is required for cell cycle suppression. Targeting cyclin-like protein activity may therefore represent a novel therapeutic setting.
Literature	GENERIF_SUMMARY	Review discusses role of TP53 gain-of-function mutations in survival
Literature	GENERIF_SUMMARY	221 low-frequency (less, similar0.001) exonic TP53 mutations were identified in 100 healthy controls without ovarian cancer (127 mutations).
Literature	GENERIF_SUMMARY	frequency of TP53 mutation was 7.5% in our cohort
Literature	GENERIF_SUMMARY	Study identified PBRM1 as a reader for p53 acetylation on lysine 382 and disrupts recognition of p53 K382Ac and reduces p53 binding to promoters. PBRM1 supports p53 transcriptional activity and is defective as a tumor suppressor.
Literature	GENERIF_SUMMARY	The network analysis suggested that TGF beta1 may affect the phenotypic
Literature	GENERIF_SUMMARY	The data provide preliminary evidence that the CC genotype of the TP53 gene is associated with gallbladder cancer in North Indians.
Literature	GENERIF_SUMMARY	Overexpression of p53 decreased the levels of NF-kappaB-inducing kinase. These
Literature	GENERIF_SUMMARY	collective findings support a novel cross-talk mechanism between p53 and NF-kappaB.
Literature	GENERIF_SUMMARY	Indeterminate grade ovarian serous carcinoma with mixed morphologic features (IGOSC) is a rare and potentially aggressive variant. The frequency of TP53 and BRAF mutations suggest that these tumors represent a distinct entity from LGSCA.
Literature	GENERIF_SUMMARY	Apparently Heterozygous TP53 Pathogenic Variants May Be Blood-Borne
Literature	GENERIF_SUMMARY	Results found that p53 target promoters are regulated by frequency of p53 target gene expression. Also, there is evidence that acetylation in p53's C-terminal domain affects p53 target gene promoters.
Literature	GENERIF_SUMMARY	Sirtuin 3 induces apoptosis and necroptosis by regulating mutant p53
Literature	GENERIF_SUMMARY	The effect of TP53 and P21 gene polymorphisms on papillary thyroid carcinoma
Literature	GENERIF_SUMMARY	TP53 signaling plays a role in the intestinal stem cells aging.
Literature	GENERIF_SUMMARY	Considering both the dismal prognosis and the characteristic mutations, the two subtypes harboring TP53 and PTEN mutations represent a unique biological entity.
Literature	GENERIF_SUMMARY	Cooperation of SRPK2, Numb and p53 in the malignant biology and

Main Category	Category	
Literature	GENERIF_SUMMARY	As FOLFIRI+Bevacizumab has recently also been associated with s driver genes should be tested and monitored in a more in-depth m
Literature	GENERIF_SUMMARY	p53 regulates mitochondrial dynamics by inhibiting Drp1 translocat
Literature	GENERIF_SUMMARY	Interactions among variants in P53 apoptotic pathway genes are a ischemic stroke.
Literature	GENERIF_SUMMARY	An important new role for hepatocyte p53 in the regulation of ener
Literature	GENERIF_SUMMARY	Studies indicate the dependence on tumor protein p53 (p53) and B relationship between these two proteins for future personalized ph
Literature	GENERIF_SUMMARY	MiR-1258 promotes the apoptosis of cervical cancer cells by regul
Literature	GENERIF_SUMMARY	Silencing of PPM1D inhibits cell proliferation and invasion through
Literature	GENERIF_SUMMARY	Ribosomal protein S2 interplays with MDM2 to induce p53.
Literature	GENERIF_SUMMARY	Transcriptional Coactivator TAZ Negatively Regulates Tumor Supp
Literature	GENERIF_SUMMARY	FBXW7 Confers Radiation Survival by Targeting p53 for Degradatio
Literature	GENERIF_SUMMARY	Clinical relevance of somatic mutations in main driver genes detec
Literature	GENERIF_SUMMARY	Variable Mutations at the p53-R273 Oncogenic Hotspot Position L
Literature	GENERIF_SUMMARY	Liquid-like droplet formation by tumor suppressor p53 induced by
Literature	GENERIF_SUMMARY	Diepoxybutane induces the expression of a novel p53-target gene.
Literature	GENERIF_SUMMARY	siRNA knockdown of native p53 opposes pro-survival XBP-1s. Spl function.
Literature	GENERIF_SUMMARY	Transcriptome signature of ventricular arrhythmia in dilated cardio
Literature	GENERIF_SUMMARY	The Mitochondrial Protein MAVS Stabilizes p53 to Suppress Tumo
Literature	GENERIF_SUMMARY	Expression and clinicopathological significance of lipin-1 in human
Literature	GENERIF_SUMMARY	p53 controls genomic stability and temporal differentiation of hum
Literature	GENERIF_SUMMARY	p53 functional states are associated with distinct aldehyde dehydr
Literature	GENERIF_SUMMARY	Study of 502 Brazilian sarcoma patients not selected by age or fam mutation"" (p.Arg337His) carriers, with leiomyosarcoma being the mutated TP53 gene. These findings emphasize the importance of
Literature	GENERIF_SUMMARY	African Americans with elevated saturated transferrin and serum f 0.023), suggestive of its role in iron accumulation in humans. This Saharan Africa.
Literature	GENERIF_SUMMARY	Association between PSCA, TNF-alpha, PARP1 and TP53 Gene Pol
Literature	GENERIF_SUMMARY	Low-frequency TP53 hotspot mutation contributes to chemoresist
Literature	GENERIF_SUMMARY	Targeting Cavity-Creating p53 Cancer Mutations with Small-Molec
Literature	GENERIF_SUMMARY	EZH2 seems to be upregulated by MYC, to rely on TP53 alterations
Literature	GENERIF_SUMMARY	We next assessed the expression level of p53 by immunostaining p53 expression as compared to levels in samples with low p53 exp rectal cancer patients, suggesting that chemoradiotherapy might n

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 (rs1042522) and MDM2 (rs2279744) variants might represent
Literature	GENERIF_SUMMARY	The GTPase KRAS suppresses the p53 tumor suppressor by activa
Literature	GENERIF_SUMMARY	in early hepatitis c virus infection, exhaustion-committed virus-spe impaired glycolytic and mitochondrial functions, that are linked to
Literature	GENERIF_SUMMARY	p53 dynamics in single cells are temperature-sensitive.
Literature	GENERIF_SUMMARY	The role of TP53 gain-of-function mutation in multifocal glioblasto
Literature	GENERIF_SUMMARY	Simplified molecular classification of lung adenocarcinomas base
Literature	GENERIF_SUMMARY	TRIM21-SERPINB5-mediated guanine monophosphate synthase d nasopharyngeal carcinoma (NPC) cells. This novel working model clinically.
Literature	GENERIF_SUMMARY	Cancer type-dependent correlations between TP53 mutations and
Literature	GENERIF_SUMMARY	Study curated somatic mutation calls from 7,345 colorectal cancer different POLE mutants exhibit distinct mutation spectrum with sig Analysis showed strong association of the TP53 R213* mutation s
Literature	GENERIF_SUMMARY	Western blot analyses demonstrated that while the expression of p cells.
Literature	GENERIF_SUMMARY	Clinical significance of TP53, BIRC3, ATM and MAPK-ERK genes in
Literature	GENERIF_SUMMARY	p53 controls the switch between autophagy and apoptosis through
Literature	GENERIF_SUMMARY	Long non-coding RNA ROR confers arsenic trioxide resistance to H
Literature	GENERIF_SUMMARY	Decylubiquinone suppresses breast cancer growth and metastasis
Literature	GENERIF_SUMMARY	Molecular profiling identifies synchronous endometrial and ovarian
Literature	GENERIF_SUMMARY	Pentamidine niosomes thwart S100B effects in human colon carc
Literature	GENERIF_SUMMARY	A P53-Independent DNA Damage Response Suppresses Oncogeni
Literature	GENERIF_SUMMARY	Genomic context and TP53 allele frequency define clinical outcom
Literature	GENERIF_SUMMARY	Thus SENELOC drives both p53-dependent and p53-independent
Literature	GENERIF_SUMMARY	TP53 mutations are associated with very complex karyotype and s with monosomal karyotype.
Literature	GENERIF_SUMMARY	These findings suggested that RNF8 promotes efficient DNA doub regulating the function of Tip60.
Literature	GENERIF_SUMMARY	Replication and ribosomal stress induced by targeting pyrimidine s
Literature	GENERIF_SUMMARY	Crotonylation at serine 46 impairs p53 activity.
Literature	GENERIF_SUMMARY	EFNB2 facilitates cell proliferation, migration, and invasion in panc
Literature	GENERIF_SUMMARY	The expression of the P2Y6 receptor is regulated at the transcripti
Literature	GENERIF_SUMMARY	A Circular RNA from the MDM2 Locus Controls Cell Cycle Progress
Literature	GENERIF_SUMMARY	loss of p53 drives neuron reprogramming in head and neck cancer
Literature	GENERIF_SUMMARY	TAK1 signaling regulates p53 through a mechanism involving ribos

Main Category	Category	
Literature	GENERIF_SUMMARY	Therapeutic targeting of TP53-mutated acute myeloid leukemia by
Literature	GENERIF_SUMMARY	Insights into the limitations of transient expression systems for the
Literature	GENERIF_SUMMARY	Urothelial Cancers with Small Cell Variant Histology Have Confirmed Gene Expression Profile.
Literature	GENERIF_SUMMARY	Baseline TP53 mutations in adults with SCD developing myeloid m
Literature	GENERIF_SUMMARY	KMT2D and TP53 mutation status improve the prognostic value of
Literature	GENERIF_SUMMARY	Association Between TP53 Mutation and Prognosis in Wilms Tum
Literature	GENERIF_SUMMARY	Hypomethylation-Linked Activation of PLCE1 Impedes Autophagy Destabilization of p53.
Literature	GENERIF_SUMMARY	Redefinition of familial intestinal gastric cancer
Literature	GENERIF_SUMMARY	Dynamic Behavior of p53 Driven by Delay and a MicroRNA-34a-Med
Literature	GENERIF_SUMMARY	Ingenol mebutate treatment for actinic cheilitis
Literature	GENERIF_SUMMARY	Follow the Mutations
Literature	GENERIF_SUMMARY	Mdm2 and MdmX RING Domains Play Distinct Roles in the Regula
Literature	GENERIF_SUMMARY	p53's Extended Reach
Literature	GENERIF_SUMMARY	Pulsatile MAPK Signaling Modulates p53 Activity to Control Cell Fa
Literature	GENERIF_SUMMARY	ZNF143 Suppresses Cell Apoptosis and Promotes Proliferation in
Literature	GENERIF_SUMMARY	Gain-of-Function Mutations in p53 in Cancer Invasiveness and Met
Literature	GENERIF_SUMMARY	p53-Related Transcription Targets of TAp73 in Cancer Cells-Bona F
Literature	GENERIF_SUMMARY	Effect of maternal HIV infection, BMI and NOx air pollution exposu Pro72Arg (rs1042522).
Literature	GENERIF_SUMMARY	The association of miR34b/c and TP53 gene polymorphisms with
Literature	GENERIF_SUMMARY	Association of TP53 gene codon 72 polymorphism with Helicobac
Literature	GENERIF_SUMMARY	Investigation of a Direct Interaction between miR4749 and the Tun
Literature	GENERIF_SUMMARY	TIFAB Regulates USP15-Mediated p53 Signaling during Stressed a
Literature	GENERIF_SUMMARY	Cancer-associated mutations in the ribosomal protein L5 gene dys
Literature	GENERIF_SUMMARY	Mutant p53-Associated Molecular Mechanisms of ROS Regulation
Literature	GENERIF_SUMMARY	TP53 mutations in head and neck cancer cells determine the Warb opportunities for stratified therapies.
Literature	GENERIF_SUMMARY	NRF3-POMP-20S Proteasome Assembly Axis Promotes Cancer De Protein.
Literature	GENERIF_SUMMARY	Silencing of p53 reduces cell migration in human Tenon's fibroblas
Literature	GENERIF_SUMMARY	Chitinase 3 like 1 suppresses the stability and activity of p53 to pro
Literature	GENERIF_SUMMARY	Diagnostic deep-targeted next-generation sequencing assessment
Literature	GENERIF_SUMMARY	Par-4 regulates autophagic cell death in human cancer cells via up

Main Category	Category	
Literature	GENERIF_SUMMARY	Interplay between Endoplasmic Reticulum (ER) Stress and Autophagy in the Regulation of p53-Dependent Apoptosis.
Literature	GENERIF_SUMMARY	Immunohistochemical staining patterns of Ki-67 and p53 in florid melanocytic nevi and melanoma: no overlap.
Literature	GENERIF_SUMMARY	p53, cancer and the immune response.
Literature	GENERIF_SUMMARY	Expression and prognostic significance of the P53-related DNA damage-inducible 45 alpha (GADD45A) in human oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	TP53 Mutations in Serum Circulating Cell-Free Tumor DNA As Longitudinal Biomarkers for Early Detection of Lung Cancer.
Literature	GENERIF_SUMMARY	Radiation resistance in head and neck squamous cell carcinoma: role of p53 and DNA repair pathways.
Literature	GENERIF_SUMMARY	Involvement of p53-dependent apoptosis signal in antitumor effect of curcumin in human breast cancer cells.
Literature	GENERIF_SUMMARY	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>G polymorphisms with cancer susceptibility.
Literature	GENERIF_SUMMARY	A CD24-p53 axis contributes to African American prostate cancer progression.
Literature	GENERIF_SUMMARY	Identification of TP53 mutated group using a molecular and immunohistochemical evaluation for adjuvant treatments.
Literature	GENERIF_SUMMARY	Germline RET variants underlie a subset of paediatric osteosarcoma.
Literature	GENERIF_SUMMARY	Role of p53 in the Regulation of Cellular Senescence.
Literature	GENERIF_SUMMARY	NOTCH3 T6746C and TP53 P72R Polymorphisms Are Associated with Prostate Cancer Susceptibility.
Literature	GENERIF_SUMMARY	Cutaneous pleomorphic fibromas arising in patients with germline TP53 mutations.
Literature	GENERIF_SUMMARY	Concordance between TP53 alterations in blood and tissue.
Literature	GENERIF_SUMMARY	Whole genome analysis identifies the association of TP53 genomic alterations with cancer susceptibility.
Literature	GENERIF_SUMMARY	Dual regulation of p53 by the ribosome maturation factor SBDS.
Literature	GENERIF_SUMMARY	HPV-mediated nuclear export of HP1gamma drives cervical tumor progression.
Literature	GENERIF_SUMMARY	Genetic Variation in the TP53 Gene and Patient Outcomes Following Radical Prostatectomy.
Literature	GENERIF_SUMMARY	Genomic profiling reveals the pivotal role of hrHPV driving copy number alterations and RB1 in penile cancer.
Literature	GENERIF_SUMMARY	However, no significant clinical associations were found except for p53 protein level in tumor tissue (p-value = 0.001) and with high p53 protein level.
Literature	GENERIF_SUMMARY	Prognostic values of immune scores and immune microenvironment in colorectal cancer.
Literature	GENERIF_SUMMARY	Induction of p53-Dependent Apoptosis by Prostaglandin A2.
Literature	GENERIF_SUMMARY	Expression of E-cadherin, Ki-67, and p53 in urinary bladder cancer.
Literature	GENERIF_SUMMARY	Diosmetin Induces Apoptosis by Downregulating AKT Phosphorylation in Human Breast Cancer Cells.
Literature	GENERIF_SUMMARY	Study found that SIRT3 can deacetylate mutant p53, thus reducing its transcriptional activity and increasing SCLC cisplatin chemosensitivity. The relationship between SIRT3 and p53 is a novel target for cancer therapy.
Literature	GENERIF_SUMMARY	Association of TP53 rs1042522 with cervical cancer in the sub-Saharan African population.
Literature	GENERIF_SUMMARY	Mutation in the tumor suppressor gene TP53 can be detected in the cerebrospinal fluid of patients with meningioma. Mutation have earlier meningeal metastasis and shorter median survival.

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 Mutations Predict Sensitivity to Adjuvant Gemcitabine in Pat
Literature	GENERIF_SUMMARY	Galangin, a Flavonoid from Lesser Galangal, Induced Apoptosis via
Literature	GENERIF_SUMMARY	miR181bp53 negative feedback axis regulates osteosarcoma cell
Literature	GENERIF_SUMMARY	p53 Immunohistochemical patterns in HPV-related neoplasms of t patterns.
Literature	GENERIF_SUMMARY	Roles of TP53 gene in the development of resistance to PI3K inhib
Literature	GENERIF_SUMMARY	THE STUDY OF THE EXPRESSION OF CDH1, KI67, P53 AND HER2
Literature	GENERIF_SUMMARY	WWP2 ameliorates acute kidney injury by mediating p53 ubiquityla
Literature	GENERIF_SUMMARY	Molecular characterisation in tongue squamous cell carcinoma rev
Literature	GENERIF_SUMMARY	Hsa-miR-217 Inhibits the Proliferation, Migration, and Invasion in N
Literature	GENERIF_SUMMARY	Genome-wide Screens Implicate Loss of Cullin Ring Ligase 3 in Pe
Literature	GENERIF_SUMMARY	KDM6A-Mediated Expression of the Long Noncoding RNA DINO C Expressing Cells.
Literature	GENERIF_SUMMARY	MicroRNA-488 inhibits ovarian cancer cell metastasis through reg
Literature	GENERIF_SUMMARY	Gain of function mutant p53 protein activates AKT through the Rac
Literature	GENERIF_SUMMARY	High prevalence of DNA damage repair gene defects and TP53 alt prospective pilot study using a 37 gene panel.
Literature	GENERIF_SUMMARY	The highly interrelated GHRH, p53, and Hsp90 universe.
Literature	GENERIF_SUMMARY	Sporadic activation of an oxidative stress-dependent NRF2-p53 sig
Literature	GENERIF_SUMMARY	CSAG1 maintains the integrity of the mitotic centrosome in cells w
Literature	GENERIF_SUMMARY	The relationship between leukemia and TP53 gene codon Arg72Pr
Literature	GENERIF_SUMMARY	utilizing a combination of next-generation sequencing and high-de chromosomal structural event with TP53 mutation or loss as highl
Literature	GENERIF_SUMMARY	Expression of p53 in epithelial ovarian tumors.
Literature	GENERIF_SUMMARY	Identification of a new p53 responsive element in the promoter reg
Literature	GENERIF_SUMMARY	hmMGMT was suppressed by heavy smoking, and hmMGMT com with HNSCC
Literature	GENERIF_SUMMARY	Frequent occurrence of CD19-negative relapse after CD19 CAR T a
Literature	GENERIF_SUMMARY	the oncogenic gain of function mechanisms of p53 codon 158 (Arg
Literature	GENERIF_SUMMARY	Clinical outcomes and characteristics of patients with TP53-mutat
Literature	GENERIF_SUMMARY	Differential expression and diagnostic significance of P53, MutS h
Literature	GENERIF_SUMMARY	Survival prediction model for non-small cell lung cancer based on
Literature	GENERIF_SUMMARY	p53 is regulated by aerobic glycolysis in cancer cells by the CtBP f
Literature	GENERIF_SUMMARY	UNC5B mediates G2/M phase arrest of bladder cancer cells by bin
Literature	GENERIF_SUMMARY	LncRNA FOXD2-AS1 stimulates glioma progression through inhibi

Main Category	Category	
Literature	GENERIF_SUMMARY	p53/PGC1alphamediated mitochondrial dysfunction promotes PC
Literature	GENERIF_SUMMARY	The USP10-HDAC6 axis confers cisplatin resistance in non-small c
Literature	GENERIF_SUMMARY	Different p53 genotypes regulating different phosphorylation sites giant cancer cells.
Literature	GENERIF_SUMMARY	The p53-53BP1-Related Survival of A549 and H1299 Human Lung Response to Additional Acute X-ray Exposure.
Literature	GENERIF_SUMMARY	Estimating the Effect of Single-Point Mutations on Protein Thermo
Literature	GENERIF_SUMMARY	Micheliolide Enhances Radiosensitivities of p53-Deficient Non-Sma
Literature	GENERIF_SUMMARY	SIRT7 activates p53 by enhancing PCAF-mediated MDM2 degrada
Literature	GENERIF_SUMMARY	TP53 Arg72Pro polymorphism and neuroblastoma susceptibility in
Literature	GENERIF_SUMMARY	GPRC5a suppresses the proliferation of non-small cell lung cancer
Literature	GENERIF_SUMMARY	Impact of TP53 mutations in breast cancer
Literature	GENERIF_SUMMARY	TP53 in Myelodysplastic Syndromes
Literature	GENERIF_SUMMARY	P53
Literature	GENERIF_SUMMARY	Cas9 activates the p53 pathway and selects for p53-inactivating m
Literature	GENERIF_SUMMARY	TP53 genetic polymorphisms and susceptibility to cervical cancer
Literature	GENERIF_SUMMARY	Tau affects P53 function and cell fate during the DNA damage resp
Literature	GENERIF_SUMMARY	Use of p53 immunohistochemistry in conjunction with routine hist
		routine clinical care.
Literature	GENERIF_SUMMARY	Clinical spectrum and prognostic value of TP53 mutations in circu
Literature	GENERIF_SUMMARY	Parallel CRISPR-Cas9 screens clarify impacts of p53 on screen per
Literature	GENERIF_SUMMARY	Integrated case-control and somatic-germline interaction analyses
Literature	GENERIF_SUMMARY	Structural insight into the interaction between p53 TAD1 and AIMP
Literature	GENERIF_SUMMARY	Regulation of the p53 expression profile by hnRNP K under stress
Literature	GENERIF_SUMMARY	Evolutionary Action Score of TP53 Enhances the Prognostic Predic
Literature	GENERIF_SUMMARY	MDM2's dual mRNA binding domains co-ordinate its oncogenic an
Literature	GENERIF_SUMMARY	HDAC3-ERalpha Selectively Regulates TNF-alpha-Induced Apoptot
Literature	GENERIF_SUMMARY	BH3 mimetics selectively eliminate chemotherapy-induced senesc
Literature	GENERIF_SUMMARY	Combined p53- and PTEN-deficiency activates expression of mese
Literature	GENERIF_SUMMARY	Combination of a p53-activating CP-31398 and an MDM2 or a FAK
		genotype.
Literature	GENERIF_SUMMARY	Molecular characterisation of TP53 mutated squamous cell carcin
Literature	GENERIF_SUMMARY	p53 inhibits the osteogenic differentiation but does not induce sen
Literature	GENERIF_SUMMARY	Clinical significance of hypoxia-inducible factor 1alpha, and its cor
		esophageal squamous cell carcinoma.

Main Category	Category	
Literature	GENERIF_SUMMARY	Olig2 SUMOylation protects against genotoxic damage response b
Literature	GENERIF_SUMMARY	Transcriptional profiling reveals a subset of human breast tumors
Literature	GENERIF_SUMMARY	p53 plays a central role in the development of osteoporosis.
Literature	GENERIF_SUMMARY	Influences of TP53 and the anti-aging DDR1 receptor in controlling prostate cancer cell lines.
Literature	GENERIF_SUMMARY	S100A1 blocks the interaction between p53 and mdm2 and decrea
Literature	GENERIF_SUMMARY	HOXA5 inhibits the proliferation and neoplasia of cervical cancer c transactivating TP53.
Literature	GENERIF_SUMMARY	Progress in the research of p53 tumour suppressor activity contro
Literature	GENERIF_SUMMARY	Analysis of the p53 pathway in peripheral blood of retinoblastoma
Literature	GENERIF_SUMMARY	Serum anti-p53 autoantibodies in angiosarcoma.
Literature	GENERIF_SUMMARY	The function of a heterozygous p53 mutation in a Li-Fraumeni syno
Literature	GENERIF_SUMMARY	Telomere Dysfunction Activates p53 and Represses HNF4alpha Ex
Literature	GENERIF_SUMMARY	Structural basis for oligoclonal T cell recognition of a shared p53 c
Literature	GENERIF_SUMMARY	SIRT7 Deacetylates STRAP to Regulate p53 Activity and Stability.
Literature	GENERIF_SUMMARY	Regulating tumor suppressor genes
Literature	GENERIF_SUMMARY	Landscape of Germline Genetic Variants in AGT, MGMT, and TP53
Literature	GENERIF_SUMMARY	Serum Anti-p53 Antibody Can Serve as a Predictive Marker for His
Literature	GENERIF_SUMMARY	Expression of the Long Noncoding RNA DINO in Human Papilloma Suppressor through ATM/CHK2 Signaling.
Literature	GENERIF_SUMMARY	A novel hotspot and rare somatic mutation p.A138V, at TP53 is ass patients.
Literature	GENERIF_SUMMARY	RNF115-mediated ubiquitination of p53 regulates lung adenocarci
Literature	GENERIF_SUMMARY	Cancer surveillance and distress among adult pathogenic TP53 ge
Literature	GENERIF_SUMMARY	Effect of p53 activation on experimental right ventricular hypertro
Literature	GENERIF_SUMMARY	Altered RNA Splicing by Mutant p53 Activates Oncogenic RAS Sign
Literature	GENERIF_SUMMARY	NEK10 tyrosine phosphorylates p53 and controls its transcriptiona
Literature	GENERIF_SUMMARY	Wnt/beta-catenin activation cooperates with loss of p53 to cause
Literature	GENERIF_SUMMARY	AML chemoresistance
Literature	GENERIF_SUMMARY	Tumor suppressor OTUD3 induces growth inhibition and apoptosis
Literature	GENERIF_SUMMARY	Alterations in driver genes are predictive of survival in patients w
Literature	GENERIF_SUMMARY	Renal angiomyolipoma
Literature	GENERIF_SUMMARY	BAG3 interacts with p53 in endometrial carcinoma.
Literature	GENERIF_SUMMARY	p53 and BLC2 Immunohistochemical Expression Across Molecula

Main Category	Category	
Literature	GENERIF_SUMMARY	Biomarker-driven phase 2 umbrella trial study for patients with rec
Literature	GENERIF_SUMMARY	TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p
Literature	GENERIF_SUMMARY	P53-induced MRV11 mediates carcinogenesis of colorectal cancer
Literature	GENERIF_SUMMARY	Association of TP53 Codon 72 Arg>Pro Polymorphism with Breast
Literature	GENERIF_SUMMARY	The Expression of p53, CD44, Ki-67, and HER-2/neu Markers in Gas
Literature	GENERIF_SUMMARY	Conformational dynamics of p53 N-terminal TAD2 region under dif
Literature	GENERIF_SUMMARY	Nuclear factor erythroid 2 (NF-E2) p45-related factor 2 interferes w chemosensitivity.
Literature	GENERIF_SUMMARY	TP53 R249S mutation detected in circulating tumour DNA is assoc hepatectomy.
Literature	GENERIF_SUMMARY	The Role of Immunohistochemical Overexpression of p53 as Adve
Literature	GENERIF_SUMMARY	Inhibition of Eukaryotic Translation Initiation Factor 5A (eIF5A) Hyp Ribosomes.
Literature	GENERIF_SUMMARY	p53 protein expression is highly concordant in the squamous cell c carcinoma; its mutation expression is associated with poor outcor
Literature	GENERIF_SUMMARY	Role Of TP53 mutations in predicting the clinical efficacy of hypom
Literature	GENERIF_SUMMARY	Association of PIN3 16-bp duplication polymorphism of TP53 with
Literature	GENERIF_SUMMARY	Therapeutic Editing of the TP53 Gene
Literature	GENERIF_SUMMARY	Upregulation of fibronectin following loss of p53 function is a poor
Literature	GENERIF_SUMMARY	Genetic mutation profile of Chinese HER2-positive breast cancers
Literature	GENERIF_SUMMARY	Mutant p53 Drives Cancer Metastasis via RCP-Mediated Hsp90alp
Literature	GENERIF_SUMMARY	Reactivation of Epstein-Barr Virus by HIF-1alpha Requires p53.
Literature	GENERIF_SUMMARY	P53 staining index and zonal staining patterns in actinic keratoses
Literature	GENERIF_SUMMARY	Structure-based designing efficient peptides based on p53 binding
Literature	GENERIF_SUMMARY	Association of polymorphisms in TP53 and the promoter region of
Literature	GENERIF_SUMMARY	Rhabdomyosarcoma associated with germline TP53 alteration in c
Literature	GENERIF_SUMMARY	Characterization of tumors with ultralow tumor mutational burden
Literature	GENERIF_SUMMARY	SOX2 and p53 Expression Control Converges in PI3K/AKT Signalin
Literature	GENERIF_SUMMARY	Frequency of the TP53 p.R337H mutation in a Brazilian cohort of p
Literature	GENERIF_SUMMARY	Rearranged ERG confers robustness to prostate cancer cells by su
Literature	GENERIF_SUMMARY	A Rare TP53 Mutation Predominant in Ashkenazi Jews Confers Ris
Literature	GENERIF_SUMMARY	ECRG2, a novel transcriptional target of p53, modulates cancer cel
Literature	GENERIF_SUMMARY	Inactivating p53 is essential for nerve growth factor receptor to pro
Literature	GENERIF_SUMMARY	CRISPR/Cas9 treatment causes extended TP53-dependent cell cyc

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 somatic mutations are associated with poor survival in non-s
Literature	GENERIF_SUMMARY	Loss of p53 in mesenchymal stem cells promotes alteration of bo
Literature	GENERIF_SUMMARY	Crystal Structure of MLL2 Complex Guides the Identification of a M
Literature	GENERIF_SUMMARY	Expression of p53 Protein in Prostate Carcinoma and its Correlatio
Literature	GENERIF_SUMMARY	HIF1alpha and p53 Regulated MED30, a Mediator Complex Subuni Resistance.
Literature	GENERIF_SUMMARY	Transglutaminase 2-Mediated p53 Depletion Promotes Angiogene
Literature	GENERIF_SUMMARY	TP53 Arg72Pro and XPD Lys751Gln Gene Polymorphisms and Risk
Literature	GENERIF_SUMMARY	Tumorigenic p53 mutants undergo common structural disruptions
Literature	GENERIF_SUMMARY	The induction of AMPK-dependent autophagy leads to P53 degrad
Literature	GENERIF_SUMMARY	Immunohistochemical expression of p53 and murine double minur
Literature	GENERIF_SUMMARY	Refined cut-off for TP53 immunohistochemistry improves predicti
Literature	GENERIF_SUMMARY	ATF6 aggravates acinar cell apoptosis and injury by regulating p53
Literature	GENERIF_SUMMARY	Murine Cytomegalovirus M25 Proteins Sequester the Tumor Suppr
Literature	GENERIF_SUMMARY	The gut microbiome switches mutant p53 from tumour-suppressiv
Literature	GENERIF_SUMMARY	Long non-coding RNA HEIH suppresses the expression of TP53 th
Literature	GENERIF_SUMMARY	TP53 mutations in myelodysplastic syndromes and secondary AM
Literature	GENERIF_SUMMARY	Hotspot mutant p53-R273H inhibits KLF6 expression to promote c
Literature	GENERIF_SUMMARY	p53/Mieap-regulated mitochondrial quality control plays an import
Literature	GENERIF_SUMMARY	BCCIPbeta facilitates p53 ubiquitination via binding with E6 protei
Literature	GENERIF_SUMMARY	Endometrial Cancer Molecular Risk Stratification is Equally Progno
Literature	GENERIF_SUMMARY	TP53 mutational landscape of metastatic head and neck cancer re
Literature	GENERIF_SUMMARY	Novel evidence for retinoic acid-induced G (Rig-G) as a tumor supp
Literature	GENERIF_SUMMARY	Irinotecan and vandetanib create synergies for treatment of pancre
Literature	GENERIF_SUMMARY	Prognostic value of TP53 co-mutation status combined with EGFR
Literature	GENERIF_SUMMARY	Implications of TP53 allelic state for genome stability, clinical pres
Literature	GENERIF_SUMMARY	p53 is associated with high-risk and pinpoints TP53 missense mut
Literature	GENERIF_SUMMARY	KLHL4, a novel p53 target gene, inhibits cell proliferation by activat
Literature	GENERIF_SUMMARY	Demethylase-independent function of JMJD2D as a novel antagon
Literature	GENERIF_SUMMARY	A Switch in p53 Dynamics Marks Cells That Escape from DSB-Indu
Literature	GENERIF_SUMMARY	Ctnnb1 transcriptional upregulation compensates for Mdm2/p53-r
Literature	GENERIF_SUMMARY	Comparison of clinical and molecular characteristics of patients w
Literature	GENERIF_SUMMARY	Prognostic impact of TP53 mutation, monosomal karyotype, and p

Main Category	Category	
Literature	GENERIF_SUMMARY	S-petasin induces apoptosis and inhibits cell migration through ac
Literature	GENERIF_SUMMARY	Crosstalk between Noxa, Bcl-2, and ceramide in mediating p53-dep
Literature	GENERIF_SUMMARY	Mutant p53 induces Golgi tubulo-vesiculation driving a prometasta
Literature	GENERIF_SUMMARY	Genetic heterogeneity and prognostic impact of recurrent ANK2 an
Literature	GENERIF_SUMMARY	p53 positively regulates osteoprotegerin-mediated inhibition of ost
Literature	GENERIF_SUMMARY	Evaluation of molecular analysis in challenging ovarian sex cord-st
Literature	GENERIF_SUMMARY	Transcriptional mutagenesis dramatically alters genome-wide p53
Literature	GENERIF_SUMMARY	Prognosis and personalized treatment prediction in TP53-mutant h
Literature	GENERIF_SUMMARY	Functionally impactful TP53 mutations are associated with increas
Literature	GENERIF_SUMMARY	Molecular correlates of sensitivity to PARP inhibition beyond homo
Literature	GENERIF_SUMMARY	S100A4/Nonmuscle Myosin IIA/p53 Axis Contributes to Aggressiv
Literature	GENERIF_SUMMARY	UFMylation maintains tumour suppressor p53 stability by antagon
Literature	GENERIF_SUMMARY	High-level MYC expression associates with poor survival in patient
Literature	GENERIF_SUMMARY	leukemic transformation in patients with myelodysplastic syndrom
Literature	GENERIF_SUMMARY	Acute Myeloid Leukemia and Myelodysplastic Syndromes with TP5
Literature	GENERIF_SUMMARY	p53 activation during ribosome biogenesis regulates normal erythr
Literature	GENERIF_SUMMARY	HIV-1 Nef promotes ubiquitination and proteasomal degradation o
Literature	GENERIF_SUMMARY	PRC2 insufficiency causes p53-dependent dyserythropoiesis in my
Literature	GENERIF_SUMMARY	TCP1 regulates Wnt7b/beta-catenin pathway through P53 to influ
Literature	GENERIF_SUMMARY	AURKA Increase the Chemosensitivity of Colon Cancer Cells to Ox
Literature	GENERIF_SUMMARY	The Ins and Outs of HOPS/TMUB1 in biology and pathology.
Literature	GENERIF_SUMMARY	A high TP53 mutation burden is a strong predictor of primary refra
Literature	GENERIF_SUMMARY	Curcumin induced apoptosis is mediated through oxidative stress
Literature	GENERIF_SUMMARY	The effects of p53 gene inactivation on mutant proteome expressi
Literature	GENERIF_SUMMARY	Inducible Ulk1 expression activates the p53 protein in mouse emb
Literature	GENERIF_SUMMARY	Elucidation of PLK1 Linked Biomarkers in Oesophageal Cancer Ce
Literature	GENERIF_SUMMARY	MSCs attenuate hypoxia induced pulmonary hypertension by activ
Literature	GENERIF_SUMMARY	CacyBP/SIP protein reduces p53 stability by enhancing Mdm2 acti
Literature	GENERIF_SUMMARY	Induction of Cell Cycle Arrest in MKN45 Cells after Schiff Base Ox
Literature	GENERIF_SUMMARY	P53.
Literature	GENERIF_SUMMARY	Prevalence of germline TP53 variants among early-onset breast ca
Literature	GENERIF_SUMMARY	A p53-Dependent Checkpoint Induced upon DNA Damage Alters C

Main Category	Category	
Literature	GENERIF_SUMMARY	Circular RNA CDR1as disrupts the p53/MDM2 complex to inhibit G
Literature	GENERIF_SUMMARY	Development and Validation of a Novel TP53 Mutation Signature T
Literature	GENERIF_SUMMARY	AsiDNA Is a Radiosensitizer with no Added Toxicity in Medulloblas
Literature	GENERIF_SUMMARY	TOPK inhibition accelerates oxidative stressinduced granulosa cel
Literature	GENERIF_SUMMARY	Casein kinase 1alpha inhibits p53 downstream of MDM2mediated
Literature	GENERIF_SUMMARY	A miR-210-3p regulon that controls the Warburg effect by modulat
Literature	GENERIF_SUMMARY	Association of Molecular Genetic Markers of TP53, MDM2, and CD Platinum-Based Chemotherapy.
Literature	GENERIF_SUMMARY	Specific TP53 subtype as biomarker for immune checkpoint inhibi
Literature	GENERIF_SUMMARY	Identification of miPEP133 as a novel tumor-suppressor microprot
Literature	GENERIF_SUMMARY	P53-regulated miR-320a targets PDL1 and is downregulated in ma
Literature	GENERIF_SUMMARY	NIR promotes progression of colorectal cancer through regulating
Literature	GENERIF_SUMMARY	Drug-resistance in rheumatoid arthritis
Literature	GENERIF_SUMMARY	Distinct TP53 Mutation Types Exhibit Increased Sensitivity to Ferro
Literature	GENERIF_SUMMARY	Kevetrin induces apoptosis in TP53 wildtype and mutant acute my
Literature	GENERIF_SUMMARY	RBM10, a New Regulator of p53.
Literature	GENERIF_SUMMARY	ATM mediated-p53 signaling pathway forms a novel axis for senes
Literature	GENERIF_SUMMARY	Mice Are Not Humans
Literature	GENERIF_SUMMARY	B-MYB-p53-related relevant regulator for the progression of clear c
Literature	GENERIF_SUMMARY	Applications of Recombinant Adenovirus-p53 Gene Therapy for Ca
Literature	GENERIF_SUMMARY	NT5DC2 suppression restrains progression towards metastasis of
Literature	GENERIF_SUMMARY	KLF5 regulates epithelial-mesenchymal transition of liver cancer c
Literature	GENERIF_SUMMARY	Genetic variation in APOE, GRN, and TP53 are phenotype modifiers
Literature	GENERIF_SUMMARY	Exploring the p53 connection of cervical cancer pathogenesis invo
Literature	GENERIF_SUMMARY	P53 in skin cancer
Literature	GENERIF_SUMMARY	PLA2G16 is a mutant p53/KLF5 transcriptional target and promote
Literature	GENERIF_SUMMARY	Ki67 and P53 Expression in Relation to Clinicopathological Feature
Literature	GENERIF_SUMMARY	Mxi-2 Dependent Regulation of p53 in Prostate Cancer.
Literature	GENERIF_SUMMARY	LRRC17 Is Linked to Prognosis of Ovarian Cancer Through a p53-d
Literature	GENERIF_SUMMARY	High Expression of p21 as a Potential Therapeutic Target in Ovaria
Literature	GENERIF_SUMMARY	Predictive Role of TP53, PIK3CA and MLL2 in ER+ HER2+ Breast B
Literature	GENERIF_SUMMARY	The p53-inducible CLDN7 regulates colorectal tumorigenesis and l
Literature	GENERIF_SUMMARY	Acteoside as a potential therapeutic option for primary hepatocellu

Main Category	Category	
Literature	GENERIF_SUMMARY	Prognostic Integrated Image-Based Immune and Molecular Profiling
Literature	GENERIF_SUMMARY	Survival Implications of the Relationship between Tissue versus Circulating Tumor Cells in Gastric Cancer Medicine Cohort.
Literature	GENERIF_SUMMARY	Knockdown of E2F5 induces cell death via the TP53dependent pathway
Literature	GENERIF_SUMMARY	Impact of TP53 mutations in acute myeloid leukemia patients treated with intensive chemotherapy
Literature	GENERIF_SUMMARY	c-Myc inactivation of p53 through the pan-cancer lncRNA MILIP drives tumorigenesis
Literature	GENERIF_SUMMARY	Frequency of the TP53 R337H variant in sporadic breast cancer and its association with survival
Literature	GENERIF_SUMMARY	TRIP13 promotes metastasis of colorectal cancer regardless of p53 status
Literature	GENERIF_SUMMARY	EBP2, a novel NPM-ALK-interacting protein in the nucleolus, contributes to cell growth and survival
Literature	GENERIF_SUMMARY	Regulation of Thiamine (Vitamin B1)-Dependent Metabolism in Mammalian Cells
Literature	GENERIF_SUMMARY	The E3 ligase RFWD3 stabilizes ORC in a p53-dependent manner.
Literature	GENERIF_SUMMARY	The role of TP53 pathogenic variants in early-onset HER2-positive breast cancer
Literature	GENERIF_SUMMARY	Functional interplay among thiol-based redox signaling, metabolism, and DNA damage response
Literature	GENERIF_SUMMARY	p53 directly represses human LINE1 transposons.
Literature	GENERIF_SUMMARY	Inactivation of homeodomain-interacting protein kinase 2 promotes cell growth and cadherin expression.
Literature	GENERIF_SUMMARY	Oncogenic pathways activated by pro-inflammatory cytokines promote tumor progression
Literature	GENERIF_SUMMARY	Changes in miR-222 expression, DNA repair capacity, and MDM2-p53 interaction in human cells
Literature	GENERIF_SUMMARY	Genetic Alterations in the INK4a/ARF Locus
Literature	GENERIF_SUMMARY	p.Arg72Pro polymorphism of P53 and breast cancer risk
Literature	GENERIF_SUMMARY	del(17p) without TP53 mutation confers a poor prognosis in intensive chemotherapy-treated acute myeloid leukemia
Literature	GENERIF_SUMMARY	Therapy-related B-cell acute lymphoblastic leukemia in adults has distinct genetic features
Literature	GENERIF_SUMMARY	BCL11B suppresses tumor progression and stem cell traits in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Prognostic Molecular and Biological Characteristics of Phyllodes Tumors
Literature	GENERIF_SUMMARY	p53-dependent elimination of aneuploid mitotic offspring by entosis
Literature	GENERIF_SUMMARY	Time to first treatment and P53 dysfunction in chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	Survival of Lung Cancer Patients Dependent on the LOH Status for TP53
Literature	GENERIF_SUMMARY	Clinical Outcomes of Children With Adrenocortical Carcinoma in the 21st Century
Literature	GENERIF_SUMMARY	p53 and ANXA4/NFkappaB p50 complexes regulate cell proliferation and survival
Literature	GENERIF_SUMMARY	The P72R Polymorphism in R248Q/W p53 Mutants Modifies the MDM2-Mediated Regulation via CXCL1 Expression.
Literature	GENERIF_SUMMARY	Histone methyltransferase SET8 is regulated by miR-192/215 and gastric carcinoma cells.
Literature	GENERIF_SUMMARY	Downregulation of p53 by Insufficient CTCF in CD4(+) T Cells Is an Important Mechanism for Tumor Progression

Main Category	Category	
Literature	GENERIF_SUMMARY	Docosahexaenoic acid inhibits the proliferation of Kras/TP53 double mutant cells by decreasing intracellular glutathione level and suppression of nucleotide synthesis.
Literature	GENERIF_SUMMARY	p53-dependent glutamine usage determines susceptibility to oxidative stress.
Literature	GENERIF_SUMMARY	Extracellular regucalcin suppresses colony formation and growth in human breast cancer cells.
Literature	GENERIF_SUMMARY	Mutation screening of germline TP53 mutations in high-risk Chinese families.
Literature	GENERIF_SUMMARY	Mutant TP53 interacts with BCAR1 to contribute to cancer cell invasion.
Literature	GENERIF_SUMMARY	Zmat3 Is a Key Splicing Regulator in the p53 Tumor Suppression Pathway.
Literature	GENERIF_SUMMARY	p53 coordinates glucose and choline metabolism during the mesenchymal-epithelial transition.
Literature	GENERIF_SUMMARY	Multiple biochemical properties of the p53 molecule contribute to its function as a tumor suppressor.
Literature	GENERIF_SUMMARY	Upregulation of mir-132 induces dopaminergic neuronal death via p53-dependent pathway.
Literature	GENERIF_SUMMARY	NMR spectroscopy uncovers direct interaction between BAF60A and p53.
Literature	GENERIF_SUMMARY	The p53/p73 - p21(CIP1) tumor suppressor axis guards against chromosomal instability.
Literature	GENERIF_SUMMARY	Tumor suppressor starts in yeast G1/S transition.
Literature	GENERIF_SUMMARY	Radiologic findings and the molecular expression profile of diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Role of the SIRT1/p53 regulatory axis in oxidative stress-mediated DNA damage.
Literature	GENERIF_SUMMARY	DNA replication and sister chromatid cohesion 1 promotes breast cancer cell growth.
Literature	GENERIF_SUMMARY	DEPTOR is a direct p53 target that suppresses cell growth and chemoresistance.
Literature	GENERIF_SUMMARY	Autophagy modulates mesenchymal-to-endothelial transition via p53-dependent pathway.
Literature	GENERIF_SUMMARY	Overexpression of MicroRNA-122 Resists Oxidative Stress-Induced Cell Death.
Literature	GENERIF_SUMMARY	TMEM166 inhibits cell proliferation, migration and invasion in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	TP53 mutations and CDKN2A mutations/deletions are highly recurrent in human cancer.
Literature	GENERIF_SUMMARY	Identification of a druggable protein-protein interaction site between p53 and MDM2.
Literature	GENERIF_SUMMARY	TP53 alterations of hormone-naïve prostate cancer in the Chinese population.
Literature	GENERIF_SUMMARY	Oncostatin M expression and TP53 mutation status regulate tumor growth.
Literature	GENERIF_SUMMARY	USP8 and TP53 Drivers are Associated with CNV in a Corticotroph Pituitary Tumor.
Literature	GENERIF_SUMMARY	Frequency Of TP53 Gene Mutation In Patients With Chronic Lymphocytic Leukemia.
Literature	GENERIF_SUMMARY	A systematic review and network meta-analysis of single nucleotide polymorphisms in TP53 gene.
Literature	GENERIF_SUMMARY	Two distinct TP53 mutations in HNSCC primary tumor.
Literature	GENERIF_SUMMARY	Metformin induces apoptosis and inhibits migration by activating TP53 in cancer cells.
Literature	GENERIF_SUMMARY	PARP inhibitor resistance and TP53 mutations in patients treated with olaparib.
Literature	GENERIF_SUMMARY	The optimal cut-off value of immunohistochemical parameter P53 in colorectal cancer.
Literature	GENERIF_SUMMARY	CircCNTNAP3-TP53-positive feedback loop suppresses malignant progression.

Main Category	Category	
Literature	GENERIF_SUMMARY	Genomic retargeting of p53 and CTCF is associated with transcrip
Literature	GENERIF_SUMMARY	TP53 germline mutations in the context of families with hereditary
Literature	GENERIF_SUMMARY	STAT3 and TP53 mutations associate with poor prognosis in anap
Literature	GENERIF_SUMMARY	TP53, SPOP and PIK3CA Genes Status in Prostate Cancer.
Literature	GENERIF_SUMMARY	The Performance of Minicircle DNA Versus Parental Plasmid in p5
Literature	GENERIF_SUMMARY	Dysregulation of lysophospholipid signaling by p53 in malignant ce
Literature	GENERIF_SUMMARY	Knocking down USP39 Inhibits the Growth and Metastasis of Non-
Literature	GENERIF_SUMMARY	The effect of chronic dosing and p53 status on the genotoxicity of
Literature	GENERIF_SUMMARY	Dissecting the DNA binding landscape and gene regulatory networ
Literature	GENERIF_SUMMARY	Zinc shapes the folding landscape of p53 and establishes a pathw
Literature	GENERIF_SUMMARY	Mutant p53 drives the loss of heterozygosity by the upregulation o
Literature	GENERIF_SUMMARY	The pleiotropic role of p53 in functional/dysfunctional neurons
Literature	GENERIF_SUMMARY	Therapeutic potential of p53 reactivation in cervical cancer.
Literature	GENERIF_SUMMARY	MDMX Recruits Ubch5c to Facilitate MDM2 E3 Ligase Activity and
Literature	GENERIF_SUMMARY	MageC2 protein is upregulated by oncogenic activation of MAPK p
Literature	GENERIF_SUMMARY	Targeting Triple Negative Breast Cancer with a Nucleus-Directed p
Literature	GENERIF_SUMMARY	A Shared Susceptibility Locus in the p53 Gene for both Gastric and
Literature	GENERIF_SUMMARY	The utility of TP53 and PIK3CA mutations as prognostic biomarker
Literature	GENERIF_SUMMARY	The Intricate Role of p53 in Adipocyte Differentiation and Function
Literature	GENERIF_SUMMARY	MicroRNA-Mutant P53 Crosstalk in Chemoresistance
Literature	GENERIF_SUMMARY	The DNA methylation of FOXO3 and TP53 as a blood biomarker of
Literature	GENERIF_SUMMARY	Antrodia cinnamomea Inhibits Growth and Migration of Lung Cano
Literature	GENERIF_SUMMARY	Nutlin-3a Enhances Natural Killer Cell-Mediated Killing of Neurobla Receptors.
Literature	GENERIF_SUMMARY	P53 induces senescence in the unstable progeny of aneuploid cell
Literature	GENERIF_SUMMARY	BCL7C suppresses ovarian cancer growth by inactivating mutant p
Literature	GENERIF_SUMMARY	The Gain-of-Function Mutation p53R248W Suppresses Cell Prolifer of Keratin 17.
Literature	GENERIF_SUMMARY	DNA repair, NFKbeta, and TP53 polymorphisms associated with po patients.
Literature	GENERIF_SUMMARY	The disordered DNA-binding domain of p53 is indispensable for fo
Literature	GENERIF_SUMMARY	Merkel cell carcinoma-derived exosome-shuttle miR-375 induces f
Literature	GENERIF_SUMMARY	p53
Literature	GENERIF_SUMMARY	Clinical and biological features of B-cell neoplasms with CDK6 tran

Main Category	Category	
Literature	GENERIF_SUMMARY	Sulfated glycosaminoglycans mediate prion-like behavior of p53 and
Literature	GENERIF_SUMMARY	HPV-inactive cell populations arise from HPV16-transformed human
Literature	GENERIF_SUMMARY	Induction of APOBEC3B expression by chemotherapy drugs is mediated
Literature	GENERIF_SUMMARY	Genomic and prognostic heterogeneity among RAS/BRAF(V600E) and
Literature	GENERIF_SUMMARY	Germline EGFR variants are over-represented in adolescents and young
Literature	GENERIF_SUMMARY	[The effect of TP53 mutations on the clinical outcomes of Ph-negative acute
Literature	GENERIF_SUMMARY	p53 Is Regulated in a Biphasic Manner in Hypoxic Human Papillomavirus
Literature	GENERIF_SUMMARY	Upregulation of 5'-terminal oligopyrimidine mRNA translation upon
Literature	GENERIF_SUMMARY	Association between TP53 polymorphisms and chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	Clinical Effect of Driver Mutations of KRAS, CDKN2A/P16, TP53, and
Literature	GENERIF_SUMMARY	Metformin promotes apoptosis in primary breast cancer cells by a
Literature	GENERIF_SUMMARY	independent mechanism
Literature	GENERIF_SUMMARY	Oxidative toxic stress and p53 level in healthy subjects occupation
Literature	GENERIF_SUMMARY	Alterations in TP53 Are a Potential Biomarker of Bladder Cancer Prognosis
Literature	GENERIF_SUMMARY	Combined p53 and Bcl2 Immunophenotypes in Prognosis of Vietnamese
Literature	GENERIF_SUMMARY	Arsenic Trioxide Rescues Structural p53 Mutations through a Cryptic
Literature	GENERIF_SUMMARY	Gain-of-"endocytic" function in mutant p53 cancer cells."
Literature	GENERIF_SUMMARY	Subcellular Distribution of p53 by the p53-Responsive lncRNA NBA1
Literature	GENERIF_SUMMARY	Association of hOGG1-Cys variants with occurrence of p53 and EGFR
Literature	GENERIF_SUMMARY	S-Adenosyl-L-Methionine Overcomes uL3-Mediated Drug Resistance in
Literature	GENERIF_SUMMARY	Characterizing TP53 mutations in ovarian carcinomas with and without
Literature	GENERIF_SUMMARY	Mechanism of miR-122-5p regulating the activation of PI3K-Akt-mTOR
Literature	GENERIF_SUMMARY	cells through targeting TP53 gene.
Literature	GENERIF_SUMMARY	Systems Immunology Analysis Reveals an Immunomodulatory Effect of
Literature	GENERIF_SUMMARY	Mutant Non-Small Cell Lung Cancer.
Literature	GENERIF_SUMMARY	Novel Interplay between p53 and HO-1 in Embryonic Stem Cells.
Literature	GENERIF_SUMMARY	A TP53-Associated Immune Prognostic Signature for the Prediction of
Literature	GENERIF_SUMMARY	Cancer.
Literature	GENERIF_SUMMARY	Molecular and Biochemical Techniques for Deciphering p53-MDM2
Literature	GENERIF_SUMMARY	Determination of expression profile of p53 gene in different grades of
Literature	GENERIF_SUMMARY	HOXA5 counteracts the function of pathological scar-derived fibroblasts
Literature	GENERIF_SUMMARY	p53p72Delta225331V31I identified in a cholangiocarcinoma cell line
Literature	GENERIF_SUMMARY	expression and the activation of Cdc42.
Literature	GENERIF_SUMMARY	ErbB2 Receptor Tyrosine Kinase 2 is negatively regulated by the p53

Main Category	Category	
Literature	GENERIF_SUMMARY	BRD4-mediated repression of p53 is a target for combination therapy
Literature	GENERIF_SUMMARY	The HIF-1alpha/p53/miRNA-34a/Klotho axis in retinal pigment epithelial neovascularization.
Literature	GENERIF_SUMMARY	Epithelial p53 Status Modifies Stromal-Epithelial Interactions During
Literature	GENERIF_SUMMARY	The complex architecture of p53 binding sites.
Literature	GENERIF_SUMMARY	Double heterozygosity for TP53 and BRCA1 mutations
Literature	GENERIF_SUMMARY	Identification of a Catalytic Active but Non-Aggregating MDM2 RIN
Literature	GENERIF_SUMMARY	Regulation of p53 and NF-kappaB transactivation activities by DGK
Literature	GENERIF_SUMMARY	Sensitivity of pancreatic cancer cells to chemotherapeutic drugs, s
Literature	GENERIF_SUMMARY	p53 and p16 expression profiles in vulvar cancer
Literature	GENERIF_SUMMARY	High-resolution melting effectively pre-screens for TP53 mutations
Literature	GENERIF_SUMMARY	microRNA-377 acts as a suppressor in esophageal squamous cell
Literature	GENERIF_SUMMARY	Activating p53 function by targeting RLIP.
Literature	GENERIF_SUMMARY	The prognostic value of USP7 and p53 in advanced hypopharyngeal
Literature	GENERIF_SUMMARY	Histone demethylase KDM4C controls tumorigenesis of glioblastoma
Literature	GENERIF_SUMMARY	Autophagy augments the self-renewal of lung cancer stem cells by
Literature	GENERIF_SUMMARY	p53 Promoted Ferroptosis in Ovarian Cancer Cells Treated with Hu
Literature	GENERIF_SUMMARY	p53 is required for nuclear but not mitochondrial DNA damage-ind
Literature	GENERIF_SUMMARY	Distinct mechanisms control genome recognition by p53 at its targ
Literature	GENERIF_SUMMARY	p53-targeted lncRNA ST7-AS1 acts as a tumour suppressor by inte
Literature	GENERIF_SUMMARY	p53 affects epigenetic signature on SOCS1 promoter in response t
Literature	GENERIF_SUMMARY	Association between tobacco substance usage and a missense m
Literature	GENERIF_SUMMARY	Upregulation of KIF11 in TP53 Mutant Glioma Promotes Tumor Ste
Literature	GENERIF_SUMMARY	TRIM37 prevents formation of centriolar protein assemblies by reg
Literature	GENERIF_SUMMARY	Associations of TP53 codon 72 polymorphism with complications
Literature	GENERIF_SUMMARY	p21(WAF1/CIP1) promotes p53 protein degradation by facilitating
Literature	GENERIF_SUMMARY	OIP5-AS1 specifies p53-driven POX transcription regulated by TRP
Literature	GENERIF_SUMMARY	BOP1 Knockdown Attenuates Neointimal Hyperplasia by Activating
Literature	GENERIF_SUMMARY	RAF1 kinase activity is dispensable for KRAS/p53 mutant lung tum
Literature	GENERIF_SUMMARY	The oncogenicity of tumor-derived mutant p53 is enhanced by the
Literature	GENERIF_SUMMARY	Identification of potential novel drug resistance mechanisms by ge
Literature	GENERIF_SUMMARY	Prognostic Influence of Cytoplasmic/Nuclear Hepatoma-derived G
Literature	GENERIF_SUMMARY	Somatic mutation profiles as molecular classifiers of ulcerative co

Main Category	Category	
Literature	GENERIF_SUMMARY	Identification of circ_0089153/miR-608/EGFR p53 axis in ameloblastoma
Literature	GENERIF_SUMMARY	The transcription factor PBX3 promotes tumor cell growth through
Literature	GENERIF_SUMMARY	Hepatic metastasis of gastric cancer is associated with enhanced
Literature	GENERIF_SUMMARY	[Interferon-regulating activity of the celagrip antiviral drug and its in
Literature	GENERIF_SUMMARY	immunity genes in the follicular lymphoma patients].
Literature	GENERIF_SUMMARY	AIMP3 inhibits cell growth and metastasis of lung adenocarcinoma
Literature	GENERIF_SUMMARY	Should the solid variant of odontogenic keratocyst and keratoameloma
Literature	GENERIF_SUMMARY	cases and a review of the literature.
Literature	GENERIF_SUMMARY	Effect of the p53 P72R Polymorphism on Mutant TP53 Allele Selectio
Literature	GENERIF_SUMMARY	Suberoylanilide hydroxamic acid enhances the radiosensitivity of l
Literature	GENERIF_SUMMARY	modulation of mitochondrial apoptosis.
Literature	GENERIF_SUMMARY	Germline and Somatic Genetic Variants in the p53 Pathway Interact
Literature	GENERIF_SUMMARY	Myeloid malignancies with 5q and 7q deletions are associated with
Literature	GENERIF_SUMMARY	Whole-exome mutational landscape of neuroendocrine carcinoma
Literature	GENERIF_SUMMARY	Gain-of-function p53 protein transferred via small extracellular ves
Literature	GENERIF_SUMMARY	FBXL6 degrades phosphorylated p53 to promote tumor growth.
Literature	GENERIF_SUMMARY	EGCG binds intrinsically disordered N-terminal domain of p53 and
Literature	GENERIF_SUMMARY	Role of p53 in transcriptional repression of SVCT2.
Literature	GENERIF_SUMMARY	P53-independent partial restoration of the p53 pathway in tumors
Literature	GENERIF_SUMMARY	CD34-Positive Blast Count and p53 Expression in Bone Marrow Bico
Literature	GENERIF_SUMMARY	The guardian's choice
Literature	GENERIF_SUMMARY	The novel circular RNA circ-PGAP3 retards cervical cancer growth
Literature	GENERIF_SUMMARY	Prognostic value of p53 expression in hormone receptor-positive a
Literature	GENERIF_SUMMARY	receiving neoadjuvant chemotherapy.
Literature	GENERIF_SUMMARY	Paracrine Placental Growth Factor Signaling in Response to Ionizin
Literature	GENERIF_SUMMARY	Linkage disequilibrium and haplotypes of five TP53 polymorphism
Literature	GENERIF_SUMMARY	p53 induces ARTS to promote mitochondrial apoptosis.
Literature	GENERIF_SUMMARY	Transketolase regulates sensitivity to APR-246 in p53-null cells ind
Literature	GENERIF_SUMMARY	Expression and clinical significance of MMP-9 and P53 in lung can
Literature	GENERIF_SUMMARY	Structural basis of the p53 DNA binding domain and PUMA comple
Literature	GENERIF_SUMMARY	Dissecting the role of TP53 alterations in del(11q) chronic lymphoc
Literature	GENERIF_SUMMARY	Expression of p53 is significantly associated with recurrence-free s
Literature	GENERIF_SUMMARY	Selinexor versus doxorubicin in dedifferentiated liposarcoma PDXs
Literature	GENERIF_SUMMARY	Circadian clock protein CRY1 prevents paclitaxelinduced senescen

Main Category	Category	
Literature	GENERIF_SUMMARY	Mesoscopic protein-rich clusters host the nucleation of mutant p53
Literature	GENERIF_SUMMARY	Chromosomal translocation t(11;14) and p53 deletion induced by t
Literature	GENERIF_SUMMARY	Evaluating the Influence of a G-Quadruplex Prone Sequence on the a Yeast-Based Functional Assay.
Literature	GENERIF_SUMMARY	The CD44 ^{high} Subpopulation of Multifraction Irradiation-Surviving Depending on Their p53 Status.
Literature	GENERIF_SUMMARY	TP53 drives abscopal effect by secretion of senescence-associate
Literature	GENERIF_SUMMARY	LncRNA DLEU2 promotes cervical cancer cell proliferation by regu
Literature	GENERIF_SUMMARY	DNA mismatch repair deficiency and p53 abnormality are age-relat
Literature	GENERIF_SUMMARY	Evolutionary action score identifies a subset of TP53 mutated mye
Literature	GENERIF_SUMMARY	TP53/miR-129/MDM2/4/TP53 feedback loop modulates cell prolif
Literature	GENERIF_SUMMARY	Knockdown of TRIM32 inhibits tumor growth and increases the the independent manner.
Literature	GENERIF_SUMMARY	TP53/p53-FBXO22-TFEB controls basal autophagy to govern horm
Literature	GENERIF_SUMMARY	Expression of p53 and Ki-67 proteins in patients with increasing se
Literature	GENERIF_SUMMARY	Molecular and genetic biomarkers implemented from next-generat macroglobulinemia.
Literature	GENERIF_SUMMARY	Cooperation between oncogenic Ras and wild-type p53 stimulates
Literature	GENERIF_SUMMARY	CDC25B induces cellular senescence and correlates with tumor su
Literature	GENERIF_SUMMARY	BTNL9 is frequently downregulated and inhibits proliferation and n
Literature	GENERIF_SUMMARY	Association Between Arg72Pro Polymorphism in TP53 and Malign
Literature	GENERIF_SUMMARY	LINC01116 promotes the proliferation and invasion of glioma by re
Literature	GENERIF_SUMMARY	On the role of p53 in the cellular response to aneuploidy.
Literature	GENERIF_SUMMARY	Structure of the p53/RNA polymerase II assembly.
Literature	GENERIF_SUMMARY	miR-26b enhances the sensitivity of hepatocellular carcinoma to D
Literature	GENERIF_SUMMARY	Relationship between TP53 and interleukin-6 gene variants and the
Literature	GENERIF_SUMMARY	Stratifin in ocular surface squamous neoplasia and its association
Literature	GENERIF_SUMMARY	CENP-A overexpression promotes distinct fates in human cells, de
Literature	GENERIF_SUMMARY	Carbohydrate improves exercise capacity but does not affect subc muscle.
Literature	GENERIF_SUMMARY	The potential diagnosis role of TP53 mutation in advanced bladder
Literature	GENERIF_SUMMARY	Relationships between highly recurrent tumor suppressor alteratio
Literature	GENERIF_SUMMARY	MDM4 as a Prognostic Factor for Patients With Gastric Cancer Wit
Literature	GENERIF_SUMMARY	Association Between Genetic Variants in the lncRNA-p53 Regulator
Literature	GENERIF_SUMMARY	KPNA4 is involved in cataract formation via the nuclear import of p

Main Category	Category	
Literature	GENERIF_SUMMARY	6-Azauridine Induces Autophagy-Mediated Cell Death via a p53- and
Literature	GENERIF_SUMMARY	The Circadian Protein PER1 Modulates the Cellular Response to Apoptosis
Literature	GENERIF_SUMMARY	Pilot Study to Detect Genes Involved in DNA Damage and Cancer in
Literature	GENERIF_SUMMARY	Guardian of genome on the tract
Literature	GENERIF_SUMMARY	p53 mediates target gene association with nuclear speckles for an
Literature	GENERIF_SUMMARY	Intact TP-53 function is essential for sustaining durable responses
Literature	GENERIF_SUMMARY	Age-associated expression of p21 and p53 during human wound he
Literature	GENERIF_SUMMARY	Anti-proliferative and apoptotic effect of gemini curcumin in p53-w
Literature	GENERIF_SUMMARY	Lymphoepithelioma-like Intrahepatic Cholangiocarcinoma Is a Dist
Literature	GENERIF_SUMMARY	Based on Epstein-Barr Virus Infection.
Literature	GENERIF_SUMMARY	Exosomal miR-125b-5p deriving from mesenchymal stem cells pro
Literature	GENERIF_SUMMARY	Activated p53 in the anti-apoptotic milieu of tuberous sclerosis ge
Literature	GENERIF_SUMMARY	inhibited.
Literature	GENERIF_SUMMARY	Structural insight into the molecular mechanism of p53-mediated
Literature	GENERIF_SUMMARY	LRRC8A influences the growth of gastric cancer cells via the p53 s
Literature	GENERIF_SUMMARY	CD80 expression is upregulated by TP53 activation in human can
Literature	GENERIF_SUMMARY	The actin nucleation factors JMY and WHAMM enable a rapid Arp
Literature	GENERIF_SUMMARY	Glioblastomas with primitive neuronal component harbor a distinc
Literature	GENERIF_SUMMARY	BOP1 Silencing Suppresses Gastric Cancer Proliferation through p
Literature	GENERIF_SUMMARY	RB1 and TP53 co-mutations correlate strongly with genomic biom
Literature	GENERIF_SUMMARY	Perillyl alcohol for pediatric TP53- and RAS-mutated SHH-medullo
Literature	GENERIF_SUMMARY	Neuronal pentraxin II (NPTX2) hypermethylation promotes cell pro
Literature	GENERIF_SUMMARY	suppressing the p53 signaling pathway.
Literature	GENERIF_SUMMARY	Homeobox-A13 acts as a functional prognostic and diagnostic bio
Literature	GENERIF_SUMMARY	Cytoplasmic Pattern p53 Immunoexpression in Pelvic and Endome
Literature	GENERIF_SUMMARY	B-cell receptor signaling and genetic lesions in TP53 and CDKN2A,
Literature	GENERIF_SUMMARY	Double minute chromosomes in acute myeloid leukemia and myel
Literature	GENERIF_SUMMARY	karyotype, TP53 deletion, and TP53 mutations.
Literature	GENERIF_SUMMARY	S100P Interacts with p53 while Pentamidine Inhibits This Interacti
Literature	GENERIF_SUMMARY	Eleven immune-gene pairs signature associated with TP53 predict
Literature	GENERIF_SUMMARY	Ferroptosis as a mechanism to mediate p53 function in tumor radi
Literature	GENERIF_SUMMARY	Inhibition of p53/miR-34a/SIRT1 axis ameliorates podocyte injury i
Literature	GENERIF_SUMMARY	ITIH5, a p53-responsive gene, inhibits the growth and metastasis o
Literature	GENERIF_SUMMARY	Targeting autocrine amphiregulin robustly and reproducibly inhibits

Main Category	Category	
Literature	GENERIF_SUMMARY	Male and female breast cancer
Literature	GENERIF_SUMMARY	CBFB cooperates with p53 to maintain TAp73 expression and suppresses
Literature	GENERIF_SUMMARY	Low-burden TP53 mutations in CLL
Literature	GENERIF_SUMMARY	FKBP11 promotes cell proliferation and tumorigenesis via p53-related
Literature	GENERIF_SUMMARY	Correlationship between Ki67, VEGF, and p53 and Hepatocellular Carcinoma
Literature	GENERIF_SUMMARY	Endogenous p53 expression in human and mouse is not regulated by
Literature	GENERIF_SUMMARY	A Hill type equation can predict target gene expression driven by p
Literature	GENERIF_SUMMARY	Significance of TP53 Mutation in Cellular Process and Disease Progression
Literature	GENERIF_SUMMARY	Clinical Outcomes in Patients with Multi-Hit TP53 Chronic Lymphocytic Leu
Literature	GENERIF_SUMMARY	Map of ubiquitin-like post-translational modifications in chronic lymphocytic
Literature	GENERIF_SUMMARY	The association between the expression of nuclear Yes-associated protein
Literature	GENERIF_SUMMARY	Cyclooxygenase-2 induces neoplastic transformation by inhibiting p53
Literature	GENERIF_SUMMARY	Cancer-Associated Mutations Perturb the Disordered Ensemble and
Literature	GENERIF_SUMMARY	The association between TP53 rs1625895 polymorphism and the
Literature	GENERIF_SUMMARY	Karyotypic complexity, TP53 pathogenic variants, and increased nucle progression in a North American Adult T-Cell Leukemia/Lymphoma
Literature	GENERIF_SUMMARY	The role of miRNAs in MDMX-p53 interplay.
Literature	GENERIF_SUMMARY	TP53 disruption as a risk factor in the era of targeted therapies
Literature	GENERIF_SUMMARY	Impact of Epigenomic Hypermethylation at TP53 on Allogeneic Hematopoietic
Literature	GENERIF_SUMMARY	Pharmacological inhibition of PI5P4Kalpha/beta disrupts cell energy
Literature	GENERIF_SUMMARY	TERTp mutations and p53 expression in head and neck cutaneous squamous
Literature	GENERIF_SUMMARY	Distribution of genetic alterations in high-risk early-stage cervical cancer
Literature	GENERIF_SUMMARY	FMR1/circCHAF1A/miR-211-5p/HOXC8 feedback loop regulates p
Literature	GENERIF_SUMMARY	TP53 mutations increase radioresistance in rhabdomyosarcoma and
Literature	GENERIF_SUMMARY	Homeobox A5 activates p53 pathway to inhibit proliferation and pro reductase family 1 member B10 expression.
Literature	GENERIF_SUMMARY	Telomerase reverse transcriptase mutation and the p53 pathway in
Literature	GENERIF_SUMMARY	TP53 Null Mutations Identify Lung Cancer Cell Lines with Highest s
Literature	GENERIF_SUMMARY	The important role of MDM2, RPL5, and TP53 in mycophenolic acid
Literature	GENERIF_SUMMARY	TP53 rs28934571 polymorphism increases the prognostic risk in h
Literature	GENERIF_SUMMARY	High Yap and Mli1 promote a persistent regenerative cell state ind
Literature	GENERIF_SUMMARY	High levels of truncated RHAMM cooperate with dysfunctional p53
Literature	GENERIF_SUMMARY	p53 Frameshift Mutations Couple Loss-of-Function with Unique Ne

Main Category	Category	
Literature	GENERIF_SUMMARY	Upregulation of P53 promotes nucleus pulposus cell apoptosis in r
Literature	GENERIF_SUMMARY	NBM-BMX, an HDAC8 Inhibitor, Overcomes Temozolomide Resista Pathway and Upregulating p53-Mediated MGMT Inhibition.
Literature	GENERIF_SUMMARY	TP53 Targeted Deep Sequencing of Cell-Free DNA in Esophageal S
Literature	GENERIF_SUMMARY	Mutant p53 Mediates Sensitivity to Cancer Treatment Agents in Oe
Literature	GENERIF_SUMMARY	Polymorphisms in the TP53-MDM2-MDM4-axis in patients with rhe
Literature	GENERIF_SUMMARY	Proline oxidase silencing inhibits p53-dependent apoptosis in MCF
Literature	GENERIF_SUMMARY	The Association between Polluted Neighborhoods and TP53-Muta
Literature	GENERIF_SUMMARY	TP53 missense mutations in PDAC are associated with enhanced
Literature	GENERIF_SUMMARY	Differential chromatin accessibility landscape of gain-of-function r
Literature	GENERIF_SUMMARY	Prognostic significance of p53, Sox11, and Pax5 co-expression in r
Literature	GENERIF_SUMMARY	Transglutaminase 2 promotes tumorigenicity of colon cancer cells
Literature	GENERIF_SUMMARY	PAI-1 induction during kidney injury promotes fibrotic epithelial dys
Literature	GENERIF_SUMMARY	Clinical utility of the imunohistochemical co-expression of p53 and
Literature	GENERIF_SUMMARY	Comparison of the fertility of tumor suppressor gene-deficient C57
Literature	GENERIF_SUMMARY	DNA damage and oxidant stress activate p53 through differential u
Literature	GENERIF_SUMMARY	Effects of mesenchymal stem cell-derived exosomes on oxidative
Literature	GENERIF_SUMMARY	Cullin-4B promotes cell proliferation and invasion through inactiva
Literature	GENERIF_SUMMARY	The protective effect of small peptides from Periplaneta american
Literature	GENERIF_SUMMARY	MicroRNA10b modulates cisplatin tolerance by targeting p53 direc
Literature	GENERIF_SUMMARY	Impact of the interplay between stemness features, p53 and pol io
Literature	GENERIF_SUMMARY	Inverse and reciprocal regulation of p53/p21 and Bmi-1 modulates
Literature	GENERIF_SUMMARY	TP53 codon 72 polymorphism and type 2 diabetes
Literature	GENERIF_SUMMARY	DNAJA1 promotes cancer metastasis through interaction with mu
Literature	GENERIF_SUMMARY	Ring finger protein 19A is overexpressed in non-small cell lung can
Literature	GENERIF_SUMMARY	Effect of unfolded protein response on the immune infiltration and
Literature	GENERIF_SUMMARY	Suppression of HSF1 activity by wildtype p53 creates a driving forc
Literature	GENERIF_SUMMARY	A variant of TP53 gene (rs 1625895, 13494g>A) is associated with
Literature	GENERIF_SUMMARY	p53-intact cancers escape tumor suppression through loss of long
Literature	GENERIF_SUMMARY	SETBP1 accumulation induces P53 inhibition and genotoxic stress
Literature	GENERIF_SUMMARY	Stability of p53 oligomers
Literature	GENERIF_SUMMARY	Association between Predicted Effects of TP53 Missense Variants Syndrome or Hereditary Breast Cancer.

Main Category	Category	
Literature	GENERIF_SUMMARY	Towards a Better Understanding of the Relationships between Gal
Literature	GENERIF_SUMMARY	Differentiated pre-adipocytes promote proliferation, migration and
Literature	GENERIF_SUMMARY	STING-mediated degradation of IFI16 negatively regulates apoptos
Literature	GENERIF_SUMMARY	Cytoskeleton-associated protein 2 (CKAP2) is regulated by vascular glucose conditions.
Literature	GENERIF_SUMMARY	[Clinical and prognostic values of TP53 mutation in patients with E
Literature	GENERIF_SUMMARY	Crosstalk of Cyclin-dependent kinase inhibitor 1A (CDKN1A) gene
Literature	GENERIF_SUMMARY	The genomic architectures of tumour-adjacent tissues, plasma and cell carcinoma.
Literature	GENERIF_SUMMARY	Triple deletion of TP53, PCNT, and CEP215 promotes centriole am
Literature	GENERIF_SUMMARY	Paired Tumor-Normal Sequencing Provides Insights Into the TP53-
Literature	GENERIF_SUMMARY	p53 deficiency induces MTHFD2 transcription to promote cell proli
Literature	GENERIF_SUMMARY	P300 Participates in Ionizing Radiation-Mediated Activation of Cat
Literature	GENERIF_SUMMARY	Selective therapeutic strategy for p53-deficient cancer by targeting
Literature	GENERIF_SUMMARY	MicroRNA-324-5p-CUEDC2 Axis Mediates Gain-of-Function Mutant
Literature	GENERIF_SUMMARY	Mice Deficient in the RNA-Binding Protein Zfp871 Are Prone to Ear
Literature	GENERIF_SUMMARY	Deletion of RBMX RGG/RG motif in Shashi-XLID syndrome leads to
Literature	GENERIF_SUMMARY	Results from London Regional Clinical Genetics services over a 5-y
Literature	GENERIF_SUMMARY	Inactivation of the tumor suppressor p53 by long noncoding RNA F
Literature	GENERIF_SUMMARY	[. Reprogramming of Cancer-Associated Neurons by Mutant p53].
Literature	GENERIF_SUMMARY	p53 convergently activates Dux/DUX4 in embryonic stem cells and
Literature	GENERIF_SUMMARY	Application of P53 mRNA in signal transduction mechanisms of sh
Literature	GENERIF_SUMMARY	The role of SIRT5 and p53 proteins in the sensitivity of colon canc
Literature	GENERIF_SUMMARY	Cancer cells escape p53's tumor suppression through ablation of 2
Literature	GENERIF_SUMMARY	TP53 Mutations with Low Variant Allele Frequency Predict Short S
Literature	GENERIF_SUMMARY	WT1 inhibits AML cell proliferation in a p53-dependent manner.
Literature	GENERIF_SUMMARY	A single nucleotide polymorphism electrochemical sensor based o
Literature	GENERIF_SUMMARY	Differential impact of tumor suppressor gene (TP53, PTEN, RB1) a cancer.
Literature	GENERIF_SUMMARY	Preconditioning-Activated AKT Controls Neuronal Tolerance to Isch
Literature	GENERIF_SUMMARY	TP53 signature diagnostic system using multiplex reverse transcri cancer patients.
Literature	GENERIF_SUMMARY	Functional Polymorphisms in the p53 Pathway Genes on the Gene
Literature	GENERIF_SUMMARY	p53 induces a survival transcriptional response after nucleolar stre

Main Category	Category	
Literature	GENERIF_SUMMARY	Mutations in TP53 or DNA damage repair genes define poor progn
Literature	GENERIF_SUMMARY	Curcumin induced G2/M cycle arrest in SK-N-SH neuroblastoma ce
Literature	GENERIF_SUMMARY	TRAIL-receptor 2-a novel negative regulator of p53.
Literature	GENERIF_SUMMARY	p53 Deacetylation Alleviates Sepsis-Induced Acute Kidney Injury b
Literature	GENERIF_SUMMARY	LncRNA CASC2 inhibits lung adenocarcinoma progression through
Literature	GENERIF_SUMMARY	AKT1/FOXP3 axis-mediated expression of CerS6 promotes p53 m
Literature	GENERIF_SUMMARY	Development of TP53 mutations over the course of therapy for acu
Literature	GENERIF_SUMMARY	The Delta40p53 isoform inhibits p53-dependent eRNA transcription
Literature	GENERIF_SUMMARY	The chromatin-binding domain of Ki-67 together with p53 protects
Literature	GENERIF_SUMMARY	YTHDF1 Promotes Cyclin B1 Translation through m(6)A Modulation
Literature	GENERIF_SUMMARY	Ribosomal L1 domain-containing protein 1 coordinates with HDM2
Literature	GENERIF_SUMMARY	A p53/CPEB2 negative feedback loop regulates renal cancer cell p
Literature	GENERIF_SUMMARY	TP53 Mutation and Extranural Metastasis of Glioblastoma
Literature	GENERIF_SUMMARY	TCF19 and p53 regulate transcription of TIGAR and SCO2 in HCC f
Literature	GENERIF_SUMMARY	Landscape analysis of lncRNAs shows that DDX11-AS1 promotes
Literature	GENERIF_SUMMARY	Symphony of the DNA flexibility and sequence environment orches
Literature	GENERIF_SUMMARY	Molecular Characterization and Clinical Treatment of Acute Myeloi
Literature	GENERIF_SUMMARY	Association of p73 G4C14-A4T14 and p53 codon 72 polymorphism
Literature	GENERIF_SUMMARY	Case Report
Literature	GENERIF_SUMMARY	TERT Promoter Mutations Are Enriched in Oral Cavity Cancers and
Literature	GENERIF_SUMMARY	Spontaneous and inherited TP53 genetic alterations.
Literature	GENERIF_SUMMARY	Exercise training ameliorates early diabetic kidney injury by regulat
Literature	GENERIF_SUMMARY	p53 regulation by MDM2 contributes to self-renewal and differentia
Literature	GENERIF_SUMMARY	Aberrant PTEN, PIK3CA, pMAPK, and TP53 expression in human s
Literature	GENERIF_SUMMARY	p53-dependent apoptosis is essential for the antitumor effect of p
Literature	GENERIF_SUMMARY	Unraveling the Allosteric Mechanism of Four Cancer-related Mutat
Literature	GENERIF_SUMMARY	De-dimerization of PTB is catalyzed by PDI and is involved in the re
Literature	GENERIF_SUMMARY	Clinical significance of TP53 mutations in adult T-cell leukemia/lyn
Literature	GENERIF_SUMMARY	UBCH5 Family Members Differentially Impact Stabilization of Muta
Literature	GENERIF_SUMMARY	O-GlcNAcylated p53 in the liver modulates hepatic glucose produc

Main Category	Category	
Literature	GENERIF_SUMMARY	Predictive Value of the TP53/PIK3CA/ATM Mutation Classifier for
Literature	GENERIF_SUMMARY	Association of TP53 Alteration with Tissue Specificity and Patient
Literature	GENERIF_SUMMARY	NGS Analysis Confirms Common TP53 and RB1 Mutations, and Su
Literature	GENERIF_SUMMARY	Gain-of-Function Mutant TP53 R248Q Overexpressed in Epithelial C Responses to EGFR/MDM2 Inhibitor.
Literature	GENERIF_SUMMARY	Diagnostic value of IMP3 and p53 immunohistochemical staining i
Literature	GENERIF_SUMMARY	TP53 isoform junction reads based analysis in malignant and norm
Literature	GENERIF_SUMMARY	Increased H2O2 levels and p53 stabilization lead to mitochondrial
Literature	GENERIF_SUMMARY	KEAP1 and TP53 Frame Genomic, Evolutionary, and Immunologic
Literature	GENERIF_SUMMARY	Sequence context effects of replication of Fapy*dG in three mutati
Literature	GENERIF_SUMMARY	Acquisition of aneuploidy drives mutant p53-associated gain-of-fu
Literature	GENERIF_SUMMARY	Delta40p53 isoform up-regulates netrin-1/UNC5B expression and p
Literature	GENERIF_SUMMARY	Phospholipase D2 is a positive regulator of sirtuin 1 and modulate
Literature	GENERIF_SUMMARY	P53 Is Involved in Sunitinib Resistance and Poor Progression-free
Literature	GENERIF_SUMMARY	In search of TP53 mutational hot spots for Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	Inhibition of nonsense-mediated decay rescues p53beta/gamma is select p53-mutant cancers.
Literature	GENERIF_SUMMARY	Translation of human Delta133p53 mRNA and its targeting by anti
Literature	GENERIF_SUMMARY	CircMYH9 drives colorectal cancer growth by regulating serine me
Literature	GENERIF_SUMMARY	p53 is functionally inhibited in clear cell renal cell carcinoma (ccRC
Literature	GENERIF_SUMMARY	Impact of Reactive Oxygen and Nitrogen Species Produced by Plas
Literature	GENERIF_SUMMARY	Somatic intronic TP53 c.375+5G mutations are a recurrent but unc
Literature	GENERIF_SUMMARY	P53 suppresses the progression of hepatocellular carcinoma via n
Literature	GENERIF_SUMMARY	CDC20 regulates the cell proliferation and radiosensitivity of P53 n
Literature	GENERIF_SUMMARY	Crosslink between p53 and metastasis
Literature	GENERIF_SUMMARY	Multi-region exome sequencing reveals the intratumoral heterogen
Literature	GENERIF_SUMMARY	APOBEC3C, a nucleolar protein induced by genotoxins, is excluded
Literature	GENERIF_SUMMARY	TP53 lacks tetramerization and N-terminal domains due to novel in
Literature	GENERIF_SUMMARY	MYC Expression Is Associated With p53 Expression and TP53 Abn Lymphoma.
Literature	GENERIF_SUMMARY	Clinical and molecular characterization of patients fulfilling Chomp
Literature	GENERIF_SUMMARY	A TP53 mutation model for the prediction of prognosis and therap
Literature	GENERIF_SUMMARY	Insights on the disruption of the complex between human positive
Literature	GENERIF_SUMMARY	LHX9, a p53-binding protein, inhibits the progression of glioma by

Main Category	Category	
Literature	GENERIF_SUMMARY	Choline-induced SLC5A7 impairs colorectal cancer growth by stab
Literature	GENERIF_SUMMARY	TP53 loss initiates chromosomal instability in fallopian tube epithe
Literature	GENERIF_SUMMARY	Expression of p53 Protein Associates with Anti-PD-L1 Treatment R Nonmuscular Invasive Bladder Urothelial Carcinoma.
Literature	GENERIF_SUMMARY	USP7 facilitates SMAD3 autoregulation to repress cancer progress
Literature	GENERIF_SUMMARY	Expression levels of MiRNA-16, SURVIVIN and TP53 in Preeclamps
Literature	GENERIF_SUMMARY	Targeting mutant p53 for cancer therapy
Literature	GENERIF_SUMMARY	Association of lipoprotein lipase expression with TP53 gene polym
Literature	GENERIF_SUMMARY	Suppression of autophagy promotes fibroblast activation in p53-de
Literature	GENERIF_SUMMARY	Selection of endometrial carcinomas for p53 immunohistochemis
Literature	GENERIF_SUMMARY	APR-246 induces apoptosis and enhances chemo-sensitivity via ac TP53 missense mutation.
Literature	GENERIF_SUMMARY	Epithelial X-Box Binding Protein 1 Coordinates Tumor Protein p53-
Literature	GENERIF_SUMMARY	Comprehensive Analysis of TP53 and KEAP1 Mutations and Their
Literature	GENERIF_SUMMARY	TP53 Mutation Status and Biopsy Lesion Type Determine the Imm
Literature	GENERIF_SUMMARY	Contribution of p53 in sensitivity to EGFR tyrosine kinase inhibi
Literature	GENERIF_SUMMARY	Assessment of programmed death-ligand 1 receptor immunohisto p53 status in triple-negative breast cancer.
Literature	GENERIF_SUMMARY	MicroRNA-146b-5p suppresses cholangiocarcinoma cells by targe
Literature	GENERIF_SUMMARY	Genetic variants in the p53 pathway influence implantation and pr
Literature	GENERIF_SUMMARY	Differences in genetics and microenvironment of lung adenocarci
Literature	GENERIF_SUMMARY	The Preeclamptic Environment Promotes the Activation of Transcr Line.
Literature	GENERIF_SUMMARY	Two Novel C-Terminus RUNX2 Mutations in Two Cleidocranial Dys
Literature	GENERIF_SUMMARY	Mathematical Modelling of p53 Signalling during DNA Damage Re
Literature	GENERIF_SUMMARY	Transcriptomic analysis of human endometrial stromal cells durin
Literature	GENERIF_SUMMARY	p53 isoforms differentially impact on the POLiota dependent DNA
Literature	GENERIF_SUMMARY	Cancer gene mutation frequencies for the U.S. population.
Literature	GENERIF_SUMMARY	IKKalpha mediates UVB-induced cell apoptosis by regulating p53 p
Literature	GENERIF_SUMMARY	Loss of TRIM31 promotes breast cancer progression through regu
Literature	GENERIF_SUMMARY	Anticancer effect of AZD2461 PARP inhibitor against colon cancer
Literature	GENERIF_SUMMARY	The novel circSLC6A6/miR-1265/C2CD4A axis promotes colorecta
Literature	GENERIF_SUMMARY	Effect of p53 and its N-terminally truncated isoform, Delta40p53, o
Literature	GENERIF_SUMMARY	Clinical and Functional Significance of TP53 Exon 4-Intron 4 Splice

Main Category	Category	
Literature	GENERIF_SUMMARY	Genomic abnormalities of TP53 define distinct risk groups of paediatric acute lymphoblastic leukaemia
Literature	GENERIF_SUMMARY	Inhibition of CNOT2 Induces Apoptosis via MID1IP1 in Colorectal Cancer
Literature	GENERIF_SUMMARY	Clinical Characteristics, Prognosis, and Treatment Strategies of TP53-Mutated Gastric Cancer
Literature	GENERIF_SUMMARY	Expression profile of tumour suppressor protein p53 and its regulatory network in human breast cancer
Literature	GENERIF_SUMMARY	DNA Methylation Profiles of Ovarian Clear Cell Carcinoma.
Literature	GENERIF_SUMMARY	A Balancing Act
Literature	GENERIF_SUMMARY	Comprehensive analysis of TP53 mutation characteristics and identification of novel TP53 mutation hotspots in diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	TP53 mutation in newly diagnosed acute myeloid leukemia and myelodysplastic syndrome
Literature	GENERIF_SUMMARY	Upregulation of lncRNA NONRATG019935.2 suppresses the p53-mediated transcriptional activity
Literature	GENERIF_SUMMARY	Activation of oxidative phosphorylation in TP53-inactive endometrial cancer
Literature	GENERIF_SUMMARY	Well-differentiated lipomatous neoplasms with p53 alterations
Literature	GENERIF_SUMMARY	Tumor suppressor p53 promotes ferroptosis in oxidative stress conditions
Literature	GENERIF_SUMMARY	DNA damage triggers an interplay between wtp53 and c-Myc affecting cell cycle progression
Literature	GENERIF_SUMMARY	Synonymous mutations reveal genome-wide levels of positive selection in the human p53 gene
Literature	GENERIF_SUMMARY	Noncanonical roles of p53 in cancer stemness and their implications for cancer therapy
Literature	GENERIF_SUMMARY	[Clinical features and prognostic value of TP53 mutation in Chinese patients with gastric cancer]
Literature	GENERIF_SUMMARY	Association Analyses of TP53 Mutation With Prognosis, Tumor Mutational Burden, and Immune Response in Gastric Cancer
Literature	GENERIF_SUMMARY	The role of TAp63gamma and P53 point mutations in regulating DNA damage response
Literature	GENERIF_SUMMARY	Comprehensive Identification of Deleterious TP53 Missense VUS Variants
Literature	GENERIF_SUMMARY	p53 Transactivation Domain Mediates Binding and Phase Separation of the p53-MDM2 Complex
Literature	GENERIF_SUMMARY	The Role of TP53 in Cisplatin Resistance in Mediastinal and Testicular Germ Cell Tumors
Literature	GENERIF_SUMMARY	Differential p53-Mediated Cellular Responses to DNA-Damaging Therapies
Literature	GENERIF_SUMMARY	TP53 mutations are associated with primary endocrine resistance in breast cancer
Literature	GENERIF_SUMMARY	Cancer incidence, patterns, and genotype-phenotype associations in the United States
Literature	GENERIF_SUMMARY	Histological and immunohistochemical features and genetic alterations in endometrial cancer
Literature	GENERIF_SUMMARY	Unfolded p53 as a Marker of Oxidative Stress in Mild Cognitive Impairment
Literature	GENERIF_SUMMARY	Comprehensive Analysis of Somatic Mutations in Driver Genes of Human Pancreatic Cancer and the Role of TP53 Combination as an Independent Predictor of Clinical Outcome
Literature	GENERIF_SUMMARY	Closing the gap
Literature	GENERIF_SUMMARY	HIST3H2A is a potential biomarker for pancreatic cancer
Literature	GENERIF_SUMMARY	Transcription factor p53-mediated activation of miR-519d-3p and c-MYC in human breast cancer
Literature	GENERIF_SUMMARY	Runx3 is required for oncogenic Myc upregulation in p53-deficient cells

Main Category	Category	
Literature	GENERIF_SUMMARY	Quantification of Discordant Variant Interpretations in a Large Fam
Literature	GENERIF_SUMMARY	Expression and prognostic significance of m6A-related genes in TH
Literature	GENERIF_SUMMARY	Genetic and methylation status of CDKN2A (p14(ARF))/p16(INK4A)
Literature	GENERIF_SUMMARY	Decitabine activates type I interferon signaling to inhibit p53-defici
Literature	GENERIF_SUMMARY	TP53 Gain-of-Function and Non-Gain-of-Function Mutations Are Di
Literature	GENERIF_SUMMARY	Colorectal Cancer.
Literature	GENERIF_SUMMARY	Circulating Tumor DNA Profiling From Breast Cancer Screening Th
Literature	GENERIF_SUMMARY	Early and late apoptosis protein expression (Bcl-2, BAX and p53) in
Literature	GENERIF_SUMMARY	The multifunctional protein E4F1 links P53 to lipid metabolism in a
Literature	GENERIF_SUMMARY	Silencing of p53 and CDKN1A establishes sustainable immortalize
Literature	GENERIF_SUMMARY	Inherited TP53 Variants and Risk of Prostate Cancer.
Literature	GENERIF_SUMMARY	Immunohistochemical expression of HIF-1 alpha, IDH1 and TP53
Literature	GENERIF_SUMMARY	Lats2 promotes heart failure by stimulating p53-mediated apoptos
Literature	GENERIF_SUMMARY	Discordance of PIK3CA and TP53 mutations between breast cancer
Literature	GENERIF_SUMMARY	Clinical and prognostic implications of an immune-related risk mo
Literature	GENERIF_SUMMARY	p53-mediated G1 arrest requires the induction of both p21 and Kill
Literature	GENERIF_SUMMARY	Loss of peptidase D binding restores the tumor suppressor functio
Literature	GENERIF_SUMMARY	MALAT1 downregulation is associated with polycystic ovary syndr
Literature	GENERIF_SUMMARY	Moonlight human ribosomal protein L13a downregulation is assoc
Literature	GENERIF_SUMMARY	Cancer-derived C-terminus-extended p53 mutation confers domina
Literature	GENERIF_SUMMARY	p53 mutations define the chromatin landscape to confer drug toler
Literature	GENERIF_SUMMARY	p53 in senescence - it's a marathon, not a sprint.
Literature	GENERIF_SUMMARY	HOXD3 Up-regulating KDM5C Promotes Malignant Progression of
Literature	GENERIF_SUMMARY	Evaluation of P53 gene expression by immunohistochemistry to di
Literature	GENERIF_SUMMARY	Expression patterns of long non-coding RNAs in peripheral blood r
Literature	GENERIF_SUMMARY	Co-existing TP53 and ARID1A mutations promote aggressive endo
Literature	GENERIF_SUMMARY	Dual Role of p73 in Cancer Microenvironment and DNA Damage Re
Literature	GENERIF_SUMMARY	p66alpha Suppresses Breast Cancer Cell Growth and Migration by
Literature	GENERIF_SUMMARY	Characterization of miR-34a-Induced Epithelial-Mesenchymal Tran
Literature	GENERIF_SUMMARY	AaTs-1
Literature	GENERIF_SUMMARY	Evaluation of the Role of p53 Tumour Suppressor Posttranslationa
Literature	GENERIF_SUMMARY	Poly(C)-binding Protein 2 Regulates the p53 Expression via Interac
Literature	GENERIF_SUMMARY	Enhanced p53 Levels Are Involved in the Reduced Mineralization C

Main Category	Category	
Literature	GENERIF_SUMMARY	Prognostic impact of TP53 mutation in newly diagnosed diffuse large B-cell lymphoma
Literature	GENERIF_SUMMARY	RNA-binding protein RBM28 can translocate from the nucleolus to the nucleus in response to DNA damage
Literature	GENERIF_SUMMARY	Biophysical investigation of the dual binding surfaces of human transcription factor p53
Literature	GENERIF_SUMMARY	Elevated serum expression of p53 and association of TP53 codon 72 polymorphism with gastric cancer
Literature	GENERIF_SUMMARY	Serum P53 Protein Level and Some Haematologic Parameters among Patients with Acute Myeloid Leukemia
Literature	GENERIF_SUMMARY	bcl-2 and p53 as novel biomarkers for predicting malignant transformation in oral leukoplakia
Literature	GENERIF_SUMMARY	Evaluation of TP53 Variants Detected on Peripheral Blood or Saliva in Patients with Head and Neck Squamous Cell Carcinoma
Literature	GENERIF_SUMMARY	ATM and TP53 polymorphisms modified susceptibility to radiation-induced DNA damage
Literature	GENERIF_SUMMARY	The miR-34a/WNT7B modulates the sensitivity of cholangiocarcinoma cells to gemcitabine
Literature	GENERIF_SUMMARY	The RNA helicases DDX5 and DDX17 facilitate neural differentiation of embryonic stem cells
Literature	GENERIF_SUMMARY	Biased expression of mutant alleles in cancer-related genes in esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	Reciprocal modulation of long noncoding RNA EMS and p53 regulation in human cells
Literature	GENERIF_SUMMARY	Determination of Both TP53 Mutation Status and the Amount of p53 Protein in Human Tumor Tissues
Literature	GENERIF_SUMMARY	TP53 mutations confer resistance to hypomethylating agents and chemotherapy in acute myeloid leukemia
Literature	GENERIF_SUMMARY	Single-cell analysis reveals selection of TP53-mutated clones after chemotherapy in acute myeloid leukemia
Literature	GENERIF_SUMMARY	Characteristics of TP53 germline variants and their correlations with cancer susceptibility
Literature	GENERIF_SUMMARY	miR-31-5p modulates cell progression in lung adenocarcinoma through targeting p53
Literature	GENERIF_SUMMARY	MDM2-Driven Ubiquitination Rapidly Removes p53 from Its Cognate DNA Targets
Literature	GENERIF_SUMMARY	Mutation of the Conserved Threonine 8 within the Human ARF Tumor Suppressor Protein
Literature	GENERIF_SUMMARY	Dysregulated TP53 Among PTSD Patients Leads to Downregulation of p53-Targeted Genes
Literature	GENERIF_SUMMARY	What Are the Prospects for Treating TP53 Mutated Myelodysplastic Syndromes?
Literature	GENERIF_SUMMARY	Effects of Wood Smoke Constituents on Mucin Gene Expression in Human Bronchial Epithelial Cells
Literature	GENERIF_SUMMARY	Susceptibility Gene Variant in Tp53.
Literature	GENERIF_SUMMARY	TP53 mutation defines a unique subgroup within complex karyotypic myelodysplastic syndromes
Literature	GENERIF_SUMMARY	Clonal and subclonal TP53 molecular impairment is associated with poor prognosis in acute myeloid leukemia
Literature	GENERIF_SUMMARY	Comparison of acute myeloid leukemia and myelodysplastic syndromes with TP53 mutations
Literature	GENERIF_SUMMARY	TP53 mutations at codon 234 are associated with chlorambucil treatment response in chronic lymphocytic leukemia
Literature	GENERIF_SUMMARY	Genetic Aberrations and Interaction of NEK2 and TP53 Accelerate Tumorigenesis in Human Cells
Literature	GENERIF_SUMMARY	The BCL-2 family member BOK promotes KRAS-driven lung cancer progression
Literature	GENERIF_SUMMARY	TP53 and EGFR Mutational Status in Thymoma
Literature	GENERIF_SUMMARY	Therapeutic Outcomes and Prognostic Impact of Gene Mutations in Myelodysplastic Syndromes (MDS).
Literature	GENERIF_SUMMARY	High-grade glioma with pleomorphic and pseudopapillary features: a case report

Main Category	Category	
Literature	GENERIF_SUMMARY	Downregulation of CPT2 promotes proliferation and inhibits apopt
Literature	GENERIF_SUMMARY	Evolution of TP53 abnormalities during CLL disease course is asso
Literature	GENERIF_SUMMARY	Chemotherapy and mismatch repair deficiency cooperate to fuel T
Literature	GENERIF_SUMMARY	Importance of TP53 codon 72 and intron 3 duplication 16 bp polym
Literature	GENERIF_SUMMARY	Activating transcription factor 3 mediates apoptotic functions thro
Literature	GENERIF_SUMMARY	High prevalence and inferior long-term outcomes for TP53 mutatio
Literature	GENERIF_SUMMARY	Wild-type p53 suppresses formin-binding protein-17 (FBP17) to rec
Literature	GENERIF_SUMMARY	PTBP3 modulates P53 expression and promotes colorectal cancer
Literature	GENERIF_SUMMARY	p53 oligomerization status as an indicator of sensitivity of p53-wi
Literature	GENERIF_SUMMARY	p53 Promotes Cytokine Expression in Melanoma to Regulate Drug
Literature	GENERIF_SUMMARY	The Expression of TP53-Induced Glycolysis and Apoptosis Regulat
Literature	GENERIF_SUMMARY	Mechanistic insight into the destabilization of p53TD tetramer by c
Literature	GENERIF_SUMMARY	TP53 promotes lineage commitment of human embryonic stem ce
Literature	GENERIF_SUMMARY	Hepatocellular carcinoma after a sustained virological response by
Literature	GENERIF_SUMMARY	Targeting the TP53/MDM2 axis enhances radiation sensitivity in at
Literature	GENERIF_SUMMARY	Comparison of mutational profiles between triple-negative and hor
Literature	GENERIF_SUMMARY	p53-NEIL1 co-abnormalities induce genomic instability and promo
Literature	GENERIF_SUMMARY	Pseudo-mutant P53 is a unique phenotype of DNMT3A-mutated pr
Literature	GENERIF_SUMMARY	Regulation of p53 Function by Formation of Non-Nuclear Heterolog
Literature	GENERIF_SUMMARY	The metabolism of cells regulates their sensitivity to NK cells depe
Literature	GENERIF_SUMMARY	Prognostic effect of coexisting TP53 and ZFH3 mutations in non
Literature	GENERIF_SUMMARY	ZNF498 promotes hepatocellular carcinogenesis by suppressing p
Literature	GENERIF_SUMMARY	Malic enzyme 2 maintains protein stability of mutant p53 through
Literature	GENERIF_SUMMARY	NPM1 ablation induces HSC aging and inflammation to develop m
Literature	GENERIF_SUMMARY	Partial p53 reactivation is sufficient to induce cancer regression.
Literature	GENERIF_SUMMARY	Rapid recruitment of p53 to DNA damage sites directs DNA repair
Literature	GENERIF_SUMMARY	Histological growth patterns of colorectal cancer liver metastases
Literature	GENERIF_SUMMARY	Transition of autophagy and apoptosis in fibroblasts depends on d
Literature	GENERIF_SUMMARY	Immunoexpression of Ki67, p53 and cyclin D1 in osteosarcomas.

Main Category	Category	
Literature	GENERIF_SUMMARY	Differences in somatic TP53 mutation type in breast tumors by race
Literature	GENERIF_SUMMARY	Effect of Co-mutation of RAS and TP53 on Postoperative ctDNA Detection
Literature	GENERIF_SUMMARY	Evolution of germline TP53 variant classification in children with cancer
Literature	GENERIF_SUMMARY	Presence of mutant p53 increases stem cell frequency and is associated with relapse in pediatric AMLs.
Literature	GENERIF_SUMMARY	p53 null phenotype is a "positive result" in urothelial carcinoma
Literature	GENERIF_SUMMARY	The Complete Loss of p53 Expression Uniquely Predicts Worse Prognosis in Ovarian Cancer
Literature	GENERIF_SUMMARY	Concurrent TP53 Mutations Facilitate Resistance Evolution in EGFR-TKIs
Literature	GENERIF_SUMMARY	Non-human primate papillomavirus E6-mediated p53 degradation
Literature	GENERIF_SUMMARY	[Research Advances of EGFR-TP53 Co-mutation in Advanced Non-Small Cell Lung Cancer]
Literature	GENERIF_SUMMARY	TP53/BRAF mutation as an aid in predicting response to immune-checkpoint inhibitors
Literature	GENERIF_SUMMARY	TP53 common variants and interaction with PPP1R13L and CD3EAP
Literature	GENERIF_SUMMARY	Focal p53 protein expression and lymphovascular invasion in primary breast cancer
Literature	GENERIF_SUMMARY	REST Inactivation and Coexpression of ASCL1 and POU3F4 Are Necessary for Conversion of Adenocarcinoma into Neuroendocrine Carcinoma.
Literature	GENERIF_SUMMARY	p53 mutants G245S and R337H associated with the Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	The genotypes and phenotypes of missense mutations in the p53 gene
Literature	GENERIF_SUMMARY	Preferential translation of p53 target genes.
Literature	GENERIF_SUMMARY	TP53 copy number and protein expression inform mutation status
Literature	GENERIF_SUMMARY	Up-regulation of ST18 in pemphigus vulgaris drives a self-amplifying loop
Literature	GENERIF_SUMMARY	MicroRNA 3928 Suppresses Glioblastoma through Downregulation of p53
Literature	GENERIF_SUMMARY	Mutant p53 achieved Gain-of-Function by promoting tumor growth
Literature	GENERIF_SUMMARY	Aflatoxin levels and prevalence of TP53 aflatoxin-mutations in hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Cross-talk between mutant p53 and p62/SQSTM1 augments cancer progression
Literature	GENERIF_SUMMARY	SMARCB1-deficient and SMARCA4-deficient Malignant Brain Tumors: First Clinical Manifestation of Li-Fraumeni Syndrome.
Literature	GENERIF_SUMMARY	Wild type and gain of function mutant TP53 can regulate the sensitivity to PI3K/mTORC1/GSK-3 pathway inhibitors, nutraceuticals and anti-cancer drugs
Literature	GENERIF_SUMMARY	Association of TP53 and CDKN2A Mutation Profile with Tumor Mutational Burden
Literature	GENERIF_SUMMARY	RIP140 inhibits glycolysis-dependent proliferation of breast cancer cells under hypoxia induced factor and p53.
Literature	GENERIF_SUMMARY	Inhibition of USP7 suppresses advanced glycation end-induced cell death and ubiquitination of p53.
Literature	GENERIF_SUMMARY	TP53 variants in p53 signatures and the clonality of STICs in RRSCs

Main Category	Category	
Literature	GENERIF_SUMMARY	Modulation of Mismatch Repair and the SOCS1/p53 Axis by micro
Literature	GENERIF_SUMMARY	Somatic mutations in SF3B1 aberrant-negative MDS-RS most com
Literature	GENERIF_SUMMARY	Different hotspot p53 mutants exert distinct phenotypes and predi
Literature	GENERIF_SUMMARY	Hotspot Mutations Optimize the Oncogenic-Immunogenic Trade-o
Literature	GENERIF_SUMMARY	Mutations in DNA binding domain of p53 impede RSL1D1-p53 inte
Literature	GENERIF_SUMMARY	Absence of Association Between Serum Mutant p53 with HbA1c a
Literature	GENERIF_SUMMARY	The impact of TP53 co-mutations and immunologic microenvironr
Literature	GENERIF_SUMMARY	p53 wild-type colorectal cancer cells that express a fetal gene sign
Literature	GENERIF_SUMMARY	Predictive value of p53, Ki67 and TLR5 in neoplastic progression o
Literature	GENERIF_SUMMARY	Ser392 phosphorylation modulated a switch between p53 and tran
Literature	GENERIF_SUMMARY	TP53 Pathogenic Variants in Early-Onset Breast Cancer Patients F
Literature	GENERIF_SUMMARY	Complementary omics strategies to dissect p53 signaling network
Literature	GENERIF_SUMMARY	Differential characteristics of TP53 alterations in pure erythroid leu
Literature	GENERIF_SUMMARY	Introduction of mutant TP53 related genes in metabolic pathways
Literature	GENERIF_SUMMARY	HERC5/IFI16/p53 signaling mediates breast cancer cell proliferati
Literature	GENERIF_SUMMARY	MLH1, BRAF and p53 - searching for significant markers to predict
Literature	GENERIF_SUMMARY	TP53 mutation is enriched in colorectal cancer liver metastasis in
Literature	GENERIF_SUMMARY	Glimmers of Hope for Targeting p53.
Literature	GENERIF_SUMMARY	Prognostic value of p16, p53, and pcna in sarcoma and an evaluati
Literature	GENERIF_SUMMARY	Cell division cycle associated 2 (CDCA2) upregulation promotes th
Literature	GENERIF_SUMMARY	Association of gene mutations with clinicopathologic features in p
Literature	GENERIF_SUMMARY	Colorectal Liver Micrometastases
Literature	GENERIF_SUMMARY	Association of TP53 gene polymorphisms with the risk of acute lym
Literature	GENERIF_SUMMARY	Delta133p53alpha Protects Human Astrocytes from Amyloid-beta
Literature	GENERIF_SUMMARY	Chitosan-Gelatin-EGCG Nanoparticle-Meditated LncRNA TMEM44-5-FU Resistance in Gastric Cancer.
Literature	GENERIF_SUMMARY	The relationship between P16(INK4A) and TP53 promoter methylat
Literature	GENERIF_SUMMARY	Indicators of Immune and Neurohumoral Profile in Women of Ferti with Polymorphic Variants of the HTR2A (rs7997012) and TP53 (rs
Literature	GENERIF_SUMMARY	Clinicopathologic significance of Her-2 and P[53] expressions in g
Literature	GENERIF_SUMMARY	Is loss of p53 a driver of ductal carcinoma in situ progression?
Literature	GENERIF_SUMMARY	Genetic features of TP53 mutation and its downstream FOXA1 in p
Literature	GENERIF_SUMMARY	High Expression of UPK3A Promotes the Progression of Gastric Ca

Main Category	Category	
Literature	GENERIF_SUMMARY	Interleukin 7 inhibit autophagy via P53 regulated AMPK/mTOR signaling
Literature	GENERIF_SUMMARY	ANXA10 Expression Is Inversely Associated with Tumor Stage, Grade, and Prognosis in Gastric Cancer
Literature	GENERIF_SUMMARY	TP53 Codon 72 Polymorphism and the Risk of Colorectal Cancer in Chinese Population
Literature	GENERIF_SUMMARY	Benign SNPs in the Coding Region of TP53
Literature	GENERIF_SUMMARY	Comprehensive omics studies of p53 mutants in human cancer.
Literature	GENERIF_SUMMARY	Selective pericentromeric heterochromatin dismantling caused by p53
Literature	GENERIF_SUMMARY	Risk of ipsilateral breast tumor recurrence and contralateral breast cancer in breast-conserving breast cancer patients.
Literature	GENERIF_SUMMARY	Statins inhibit proliferation and induce apoptosis in triple-negative breast cancer cells
Literature	GENERIF_SUMMARY	19q13.12 KRAB zinc-finger protein ZNF383 represses p53 signaling
Literature	GENERIF_SUMMARY	Transcription-associated DNA DSBs activate p53 during hiPSC-based gene editing
Literature	GENERIF_SUMMARY	A Conformational Variant of p53 (U-p53AZ) as Blood-Based Biomarker for Early Detection of Cancer
Literature	GENERIF_SUMMARY	Significance of TP53 Mutational Status-Associated Signature in the Prognosis of Gastric Cancer
Literature	GENERIF_SUMMARY	SIRT1-mediated p53 deacetylation inhibits ferroptosis and alleviates oxidative stress
Literature	GENERIF_SUMMARY	Loss of TIP60 (KAT5) abolishes H2AZ lysine 7 acetylation and causes genomic instability
Literature	GENERIF_SUMMARY	Serum Derivatives of Reactive Oxygen Metabolites are Associated with TP53 Gene Polymorphism.
Literature	GENERIF_SUMMARY	p53 Binding Sites in Long Terminal Repeat 5Hs (LTR5Hs) of Human Papillomavirus Type 16 Regulate LTR5Hs Transcriptional Activity.
Literature	GENERIF_SUMMARY	Association of ATG16L1 rs2241880 and TP53 rs1042522 with childhood-onset Crohn's disease
Literature	GENERIF_SUMMARY	Effects of TP53 Mutations and miRs on Immune Responses in the Liver
Literature	GENERIF_SUMMARY	An Updated View of the Roles of p53 in Embryonic Stem Cells.
Literature	GENERIF_SUMMARY	Oxidative stress-induced premature senescence and aggravated DNA damage in human cells
Literature	GENERIF_SUMMARY	FOXL2 and FOXA1 cooperatively assemble on the TP53 promoter to regulate its transcription
Literature	GENERIF_SUMMARY	TP53 mutation detected in circulating exosomal DNA is associated with poor prognosis in gastric cancer
Literature	GENERIF_SUMMARY	Proteasomal and autophagy-mediated degradation of mutp53 protein
Literature	GENERIF_SUMMARY	Effect of long noncoding RNA CCAT2 on drug sensitivity to 5-fluorouracil in colorectal cancer
Literature	GENERIF_SUMMARY	Prognostic value of baseline genetic features and newly identified TP53 mutations in colorectal cancer
Literature	GENERIF_SUMMARY	TP53 loss-of-function causes vulnerability to autophagy inhibition
Literature	GENERIF_SUMMARY	Association of TP53 rs1042522 C>G Polymorphism with Glioma Risk
Literature	GENERIF_SUMMARY	Knockdown of PRKD2 Enhances Chemotherapy Sensitivity in Cervical Cancer
Literature	GENERIF_SUMMARY	HPV16-E6/E7 Oncogene Mutation and p53 Expression among Indonesian Women
Literature	GENERIF_SUMMARY	Clinical significance of p53 protein expression and TP53 variation in colorectal cancer
Literature	GENERIF_SUMMARY	p53 Inhibits Bmi-1-driven Self-Renewal and Defines Salivary Gland Stem Cell Niche

Main Category	Category	
Literature	GENERIF_SUMMARY	Does the Overall Survival of the Resectable Periampullary Carcinoma Depend on the Expression of p53?
Literature	GENERIF_SUMMARY	G1/S Cell Cycle Induction by Epstein-Barr Virus BORF2 Is Mediated by p53-Independent Mechanisms
Literature	GENERIF_SUMMARY	Molecular Analysis of HPV-independent Primary Endometrial Squamous Cell Carcinoma
Literature	GENERIF_SUMMARY	Human herpesvirus 6A and 6B and polyomavirus JC and BK infect oral cavity and modulate p53 and nuclear factor-kappa B expression.
Literature	GENERIF_SUMMARY	Insights into Allosteric Mechanisms of the Lung-Enriched p53 Mutant R249S
Literature	GENERIF_SUMMARY	p53 Arg72Pro polymorphism, adiposity status, and cancer risk
Literature	GENERIF_SUMMARY	Involvement of the oncogenic small nucleolar RNA SNORA24 in renal cell carcinoma
Literature	GENERIF_SUMMARY	SF3B1, RUNX1 and TP53 Mutations Significantly Impact the Outcome of Acute Myeloid Leukemia
Literature	GENERIF_SUMMARY	Impact of TP53 Mutations on EGFR-Tyrosine Kinase Inhibitor Efficacy in Non-Small Cell Lung Cancer
Literature	GENERIF_SUMMARY	TP53 mutations in functional corticotroph tumors are linked to involution of the pituitary gland
Literature	GENERIF_SUMMARY	HER2 protein expression correlates with Lauren classification and survival in gastric cancer
Literature	GENERIF_SUMMARY	Inactivation of RB1, CDKN2A, and TP53 have distinct effects on gene expression in retinoblastoma
Literature	GENERIF_SUMMARY	Empirical single-cell tracking and cell-fate simulation reveal dual roles of p53 in cell fate
Literature	GENERIF_SUMMARY	Deficiency of p53 Causes the Inadequate Expression of miR-1246 in Hepatocellular Carcinoma
Literature	GENERIF_SUMMARY	TP53 Alterations Are Associated With Poor Survival in Patients With Glioblastoma
Literature	GENERIF_SUMMARY	TP53 mutations and RNA-binding protein MUSASHI-2 drive resistance to chemotherapy in glioblastoma
Literature	GENERIF_SUMMARY	High tumor amplification burden is associated with TP53 mutations in colorectal cancer
Literature	GENERIF_SUMMARY	Genetic alterations of TP53 and OTX2 indicate increased risk of relapse in glioblastoma
Literature	GENERIF_SUMMARY	The kinase PLK1 promotes the development of Kras/Tp53-mutant pancreatic islet cell carcinomas
Literature	GENERIF_SUMMARY	A Small Molecule Reacts with the p53 Somatic Mutant Y220C to Restore Its Tumor-Suppressive Activity
Literature	GENERIF_SUMMARY	Destabilization of TP53 by USP10 is essential for neonatal autophagy and survival
Literature	GENERIF_SUMMARY	TP53 mutations and RNA-binding protein MUSASHI-2 drive resistance to chemotherapy in glioblastoma [Bone marrow failure and TP53 activating mutations].
Literature	GENERIF_SUMMARY	Hsa_circ_0005050 interacts with ILF3 and affects cell apoptosis and proliferation
Literature	GENERIF_SUMMARY	TP53 R249S mutation in hepatic organoids captures the predisposing effect of the mutation
Literature	GENERIF_SUMMARY	Delta133p53 coordinates ECM-driven morphogenesis and gene expression in Drosophila
Literature	GENERIF_SUMMARY	Aberrant p53 expression is associated with neoplastic progression in colorectal cancer
Literature	GENERIF_SUMMARY	p53, Pirh2, and L1CAM as Promising Prognostic Biomarkers of Endometrial Cancer
Literature	GENERIF_SUMMARY	Aerobic glycolysis and tumor progression of hepatocellular carcinoma
Literature	GENERIF_SUMMARY	Comprehensive analysis of clinicopathologic features and p53 mutations in colorectal cancer
Literature	GENERIF_SUMMARY	Predictive Value of the TP53 p.G245S Mutation Frequency for the Survival of Patients With Glioblastoma
Literature	GENERIF_SUMMARY	TP53I13 promotes metastasis in glioma via macrophages, neutrophils, and endothelial cells

Main Category	Category	
Literature	GENERIF_SUMMARY	Impact of a haplotype (composed of the APC, KRAS, and TP53 genes) on the prognosis of colorectal cancer
Literature	GENERIF_SUMMARY	TP53 Mutation Mapping in Advanced Non-Small Cell Lung Cancer
Literature	GENERIF_SUMMARY	Conformational Heterogeneity and Frustration of the Tumor Suppressor p53
Literature	GENERIF_SUMMARY	Tumor Suppressor p53 Inhibits Hepatitis B Virus Replication by Downregulating the Expression of HBsAg in Hepatocellular Carcinoma Cell Lines.
Literature	GENERIF_SUMMARY	Distinct clinicopathological characteristics, genomic alteration and prognosis of p53 mutation in colorectal cancer
Literature	GENERIF_SUMMARY	Prognostic significance of p16, VEGF, and p53 expression patterns in colorectal cancer
Literature	GENERIF_SUMMARY	TP53-altered higher-risk myelodysplastic syndromes/neoplasms and their clinical outcomes
Literature	GENERIF_SUMMARY	Familial history and prevalence of BRCA1, BRCA2 and TP53 pathologic variants in breast cancer
Literature	GENERIF_SUMMARY	Distinct p53 phosphorylation patterns in chronic lymphocytic leukemia and its association with genomic damage.
Literature	GENERIF_SUMMARY	Acute severe hypoxia induces apoptosis of human pluripotent stem cells
Literature	GENERIF_SUMMARY	Genomic analysis of early-stage lung cancer reveals a role for TP53 in the progression of the disease
Literature	GENERIF_SUMMARY	p53 downregulates PD-L1 expression via miR-34a to inhibit the growth of tumor cells
Literature	GENERIF_SUMMARY	MEX3A Mediates p53 Degradation to Suppress Ferroptosis and Facilitates Tumor Progression
Literature	GENERIF_SUMMARY	MYC and TP53 Alterations but Not MAPK Pathway Mutations Are Associated with Poor Prognosis in Gastric Cancer
Literature	GENERIF_SUMMARY	To investigate the prognostic factors of stage - gastric cancer based on the expression of p53
Literature	GENERIF_SUMMARY	Deep Molecular and In Silico Protein Analysis of p53 Alteration in Malignant Glioma
Literature	GENERIF_SUMMARY	TRIM11, a new target of p53, facilitates the migration and invasion of glioma cells
Literature	GENERIF_SUMMARY	Integrated analysis of the genomic and transcriptional profile of glioma cells
Literature	GENERIF_SUMMARY	A high number of co-occurring genomic alterations detected by NGS in colorectal cancer
Literature	GENERIF_SUMMARY	DeltaNp63alpha transcriptionally represses p53 target genes involved in cell cycle and DNA damage response
Literature	GENERIF_SUMMARY	Combined germline pathogenic variants in FLCN and TP53 are associated with increased risk of cancer
Literature	GENERIF_SUMMARY	Molecular characterization of AML-MRC reveals TP53 mutation as a prognostic factor, independent of TP53 variant allele frequency.
Literature	GENERIF_SUMMARY	Coiled-coil domain containing 3 suppresses breast cancer growth
Literature	GENERIF_SUMMARY	SKA1 is overexpressed in laryngocarcinoma and modulates cell growth
Literature	GENERIF_SUMMARY	Mutant p53 in cancer
Literature	GENERIF_SUMMARY	Biomolecular Condensation of the Human Papillomavirus E2 Mast Protein
Literature	GENERIF_SUMMARY	Genetic alterations of TP53 and OTX2 indicate increased risk of relapse in colorectal cancer
Literature	GENERIF_SUMMARY	Crosstalk between tumor acidosis, p53 and extracellular matrix regulates tumor growth
Literature	GENERIF_SUMMARY	An RPS19-edited model for Diamond-Blackfan anemia reveals TP53 as a potential target for therapy
Literature	GENERIF_SUMMARY	A Novel TP53 Gene Mutation Sustains Non-Small Cell Lung Cancer

Main Category	Category	
Literature	GENERIF_SUMMARY	Spontaneous Transformation of a p53 and Rb-Defective Human Fa Serous Carcinoma.
Literature	GENERIF_SUMMARY	Amp(1q) and tetraploidy are commonly acquired chromosomal ab
Literature	GENERIF_SUMMARY	Artificial Intelligence Based Study Association between p53 Gene
Literature	GENERIF_SUMMARY	Tumor- and metastasis-promoting roles of miR-488 inhibition via H
Literature	GENERIF_SUMMARY	Somatic TP53 mutations are preleukemic events in acute lymphob
Literature	GENERIF_SUMMARY	p53 regulates expression of nuclear envelope components in cano
Literature	GENERIF_SUMMARY	LncRNA LENGA acts as a tumor suppressor in gastric cancer thro
Literature	GENERIF_SUMMARY	Transplant for TP53-mutated MDS and AML
Literature	GENERIF_SUMMARY	Novel investigational approaches for high-risk genetic subsets of A
Literature	GENERIF_SUMMARY	Analysis of Intrinsic Breast Cancer Subtypes
Literature	GENERIF_SUMMARY	Synthetical lethality of Werner helicase and mismatch repair defici
Literature	GENERIF_SUMMARY	Macrophage migration inhibitory factor protects bone marrow meso IncRNA MEG3.
Literature	GENERIF_SUMMARY	p53 Mutation as Plausible Predictor for Endocrine Resistance Ther
Literature	GENERIF_SUMMARY	The mutational spectrum in whole exon of p53 in oral squamous c
Literature	GENERIF_SUMMARY	Long non-coding RNA TILR constitutively represses TP53 and apo
Literature	GENERIF_SUMMARY	Deep DNA sequencing of MGMT, TP53 and AGT in Mexican astrocy biomarker.
Literature	GENERIF_SUMMARY	BRD8 maintains glioblastoma by epigenetic reprogramming of the
Literature	GENERIF_SUMMARY	Interaction of C-terminal p53 isoforms depends strongly upon DNA
Literature	GENERIF_SUMMARY	Unraveling the Structural Changes in the DNA-Binding Region of Tu Computational Approach.
Literature	GENERIF_SUMMARY	Conserved Double Translation Initiation Site for Delta160p53 Prote
Literature	GENERIF_SUMMARY	An integrated investigation of structural and pathway alteration ca cancer.
Literature	GENERIF_SUMMARY	Clinical relevance of BCOR internal tandem duplication and TP53 a
Literature	GENERIF_SUMMARY	The ARTS of p53-dependent mitochondrial apoptosis.
Literature	GENERIF_SUMMARY	TP53 mutation in therapy-related myeloid neoplasm defines a disti
Literature	GENERIF_SUMMARY	CACYBP knockdown inhibits progression of prostate cancer via p5
Literature	GENERIF_SUMMARY	RBM4 inhibits the growth of clear cell renal cell carcinoma by enha
Literature	GENERIF_SUMMARY	Isotretinoin treatment upregulates the expression of p53 in the ski
Literature	GENERIF_SUMMARY	Mutation of the TP53 Gene in Placental Chorangiomas.
Literature	GENERIF_SUMMARY	Germline TP53 mutations undergo copy number gain years prior to
Literature	GENERIF_SUMMARY	Mutations of TP53 and genes related to homologous recombination

Main Category	Category	
Literature	GENERIF_SUMMARY	Mutant P53 in the formation and progression of the tumor microenvironment
Literature	GENERIF_SUMMARY	Mass Spectrometry Proteomic Analysis of Four p53 Patterns in Diffuse Large B-Cell Lymphoma
Literature	GENERIF_SUMMARY	Olig1/2-Expressing Intermediate Lineage Progenitors Are Predisposed to Leukemia by Inherent Vulnerabilities.
Literature	GENERIF_SUMMARY	LncRNA LIMp27 Regulates the DNA Damage Response through p21
Literature	GENERIF_SUMMARY	Novel high-risk acute myeloid leukemia subgroup with ERG amplification
Literature	GENERIF_SUMMARY	Fatal Progression of Mutated TP53-Associated Clonal Hematopoiesis
Literature	GENERIF_SUMMARY	IRF8 Regulates Intrinsic Ferroptosis through Repressing p53 Expression
Literature	GENERIF_SUMMARY	MYC Causes Multiple Myeloma Progression via Attenuating TP53-Mediated Apoptosis
Literature	GENERIF_SUMMARY	Increased Expression of the Delta133p53beta Isoform Enhances B Cell Proliferation
Literature	GENERIF_SUMMARY	p53 Regulates Mitochondrial Dynamics in Vascular Smooth Muscle Cells
Literature	GENERIF_SUMMARY	Cyclin E-induced replicative stress drives p53-dependent whole-genome doubling
Literature	GENERIF_SUMMARY	Changes in p53 Gene May Influence Cardiovascular Disease Risk.
Literature	GENERIF_SUMMARY	Near-Infrared Phototheranostic Iron Pyrite Nanocrystals Simultaneously Treat and Detect
Literature	GENERIF_SUMMARY	Negative Breast Cancer.
Literature	GENERIF_SUMMARY	p53 Inhibition in Pancreatic Progenitors Enhances the Differentiation of Pancreatic
Literature	GENERIF_SUMMARY	Association between the Arg72Pro Genotypes in the TP53 Gene and the Risk of Cancer in a
Literature	GENERIF_SUMMARY	Population of Amapa, Northern Brazil.
Literature	GENERIF_SUMMARY	[Investigation for pathological interpretation criteria and its prognostic value]
Literature	GENERIF_SUMMARY	Germline TP53 pathogenic variants and breast cancer
Literature	GENERIF_SUMMARY	p53 aberration and TFE3 gene amplification may be predictors of a poor prognosis
Literature	GENERIF_SUMMARY	Stathmin 1 and p53 Expression in Cutaneous Squamous Cell Carcinoma
Literature	GENERIF_SUMMARY	The ubiquitin ligase TRIM21 regulates mutant p53 accumulation and its ubiquitination
Literature	GENERIF_SUMMARY	Encoding and Decoding of p53 Dynamics in Cellular Response to Stress
Literature	GENERIF_SUMMARY	The Role of TP53 in Adaptation and Evolution.
Literature	GENERIF_SUMMARY	Crosstalk between PML and p53 in response to TGF-beta1
Literature	GENERIF_SUMMARY	Mutation pattern of cancer suppressor p53 gene in factory workers
Literature	GENERIF_SUMMARY	p53 Expression in Luminal Breast Cancer Correlates With TP53 Mutation Status
Literature	GENERIF_SUMMARY	Targeting PSAT1 to mitigate metastasis in tumors with p53-72Pro
Literature	GENERIF_SUMMARY	p53 Activates the Lipoyxygenase Activity of ALOX15B via Inhibiting
Literature	GENERIF_SUMMARY	Mutant p53 and NOX4 are modulators of a CCL5-driven pro-migratory phenotype
Literature	GENERIF_SUMMARY	The p53 endoplasmic reticulum stress-response pathway evolved
Literature	GENERIF_SUMMARY	Association of LDLR, TP53 and MMP9 Gene Polymorphisms With
Literature	GENERIF_SUMMARY	Tumor Suppressor p53 Down-Regulates Programmed Cell Death Pathway

Main Category	Category	
Literature	GENERIF_SUMMARY	Cancer-testis non-coding RNA LEF1-AS1 regulates the nuclear translocation of p53
Literature	GENERIF_SUMMARY	Association between Polymorphism of Genes IL-1A, NFKB1, PAR1, and IL-18 in the Amazon.
Literature	GENERIF_SUMMARY	TP53 in AML and MDS
Literature	GENERIF_SUMMARY	Squalene epoxidase facilitates cervical cancer progression by modulating p53
Literature	GENERIF_SUMMARY	Mutant pattern of p53 predicts local recurrence and poor survival in early-stage resected EGFR-mutated colorectal cancer
Literature	GENERIF_SUMMARY	The Relationship between Gene Polymorphisms of the XRCC1 and XPD Genes and Susceptibility to Lung Cancer
Literature	GENERIF_SUMMARY	Relationship Between Genetic Polymorphisms in Cell Cycle Regulatory Genes and Susceptibility to Lung Cancer
Literature	GENERIF_SUMMARY	Tumor suppressor p53 regulates heat shock factor 1 protein degradation
Literature	GENERIF_SUMMARY	Prognostic Value of Intracellular Transcription of Factors HIF-1alpha and p53 in Tissues in Women with Invasive Ductal Carcinoma in Thi-Qar Province, Iraq
Literature	GENERIF_SUMMARY	CRISPR/dCas9-KRAB-Mediated Suppression of S100b Restores p53-Mediated Apoptosis in Glioblastoma
Literature	GENERIF_SUMMARY	Association of ATM, CDH1 and TP53 genes polymorphisms with familial hypercholesterolemia
Literature	GENERIF_SUMMARY	Role of p53 in breast cancer progression
Literature	GENERIF_SUMMARY	Distinct IDH1/2-associated Methylation Profile and Enrichment of p53-Mediated Genes in Conventional Chondrosarcoma.
Literature	GENERIF_SUMMARY	LIM domain-containing protein Ajuba inhibits chemotherapy-induced p53 activation
Literature	GENERIF_SUMMARY	As3MT is related to relative RNAs and base modifications of p53 in human liver
Literature	GENERIF_SUMMARY	Long noncoding RNA LINC01088 inhibits esophageal squamous carcinoma cell growth
Literature	GENERIF_SUMMARY	The RNA binding protein RALY suppresses p53 activity and promotes cell growth
Literature	GENERIF_SUMMARY	Neither the African-Centric S47 Nor P72 Variant of TP53 Is Associated with Susceptibility to Lung Cancer
Literature	GENERIF_SUMMARY	Different impacts of TP53 mutations on cell cycle-related gene expression
Literature	GENERIF_SUMMARY	p53 expression in cytology samples may represent a marker of early-stage disease
Literature	GENERIF_SUMMARY	The involvement of Aurora-A and p53 in oxaliplatin-resistant colon cancer
Literature	GENERIF_SUMMARY	The role of truncated p53 isoforms in the DNA damage response.
Literature	GENERIF_SUMMARY	p53 Function and Dysfunction in Human Health and Diseases.
Literature	GENERIF_SUMMARY	Post-translational regulation of proto-oncogene ZBTB7A expression
Literature	GENERIF_SUMMARY	Impact of induction intensity and transplantation on outcomes of p53
Literature	GENERIF_SUMMARY	Impact of TP53 gene variants on prognosis and survival of childhood cancer
Literature	GENERIF_SUMMARY	Disruptive and Truncating TP53 Mutations Are Associated with African Ancestry in Pancreatic Adenocarcinoma.
Literature	GENERIF_SUMMARY	TP53 mutation variant allele frequency of >=10% is associated with poor survival in early-stage resected EGFR-mutated colorectal cancer
Literature	GENERIF_SUMMARY	Concomitant TP53 mutation in early-stage resected EGFR-mutated colorectal cancer
Literature	GENERIF_SUMMARY	Quadra-Stable Dynamics of p53 and PTEN in the DNA Damage Response

Main Category	Category	
Literature	GENERIF_SUMMARY	The kinesin light chain-2, a target of mRNA stabilizing protein HuR,
Literature	GENERIF_SUMMARY	Mesenchymal loss of p53 alters stem cell capacity and models hu
Literature	GENERIF_SUMMARY	Transcriptional Reprogramming Regulates Tumor Cell Survival in R
Literature	GENERIF_SUMMARY	Integrative analysis of TP53 mutations in lung adenocarcinoma fo
Literature	GENERIF_SUMMARY	TP53 mutations identify high-risk events for peripheral T-cell lymph
Literature	GENERIF_SUMMARY	Age-related loss of chromosome Y is associated with levels of sex CBL mutations.
Literature	GENERIF_SUMMARY	8-Oxo-2'-deoxyguanosine Replication in Mutational Hot Spot Sequ Corresponding Formamidopyrimidine.
Literature	GENERIF_SUMMARY	TP53 somatic mutations in Asian breast cancer are associated wit
Literature	GENERIF_SUMMARY	Inactivation of p53 provides a competitive advantage to del(5q) my
Literature	GENERIF_SUMMARY	Absence of GSTT1 and polymorphisms in GSTP1 and TP53 are as
Literature	GENERIF_SUMMARY	Association of Merkel Cell Polyomavirus Status With p53, RB1, and
Literature	GENERIF_SUMMARY	KLF5 and p53 comprise an incoherent feed-forward loop directing
Literature	GENERIF_SUMMARY	Clinical characteristics and overall survival among acute myeloid l
Literature	GENERIF_SUMMARY	An African-Specific Variant of TP53 Reveals PADI4 as a Regulator
Literature	GENERIF_SUMMARY	The prognostic role of p53 mutations in metastatic colorectal can
Literature	GENERIF_SUMMARY	P53
Literature	GENERIF_SUMMARY	PHLDA1 is a P53 target gene involved in P53-mediated cell apopto
Literature	GENERIF_SUMMARY	Breast cancer genomes from CHEK2 c.1100delC mutation carriers distribution profile.
Literature	GENERIF_SUMMARY	First-Line Venetoclax Combinations in Chronic Lymphocytic Leuke
Literature	GENERIF_SUMMARY	TP53 Gain-of-Function and Non-Gain-of-Function Mutations Are As Adenocarcinoma.
Literature	GENERIF_SUMMARY	Secreted Cytokines within the Urine of AKI Patients Modulate TP53
Literature	GENERIF_SUMMARY	Analysis of the Interaction of UBE2Q1 with B4GALT1 and P53
Literature	GENERIF_SUMMARY	Overcoming therapeutic resistance in pancreatic cancer
Literature	GENERIF_SUMMARY	FIT links c-Myc and P53 acetylation by recruiting RBBP7 during col
Literature	GENERIF_SUMMARY	p53 deacetylation alleviates calcium oxalate deposition-induced re
Literature	GENERIF_SUMMARY	The significance of co-mutations in EGFR-mutated non-small cell l
Literature	GENERIF_SUMMARY	TP53 (rs1042522, rs28934571) and TP21 (rs1801270, rs1059234)
Literature	GENERIF_SUMMARY	Improved Analysis of Prostate Cancer
Literature	GENERIF_SUMMARY	TP53 Mutation-driven Stratified Mucin-producing Carcinoma Coexi
Literature	GENERIF_SUMMARY	Genetic heterogeneity in p53-null leukemia increases transiently w

Main Category	Category	
Literature	GENERIF_SUMMARY	Dysregulation of P53 in breast cancer
Literature	GENERIF_SUMMARY	Long noncoding RNA LINC00173 induces radioresistance in nasopharyngeal carcinoma
Literature	GENERIF_SUMMARY	TP53 or CDKN2A/B covariation in ALK/RET/ROS1-rearranged NSCLC and poor prognosis.
Literature	GENERIF_SUMMARY	SCARNA10 regulates p53 acetylation-dependent transcriptional activation
Literature	GENERIF_SUMMARY	LncRNA SOCS2-AS1 promotes the progression of papillary thyroid carcinoma
Literature	GENERIF_SUMMARY	Simultaneous Nbs1 and p53 inactivation in neural progenitors triggers tumorigenesis
Literature	GENERIF_SUMMARY	Significant association of BRCA1 (rs1799950), BRCA2 (rs144848) and TP53 (rs1042561) in breast cancer of Khyber Pakhtunkhwa, Pakistan.
Literature	GENERIF_SUMMARY	Plasma cell-free tumor DNA, PIK3CA and TP53 mutations predict metastatic breast cancer.
Literature	GENERIF_SUMMARY	Patterns of recurrence in surgically treated women for TP53-mutated breast cancer
Literature	GENERIF_SUMMARY	Whole Slide Imaging-Based Prediction of TP53 Mutations Identified in Breast Cancer
Literature	GENERIF_SUMMARY	Emerging insights into ethnic-specific TP53 germline variants.
Literature	GENERIF_SUMMARY	Long noncoding RNA MIAT regulates TP53 ubiquitination and expression
Literature	GENERIF_SUMMARY	[Survival efficacy of MDS/AML patients with TP53 abnormal receiving azacitidine]
Literature	GENERIF_SUMMARY	E2F7 drives autotaxin/Enpp2 transcription via chromosome looping
Literature	GENERIF_SUMMARY	SETDB1 tumour suppressor roles in near-haploid mesothelioma in mice
Literature	GENERIF_SUMMARY	RPS27a and RPL40, Which Are Produced as Ubiquitin Fusion Proteins, Promote Cell Proliferation
Literature	GENERIF_SUMMARY	Potential Prognostic Value of GATA4 Depends on the p53 Expression
Literature	GENERIF_SUMMARY	The African-centric P47S Variant of TP53 Confers Immune Dysregulation
Literature	GENERIF_SUMMARY	Gain-of-function p53[R175H] blocks apoptosis in a precursor model of colorectal cancer
Literature	GENERIF_SUMMARY	CAPG interference induces apoptosis and ferroptosis in colorectal cancer
Literature	GENERIF_SUMMARY	Inhibition of CARM1 suppresses proliferation of multiple myeloma
Literature	GENERIF_SUMMARY	A p53/LINC00324 positive feedback loop suppresses tumor growth
Literature	GENERIF_SUMMARY	p53 at the crossroad between mitochondrial reactive oxygen species and cell death
Literature	GENERIF_SUMMARY	Inhibition of p53 and ATRX increases telomeric recombination in prostate cancer
Literature	GENERIF_SUMMARY	Loss of TP53 cooperates with c-MET overexpression to drive hepatocellular carcinoma
Literature	GENERIF_SUMMARY	High-risk TP53 mutations predict poor primary treatment response in nasopharyngeal carcinoma
Literature	GENERIF_SUMMARY	Calcium/P53/Ninjurin 1 Signaling Mediates Plasma Membrane Rupture
Literature	GENERIF_SUMMARY	Effects of the Overexpression of Progesterone Receptors on a Precursor Model of Endometrial Cancer
Literature	GENERIF_SUMMARY	Spontaneous malignant transformation of trigeminal schwannoma
Literature	GENERIF_SUMMARY	Clinicopathologic and Molecular Characterization of Anorectal Neuroendocrine Tumors: An Alternative Mechanisms of Carcinogenesis.

Main Category	Category	
Literature	GENERIF_SUMMARY	Immunohistochemical expression of P53 protein in nephroblastom
Literature	GENERIF_SUMMARY	TP53 Exon 5 Mutation Indicates Poor Progression-Free Survival fo
Literature	GENERIF_SUMMARY	The induction of p53 correlates with defects in the production, but biogenesis.
Literature	GENERIF_SUMMARY	Gain-of-function mutant p53 together with ERG proto-oncogene dri
Literature	GENERIF_SUMMARY	TP53 Alteration and Its Effect on Pathologic Response Are Associ
Literature	GENERIF_SUMMARY	Multi-endpoint analysis of cadmium chloride-induced genotoxicity induction, cell cycle irregularities, and cell size aberrations.
Literature	GENERIF_SUMMARY	PAI-1 Regulation of p53 Expression and Senescence in Type II Alve
Literature	GENERIF_SUMMARY	SIRT1 promotes the progression and chemoresistance of colorect
Literature	GENERIF_SUMMARY	Impact of Smad4 and p53 mutations on the prognosis of patients
Literature	GENERIF_SUMMARY	TP53 gain-of-function mutation modulates the immunosuppressiv
Literature	GENERIF_SUMMARY	TP53 and p21 (CDKN1A) polymorphisms and the risk of systemic
Literature	GENERIF_SUMMARY	Crosstalk between long non-coding RNAs and p53 signaling pathw
Literature	GENERIF_SUMMARY	TP53 mutation prevalence in normal airway epithelium as a bioma
Literature	GENERIF_SUMMARY	p53 amyloid pathology is correlated with higher cancer grade irres
Literature	GENERIF_SUMMARY	Race-Associated Genomic Correlates of Therapeutic Response in
Literature	GENERIF_SUMMARY	Clinical, Pathological and Molecular Insights on KRAS, NRAS, BRAF Northeastern Romania.
Literature	GENERIF_SUMMARY	Enhancing the invasive traits of breast cancers by CYP1B1 via regu
Literature	GENERIF_SUMMARY	p53 Gain-of-Function Mutation Induces Metastasis via BRD4-Depe
Literature	GENERIF_SUMMARY	Tumor suppressor Parkin induces p53-mediated cell cycle arrest in
Literature	GENERIF_SUMMARY	The fading guardian
Literature	GENERIF_SUMMARY	SUMO1-regulated DBC1 promotes p53-dependent stress-induced a
Literature	GENERIF_SUMMARY	Identifying novel mechanisms of biallelic TP53 loss refines poor o
Literature	GENERIF_SUMMARY	Systematic evaluation of TP53 codon 72 polymorphism associat
Literature	GENERIF_SUMMARY	ZNF500 abolishes breast cancer proliferation and sensitizes chem
Literature	GENERIF_SUMMARY	The possibility of mutations of RAS signaling genes and/or TP53 in cell lung cancer.
Literature	GENERIF_SUMMARY	SLC35F2-SYVN1-TRIM59 axis critically regulates ferroptosis of pa
Literature	GENERIF_SUMMARY	Convergent TP53 loss and evolvability in cancer.
Literature	GENERIF_SUMMARY	Clinico-Genomic Profiling of Conventional and Dedifferentiated Ch
Literature	GENERIF_SUMMARY	TP53 mutation and abnormal p53 expression in endometrial canc
Literature	GENERIF_SUMMARY	Mutated TP53 in Circulating Tumor DNA as a Risk Level Biomarker

Main Category	Category			
Literature	GENERIF_SUMMARY	USP7 Inhibition Suppresses Neuroblastoma Growth via Induction of		
Literature	GENERIF_SUMMARY	Atypical cystic hypersecretory lesions of the breast commonly har		
Literature	GENERIF_SUMMARY	Impact of Interaction between Single Nucleotide Polymorphism of	Breast Cancer	
Literature	GENERIF_SUMMARY	The Association of P53, CK29, and FGFR3 Overexpression with the		
Literature	GENERIF_SUMMARY	Intracellular FGF1 protects cells from apoptosis through direct inte		
Literature	GENERIF_SUMMARY	Hypoxia-induced long non-coding RNA LINC00460 promotes p53 m		miR-4689/UBE2V1 axis and sequestering USP10.
Literature	GENERIF_SUMMARY	The XRCC1 and TP53 gene polymorphisms are associated with ad		lung cancer.
Literature	GENERIF_SUMMARY	Multiple TP53 p.R337H haplotypes and implications for tumor sus		
Literature	GENERIF_SUMMARY	Susceptibility of pediatric acute lymphoblastic leukemia to STAT3		
Literature	GENERIF_SUMMARY	TP53 Mutations in Esophageal Squamous Cell Carcinoma.		
Literature	GENERIF_SUMMARY	Disrupted Binding of Cystathionine gamma-Lyase to p53 Promotes		
Literature	GENERIF_SUMMARY	TuBG1 promotes hepatocellular carcinoma via ATR/P53-apoptosis		
Literature	GENERIF_SUMMARY	The HPV-TP53-MALAT1 Axis		
Literature	GENERIF_SUMMARY	[High expression of MRPL13 promotes cell cycle progression and		prognosis].
Literature	GENERIF_SUMMARY	p53 Activation Facilitates Transdifferentiation of Human Cardiac F		
Literature	GENERIF_SUMMARY	TP53 mutation and human papilloma virus status as independent		
Literature	GENERIF_SUMMARY	KDM4C-mediated senescence defense is a targetable vulnerability		
Literature	GENERIF_SUMMARY	TP53 mutations predict for poor outcomes in patients with newly c		
Literature	GENERIF_SUMMARY	CLDN6 inhibits colorectal cancer proliferation dependent on restra		
Literature	GENERIF_SUMMARY	Targeting UBR5 inhibits postsurgical breast cancer lung metastase		
Literature	GENERIF_SUMMARY	Accurate interpretation of p53 immunohistochemical patterns is a		
Literature	GENERIF_SUMMARY	Permission to pass		
Literature	GENERIF_SUMMARY	Impact of TP53-induced glycolysis and apoptosis regulator on mal		
Literature	GENERIF_SUMMARY	Mutant p53 sustains serine-glycine synthesis and essential amino		
Literature	GENERIF_SUMMARY	Mutant p53 Gain-of-Function Induces Migration and Invasion throu		
Literature	GENERIF_SUMMARY	BMP-9 Improves the Osteogenic Differentiation Ability over BMP-2		
Literature	GENERIF_SUMMARY	Proximal Tubular Lats2 Ablation Exacerbates Ischemia/Reperfusio		
Literature	GENERIF_SUMMARY	Association between expression levels of p53, miRNA-21, and IncF		
Literature	GENERIF_SUMMARY	The Oncological Effect of Mutant p53 on the Metastatic Phenotype		
Literature	GENERIF_SUMMARY	Pathogenic germline variants in BRCA1 and TP53 increase lung ca		

Main Category	Category	
Literature	GENERIF_SUMMARY	Prognostic impact of TP53 mutations in adult acute lymphoblastic leukemia
Literature	GENERIF_SUMMARY	p53-responsive CMBL reprograms glucose metabolism and suppresses tumorigenesis
Literature	GENERIF_SUMMARY	Hepatitis C virus may accelerate breast cancer progression by increasing p53
Literature	GENERIF_SUMMARY	Loss of p53-DREAM-mediated repression of cell cycle genes as a cause of cancer
Literature	GENERIF_SUMMARY	DEPDC1B enhances malignant phenotypes of multiple myeloma through p53
Literature	GENERIF_SUMMARY	CircFSCN1 induces tumor progression and triggers epithelial-mesenchymal transition by inhibiting p53 silencing.
Literature	GENERIF_SUMMARY	Low-burden TP53 mutations represent frequent genetic events in colorectal cancer
Literature	GENERIF_SUMMARY	The Role of p53 in HIV Infection.
Literature	GENERIF_SUMMARY	Disruption of the TP53 locus in osteosarcoma leads to TP53 promoter hypermethylation
Literature	GENERIF_SUMMARY	TP53/mTORC1-mediated bidirectional regulation of PD-L1 modulates antitumor immunity
Literature	GENERIF_SUMMARY	Immunosignatures associated with TP53 status and co-mutations in melanoma
Literature	GENERIF_SUMMARY	TP53 missense mutation reveals gain-of-function properties in small cell lung cancer
Literature	GENERIF_SUMMARY	Clinical and functional analysis of the germline TP53 p.K164E allele in familial cancer
Literature	GENERIF_SUMMARY	The expression of p53, ki67 and COX-2 in erosive-type oral lichen planus
Literature	GENERIF_SUMMARY	LncRNA DCST1-AS1 drives the malignant progression of pediatric acute lymphoblastic leukemia
Literature	GENERIF_SUMMARY	APOBEC3G Is a p53-Dependent Restriction Factor in Respiratory Syncytial Virus Infection
Literature	GENERIF_SUMMARY	Higher TP53 somatic mutation prevalence from liquid biopsy analysis in colorectal cancer
Literature	GENERIF_SUMMARY	A cytosolic mutp53(E285K) variant confers chemoresistance of melanoma
Literature	GENERIF_SUMMARY	P53 and TLR4 expression are prognostic markers informing progression in colorectal cancer
Literature	GENERIF_SUMMARY	MDM2-p53 in liposarcoma
Literature	GENERIF_SUMMARY	Disordered regions mediate the interaction of p53 and MRE11.
Literature	GENERIF_SUMMARY	MDM2-p53 mediate a miR-181c-3p/LIF axis to regulate low dose-radiation-induced cell death
Literature	GENERIF_SUMMARY	A Second Career for p53 as A Broad-Spectrum Antiviral?
Literature	GENERIF_SUMMARY	Comparative analysis of EZH2, p16 and p53 expression in uterine endometrial cancer
Literature	GENERIF_SUMMARY	Cyclin B2 impairs the p53 signaling in nasopharyngeal carcinoma.
Literature	GENERIF_SUMMARY	Mutant p53 gains oncogenic functions through a chromosomal instability pathway
Literature	GENERIF_SUMMARY	BANP Participates in the Chronic Intermittent Hypoxia-Induced Senescence by Inhibiting p53 Nuclear Retention.
Literature	GENERIF_SUMMARY	Elevated expression of WSB2 degrades p53 and activates the IGF1R signaling pathway
Literature	GENERIF_SUMMARY	Clinical and pathological correlation of P[53] expression in oral cancer
Literature	GENERIF_SUMMARY	MRPL21 promotes HCC proliferation through TP53 mutation-induced cell cycle progression
Literature	GENERIF_SUMMARY	Activation of HDAC8 Can Suppress the Proliferation of Osteosarcoma Cells

Main Category	Category	
Literature	GENERIF_SUMMARY	Phenotype analysis of families with TP53 germline variants at the
Literature	GENERIF_SUMMARY	Coexpression of TP53, BIM, and PTEN Enhances the Therapeutic E
Literature	GENERIF_SUMMARY	The effect of p53 on the activity of NRF2 and NDRG2 genes throug
Literature	GENERIF_SUMMARY	Activating p53 abolishes self-renewal of quiescent leukaemic stem
Literature	GENERIF_SUMMARY	EXO1/P53/SREBP1 axis-regulated lipid metabolism promotes pros
Literature	GENERIF_SUMMARY	WT1 and TP53 as valuable diagnostic biomarkers for relapse after
Literature	GENERIF_SUMMARY	BRCA1, BRCA2, and TP53 germline and somatic variants and clinic
Literature	GENERIF_SUMMARY	p53 Acetylation Exerts Critical Roles in Pressure Overload-Induced
Literature	GENERIF_SUMMARY	Influence of TP53 Comutation on the Tumor Immune Microenviron Non-Small-Cell Lung Cancer.
Literature	GENERIF_SUMMARY	TP53[R175H] mutation promotes breast cancer cell proliferation th
Literature	GENERIF_SUMMARY	A Missense Variant in TP53 Could Be a Genetic Biomarker Associat
Literature	GENERIF_SUMMARY	p53 suppresses the inflammatory response following respiratory s
Literature	GENERIF_SUMMARY	miR-34c-5p inhibited fibroblast proliferation, differentiation and ep
Literature	GENERIF_SUMMARY	Coagulation factor V in breast cancer
Literature	GENERIF_SUMMARY	Cancer Risks Associated With TP53 Pathogenic Variants
Literature	GENERIF_SUMMARY	TP53 in MDS and AML
Literature	GENERIF_SUMMARY	METTL14-Mediated m6a Modification of CDKN2A Promotes the D
Literature	GENERIF_SUMMARY	The tumor suppressor p53 is a negative regulator of the carcinoma
Literature	GENERIF_SUMMARY	Targeted DNA sequencing of high-grade serous ovarian carcinoma with gene expression.
Literature	GENERIF_SUMMARY	p53/E2F7 axis promotes temozolomide chemoresistance in gliobl
Literature	GENERIF_SUMMARY	Treatments, prognostic factors, and genetic heterogeneity in advan
Literature	GENERIF_SUMMARY	TP53 mutation is frequent in mantle cell lymphoma with EZH2 exp
Literature	GENERIF_SUMMARY	P53 and Rb Aberrations in Small Cell Lung Cancer (SCLC)
Literature	GENERIF_SUMMARY	Patterns of structural variants within TP53 introns and relocation o
Literature	GENERIF_SUMMARY	Relevance of mutations in protein deubiquitinases genes and TP53
Literature	GENERIF_SUMMARY	p53-associated miRNAs repress lncRNA ZFAS1 to retard the prolif
Literature	GENERIF_SUMMARY	P53 Overexpression May Represent an Early Marker of Clinicopath
Literature	GENERIF_SUMMARY	ID3 is a novel target gene of p53 and modulates lung cancer cell m
Literature	GENERIF_SUMMARY	AURKB promotes bladder cancer progression by deregulating the p
Literature	GENERIF_SUMMARY	FOXO1 promotes cancer cell growth through MDM2-mediated p53
Literature	GENERIF_SUMMARY	Loss of mutant p53 in HaCaT keratinocytes promotes cadmium-in

Main Category	Category	
Literature	GENERIF_SUMMARY	TP53 mutations and the association with platinum resistance in hi
Literature	GENERIF_SUMMARY	REV7-p53 interaction inhibits ATM-mediated DNA damage signalin
Literature	GENERIF_SUMMARY	Exploring p53 protein expression and its link to TP53 mutation in n applications.
Literature	GENERIF_SUMMARY	Depletion of proteasome subunit PSMD1 induces cancer cell death
Literature	GENERIF_SUMMARY	The positive feedback loop of the NAT10/Mybbp1a/p53 axis prom
Literature	GENERIF_SUMMARY	Silent information regulator sirtuin 1 ameliorates acute liver failure
Literature	GENERIF_SUMMARY	Expression of BCL2, TP53, FOXA1, and GATA3 in pTa bladder cano
Literature	GENERIF_SUMMARY	Alanyl-tRNA synthetase, AARS1, is a lactate sensor and lactyltrans
Literature	GENERIF_SUMMARY	Disrupting the interaction between a p53 gain-of-function mutant a
Literature	GENERIF_SUMMARY	HPV infection and its correlation with p53 and Bcl-2 among pregna
Literature	GENERIF_SUMMARY	The Relationship of Microsatellite Instability with BRAF and p53 M
Literature	GENERIF_SUMMARY	The TP53-activated E3 ligase RNF144B is a tumour suppressor tha
Literature	GENERIF_SUMMARY	MEG3 shuttled by exosomes released from human bone marrow m keloid fibroblasts.
Literature	GENERIF_SUMMARY	Ubiquitin-specific protease 54 regulates GLUT1-mediated aerobic g degradation.
Literature	GENERIF_SUMMARY	Mutant p53 reactivation restricts the protumorigenic consequence fibroblasts.
Literature	GENERIF_SUMMARY	NEK2 promotes TP53 ubiquitination to enhance the proliferation a
Literature	GENERIF_SUMMARY	Comprehensive Bioinformatic Investigation of TP53 Dysregulation
Literature	GENERIF_SUMMARY	Atox1-cyclin D1 loop activity is critical for survival of tumor cells w
Literature	GENERIF_SUMMARY	CPT1A loss disrupts BCAA metabolism to confer therapeutic vulne
Literature	GENERIF_SUMMARY	Association of ESR1 Germline Variants with TP53 Somatic Variant
Literature	GENERIF_SUMMARY	Gene expression profiling of p53 and c-myc in HTLV-1 positive blo
Literature	GENERIF_SUMMARY	Genomic profiles of Japanese patients with vulvar squamous cell c
Literature	GENERIF_SUMMARY	High hyperdiploid karyotype with >= 49 chromosomes represents mutation status and prognosis
Literature	GENERIF_SUMMARY	MARCH5 promotes hepatocellular carcinoma progression by induc
Literature	GENERIF_SUMMARY	Pedigree analysis exploring the inconsistency between diverse phe breast cancer.
Literature	GENERIF_SUMMARY	Molecular insights into TP53 mutation (p. Arg267Trp) and its conn
Literature	GENERIF_SUMMARY	Mutant TP53 promotes invasion of lung cancer cells by regulating
Literature	GENERIF_SUMMARY	p53 protein expression patterns associated with TP53 mutations i
Literature	GENERIF_SUMMARY	ATM inhibition exploits checkpoint defects and ATM-dependent do

Main Category	Category	
Literature	GENERIF_SUMMARY	Circular RNA circNIPBL regulates TP53-H179R mutations in NNK-i
Literature	GENERIF_SUMMARY	Working title
Literature	GENERIF_SUMMARY	The correlation between KRAS and TP53 gene mutations and early
Literature	GENERIF_SUMMARY	Influence of the interaction between p53 and ZNF568 on mitochon
Literature	GENERIF_SUMMARY	Nuclear export of PML promotes p53-mediated apoptosis and ferr
Literature	GENERIF_SUMMARY	CircCFL1 Promotes TNBC Stemness and Immunoescape via Deac
Literature	GENERIF_SUMMARY	Simple aneuploidy evades p53 surveillance and promotes niche fa
Literature	GENERIF_SUMMARY	CCT6A promotes cell proliferation in colon cancer by targeting BIR
Literature	GENERIF_SUMMARY	The p53 protein - not only the guardian of the genome.
Literature	GENERIF_SUMMARY	Case series of Li-Fraumeni syndrome
Literature	GENERIF_SUMMARY	GRAIL1 Stabilizes Misfolded Mutant p53 through a Ubiquitin Ligas
Literature	GENERIF_SUMMARY	Functional evaluation of germline TP53 variants identified in Brazil
Literature	GENERIF_SUMMARY	TP53 p.R337H Germline Variant among Women at Risk of Heredita
Literature	GENERIF_SUMMARY	Influence of TP53 gene mutations and their allelic status in myeloc
Literature	GENERIF_SUMMARY	Mutant p53 achieves function by regulating EGR1 to induce epithe
Literature	GENERIF_SUMMARY	MDM2 Is Essential to Maintain the Homeostasis of Epithelial Cells
Literature	GENERIF_SUMMARY	Identify truly high-risk TP53-mutated diffuse large B cell lymphoma
Literature	GENERIF_SUMMARY	ZNF8 promotes progression of gastrointestinal cancers via a p53-
Literature	GENERIF_SUMMARY	p53 Orchestrates Cancer Metabolism
Literature	GENERIF_SUMMARY	Genetic polymorphisms in FABP2, CYP2E1, and TP53 genes are po
Literature	GENERIF_SUMMARY	Deciphering Internal Regulatory Patterns within the p53 Core Tetra
Literature	GENERIF_SUMMARY	Combined KRAS and TP53 mutation in patients with colorectal can metastasis.
Literature	GENERIF_SUMMARY	IFN-gamma induces acute graft-versus-host disease by promoting of p53.
Literature	GENERIF_SUMMARY	Interleukin-34-orchestrated tumor-associated macrophage reprog
Literature	GENERIF_SUMMARY	17p13 (TP53) Deletions Are Associated With an Aggressive Pheno
Literature	GENERIF_SUMMARY	Entrainment and multi-stability of the p53 oscillator in human cells
Literature	GENERIF_SUMMARY	Targeting mutant p53
Literature	GENERIF_SUMMARY	The mitochondrial enzyme pyruvate carboxylase restricts pancrea
Literature	GENERIF_SUMMARY	Temporal regulation of gene expression through integration of p53
Literature	GENERIF_SUMMARY	The role of p53 in male infertility.
Pathways	KEGG_PATHWAY	Endocrine resistance

Main Category	Category	
Pathways	KEGG_PATHWAY	Platinum drug resistance
Pathways	KEGG_PATHWAY	MAPK signaling pathway
Pathways	KEGG_PATHWAY	Sphingolipid signaling pathway
Pathways	KEGG_PATHWAY	Cell cycle
Pathways	KEGG_PATHWAY	p53 signaling pathway
Pathways	KEGG_PATHWAY	Mitophagy - animal
Pathways	KEGG_PATHWAY	PI3K-Akt signaling pathway
Pathways	KEGG_PATHWAY	Apoptosis
Pathways	KEGG_PATHWAY	Longevity regulating pathway
Pathways	KEGG_PATHWAY	Ferroptosis
Pathways	KEGG_PATHWAY	Cellular senescence
Pathways	KEGG_PATHWAY	Wnt signaling pathway
Pathways	KEGG_PATHWAY	Neurotrophin signaling pathway
Pathways	KEGG_PATHWAY	Thyroid hormone signaling pathway
Pathways	KEGG_PATHWAY	Parkinson disease
Pathways	KEGG_PATHWAY	Amyotrophic lateral sclerosis
Pathways	KEGG_PATHWAY	Huntington disease
Pathways	KEGG_PATHWAY	Shigellosis
Pathways	KEGG_PATHWAY	Hepatitis C
Pathways	KEGG_PATHWAY	Hepatitis B
Pathways	KEGG_PATHWAY	Measles
Pathways	KEGG_PATHWAY	Human cytomegalovirus infection
Pathways	KEGG_PATHWAY	Human papillomavirus infection
Pathways	KEGG_PATHWAY	Human T-cell leukemia virus 1 infection
Pathways	KEGG_PATHWAY	Kaposi sarcoma-associated herpesvirus infection
Pathways	KEGG_PATHWAY	Herpes simplex virus 1 infection
Pathways	KEGG_PATHWAY	Epstein-Barr virus infection
Pathways	KEGG_PATHWAY	Pathways in cancer
Pathways	KEGG_PATHWAY	Transcriptional misregulation in cancer
Pathways	KEGG_PATHWAY	Viral carcinogenesis
Pathways	KEGG_PATHWAY	Proteoglycans in cancer
Pathways	KEGG_PATHWAY	MicroRNAs in cancer

Main Category	Category	
Pathways	KEGG_PATHWAY	Colorectal cancer
Pathways	KEGG_PATHWAY	Pancreatic cancer
Pathways	KEGG_PATHWAY	Endometrial cancer
Pathways	KEGG_PATHWAY	Glioma
Pathways	KEGG_PATHWAY	Prostate cancer
Pathways	KEGG_PATHWAY	Thyroid cancer
Pathways	KEGG_PATHWAY	Basal cell carcinoma
Pathways	KEGG_PATHWAY	Melanoma
Pathways	KEGG_PATHWAY	Bladder cancer
Pathways	KEGG_PATHWAY	Chronic myeloid leukemia
Pathways	KEGG_PATHWAY	Small cell lung cancer
Pathways	KEGG_PATHWAY	Non-small cell lung cancer
Pathways	KEGG_PATHWAY	Breast cancer
Pathways	KEGG_PATHWAY	Hepatocellular carcinoma
Pathways	KEGG_PATHWAY	Gastric cancer
Pathways	KEGG_PATHWAY	Central carbon metabolism in cancer
Pathways	KEGG_PATHWAY	Lipid and atherosclerosis
Pathways	KEGG_PATHWAY	Fluid shear stress and atherosclerosis
Pathways	REACTOME_PATHWAY	Apoptosis
Pathways	REACTOME_PATHWAY	Hemostasis
Pathways	REACTOME_PATHWAY	Intrinsic Pathway for Apoptosis
Pathways	REACTOME_PATHWAY	Activation of NOXA and translocation to mitochondria
Pathways	REACTOME_PATHWAY	Activation of BH3-only proteins
Pathways	REACTOME_PATHWAY	Antiviral mechanism by IFN-stimulated genes
Pathways	REACTOME_PATHWAY	PIP3 activates AKT signaling
Pathways	REACTOME_PATHWAY	Developmental Biology
Pathways	REACTOME_PATHWAY	Cytokine Signaling in Immune system
Pathways	REACTOME_PATHWAY	Activation of PUMA and translocation to mitochondria
Pathways	REACTOME_PATHWAY	Signaling by NOTCH
Pathways	REACTOME_PATHWAY	Signal Transduction
Pathways	REACTOME_PATHWAY	Cell Cycle
Pathways	REACTOME_PATHWAY	Disease

Main Category	Category	
Pathways	REACTOME_PATHWAY	Toll Like Receptor 4 (TLR4) Cascade
Pathways	REACTOME_PATHWAY	MyD88:MAL(TIRAP) cascade initiated on plasma membrane
Pathways	REACTOME_PATHWAY	MyD88-independent TLR4 cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor 9 (TLR9) Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor 10 (TLR10) Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor 3 (TLR3) Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor 5 (TLR5) Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor TLR1:TLR2 Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor 7/8 (TLR7/8) Cascade
Pathways	REACTOME_PATHWAY	Toll Like Receptor TLR6:TLR2 Cascade
Pathways	REACTOME_PATHWAY	Innate Immune System
Pathways	REACTOME_PATHWAY	Immune System
Pathways	REACTOME_PATHWAY	Toll-like Receptor Cascades
Pathways	REACTOME_PATHWAY	Toll Like Receptor 2 (TLR2) Cascade
Pathways	REACTOME_PATHWAY	Pre-NOTCH Transcription and Translation
Pathways	REACTOME_PATHWAY	Pre-NOTCH Expression and Processing
Pathways	REACTOME_PATHWAY	Generic Transcription Pathway
Pathways	REACTOME_PATHWAY	Cellular responses to stress
Pathways	REACTOME_PATHWAY	Oxidative Stress Induced Senescence
Pathways	REACTOME_PATHWAY	Cellular Senescence
Pathways	REACTOME_PATHWAY	Formation of Senescence-Associated Heterochromatin Foci (SAHF)
Pathways	REACTOME_PATHWAY	Oncogene Induced Senescence
Pathways	REACTOME_PATHWAY	DNA Damage/Telomere Stress Induced Senescence
Pathways	REACTOME_PATHWAY	SUMOylation
Pathways	REACTOME_PATHWAY	SUMO E3 ligases SUMOylate target proteins
Pathways	REACTOME_PATHWAY	SUMOylation of transcription factors
Pathways	REACTOME_PATHWAY	Autodegradation of the E3 ubiquitin ligase COP1
Pathways	REACTOME_PATHWAY	Transcriptional Regulation by TP53
Pathways	REACTOME_PATHWAY	Chaperonin-mediated protein folding
Pathways	REACTOME_PATHWAY	Association of TriC/CCT with target proteins during biosynthesis
Pathways	REACTOME_PATHWAY	Protein folding
Pathways	REACTOME_PATHWAY	Metabolism of proteins

Main Category	Category	
Pathways	REACTOME_PATHWAY	TAK1-dependent IKK and NF-kappa-B activation
Pathways	REACTOME_PATHWAY	Interleukin-1 family signaling
Pathways	REACTOME_PATHWAY	Signaling by Interleukins
Pathways	REACTOME_PATHWAY	Mitotic G2-G2/M phases
Pathways	REACTOME_PATHWAY	Regulated Necrosis
Pathways	REACTOME_PATHWAY	Programmed Cell Death
Pathways	REACTOME_PATHWAY	Pyroptosis
Pathways	REACTOME_PATHWAY	TP53 Regulates Metabolic Genes
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Cell Death Genes
Pathways	REACTOME_PATHWAY	Diseases of signal transduction by growth factor receptors and se
Pathways	REACTOME_PATHWAY	Deubiquitination
Pathways	REACTOME_PATHWAY	Ub-specific processing proteases
Pathways	REACTOME_PATHWAY	Ovarian tumor domain proteases
Pathways	REACTOME_PATHWAY	DNA Double-Strand Break Repair
Pathways	REACTOME_PATHWAY	Recruitment and ATM-mediated phosphorylation of repair and sign
Pathways	REACTOME_PATHWAY	DNA Double Strand Break Response
Pathways	REACTOME_PATHWAY	Post-translational protein modification
Pathways	REACTOME_PATHWAY	Interleukin-4 and Interleukin-13 signaling
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Cell Cycle Genes
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of DNA Repair Genes
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Genes Involved in Cytochrome C I
Pathways	REACTOME_PATHWAY	TP53 regulates transcription of several additional cell death genes
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Caspase Activators and Caspase
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Death Receptors and Ligands
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Genes Involved in G2 Cell Cycle A
Pathways	REACTOME_PATHWAY	TP53 regulates transcription of additional cell cycle genes whose c
Pathways	REACTOME_PATHWAY	TP53 Regulates Transcription of Genes Involved in G1 Cell Cycle A
Pathways	REACTOME_PATHWAY	Regulation of TP53 Expression
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity through Phosphorylation
Pathways	REACTOME_PATHWAY	Regulation of TP53 Degradation
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity through Acetylation

Main Category	Category	
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity through Association with Co-factors
Pathways	REACTOME_PATHWAY	Regulation of TP53 Activity through Methylation
Pathways	REACTOME_PATHWAY	Regulation of TP53 Expression and Degradation
Pathways	REACTOME_PATHWAY	PTEN Regulation
Pathways	REACTOME_PATHWAY	PI5P Regulates TP53 Acetylation
Pathways	REACTOME_PATHWAY	G2/M Transition
Pathways	REACTOME_PATHWAY	Cell Cycle, Mitotic
Pathways	REACTOME_PATHWAY	G2/M DNA damage checkpoint
Pathways	REACTOME_PATHWAY	G2/M Checkpoints
Pathways	REACTOME_PATHWAY	Stabilization of p53
Pathways	REACTOME_PATHWAY	Transcriptional activation of p53 responsive genes
Pathways	REACTOME_PATHWAY	p53-Dependent G1 DNA Damage Response
Pathways	REACTOME_PATHWAY	p53-Dependent G1/S DNA damage checkpoint
Pathways	REACTOME_PATHWAY	G1/S DNA Damage Checkpoints
Pathways	REACTOME_PATHWAY	Cell Cycle Checkpoints
Pathways	REACTOME_PATHWAY	Transcriptional activation of cell cycle inhibitor p21
Pathways	REACTOME_PATHWAY	RNA Polymerase II Transcription
Pathways	REACTOME_PATHWAY	DNA Repair
Pathways	REACTOME_PATHWAY	Gene expression (Transcription)
Pathways	REACTOME_PATHWAY	The role of GTSE1 in G2/M progression after G2 checkpoint
Pathways	REACTOME_PATHWAY	Transcriptional Regulation by VENTX
Pathways	REACTOME_PATHWAY	Transcriptional regulation by RUNX3
Pathways	REACTOME_PATHWAY	RUNX3 regulates CDKN1A transcription
Pathways	REACTOME_PATHWAY	Regulation of PTEN gene transcription
Pathways	REACTOME_PATHWAY	Cellular responses to stimuli
Pathways	REACTOME_PATHWAY	Intracellular signaling by second messengers
Pathways	REACTOME_PATHWAY	Interleukin-1 signaling
Pathways	REACTOME_PATHWAY	Interferon Signaling
Pathways	REACTOME_PATHWAY	TRIF (TICAM1)-mediated TLR4 signaling
Pathways	REACTOME_PATHWAY	Diseases of programmed cell death
Pathways	REACTOME_PATHWAY	Signaling by ALK in cancer
Pathways	REACTOME_PATHWAY	Loss of function of TP53 in cancer due to loss of tetramerization a

Main Category	Category	
Pathways	REACTOME_PATHWAY	Loss of Function of TP53 in Cancer
Pathways	REACTOME_PATHWAY	Signaling by ALK fusions and activated point mutants
Pathways	REACTOME_PATHWAY	Defective Intrinsic Pathway for Apoptosis
Pathways	REACTOME_PATHWAY	TRAF6 mediated induction of NFkB and MAP kinases upon TLR7/8
Pathways	REACTOME_PATHWAY	MyD88 dependent cascade initiated on endosome
Pathways	REACTOME_PATHWAY	Regulation of NF-kappa B signaling
Pathways	REACTOME_PATHWAY	MyD88 cascade initiated on plasma membrane
Pathways	REACTOME_PATHWAY	Maternal to zygotic transition (MZT)
Pathways	REACTOME_PATHWAY	Zygotic genome activation (ZGA)
Pathways	REACTOME_PATHWAY	Factors involved in megakaryocyte development and platelet production
Pathways	REACTOME_PATHWAY	PKR-mediated signaling
Pathways	WIKIPATHWAYS	AMP activated protein kinase signaling
Pathways	WIKIPATHWAYS	miRNA regulation of DNA damage response
Pathways	WIKIPATHWAYS	miRNAs involved in DNA damage response
Pathways	WIKIPATHWAYS	Fluoropyrimidine activity
Pathways	WIKIPATHWAYS	TP53 network
Pathways	WIKIPATHWAYS	Folate metabolism
Pathways	WIKIPATHWAYS	Apoptosis modulation and signaling
Pathways	WIKIPATHWAYS	Cell cycle
Pathways	WIKIPATHWAYS	Integrated cancer pathway
Pathways	WIKIPATHWAYS	Integrated breast cancer pathway
Pathways	WIKIPATHWAYS	Metastatic brain tumor
Pathways	WIKIPATHWAYS	Glioblastoma signaling
Pathways	WIKIPATHWAYS	Androgen receptor network in prostate cancer
Pathways	WIKIPATHWAYS	Gastric cancer network 2
Pathways	WIKIPATHWAYS	Spinal cord injury
Pathways	WIKIPATHWAYS	Retinoblastoma gene in cancer
Pathways	WIKIPATHWAYS	Amyotrophic lateral sclerosis ALS
Pathways	WIKIPATHWAYS	ATM signaling
Pathways	WIKIPATHWAYS	Apoptosis
Pathways	WIKIPATHWAYS	Mammary gland development involution stage 4 of 4
Pathways	WIKIPATHWAYS	Bladder cancer

Main Category	Category	
Pathways	WIKIPATHWAYS	Copper homeostasis
Pathways	WIKIPATHWAYS	RAC1 PAK1 p38 MMP2 pathway
Pathways	WIKIPATHWAYS	Circadian rhythm genes
Pathways	WIKIPATHWAYS	Photodynamic therapy induced AP 1 survival signaling
Pathways	WIKIPATHWAYS	Photodynamic therapy induced HIF 1 survival signaling
Pathways	WIKIPATHWAYS	Hepatitis C and hepatocellular carcinoma
Pathways	WIKIPATHWAYS	Pathways affected in adenoid cystic carcinoma
Pathways	WIKIPATHWAYS	lncRNA mediated mechanisms of therapeutic resistance
Pathways	WIKIPATHWAYS	MAPK signaling
Pathways	WIKIPATHWAYS	RIOK1 and RIOK2 in EGFR and PI3K mediated tumorigenesis
Pathways	WIKIPATHWAYS	ATM signaling in development and disease
Pathways	WIKIPATHWAYS	DNA IR double strand breaks and cellular response via ATM
Pathways	WIKIPATHWAYS	miRNA regulation of prostate cancer signaling
Pathways	WIKIPATHWAYS	miRNA regulation of p53 pathway in prostate cancer
Pathways	WIKIPATHWAYS	Wnt signaling and pluripotency
Pathways	WIKIPATHWAYS	Prader Willi and Angelman syndrome
Pathways	WIKIPATHWAYS	DNA IR damage and cellular response via ATR
Pathways	WIKIPATHWAYS	Endometrial cancer
Pathways	WIKIPATHWAYS	PI3K Akt signaling
Pathways	WIKIPATHWAYS	Caloric restriction and aging
Pathways	WIKIPATHWAYS	Hereditary leiomyomatosis and renal cell carcinoma pathway
Pathways	WIKIPATHWAYS	Chromosomal and microsatellite instability in colorectal cancer
Pathways	WIKIPATHWAYS	Epithelial to mesenchymal transition in colorectal cancer
Pathways	WIKIPATHWAYS	Non small cell lung cancer
Pathways	WIKIPATHWAYS	Breast cancer pathway
Pathways	WIKIPATHWAYS	Pancreatic adenocarcinoma pathway
Pathways	WIKIPATHWAYS	Ultraconserved region 339 modulation of tumor suppressor microRNA
Pathways	WIKIPATHWAYS	Ferroptosis
Pathways	WIKIPATHWAYS	Effect of progerin on genes involved in progeria
Pathways	WIKIPATHWAYS	MicroRNA network associated with chronic lymphocytic leukemia
Pathways	WIKIPATHWAYS	G1 to S cell cycle control
Pathways	WIKIPATHWAYS	Measles virus infection

Main Category	Category	
Pathways	WIKIPATHWAYS	22q11 2 copy number variation syndrome
Pathways	WIKIPATHWAYS	Small cell lung cancer
Pathways	WIKIPATHWAYS	Head and neck squamous cell carcinoma
Pathways	WIKIPATHWAYS	Melanoma
Pathways	WIKIPATHWAYS	Thyroid hormones production and peripheral downstream signaling
Pathways	WIKIPATHWAYS	Netrin UNC5B signaling
Pathways	WIKIPATHWAYS	IL18 signaling
Pathways	WIKIPATHWAYS	Unfolded protein response
Pathways	WIKIPATHWAYS	16p11 2 proximal deletion syndrome
Pathways	WIKIPATHWAYS	Pentose phosphate pathway in senescent cells
Pathways	WIKIPATHWAYS	Kynurenine pathway and links to cell senescence
Pathways	WIKIPATHWAYS	NAD metabolism in oncogene induced senescence and mitochondria
Pathways	WIKIPATHWAYS	Glycolysis in senescence
Pathways	WIKIPATHWAYS	TCA cycle in senescence
Pathways	WIKIPATHWAYS	Burn wound healing
Pathways	WIKIPATHWAYS	Pleural mesothelioma
Pathways	WIKIPATHWAYS	T cell activation SARS CoV 2
Pathways	WIKIPATHWAYS	Prostaglandin and leukotriene metabolism in senescence
Pathways	WIKIPATHWAYS	Lipid metabolism in senescent cells
Pathways	WIKIPATHWAYS	DYRK1A involvement regarding cell proliferation in brain development
Pathways	WIKIPATHWAYS	Metabolic reprogramming in pancreatic cancer
Pathways	WIKIPATHWAYS	2q37 copy number variation syndrome
Pathways	WIKIPATHWAYS	Autophagy in pancreatic ductal adenocarcinoma
Pathways	WIKIPATHWAYS	11p11 2 copy number variation syndrome
Pathways	WIKIPATHWAYS	Macrophage stimulating protein MSP signaling
Pathways	WIKIPATHWAYS	Smith Magenis and Potocki Lupski syndrome copy number variations
Pathways	WIKIPATHWAYS	8q11 23 RB1CC1 copy number variation
Pathways	WIKIPATHWAYS	Omega 6 fatty acids in senescence
Pathways	WIKIPATHWAYS	Cancer pathways
Pathways	WIKIPATHWAYS	Effects of MFN2 mutation
Pathways	WIKIPATHWAYS	Hallmark of cancer sustaining proliferative signaling
Pathways	WIKIPATHWAYS	Molecular pathway for oxidative stress

Main Category	Category	
Pathways	WIKIPATHWAYS	BDNF signaling in neurodevelopment
Pathways	WIKIPATHWAYS	22q11 2 distal CNV
Pathways	WIKIPATHWAYS	Senescence and autophagy in cancer
Pathways	WIKIPATHWAYS	ErbB signaling
Pathways	WIKIPATHWAYS	DNA damage response
Pathways	WIKIPATHWAYS	DNA damage response only ATM dependent
Protein Domains	INTERPRO	p53_tumour_suppressor
Protein Domains	INTERPRO	p53-like_TF_DNA-bd_sf
Protein Domains	INTERPRO	p53_tetrameristn
Protein Domains	INTERPRO	p53_DNA-bd
Protein Domains	INTERPRO	p53/RUNT-type_TF_DNA-bd_sf
Protein Domains	INTERPRO	p53_transactivation_domain
Protein Domains	INTERPRO	PFU
Protein Domains	INTERPRO	p53_tetramer_sf
Protein Domains	INTERPRO	p53_TAD2
Protein Domains	INTERPRO	P53_central_site
Protein Domains	UP_KW_DOMAIN	Transmembrane
Protein Domains	UP_KW_DOMAIN	Transmembrane helix