Main Category	Category	Terms
Disease	OMIM_DISEASE	Burkitt lymphoma, somatic
Disease	UP_KW_DISEASE	Proto-oncogene
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription regulation
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Chromosome
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Membrane
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Nucleus
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Cytoplasm
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Activator
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	DNA-binding
Functional Annotations	UP_KW_PTM	Acetylation
Functional Annotations	UP_KW_PTM	Glycoprotein
Functional Annotations	UP_KW_PTM	Phosphoprotein
Functional Annotations	UP_KW_PTM	Ubl conjugation
Functional Annotations	UP_KW_PTM	Isopeptide bond
Functional Annotations	UP_SEQ_FEATURE	CARBOHYD:O-linked (GlcNAc) threonine; alternate
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Basic and acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Low complexity
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Pro residues
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cte SUMO2)
Functional	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cte

Main Category	Category	Terms
Annotations		SUMO2); alternate
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:BHLH
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:Transcription regulator Myc N-terminal
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:bHLH
Functional Annotations	UP_SEQ_FEATURE	MOTIF:9aaTAD
Functional Annotations	UP_SEQ_FEATURE	MOTIF:UBR5-degron
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:R->K: Abolished ubiquitination and degradation by the DCX(TRPC4AP) complex.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Impairs interaction with FBXW7 and subsequent degradation by the proteasome. Impaired inhibition of Ras-induced senescence. Abolishes phosphorylation by DYRK2, and subsequent phosphorylation by GSK3B at Thr-73.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->D: Phospho-mimetic mutant; abolished regulation by AMBRA1.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:T->A: Impairs interaction with FBXW7 and subsequent degradation by the proteasome. Normal inhibition of Ras-induced senescence.
Functional Annotations	UP_SEQ_FEATURE	REGION:Basic motif
Functional Annotations	UP_SEQ_FEATURE	REGION:Disordered
Functional Annotations	UP_SEQ_FEATURE	REGION:Helix-loop-helix motif
Functional Annotations	UP_SEQ_FEATURE	REGION:Leucine-zipper
Functional Annotations	UP_SEQ_FEATURE	TRANSMEM:Helical
Gene Ontology	GOTERM_BP_DIRECT	G1/S transition of mitotic cell cycle
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	MAPK cascade
Gene Ontology	GOTERM_BP_DIRECT	branching involved in ureteric bud morphogenesis
Gene Ontology	GOTERM_BP_DIRECT	B cell apoptotic process
Gene	GOTERM_BP_DIRECT	NK T cell proliferation

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of mesenchymal cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of B cell apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	chromatin remodeling
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	intracellular iron ion homeostasis
Gene Ontology	GOTERM_BP_DIRECT	DNA damage response
Gene Ontology	GOTERM_BP_DIRECT	cell population proliferation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of cell population proliferation
Gene Ontology	GOTERM_BP_DIRECT	intrinsic apoptotic signaling pathway in response to DNA damage
Gene Ontology	GOTERM_BP_DIRECT	response to radiation
Gene Ontology	GOTERM_BP_DIRECT	response to xenobiotic stimulus
Gene Ontology	GOTERM_BP_DIRECT	regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	regulation of cell cycle process
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	myotube differentiation
Gene Ontology	GOTERM_BP_DIRECT	Wnt signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	rRNA metabolic process
Gene Ontology	GOTERM_BP_DIRECT	protein processing
Gene	GOTERM_BP_DIRECT	regulation of telomere maintenance

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of telomere maintenance
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of stress-activated MAPK cascade
Gene Ontology	GOTERM_BP_DIRECT	protein-DNA complex disassembly
Gene Ontology	GOTERM_BP_DIRECT	cellular response to UV
Gene Ontology	GOTERM_BP_DIRECT	cellular response to interferon-alpha
Gene Ontology	GOTERM_BP_DIRECT	skeletal muscle cell differentiation
Gene Ontology	GOTERM_BP_DIRECT	middle ear morphogenesis
Gene Ontology	GOTERM_BP_DIRECT	regulation of apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	proteasome-mediated ubiquitin-dependent protein catabolic proce
Gene Ontology	GOTERM_BP_DIRECT	response to alkaloid
Gene Ontology	GOTERM_BP_DIRECT	pigmentation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of gene expression via chromosomal CpG islar methylation
Gene Ontology	GOTERM_BP_DIRECT	fibroblast apoptotic process
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of monocyte differentiation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of translation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of fibroblast proliferation
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of fibroblast proliferation
Gene	GOTERM_BP_DIRECT	skeletal system morphogenesis

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of epithelial cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	detection of mechanical stimulus involved in sensory perception o sound
Gene Ontology	GOTERM_BP_DIRECT	chromosome organization
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of cell division
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of transcription initiation by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of transcription initiation by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	ERK1 and ERK2 cascade
Gene Ontology	GOTERM_BP_DIRECT	response to growth factor
Gene Ontology	GOTERM_BP_DIRECT	cellular response to hypoxia
Gene Ontology	GOTERM_BP_DIRECT	cellular response to xenobiotic stimulus
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of metanephric cap mesenchymal cell prolifera
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of intrinsic apoptotic signaling pathway by p53 mediator
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of miRNA transcription
Gene Ontology	GOTERM_BP_DIRECT	regulation of somatic stem cell population maintenance
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of acinar cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	acinar cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of apoptotic signaling pathway
Gene Ontology	GOTERM_CC_DIRECT	chromatin
Gene Ontology	GOTERM_CC_DIRECT	euchromatin
Gene Ontology	GOTERM_CC_DIRECT	nucleus
Gene	GOTERM_CC_DIRECT	nuclear envelope

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_CC_DIRECT	nucleoplasm
Gene Ontology	GOTERM_CC_DIRECT	chromosome
Gene Ontology	GOTERM_CC_DIRECT	nucleolus
Gene Ontology	GOTERM_CC_DIRECT	cytoplasm
Gene Ontology	GOTERM_CC_DIRECT	rough endoplasmic reticulum
Gene Ontology	GOTERM_CC_DIRECT	spindle
Gene Ontology	GOTERM_CC_DIRECT	membrane
Gene Ontology	GOTERM_CC_DIRECT	nuclear body
Gene Ontology	GOTERM_CC_DIRECT	axon
Gene Ontology	GOTERM_CC_DIRECT	protein-containing complex
Gene Ontology	GOTERM_CC_DIRECT	nucleoplasmic reticulum
Gene Ontology	GOTERM_CC_DIRECT	perinuclear region of cytoplasm
Gene Ontology	GOTERM_CC_DIRECT	Myc-Max complex
Gene Ontology	GOTERM_CC_DIRECT	RNA polymerase II transcription repressor complex
Gene Ontology	GOTERM_MF_DIRECT	RNA polymerase II cis-regulatory region sequence-specific DNA bi
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity, RNA polymerase II-specif
Gene Ontology	GOTERM_MF_DIRECT	cis-regulatory region sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	core promoter sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	transcription coregulator binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription repressor activity, RNA polymerase II-sp
Gene	GOTERM_MF_DIRECT	DNA-binding transcription activator activity, RNA polymerase II-spe

Main Category	Category	Terms
Ontology		
Gene Ontology	GOTERM_MF_DIRECT	DNA binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity
Gene Ontology	GOTERM_MF_DIRECT	mRNA binding
Gene Ontology	GOTERM_MF_DIRECT	protein binding
Gene Ontology	GOTERM_MF_DIRECT	ubiquitin protein ligase binding
Gene Ontology	GOTERM_MF_DIRECT	identical protein binding
Gene Ontology	GOTERM_MF_DIRECT	protein-containing complex binding
Gene Ontology	GOTERM_MF_DIRECT	protein dimerization activity
Gene Ontology	GOTERM_MF_DIRECT	E-box binding
Gene Ontology	GOTERM_MF_DIRECT	eukaryotic initiation factor eIF2 binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor binding
Gene Ontology	GOTERM_MF_DIRECT	transcription regulator activator activity
Gene Ontology	GOTERM_MF_DIRECT	SCF ubiquitin ligase complex binding
General Annotations	CHROMOSOME	8
General Annotations	CYTOGENETIC_LOCATION	8q24.21
General Annotations	ENTREZ_GENE_SUMMARY	This gene is a proto-oncogene and encodes a nuclear phosphopro that plays a role in cell cycle progression, apoptosis and cellular transformation. The encoded protein forms a heterodimer with the related transcription factor MAX. This complex binds to the E box consensus sequence and regulates the transcription of specific ta genes. Amplification of this gene is frequently observed in numero human cancers. Translocations involving this gene are associated Burkitt lymphoma and multiple myeloma in human patients. There evidence to show that translation initiates both from an upstream, frame non-AUG (CUG) and a downstream AUG start site, resulting production of two isoforms with distinct N-termini. [provided by Re Aug 2017]
General Annotations	UP_COMMENT_ALTERNATIVE_PRODUCTS	Event=Alternative splicing, Alternative initiation; Named isoforms= Name=2; Synonyms=c-myc 1 {ECO:0000303|PubMed:3277717};

Main Category	Category	Terms
		IsoId=P01106-2; Sequence=Displayed; Name=1; Synonyms=c-myc {ECO:0000303|PubMed:3277717}; IsoId=P01106-1; Sequence=VSP_061778; Name=3; IsoId=P01106-3; Sequence=VSP_061779;
General Annotations	UP_COMMENT_BIOTECHNOLOGY	POU5F1/OCT4, SOX2, MYC/c-Myc and KLF4 are the four Yamanak factors. When combined, these factors are sufficient to reprogram differentiated cells to an embryonic-like state designated iPS (indu pluripotent stem) cells. iPS cells exhibit the morphology and growt properties of ES cells and express ES cell marker genes. {ECO:000 PubMed:18035408}.
General Annotations	UP_COMMENT_DISEASE	Burkitt lymphoma (BL) [MIM:113970]: A form of undifferentiated malignant lymphoma commonly manifested as a large osteolytic l in the jaw or as an abdominal mass. {ECO:0000269|PubMed:2166 ECO:0000269|PubMed:8220424}. Note=The gene represented in th entry is involved in disease pathogenesis. Chromosomal aberratio involving MYC are usually found in Burkitt lymphoma. Translocatio t(8;14), t(8;22) or t(2;8) which juxtapose MYC to one of the heavy o chain immunoglobulin gene loci.
General Annotations	UP_COMMENT_DISEASE	Note=A chromosomal aberration involving MYC may be a cause of form of B-cell chronic lymphocytic leukemia. Translocation t(8;12) (q24;q22) with BTG1. {ECO:0000269|PubMed:2069907}.
General Annotations	UP_COMMENT_DOMAIN	The 9aaTAD motif is a transactivation domain present in a large nu of yeast and animal transcription factors. {ECO:0000269| PubMed:34342803}.
General Annotations	UP_COMMENT_FUNCTION	Transcription factor that binds DNA in a non-specific manner, yet a specifically recognizes the core sequence 5'-CAC[GA]TG-3' (PubMed:24940000, PubMed:25956029). Activates transcription of growth-related genes (PubMed:24940000, PubMed:25956029). Binds to the VEGFA promoter, promoting VEG production and subsequent sprouting angiogenesis (PubMed:2494 PubMed:25956029). Regulator of somatic reprogramming, control renewal of embryonic stem cells (By similarity). Functions with TA activate target gene expression through RNA polymerase II pause (By similarity). Positively regulates transcription of HNRNPA1, HNR and PTBP1 which in turn regulate splicing of pyruvate kinase PKM binding repressively to sequences flanking PKM exon 9, inhibiting inclusion and resulting in exon 10 inclusion and production of the M2 isoform (PubMed:20010808). {ECO:0000250|UniProtKB:P0110 ECO:0000269|PubMed:20010808, ECO:0000269|PubMed:2494000 ECO:0000269|PubMed:25956029}.
General Annotations	UP_COMMENT_FUNCTION	Transcription factor that binds DNA in a non-specific manner, yet a specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Activat transcription of growth-related genes. Binds to the VEGFA promote promoting VEGFA production and subsequent sprouting angiogene Regulator of somatic reprogramming, controls self-renewal of emb stem cells. Functions with TAF6L to activate target gene expressio through RNA polymerase II pause release. Positively regulates transcription of HNRNPA1, HNRNPA2 and PTBP1 which in turn reg splicing of pyruvate kinase PKM by binding repressively to sequen flanking PKM exon 9, inhibiting exon 9 inclusion and resulting in ex inclusion and production of the PKM M2 isoform. {ECO:0000256| ARBA:ARBA00045233}.
General Annotations	UP_COMMENT_INTERACTION	P01106; Q9UBB4: ATXN10; NbExp=4; IntAct=EBI-447544, EBI-7023 P01106; O15169: AXIN1; NbExp=10; IntAct=EBI-447544, EBI-71048

Main Category	Category	Terms
		P01106; O00499-10: BIN1; NbExp=3; IntAct=EBI-447544, EBI-7689 P01106; O00499-11: BIN1; NbExp=2; IntAct=EBI-447544, EBI-7689 P01106; Q15059: BRD3; NbExp=3; IntAct=EBI-447544, EBI-138346 P01106; P55212: CASP6; NbExp=3; IntAct=EBI-447544, EBI-71872 P01106; P45973: CBX5; NbExp=3; IntAct=EBI-447544, EBI-78219; P01106; Q8N163: CCAR2; NbExp=8; IntAct=EBI-447544, EBI-35541 P01106; P06307: CCK; NbExp=3; IntAct=EBI-447544, EBI-6624398; P01106; A5D8W4: CDH1; NbExp=3; IntAct=EBI-447544, EBI-77933 P01106; P11802: CDK4; NbExp=2; IntAct=EBI-447544, EBI-295644; P01106; Q86XR8: CEP57; NbExp=3; IntAct=EBI-447544, EBI-30861 P01106; P28329-3: CHAT; NbExp=3; IntAct=EBI-447544, EBI-25837 P01106; Q14839: CHD4; NbExp=2; IntAct=EBI-447544, EBI-372916 P01106; O15111: CHUK; NbExp=3; IntAct=EBI-447544, EBI-81249; P01106; Q8TCG1: CIP2A; NbExp=2; IntAct=EBI-447544, EBI-13793 P01106; Q01658: DR1; NbExp=3; IntAct=EBI-447544, EBI-750300; P01106; Q15029: EFTUD2; NbExp=5; IntAct=EBI-447544, EBI-3578 P01106; Q96L91: EP400; NbExp=6; IntAct=EBI-447544, EBI-399163 P01106; Q96L91-2: EP400; NbExp=2; IntAct=EBI-447544, EBI-1569 P01106; Q969H0: FBXW7; NbExp=7; IntAct=EBI-447544, EBI-35957 P01106; Q8N3Y1: FBXW8; NbExp=3; IntAct=EBI-447544, EBI-91477 P01106; P22607: FGFR3; NbExp=3; IntAct=EBI-447544, EBI-348399 P01106; O43524: FOXO3; NbExp=3; IntAct=EBI-447544, EBI-16441 P01106; P49841-2: GSK3B; NbExp=3; IntAct=EBI-447544, EBI-1587 P01106; P06396: GSN; NbExp=3; IntAct=EBI-447544, EBI-351506; P01106; Q00403: GTF2B; NbExp=3; IntAct=EBI-447544, EBI-38956 P01106; Q9Y5Q9: GTF3C3; NbExp=4; IntAct=EBI-447544, EBI-1054 P01106; Q92769: HDAC2; NbExp=2; IntAct=EBI-447544, EBI-30182 P01106; O15379: HDAC3; NbExp=6; IntAct=EBI-447544, EBI-60768 P01106; Q9Y6K9: IKBKG; NbExp=3; IntAct=EBI-447544, EBI-81279; P01106; O60341: KDM1A; NbExp=4; IntAct=EBI-447544, EBI-71012 P01106; O00629: KPNA4; NbExp=20; IntAct=EBI-447544, EBI-3963 P01106; P13473-2: LAMP2; NbExp=3; IntAct=EBI-447544, EBI-2159 P01106; P61244: MAX; NbExp=46; IntAct=EBI-447544, EBI-751711 P01106; O95983: MBD3; NbExp=3; IntAct=EBI-447544, EBI-178306 P01106; P33993: MCM7; NbExp=6; IntAct=EBI-447544, EBI-35592 P01106; A9UHW6: MIF4GD; NbExp=2; IntAct=EBI-447544, EBI-373 P01106; P01106: MYC; NbExp=2; IntAct=EBI-447544, EBI-447544; P01106; O75928: PIAS2; NbExp=4; IntAct=EBI-447544, EBI-348555 P01106; Q13526: PIN1; NbExp=5; IntAct=EBI-447544, EBI-714158; P01106; O75400-2: PRPF40A; NbExp=3; IntAct=EBI-447544, EBI-5280197; P01106; P62913: RPL11; NbExp=3; IntAct=EBI-44754 EBI-354380; P01106; Q9Y371: SH3GLB1; NbExp=3; IntAct=EBI-447 EBI-2623095; P01106; O75182: SIN3B; NbExp=7; IntAct=EBI-44754 EBI-540462; P01106; Q96EB6: SIRT1; NbExp=4; IntAct=EBI-447544 EBI-1802965; P01106; Q8N6T7: SIRT6; NbExp=3; IntAct=EBI-44754 EBI-712415; P01106; Q13309: SKP2; NbExp=2; IntAct=EBI-447544, EBI-456291; P01106; Q8TAD8: SNIP1; NbExp=9; IntAct=EBI-44754 EBI-749336; P01106; P08047: SP1; NbExp=4; IntAct=EBI-447544, EBI-298336; P01106; P31948: STIP1; NbExp=3; IntAct=EBI-447544 EBI-1054052; P01106; Q13148: TARDBP; NbExp=6; IntAct=EBI-447 EBI-372899; P01106; P37173: TGFBR2; NbExp=3; IntAct=EBI-4475 EBI-296151; P01106; P11387: TOP1; NbExp=3; IntAct=EBI-447544, EBI-876302; P01106; Q14669: TRIP12; NbExp=7; IntAct=EBI-44754 EBI-308443; P01106; Q9Y4A5: TRRAP; NbExp=7; IntAct=EBI-44754 EBI-399128; P01106; P0CG48: UBC; NbExp=5; IntAct=EBI-447544, EBI-3390054; P01106; Q9UMX0: UBQLN1; NbExp=3; IntAct=EBI-44 EBI-741480; P01106; P17480: UBTF; NbExp=2; IntAct=EBI-447544, EBI-396235; P01106; Q13105: ZBTB17; NbExp=9; IntAct=EBI-4475 EBI-372156; P01106; Q9Y649; NbExp=3; IntAct=EBI-447544, EBI-25900580; P01106; P03129: E7; Xeno; NbExp=2; IntAct=EBI-44 EBI-866453; P01106; P04020: E7; Xeno; NbExp=2; IntAct=EBI-4475

Main Category	Category	Terms
		EBI-7005254; P01106; P06788: E7; Xeno; NbExp=5; IntAct=EBI-447 EBI-1776887; P01106; P03204: EBNA6; Xeno; NbExp=11; IntAct=EBI-447544, EBI-9255985; P01106; P52164: Max; Xeno; Nb IntAct=EBI-447544, EBI-1184963; P01106; Q62141: Sin3b; Xeno; NbExp=8; IntAct=EBI-447544, EBI-591450; P01106; P03070; Xeno; NbExp=2; IntAct=EBI-447544, EBI-617698;
General Annotations	UP_COMMENT_INTERACTION	Q14901; P63208: SKP1; NbExp=2; IntAct=EBI-7982457, EBI-30748
General Annotations	UP_COMMENT_MISCELLANEOUS	Alternative translation initiation from an upstream, in- frame non-A (CTG) codon or a downstream ATG start site results in the product 2 isoforms with distinct N-termini, shown in this entry as isoforms and isoform 1, respectively. {ECO:0000305|PubMed:3277717}.
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 2]: Produced by alternative translation initiation from a CT codon, which is translated as Met. {ECO:0000305|PubMed:327771
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 3]: Produced by alternative translation initiation from a CT codon, which is translated as Met, and alternative splicing. {ECO:0000305|PubMed:3277717}.
General Annotations	UP_COMMENT_PTM	Phosphorylated by PRKDC (PubMed:1597196). Phosphorylation at 344 by PIM2 leads to the stabilization of MYC (By similarity). Phosphorylation at Ser-77 by CDK2 prevents Ras-induced senesce (PubMed:19966300, PubMed:20713526). Phosphorylated at Ser-7 DYRK2; this primes the protein for subsequent phosphorylation by at Thr- 73 (PubMed:22307329). Phosphorylation at Thr-73 and Ser GSK3 is required for ubiquitination and degradation by the proteas (PubMed:15103331, PubMed:17558397, PubMed:8386367). Dephosphorylation at multiple sites by the PNUTS-PP1 complex promotes MYC stability by preventing ubiquitination by the SCF(FB complex (PubMed:30158517). Dephosphorylation at Ser-77 by pro phosphatase 2A (PPP2CA) promotes its degradation; interaction w PPP2CA is enhanced by AMBRA1 (PubMed:25438055, PubMed:25803737). {ECO:0000250|UniProtKB:P01108, ECO:0000 PubMed:15103331, ECO:0000269|PubMed:1597196, ECO:000026 PubMed:17558397, ECO:0000269|PubMed:19966300, ECO:00002 PubMed:20713526, ECO:0000269|PubMed:22307329, ECO:00002 PubMed:25438055, ECO:0000269|PubMed:25803737, ECO:00002 PubMed:30158517, ECO:0000269|PubMed:8386367}.
General Annotations	UP_COMMENT_PTM	Ubiquitinated by the SCF(FBXW7) complex when phosphorylated a Thr-73 and Ser-77, leading to its degradation by the proteasome (PubMed:15103331, PubMed:17558397, PubMed:25775507, PubMed:30158517). In the nucleoplasm, ubiquitination is counter by USP28, which interacts with isoform 1 of FBXW7 (FBW7alpha), to its deubiquitination and preventing degradation (PubMed:17558 PubMed:17873522). In the nucleolus, however, ubiquitination is no counteracted by USP28 but by USP36, due to the lack of interactio between isoform 3 of FBXW7 (FBW7gamma) and USP28, explainin selective MYC degradation in the nucleolus (PubMed:17558397, PubMed:25775507). Also polyubiquitinated by the DCX(TRPC4AP) complex (PubMed:20551172, PubMed:29779948). Ubiquitinated b when not forming a heterodimer with another bHLH protein, leadin degradation: UBR5 recognizes and binds a degron that is only avai upon heterodimer dissociation (PubMed:33208877, PubMed:3747 Ubiquitinated by TRIM6 in a phosphorylation-independent manner similarity). {ECO:0000250|UniProtKB:P01108, ECO:0000269| PubMed:15103331, ECO:0000269|PubMed:17558397, ECO:00002 PubMed:17873522, ECO:0000269|PubMed:20551172, ECO:00002

Main Category	Category	Terms
		PubMed:25775507, ECO:0000269|PubMed:29779948, ECO:00002 PubMed:30158517, ECO:0000269|PubMed:33208877, ECO:00002 PubMed:37478862}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Chromosome {ECO:0000256|ARBA:ARBA00004286}. Nucleus, nuc {ECO:0000256|ARBA:ARBA00004604}. Nucleus, nucleoplasm {ECO:0000256|ARBA:ARBA00004642}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus, nucleoplasm {ECO:0000269|PubMed:17558397}. Nucleus nucleolus {ECO:0000269|PubMed:17558397, ECO:0000269| PubMed:25775507, ECO:0000269|PubMed:38225354}. Nucleus {ECO:0000269|PubMed:22719065, ECO:0000269|PubMed:382253 Cytoplasm {ECO:0000269|PubMed:22719065}. Chromosome {ECO:0000269|PubMed:30158517}. Note=Association with chroma reduced by hyperphosphorylation (PubMed:30158517). Localizatio the nucleolus is dependent on HEATR1 (PubMed:38225354). {ECO:0000269|PubMed:30158517, ECO:0000269|PubMed:382253
General Annotations	UP_COMMENT_SUBUNIT	Efficient DNA binding requires dimerization with another bHLH pro Binds DNA as a heterodimer with MAX (PubMed:9680483). Interac TAF1C and SPAG9. Interacts with PARP10. Interacts with KDM5A a KDM5B. Interacts (when phosphorylated at Thr-73 and Ser-77) wit FBXW7 (PubMed:17558397, PubMed:25775507). Interacts with PI Interacts with RIOX1. The heterodimer MYC:MAX interacts with AB interaction may enhance MYC:MAX transcriptional activity. Interac TRIM6 (By similarity). Interacts with NPM1; the binary complex is recruited to the promoter of MYC target genes and enhances their transcription (PubMed:25956029). Interacts with CIP2A; leading to stabilization of MYC (PubMed:17632056). Interacts with NUP205 (PubMed:22719065). Interacts with HEATR1; the interaction is requ for localization of MYC to the nucleolus (PubMed:38225354). {ECO:0000250|UniProtKB:P01108, ECO:0000269|PubMed:1510333 ECO:0000269|PubMed:15674325, ECO:0000269|PubMed:1572305 ECO:0000269|PubMed:17308053, ECO:0000269|PubMed:1731188 ECO:0000269|PubMed:17558397, ECO:0000269|PubMed:1763205 ECO:0000269|PubMed:17873522, ECO:0000269|PubMed:2271906 ECO:0000269|PubMed:25775507, ECO:0000269|PubMed:2595602 ECO:0000269|PubMed:38225354, ECO:0000269|PubMed:9680483
General Annotations	UP_COMMENT_SUBUNIT	Efficient DNA binding requires dimerization with another bHLH pro {ECO:0000256|PIRNR:PIRNR001705}.
Identifiers	ENTREZ_GENE_ID	4609
Identifiers	ENSEMBL_GENE_ID	ENSG00000136997
Identifiers	UNIPROT_ID	Q14901_HUMAN
Identifiers	UNIPROT_ID	Q14899_HUMAN
Identifiers	UNIPROT_ID	Q16591_HUMAN
Identifiers	UNIPROT_ID	MYC_HUMAN
Identifiers	UNIPROT_ID	H0YBG3_HUMAN
Identifiers	UNIPROT_ID	B4E1N7_HUMAN
Identifiers	UNIPROT_ID	B3CJB9_HUMAN
Identifiers	UNIPROT_ID	B3CJD5_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	B3CJ92_HUMAN
Identifiers	UNIPROT_ID	B3CJ76_HUMAN
Identifiers	UNIPROT_ID	B3CJ86_HUMAN
Identifiers	UNIPROT_ID	B3CJD8_HUMAN
Identifiers	UNIPROT_ID	B3CJD6_HUMAN
Identifiers	UNIPROT_ID	B3CJ77_HUMAN
Identifiers	UNIPROT_ID	B3CJA3_HUMAN
Identifiers	UNIPROT_ID	B3CJ66_HUMAN
Identifiers	UNIPROT_ID	B3CJ81_HUMAN
Identifiers	UNIPROT_ID	B3CJE0_HUMAN
Identifiers	UNIPROT_ID	B3CJC8_HUMAN
Identifiers	UNIPROT_ID	B3CJ71_HUMAN
Identifiers	UNIPROT_ID	B3CJ88_HUMAN
Identifiers	UNIPROT_ID	B3CJC7_HUMAN
Identifiers	UNIPROT_ID	B3CJ65_HUMAN
Identifiers	UNIPROT_ID	B3CJ87_HUMAN
Identifiers	UNIPROT_ID	B3CJB0_HUMAN
Identifiers	UNIPROT_ID	B3CJB8_HUMAN
Identifiers	UNIPROT_ID	B3CJ93_HUMAN
Identifiers	UNIPROT_ID	B3CJA7_HUMAN
Identifiers	UNIPROT_ID	B3CJ94_HUMAN
Identifiers	UNIPROT_ID	B3CJD3_HUMAN
Identifiers	UNIPROT_ID	B3CJ78_HUMAN
Identifiers	UNIPROT_ID	B3CJC0_HUMAN
Identifiers	UNIPROT_ID	B3CJ73_HUMAN
Identifiers	UNIPROT_ID	B3CJC6_HUMAN
Identifiers	UNIPROT_ID	B3CJA4_HUMAN
Identifiers	UNIPROT_ID	B3CJD7_HUMAN
Identifiers	UNIPROT_ID	B3CJB3_HUMAN
Identifiers	UNIPROT_ID	B3CJ74_HUMAN
Identifiers	UNIPROT_ID	B3CJ90_HUMAN
Identifiers	UNIPROT_ID	B3CJ82_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	B3CJA1_HUMAN
Identifiers	UNIPROT_ID	B3CJ91_HUMAN
Identifiers	UNIPROT_ID	B3CJB2_HUMAN
Identifiers	UNIPROT_ID	B3CJA8_HUMAN
Identifiers	UNIPROT_ID	B3CJ89_HUMAN
Identifiers	UNIPROT_ID	B3CJ64_HUMAN
Identifiers	UNIPROT_ID	B3CJD1_HUMAN
Identifiers	UNIPROT_ID	B3CJ69_HUMAN
Identifiers	UNIPROT_ID	B3CJ63_HUMAN
Identifiers	UNIPROT_ID	B3CJA9_HUMAN
Identifiers	UNIPROT_ID	B3CJB1_HUMAN
Identifiers	UNIPROT_ID	B3CJD9_HUMAN
Identifiers	UNIPROT_ID	B3CJ72_HUMAN
Identifiers	UNIPROT_ID	B3CJ75_HUMAN
Identifiers	UNIPROT_ID	B3CJD2_HUMAN
Identifiers	UNIPROT_ID	B0B0N9_HUMAN
Identifiers	UNIPROT_ID	A0N2G3_HUMAN
Identifiers	UNIPROT_ID	A0A494C1T8_HUMAN
Identifiers	UNIPROT_ID	A0A224B085_HUMAN
Identifiers	UNIPROT_ID	A0A0B4J1R1_HUMAN
Interactions	DRUGBANK	Acetylsalicylic acid
Interactions	DRUGBANK	Dimethyl sulfoxide
Interactions	DRUGBANK	Doconexent
Interactions	DRUGBANK	Nadroparin
Interactions	PUBCHEM	Indimitecan
Interactions	PUBCHEM	Indotecan
Interactions	PUBCHEM	4-[2-(4-Cyanophenyl)-6-(furan-2-yl)-4-pyridinyl]benzamide
Interactions	PUBCHEM	Bms-986158
Interactions	PUBCHEM	4-[[(E)-[3,5-bis(trifluoromethyl)phenyl]methylideneamino]carbamoy (2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(2-methylphenyl)piperazine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[3-(4-methoxyphenyl)piperidine-1-carbonyl]benzoic acid

Main Category	Category	Terms
Interactions	PUBCHEM	4-[5-(4-Carboxyphenyl)-1,3,4-oxadiazol-2-yl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-N-methylsulfonylbenzamide
Interactions	PUBCHEM	2-[2-Bromo-5-(trifluoromethyl)pyrrol-1-yl]benzoic acid
Interactions	PUBCHEM	4-[[(3-Carboxyphenyl)methylamino]methyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	4-[(Z)-[[4-carboxy-3-(2,5-dimethylpyrrol-1-yl)benzoyl]hydrazinylidene]methyl]-2,6-difluorobenzoic acid
Interactions	PUBCHEM	4-[[4-[(2-Ethoxy-2-oxoacetyl)amino]-3-(2-methylpropoxy)benzoyl]an (2-methylpropoxy)benzoic acid
Interactions	PUBCHEM	(5E)-5-[(4-ethylphenyl)methylidene]-3-prop-2-ynyl-1,3-thiazolidine-2 dione
Interactions	PUBCHEM	(5Z)-5-[[5-[(6-chloro-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-ylimidazolidine-2,4-dione
Interactions	PUBCHEM	N-[2-[5-[(Z)-(2,4-dioxo-3-propan-2-yl-1,3-thiazolidin-5-ylidene)methyl]furan-2-yl]sulfanyl-3H-benzimidazol-5-yl]acetamide
Interactions	PUBCHEM	(5Z)-5-[[5-[(5,6-dichloro-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[4-(1H-benzimidazol-2-ylsulfanyl)phenyl]methylidene]-3-pro yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	methyl 2-[5-[(Z)-(2,4-dioxo-3-propan-2-yl-1,3-thiazolidin-5-ylidene)methyl]furan-2-yl]sulfanyl-3H-benzimidazole-5-carboxylate
Interactions	PUBCHEM	(Z)-3-isopropyl-5-((5-((1-methyl-1H-benzo[d]imidazol-2-yl)thio)furan yl)methylene)thiazolidine-2, 4-dione
Interactions	PUBCHEM	(5Z)-3-propan-2-yl-5-[(5-pyridin-2-ylsulfanylfuran-2-yl)methylidene]-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-3-propan-2-yl-5-[[5-[[6-(trifluoromethyl)-1H-benzimidazol-2-yl]sulfanyl]furan-2-yl]methylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	N-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methyl]aniline
Interactions	PUBCHEM	5-(1H-benzimidazol-2-ylsulfanyl)-N-phenylfuran-2-carboxamide
Interactions	PUBCHEM	(5Z)-5-[[6-(1H-benzimidazol-2-ylsulfanyl)-1-benzofuran-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(Z)-5-((5-((1H-benzo[d]imidazol-2-yl)thio)furan-2-yl)methylene)-3-(3 aminopropyl)thiazolidine-2,4-dione 2,2,2-trifluoroacetate
Interactions	PUBCHEM	(E)-3-((5-((1H-benzo[d]imidazol-2-yl)thio)furan-2-yl)methylene)pyrrolidine-2,5-dione
Interactions	PUBCHEM	(Z)-5-(3-((1H-benzo[d]imidazol-2-yl)oxy)benzylidene)-3-isopropylthiazolidine-2, 4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-[(4-methyl-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-(1,3-benzoxazol-2-ylsulfanyl)furan-2-yl]methylidene]-3-pro

Main Category	Category	Terms
		yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(Z)-1-(3-(5-((5-((1H-benzo[d]imidazol-2-yl)thio)furan-2-yl)methylene dioxothiazolidin-3-yl)propyl)-3-phenylurea
Interactions	PUBCHEM	(5Z)-5-[[5-(1,3-benzothiazol-2-ylsulfanyl)furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-[(6-methoxy-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]imidazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-3-propan-2-yl-5-[[5-[[6-(trifluoromethoxy)-1H-benzimidazol-2-yl]sulfanyl]furan-2-yl]methylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(Z)-3-isopropyl-5-((5-((6-nitro-1H-benzo[d]imidazol-2-yl)thio)furan-2 yl)methylene)thiazolidine-2, 4-dione
Interactions	PUBCHEM	(Z)-5-((5-((6-amino-1H-benzo[d]imidazol-2-yl)thio)furan-2-yl)methyl isopropylthiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-3-propan-2-ylimidazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)thiophen-2-yl]methylidene propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-[(6-chloro-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	tert-butyl 2-[(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]acetate
Interactions	PUBCHEM	5-(1H-benzimidazol-2-ylsulfanyl)-N-propan-2-ylfuran-2-carboxamid
Interactions	PUBCHEM	(5Z)-5-[[5-[(4-methoxy-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-3-propan-2-yl-5-[[5-[(6-propan-2-yl-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(Z)-N-(2-((5-((3-isopropyl-2, 4-dioxothiazolidin-5-ylidene)methyl)fur yl)thio)-1H-benzo[d]imidazol-6-yl)benzamide
Interactions	PUBCHEM	(5Z)-5-[[5-[(4-chloro-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-[(6-acetyl-1H-benzimidazol-2-yl)sulfanyl]furan-2-yl]methylidene]-3-propan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-3-butan-2-yl-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	methyl 2-[(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]propanoate
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-imidazo[4,5-b]pyridin-2-ylsulfanyl)furan-2-yl]methylidene]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	1-[3-[(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methyliden dioxo-1,3-thiazolidin-3-yl]propyl]-3-ethylurea

Main Category	Category	Terms
Interactions	PUBCHEM	16-Fluoro-20-[3-(2-hydroxyethylamino)propyl]-5,7-dioxa-20-azapentacyclo[10.8.0.02,10.04,8.013,18]icosa-1(12),2,4(8),9,13(18 heptaene-11,19-dione
Interactions	PUBCHEM	US10683290, Example 11
Interactions	PUBCHEM	US10683290, Example 20
Interactions	PUBCHEM	2-{(7P)-7-(1,4-dimethyl-1H-1,2,3-triazol-5-yl)-8-fluoro-5-[(S)-(oxan-4-(phenyl)methyl]-5H-pyrido[3,2-b]indol-3-yl}propan-2-ol
Interactions	PUBCHEM	US10683290, Example 16
Interactions	PUBCHEM	N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,6-dihydro-4H-thieno[2,3-c]pyr yl]acetamide
Interactions	PUBCHEM	N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(7R)-7-methyl-3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[(5R,7R)-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[4-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[6-propan-2-yl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[6-amino-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydro-1-benzothiophen-2-yl]acetamide
Interactions	PUBCHEM	N-[3-(4,6-dimethyl-[1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide;dihydrochloride
Interactions	PUBCHEM	N-[6-(1-morpholin-4-ylpropan-2-yl)-3-([1,3]thiazolo[4,5-c]pyridin-2-yl dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[benzyl-[(2S)-butan-2-yl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide;hydrochl
Interactions	PUBCHEM	N-[3-(4,6-dimethyl-[1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide;dihydrochloride
Interactions	PUBCHEM	N-[(5R,7R)-3-[4-(difluoromethyl)-[1,3]thiazolo[4,5-c]pyridin-2-yl]-6-et dimethyl-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-(methylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(7S)-7-methyl-3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[3-(5-fluoro-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide;hydrochloride
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-([1,3]dioxolo[4,5-f][1,3]benzothiazol-6-yl)-4 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-(5-fluoro-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(dimethylamino)propanamide
Interactions	PUBCHEM	N-[3-(5-bromo-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(butan-2-ylamino)propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(5R)-5-methyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-(5-imidazol-1-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide;dihydrochloride
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-(5-fluoro-1,3-benzothiazol-2-yl)-6-propan-2 dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-([1,3]dioxolo[4,5-f][1,3]benzothiazol-6-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-(4-ethenyl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide;2,2,2-trifluoro acid
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(2-hydroxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(butan-2-ylamino)propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(methylamino)propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[3-[5-(trifluoromethyl)-1,3-benzothiazol yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2R)-butan-2-yl]amino]-N-[3-[5-(trifluoromethyl)-1,3-benzothiazol yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-(2-methoxyethyl)-2-[2-[3-(propan-2-ylamino)propanoylamino]-4,5 tetrahydrothieno[2,3-c]pyridin-3-yl]-1,3-benzothiazole-5-carboxamid
Interactions	PUBCHEM	3-[[(2R)-butan-2-yl]amino]-N-[3-(5-fluoro-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-(5,6-dimethyl-1,3-benzothiazol-2-yl)-4,5,6, tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-(1H-pyrazol-4-ylmethylamino)propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(1H-imidazol-5-ylmethylamino)propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(tert-butylamino)propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-(5-methyl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(5-fluoro-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[6-ethyl-3-(5-pyridin-4-yl-1,3-benzothiaz yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[6-cyclobutyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanar
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-[[(2R)-butan-2-yl]amino]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-[[(2S)-butan-2-yl]amino]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-[butan-2-yl(methyl)amino]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(1H-pyrazol-4-ylmethylamino)propanamide
Interactions	PUBCHEM	3-[3-[2-[2-(3-aminopropoxy)ethoxy]ethoxy]propylamino]-N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3-c]pyridin yl]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-(methylamino)propanamide
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[6-propan-2-yl-3-[5-(trifluoromethyl)-1,3-benzothiazol-2-yl]-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[6-propan-2-yl-3-[5-(trifluoromethyl)-1,3 benzothiazol-2-yl]-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanar
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3 c]pyridin-2-yl]-3-(2-methylpropylamino)propanamide
Interactions	PUBCHEM	3-[[(2R)-butan-2-yl]amino]-N-[6-propan-2-yl-3-[5-(trifluoromethyl)-1,3 benzothiazol-2-yl]-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanar
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[6-cyclopropyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanar
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-([1,3]dioxolo[4,5-f][1,3]benzothiazol-6-yl)-6 propan-2-yl-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-([1,3]thiazolo[5,4-b]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[(5S)-1,9-diazaspiro[4.5]decan-9-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridi yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-[(3-methylthiophen-2-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(pyrrolidin-3-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(azetidin-3-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(cyclobutylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2,6-diazaspiro[3.3]heptan-2-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(3-hydroxycyclobutyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	Methyl 4-[[3-oxo-3-[[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]amino]propyl]amino]butanoate
Interactions	PUBCHEM	3-(1,4-oxazepan-4-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[2-(methoxymethyl)pyrrolidin-1-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridin yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(6-oxa-2-azaspiro[3.4]octan-2-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(oxan-4-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[3-imidazol-1-ylpropyl(methyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyri yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(5-methyl-1,2-oxazol-3-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[(1R,5S)-6-amino-3-azabicyclo[3.1.0]hexan-3-yl]-N-[3-([1,3]thiazolo c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-(6-methyl-[1,3]thiazolo[4,5-c]pyridin- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3aR,6aS)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [(7S)-7-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[4-(difluoromethyl)-6-methyl-[1,3]thiazolo[4,5-c]pyridin-2-yl]-4,5 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[3-[4-(difluoromethyl)-[1,3]thiazolo[4,5- c]pyridin-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	N-[3-(6-chloro-[1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[(5S,7R)-6-ethyl-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5, dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[6-ethyl-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydr thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-(dimethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[6-(2-morpholin-4-ylethyl)-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[3-(5-oxido-[1,3]thiazolo[4,5-c]pyridin-5-ium-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[(5S,7S)-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[3-[4-(difluoromethyl)-[1,3]thiazolo[4,5-c]pyridin-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[3-(dimethylamino)azetidin-1-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[2-(2-oxopiperidin-1-yl)ethylamino]-N-[3-([1,3]thiazolo[4,5-c]pyridi yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(1,3-thiazol-4-ylmethylamino)propanamide
Interactions	PUBCHEM	N-[4-methyl-6-propan-2-yl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[6-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydro-4H-thieno c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[(2-chloro-1,3-thiazol-5-yl)methyl-methylamino]-N-[3-([1,3]thiazolo c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	4-[[[3-Oxo-3-[[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]amino]propyl]amino]methyl]oxa carboxamide
Interactions	PUBCHEM	3-[(3-methylimidazol-4-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]pyr yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2,5-diazaspiro[3.4]octan-5-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[1,3-benzothiazol-2-ylmethyl(methyl)amino]-N-[3-([1,3]thiazolo[4, c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	N-[(5R,7R)-6-ethyl-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5, dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[3-(4-methyl-[1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[(5S,7S)-6-ethyl-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5, dihydro-4H-thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[[(2R)-1-hydroxy-4-methylpentan-2-yl]amino]-N-[3-([1,3]thiazolo[4, c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(1,2-oxazol-5-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-[[1-(4-fluorophenyl)-2-hydroxyethyl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[(4-methyl-1,3-oxazol-2-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[[(1S)-1-cyclopropylethyl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2,2-dimethylpyrrolidin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[(5S,7R)-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[(5S)-6-ethyl-5-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihyd thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-(1,2,4-oxadiazol-3-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(piperidin-4-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	N-[(5R)-6-ethyl-5-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihyd thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-(4-methyl-3-oxopiperazin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(5-propan-2-yl-1,2,4-oxadiazol-3-yl)methylamino]-N-[3-([1,3]thiaz c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	N-[(7S)-6-ethyl-7-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihyd thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[6-ethyl-3-([1,3]thiazolo[4,5-c]pyridin-2-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[6-propan-2-yl-3-([1,3]thiazolo[4,5-c]pyr yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-N-[3-([1,3]thiazolo[4,5-c]pyri yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(1H-pyrazol-5-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(2-oxo-1-azaspiro[4.5]decan-8-yl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[(5-methyl-1,2,4-oxadiazol-3-yl)methylamino]-N-[3-([1,3]thiazolo[4 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	N-[(7R)-6-ethyl-7-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihyd thieno[2,3-c]pyridin-2-yl]acetamide
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(5S)-5-methyl-3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(1,4,6,7-tetrahydropyrazolo[4,5-c]pyridin-5-yl)-N-[3-([1,3]thiazolo[4 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(2-pyridin-3-ylethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-piperazin-1-ylethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(3-aminocyclobutyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(3-cyano-3-methylazetidin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[1-(3-methyl-1,2-oxazol-5-yl)propan-2-ylamino]-N-[3-([1,3]thiazolo c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(3,3-difluoroazetidin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[2-(methoxymethyl)piperidin-1-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridin- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3aR,6aS)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyr yl]propanamide
Interactions	PUBCHEM	3-[[(2R)-butan-2-yl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(cyclopropylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-oxa-7-azaspiro[4.4]nonan-7-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2,2-dioxo-2lambda6-thia-6-azaspiro[3.3]heptan-6-yl)-N-[3- ([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-(4-cyclobutyloxypiperidin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(1R,5R)-3,6-diazabicyclo[3.2.0]heptan-3-yl]-N-[3-([1,3]thiazolo[4,5 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[(3aS,6aS)-2,3,3a,5,6,6a-hexahydro-1H-pyrrolo[3,2-b]pyrrol-4-yl]-N- ([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[[(1R)-1-imidazo[1,2-a]pyridin-3-ylethyl]amino]-N-[3-([1,3]thiazolo[c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(4-methoxy-4-methylpiperidin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridi yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[1H-indol-5-ylmethyl(methyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyrid yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(3-azabicyclo[3.2.0]heptan-3-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(oxolan-3-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(imidazo[1,2-a]pyridin-3-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(3S)-3-(dimethylamino)pyrrolidin-1-yl]-N-[3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(3,3a,4,6,7,7a-hexahydro-1H-furo[3,4-c]pyridin-5-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-(1H-imidazol-2-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(1,3,3a,4,6,6a-hexahydrofuro[3,4-c]pyrrol-5-yl)-N-[3-([1,3]thiazolo[4 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[methyl-[(5-methyl-1,2,4-oxadiazol-3-yl)methyl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[(5-methylthiophen-2-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(2-methyl-1,3-thiazol-5-yl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(5-azaspiro[2.4]heptan-5-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(3aS,6aR)-5,5-difluoro-1,3,3a,4,6,6a-hexahydrocyclopenta[c]pyrro N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3S,4R)-4-hydroxyoxolan-3-yl]amino]-N-[3-([1,3]thiazolo[4,5-c]pyr yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2,5-diazaspiro[3.5]nonan-5-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(3-methyl-5-oxopiperazin-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	1-[3-Oxo-3-[[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]amino]propyl]azetidine-3-carboxylic acid
Interactions	PUBCHEM	3-[(3-methylcyclobutyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(1-methoxy-3-methylbutan-2-yl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(1,4,5,6-tetrahydropyrrolo[3,4-d]pyrazol-3-ylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[(2-methylcyclopropyl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-

Main Category	Category	Terms
		yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(4-hydroxypyrrolidin-3-yl)amino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-azabicyclo[2.1.1]hexan-1-ylmethylamino)-N-[3-([1,3]thiazolo[4, c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(5-methyl-3,4-dihydro-1H-isoquinolin-2-yl)-N-[3-([1,3]thiazolo[4,5- c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(4,5,6,7-tetrahydro-[1,2]oxazolo[4,5-c]pyridin-3-ylmethylamino)-N- ([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[(3-methyl-1,2-oxazol-4-yl)methylamino]-N-[3-([1,3]thiazolo[4,5- c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[1-(1H-benzimidazol-2-yl)ethylamino]-N-[3-([1,3]thiazolo[4,5-c]pyr yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(3,3a,4,6,7,7a-hexahydro-2H-furo[3,2-c]pyridin-5-yl)-N-[3- ([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[(1-hydroxycyclopropyl)methylamino]-N-[3-([1,3]thiazolo[4,5-c]pyr yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3aR,6aS)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [(5S)-5-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3aR,6aS)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [(5R)-5-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(6,7-dihydro-4H-pyrazolo[1,5-a]pyrazin-5-yl)-N-[3-([1,3]thiazolo[4,5 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[1-(1H-imidazol-2-yl)ethylamino]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(3R)-2-oxa-8-azaspiro[4.5]decan-3-yl]methylamino]-N-[3- ([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	3-[[(1S,5R)-3-azabicyclo[3.1.0]hexan-6-yl]amino]-N-[3-([1,3]thiazolo c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[[(3aR,6aS)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [(7R)-7-methyl-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7- tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(cyclobutylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[2-(3,5-dimethylpyrazol-1-yl)ethylamino]-N-[3-([1,3]thiazolo[4,5- c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(cyclopentylmethylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4, tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	Arv-771
Interactions	PUBCHEM	(5Z)-5-(4-ethylbenzylidene)-2-sulfanyl-1,3-thiazol-4(5H)-one
Interactions	PUBCHEM	(3aS,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-2-phenyl-6,10b-dihydrofuro[3,2-d][2]benzazepin-4-one
Interactions	PUBCHEM	(3aS,10bS)-3a-benzyl-2-phenyl-5-prop-2-enyl-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	(3aS,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-8-chloro-2-phenyl-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	(3aS,10bS)-5-acetyl-3a-benzyl-2-phenyl-6,10b-dihydro-[1,3]oxazolo[[2]benzazepin-4-one
Interactions	PUBCHEM	(3aS,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-2-phenyl-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	methyl (4S,5S)-5-[2-(azidomethyl)phenyl]-4-benzyl-2-phenyl-5H-1,3-oxazole-4-carboxylate
Interactions	PUBCHEM	ethyl 2-[(3aS,10bS)-3a-benzyl-4-oxo-2-phenyl-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-5-yl]acetate
Interactions	PUBCHEM	3-[4-[(3aS,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-4-oxo-6,10b dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-2-yl]phenoxy]propyl aceta
Interactions	PUBCHEM	(3aS,10bS)-3a-benzyl-5-(2-hydroxyethyl)-2-phenyl-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-6-methyl-6-propan-2-yl-5,7-dihydro-4H-thieno[2,3-c]pyridin-6-ium-2-yl]-3-(butan-2-ylamino)propanamide
Interactions	PUBCHEM	Ethyl 3-[2-[2-[2-[2-[2-[2-[[3-[[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]amino]-3-oxopropyl]amino]ethoxy]ethoxy]ethoxy]ethoxy]ethoxy]ethoxy]propa
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(7R)-7-methyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-[2-[2-[2-[2-[2-[2-[[3-[[3-(1,3-Benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]amino]-3-oxopropyl]amino]ethoxy]ethoxy]ethoxy]ethoxy]ethoxy]ethoxy]propa acid
Interactions	PUBCHEM	N-[(E)-(2-hydroxy-4-methylphenyl)methylideneamino]-3-phenyl-1H-pyrazole-5-carboxamide
Interactions	PUBCHEM	(E)-N'-(3-allyl-2-hydroxybenzylidene)-3-(tert-butyl)-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	N'-{(E)-[4-(diethylamino)-2-hydroxyphenyl]methylidene}-2-(5-phenyl tetrazol-2-yl)acetohydrazide
Interactions	PUBCHEM	3-(1-adamantyl)-N'-[(E)-(2-hydroxy-1-naphthyl)methylidene]-1H-pyrazole-5-carbohydrazide
Interactions	PUBCHEM	5-bromo-N-[(Z)-[5-[(2-chlorophenyl)methyl]-2-hydroxyphenyl]methylideneamino]pyridine-3-carboxamide
Interactions	PUBCHEM	N'-{(E)-[4-(diethylamino)-2-hydroxyphenyl]methylidene}-3-methyl-1H pyrazole-5-carbohydrazide

Main Category	Category	Terms
Interactions	PUBCHEM	1-(4-Amino-1,2,5-oxadiazol-3-YL)-N'-[(E)-[4-(diethylamino)-2-hydroxyphenyl]methylidene]-5-[(diethylamino)methyl]-1H-1,2,3-triaz carbohydrazide
Interactions	PUBCHEM	N'-{(E)-[4-(diethylamino)-2-hydroxyphenyl]methylidene}-2-(9-oxoacridin-10(9H)-yl)acetohydrazide
Interactions	PUBCHEM	1-(4-amino-1,2,5-oxadiazol-3-yl)-5-(azepan-1-ylmethyl)-N'-{(Z)-[4-(diethylamino)-2-hydroxyphenyl]methylidene}-1H-1,2,3-triazole-4-carbohydrazide
Interactions	PUBCHEM	3-tert-butyl-N-[(E)-(2,4-dihydroxyphenyl)methylideneamino]-1-phenylpyrazole-5-carboxamide
Interactions	PUBCHEM	5-bromo-N-[(E)-[4-(diethylamino)-2-hydroxyphenyl]methylideneami hydroxybenzamide
Interactions	PUBCHEM	1-(4-amino-1,2,5-oxadiazol-3-yl)-5-(3,4-dihydroisoquinolin-2(1H)-yl N'-[(E)-(2-hydroxyphenyl)methylidene]-1H-1,2,3-triazole-4-carbohyd
Interactions	PUBCHEM	1-(4-Amino-1,2,5-oxadiazol-3-YL)-N'-[(E)-[4-(diethylamino)-2-hydroxyphenyl]methylidene]-5-[(dipropylamino)methyl]-1H-1,2,3-triazole-4-carbohydrazide
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-(2,3,4-trihydroxyphenyl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[5-(2,3,4-trihydroxyphenyl)-1,3,4-oxadia yl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-1H-imidazol-2-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-[3-hydroxy-5-(hydroxymethyl)-2-m pyridinyl]methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-1H-imidazol-5-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-(4-hydroxyphenyl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(Z)-(3-fluoro-4-hydroxyphenyl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[6-propan-2-yl-3-([1,3]thiazolo[4,5-c]pyridin-2 yl)-5,7-dihydro-4H-thieno[2,3-c]pyridin-2-yl]propanamide;dihydrochl
Interactions	PUBCHEM	N-[3-(4,6-dimethyl-[1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]acetamide;hydrochloride
Interactions	PUBCHEM	N-[6-(2-aminoethyl)-3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-5,7-dihydro-4 thieno[2,3-c]pyridin-2-yl]acetamide;hydrochloride
Interactions	PUBCHEM	N,N-diethyl-5-[1-[(2-methyl-1,3-oxazol-4-yl)methyl]benzimidazol-2-yl]pyridin-2-amine
Interactions	PUBCHEM	5-[1-(2-ethoxyethyl)benzimidazol-2-yl]-N,N-diethylpyridin-2-amine
Interactions	PUBCHEM	N-[6-[5-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidi yl]pentylamino]-6-oxohexyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[5-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3 yl]pentyl]-3-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[2-[5-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidi yl]pentylamino]-2-oxoethyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	5-Acetamidopentyl 4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benz
Interactions	PUBCHEM	N-[5-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3 yl]pentyl]-2-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[5-[(5Z)-5-[(4-fluorophenyl)methylidene]-2,4-dioxo-1,3-thiazolidin- yl]pentyl]-2-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[6-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3 yl]hexyl]acetamide
Interactions	PUBCHEM	(5Z)-5-[(4-ethylphenyl)methylidene]-3-(3-oxobutyl)-2-sulfanylidene-thiazolidin-4-one
Interactions	PUBCHEM	N-[5-[(5Z)-5-[(4-fluorophenyl)methylidene]-2,4-dioxo-1,3-thiazolidin- yl]pentyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[5-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3 yl]pentyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[5-[[4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzoyl]amino]pen [(E)-(4-oxo-2-sulfanylidene-1,3-thiazolidin-5-ylidene)methyl]benzam
Interactions	PUBCHEM	(5Z)-5-[4-(propan-2-yl)benzylidene]-2-sulfanyl-1,3-thiazol-4(5H)-one
Interactions	PUBCHEM	5-(4-Chlorobenzylidene)rhodanine
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[4-(4-methylimidazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide;trihydrochloride
Interactions	PUBCHEM	4-[[(E)-(3-boronophenyl)methylideneamino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	3-[[(1S,3R)-3-hydroxycyclopentyl]amino]-N-[3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[[(1S,3S)-3-hydroxycyclopentyl]amino]-N-[3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-[(2,4-dimethyl-1,3-thiazol-5-yl)methylamino]-N-[3-([1,3]thiazolo[4,5 c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-(4-aza-1-azoniabicyclo[2.2.2]octan-1-yl)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	3-[4-(4-chlorophenyl)piperidin-1-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridin- yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	4-[6-(4-Cyanophenyl)-2-(furan-2-yl)pyrimidin-4-yl]benzamide
Interactions	PUBCHEM	4-[2-(4-cyanophenyl)-6-(furan-2-yl)-4-pyridinyl]-N-methylsulfonylbenzamide
Interactions	PUBCHEM	4-[6-(Furan-2-yl)-4-phenyl-2-pyridinyl]benzonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	4-(2-Cyano-4-pyridinyl)benzamide
Interactions	PUBCHEM	4-[2-(Furan-2-yl)-6-[4-(1,3-oxazol-5-yl)phenyl]-4-pyridinyl]benzamide
Interactions	PUBCHEM	Myc-IN-2
Interactions	PUBCHEM	4-[6-(furan-2-yl)-4-[4-(2H-tetrazol-5-yl)phenyl]-2-pyridinyl]benzonitril
Interactions	PUBCHEM	methyl 4-(2,5-dimethyl-1H-pyrrol-1-yl)-2-hydroxybenzenecarboxylat
Interactions	PUBCHEM	3-(butan-2-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan(15N)amide
Interactions	PUBCHEM	2-[8-chloro-7-[3-methyl-5-(trideuteriomethyl)triazol-4-yl]-5-[(S)-oxan-yl(phenyl)methyl]pyrido[3,2-b]indol-3-yl]propan-2-ol
Interactions	PUBCHEM	2-[8-fluoro-7-[3-methyl-5-(trideuteriomethyl)triazol-4-yl]-5-[(S)-oxan-yl(phenyl)methyl]pyrido[3,2-b]indol-3-yl]propan-2-ol
Interactions	PUBCHEM	3-[[(3aS,6aR)-1,2,3,3a,4,5,6,6a-octahydrocyclopenta[c]pyrrol-5-yl]am [3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[5-(5-fluoro-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(1H-pyrazol-4-yl)-1,3-benzothiazol-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[5-(2-acetamido-4-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(1-methylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(1,2,3,6-tetrahydropyridin-4-yl)-1,3 benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(1-propan-2-ylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(1,2-oxazol-4-yl)-1,3-benzothiazol-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[5-(1-methylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[3-[5-(4-methylsulfonylphenyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(4-methylimidazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(6-piperazin-1-yl-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-[4-(1-methylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(1-propan-2-ylpyrazol-4-yl)-1,3-

Main Category	Category	Terms
		benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(1H-pyrazol-5-yl)-1,3-benzothiazol yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(5-morpholin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothier c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(5-methoxy-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-[4-(morpholine-4-carbonyl)phenyl benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[(5R,7R)-3-(5-fluoro-1,3-benzothiazol-2-yl)-5,7-dimethyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[(7S)-7-methyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[(5R)-5-methyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[(5R,7S)-3-(5-fluoro-1,3-benzothiazol-2-yl)-5,7-dimethyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(6-oxo-1H-pyridin-3-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-[2-[2-[3-(2-methoxyethylamino)propanoylamino]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-3-yl]-1,3-benzothiazol-5-yl]-N,N-dimethylbenzamide
Interactions	PUBCHEM	N-[3-[6-(6-cyano-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[(5S)-5-methyl-3-[5-(trifluoromethyl)-1,3 benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[(5R)-5-methyl-3-[5-(trifluoromethyl)-1,3 benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-(4-methylsulfonyl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothier c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(1,2-oxazol-4-yl)-1,3-benzothiazol- yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[2-(dimethylamino)ethyl]-3-[2-[2-[3-(2-methoxyethylamino)propanoylamino]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-3-yl]-1,3-benzothiazol-6-yl]benzamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3 benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-[5-(2-fluoro-4-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	N-[(5S)-3-(5-fluoro-1,3-benzothiazol-2-yl)-5-methyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar

Main Category	Category	Terms
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-(4-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-(4-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	Ethyl 2-[4-[2-[2-[3-(2-methoxyethylamino)propanoylamino]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-3-yl]-1,3-benzothiazol-5-yl]pyrazol-1-yl]acetate
Interactions	PUBCHEM	N-[3-[6-(2-fluoro-4-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-(5-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	N-[(7R)-3-(1,3-benzothiazol-2-yl)-7-methyl-4,5,6,7-tetrahydrothieno[2 c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-[5-(3,6-dihydro-2H-pyran-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[(5S,7R)-3-(1,3-benzothiazol-2-yl)-5,7-dimethyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-[[(2S)-butan-2-yl]amino]propan
Interactions	PUBCHEM	N-[3-[5-(4-chloroimidazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(5-methoxy-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-[5-(2-aminopyrimidin-5-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-(5-methyl-1H-pyrazol-3-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[(5R,7R)-5,7-dimethyl-3-[5-(trifluoromethyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-[5-(trifluoromethyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-[5-(methanesulfonamido)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[(7R)-3-(5-fluoro-1,3-benzothiazol-2-yl)-7-methyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[4-(oxetan-3-ylamino)-1,3-benzothiaz yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[4-(hydroxymethyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-(6-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-(6-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-[6-(1,2,3,6-tetrahydropyridin-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-[5-(2-amino-4-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	N-[3-[5-(5-amino-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	Methyl 5-[2-[2-[3-(2-methoxyethylamino)propanoylamino]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-3-yl]-1,3-benzothiazol-5-yl]pyridine-2-carboxylate
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(1H-pyrazol-5-yl)-1,3-benzothiazol yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[5-(6-cyano-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(2-methoxypyrimidin-5-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-[5-(1-methylpyrazol-4-yl)-1,3-benzothiazo yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[(5R,7R)-5,7-dimethyl-3-[5-(1-methylpyrazol-4-yl)-1,3-benzothiazo yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-(4-cyano-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[(5R,7R)-5,7-dimethyl-3-(5-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[4-(trifluoromethyl)-1,3-benzothiazol yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	5-[(3aS,4S,6aR)-2-oxo-1,3,3a,4,6,6a-hexahydrothieno[3,4-d]imidazol N-[3-[(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylider dioxo-1,3-thiazolidin-3-yl]propyl]pentanamide
Interactions	PUBCHEM	3-[4-[(3aR,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-6,10b-dihyc [1,3]oxazolo[4,5-d][2]benzazepin-2-yl]phenoxy]propyl N-[2-[2-[2-[5-[(3aS,4S,6aR)-2-oxo-1,3,3a,4,6,6a-hexahydrothieno[3,4-d]imidazol-4 yl]pentanoylamino]ethoxy]ethoxy]ethyl]carbamate
Interactions	PUBCHEM	N-[3-[5-(4-methoxyphenyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]azetidine-3-carboxamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-(5-pyrimidin-5-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[6-[4-(4-methylpiperazin-1-yl)phenyl] benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-(6-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar

Main Category	Category	Terms
Interactions	PUBCHEM	N-[3-[6-(1-methylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-(5-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5, tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-([1,2,4]triazolo[1,5-a]pyridin-6-yl)-1 benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-(4-bromo-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[3-[5-(1,3-dimethylpyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[3-[5-(4-hydroxyphenyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-[5-(1H-pyrazol-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[(5S,7R)-3-(1,3-benzothiazol-2-yl)-5,7-dimethyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[3-(4-ethyl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propanamide
Interactions	PUBCHEM	N-[(5R)-3-(5-fluoro-1,3-benzothiazol-2-yl)-5-methyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide;dihydrochloride
Interactions	PUBCHEM	3-amino-N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-(butan-2-ylamino)propan(15N)amide
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-[5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-(4-chloro-5-methoxy-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	4-[3-(4-Carboxyphenyl)piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid;bis(propan-2-ol)
Interactions	PUBCHEM	N-[3-(5-methylsulfonyl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothie c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	N-[3-[4-(3-hydroxyazetidin-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propan
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(6-oxo-1H-pyridin-3-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	N-[3-(4-bromo-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	N-[3-[5-(1-hydroxyethyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothie c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[3-[5-(4-methylimidazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	N-[3-[5-(6-fluoro-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	N-[(5R,7S)-5,7-dimethyl-3-(6-pyridin-4-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	N-[3-(5-hydroxy-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	3-[[(7R)-2-azabicyclo[2.2.1]heptan-7-yl]amino]-N-[3-([1,3]thiazolo[4, c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanami
Interactions	PUBCHEM	N-[3-[5-(1-methylsulfonyl-3,6-dihydro-2H-pyridin-4-yl)-1,3-benzothia yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	N-[3-[5-(2,5-dimethylpyrazol-3-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-[5-(6-piperazin-1-yl-3-pyridinyl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propan
Interactions	PUBCHEM	3-[(1S,5R)-8-aza-3-azoniatricyclo[3.2.1.03,8]octan-3-yl]-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridi yl]propanamide
Interactions	PUBCHEM	N-[(5R,7R)-5,7-dimethyl-3-(5-pyridin-3-yl-1,3-benzothiazol-2-yl)-4,5,6 tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(2-methoxyethylamino)propar
Interactions	PUBCHEM	3-[[(2S)-butan-2-yl]amino]-N-[(6R)-6-methyl-3-([1,3]thiazolo[4,5-c]py yl)-4,5,6,7-tetrahydrothieno[3,2-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(2-methoxyethylamino)-N-[3-(4-pyrrolidin-1-yl-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-[6-(4-methylimidazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanami
Interactions	PUBCHEM	3-(methyl(15N)amino)-N-[3-([1,3]thiazolo[4,5-c]pyridin-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-[5-(1,2,4-triazol-1-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	3-(propan-2-ylamino)-N-[3-[5-(2H-tetrazol-5-yl)-1,3-benzothiazol-2-yl]-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]propanamide
Interactions	PUBCHEM	N-[3-(5-cyano-1,3-benzothiazol-2-yl)-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-2-yl]-3-(propan-2-ylamino)propanamide
Interactions	PUBCHEM	(Z)-2-(2,6-Dioxopiperidin-3-yl)-N-(8-(5-(4-isopropylbenzylidene)-2,4-dioxothiazolidin-3-yl)octyl)-1,3-dioxoisoindoline-5-carboxamide
Interactions	PUBCHEM	2-[8-fluoro-5-[(1S)-1-(3-fluoro-2-pyridinyl)butyl]-7-[3-methyl-5-(trideuteriomethyl)triazol-4-yl]pyrido[3,2-b]indol-3-yl]propan-2-ol
Interactions	PUBCHEM	2-[8-fluoro-5-[(S)-(3-fluoro-2-pyridinyl)-(oxan-4-yl)methyl]-7-[3-methy (trideuteriomethyl)triazol-4-yl]pyrido[3,2-b]indol-3-yl]propan-2-ol
Interactions	PUBCHEM	2-[11-[3-methyl-5-(trideuteriomethyl)triazol-4-yl]-8-[(S)-oxan-4-

Main Category	Category	Terms
		yl(phenyl)methyl]-3,8,12-triazatricyclo[7.4.0.02,7]trideca-1(13),2(7),3,5,9,11-hexaen-5-yl]prop ol
Interactions	PUBCHEM	2-[8-fluoro-5-[(S)-(5-methyl-1,2-oxazol-3-yl)-(oxan-4-yl)methyl]-7-[3-methyl-5-(trideuteriomethyl)triazol-4-yl]pyrido[3,2-b]indol-3-yl]propa
Interactions	PUBCHEM	c-Myc inhibitor 11
Interactions	PUBCHEM	c-Myc inhibitor 12
Interactions	PUBCHEM	Anticancer agent 126
Interactions	PUBCHEM	3-(2-Methylpropoxy)-4-[[3-(naphthalen-2-ylmethoxy)-4-nitrobenzoyl]amino]benzoic acid
Interactions	PUBCHEM	5-[5-chloro-3-(2-ethoxyethyl)-2-pyridinyl]-N,N-diethylpyridin-2-amine
Interactions	PUBCHEM	N-[(2,6-difluoro-4-morpholin-4-ylphenyl)methyl]-6-methyl-4-oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]pyrazolo[1,5-a]pyrimidin-2-yl]pyridin-2-amine
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[(3S)-3-hydroxypyrrolidin-1-yl]phenyl]methyl]-6-me oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[2,6-difluoro-4-(3-oxocyclohexen-1-yl)phenyl]methyl]-6-methyl-4-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	3-[3,5-Difluoro-4-[[(6-methyl-4-oxo-1-phenylpyridazine-3-carbonyl)amino]methyl]phenyl]benzenesulfonic acid
Interactions	PUBCHEM	N-[(2,6-difluoro-4-pyridin-3-ylphenyl)methyl]-6-methyl-4-oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]methyl]-6-meth oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]imidazo[1,2-a]pyrimidin-2-yl]pyridin-2-amine
Interactions	PUBCHEM	1-(3-carbamoylphenyl)-N-[[2,6-difluoro-4-[(3S)-3-fluoropyrrolidin-1-yl]phenyl]methyl]-6-methyl-4-oxopyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[(3S)-3-fluoropyrrolidin-1-yl]phenyl]methyl]-6-meth oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	1-(3-carbamoylphenyl)-N-[[2,6-difluoro-4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]methyl]-6-methyl-4-oxopyridazine-3-carboxamide
Interactions	PUBCHEM	1-[3-(2-amino-2-oxoethyl)phenyl]-N-[[2,6-difluoro-4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]methyl]-6-methyl-4-oxopyridazine-3-carboxamide
Interactions	PUBCHEM	5-[4,5-dibromo-1-(2-ethoxyethyl)imidazol-2-yl]-N,N-diethylpyridin-2-
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]pyrazolo[1,5-a]py yl]pyridin-2-amine
Interactions	PUBCHEM	5-[3-(2-ethoxyethyl)quinolin-2-yl]-N,N-diethylpyridin-2-amine
Interactions	PUBCHEM	5-[3-(2-ethoxyethyl)quinoxalin-2-yl]-N,N-diethylpyridin-2-amine

Main Category	Category	Terms
Interactions	PUBCHEM	3-[3,5-Difluoro-4-[[(6-methyl-4-oxo-1-phenylpyridazine-3-carbonyl)amino]methyl]phenyl]benzoic acid
Interactions	PUBCHEM	2-[3-[3-[[2,6-difluoro-4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]methylcarbamoyl]-6-methyl-4-oxopyridazin-1-yl]phenyl]ac acid
Interactions	PUBCHEM	N-[[4-(3-acetylphenyl)-2,6-difluorophenyl]methyl]-6-methyl-4-oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	3-[3-[[2,6-difluoro-4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]methylcarbamoyl]-6-methyl-4-oxopyridazin-1-yl]benzoic a
Interactions	PUBCHEM	5-[4-(2-ethoxyethyl)isoquinolin-3-yl]-N,N-diethylpyridin-2-amine
Interactions	PUBCHEM	N,N-diethyl-5-[7-[(2-methyl-1,3-oxazol-4-yl)methyl]purin-8-yl]pyridin-amine
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]indazol-2-yl]pyrid amine
Interactions	PUBCHEM	N-[[4-(3,3-dimethylpiperidin-1-yl)-2,6-difluorophenyl]methyl]-6-meth oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	3-[6-(diethylamino)-3-pyridinyl]-4-(2-ethoxyethyl)-1H-quinolin-2-one
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[(3R)-3-hydroxypyrrolidin-1-yl]phenyl]methyl]-6-me oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[4-(3,3-difluoropiperidin-1-yl)-2,6-difluorophenyl]methyl]-6-methy oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[3-(1-hydroxyethyl)phenyl]phenyl]methyl]-6-methy oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	N-[[2,6-difluoro-4-[3-(hydroxymethyl)phenyl]phenyl]methyl]-6-methy oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	3-[3-[[2,6-Difluoro-4-(3-fluorosulfonylphenyl)phenyl]methylcarbamo methyl-4-oxopyridazin-1-yl]benzoic acid
Interactions	PUBCHEM	3-[6-(Diethylamino)-3-pyridinyl]-4-(2-ethoxyethyl)-1-methylquinolin-
Interactions	PUBCHEM	N-[[2,6-difluoro-4-(oxan-3-yl)phenyl]methyl]-6-methyl-4-oxo-1-phenylpyridazine-3-carboxamide
Interactions	PUBCHEM	5-[4-(2-ethoxyethyl)quinolin-2-yl]-N,N-diethylpyridin-2-amine
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]imidazo[1,2-a]pyr yl]pyridin-2-amine
Interactions	PUBCHEM	N,N-diethyl-5-[3-[(2-methyl-1,3-oxazol-4-yl)methyl]pyrazolo[1,5-a]py yl]pyridin-2-amine
Interactions	PUBCHEM	3-[3-[[2,6-difluoro-4-[(3S)-3-fluoropyrrolidin-1-yl]phenyl]methylcarbamoyl]-6-methyl-4-oxopyridazin-1-yl]benzoic a
Interactions	PUBCHEM	15,16-Dimethoxy-20-(3-morpholin-4-ylpropyl)-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	20-(3-Imidazol-1-ylpropyl)-15,16-dimethoxy-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-

Main Category	Category	Terms
		hexaene-11,19-dione
Interactions	PUBCHEM	15,16-Dimethoxy-20-[3-(propan-2-ylamino)propyl]-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	20-[3-(Ethylamino)propyl]-15,16-dimethoxy-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	20-[3-(Hydroxymethylamino)propyl]-15,16-dimethoxy-5,7-dioxa-3,2(diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	20-[3-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]propyl]-15,16-dimethox dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	15,16-Dimethoxy-20-(3-pyrrolidin-1-ylpropyl)-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaene-11,19-dione
Interactions	PUBCHEM	(2S)-1-[3-(15,16-dimethoxy-11,19-dioxo-5,7-dioxa-3,20-diazapentacyclo[10.8.0.02,10.04,8.013,18]icosa-2,4(8),9,13,15,17-hexaen-20-yl)propyl]pyrrolidine-2-carboxamide
Interactions	PUBCHEM	methyl 2-[(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]acetate
Interactions	PUBCHEM	2-[(4-Chloro-3-nitrophenyl)carbamoyl]naphthalen-1-yl benzoate
Interactions	PUBCHEM	(5E)-5-[(4-ethylphenyl)methylidene]-3-prop-2-enyl-2-sulfanylidene-1 thiazolidin-4-one
Interactions	PUBCHEM	(3aS,10bS)-5-[2-(benzenesulfonyl)ethyl]-3a-benzyl-2-[4-(3-hydroxypropoxy)phenyl]-6,10b-dihydro-[1,3]oxazolo[4,5-d][2]benzaz one
Interactions	PUBCHEM	(3aS,10bS)-3a-benzyl-2-[4-(3-hydroxypropoxy)phenyl]-6,10b-dihydro [1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	Sgi-1027
Interactions	PUBCHEM	(3aS,10bS)-3a,5-dibenzyl-2-[4-(3-hydroxypropoxy)phenyl]-6,10b-dih [1,3]oxazolo[4,5-d][2]benzazepin-4-one
Interactions	PUBCHEM	4-nitro-N-(2-phenylphenyl)-2,1,3-benzoxadiazol-7-amine
Interactions	PUBCHEM	4-(7-Nitro-benzo[1,2,5]oxadiazol-4-ylamino)-benzoic acid
Interactions	PUBCHEM	4-nitro-N-phenyl-2,1,3-benzoxadiazol-7-amine
Interactions	PUBCHEM	N-[2H-benzo[3,4-d]1,3-dioxolen-5-yl(8-hydroxy(7-quinolyl))methyl]acetamide
Interactions	PUBCHEM	5H-(1,3)Dioxolo(5,6)indeno(1,2-C)isoquinoline-5,12(6H)-dione, 6-(3 hydroxyethyl)amino)propyl)-2,3-dimethoxy-
Interactions	PUBCHEM	{[3,5-Bis(trifluoromethyl)phenyl]amino}[benzylamino]methane-1-thi
Interactions	PUBCHEM	2-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]-N-[5-[[4-[(Z)-(4-oxo-2-sulfanylidene-1,3-thiazolidin-5-

Main Category	Category	Terms
		ylidene)methyl]benzoyl]amino]pentyl]benzamide
Interactions	PUBCHEM	3-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]-N-[5-[[4-[(Z)-(4-oxo-2-sulfanylidene-1,3-thiazolidin-5-ylidene)methyl]benzoyl]amino]pentyl]benzamide
Interactions	PUBCHEM	N-[5-[[2-[[4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzoyl]amino]acetyl]amino]pentyl]-4-[(Z)-(4-oxo-2-sulfanylidene-1,3-thiazolidin-5-ylidene)methyl]benzamide
Interactions	PUBCHEM	N-[5-[6-[[4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzoyl]amino]hexanoylamino]pentyl]-4-[(Z)-(4-oxo-2-sulfanylidene-1,3-thiazolidin-5-ylidene)methyl]benzamide
Interactions	PUBCHEM	N-[4-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]butyl]-2-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[4-[(5Z)-5-[(4-ethylphenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-3-yl]butyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[6-[(5Z)-5-[(4-fluorophenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-yl]hexyl]-2-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	N-[6-[(5Z)-5-[(4-fluorophenyl)methylidene]-2,4-dioxo-1,3-thiazolidin-yl]hexyl]-4-[(4-nitro-2,1,3-benzoxadiazol-7-yl)amino]benzamide
Interactions	PUBCHEM	5-(3,4-Dihydroxy-benzylidene)-2-thioxo-thiazolidin-4-one
Interactions	PUBCHEM	5-(Methoxymethyl)-7-[(N-cyclohexyl-N-methylamino)methyl]quinoli
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)terephthalic acid
Interactions	PUBCHEM	(5Z)-3-(piperidin-1-ylmethyl)-5-[(4-propan-2-ylphenyl)methylidene]-2 sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	(5Z)-5-[(4-chlorophenyl)methylidene]-3-(piperidin-1-ylmethyl)-2-sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)pyridine-3-carboxylic acid
Interactions	PUBCHEM	(5Z)-5-[[5-(1H-benzimidazol-2-ylsulfanyl)furan-2-yl]methylidene]-3-[oxo-2-(4-phenylpiperazin-1-yl)ethyl]-1,3-thiazolidine-2,4-dione
Interactions	PUBCHEM	4-(2,5-dimethyl-1H-pyrrol-1-yl)-2-hydroxybenzoic acid
Interactions	PUBCHEM	(5Z)-5-[(4-ethylphenyl)methylidene]-2-methylsulfanyl-1,3-thiazol-4-o
Interactions	PUBCHEM	6-Bromo-n-(3-nitrophenyl)quinazolin-4-amine
Interactions	PUBCHEM	6-bromo-N-(propan-2-yl)quinazolin-4-amine
Interactions	PUBCHEM	5-(acetylamino)-2-(2,5-dimethyl-1H-pyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[3-[4-(methylsulfonylcarbamoyl)phenyl]piperidine-1-carbonyl]benzoic ac
Interactions	PUBCHEM	4-[5-(3-carboxyphenyl)-3,6-dihydro-2H-pyridine-1-carbonyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(pyridine-3-carbonyl)piperazine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(4-methoxybenzoyl)piperazine-1-

Main Category	Category	Terms
		carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[5-[2,3,4-tris(phenylmethoxy)phenyl]-1, oxadiazol-2-yl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(3-methoxybenzoyl)piperazine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	4-[5-(3-Carboxyphenyl)-1,3,4-oxadiazol-2-yl]-2-(2,5-dimethylpyrrol-1- yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(5-methylpyrazine-2-carbonyl)pipera carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(5-fluoropyridine-3-carbonyl)piperaz carbonyl]benzoic acid
Interactions	PUBCHEM	4-[1-[3-(2,5-Dimethylpyrrol-1-yl)-4-(methylsulfonylcarbamoyl)benzoyl]piperidin-3-yl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[5-[3-(methylsulfonylcarbamoyl)pheny oxadiazol-2-yl]benzoic acid
Interactions	PUBCHEM	3-(2,5-Dimethylpyrrol-1-yl)-4-(methylsulfonylcarbamoyl)benzoic aci
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[(3R,4S)-3-hydroxy-4-phenylpyrrolidine- carbonyl]benzoic acid
Interactions	PUBCHEM	4-[3-[4-(Carboxymethyl)phenyl]piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	KJ Pyr 9
Interactions	PUBCHEM	(5Z)-5-[(4-ethylphenyl)methylidene]-3-(piperidin-1-ylmethyl)-2-sulfanylidene-1,3-thiazolidin-4-one
Interactions	PUBCHEM	2-(2,5-dimethyl-1H-pyrrol-1-yl)-4-(hydrazinecarbonyl)benzoic acid
Interactions	PUBCHEM	4-[[(E)-(3-carboxyphenyl)methylideneamino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	3-(2,5-Dimethylpyrrol-1-yl)pyridine-2-carboxylic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-pyrimidin-5-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	4-[[(E)-benzylideneamino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)ben acid
Interactions	PUBCHEM	4-[[(E)-(3,4-difluorophenyl)methylideneamino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	4-[[(E)-(5-carboxy-2-fluorophenyl)methylideneamino]carbamoyl]-2-(dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-[4-(2H-tetrazol-5-yl)phenyl]methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-(3,4,5-trifluorophenyl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-(2-morpholin-4-ylphenyl)methylideneamino]carbamoyl]benzoic acid

Main Category	Category	Terms
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-quinoxalin-6-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-1,8-naphthyridin-2-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	4-[3-(4-Carboxyphenyl)piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid
Interactions	PUBCHEM	2-[4-carboxy-3-(2,5-dimethylpyrrol-1-yl)benzoyl]-3,4-dihydro-1H-isoquinoline-7-carboxylic acid
Interactions	PUBCHEM	4-[2-(3-Carboxyphenyl)ethylcarbamoyl]-2-(2,5-dimethylpyrrol-1-yl)b acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-(5-sulfofuran-2-yl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	4-[5-(4-carboxyphenyl)-3,6-dihydro-2H-pyridine-1-carbonyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	4-[3-(2-Carboxyphenyl)piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid
Interactions	PUBCHEM	4-[3-(4-Chlorophenyl)piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-(morpholine-4-carbonyl)benzoic acid
Interactions	PUBCHEM	4-[[(3-Carboxybenzoyl)amino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	4-[[(E)-(4,6-dichloropyrimidin-5-yl)methylideneamino]carbamoyl]-2-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-[5-fluoro-2-(trifluoromethyl)phenyl]methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	5-[(Z)-[[4-carboxy-3-(2,5-dimethylpyrrol-1-yl)benzoyl]hydrazinylidene]methyl]thiophene-2-carboxylic acid
Interactions	PUBCHEM	4-[[(Z)-(3-carboxyphenyl)methylideneamino]carbamoyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(Z)-(4-sulfophenyl)methylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	5-[(E)-[[4-carboxy-3-(2,5-dimethylpyrrol-1-yl)benzoyl]hydrazinylidene]methyl]furan-2-carboxylic acid
Interactions	PUBCHEM	4-[3-(3-Carboxyphenyl)piperidine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid
Interactions	PUBCHEM	4-[4-(4-Carboxyphenyl)piperazine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[4-(3-hydroxyphenyl)piperazine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	4-[[(E)-(2,4-dimethoxypyrimidin-5-yl)methylideneamino]carbamoyl]-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	4-[4-(3-Carboxyphenyl)piperazine-1-carbonyl]-2-(2,5-dimethylpyrrol-

Main Category	Category	Terms
		yl)benzoic acid
Interactions	PUBCHEM	4-[4-(2-Carboxyphenyl)piperazine-1-carbonyl]-2-(2,5-dimethylpyrrol-yl)benzoic acid
Interactions	PUBCHEM	4-[[(4-Carboxyphenyl)methylamino]methyl]-2-(2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[3-(3-methoxyphenyl)piperidine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[3-(3-methylphenyl)piperidine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-[3-(2-hydroxyphenyl)piperidine-1-carbonyl]benzoic acid
Interactions	PUBCHEM	2-(2,5-Dimethylpyrrol-1-yl)-4-(3-phenylpiperidine-1-carbonyl)benzoi
Interactions	PUBCHEM	2-(2,5-dimethylpyrrol-1-yl)-4-[[(E)-pyridin-3-ylmethylideneamino]carbamoyl]benzoic acid
Interactions	PUBCHEM	4-[[(E)-(5,7-dimethyl-4-oxochromen-3-yl)methylideneamino]carbam (2,5-dimethylpyrrol-1-yl)benzoic acid
Interactions	PUBCHEM	(Z)-5-((5-((1H-benzo[d]imidazol-2-yl)thio)furan-2-yl)methylene)-3-isopropylthiazolidine-2,4-dione
Literature	GENERIF_SUMMARY	Review
Literature	GENERIF_SUMMARY	We have located a region in the c-myc promoter that is required fo complete activation by the immunoglobulin heavy chain gene enha
Literature	GENERIF_SUMMARY	In Situ studies demonstrate enhanced mRNA expression of the pro oncogene c-myc in stenotic venous bypass grafts.
Literature	GENERIF_SUMMARY	c-Myc physically interacts with Smad2 and Smad3 involved in TGF signaling.c-Myc promotes cell growth and cancer development par inhibiting the growth inhibitory functions of Smads
Literature	GENERIF_SUMMARY	Uteroglobin promoter-targeted c-MYC expression in transgenic mi cause hyperplasia of Clara cells and malignant transformation of T lymphoblasts and tubular epithelial cells
Literature	GENERIF_SUMMARY	initiates illegitimate recombination of ribonucleotide reductase 2 g
Literature	GENERIF_SUMMARY	Acute hyperglycaemia induces an up-regulation of seven major ge four of which were not previously reported in the literature. Norther analyses, performed on these 4 genes, confirm macroarrays result alphav, beta4, c-myc, and MUC18.
Literature	GENERIF_SUMMARY	Activation of c-MYC and c-MYB proto-oncogenes is associated wit decreased apoptosis in tumor colon progression.
Literature	GENERIF_SUMMARY	amplification in acute nonlymphocytic leukemia
Literature	GENERIF_SUMMARY	Repression of alpha-fetoprotein gene expression under hypoxic conditions in human hepatoma cells
Literature	GENERIF_SUMMARY	The cytoplasmic domain of gp130 is involve the induction of c-myc expression and the cell proliferation in Meg-01 cell.
Literature	GENERIF_SUMMARY	Retinoic acid-induced cell cycle arrest of human myeloid cell lines

Main Category	Category	Terms
		associated with sequential down-regulation of c-Myc and cyclin E.
Literature	GENERIF_SUMMARY	Scatter factor/hepatocyte growth factor stimulation of glioblastom cycle progression through G(1) is c-Myc dependent and independe p27 suppression, Cdk2 activation, or E2F1-dependent transcription
Literature	GENERIF_SUMMARY	complex with Nmi and BRCA1 inhibits c-Myc-induced human telom reverse transcriptase gene promoter activity in breast cancer
Literature	GENERIF_SUMMARY	c-myc-induced apoptosis in polycystic kidney disease is independe FasL/Fas interaction.
Literature	GENERIF_SUMMARY	The N-myc and c-myc downstream pathways include the chromos 17q genes nm23-H1 and nm23-H2
Literature	GENERIF_SUMMARY	estrogen and Myc negatively regulate EphA2 expression in mamm epithelial cells
Literature	GENERIF_SUMMARY	A novel form of the RelA nuclear factor kappaB subunit is induced forms a complex with this proto-oncogene protein
Literature	GENERIF_SUMMARY	overexpressed in acute myeloid leukemia while translocations associated with this gene are absent
Literature	GENERIF_SUMMARY	The proto-oncogene c-myc in hematopoietic development and leukemogenesis
Literature	GENERIF_SUMMARY	c-Myc can induce DNA damage, increase reactive oxygen species, mitigate p53 function
Literature	GENERIF_SUMMARY	Overexpression of c-myc mRNA was found in an Achilles tendon c cell sarcoma and may have a role in its malignant progression.
Literature	GENERIF_SUMMARY	TRRAP binding and the recruitment of histone H3 and H4 acetyltransferase activities are required for the transactivation of a TERT gene in exponentially growing human fibroblasts by c-Myc or protein.
Literature	GENERIF_SUMMARY	Effects of fluid shear stress on expression of proto-oncogenes c-fo c-myc in cultured human umbilical vein endothelial cells.
Literature	GENERIF_SUMMARY	the in vitro effects of iron on the proliferation of a primary, human synovial fibroblast cell line and the involvement of c-myc in this pro as a model for c-myc proto-oncogene expression in hemophilic syn
Literature	GENERIF_SUMMARY	role of c-Myc increasing susceptibility to tumor necrosis factor me apoptosis
Literature	GENERIF_SUMMARY	Myc activates transcription by stimulating elongation and that P-TE a key mediator of this process
Literature	GENERIF_SUMMARY	dysregulated beta-catenin may cause a transcriptional upregulatio the c-myc gene; the c-Myc protein expression appears to be furthe regulated by posttranscriptional mechanism(s) during neoplastic progression in colorectal adenocarcinomas
Literature	GENERIF_SUMMARY	C-Myc may be a downstream target of anaplastic lymphoma kinas (ALK)signaling and its expression a defining characteristic of ALK- positive anaplastic large cell lymphomas
Literature	GENERIF_SUMMARY	c-myc induces programmed cell death in a process requiring gluta in human tumor cells

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Amplifications of c-myc and CCND1 are associated with detrusor-muscle-invasive transitional cell carcinoma
Literature	GENERIF_SUMMARY	results reveal a novel cytoskeletal function for Myc and indicate th feasibility of quantitative whole-proteome analysis in mammalian
Literature	GENERIF_SUMMARY	This review describes the role of MYC in tumor progression
Literature	GENERIF_SUMMARY	c-myc and c-erbB2 amplification in breast cancer
Literature	GENERIF_SUMMARY	Marked intratumoral heterogeneity of this and cyclinD1 but not of erbB2 amplification in breast cancer
Literature	GENERIF_SUMMARY	Beta-catenin mutations correlate with over expression of C-myc ar cyclin D1 Genes in bladder cancer.
Literature	GENERIF_SUMMARY	CD19+ cells from transgenic mice with a lamba-humanMYC const driven by B-cell elements overexpressed both C-MYC and protein k A-Cbeta.
Literature	GENERIF_SUMMARY	c-Myc promotes cell survival under stressful conditions.
Literature	GENERIF_SUMMARY	the mechanism of apoptosis induced by c-myc gene in oral squam cell
Literature	GENERIF_SUMMARY	Reduction in the c-myc protein was correlated with neck metastas nasopharyngeal carcinoma.
Literature	GENERIF_SUMMARY	c-myc translation is regulated by hnRNP C via internal ribosomal e site binding
Literature	GENERIF_SUMMARY	c-Myc binds to TFIIIB, a pol III-specific general transcription factor, directly activates pol III transcription
Literature	GENERIF_SUMMARY	examination of functionality of basic domains compared with Mac
Literature	GENERIF_SUMMARY	repression of differentiation-induced p21 expression through Miz-1 be an important mechanism by which Myc blocks differentiation
Literature	GENERIF_SUMMARY	Expression of c-Myc in primary central nervous system diffuse larg cell lymphoma may be a prognostic marker for poor overall surviva
Literature	GENERIF_SUMMARY	results show that Ser727/Tyr701-phosphorylated Stat1 plays a key as a prerequisite for the ATRA-induced down-regulation of c-Myc; A, B, D2, D3, and E; and simultaneous up-regulation of p27Kip1, associated with arrest in the G0/G1 phase
Literature	GENERIF_SUMMARY	results indicate that Nijmegen breakage syndrome 1 gene (NBS1) direct transcriptional target of c-Myc and links the function of c-My the regulation of DNA double-strand break repair pathway
Literature	GENERIF_SUMMARY	c-myc binds to the hTERT promoter and is involved in the pathway regulation of cellular immortalization through BRCA1
Literature	GENERIF_SUMMARY	A detailed structure-function analysis of the Myc N-terminal domai deletion & point mutants studied their ability to induce cell cycle progression, apoptosis & transformation as well as repress & activ endogenous target genes.
Literature	GENERIF_SUMMARY	Up-regulation of c-Myc protein could disturb the signaling pathway ceramide & sphingosine, endogenous modulators mediating apopt c-Myc protein is a mediator of cytoprotective effect of PKC pathwa

Main Category	Category	Terms
		HL-60 cells.
Literature	GENERIF_SUMMARY	Myc down-regulation might directly mediate the growth-inhibitory properties of 3'-5' RNA exonuclease
Literature	GENERIF_SUMMARY	inverse correlation between TMEFF2 and c-Myc expression
Literature	GENERIF_SUMMARY	findings suggest that Myc-mediated functions can be negatively regulated by KRAB box containing zinc finger protein (Krim-1)
Literature	GENERIF_SUMMARY	MYC recruits the TIP60 histone acetyltransferase complex to chro
Literature	GENERIF_SUMMARY	c-myc gene is regulated by nitric oxide via inactivating NF-kappa B complex
Literature	GENERIF_SUMMARY	c-Myc together with its heterodimeric partner, Max, occupy >15% o promoters tested in Burkitt lymphoma cells. Overexpressed c-Myc a role in global transcriptional regulation in some cancer cells and functions in malignant transformation.
Literature	GENERIF_SUMMARY	the PI3K/p70 S6K/c-Myc cascade plays an important role in neutro proliferation in HL-60 cells.
Literature	GENERIF_SUMMARY	Induction of hTERT by Myc/E6 was independent of Myc phosphory at Thr-58/Ser-62 within the transactivation domain. E6 associates Myc complexes & activates a Myc-responsive gene, hTERT.
Literature	GENERIF_SUMMARY	Inhibition of this oncoprotein limits the growth of human melanom by inducing cellular crisis
Literature	GENERIF_SUMMARY	expression of MYC oncogene is reduced at the mRNA level and MY protein has an increased half-life in Adenovirus infected Hela cells resulting in constant steady state levels.
Literature	GENERIF_SUMMARY	results demonstrate that MYC directly stimulates transcription of t Werner syndrome gene,WRN; propose that WRN up-regulation by M may promote MYC-driven tumorigenesis by preventing cellular senescence
Literature	GENERIF_SUMMARY	hematopoietic growth factors induce cell cycle progression via into ribosome entry site-mediated translation of c-myc though the PI3K pathway in human factor-dependent leukemic cells
Literature	GENERIF_SUMMARY	overexpression of MYC disrupts the repair of double-strand DNA b resulting in a several-magnitude increase in chromosomal breaks a translocations
Literature	GENERIF_SUMMARY	the mutated version of the c-myc IRES that is prevalent in patients multiple myeloma bound hnRNPK more efficiently in vitro and was stimulated by hnRNPK to a greater extent in vivo.
Literature	GENERIF_SUMMARY	p53 and c-Myc expression may have a role in regulation of telomer activity in ovarian tumours
Literature	GENERIF_SUMMARY	c-Myc regulates cell growth and proliferation by the coordinated induction of cdk activity and rRNA processing
Literature	GENERIF_SUMMARY	contribution of JNK to the regulation of c-Myc protein stability und normal growth conditions
Literature	GENERIF_SUMMARY	identified an evolutionarily conserved boundary at which the c-myc transcription unit is separated from the flanking condensed chrom

Main Category	Category	Terms
		enriched in lysine 9-methylated histone H3
Literature	GENERIF_SUMMARY	PLZF expression maintains a cell in a quiescent state by repressin myc expression and preventing cell cycle progression.
Literature	GENERIF_SUMMARY	we review Myc-induced pathways that contribute to the apoptotic response.
Literature	GENERIF_SUMMARY	These data also suggest that location of intragenic PTEN mutatior their coexistence with the CMYC amplification may play a crucial p the development of various subtypes of endometrial carcinoma.
Literature	GENERIF_SUMMARY	Data suggest that cyclin dependent kinase 4 is involved in the development of tobacco-mediated oral carcinogenesis, and that c- expression is absent in normal and high in later stages of oral canc development.
Literature	GENERIF_SUMMARY	c-myc may have a role in the development of Burkitt's lymphoma, t an RNA-mediated gene silencing pathway
Literature	GENERIF_SUMMARY	c-Myc may control the activity of multiple signal pathways involvec cellular transformation by induction of HSP90A
Literature	GENERIF_SUMMARY	Aurora-A induces telomerase activity and hTERT by up-regulation c Myc
Literature	GENERIF_SUMMARY	MYC has a role in tumor progression in BRCA1-associated breast cancers
Literature	GENERIF_SUMMARY	c-Myc expression is regulated by cytosolic phospholipase A2 in a process that involves B-myb
Literature	GENERIF_SUMMARY	c-Myc does not play a major role in gene regulation of the catalytic subunit of telomerase (hTERT) in human hepatocellular carcinoma
Literature	GENERIF_SUMMARY	c-Myc can support self-renewal of HSCs as a downstream mediato Notch and HOXB4.
Literature	GENERIF_SUMMARY	Myc is an integral part of a novel HIF-1alpha pathway, which regula distinct group of Myc target genes in response to hypoxia.
Literature	GENERIF_SUMMARY	Levels of both c-myc and beta-catenin increased in Cyr61 stably transfected H520 cells.
Literature	GENERIF_SUMMARY	Gene amplification of c-myc may play key role in regulating expres its mRNA and protein in high-grade breast cancers
Literature	GENERIF_SUMMARY	c-Myc can specifically recognize the HIV-1 initiator element surrou the start site of transcription and linker scanning mutagenesis experiments confirmed a loss of c-Myc-mediated repression in the absence of this region
Literature	GENERIF_SUMMARY	High nuclear expression of c-myc is correlated with locally advanc colorectal cancer
Literature	GENERIF_SUMMARY	C-Myc over-expression was significantly associated with high sVE normal sFlt-1 level in DLBCL patients, suggesting a complex interrelationship between c-Myc oncogene expression and angioge regulators
Literature	GENERIF_SUMMARY	expression of c-Myc protein is increased not only in uterine cervix but also in the premalignant lesions

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Translocations involving the MYC locus were detected in six cases cell lymphoma, five of them derived from a MYC/IGH juxtaposition one from a translocation involving a non-IG gene partner.
Literature	GENERIF_SUMMARY	c-myc transactivates rat and human adrenomedullin genes and accelerates the degradation rate of adrenomedullin mRNA.
Literature	GENERIF_SUMMARY	c-myc mRNA was detected in 18 of 59 cases, and was associated shorter patient survival times on both univariate and multivariate analyses. The presence of c-myc mRNA was also significantly associated with tumor anaplasia.
Literature	GENERIF_SUMMARY	cMyc is a target of ARF tumor suppressor
Literature	GENERIF_SUMMARY	Myc binds well to conserved canonical E boxes, but not nonconser boxes. Results show Myc is an important regulator of glycolytic ge suggesting that MYC plays a role in a switch to glycolytic metaboli during cell proliferation or tumorigenesis.
Literature	GENERIF_SUMMARY	c-myc oncogene has not shown to be a prognostic factor for laryn squamous cell carcinoma of the supraglottic larynx.
Literature	GENERIF_SUMMARY	c-MYC activated transcription from the upstream binding factor pr
Literature	GENERIF_SUMMARY	A prolactin signalling cascade in W53 cells involves Src kinases th mediate stimulation of c-Myc expression.
Literature	GENERIF_SUMMARY	There is no obvious correlation between breakpoint locations withi immunoglobulin H locus and the amount of MYC mRNA.
Literature	GENERIF_SUMMARY	polyamine-induced nuclear c-Myc interacts with Max, binds to the specific DNA sequence, and plays an important role in stimulation normal intestinal epithelial cell proliferation.
Literature	GENERIF_SUMMARY	p53-independent checkpoint to prevent c-Myc-mediated tumorigen
Literature	GENERIF_SUMMARY	Inhibition of c-Myc (and c-Raf-1) significantly reduced the growth a invasiveness of rheumatoid arthritis synovial fibroblasts in the SCI mouse model.
Literature	GENERIF_SUMMARY	There was a significant positive correlation between the levels of c mRNA expression and the occurrence of apoptosis in 59 hepatoce carcinomas.
Literature	GENERIF_SUMMARY	novel iron-dependent cell cycle regulatory mechanism involving modulation of translocated c-myc gene expression
Literature	GENERIF_SUMMARY	c-myc downregulation and release from the endogenous p21WAF1 promoter contributes to transcriptional activation of the p21WAF1, in HeLa cells
Literature	GENERIF_SUMMARY	Myc is essential for the regulation of a large number of growth-rela genes in B cells, and cannot be replaced by other serum-induced fa
Literature	GENERIF_SUMMARY	CREB binding protein is essential for keeping c-myc in a repressed in G(1) and thereby preventing inappropriate entry of cells into S ph
Literature	GENERIF_SUMMARY	c-Myc antagonized the induction of p21Cip1 mediated by oncogen K-, and N-Ras and by constitutively activated Raf and ERK2
Literature	GENERIF_SUMMARY	chromosomal c-myc replicator activity can be altered by transcript factors that induce transcription

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Myc stimulates VEGF production by a rapamycin- and LY294002-sensitive pathway.
Literature	GENERIF_SUMMARY	LMP1 activates telomerase via c-myc
Literature	GENERIF_SUMMARY	c-myc expression is regulated by TFIIH using an expanded proxima promoter
Literature	GENERIF_SUMMARY	the increased affinity for the duplex state due to mutation in the nu hypersensitive element could play a functional role in the aberrant regulation of c-myc
Literature	GENERIF_SUMMARY	c-myc and mad1 can regulate the hTERT transcript in a different m in hTERT positive cells, but not in normal cells
Literature	GENERIF_SUMMARY	the entire N and C-terminal regions of c-Myc transactivation domai in concert to achieve high specificity and affinity to two structurally functionally orthogonal target proteins
Literature	GENERIF_SUMMARY	Tyrosine residues become phosphorylated following receptor engagement and, as such, form two Grb2 binding sites, which have proposed to be differentially coupled to Myc-dependent survival.
Literature	GENERIF_SUMMARY	This paper reports the first solution structure of a G-quadruplex fo form in the promoter region of an oncogene (c-MYC).
Literature	GENERIF_SUMMARY	frequency and chromosomal features of this der(8)t(8;14;18) in a s of acute leukaemias and malignant lymphomas
Literature	GENERIF_SUMMARY	c-Myc coordinates the activity of all three nuclear RNA polymerase thereby plays a key role in regulating ribosome biogenesis and cell growth
Literature	GENERIF_SUMMARY	stimulation of rRNA synthesis by c-Myc is a key pathway driving ce growth and tumorigenesis
Literature	GENERIF_SUMMARY	Stimulation of islet expression by 30 mmol/l glucose results from activation of a distinct, probably oxidative-stress-dependent signal pathway.
Literature	GENERIF_SUMMARY	c-Myc has a pivotal function in the development of breast cancer; show that decreasing the c-Myc protein level in MCF-7 cells by RN could significantly inhibit tumor growth both in vitro and in vivo
Literature	GENERIF_SUMMARY	c-MYC amplification is an early event in breast cancer progression ZNF217 and Her2/neu amplification may play a role in the later sta tumor development
Literature	GENERIF_SUMMARY	expression of ESRA, bcl-2 and c-myc gene expression in fibroaden and adjacent normal breast is related to nodule size, hormonal and reproductive features
Literature	GENERIF_SUMMARY	observed, subsequent to knocking down CRD-BP/IMP1, decreased expression, increased IGF-II mRNA levels, and reduced cell prolifer rates
Literature	GENERIF_SUMMARY	p16(INK4A) reconstitution in p16(INK4A)-deficient T-ALL cells indu cell cycle arrest in the presence of cyclin E and c-Myc expression, uncoupled growth from cell cycle progression and caused a seque process of growth, differentiation and apoptosis
Literature	GENERIF_SUMMARY	Data show a coordinating inhibition of the proliferation of MCF-7 b

Main Category	Category	Terms
		enhancing expression of p53,p21 and decreasing expression of c-r
Literature	GENERIF_SUMMARY	elevated levels of Myc counteract p53 activity in human tumor cell mechanism could contribute to explain the c-Myc deregulation fre found in cancer
Literature	GENERIF_SUMMARY	chromatin remodeling at the c-myc gene involves the local exchan histone H2A.Z
Literature	GENERIF_SUMMARY	the c-MYC gene is sufficient to induce carcinogenesis for prostate
Literature	GENERIF_SUMMARY	c-Myc activates expression of a cluster of six miRNAs on human chromosome 13
Literature	GENERIF_SUMMARY	results are consistent with the possibility that IL-5 inhibits apoptos JYTF-1 cells via the upregulation of c-myc expression
Literature	GENERIF_SUMMARY	The presence of activated beta-catenin and c-myc in the epidermis chronic wounds may serve as a molecular marker of impaired hea
Literature	GENERIF_SUMMARY	conclude that alterations of the CMYC gene, including copy numbe and amplifications, are linked to genetically unstable bladder canc that are characterized by a high histologic grade and/or invasive g
Literature	GENERIF_SUMMARY	A pivotal role for Myc in regulating mitochondrial biogenesis was s
Literature	GENERIF_SUMMARY	tumor-specific isoforms of Bin1 are precluded from interaction wit Myc through an intramolecular polyproline-SH3 domain interaction Furthermore, c-Myc/Bin1 interaction can be inhibited by phosphory of c-Myc at Ser62.
Literature	GENERIF_SUMMARY	c-Myc overexpression showed an upregulation of beta4 promoter a
Literature	GENERIF_SUMMARY	Kinetic analysis of the interconversion between the duplex and the quadruplex forms of the human c-myc promoter.
Literature	GENERIF_SUMMARY	mutant MYC proteins, by selectively disabling a p53-independent pathway, enable tumour cells to evade p53 action during lymphomagenesis
Literature	GENERIF_SUMMARY	p53 represses c-myc transcription through a mechanism that invol histone deacetylation
Literature	GENERIF_SUMMARY	17-beta-estradiol promotes survival signals in breast cancer cells t mammalian target of rapamycin-dependent increase in Myc expres
Literature	GENERIF_SUMMARY	MYC family genes might affect oncogenesis through distinct sets targets, in particular implicating the importance of transcriptional repression
Literature	GENERIF_SUMMARY	p300 can acetylate DNA-bound Myc
Literature	GENERIF_SUMMARY	The MYC protein phosphorylation and turnover are thus linked to c cycle exit in primary mouse CGNP cultures and the developing cerebellum.
Literature	GENERIF_SUMMARY	replicative senescence-specific factors may block c-Myc inhibition Miz-1 activation of hMad4 expression, and the continual presence hMad4 protein may transcriptionally repress selected c-Myc target
Literature	GENERIF_SUMMARY	Increased wild-type MYC expression occurs frequently in human ca except in Burkitt's lymphoma.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	c-MYC binds to the genomic MTA1 locus and recruits transcription coactivators, which is essential for the transformation potential of MYC.
Literature	GENERIF_SUMMARY	transcription activity is repressed by various MM-1 isoforms
Literature	GENERIF_SUMMARY	expression of cyclin D1 and c-Myc in epithelial ovarian cancer reaf the notion that they are crucial components in the pathway of tumorigenesis
Literature	GENERIF_SUMMARY	data demonstrate that the sphingosine-recycling pathway for the generation of endogenous long-chain ceramide in response to exogenous C6-cer is regulated by ROS, and plays an important biol role in controlling c-Myc function
Literature	GENERIF_SUMMARY	Myc induces nuclear encoded mitochondrial gene expression and mitochondrial biogenesis, thereby directly linking Myc's transcripti properties to mitochondrial ROS production, promotion of genomic oxidative damage, and genomic instability.
Literature	GENERIF_SUMMARY	These results identify glycogen synthase kinase 3beta and FBW7 a potential cancer therapeutic targets and MYC as a critical substrat the GSK3beta survival-signaling pathway.
Literature	GENERIF_SUMMARY	c-Myc isoforms differentially regulate cell growth and apoptosis in species-specific manner
Literature	GENERIF_SUMMARY	Site-specific ubiquitination regulates the switch between an activa and a repressive state of the Myc protein, and they suggest a strat interfere with Myc function in vivo.
Literature	GENERIF_SUMMARY	dual roles for p300-CBP-associated factor in Myc regulation
Literature	GENERIF_SUMMARY	decreased internal ribosome entry site (IRES)-dependent Myc mRN translation accounts for the phenotypic changes induced by inhibit the BCR/ABL-ERK-dependent HNRPK translation-regulatory functio
Literature	GENERIF_SUMMARY	C-myc expression shows a positive association with increasing gra breast carcinoma.
Literature	GENERIF_SUMMARY	We aimed to investigate the expression pattern of p53, Bcl-2 and C in colorectal cancer(CRC)tissues obtained from Egyptian colorecta cancer patients divided in two different groups, associated with an without Schistosoma mansoni.
Literature	GENERIF_SUMMARY	up-regulation of mitochondrial CLIC4, together with a reduction in and Bcl-xL, sensitizes Myc-expressing cells to the proapoptotic act Bax.
Literature	GENERIF_SUMMARY	Down-regulation of MYC is not necessary to abolish malignant phenotypes by induction of terminal monocyte-macrophage differentiation in leukaemic cells carrying t(9;11)(p22;q23).
Literature	GENERIF_SUMMARY	Miz-1 is essential for Myc-mediated apoptosis
Literature	GENERIF_SUMMARY	interferon-gamma, which induces HLA-DR antigens on the cell surf also suppresses c-myc expression in situ, and is a possible non-immunological mechanism involved in the better long-term surviva colorectal cancer patients
Literature	GENERIF_SUMMARY	Data show that hepatitis B virus X protein blocks the ubiquitination myc through a direct interaction with the F box region of Skp2 and

Main Category	Category	Terms
		destabilization of the SCF(Skp2) complex.
Literature	GENERIF_SUMMARY	dominant-negative forms of c-Myc block transformation by activat Notch1, E6 and E7, suggesting that c-Myc is required for HPV16-mediated transformation
Literature	GENERIF_SUMMARY	study shows that p14ARF directly associates with Myc and relocat Myc from the nucleoplasm to the nucleolus, in addition, p14ARF do regulates Myc activated transcription
Literature	GENERIF_SUMMARY	overexpression of c-myc protects melanoma cells from IFN-beta-mediated growth inhibition
Literature	GENERIF_SUMMARY	PEG10 is a direct target of c-MYC; findings link cancer genetics an epigenetics by showing that a classic proto-oncogene, MYC, acts o upstream of a proliferation-positive imprinted gene, PEG10
Literature	GENERIF_SUMMARY	c-myc seems to play a causal role in inducing anaplasia in medulloblastoma; it is proposed that c-myc dysregulation is involv the progression of these malignant embryonal neoplasms
Literature	GENERIF_SUMMARY	Myc overexpression causes DNA damage in vivo and the ATM-dep response to this damage is critical for p53 activation, apoptosis, a suppression of tumor development
Literature	GENERIF_SUMMARY	Modifications in iron metabolism, resulting from the strong basal expression of c-Myc, and amplified by iron addition, could lead to a disruption in homeostasis and consequently to growth arrest in Bu lymphoma.
Literature	GENERIF_SUMMARY	abnormal expression of REST/NRSF and MYC in undifferentiated n stem/progenitor cells causes cerebellum-specific tumors. Further these results suggest that such a mechanism plays a role in the formation of human medulloblastoma.
Literature	GENERIF_SUMMARY	Positive C-MYC staining is detected mainly in the cytoplasm of esophageal cancer cells.
Literature	GENERIF_SUMMARY	Inhibition of hTERT expression by RNAi could increase the express C-myc protein in Hep-2 cells.
Literature	GENERIF_SUMMARY	These findings provide a molecular basis for increased TFRC1 expression in human tumors, illuminate the role of TFRC1 in the c-target gene network
Literature	GENERIF_SUMMARY	p16(INK4a) expression was regulated by the Polycomb group repr Bmi-1, which is shown as a direct transcriptional target of c-Myc.
Literature	GENERIF_SUMMARY	Doubling the hMYC level by breeding homozygous transgenic anim switched the phenotype from primarily monocytic tumors to exclu T-cell tumors. Results imply that MYC level affects the spontaneou acquisition of synergistic oncogenic mutations.
Literature	GENERIF_SUMMARY	In both Richter's transformation and prolymphocytic transformatio levels of AID mRNA expression and high-frequency mutations of c- genes were detected.
Literature	GENERIF_SUMMARY	there is an alternative mechanism for the hypoxic induction of VEG colon cancer that does not depend upon HIF-1alpha but instead re the activation of PI3K/Rho/ROCK and c-Myc
Literature	GENERIF_SUMMARY	Results showed that certain regulation involved in c-myc, c-fos, an

Main Category	Category	Terms
		was present in the apoptosis, and the c-Myc dependent-on and Jun terminal kinase (JNK) pathway also play roles.
Literature	GENERIF_SUMMARY	Bcl2, in addition to its survival function, may also suppress DNA re a novel mechanism involving c-Myc and APE1, which may lead to a accumulation of DNA damage in living cells, genetic instability, and tumorigenesis
Literature	GENERIF_SUMMARY	Taken together, these findings suggest that Bax and caspase activ together with PKCdelta signaling are involved in c-Myc-dependent etoposide-induced apoptosis.
Literature	GENERIF_SUMMARY	Myc and E2F1 engage the ATM signaling pathway to activate p53 a induce apoptosis [review]
Literature	GENERIF_SUMMARY	These data suggest that an increase in c-Myc phosphorylation in response to prolonged ERK phosphorylation negatively auto-regula Myc gene expression, leading to the suppression of its target gene expression and cell cycle block.
Literature	GENERIF_SUMMARY	Results describe the roles of the FarUpStream Element (FUSE), FUS Binding Protein (FBP), FBP Interacting Repressor (FIR), and TFIIH i regulation of c-myc expression.
Literature	GENERIF_SUMMARY	APL-like case lacking t(15;17) and the retinoic acid receptor alpha (RARA) breakpoint and also has the deletion MYC of 8q24 associa with the occurrence of MYC amplification on double-minute chromosomes (dmin).
Literature	GENERIF_SUMMARY	Results show that the CT-element is not especially susceptible to t formation of breakpoints leading to chromosomal translocations i Burkitt's lymphoma.
Literature	GENERIF_SUMMARY	MYC activation, triggered by the insertion of human papillomavirus sequences, can be an important genetic event in cervical oncogen
Literature	GENERIF_SUMMARY	in diffuse large B-cell lymphoma, molecular alterations in ice, bcl-2 and p53 are present in hematopoietic cells from bone marrow as w in primitive hematopoietic progenitors
Literature	GENERIF_SUMMARY	p21Cip1 is one of the direct mediators of induced c-Myc following increased polyamines and that p21Cip1 repression by c-Myc is implicated in stimulation of normal intestinal epithelial cell prolifer
Literature	GENERIF_SUMMARY	This study provides the first evidence for regulation of global chron structure by an oncoprotein and may explain the broad effects of M cell behavior and tumorigenesis.
Literature	GENERIF_SUMMARY	TGFbeta suppresses TERT by Smad3 interactions with c-Myc and t hTERT gene
Literature	GENERIF_SUMMARY	c-Myc is only required for pre-TCR-induced proliferation but is dispensable for developmental progression from the DN to the DP
Literature	GENERIF_SUMMARY	Having an S allele in the L-myc gene may increase the risk of renal
Literature	GENERIF_SUMMARY	proteins implicated in replication initiation are selectively and differentially bound across the c-myc replicator, dependent on disc structural elements in DNA or chromatin
Literature	GENERIF_SUMMARY	Ras and c-Myc play important roles in the up-regulation of nucleophosmin/B23 during proliferation of cells associated with a

Main Category	Category	Terms
		degree of malignancy, thus outlining a signaling cascade involving factors in the cancer cells.
Literature	GENERIF_SUMMARY	Together, these results demonstrate that ectopic activation of NFA and the Ca2+/calcineurin signaling pathway is an important mecha of oncogenic c-myc activation in pancreatic cancer.
Literature	GENERIF_SUMMARY	Ketogenesis is an undesirable metabolic characteristic of the proliferating cell, which is down-regulated through c-Myc-mediated repression of the key metabolic gene HMGCS2.
Literature	GENERIF_SUMMARY	Functional promoter analyses revealed that both the Myc-binding s cluster and the C/EBPalpha-binding site are essential for strong transcriptional activation, and that Myc and C/EBPalpha synergisti activate the WS5 promoter
Literature	GENERIF_SUMMARY	c-myc and VEGFA may be involved in the regulation of angiogenes esophageal adenocarcinoma
Literature	GENERIF_SUMMARY	provide a mechanism for elevated Myc expression in hormone-dependent and hormone-independent breast cancer
Literature	GENERIF_SUMMARY	Epstein-Barr virus (EBV) acts as an antiapoptotic in Burkitt lympho (BL) by selecting among three transcriptional programs, all of whic unlike the full virus growth-transforming program, remain compatil with high c-myc expression.
Literature	GENERIF_SUMMARY	Several genes in the MYCN amplicon, including the DEAD box poly 1 (DDX1) gene, and neuroblastoma-amplified gene (NAG gene), ha been found to be frequently co-amplified with MYCN in NB.
Literature	GENERIF_SUMMARY	Nuclear arrangement of c-myc genes and transcripts was conserv during cell differentiation and, therefore, independent of the level o differentiation-specific c-myc gene expression.
Literature	GENERIF_SUMMARY	NDRG2 expression is repressed by Myc via Miz-1-dependent intera with the NDRG2 core promoter
Literature	GENERIF_SUMMARY	Fluorescent protocol can successfully be applied to diagnostic nee biopsies to identify relative 8q gain in prostate carcinomas and tha patients with a MYC/CEP18 ratio > or = 1.5 present a significantly l risk of dying from the disease.
Literature	GENERIF_SUMMARY	repression of BCL2 transcription is the single essential consequen targeting the MIZ-1 pathway during apoptosis induction, which exp copperative interaction between c-MYC and BCL2
Literature	GENERIF_SUMMARY	Max as a novel co-activator of C/EBPalpha functions, thereby sugg a possible link between C/EBPalpha and Myc-Max-Mad network.
Literature	GENERIF_SUMMARY	Results provide a snapshot of genome-wide, unbiased characteriza of direct Myc binding targets in a model of human B lymphoid tum using ChIP coupled with pair-end ditag sequencing analysis (ChIP-
Literature	GENERIF_SUMMARY	identify c-MYC as an essential mediator of NOTCH1 signaling and integrate NOTCH1 activation with oncogenic signaling pathways upstream of c-MYC
Literature	GENERIF_SUMMARY	FOXM1c transactivates the human c-myc P1 and P2 promoters synergistically with Sp1, a transcription factor known to bind and transactivate these two promoters

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The c-Myc oncogene expression was very low in normal and cance tissues but highly increased in papillomatosis.
Literature	GENERIF_SUMMARY	E-cadherin repression is necessary for c-Myc-induced cell transformation.
Literature	GENERIF_SUMMARY	establish PML-mediated destabilization of Myc and the derepressi cell cycle inhibitor genes as an important regulatory mechanism th allows cell differentiation
Literature	GENERIF_SUMMARY	Our data suggest that Mel-18 regulates Bmi-1 expression during senescence via down-regulation of c-Myc.
Literature	GENERIF_SUMMARY	MYC amplification is not associated with ""basal-like"" phenotype a proved to be an independent prognostic factor for breast cancer pa treated with anthracycline-based chemotherapy."
Literature	GENERIF_SUMMARY	c-MYC functions are cellular-context-dependent and selectively reg genes are responsible for its differential properties.
Literature	GENERIF_SUMMARY	indicate a role for c-myc in the transcriptional regulation of survivin breast cancer
Literature	GENERIF_SUMMARY	The expression of hTERT was associated significantly with that of in laryngeal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Genes with both c-Myc-and sp1-binding sites have a distinct expre signature when compared to genes with either site alone.
Literature	GENERIF_SUMMARY	c-Myc-dependent priming of the mitochondrial pathway is critical f capacity of TRAIL-induced caspase-8 signals to activate effector caspases and for the establishment of lethal caspase feedback amplification loop in human cells.
Literature	GENERIF_SUMMARY	oncogenic deregulation of c-MYC prevents repair of replication-str induced DNA lesions in G(2)-phase; suggests c-MYC-mediated persistence of DNA lesions during mitosis leads to chromosomal missegregation & underlies c-MYC-induced chromosome instabilit
Literature	GENERIF_SUMMARY	The KSHV latency-associated nuclear antigen is responsible for c- deregulation by inihibiting glycogen synthase kinase-3beta-mediat phosphorylation of c-Myc threonine 58.
Literature	GENERIF_SUMMARY	The effect of gamma-secretase inhibitor on the mTOR pathway wa rescued by expression of c-Myc, a direct transcriptional target of N implicating c-Myc as an intermediary between Notch and mTOR
Literature	GENERIF_SUMMARY	Subcellular localization of c-Myc and P-c-Myc is not crucial in determining the mode of cell death in prostate carcinoma cell lines
Literature	GENERIF_SUMMARY	Notch1 mediates T cell and epithelial cell transformation at least i by sustaining c-Myc levels.
Literature	GENERIF_SUMMARY	Myc is the most frequently deregulated oncogene in human tumor function relies on overcoming transcriptional repression by Mnt. R Mnt-mediated repression is more important for target gene regulat than the sole activation by Myc. Review.
Literature	GENERIF_SUMMARY	c-MYC down-regulates the NF-kappaB & interferon pathway in a do dependent fashion, acting at at least 2 levels
Literature	GENERIF_SUMMARY	propose that the non-incidental coamplification of Myc and either

Main Category	Category	Terms
		or EGFR occurred through translocation and subsequent rearrange
Literature	GENERIF_SUMMARY	observations raise the possibility that unscheduled replication orig activation at inserted HPV-18 viral DNA sequences triggers DNA amplification in this cancer cell line and the subsequent overexpre of the MYC oncogene
Literature	GENERIF_SUMMARY	VPA downregulated c-Myc expression at transcriptional levels.
Literature	GENERIF_SUMMARY	These results provide evidence of direct regulation of Mxi1 by FOX and imply an additional mechanism through which the PI3-kinase/ FOXO pathway can modulate Myc function.
Literature	GENERIF_SUMMARY	inhibition of beta-catenin and in effect c-myc expression through activation of PPARgamma may help prostate cancer cells to restor several characteristics of normal prostate cells phenotype
Literature	GENERIF_SUMMARY	This study demonstrates that the two consensus Lef/Tcf binding elements (TBE)reported in neoplastic cells are dispensable for c-M regulation in normal keratinocytes, which instead use a novel TBE sequence variant.
Literature	GENERIF_SUMMARY	repression of c-myc modulates HIF-1 inhibition of mitochondrial biogenesis and cellular respiration
Literature	GENERIF_SUMMARY	DKK1 and SFRP1 inhibit the transformed phenotype of breast canc lines, and DKK1 inhibits tumor formation.
Literature	GENERIF_SUMMARY	Competitive binding of AUF1 and TIAR to MYC mRNA controls its translation.
Literature	GENERIF_SUMMARY	Data indicate that PVT-1 expression is restricted to a low number o normal tissues compared to c-Myc mRNA, whereas the gene is hig expressed in many transformed cell types including neuroblastom that do not express c-Myc.
Literature	GENERIF_SUMMARY	Differential repression of c-myc and cdc2 gene expression by ERF PE-1/METS.
Literature	GENERIF_SUMMARY	there was a highly significant correlation between breakpoints 5' o cluster 1 and fusions to IGH switch gamma region and breakpoints downstream of MYC cluster 2 and fusions to IGH switch alpha reg spoadic Burkitt's lymphoma
Literature	GENERIF_SUMMARY	High expression levels of USP28 are found in colon and breast carcinomas, and stabilization of MYC by USP28 is essential for tur cell proliferation.
Literature	GENERIF_SUMMARY	c-myc gene expression may be regulated by intranuclear localizati its RNA
Literature	GENERIF_SUMMARY	While cMyc-Asp11Ser can be considered a putatively functional polymorphism located in the N-terminal domain, it is not associate breast cancer risk, tumor characteristics or survival.
Literature	GENERIF_SUMMARY	Rac1 activates proliferation of normal fibroblasts through stimulat c-myc phosphorylation without affecting ERK1/2 activity
Literature	GENERIF_SUMMARY	C-myc gene had the same location chromosome 8 in pluripotent a differentiated human embryonic stem cells
Literature	GENERIF_SUMMARY	Amplification of the c-myc proto-oncogene occurs in hepatocellula

Main Category	Category	Terms
		carcinoma(HCC) and colorectal adenocarcinoma(MCA); its detecti may have a useful diagnostic significance in differentiating intrahe cholangiocarcinoma(ICC)from MCA or HCC from ICC.
Literature	GENERIF_SUMMARY	findings identify a critical function of c-Myc in DNA replication and suggest a novel mechanism for its normal and oncogenic function
Literature	GENERIF_SUMMARY	These results identify L11 as a feedback inhibitor of c-Myc and sug novel role for L11 in regulating c-Myc-enhanced ribosomal biogene
Literature	GENERIF_SUMMARY	Deficiency in glutamine but not glucose induces MYC-dependent apoptosis in human cells.
Literature	GENERIF_SUMMARY	interphase Fish on samples from 30 MCL patients revealed 8 num c-myc-aberrations and 6 delp16
Literature	GENERIF_SUMMARY	RbAp48-mediated transformation of HPV16 is probably because o regulation by RbAp48 of tumor suppressors retinoblastoma and p5 apoptosis-related enzymes caspase-3 and caspase-8, E6, E7, cycli (CCND1), and c-MYC.
Literature	GENERIF_SUMMARY	atorvastatin, by inhibiting HMGcoA reductase, induces changes in phosphoprotein signaling that in turn prevent MYC-induced lymphomagenesis
Literature	GENERIF_SUMMARY	Kaposi's sarcoma-associated herpesvirus latency-associated nucl antigen stabilizes c-Myc.
Literature	GENERIF_SUMMARY	Results establish a new function for PIM1 as a MYC cofactor that phosphorylates the chromatin at MYC-target loci and suggest that nucleosome phosphorylation, at E boxes, contributes to MYC-depe transcriptional activation and cellular transformation.
Literature	GENERIF_SUMMARY	Both MYC amplification and TERT expression appear to be associa with high genomic instability and proliferation.
Literature	GENERIF_SUMMARY	Myc, Sp1, and HDAC1 coexist in the same DNA-protein complex at HIV promoter. Short hairpin RNA inhibition of c-Myc reduces both and HDAC1 occupancy, blocks c-Myc repression of Tat activation, increases LTR expression.
Literature	GENERIF_SUMMARY	the tumorigenic growth effects of MYC in TGFalpha-expressing live progenitor cells are not solely dependent on its apoptotic activity.
Literature	GENERIF_SUMMARY	Erf provides a direct link between the RAS/ERK signaling and the transcriptional regulation of c-Myc and suggests that RAS/ERK attenuation actively regulates cell fate
Literature	GENERIF_SUMMARY	levels of c-myc expression were up-regulated and those of p53 expression were down-regulated by HCV F protein.
Literature	GENERIF_SUMMARY	A truncated form of N-Myc wild type can fully rescue the proliferati defect in myc-null fibroblasts, but rescue is dependent on the highl conserved Myc homology box II.
Literature	GENERIF_SUMMARY	blockage of terminal differentiation upon arsenic trioxide treatmen be mediated through c-Myc.
Literature	GENERIF_SUMMARY	This review proposes that a positive feedback loop of c-myc and W signaling operates in breast cancer.
Literature	GENERIF_SUMMARY	These findings indicate that vIRF-3 can effectively stimulate c-Myc

Main Category	Category	Terms
		function in primary effusion lymphoma cells and consequently cor to de-regulation of B-cell growth and differentiation.
Literature	GENERIF_SUMMARY	These results suggest that c-Myc may be involved in the regulation telomere length through its direct binding with TRF1/PIN2.
Literature	GENERIF_SUMMARY	Suppression of oncogenic properties of c-Myc by LKB1-controlled epithelial organization.
Literature	GENERIF_SUMMARY	Review describes a microRNA cluster induced by oncogenic transc factor c-myc that is implicated in inhibiting proliferation, as well as inhibiting apoptosis and promoting angiogenesis.
Literature	GENERIF_SUMMARY	HIF-1 cooperates with dysregulated c-Myc to promote glycolysis b induction of hexokinase 2 and pyruvate dehydrogenase kinase 1.
Literature	GENERIF_SUMMARY	Various nucleotide substitutions in the wild-type sequence from th MYC nuclease-sensitive element were ranked for their effects on transcription, the results implicated the triplex structure in the transcription arrest.
Literature	GENERIF_SUMMARY	These data indicate that DKC1 is a direct and conserved transcript target of c-MYC, and suggest a biologic basis for DKC1 overexpres neoplasia.
Literature	GENERIF_SUMMARY	Usp28 dissociates from Fbw7alpha in response to UV irradiation, providing a mechanism how Fbw7-mediated degradation of Myc is enhanced upon DNA damage.
Literature	GENERIF_SUMMARY	Blimp-1 could directly repress the expression of c-myc in 2ME2-me differentiation induction of multiple myeloma cells.
Literature	GENERIF_SUMMARY	ZO-2 down-regulates cyclin D1 transcription by interacting with the Myc/E box element and by recruiting histone deacetylase 1
Literature	GENERIF_SUMMARY	c-Myc activates DR4 transcription through E-box DNA-response ele located in the DR4 promoter, thereby increasing the expression of surface pro-apoptotic death receptors in TRAIL-resistant cell lines
Literature	GENERIF_SUMMARY	Results suggest a general model by which a proliferation factor (c- and a differentiation factor (HNF4alpha1) may compete for contro genes involved in cell proliferation and differentiation.
Literature	GENERIF_SUMMARY	MYC and PVT1 contribute independently to ovarian and breast pathogenesis when overexpressed because of genomic abnormali
Literature	GENERIF_SUMMARY	Myc down-regulation is a mechanism to activate the Rb pathway in STAT5A-induced senescence
Literature	GENERIF_SUMMARY	c-Myc oncoprotein deregulation is associated with overall genomic instability and its levels were a measure of progression in premalig cervical lesion.
Literature	GENERIF_SUMMARY	The positive rate of C-myc was significantly higher in colorectal carcinoma, colorectal adenoma with malignancy, and colorectal adenoma than in normal colorectal mucosa.
Literature	GENERIF_SUMMARY	Thus the c-myc P2E behaves as a dual-purpose STAT3 element wit anomalous characteristics in HepG2 cells.
Literature	GENERIF_SUMMARY	synergistic effect of MYC and BCL6 mutations could explain the su and clonal selection of a t(3;8) carrying cell in lymphoma progress

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The PKB-dependent mechanism of insulin-stimulated c-Myc expre in HT29 cells was shown to involve the activation of mTOR in c-My translation
Literature	GENERIF_SUMMARY	Diffuse large B-cell lymphomas (DLBCL) with concurrent t(14;18) a 8q24/c-MYC rearrangement is a subgroup of germinal center-DLB poor outcome
Literature	GENERIF_SUMMARY	BP1 may regulate bcl-2 and c-myc expression
Literature	GENERIF_SUMMARY	Expression of Ets-2, SRC-1 and c-Myc individually are all associate reduced disease-free survival in breast cancer
Literature	GENERIF_SUMMARY	cooperative role for c-Met and c-Myc in large-cell anaplastic medulloblastoma formation
Literature	GENERIF_SUMMARY	results indicate that cyclin X is a novel member of the human cycli family and positive regulator of c-Myc-mediated gene transcription
Literature	GENERIF_SUMMARY	Through the analysis of human and mouse models of B cell lymph study shows here that Myc regulates a much broader set of miRNA previously anticipated.
Literature	GENERIF_SUMMARY	Functional link between MYC and hTERT seems to be impaired depending on the molecular essential thrombocytthemia subtype.
Literature	GENERIF_SUMMARY	Id2 commonly is overexpressed in highly proliferative T-cell lympho and its expression may result from transcriptional activation of my these tumors.
Literature	GENERIF_SUMMARY	The c-myc translocation is likely crucial to the pathogenesis of the peripheral B-cell lymphoblastic lymphoma.
Literature	GENERIF_SUMMARY	Using ectopic expression of Oct4, Sox2, Klf4 and Myc, we have der iPS cells from fetal, neonatal and adult human primary cells
Literature	GENERIF_SUMMARY	variation at putative 8q24 cis-regulator(s) of transcription can significantly alter germline c-MYC expression levels and, thus, cont to prostate cancer susceptibility by down-regulating the prostate tu suppressor KLF6 gene.
Literature	GENERIF_SUMMARY	These data suggest that TLR3 contributes to the malignant phenot leading to invasive carcinoma in head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	The established renal cell carcinoma consist of two cell population containing four and one containing five copies of the MYC oncoge
Literature	GENERIF_SUMMARY	Downregulation of c-Myc is critical for 2ME2-induced oxidative str and apoptosis in AML cells.
Literature	GENERIF_SUMMARY	expression of the Myc and Pim proto-oncogenes by Jak2V617F wa found to be FERM domain dependent.
Literature	GENERIF_SUMMARY	bortezomib down-regulation of PRDM1beta preceded decreased IF and c-MYC expression
Literature	GENERIF_SUMMARY	Results describe the interrelationship between H pylori and Epstein virus infection in gastric carcinogenesis, focusing on p53 mutation Myc, Bcl-2 and Bax expression.
Literature	GENERIF_SUMMARY	By misdirecting the activity of Activation-Induced Deaminase (AID)

Main Category	Category	Terms
		conditional MYC transgene, sporadic, AID-dependent MYC activati germinal center B cells of Vk*MYC mice, is achieved.
Literature	GENERIF_SUMMARY	Data demonstrate that c-myc can block myeloid cell differentiation independent of the apoptotic response.
Literature	GENERIF_SUMMARY	Epstein-Barr virus EBNA3C residues 130 to 190, previously shown to the SCFSkp2 complex, also can strongly associate with the c-My oncoprotein.
Literature	GENERIF_SUMMARY	MYC alteration is observed in the beginning of gastric carcinogene and could be used as a therapeutic target.
Literature	GENERIF_SUMMARY	MYC can stimulate epidermal stem cells to differentiate [perspecti
Literature	GENERIF_SUMMARY	three cases of FL are described in which both t(14;18) and a C-MY translocation were identified at presentation, that may identify a particularly aggressive subtype of FL
Literature	GENERIF_SUMMARY	Overexpression of Myc stimulated sebocyte differentiation, wherea overexpression of beta-catenin stimulated involucrin and cornifin expression.
Literature	GENERIF_SUMMARY	c-Myc inhibited Ras-mediated differentiation by a mechanism that involves the blockade of c-Jun induction in response to Ras signal
Literature	GENERIF_SUMMARY	C-myc RNA signals were positioned in the most internal parts of th nuclei preferentially associated with the nucleoli.
Literature	GENERIF_SUMMARY	Damaging exercise induced the expression of capZalpha, MCIP1, C DNAJB2, c-myc, and junD, each of which are likely involved in skele muscle growth, remodeling, and stress management.
Literature	GENERIF_SUMMARY	). Nicotinamide and nicotinamide N-oxide drastically decreased c-r expression, but isonicotinic acid had no effect, suggesting that the compounds differentiate HL-60 to granulocytes through different pathways
Literature	GENERIF_SUMMARY	Myc is required to allow the interaction of the E2F1 protein with the gene promoters.
Literature	GENERIF_SUMMARY	Results suggest that Bin1 gene suppression caused by oncogenic via Rb/E2F1 inactivation is an essential step in cell cycle progressi promoted by c-Myc, and subsequently, E1A transformation.
Literature	GENERIF_SUMMARY	variations in c-myc and p21(WAF1) expression delay apoptosis ma PBL resistant to sodium butyrate for several hours
Literature	GENERIF_SUMMARY	The (rs13254738) variant of 8q24 has a protective effect for breas cancer.
Literature	GENERIF_SUMMARY	Pyk2/ERK 1/2 mediate Sp1- and c-Myc-dependent induction of telomerase activity by epidermal growth factor
Literature	GENERIF_SUMMARY	c-MYC plays a role in the early tumorigenesis of astrocytomas.
Literature	GENERIF_SUMMARY	Although knockdown of c-Myc or caspase-2 does not affect Bax expression, caspase-2 is important for cytosolic Bax to integrate in outer mitochondrial membrane, and c-Myc is critical for oligomeriz of Bax once integrated into the membrane
Literature	GENERIF_SUMMARY	MYC rearrangements are associated with both hyperdiploid and

Main Category	Category	Terms
		nonhyperdiploid myeloma tumors.
Literature	GENERIF_SUMMARY	EBV is not related to the overexpression of Bcl-2 and c-Myc (nuclea gastric carcinomas.
Literature	GENERIF_SUMMARY	The inhibition of FOXO3a-mediated activation of the p27 gene by t aberrant expression of c-Myc in many tumor cells likely contribute their uncontrolled proliferation and invasive phenotype.
Literature	GENERIF_SUMMARY	MM-1, a c-Myc interacting protein, interacts with HCV ARFP/F prot which can result in the enhancement of the c-Myc activity.
Literature	GENERIF_SUMMARY	Cdk5 activation in cells that overexpress cyclin G1 leads to c-Myc phosphorylation on Ser-62, which is responsible for cyclin G1-med transcriptional activation of cyclin B1.
Literature	GENERIF_SUMMARY	These findings establish that Myc, via p400, is an essential downst target of adenovirus E1A.
Literature	GENERIF_SUMMARY	The c-fos and c-myc expression was remarkably downregulated in polyps from topical steroid treated patients compared to untreated patients.
Literature	GENERIF_SUMMARY	the downregulation of c-Myc mediated by silencing DNA-PKcs
Literature	GENERIF_SUMMARY	we found a substantial number of primary diffuse large B-cell lymphomas (DLBCLs) of bone cases with a rearrangement of BCL2 -MYC
Literature	GENERIF_SUMMARY	hBD-1 expression is mediated by c-Myc and the CLOCK
Literature	GENERIF_SUMMARY	This study provides a direct link between the growth factor signalin pathways regulated by PI3 kinase/Akt and MAP kinases with Myc-mediated transcription.
Literature	GENERIF_SUMMARY	These results suggest a heterogeneous immunophenotype and ge for c-myc/Ig DLBCL, with CD10(-)/BCL6(+)/MUM1(-) cases the mo frequent.
Literature	GENERIF_SUMMARY	There was a significant association between an intronic SNP in c-m and prostate cancer.
Literature	GENERIF_SUMMARY	These results indicate that the activated Notch1 receptor and alph enolase or MBP-1 cooperate in controlling c-myc expression throu binding the YY1 response element of the c-myc promoter to regula tumorigenesis.
Literature	GENERIF_SUMMARY	Continued expression of c-Myc is necessary for maintenance of th growth state in cells expressing FRAT1, implying that c-Myc may b critical element in oncogenesis induced by FRAT1.
Literature	GENERIF_SUMMARY	MYC inactivation induced global permanent changes in gene expre detected by microarray analysis in murine tumor models and huma lymphomas.
Literature	GENERIF_SUMMARY	C-terminal region of p300 provides corepressor function and facilit the recruitment of p300 and HDAC3 to the YY1-binding site and represses the c-Myc promoter.
Literature	GENERIF_SUMMARY	c-Myc regulates calpain activity through calpastatin; apoptosis ind by calpain inhibition is dependent on c-Myc, and calpastatin knock promotes transformation in c-Myc-negative cells

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Study shows that the poly(A) tail enhances 48S complex assembly c-myc internal ribosome entry sequences.
Literature	GENERIF_SUMMARY	Gains (3-4 copies) of 8q24 (c-myc) were found in the low frequenc nondysplastic Barrett's esophagus. Frequency increased with stag dysplasia and reached a high incidence in esophageal adenocarcin
Literature	GENERIF_SUMMARY	hnRNP A1 has a role in mediating rapamycin-induced alterations o D1 and c-myc IRES activity in an Akt-dependent manner and provic first direct link between Akt and the regulation of IRES activity
Literature	GENERIF_SUMMARY	Upregulation of nuclear MYC protein expression is a highly prevale early change in prostate cancer; increased nuclear MYC may be a c oncogenic event driving human prostate cancer initiation and progression.
Literature	GENERIF_SUMMARY	hTERT gene expression is maintained by a mechanism involving E interactions with the c-Myc transcription factor and the hTERT gen promoter, a protein-DNA complex critical for hTERT gene expressio breast cancer cell proliferation.
Literature	GENERIF_SUMMARY	MYC, LDHB, and CCNB1 may have roles in progression of medulloblastoma
Literature	GENERIF_SUMMARY	Elevated c-myc expression in GFs by thrombin was noted after 2 h exposure. Moreover, the stimulation of c-myc mRNA expression by thrombin can be attenuated by D-Phe-Pro-ArgCH(2)Cl, a serine-proteinase inhibitor.
Literature	GENERIF_SUMMARY	rapamycin limited expression of c-MYC by inhibiting c-Myc mRNA translation
Literature	GENERIF_SUMMARY	endothelin-1, via Src/PI-3K signaling, augments c-myc expression to enhanced androgen receptor expression in prostate cancer
Literature	GENERIF_SUMMARY	Coamplification of HER2 and MYC occurs in a subset of patients w metastatic UCC
Literature	GENERIF_SUMMARY	analysis of the induction of nucleotide metabolic genes by c-Myc i multiple system
Literature	GENERIF_SUMMARY	a circuit involving c-myc, miR-17-92, and HIF-1 alpha may play a ro cancer cell proliferation under normoxia in a cellular context-deper manner
Literature	GENERIF_SUMMARY	enhancement of alpha-TS-induced apoptosis by ATRA in leukemic was through up regulation of Bax and lipid peroxidation, and down regulation of c-myc and GSH.
Literature	GENERIF_SUMMARY	MYC translocations are associated with multiple myeloma
Literature	GENERIF_SUMMARY	A novel functional link between C-MYC and dNTP metabolism and identify its role in proliferation of tumor cells.
Literature	GENERIF_SUMMARY	one of the major functions of C-MYC overexpression in melanoma progression is to continuous suppress BRAF(V600E)- or NRAS(Q61 dependent senescence programs
Literature	GENERIF_SUMMARY	MYC stimulates EZH2 expression by repression of its negative reg miR-26a
Literature	GENERIF_SUMMARY	Since expression of c-Myc in antiestrogen-arrested cells can recap

Main Category	Category	Terms
		many of the effects related to cell cycle progression, the estrogen-regulated genes that are targets of c-Myc are identified using cells inducibly expressing c-Myc in breast cancer.
Literature	GENERIF_SUMMARY	E2F1 may function as a critical antiapoptotic factor both in human rodent liver cancer through its ability to counteract c-Myc-driven apoptosis via activation of PIK3CA/Akt/mTOR and c-Myb/COX-2 pathways
Literature	GENERIF_SUMMARY	Overexpression of c-myc is associated with prostate cancer.
Literature	GENERIF_SUMMARY	Translocation is more common in germinal centre-like B (GCB) cel of adult diffuse large B-cell lymphoma than in non-GCB type, and associated with advanced disease.
Literature	GENERIF_SUMMARY	the presence of a MYC gene rearrangement was the strongest statistically independent predictor of OS (relative risk 3.4, P=0.004 EFS (relative risk 2.5, P=0.015)
Literature	GENERIF_SUMMARY	ectopic expression of C/EBPepsilon, as well as C/EBPalpha, can in the monocytic differentiation of myelomonocytic leukemic cells wi MLL-fusion gene through the downregulation of Myc
Literature	GENERIF_SUMMARY	show that differential overexpression of Myc transcriptional target low expression of genes involved in sympathetic neuronal differen predicts relapse and death from disease
Literature	GENERIF_SUMMARY	integration of mtDNA into the nuclei of cervical epithelium cells ma involved in the carcinogenesis of cervical epithelium cells and the expression of c-myc might be related to the integration of mtDNA sequence into nuclei of cervical epithelium cell
Literature	GENERIF_SUMMARY	c-Myc expression may be useful in predicting tumor recurrence in patients with low-grade meningiomas
Literature	GENERIF_SUMMARY	The role of the MYC protooncogene in clear cell renal cell carcinon
Literature	GENERIF_SUMMARY	MYCN may limit cell adhesion to the extracellular matrix and prom cell migration by downregulating integrin alpha1
Literature	GENERIF_SUMMARY	Immunohistochemistry using antibodies to determine the protein expression of Fas, Fas-L, Bax, Bcl-2, p53 and c-Myc in skin of venou ulcer patients.
Literature	GENERIF_SUMMARY	mrtl may serve an important function in regulating Myc translation localization to the nucleus, perhaps ultimately contributing to the r the c-myc locus in oncogenesis.
Literature	GENERIF_SUMMARY	c-MYC directly regulates the expression of AP4 via CACGTG motifs first intron of the AP4 gene.
Literature	GENERIF_SUMMARY	requirement for Myc in the induction of the hTERT promoter by E6 suggested that occupancy of the promoter by Myc determines the responsiveness of E6 and the downstream induction of telomerase cell immortalization.
Literature	GENERIF_SUMMARY	Data show that activation of Myc inhibited p27-mediated erythroid differentiation without affecting p27-mediated proliferation arrest.
Literature	GENERIF_SUMMARY	Distinct transcriptional MYCN/c-MYC activities are associated with spontaneous regression or malignant progression in neuroblastom

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Results indicate that association of c-Jun, TCF
Literature	GENERIF_SUMMARY	In the present review, we focus on the deregulation of the MYC onc in gastric adenocarcinoma carcinogenesis, including its associatio Helicobacter pylori (H pylori) and clinical applications [review]
Literature	GENERIF_SUMMARY	EB1 is controlled by c-Myc, RhoA, and CDC42, which have all been to hepatocellular carcinoma (HCC) malignancy.
Literature	GENERIF_SUMMARY	The ability of Cdx1 and c-myc to initiate the earliest stages of transdifferentiation of esophageal keratinocytes toward a cell fate characteristic of Barrett's esophagus.
Literature	GENERIF_SUMMARY	Myc recruits the Tip60/p400 complex to achieve a coordinated his acetylation/exchange reaction at activated promoters.
Literature	GENERIF_SUMMARY	The overexpression of c-Myc during NK-cell development promote transcription from the distal promoter element and contributes to t overall transcription of multiple KIR genes.
Literature	GENERIF_SUMMARY	Results suggest that THAP11 functions as a cell growth suppresso negatively regulating the expression of c-Myc.
Literature	GENERIF_SUMMARY	the domains of GpIbalpha mediating c-Myc-like functions are mod genetically distinct, and independent of those involved in vWFR sig
Literature	GENERIF_SUMMARY	c-Myc has a role in regulating proliferation and survival of glioma c stem cells
Literature	GENERIF_SUMMARY	Expression of the TAF4b gene is induced by MYC through a non-canonical, but not canonical, E-box which contributes to its specifi response to MYC.
Literature	GENERIF_SUMMARY	These results indicate that c-MYC may promote transformation thr the induction of HSP60 expression.
Literature	GENERIF_SUMMARY	c-Myc activity is required for growth and maturation of the exocrin pancreas.
Literature	GENERIF_SUMMARY	deregulation of c-MYC in lymphoma cells does not overcome the tu suppressor function of TGF-beta and that repression of E2F-1 transcription is sufficient for the efficient induction of cytostasis.
Literature	GENERIF_SUMMARY	a mechanistic link between JNK activity and liver cell proliferation and c-Myc and suggest JNK1 targeting can be considered as a nev therapeutic approach for HCC treatment.
Literature	GENERIF_SUMMARY	8q24/c-MYC translocation is associated with diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	HIF-alpha effects on c-Myc distinguish two subtypes of sporadic V deficient clear cell renal carcinoma
Literature	GENERIF_SUMMARY	analysis of Wnt/beta-catenin and Myc signaling in liver cancer
Literature	GENERIF_SUMMARY	Over-expression of the Tp53, CCND1, and C-myc genes appears to role in development of human cancer by regulating the expression mRNA.
Literature	GENERIF_SUMMARY	The switch from Mnt-Max to Myc-Max during bile duct ligation (cholestasis) and in hepatocytes treated with lithocholic acid is responsible for the induction in p53 and cyclin D1 expression and

Main Category	Category	Terms
		contributes to apoptosis.
Literature	GENERIF_SUMMARY	study found that FBP1 as well as FBP3 are more frequently expres prostate and bladder cancer than in renal cancer; in addition, a pos correlation between levels of FBP1, FBP3 and c-Myc was exclusive detectable in renal cell carcinomas
Literature	GENERIF_SUMMARY	c-Myc negatively regulates the expression of BRD7.
Literature	GENERIF_SUMMARY	a combinatorial regulatory program in which MYC cobinds to virtua NOTCH1-bound promoters
Literature	GENERIF_SUMMARY	The group of patients with > 5-fold myc amplicon CN showed significantly shorter survival than those with
Literature	GENERIF_SUMMARY	Functional studies indicate that EMYCS has transcriptional transactivation capacity and suggest that it is required to activate MYC promoter during exit from quiescence.
Literature	GENERIF_SUMMARY	the regulation of c-Myc by Axin1 is impaired in several tested canc lines with known stabilization of c-Myc or loss of Axin1.
Literature	GENERIF_SUMMARY	Down-regulation of c-MYC resulted in inhibition of cellular prolifera clonogenic growth and cell cycle progression.
Literature	GENERIF_SUMMARY	Myc down-regulation in astrocytoma cells led to G1 accumulation inhibition of cell proliferation characterized by S phase delay
Literature	GENERIF_SUMMARY	LPA stimulates hypoxia-inducible factor-1-independent VEGF expre to promote tumor angiogenesis through activation of the c-Myc an transcription factors
Literature	GENERIF_SUMMARY	1,25(OH)(2)D(3) reduces both c-Myc mRNA levels and c-Myc prote stability to inhibit growth of prostate cancer cells.
Literature	GENERIF_SUMMARY	IFI16 and NM23/NDPK are simultaneously bound in vivo to the promoters of the oncogene cMYC and of P53
Literature	GENERIF_SUMMARY	Mechanisms of WIF1-induced G(1) arrest include (a) SKP2 down-regulation leading to p27/Kip1 accumulation and (b) c-myc down-regulation releasing p21/WAF1 transcription.
Literature	GENERIF_SUMMARY	Polyamines regulate E-cadherin transcription through c-Myc modu intestinal epithelial barrier function.
Literature	GENERIF_SUMMARY	IL-5 induces cell proliferation and anti-apoptosis through the JAK/ pathway, and JAK1 and JAK2 activation participate in IL-5-induced regulation of c-Myc.
Literature	GENERIF_SUMMARY	miR-145 provides a direct link between p53 and c-Myc in this gene regulatory network
Literature	GENERIF_SUMMARY	MYC and EIF3H are frequently coamplified in NSCLC and that a hig number correlates with increased epidermal growth factor recepto tyrosine kinase inhibitors sensitivity.
Literature	GENERIF_SUMMARY	highlight an important role for Lin-28B in Myc-driven cellular phenc
Literature	GENERIF_SUMMARY	c-Myc transcriptionally represses miR-23a and miR-23b, resulting i greater expression of their target protein, mitochondrial glutamina human P-493 B lymphoma cells and PC3 prostate cancer cells

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	IL-6 can reverse the expression level of CD33 by up-regulating MYC followed by the down-regulation of CEBPA expression
Literature	GENERIF_SUMMARY	Elevated activity of MYC and E2F is associated with the ""basal"" br cancer subgroup."
Literature	GENERIF_SUMMARY	MYC transcription signature is strongly associated with the malign conversion of preneoplastic liver lesions.
Literature	GENERIF_SUMMARY	Overexpression of the LKB1 gene inhibits lung carcinoma cell proliferation partly through degradation of c-myc protein.
Literature	GENERIF_SUMMARY	Data show that FGFR1 and DDHD2 at 8p12 cooperated functionally MYC, whereas CCND1 and ZNF703 cooperated with a dominant ne form of TP53.
Literature	GENERIF_SUMMARY	The Bax activator BimEL increased rapidly, driving cells towards apoptosis likely controlled by c-Myc and p21(WAF1) activities.
Literature	GENERIF_SUMMARY	Study shows that genomic instability due to Myc amplification may cause specific amplification of EGFR and/or ERBB2 in gallbladder adenocarcinoma.
Literature	GENERIF_SUMMARY	These results point to an important role for p300 in maintaining ge integrity by negatively regulating c-myc.
Literature	GENERIF_SUMMARY	Data show that the over-expression of hTERT, c-myc and Ki-67 may vital role in the progress of hepatocellular carcinoma developing.
Literature	GENERIF_SUMMARY	Alveolar macrophages stimulated with SiO(2) have the ability to in myc oncogene expression in human embryo lung fibroblasts.
Literature	GENERIF_SUMMARY	Results identify a c-Myc-SIRT1 feedback loop in the regulation of c activity and cellular transformation, supporting/suggesting a role o SIRT1 in tumor suppression.
Literature	GENERIF_SUMMARY	c-myc siRNA can efficiently induce growth inhibition, decrease the expressions of c-myc mRNA and protein, and induce apoptosis in l cells.
Literature	GENERIF_SUMMARY	Exposures mimicking conditions of CO (2) pneumoperitoneum lea significant overexpression of C-MYC and HMGB-1 in neuroblastom with decreased apoptosis
Literature	GENERIF_SUMMARY	Both OH-2 and primary cells have a complex secondary translocati which the IGK 3' enhancer is inserted between MYC and MAFB, res in dysregulation of both oncogenes
Literature	GENERIF_SUMMARY	A cooperative role for ERalpha and c-Myc in estrogen regulation of and the ability of c-Myc to partially mimic estrogen regulation of angiogenesis.
Literature	GENERIF_SUMMARY	The dermal vasculature of Myc-expressing embryos is characteriz reduction in vessel branching, which occurs despite upregulation o proangiogenic factors vascular endothelial growth factor-A and angiopoietin-2.
Literature	GENERIF_SUMMARY	MYC gene amplification detected 23.7% head/neck lesions with 14 dysplastic & 26% HNSCC samples. Clinicopathol relation between gene amplification with clinical parameters found significant relati MYC amplification with tumor progression.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	MYC rearrangement has a role in progression of smouldering myel myeloma
Literature	GENERIF_SUMMARY	A promoter-targeted siRNA inhibits transcription of the c-myc gene
Literature	GENERIF_SUMMARY	CIP2A and MYC appear to be regulated in a positive feedback loop wherein they promote each other's expression and gastric cancer c proliferation.
Literature	GENERIF_SUMMARY	Cyclosporine A inhibits colorectal cancer proliferation probably by regulating expression levels of c-Myc, p21(WAF1/CIP1) and prolife cell nuclear antigen.
Literature	GENERIF_SUMMARY	The MYC promoter is specifically activated by overexpression of D
Literature	GENERIF_SUMMARY	c-MYC amplification and polysomy 8 have limited predictive or prognostic value in suboptimally-resected, advanced stage EOC tre with platinum-based combination chemotherapy.
Literature	GENERIF_SUMMARY	BCL2 and MYC translocations have a role in dual-hit lymphoma/leu
Literature	GENERIF_SUMMARY	A multivariate analysis of additional SNPs across the broader 8q24 region revealed three independent prostate cancer risk-associated including rs16901979, rs13254738, and rs10086908.
Literature	GENERIF_SUMMARY	Stoichiometric and temporal requirements of Oct4, Sox2, Klf4, and expression for efficient human iPSC induction and differentiation.
Literature	GENERIF_SUMMARY	an additional mechanistic explanation for c-Myc-induced DNA dam and senescence
Literature	GENERIF_SUMMARY	Data show that the DNA-binding activities of c-Myc to the hTERT promoter were decreased in butein-treated cells, and reatment wit butein also suppressed the activation of Akt, thereby inhibiting hTE phosphorylation and translocation into the nucleus.
Literature	GENERIF_SUMMARY	The alleles of rs6983267 differentially bind transcription factor 7-li (TCF7L2) and the risk region physically interacts with the MYC pro oncogene.
Literature	GENERIF_SUMMARY	Data indicate that cyclin E2-Cdk2 activation by estrogen occurs via and CHD8-mediated transcription of cyclin E2 downstream of cycli and does not require c-myc.
Literature	GENERIF_SUMMARY	findings collectively demonstrate that CTCF-binding at the human locus does not repress transcriptional activity but is required for protection from DNA methylation
Literature	GENERIF_SUMMARY	RNA-binding protein HuR reduced c-Myc expression by associating the c-Myc 3' untranslated region (UTR) next to a miRNA let-7-bindi
Literature	GENERIF_SUMMARY	C-myc could be another protooncogene in fibrous dysplasia.
Literature	GENERIF_SUMMARY	Nucleolin binding facilitates the formation and increases the stabi the c-myc G-quadruplex structure.
Literature	GENERIF_SUMMARY	the alpha6Bbeta4 integrin inhibits colon cancer cell proliferation a Myc activity and is significantly down-regulated in colon cancer ce relative to its alpha6Abeta4 counterpart
Literature	GENERIF_SUMMARY	MYC cytoplasmic immunoreactivity can be the result of MYC inser with the breakpoints within or close to the regions that are able to

Main Category	Category	Terms
		the nucleus
Literature	GENERIF_SUMMARY	Lymphomas with concurrent BCL2 and MYC translocations
Literature	GENERIF_SUMMARY	have identified JAK2/PI3K-mediated and c-Myc-dependent transactivation of survivin as a novel pathway in the transcriptiona network orchestrated by BCR/ABL
Literature	GENERIF_SUMMARY	Detection of nuclear c-Myc in leiomyosarcoma predicts decreased and metastasis-free survival, independent of standard prognostic variables, tumor size, histological grade, and TNM stage.
Literature	GENERIF_SUMMARY	Increased expression of miR-17-92 cluster during colorectal adenc adenocarcinoma progression is associated to DNA copy number g miR17-92 locus on 13q31 and c-myc expression.
Literature	GENERIF_SUMMARY	MYC gains and amplifications are frequent cytogenetic abnormalit squamous cell carcinomas (SCC) and may play a relevant role in promoting SCC undifferentiation and tumoral progression.
Literature	GENERIF_SUMMARY	These results suggest that KLF5 is not only essential for MYC transcription in proliferating epithelial cells but also mediates the inhibitory effect of TGFbeta on MYC transcription.
Literature	GENERIF_SUMMARY	the presence of the Core MYC Signature may predict clinical responsiveness to therapeutics that are designed to disrupt MYC-mediated phenotypes
Literature	GENERIF_SUMMARY	During senescence, miR-34a targets the important proto-oncogene and our data suggest that miR-34a thereby coordinately controls a cell cycle regulators
Literature	GENERIF_SUMMARY	Ovol2 directly represses two critical downstream targets, c-Myc an Notch1, thereby suppressing keratinocyte transient proliferation ar terminal differentiation, respectively
Literature	GENERIF_SUMMARY	MYC gene rearrangements are associated with diffuse large B-cell lymphoma patients treated with R-CHOP chemotherapy.
Literature	GENERIF_SUMMARY	Cyclic strain activate the c-Myc promoter, leading to c-Myc transcri and downstream gene induction in human endothelial cells.
Literature	GENERIF_SUMMARY	MyD88 induces the differentiation and maturation of dendritic cells suppressing c-myc activity and expression.
Literature	GENERIF_SUMMARY	miR-24 Inhibits cell proliferation by targeting E2F2, MYC, and other cycle genes via binding to ""seedless"" 3'UTR microRNA recognition elements."
Literature	GENERIF_SUMMARY	TC-PTP as an important effector of the MYC-driven proliferation pr in B-cell lymphomas
Literature	GENERIF_SUMMARY	TGF-beta can override Myc activity despite a stabilizing cancer mu and induce senescence in myeloid tumor cells, at least in part by induction of Mad1
Literature	GENERIF_SUMMARY	HER2 phenotype upregulates hTERT through c-myc activation and confers radio-resistance to breast cancer cells.
Literature	GENERIF_SUMMARY	Epstein-Barr virus LMP2A bypasses p53 inactivation in a MYC moc lymphomagenesis.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	SKIP acts with c-Myc and Menin to promote HIV-1 Tat
Literature	GENERIF_SUMMARY	Study identified an overrepresentation of focal amplifications of kr (FGFR3, CCND1, MYC, MDM2) and novel candidate genes (MYBL2, YWHAB and SDC4) in stage Ta bladder carcinoma.
Literature	GENERIF_SUMMARY	The expression of pituitary tumor transforming gene mRNA was significantly correlated with the expression of c-myc gene in multip myeloma.
Literature	GENERIF_SUMMARY	Data show that PLZF-RARalpha binds to a region of the c-MYC pro suggesting that PLZF-RARalpha may act as a dominant-negative v of PLZF by affecting the regulation of shared targets.
Literature	GENERIF_SUMMARY	c-MYC is a novel regulator of osteogenesis, gene expression and osteoblast differentiation induced by vitamin D.
Literature	GENERIF_SUMMARY	Overexpression of c-Myc leads to a centroblast phenotype, promot high constitutive expression of the key GC factors Bcl-6, E2A and activation-induced cytidine deaminase and contributes to prolifera and somatic hypermutation.
Literature	GENERIF_SUMMARY	These findings suggest that some splicing forms of TCF7L2 may b functionally important for regulation of MYC expression in colon ti but this regulation is not directly dependent on rs6983267.
Literature	GENERIF_SUMMARY	Serum promotes pancreatic cancer growth through induction of th proproliferative NFAT/c-Myc axis.
Literature	GENERIF_SUMMARY	C-myc amplification was highly correlated with young age, metasta and large cell histology in medulloblastoma.
Literature	GENERIF_SUMMARY	In table 4 , positive correlations were found between the expressio levels of GST-pi and EGFR as well as Neu and C-myc (p 190320643
Literature	GENERIF_SUMMARY	Data show that the AS E-box was bound by HIF-1alpha in all the th melanoma cell lines, and nder arginine depletion conditions, HIF-1a was replaced by c-Myc in A2058 and SK-MEL-2 cells but not in A37 cells.
Literature	GENERIF_SUMMARY	Data suggest that a distinct chromatin architecture coordinated by catenin/TCF-bound Wnt responsive enhancers accompanies transcriptional activation of MYC gene expression.
Literature	GENERIF_SUMMARY	Data show that Myc repressed Ras-induced senescence, and that interacted with Myc at promoters, where it affected Myc-dependen regulation of genes, including those of proteins known to control senescence.
Literature	GENERIF_SUMMARY	Data show that small interfering RNA against JNK1, but not JNK2, exhibited similar effects to JNK inhibitors that reduced the protein of c-Myc and Bcl-2.
Literature	GENERIF_SUMMARY	Despite their identical morphology, secondary angiosarcomas (AS genetically different from primary AS and are characterized by a hi frequency of high level amplifications of MYC.
Literature	GENERIF_SUMMARY	HBP1 binds c-Myc in cells, and expression of HBP1 inhibits c-Myc transactivational activity at least partly by preventing c-Myc bindin target gene promoters.
Literature	GENERIF_SUMMARY	human gliomas overexpress c-Myc, PTB, hnRNPA1 and hnRNPA2 i

Main Category	Category	Terms
		manner that correlates with PKM2 expression
Literature	GENERIF_SUMMARY	Data show a key role for ezrin as a mediator of c-Myc-induced tumorigenesis in prostate cancer cells.
Literature	GENERIF_SUMMARY	Young age (
Literature	GENERIF_SUMMARY	Cancer risk is a direct consequence of elevated c-MYC expression increased distal enhancer activity and not from reorganization/cre of the large chromatin loop.
Literature	GENERIF_SUMMARY	Pisosterol induces interphase arrest in HL60 cells with c-MYC amplification.
Literature	GENERIF_SUMMARY	Studies indicate a role for Myc in stimulating glutamine catabolism part through the repression of miRNAs miR-23a and miR-23b.
Literature	GENERIF_SUMMARY	Concomitant and successive amplifications of MYC in APL-like leu
Literature	GENERIF_SUMMARY	Double-hit lymphoma with concurrent IGH-BCL2 and MYC rearrang is a high-grade B-cell neoplasm with a poor prognosis, resistance t multiagent chemotherapy, and clinical and pathologic features dist from other high-grade B-cell neoplasms.
Literature	GENERIF_SUMMARY	JAG2 is a direct Myc target and Jagged2 and Notch signaling parti in P493-6 lymphomagenesis.
Literature	GENERIF_SUMMARY	MYC is necessary to specifically maintain an invasive and migrator of tumors.
Literature	GENERIF_SUMMARY	Increased expression of cmyc was associated with esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	c-myc overexpression during transformation of mammary epithelia (MEC) is involved in EMTs via ERK-dependent GSK-3beta inactivati subsequent snail activation.
Literature	GENERIF_SUMMARY	Promoter activity analysis revealed that hepatitis B virus X protein directly involved in the c-Myc-mediated transcriptional activation o HSP90alpha.
Literature	GENERIF_SUMMARY	miR-9 miRNA downregulates E-cadherin. Expression of miR-9 is activated by MYC and MYCN, which bind to the mir-9-3 locus. Eleva expression of miR-9 may contribute to epithelial-mesenchymal tra and metastasis in some and possibly many tumours.
Literature	GENERIF_SUMMARY	a strong correlation between the expression of PTB-1, YB-1 and c-r multiple myeloma-derived cell lines
Literature	GENERIF_SUMMARY	L11 suppresses c-Myc-dependent and RNA polymerase III-catalyze transcription of 5 S rRNA and tRNA genes in response to ribosoma stress, ensuring a tight coordination between c-Myc activity and ribosomal biogenesis.
Literature	GENERIF_SUMMARY	miR-34c is a critical regulator of c-Myc expression following DNA damage acting downstream of p38 MAPK/MK2, and miR-34c serv remove c-Myc to prevent inappropriate replication which may othe lead to genomic instability.
Literature	GENERIF_SUMMARY	Nuclear reprogramming independent of c-MYC enhances productio pluripotent stem cells with innate cardiogenic potential.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	our results suggest regulation of the EpRE/Nrf2 signaling pathway Myc through both interaction with the EpRE binding complex and increased degradation of Nrf2.
Literature	GENERIF_SUMMARY	analysis of regulation of ATP-binding cassette transporter genes b factors generates specific transcription signatures that significant affect the chemoresistance phenotype of cancer cells
Literature	GENERIF_SUMMARY	analysis of the time dependence of c-Myc transactomes mapped b Array-based nuclear run-on and their transcriptional modules in hu cells
Literature	GENERIF_SUMMARY	The oncogene c-myc is overexpressed in human laryngeal cancer tissues, and may play an important role in carcinogenesis and progression.
Literature	GENERIF_SUMMARY	Increased MYC gene copy number and thus increased mRNA level associated with diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	The HIV-1 p17 activates the transcription factors c-Myc and CREB human B cells.
Literature	GENERIF_SUMMARY	Gemcitabine can induce apoptosis and down-regulate c-myc gene expression significantly in HL-60 cells.
Literature	GENERIF_SUMMARY	PC-1 enhances c-myc gene expression in prostate cancer cells thr the Wnt/beta-catenin pathway.
Literature	GENERIF_SUMMARY	Study finds that the transcription factor c-Myc, a key regulator of c proliferation, plays a major role in Pol II pause release rather than P recruitment at its target genes.
Literature	GENERIF_SUMMARY	Ectopic expression of the let-7 family in nasopharyngeal carcinom resulted in inhibition of cell proliferation through downregulation o expression.
Literature	GENERIF_SUMMARY	we find that a primarily nuclear or mixed nuclear and cytoplasmic staining pattern for c-myc in an aggressive B-cell lymphoma is hig predictive of a c-MYC translocation
Literature	GENERIF_SUMMARY	data are presented showing that each risk locus bears epigenetic consistent with enhancer elements and forms a long-range chrom loop with the MYC proto-oncogene located several hundred kiloba telomeric.
Literature	GENERIF_SUMMARY	we describe an interesting oncogenic mechanism in chronic lymp leukemia patients resistant to fludarabine by which the complete M specific regulatory network was altered
Literature	GENERIF_SUMMARY	These data suggest that dynamically composed protein complexe dock via vitamin D receptor to the two vitamin D response element explain the repression of the MYC gene.
Literature	GENERIF_SUMMARY	In DLBCL, rearrangement of MYC is rarely found as the sole geneti abnormality and the poor prognosis of these patients is likely to re synergistic effect alongside deregulation of BCL6 or BCL2.
Literature	GENERIF_SUMMARY	hTERT transcription requires constitutive expression of Reptin and cooperation with c-MYC
Literature	GENERIF_SUMMARY	Pim1 promotes tumorigenicity at least in part by enhancing c-MYC transcriptional activity in human prostate cancer cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	These results indicate that cytokinesis failure and tetraploidy in ca cells are directly linked to cellular hyperproliferation via c-Myc indu overexpression of Gplbalpha.
Literature	GENERIF_SUMMARY	TRPC4AP/TRUSS binds specifically to the Myc C terminus and pro its ubiquitination and destruction through the recognition of evolutionarily conserved domains in the Myc N terminus
Literature	GENERIF_SUMMARY	Meisoindigo can affect the Wnt signal pathway through inhibiting GSK-3beta expression and down-regulating beta-catenin and c-MY protein expression, which play an important role in the treatment f chronic myeloid leukemia.
Literature	GENERIF_SUMMARY	miR-22 acts as a tumor suppressor through direct repression of M expression and subsequent reduction of oncogenic c-Myc activitie
Literature	GENERIF_SUMMARY	Results indicate that in addition to c-Myc, mir-29b-1/mir-29a expre can be suppressed by hedgehog signaling and inflammatory pathv both commonly activated in the genesis of malignancies.
Literature	GENERIF_SUMMARY	Myc is required for the maintenance of Kaposi's sarcoma-associat herpesvirus latency.
Literature	GENERIF_SUMMARY	c-myc was altered in 35% of the oral squamous cell carcinoma sar from a Serbian population. Statistical association with tumour nat history was poor, indicating high clonal heterogeneity and multiple pathways of carcinogenesis.
Literature	GENERIF_SUMMARY	Periplocin from Cortex periplocae inhibits cell growth and down-regulates survivin and c-myc expression in colon cancer.
Literature	GENERIF_SUMMARY	Nfkb2 is suppressed by c-Myc and harnesses Myc-driven lymphomagenesis.
Literature	GENERIF_SUMMARY	C-MYC copy number increases are associated with medulloblastor
Literature	GENERIF_SUMMARY	Increased MYC gene copy number and 8q24 allelic imbalance is associated with primary prostate cancer.
Literature	GENERIF_SUMMARY	The results of a biophysical characterization and computational st an ensemble of intramolecular i-motifs that model the polypyrimid sequence in the human c-MYC P1 promoter, are reported.
Literature	GENERIF_SUMMARY	Data indicate that the addiction of MYCC-amplified ovarian cancer to MYCC differs from the dependence of MYCC non-amplified can cells on MYC paralogs, but both are mediated, at least in part, by p27(Kip1).
Literature	GENERIF_SUMMARY	the dup(11)(q23q13), in absence of the MYC gene rearrangement, connected with borderline lymphomas with a morphology similar identical to that of the Burkitt lymphoma.
Literature	GENERIF_SUMMARY	Study reports the identification of Myc-nick, a cytoplasmic form of generated by calpain-dependent proteolysis at lysine 298 of full-le Myc.
Literature	GENERIF_SUMMARY	Although the transient repression mediated by Miz-1/c-Myc is independent of de novo methylation, the stable repression by this complex is associated with CpG island methylation of the critical - -95-bp region of the WIF-1 promoter
Literature	GENERIF_SUMMARY	Myc seems to modulate at least two crucial steps in transcription.

Main Category	Category	Terms
		chromatin modifications for initiation and RNAPII pause release fo productive elongation.
Literature	GENERIF_SUMMARY	Data revealed the significance of HER2 in the radio-resistance of H breast cancer cells through induction of transcription factors NF-k and c-myc, leading to activation of survivin, a downstream target oncogene preventing apoptosis.
Literature	GENERIF_SUMMARY	Data describe the regulatory role of c-MYC over HDAC2 and PcG g human multipotent stem cells.
Literature	GENERIF_SUMMARY	C-MYC can promote the growth and proliferation of normal gastric and knockdown of C-MYC can restrain the growth and proliferation gastric cancer cells
Literature	GENERIF_SUMMARY	Data show that gastric cancer markers MUC2, and oncogenes c-m cyclin E1 were expressed in the gastric carcinoma cell line 3I (MGC
Literature	GENERIF_SUMMARY	Elevated C-MYC expression in primary prostate tumor is biological relevant and may be a predictor of future biochemical recurrence.
Literature	GENERIF_SUMMARY	Data show that the absence of VpreB3 is virtually always associat wild-type c-MYC alleles.
Literature	GENERIF_SUMMARY	Data support the hypothesis that deregulation of the MYC pathway major force driving the pathogenesis of Burkitt's lymphoma.
Literature	GENERIF_SUMMARY	SCFbeta-TrCP binds to Myc by means of a characteristic phospho and ubiquitylates Myc; this results in enhanced Myc stability. SCFF and SCFbeta-TrCP can exert these differential effects through polyubiquitylation of the amino terminus of Myc
Literature	GENERIF_SUMMARY	Single nucleotide polymorphism in CMYC is associated with ovaria cancer.
Literature	GENERIF_SUMMARY	The expression of STAT3 and c-myc may play an important role in tumorigenesis, metastases and poor prognosis of laryngeal squan cell carcinoma.
Literature	GENERIF_SUMMARY	These results suggest c-Myc could further repress p21 expression post-transcriptional level through some, but not all, members of m family.
Literature	GENERIF_SUMMARY	role in mediating the oncogenic activity of Aurora-A
Literature	GENERIF_SUMMARY	High-level MYC amplification was found in 100% of secondary Angiosarcoma (AS), but in none of the AVL or other radiation-asso sarcomas. Coamplification of FLT4 (encoding VEGFR3) was identi 25% of secondary AS, but not in other types.
Literature	GENERIF_SUMMARY	The results reveal that knock-down of the beta-catenin gene decre expression and nuclear translocation of beta-catenin protein in col cancer HT-29 cells and suppresses the expression of the beta-cate dependent genes cyclin D1 and c-myc.
Literature	GENERIF_SUMMARY	an important relationship between BAFF and c-MYC in CLL which r affect disease development and progression, and suggests that inhibitors of the canonical NF-kappaB pathway may be effective in treatment of patients with this disease.
Literature	GENERIF_SUMMARY	Plasmablastic lymphomas are genetically characterized by freque immunoglobulin/MYC translocations and gains in multiple chromo

Main Category	Category	Terms
		loci.
Literature	GENERIF_SUMMARY	IL-6 activates c-Myc translation in MM cells by inducing A1 phosphorylation and cytoplasmic localization
Literature	GENERIF_SUMMARY	study shows decorin blocks several biological activities mediated signaling axis; these effects were mediated by downregulation of noncanonical beta-catenin levels; Myc was downregulated by deco phosphorylation of Myc at threonine 58 was induced
Literature	GENERIF_SUMMARY	The reason for the aggressive behaviour is the overexpression of p proliferative (MYC) and anti-apoptotic (BCL2, BCL6) oncoproteins a same time.
Literature	GENERIF_SUMMARY	KRAS mutation-positive lung cancer displaying high levels of Myc c be treated by inhibiting Myc transactivation function.
Literature	GENERIF_SUMMARY	A direct correlation analysis showed that ubiquitin-specific proteas was strongly correlated with BMI-1 and c-Myc at the mRNA level.
Literature	GENERIF_SUMMARY	regulation of p16, p21, p27 and c-myc is increased by oridonin, whi induces apoptosis and senescence in colorectal cancer cells
Literature	GENERIF_SUMMARY	gain of MYC can contribute to the pathogenic effect of the most co trisomy of human acute myeloid leukemia (AML).
Literature	GENERIF_SUMMARY	Myc-driven reprogramming of microRNA expression patterns contr to the aggressive phenotype of liver tumors originating from hepat progenitor cells.
Literature	GENERIF_SUMMARY	findings indicate that single point mutations in of the MBII domain Myc can genetically uncouple transformation from several of the phenotypes that contribute to and are closely associated with the transformed state
Literature	GENERIF_SUMMARY	Prescence of of APOEepsilon4 allele and MAPT H2 found a point mutation affecting codon 34 (GGA --> GTA) of beta-Catenin gene resulting in a Glycine --> Valine substitution. No cases presented c- N-myc amplification
Literature	GENERIF_SUMMARY	miR-145 inhibits proliferation of non-small cell lung cancer cells th c-Myc
Literature	GENERIF_SUMMARY	Findings suggest that the pattern of c-MYC expression, particularly later decline, is key to producing functional platelets from selected clones.
Literature	GENERIF_SUMMARY	In medulloblastoma, c-MYC copy number gains and transcriptiona enrichment of photoreceptor pathways and increased miR-183 approximately 96 approximately 182 expression, is associated with significantly lower rates of event-free and overall survivals.
Literature	GENERIF_SUMMARY	C-MYC and BMI-1 expression was detected in stromal cells only
Literature	GENERIF_SUMMARY	gene expressions were significantly higher in the cancer group and serve as reliable biomarkers to monitor tumour development and t efficiency of therapy
Literature	GENERIF_SUMMARY	c-myc siRNA significantly reduces c-myc and h-tert mRNA and pro expression levels through inhibiting c-myc mRNA expression and decreasing intracellular level of C-MYC protein in Jurkat cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that four transcription factors Oct4, Sox2, Klf4 and c-My be used to directly generate induced EpiSCs (iEpiSCs) under EpiSC culture conditions.
Literature	GENERIF_SUMMARY	Findings support a role for the AKT-dependent regulation of AIP4/I activity in mediating the differential cyclin D1 and c-MYC transcript responses to rapamycin.
Literature	GENERIF_SUMMARY	a negativie correlation between the expressions of STAT3 and WW but no relationship was found between WWOX and c-myc
Literature	GENERIF_SUMMARY	MYC amplification is a prognostic marker of patients with early-sta lung adenocarcinoma
Literature	GENERIF_SUMMARY	combined expression of three genes-MYC, EGFR and FGFR2-was a independent predictor for overall survival of 27 CF-treated patients validation set, and also for survival of 40 chemotherapy-treated ga cancer patients
Literature	GENERIF_SUMMARY	Pim-3 has an important role in modulating c-Myc and PGC-1alpha levels and cell growth
Literature	GENERIF_SUMMARY	report that NOTCH(IC) is able to maintain T-cell acute lymphoblast leukemia tumors formed in the presence of exogenous NOTCH(IC) MYC when exogenous c-MYC expression is extinguished
Literature	GENERIF_SUMMARY	TP53INP1 is a tumor suppressor in esophageal squamous cell carcinoma (ESCC0; c-Myc-mediated DNA methylation-associated silencing of TP53INP1 contributed to the pathogenesis of human E
Literature	GENERIF_SUMMARY	study identifies miR-378-TOB2-cyclin D1 as a functional module to mediate the cross talk between Myc and Ras signaling in cellular transformation
Literature	GENERIF_SUMMARY	SKP2 is a direct MYC target gene and that MYC-mediated SKP2 ind leads to reduced p27 levels. The results suggest the induction of S oncogene as a new mechanism for MYC-dependent transformatio
Literature	GENERIF_SUMMARY	Data show that the inhibition of HMG-CoA reductase may be a use target for the treatment of MYC-associated HCC as well as other tu
Literature	GENERIF_SUMMARY	XPD may play an important role in cell apoptosis of hepatoma by inducing an over-expression of p53, but suppressing expressions o myc and cdk2
Literature	GENERIF_SUMMARY	Data show that CD26 mRNA and protein levels increase in a conflu dependent manner in colon carcinoma cell lines, with c-Myc acting repressor and Cdx2 acting as an enhancer of CD26 expression.
Literature	GENERIF_SUMMARY	High expression of c-myc protein is associated with surgical molec margin in colorectal carcinoma.
Literature	GENERIF_SUMMARY	Higher rates of the expressions of both APC and c-Myc proteins in small cell lung cancer primary foci were found compared with thos lymph node metastases.
Literature	GENERIF_SUMMARY	findings indicate high MYC levels drive BMP7 overexpression, pron cell survival in medulloblastoma cells suggesting the potential rele of targeting the BMP/SMAD pathway as a novel therapeutic appro the treatment of childhood MB
Literature	GENERIF_SUMMARY	c-MYC expression sensitizes medulloblastoma cells to radio- and

Main Category	Category	Terms
		chemotherapy and has no impact on response in medulloblastoma patients.
Literature	GENERIF_SUMMARY	Erythromycin could restrain the proliferation of SH-SY5Y cells by downregulating c-myc and upregulating WAF1.
Literature	GENERIF_SUMMARY	gene expression signature from human breast cancer cells with ac hormone independence identifies MYC as a mediator of antiestrog resistance
Literature	GENERIF_SUMMARY	The high incidence of TP53 mutations and absence of amplificatio myc and N-myc genes indicates that supratentorial neuroectoderm tumors are a specific subset of these CNS tumors.
Literature	GENERIF_SUMMARY	a monitoring mechanism of c-Myc and ASK1/p38 against abnorma ribosome biogenesis through controlling the stability and activity o protein
Literature	GENERIF_SUMMARY	Human mixed transcription factor/microRNA feed-forward Loops, Myc as master regulator, was characterized.
Literature	GENERIF_SUMMARY	Co-occurrence of MYC amplification and PI3K-pathway alteration w observed, raising the possibility that these two lesions cooperate i prostate cancer progression.
Literature	GENERIF_SUMMARY	Down-regulation of Thanatos-associated protein 11 by BCR-ABL promotes CML cell proliferation through c-Myc expression
Literature	GENERIF_SUMMARY	Temozolomide induced c-Myc-mediated apoptosis via Akt signallin MGMT expressing glioblastoma cells
Literature	GENERIF_SUMMARY	Studies indicate that many prognostic signatures reflect the activit the MYC oncogene, which in turn regulates tumor metastasis throu specific effects on cancer cell invasion and migration.
Literature	GENERIF_SUMMARY	Data suggest that the joint overexpression of MCL1 and MYC may useful biomarker for both prognosis and treatment in NSCLC.
Literature	GENERIF_SUMMARY	C-myc underexpression might be a central event in adrenortical tumourigenesis based on network topology modelling.
Literature	GENERIF_SUMMARY	expression of reprogramming marker c-Myc, was detectable in the passaged DPCs, and sequential loss of this marker in nucleus duri DPC cultures might be related to the cell fate of pulp derived cells the long-term in vitro cultivation.
Literature	GENERIF_SUMMARY	overexpression of the MYC oncogene increases nucleolar number size and a nucleolar program of gene expression in prostate epithe cells
Literature	GENERIF_SUMMARY	characterized three novel human cell line models of Myc-depender transformation
Literature	GENERIF_SUMMARY	A model has been proposed in which increased abundance of c-MY indirectly leads to decreased BIN1 expression, in turn leading to increased PARP activity and resistance to DNA-damaging agents.
Literature	GENERIF_SUMMARY	MYC in chronic myeloid leukemia
Literature	GENERIF_SUMMARY	MYC is activated in 67% of myeloma, but not in MGUS; almost all t with RAS mutations expressed the MYC activation signature, and multiple mechanisms may be involved in activating MYC.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	high expression levels of c-myc genes were found to be closely associated with more aggressive forms of the disease B-cell chron lymphocytic leukaemia
Literature	GENERIF_SUMMARY	several miRNAs must be coordinately down-regulated to enhance oncogenes, such as Myc.
Literature	GENERIF_SUMMARY	Copy number changes at 11q13 and 8q34 harboring CCND1 and M respectively, are highly associated with prognosis in melanoma ski cancer.
Literature	GENERIF_SUMMARY	Posttranscriptional deregulation of MYC via PTEN constitutes a ma alternative pathway of MYC activation in T-cell acute lymphoblastic leukemia.
Literature	GENERIF_SUMMARY	findings suggest that the architecture of the MYC promoter is com of distal elements that are juxtaposed through large chromatin loo that ss-catenin/TCF4 complexes utilize this conformation to activa MYC expression in colon cancer cells
Literature	GENERIF_SUMMARY	ll patients with co-overexpression of bcl-2 and c-myc oncogenes w PVU invasive carcinoma
Literature	GENERIF_SUMMARY	down-regulation of c-Myc expression can inhibit the invasion of Cholangiocarcinoma cells in vitro.
Literature	GENERIF_SUMMARY	Observations reveal that organization does not alter the inherent response of epithelial cells to Myc and suggest that other tumor suppression mechanisms, apart from structure, antagonize Myc in development of solid tumors.
Literature	GENERIF_SUMMARY	findings imply that cucurbitacin B exerts an anticancer effect by inhibiting telomerase via down regulating both the hTERT and c-My expression in breast cancer cells.
Literature	GENERIF_SUMMARY	HepaCAM induces G1 phase arrest and promotes c-Myc degradati human renal cell carcinoma.
Literature	GENERIF_SUMMARY	following irradiation, HER2 receptor activates hTERT/telomerase, increasing the breast cancer cells' survival potential, through sequ induction of transcription factors NF-kappaBeta and c-myc
Literature	GENERIF_SUMMARY	Translocation of the BCL2 gene on the chromosome band 18q21.3 MYC translocation to 14q32/IGH or less commonly to 2p11/IGK in identical cell is termed BCL2 and MYC dual-hit lymphoma/ leukemia[review]
Literature	GENERIF_SUMMARY	Nuclear expression of c-myc in primary breast tumors correlated w increased risk for axillary lymph node metastasis.
Literature	GENERIF_SUMMARY	Data suggest that Bcl-2 is a better therapeutic target than c-Myc, b attacking both Bcl-2 and c-Myc would be an even more effective treatment strategy for diffuse large B-cell lymphomas.
Literature	GENERIF_SUMMARY	c-myb mRNA as the first natural translational target mRNA of Pdcd
Literature	GENERIF_SUMMARY	Pim3 cooperates with other Pim kinases in supporting viability of M induced B-cell lymphomas.
Literature	GENERIF_SUMMARY	We analyzed neovascularization and c-myc expression in 36 medulloblastoma specimens.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Depletion of c-Myc was correlated with reduced expression levels BRCA1. c-Myc bound to 2 similar tandem clusters in the BRCA1 dis promoter.
Literature	GENERIF_SUMMARY	MYC(+)translocation cases of diffuse large B-cell lymphoma show significantly poorer overall survival and progression-free survival.
Literature	GENERIF_SUMMARY	c-MYC-driven transcriptional events, combined with epigenetic mechanisms, direct and regulate the expression of ABC genes with possible implications in tumor malignancy and drug efflux in chron myeloid leukemia.
Literature	GENERIF_SUMMARY	describes the functions of c-myc and its role as oncogene, assess expression by immunohistochemistry and genetic amplification st [review]
Literature	GENERIF_SUMMARY	there was significant correlation between C-MYC amplification and grading and highly significant correlation between C-MYC amplifica and hTERC amplification.
Literature	GENERIF_SUMMARY	Results suggest that c-myc amplification is significantly associate a high pCR (pathological complete response) rate to P-FEC chemotherapy in breast cancers, especially in ER-positive tumors.
Literature	GENERIF_SUMMARY	Data suggest that in some systems p21(CIP) takes part in a mitos control driving MYC-induced cellular growth into differentiation.
Literature	GENERIF_SUMMARY	Data suggest that SYUIQ-05 had its antitumor activity for cancer ce mainly through its interaction with c-myc quadruplex.
Literature	GENERIF_SUMMARY	Androgen suppresses proliferation of 104-R2 cells by inducing G(1 cycle arrest through reduction of c-Myc.
Literature	GENERIF_SUMMARY	results reinforce the notion that EBV infection and MYC rearrangen are important events in the pathogenesis of oral plasmablastic lymphomas
Literature	GENERIF_SUMMARY	Alterations in the microRNA genes may be an alternative mechanis leading to MYCC overexpression in medulloblastomas.
Literature	GENERIF_SUMMARY	an important role for HuR in hypoxia, and we may have revealed a post-transcriptional mechanism that controls c-Myc expression in cancer progression.
Literature	GENERIF_SUMMARY	Results identify a novel regulatory paradigm wherein L11 plays a c role in controlling c-myc mRNA turnover via recruiting miR-24/miR response to ribosomal stress.
Literature	GENERIF_SUMMARY	These results reveal an important mode of Myc activation in huma breast cancer and a mechanism contributing to Myc deregulation involving unique insight into inactivation of the Axin1 tumor suppre in breast cancer.
Literature	GENERIF_SUMMARY	These results demonstrate a novel pathway of estrogen regulation gene expression by cooperation between ER and AP-1 at the distal enhancer element and that AP-1 is involved in estrogen induction c c-myc oncogene.
Literature	GENERIF_SUMMARY	Interplay of Wnt and c-MYC signaling during intestinal homeostasi transformation.
Literature	GENERIF_SUMMARY	dysregulation of the BMI1 gene mediated by MYCN or MYC

Main Category	Category	Terms
		overexpression, confers increased cell proliferation during neuroblastoma genesis and tumor progression
Literature	GENERIF_SUMMARY	COX-2 inhibitors slow down cell proliferation of leukemic and lymphoblastic cell lines by downregulating c-Myc.
Literature	GENERIF_SUMMARY	MYC or eukaryotic translation initiation factor 4E (eIF4E) was requi bypass pharmacological PI3K/mTOR inhibition in resistant cells.
Literature	GENERIF_SUMMARY	AKT cooperated with the transcription factor c-MYC to synergistica activate rRNA synthesis and ribosome biogenesis
Literature	GENERIF_SUMMARY	MYC aberrations are common in unclassifiable B-cell lymphoma.
Literature	GENERIF_SUMMARY	Modest overexpression of cMyc is able to drive proliferation witho death in normal rat and human beta-cells.
Literature	GENERIF_SUMMARY	the expressions of p53, c-MYC, BCL-2 protein and apoptotic index be used as potential biomarks for predicting the progression and prognosis of osteosarcoma
Literature	GENERIF_SUMMARY	let-7d via noncanonical E-box.
Literature	GENERIF_SUMMARY	analysis of N-Myc and c-Myc synthesis, degradation, and transcrip activity by the Ras/mitogen-activated protein kinase pathway
Literature	GENERIF_SUMMARY	MYC amplification represents an important additional diagnostic t the distinction of postradiation cutaneous angiosarcomas from at vascular lesions after radiotherapy for breast carcinoma.
Literature	GENERIF_SUMMARY	data provide new insights into the role of c-Myc activity in different lymphomas and raises the question of treatment changes for thos patients under risk
Literature	GENERIF_SUMMARY	FoxO3A is recruited to the promoters of nuclear-encoded mitocho genes where it directly antagonizes c-Myc function via a mechanis does not require binding to the consensus FoxO recognition eleme
Literature	GENERIF_SUMMARY	The results implicate EZH2-driven mechanisms by which Myc may stimulate prostate tumor initiation and disease progression.
Literature	GENERIF_SUMMARY	found that myeloma cells harboring immunoglobulin (IG)-MYC translocations evaded BMP-induced apoptosis, suggesting a novel for myeloma cells to overcome potential tumor suppression by BM
Literature	GENERIF_SUMMARY	Pharmacologic inhibition of MYC is achievable through targeting B bromodomains.
Literature	GENERIF_SUMMARY	the inhibition of NMD may play an important role in the dynamic regulation of genes by Myc.
Literature	GENERIF_SUMMARY	c-MYC is an important molecular switch that alters the cellular res to oncostatin M-mediated signaling from tumor suppressive to tu promoting.
Literature	GENERIF_SUMMARY	Endogenous MYC regulates BAG1 transcription in nontransformed
Literature	GENERIF_SUMMARY	MYCT1-TV, a novel MYCT1 transcript, is regulated by c-Myc and do regulation of MYCT1-TV/MYCT1 could contribute to LSCC develop and function
Literature	GENERIF_SUMMARY	The findings highlighted the role of HDAC3 in Myc-induced miR-15

Main Category	Category	Terms
		changes and reveal novel mechanisms for c-Myc-driven microRNA suppression and malignant transformation in aggressive B-cell malignancies.
Literature	GENERIF_SUMMARY	B-cell lymphomas with MYC/8q24 rearrangements and IGH@BCL2 t(14;18)(q32;q21) appear to behave as poorly as MYC/BCL2 lymph possibly expanding the disease spectrum.
Literature	GENERIF_SUMMARY	Induction of c-Myc by amyloid-beta peptide, camptothecin or other disease factors may be a key mediator in cell cycle activation and consequent cell death that is a feature of neurodegenerative disea
Literature	GENERIF_SUMMARY	c-myc is highly expressed in laryngeal squamous cell carcinoma. c siRNA inhibits c-myc gene expression and reduces cell proliferatio
Literature	GENERIF_SUMMARY	c-Myc activation resulted in the down-modulation of proteins invol cellular senescence.
Literature	GENERIF_SUMMARY	SOX2 might have a specific function by regulating DKK1 and c-MY differentiation and growth of ASCs, which is separate from its role ESCs.
Literature	GENERIF_SUMMARY	functional interaction between OTX2 and MYC in regulating gene expression in medulloblastoma
Literature	GENERIF_SUMMARY	An E-box-independent mechanism is identified for transcriptional regulation by MYC that unveils previously unknown functions for M differentiation.
Literature	GENERIF_SUMMARY	The Notch ankyrin repeat domains differ in their leukemogenic pot and that this difference correlates with activation of Myc.
Literature	GENERIF_SUMMARY	Data show that the expression of GLIPR1 and c-Myc were inversely correlated in prostate cancer.
Literature	GENERIF_SUMMARY	Data support a model where the deregulation of a network involvin 14q32 miRNAs, cMYC and miR-17-92 miRNAs could contribute to osteosarcoma pathogenesis.
Literature	GENERIF_SUMMARY	Gas41 is able to bind both n-Myc and c-Myc proteins, and that the of expression of Gas41 and Myc proteins were similar to each othe such brain tumors as neuroblastomas and glioblastomas.
Literature	GENERIF_SUMMARY	NS functions downstream of Myc as a rate-limiting regulator of ce proliferation and transformation.
Literature	GENERIF_SUMMARY	A more tailored subgrouping system based on expression profiles chromosome 17p, MYCC, and MYCN, which may provide the basis novel risk-stratification strategy in pediatric medulloblastoma.
Literature	GENERIF_SUMMARY	results suggest that, in addition to the indirect mechanisms that ap to mediate the antiproliferative properties of 1,25-(OH)2D3 in colon cancer cells, the hormone also exerts direct effects on both c-FOS MYC
Literature	GENERIF_SUMMARY	Cytogenetic analysis of high-grade lymphoma samples identified a IGK juxtaposition in seven patients and three translocation t(2;8)-p cell lines.
Literature	GENERIF_SUMMARY	Amplification of MYC and nuclear expression of MYC is present in secondary angiosarcoma but not AVL

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	MicroRNA let-7c suppresses androgen receptor expression and ac via regulation of Myc expression in prostate cancer cells.
Literature	GENERIF_SUMMARY	Transcriptional regulation of MIR29B by PU.1 (SPI1) and MYC durir neutrophil differentiation of acute promyelocytic leukaemia cells.
Literature	GENERIF_SUMMARY	let-7a acts as a tumor suppressor in RCC cell lines by down-regula myc and c-myc target genes.
Literature	GENERIF_SUMMARY	loss of SAE1/2 activity drives synthetic lethality with Myc; inactivat SAE2 leads to mitotic catastrophe and cell death upon Myc hyperactivation; findings in Myc-high breast cancers suggest low t SAE1 and SAE2 correlates metastasis-free survival
Literature	GENERIF_SUMMARY	C-myc up-regulated miR-1245 expression which led to down-regula BRCA2.
Literature	GENERIF_SUMMARY	Overexpression of c-Myc reversed miR-34a suppression of RhoA expression and inhibition of cell invasion.
Literature	GENERIF_SUMMARY	AID may act as a negative regulator of cell survival in follicular lym when sufficient c-myc is expressed
Literature	GENERIF_SUMMARY	Transfection of DLL4 into K562 cells increased the protein express levels of transcription factor YY1 and proto-oncogene c-Myc, whic slowed cell proliferation and increased apoptosis.
Literature	GENERIF_SUMMARY	Imidazo [4,5f][1,10] phenanthroline derivatives inhibits the c-myc g expression in A549 cells via NF-kappaB pathway
Literature	GENERIF_SUMMARY	Review of the role of Myc in liver cancer.[review]
Literature	GENERIF_SUMMARY	the networks acting downstream of MYC and p63 genes to control epidermal homeostasis
Literature	GENERIF_SUMMARY	our findings uncover a previously uncharacterized regulatory relati between Myc and HIF1 that has important implications for cancer metabolism and development.
Literature	GENERIF_SUMMARY	Chronic lymphocytic leukemia/ prolymphocytic leukemia with MYC translocations is a rare entity, which seems to be associated with adverse prognostic features and unfavorable outcome.
Literature	GENERIF_SUMMARY	a novel role of miR-34a in the regulation of transcription by c-Myc complex
Literature	GENERIF_SUMMARY	Polyphenols up-regulated HIF-1alpha and down-regulated c-Myc, P and beta-catenin expressions via SIRT1 activation, in a manner tha mimics hypoxic preconditioning.
Literature	GENERIF_SUMMARY	The results both validated CIP2A's role in regulating MYC-mediated expression and provided a plausible novel explanation for the high activity in basal-like and HER2thorn breast cancers.
Literature	GENERIF_SUMMARY	These data identify two regulatory mechanisms for vav1 expressio
Literature	GENERIF_SUMMARY	We demonstrate that c-MYC gain alone, or combined c-MYC gain a PTEN loss, were increasingly prognostic for relapse
Literature	GENERIF_SUMMARY	this study identifies a novel mechanism for pVHL-mediated negati regulation of c-Myc transcription.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	DYRK2 regulates tumor progression through modulation of c-Jun a Myc
Literature	GENERIF_SUMMARY	Overexpression of CIP2A in colorectal cancer patients may be an important step in colorectal carcinogenesis. Based on our findings CIP2A shows no association with patient prognosis in colorectal c but is associated with nuclear c-Myc.
Literature	GENERIF_SUMMARY	Immunostaining for Myc protein is an excellent screening test to p whether an MYC rearrangement is present in diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Thymic stromal lymphopoietin may upregulate c-Myc expression t activation of STAT3 pathway, thereby inducing trophoblast prolifera
Literature	GENERIF_SUMMARY	Increased glutamine catabolism in MYC-induced liver tumors is associated with decreased levels of glutamine synthetase (Glul) a switch from Gls2 to Gls1 glutaminase.
Literature	GENERIF_SUMMARY	The decrease in c-MYC in patients with hypopituitarism provides th in vivo evidence for hormonal regulation of c-MYC expression.
Literature	GENERIF_SUMMARY	c-Myc activation through CXCL13-CXCR5 signaling axis stimulates RANKL expression in stromal/preosteoblast cells. Thus, our result implicate CXCL13 as a potential therapeutic target to prevent OSC invasion of bone/osteolysis
Literature	GENERIF_SUMMARY	The contribution of NFAT to the regulation of c-Myc expression ma depend on a balance between the binding to positive and negative responsive elements.
Literature	GENERIF_SUMMARY	The disease is associated with Epstein-Barr virus and was one of t tumours shown to have a chromosomal translocation that activate oncogene (c-MYC).
Literature	GENERIF_SUMMARY	we found a strong correlation between Myc protein downregulatio the expression of the transcription factor Cdx2, suggesting the exi of a regulative link between these two proteins.
Literature	GENERIF_SUMMARY	Upreg'n of miR-17-92 cluster was seen in MYC-amplified AS compa AS lacking MYC amplification and controls. Moreover, MYC-amplifi were associated with a significantly lower expression of THBS1 th without MYC amplification or controls.
Literature	GENERIF_SUMMARY	Max b-HLH-LZ can transduce into cells and inhibit c-Myc transcript activities
Literature	GENERIF_SUMMARY	BCL-X(L) and BCL-2 but not FLIP(L) acts in synergy with MYC to dr AML development
Literature	GENERIF_SUMMARY	ErbB receptors might regulate AP-1 protein expression via two pat
Literature	GENERIF_SUMMARY	rs67491583 was identified as another functional variant in the CR associated enhancer MYC-335, but further studies are needed to establish the role of rs67491583 in the colorectal cancer predispo of African Americans.
Literature	GENERIF_SUMMARY	results indicate that aggressive breast tumors with elevated MYC a uniquely sensitive to CDK inhibitors
Literature	GENERIF_SUMMARY	Findings indicate that SirT1 confers a higher radioresistance in hy cells than in normoxic cells due to the decreased levels of c-Myc p

Main Category	Category	Terms
		and its acetylation, and that a c-Myc-dependent radiation-induced phosphorylated p53 may be involved.
Literature	GENERIF_SUMMARY	Kaposi sarcoma-associated herpesvirus vIRF-3 protein binds to F-I Skp2 protein and acts as a regulator of c-Myc protein function and stability.
Literature	GENERIF_SUMMARY	Proto-Oncogene Proteins c-myc controls c-MYC controls transcrip MCL1 directly, regulation of BCL(XL) was due to c-MYC's capability regulate the eIF4E gene, which encodes a rate-limiting factor of eukaryotic translation.
Literature	GENERIF_SUMMARY	Describes the development of humanized mouse model of MYC/B driven 'double-hit' lymphoma. By engrafting human HSCs transduc the oncogene combination into immunodeficient mice, we generat fatal B malignancy with complete penetrance.
Literature	GENERIF_SUMMARY	NKX3.1 and MYC coregulate prostate tumorigenesis by converging and crossregulating, a common set of target genes.
Literature	GENERIF_SUMMARY	Data indicate that altered FIR and c-myc pre-mRNA splicing, in add c-Myc expression by augmented FIR/FIRDeltaexon2-SAP155 comp potentially contribute to colorectal cancer development.
Literature	GENERIF_SUMMARY	Unphosphorylated c-Myc interacts with retinoic acid receptor alpha (RARalpha) to repress the expression of RAR targets required for differentiation, thereby aggravating leukemia malignancy.
Literature	GENERIF_SUMMARY	presentation of hypothesis that therapeutic actions of exercise ove human lifespan are mediated by signaling through Myc network of transcription factors (Myc, Max, Mlx, Mad) [REVIEW]
Literature	GENERIF_SUMMARY	This is the first report of c-Myc being regulated by a bona-fide chap associated E3 ligase in HEK293 as well as glioma cells.
Literature	GENERIF_SUMMARY	SRSF1 is a direct target of the transcription factor oncoprotein MY
Literature	GENERIF_SUMMARY	Transcription factors c-Myc and CDX2 mediate E-selectin ligand expression in colon cancer cells undergoing EGF/bFGF-induced epithelial-mesenchymal transition.
Literature	GENERIF_SUMMARY	Human embryonic palatal mesenchymal proliferation is manifeste the induction of c-Myc in response to TGFbeta signaling, which is essential for complete palatal confluency.
Literature	GENERIF_SUMMARY	These results suggest that CNA of MYC and FHIT are poor progno markers, and risk stratification based on the copy-number status o genes is useful to select the optimal treatment strategy in resecte patients.
Literature	GENERIF_SUMMARY	show further that MYC represses transcription of both subunits of alphavbeta3 integrin, and that exogenous expression of beta3 inte human breast cancer cells
Literature	GENERIF_SUMMARY	respiratory epithelial polygonal and cuboidal cells have distinct expression of beta-catenin, Axin, and C-myc
Literature	GENERIF_SUMMARY	MYC suppressed proline oxidase (POX/PRODH) expression primar through up-regulating miR-23b*.
Literature	GENERIF_SUMMARY	Our findings implicate amplifications of 3q26 focused on PIK3CA a 8q24 focused on MYC in chronic lymphocytic leukemia.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Novel c-Myc targeted genes were identified and may contribute to hepatocyte transformation by altering cell cycle control, thereby contributing to c-Myc's oncogenic activity.
Literature	GENERIF_SUMMARY	c-Myc globally regulates the immunogenicity of transformed B cell acting on export of secretory lysosomes to plasma membrane.
Literature	GENERIF_SUMMARY	these results demonstrate an essential role for NPM in c-Myc nucl localization and c-Myc-mediated rDNA transcription.
Literature	GENERIF_SUMMARY	myc expression associated with poor outcome in R-CHOP treated large B-cell lymphoma
Literature	GENERIF_SUMMARY	Myc expression was higher in pancreatic neoplasms and positively correlated with perineural invasion.
Literature	GENERIF_SUMMARY	Elevated levels of c-Myc correlate with the overexpression of GPC3 human Hepatocellular Carcinoma samples.
Literature	GENERIF_SUMMARY	present the solution structure of the NPM1-C70 domain and NMR analysis of its interaction with a c-MYC-derived G-quadruplex. Thes were used to calculate an experimentally restrained molecular doc model for the complex
Literature	GENERIF_SUMMARY	MYC inhibits differentiation by antagonizing the imatinib-mediated upregulation of p27.
Literature	GENERIF_SUMMARY	Increased levels of decondensed chromatin in both normal progen cells and cancer cells are associated with global loss of H3K27me which is linked to MYC overexpression.
Literature	GENERIF_SUMMARY	New structural determinants for c-Myc specific heterodimerization Max and development of a novel homodimeric c-Myc b-HLH-LZ.
Literature	GENERIF_SUMMARY	The LAT1 promoter has a canonical c-Myc binding sequence and overexpression of c-Myc increased LAT1 promoter activity.
Literature	GENERIF_SUMMARY	In acute leukemic cells and leukemic bone marrow stromal cells, c expression positively correlated with c-myb expression.
Literature	GENERIF_SUMMARY	It was demonstrated that hTERT, MYC, and TP53 are deregulated i intestinal metaplasia of individuals from northern Brazil and these alterations may facilitate tumor initiation.
Literature	GENERIF_SUMMARY	Furthermore, we show for the first time that expression of the transcription factor c-myc, which is phosphorlyated by Erk2, is requ for EMT
Literature	GENERIF_SUMMARY	Pdcd4 knockdown up-regulates MAP kinase kinase kinase kinase (MAP4K1) expression and increases phosphorylation of c-Jun.
Literature	GENERIF_SUMMARY	60% are double-hit lymphomas.
Literature	GENERIF_SUMMARY	Cord blood-derived neuronal cells by ectopic expression of Sox2 a Myc.
Literature	GENERIF_SUMMARY	It was concluded that extracellular kinase-mediated up-regulation myc by K-Ras or B-Raf oncogenes disrupts the establishment of ap basolateral polarity in colon epithelial cells independently of its eff proliferation.
Literature	GENERIF_SUMMARY	Constitutive c-Myc expression enhances CD19 expression and

Main Category	Category	Terms
		phosphorylation on active sites in transgenic mice with B cell lymp
Literature	GENERIF_SUMMARY	Data show a combination of only five genes (-BCL6, T (BRACHYUR MYC, MITF and BAF60C (SMARCD3) rapidly and efficiently convert postnatal chorion and decidual cells into chondrocytes.
Literature	GENERIF_SUMMARY	Our findings establish the impact of Oct1, KLF4 and c-Myc on canc bioenergetics and evidence a link between oncosecretomics and c bioenergetics profile.
Literature	GENERIF_SUMMARY	Rabring7 stimulates c-Myc degradation via mono-ubiquitination of
Literature	GENERIF_SUMMARY	poor prognostic effect of MYC positive/BCL2 in diffuse large B-cel lymphoma
Literature	GENERIF_SUMMARY	TTP suppression is a hallmark of cancers with MYC involvement, a restoring TTP impairs Myc-induced lymphomagenesis and abolish maintenance of the malignant state.
Literature	GENERIF_SUMMARY	The human nuclear poly(ADP-ribose)polymerase-1 (h PARP-1) prot participates in the regulation of the h c-myc gene expression throu interaction with this guanine-quadruplex structure.
Literature	GENERIF_SUMMARY	c-MYC mRNA/protein expression levels were increased in ectopic in peritoneal endometriosis.
Literature	GENERIF_SUMMARY	In this work, the authors identified miR-33b as a primate-specific n regulator of c-Myc.
Literature	GENERIF_SUMMARY	Data suggest that X protein (HBx) and c-Myc work cooperatively to support ribosome biogenesis and cellular transformation.
Literature	GENERIF_SUMMARY	Deregulated c-MYC and PI3K activity cooperate in Burkitt lymphom pathogenesis.
Literature	GENERIF_SUMMARY	We found that overexpression of c-Myc was significantly associate that of BMI1, and that patients who harbored glioblastomas overexpressing c-Myc and BMI1 showed significantly longer overa survival.
Literature	GENERIF_SUMMARY	High c-Myc expression in breast cancer was associated with tumo progression.
Literature	GENERIF_SUMMARY	results demonstrate that Sp1 and Myc regulate CD133 transcriptio glioma stem cells and promoter methylation and methyl-DNA-bind proteins cause repression of CD133 by excluding transcription-fac binding.
Literature	GENERIF_SUMMARY	myc translocation confer a worse prognosis in diffuse large B-cell lymphoma treated with CHOP
Literature	GENERIF_SUMMARY	Data suggest that BIBR1532 caused rapid cell death in Nalm-6 cell probably through transcriptional suppression of survivin-mediated and human telomerase reverse transcriptase (hTERT) expression i concentration-dependent manner.
Literature	GENERIF_SUMMARY	markers were associated with patient outcome in DLBCL. A new algorithm discriminating BL from DLBCL emerged, including the expression of CSE1L, STAT3, and MYC translocation
Literature	GENERIF_SUMMARY	Dominant up-regulation of MYC by rs6983267 single nucleotide polymorphism is associated colorectal cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data indicate that SIRT1 is overexpressed in thyroid cancers and it positively correlated with c-MYC protein levels.
Literature	GENERIF_SUMMARY	MYC gains progressively increased during penile squamous cell carcinoma progression from in situ samples to metastases. MYC g were an independent factor for poor prognosis
Literature	GENERIF_SUMMARY	Wanted to i.d. recurrent alterations associated w/MYC rearrangem aggressive B-cell lymphomas w/complex karyotypes. Several patte genomic aberrations were identified in childhood Burkitt lymphoma leukemias and diffuse large B-cell lymphomas.
Literature	GENERIF_SUMMARY	Analyzed the MYC amplification status of 83 radiation-induced sar (RIS) and 192 sporadic sarcomas by fluorescence in situ hybridiza and found significantly higher numbers of MYC amplifications in R in sporadic sarcomas.
Literature	GENERIF_SUMMARY	Myc immunohistochemistry is a potential marker for inferior event survival in diffuse large b-cell lymphoma patients.
Literature	GENERIF_SUMMARY	SIRT1 expression supports liver tumorigenesis and is closely corre with oncogenic c-MYC expression. In addition, both SIRT1 and c-M be useful prognostic indicators of hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	c-MYC may come under negative regulation by p150, consistent wi action of p150 as a putative tumor suppressor.
Literature	GENERIF_SUMMARY	MYC translocation was more common in germinal center B cell-lik (GCB) type diffuse large B-cell lymphoma (DLBCL) compared with GCB type ones.
Literature	GENERIF_SUMMARY	Up-regulation of c-MYC expression correlates with malignant transformation in the serrated route to colorectal cancer.
Literature	GENERIF_SUMMARY	p62-positive, TDP-43-negative inclusions, characteristic of C9ORF7 mutations, were present in the cerebellum and hippocampus
Literature	GENERIF_SUMMARY	CDH1 was most commonly lost, and gain of MYC emerged during progression from ductal carcinoma in situ to invasive ductal carcin
Literature	GENERIF_SUMMARY	it appears that c-Myc plays a central role in sustaining the changes occur with transformation
Literature	GENERIF_SUMMARY	show that MLL fusion proteins negatively regulate production of m an miRNA widely repressed in acute leukemia, by blocking miR-150 precursors from being processed to mature miRNAs through MYC functional axis
Literature	GENERIF_SUMMARY	findings show C-MYC upregulates transcription of TIP110 through interaction with the TIP110 E-box in the TIP110 promoter, ensuring level Tip110 expression in proliferating embryonic stem cells (hES further show TIP110 regulates OCT4 alternative splicing in hESCs
Literature	GENERIF_SUMMARY	High c-myc expression in the cytoplasm is associated with prostat cancer.
Literature	GENERIF_SUMMARY	c-MYC down-regulation caused by cohesin mutations in SMC1A an SMC3 genes may be an early/primary event in the pathogenesis of Cornelia de Lange syndrome.
Literature	GENERIF_SUMMARY	c-Myc expression was augmented in non-tumoral liver tissues from infected individuals with or without HCC and in hepatocyte cell line

Main Category	Category	Terms
		harboring an HCV replicon and the infectious HCV strain JFH1.
Literature	GENERIF_SUMMARY	Overexpression of FIR and its splicing variants in colorectal cancer directs feed-forward or addicted circuit c-myc transcriptional activ
Literature	GENERIF_SUMMARY	MYC acts via the PTEN tumor suppressor to elicit autoregulation a genome-wide gene repression by activation of the Ezh2 methyltransferase.
Literature	GENERIF_SUMMARY	A role for the unfolded protein response as an enhancer of c-Myc-induced neoplastic transformation.
Literature	GENERIF_SUMMARY	c-Myc induction of CCAT1 holds an important role in gastric carcin
Literature	GENERIF_SUMMARY	these results demonstrate a novel role for cohesin in estrogen-me regulation of MYC and the first evidence that cohesin plays a role i ERalpha binding
Literature	GENERIF_SUMMARY	c-MYC amplification is highly correlated with advanced stage and invasive mucinous gastric carcinoma
Literature	GENERIF_SUMMARY	Myc overexpression has been recognized in other aggressive B-cel lymphomas and has been linked to adverse prognosis.
Literature	GENERIF_SUMMARY	together, our results suggest that c-myc, p53, C-erbB-2 and COX-2 proteins do not correlate with cancer stage or follow-up in Esopha squamous cell carcinoma
Literature	GENERIF_SUMMARY	STK38 regulates MYC protein stability and turnover in a kinase act dependent manner. STK38 kinase inactivation abrogates apoptosi following B-cell receptor activation, whereas its silencing significa decreases MYC levels and increases apoptosis.
Literature	GENERIF_SUMMARY	Tob is a key factor in the regulation of c-myc gene expression, whi essential for cell growth.
Literature	GENERIF_SUMMARY	that the serine-threonine kinase PBK/TOPK is frequently overexpre in high-grade lymphomas and its expression is positively correlate that of c-Myc and E2F1
Literature	GENERIF_SUMMARY	The results revealed c-Myc-dependent regulation of HIF-1alpha ins HIF-1alpha-dependent c-Myc regulation for the first time.
Literature	GENERIF_SUMMARY	Results thus identify a novel epigenetic mechanism by which MYC activates GATA4 leading to metastasis in lung adenocarcinoma.
Literature	GENERIF_SUMMARY	Transforming growth factor-beta directly induces p53-up-regulated modulator of apoptosis (PUMA) during the rapid induction of apop in myc-driven B-cell lymphomas
Literature	GENERIF_SUMMARY	Report essential roles for ribonucleotide reductase and thymidylat synthase in C-MYC-dependent suppression of senescence in mela cells.
Literature	GENERIF_SUMMARY	Transcriptional regulation of target genes by association with gene regulatory chromatin in cooperation with c-Myc by nuclear DeltaEG makes a unique contribution to its oncogenicity.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with breast cancer.
Literature	GENERIF_SUMMARY	MYC regulation of CHK1 and CHK2 promotes radioresistance in a cell-like population of nasopharyngeal carcinoma cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	We now demonstrate that protection from double-strand break dar in ER+ cells is mediated via regulation by c-myc, p53, CBP and SRC coactivators in intron 1 of the NBS1 gene
Literature	GENERIF_SUMMARY	c-Myc suppression of double-strand break repair and V(D)J recombination may occur through inhibition of the nonhomologous joining pathway.
Literature	GENERIF_SUMMARY	Abl signaling can indirectly augment acetylation of Myc by p300, a transcriptional activity in the nucleus; Abl can directly phosphoryla on tyrosine and its presence correlates with Abl activation in cance
Literature	GENERIF_SUMMARY	Our study provides further evidence supporting the concept of ""do hit"" mantle cell lymphoma with co-involvement of MYC gene rearrangement and/or amplification and CCND1 gene rearrangeme
Literature	GENERIF_SUMMARY	Protein expression patterns of MYC, BCL2 and BCL6, and MYC rearrangements were predictive of outcome and provided prognos information independent of the International Prognostic Index (IPI) overall survival and event-free survival.
Literature	GENERIF_SUMMARY	Conclude that up-regulation of ID2 contributes to anti-tumour activ decitabine via repression of Ig locus activity and consequently MYC expression.
Literature	GENERIF_SUMMARY	Clusters of MYC signals may be an underappreciated, but clinically important, feature of aggressive B-cell lymphomas with potential prognostic and therapeutic relevance.
Literature	GENERIF_SUMMARY	MYC rearrangements are useful for predicting outcomes following rituximab and chemotherapy.
Literature	GENERIF_SUMMARY	Human c-Myc represses E-cadherin at the post-transcriptional leve through miR-9.
Literature	GENERIF_SUMMARY	we induced tumors in mice via the injection of transposons encodi three oncogenes(HRAS, c-Myc and shp53) and a plasmid-expressi transposase.
Literature	GENERIF_SUMMARY	pathologically activated in and essential for promoting human hepatocellular carcinoma
Literature	GENERIF_SUMMARY	results therefore suggest that c-MYC induces stress-mediated acti of ATF2 and ATF7 and that these transcription factors regulate apo in response to oncogenic transformation of B cells
Literature	GENERIF_SUMMARY	astrocytes coexpressing c-Myc and Akt were tumorigenic when implanted into the brain of immunocompetent C57BL/6 mice
Literature	GENERIF_SUMMARY	92 and miR-106a
Literature	GENERIF_SUMMARY	MYC/BCL2 coexpression, rather than cell-of-origin classification, is better predictor of prognosis in patients with diffuse large B-cell lymphoma treated with R-CHOP.
Literature	GENERIF_SUMMARY	show that CIP2A expression in rheumatoid arthritis FLS is an impo mediator of dysfunctional apoptosis independent of c-Myc stabiliz
Literature	GENERIF_SUMMARY	The enforced expression of c-Myc in fibroblasts can trigger MET, to cytoskeleton depolymerization and RhoA/Rock pathway inactivatio contribute.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Overexpression of Myc upregulates Ran expression, whereas knoc of Myc downregulates Ran expression. Myc or Ran overexpression breast cancer cells is associated with cancer progression and metastasis.
Literature	GENERIF_SUMMARY	PKA is a regulator of MYC; its different catalytic subunits have dist biologcial roles
Literature	GENERIF_SUMMARY	c-Myc plays a role in G protein-coupled receptor kinase 4 (GRK4) transcriptional regulation in human kidney proximal tubule cells.
Literature	GENERIF_SUMMARY	EGFR and MYC gene copy number aberrations are more common i squamous cell carcinoma than keratoacanthoma.
Literature	GENERIF_SUMMARY	c-MYC directly regulates GLI1 and support an antiapoptotic role fo in Burkitt lymphoma.
Literature	GENERIF_SUMMARY	a novel regulatory network in molecular apocrine breast cancers regulated by androgen and AR in which MYC plays a central role as a key target and a cooperating transcription factor to drive oncoge growth
Literature	GENERIF_SUMMARY	c-Myc-mediated overexpression of miR-17-92 suppresses replicati hepatitis B virus in human hepatoma cells.
Literature	GENERIF_SUMMARY	findings represent a novel promising approach for silencing MYC-r EZH2 amplification loop for combinatorial therapy of aggressive B- lymphomas
Literature	GENERIF_SUMMARY	Tumor suppressor miR-375 regulates MYC expression via repressi CIP2A coding sequence through multiple miRNA-mRNA interactior
Literature	GENERIF_SUMMARY	The presence of MYC duplication or polysomy 8, as well as KRAS mutation, were also associated with the HER2 overexpression subt
Literature	GENERIF_SUMMARY	Chronic lymphocytic leukemia cells respond to B-Cell receptor stimulation with a microRNA/mRNA signature associated with MY activation and cell cycle progression.
Literature	GENERIF_SUMMARY	It provides a strategy to define a precise molecular picture at a res of about 200 mum that may be useful in identifying lipid molecules define how the MYC oncogene initiates and maintains tumorigenes
Literature	GENERIF_SUMMARY	MYC amplification status but not Myc protein expression was significantly predictive of biochemical recurrence after prostatecto
Literature	GENERIF_SUMMARY	Increased translation of c-myc mRNA occurs with sphingosine kina overexpression, stimulating intestinal epithelial cell proliferation.
Literature	GENERIF_SUMMARY	C-myc, c-jun and c-fos expression values also showed a time-depe increase in surviving patients.
Literature	GENERIF_SUMMARY	analysis confirms that aCGH is as safe as FISH for the detection o MYCN gene amplification
Literature	GENERIF_SUMMARY	COX-2 is insufficient for modifying the hepatocarcinogenesis cours mediated by c-myc/TGF-alpha
Literature	GENERIF_SUMMARY	where miR-17-5p showed a significant down-regulation in 23 non-metastatic HCC biopsies compared to 10 healthy tissues; however and c-MYC transcripts were markedly elevated

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Leptin interferes with the expression of oncogenic c-myc and anti-apoptotic bcl-2, and regulates cell turnover and facilitates the progression of cervical cancer.
Literature	GENERIF_SUMMARY	C-myc-dependent downregulation of VEGF induced by all-trans-reti acid contributes to the differentiation of HL-60 cells.
Literature	GENERIF_SUMMARY	Myc-induced metabolic changes are coupled via AMPK and phosp to the mitochondrial apoptosis effector Bak, showing that there is intrinsic mechanism to counteract uncontrolled proliferation
Literature	GENERIF_SUMMARY	The interaction between SAP155 and FIR/FIRDeltaexon2 not only integrates cell-cycle progression and c-Myc transcription by modif P27 and P89 expression.
Literature	GENERIF_SUMMARY	ALK-positive large B-cell lymphomas express a complete plasmab differentiation program but unlike plasmablastic lymphomas do no MYC rearrangements. STAT3 is constantly activated and may be a alternative mechanism to promote MYC expression.
Literature	GENERIF_SUMMARY	Sp1 and c-Myc are important transcription factors that directly bin the BMI1 promoter region and regulate gene expression in nasopharyngeal carcinoma.
Literature	GENERIF_SUMMARY	C-myc in high-grade brainstem gliomas were significantly higher th that in low-grade brainstem gliomas and normal brain tissues and positively
Literature	GENERIF_SUMMARY	ING4 may regulate c-MYC translation by its association with AUF1.
Literature	GENERIF_SUMMARY	Findings support a model in which dysregulation of MYC by BRD-N fusion proteins has a central role in the pathogenesis of NMC.
Literature	GENERIF_SUMMARY	Simultaneous c-MYC and h-TERT deregulation is a relatively freque event in colon adenocarcinoma.
Literature	GENERIF_SUMMARY	Data suggest epidermal growth factor induced the expression of c which promoted the expression of mature miR-23a, miR-24-2, and miR-27a and subsequently decreased expression of Sprouty2 (SPR
Literature	GENERIF_SUMMARY	These results define a new link between two critical proteins in pro cancer - AR and c-Myc.
Literature	GENERIF_SUMMARY	FOXO6 induces C-myc expression by associating to HNF4 and me histone acetylation, and the dissociation of HDAC3 from the promo the C-myc gene
Literature	GENERIF_SUMMARY	High MYC expression was associated with shorter overall survival irrespectively of the International Prognostic Index.
Literature	GENERIF_SUMMARY	Pin1 and c-Myc are cooverexpressed in cancer, and this drives a ge expression pattern that is enriched in poor-outcome breast cancer subtypes.
Literature	GENERIF_SUMMARY	Expression of c-MYC and OGT was tightly correlated in human pro cancer samples.
Literature	GENERIF_SUMMARY	conclude that chronic induction of c-myc especially in hepatocytes the potential to prime resident HSC for activation, proliferation and myofibroblast differentiation
Literature	GENERIF_SUMMARY	Data indicate that RPS14 negates c-Myc functions by directly inhib

Main Category	Category	Terms
		its transcriptional activity and mediating its mRNA degradation via miRNA.
Literature	GENERIF_SUMMARY	Study identified F-box protein, FBXO28 that controls MYC-depende transcription by non-proteolytic ubiquitylation. Depletion of FBXO2 overexpression of an F-box mutant unable to support MYC ubiquity results in an impairment of MYC-driven transcription, transformatio tumourigenesis.
Literature	GENERIF_SUMMARY	Missense FBXW7 mutations are prevalent in various tumors, inclu cell acute lymphoblastic leukemia; study shows that these mutatio specifically bolster cancer-initiating cell activity in collaboration wi Notch1 oncogenes but spare normal hematopoietic stem cell func
Literature	GENERIF_SUMMARY	Our results integrated TGF-beta1 signals to SKP2 via Akt1 and c-M during epithelial-mesenchymal transition.
Literature	GENERIF_SUMMARY	when an IGH-MYC dual-fusion probe was used, nine of 15 cases w hybridization pattern suggestive of a non-IGH-MYC translocation w attributable to MYC copy gain rather than MYC rearrangement
Literature	GENERIF_SUMMARY	LDH inhibition in Burkitt lymphoma cells led to decreased NAD cell levels, which resulted in sirtuin-1 inhibition and MYC down-regulati
Literature	GENERIF_SUMMARY	The study identifies enhanced proteasomal degradation and cathe mediated proteolysis as important mechanisms for hypoxic MYC inhibition in human colon carcinoma cells.
Literature	GENERIF_SUMMARY	fundamental differences in miRNA expression exist between ocula adnexal EMZL and DLBCL, mainly due to differences in MYC and N regulatory pathways.
Literature	GENERIF_SUMMARY	The data demonstrate that the balance between c-Myc and Mnt ac determines the transcriptional outcome of the hTERT promoter by modulation of the chromatin architecture.
Literature	GENERIF_SUMMARY	Data indicate that patients negative for BRCA1 protein were more with pathological tumor-node-metastasis stage III, positive for lym node metastasis and MYC overexpression than BRCA1-positive tu
Literature	GENERIF_SUMMARY	Findings suggest that aluminum concentration does not affect ge stability of ERBB2, C-MYC, and CCND1 genes in breast tissues.
Literature	GENERIF_SUMMARY	c-myc gene amplification is significantly correlated with disease-fr survival and overall survival in patients with hepatocellular carcino after surgical resection and this model identifies patients with risk early relapse.
Literature	GENERIF_SUMMARY	findings show that PDK1-PLK1-MYC signaling is critical for cancer growth and survival; PDK1-PLK1-MYC signaling induces an embryo stem cell-like gene signature associated with aggressive tumor be and is a robust signaling axis driving cancer stem cell self-renewal
Literature	GENERIF_SUMMARY	Patients with family history of gastric cancer and H. pylori infectio reversible histopathological changes of gastric mucosa, have high levels of SATB1 and c-Myc gene expression as compared to patien without family history of gastric cancer.
Literature	GENERIF_SUMMARY	High MYC protein expression is associated with neuroblastoma of undifferentiated subtype.
Literature	GENERIF_SUMMARY	KPNA2 has an important role in promoting proliferation and

Main Category	Category	Terms
		tumorigenicity of epithelial ovarian carcinoma through upregulatio myc and suppression of FOXO3A.
Literature	GENERIF_SUMMARY	Data indicate that knockdown of any component of the novel mut- Myc/Bcl-XL axis and complex reversed the oncogenic effects of P
Literature	GENERIF_SUMMARY	MicroRNA-145 function as a cell growth repressor by directly targe Myc in human ovarian cancer.
Literature	GENERIF_SUMMARY	MYC immunohistochemistry score is an independent predictor of progression-free survival and overall survival in mantle cell lympho
Literature	GENERIF_SUMMARY	Identification and analysis of the regulatory network of Myc and microRNAs from high-throughput experimental data.
Literature	GENERIF_SUMMARY	Our data suggest that targeting Myc in cancer therapy might have additional benefit of inhibiting autophagy in the case of therapy resistance associated with chemotherapy-induced autophagy
Literature	GENERIF_SUMMARY	Review
Literature	GENERIF_SUMMARY	MYC protein expression alone is not significantly associated with differential benefit to concurrent trastuzumab, but potentially coul differentiate benefit between concurrent and sequential trastuzum treatment.
Literature	GENERIF_SUMMARY	We show that, in contrast to PRC1, PRC2 is a tumor suppressor in Emicro-myc lymphomagenesis in lymphoma.
Literature	GENERIF_SUMMARY	These results establish a new signaling mechanism by which the interaction between YAP and c-Myc promotes liver cancer growth.
Literature	GENERIF_SUMMARY	co-overexpression of c-Myc and EZH2 in HCC samples was closel associated with lower expression of miR-101 (P
Literature	GENERIF_SUMMARY	Studies indicate that The oncogenic events leading to MYC up-reg seem to overcome the inhibitory effect of physiological repressors as BCL6 or BLIMP1.
Literature	GENERIF_SUMMARY	Levels of c-Myc were increased in intestinal epithelia of patients w active Crohn's disease compared with controls.
Literature	GENERIF_SUMMARY	There is a double-negative feedback loop between a tumor suppre (miR-122) and an oncogene (c-Myc) in hepatocellular cancer.
Literature	GENERIF_SUMMARY	c-Myc is essential to prevent endothelial pro-inflammatory senesc phenotype.
Literature	GENERIF_SUMMARY	Case Report/Review
Literature	GENERIF_SUMMARY	Gastric tumors showed MYC gene amplification and increased mR expression. Nuclear MYC protein staining was associated with inte type gastric cancer.
Literature	GENERIF_SUMMARY	HER2 and MYC are frequently coamplified in breast cancer, associ with aggressive clinical behaviour and poor outcome.
Literature	GENERIF_SUMMARY	Myc targeting via RNAi-based transcriptional silencing can trigger stem cells senescence and loss of their tumor-initiating capability.
Literature	GENERIF_SUMMARY	Demonstrate MYC amplification and MYC protein overexpression i subset of primary cutaneous angiosarcomas.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	High c-myc expression is associated with myelodysplastic syndro
Literature	GENERIF_SUMMARY	The genes c-Myc, p21, and p16 were correlated with the prognosis triple-negative breast cancer
Literature	GENERIF_SUMMARY	Expression of CIP2A was found to be dependent on MAPK activity, linking elevated c-Myc expression to deregulated signal transducti colon cancer
Literature	GENERIF_SUMMARY	MYC translocation partner gene determines survival of patients wi large B-cell lymphoma with MYC- or double-hit MYC/BCL2 transloc
Literature	GENERIF_SUMMARY	mTORC2 promotes inactivating phosphorylation of class IIa histor deacetylases, which leads to the acetylation of FoxO1 and FoxO3, this in turn releases c-Myc from a suppressive miR-34c-dependent network.
Literature	GENERIF_SUMMARY	c-Myc modulates genes associated with oncogenesis in glioblasto multiforme through deregulation of miRNAs via the c-Myc-miR-26a signaling pathway.
Literature	GENERIF_SUMMARY	Findings uncover a mechanism by which RPL5 and RPL11 can co-operatively suppress c-Myc expression, allowing a tightly controlle ribosome biogenesis in cells.
Literature	GENERIF_SUMMARY	A novel mechanism of c-Myc regulation.
Literature	GENERIF_SUMMARY	PDCD4 as tumor suppressor regulated miR-184-mediated direct ta of BCL2 and C-MYC.
Literature	GENERIF_SUMMARY	The Myc-miR-17-92-BCR axis, frequently affected by genomic rearrangements, constitutes a novel lymphomagenic feed-forward
Literature	GENERIF_SUMMARY	Androgen-induced AR activating signal upregulates let-7a that targ CMYC and KRAS and contributes to ER-, PR-, AR+ breast cancer pathogenesis.
Literature	GENERIF_SUMMARY	we investigated the effect of S(+)-ibuprofen on neuroblastoma cell focusing on the expression of the MYCN, MYC, AKT, p53 proteins a favorable neuroblastoma genes in vitro as biomarkers of malignan
Literature	GENERIF_SUMMARY	destabilization of MYC/MYCN by MIBG, metformin and phenformin their effects on histone modification are important mechanisms underlying their anticancer effects
Literature	GENERIF_SUMMARY	our data propose a novel mechanism to explain how E1a mediates radiosensitivity through the signaling axis E1a-->c-Myc--> replicativ stress situation.
Literature	GENERIF_SUMMARY	Using in situ analyses of colorectal cancer specimens we demons that c-MYC is a regulator of the identified target genes in human tu thus implicating their relevance for tumorigenesis in humans.
Literature	GENERIF_SUMMARY	Study identifies SIRT7 as a cofactor of Myc for transcriptional repr and delineates a druggable regulatory branch of the ER stress resp that prevents and reverts fatty liver disease.
Literature	GENERIF_SUMMARY	the lymphoma-stroma interaction in the lymphoma microenvironm directly impacts the biology of lymphoma through genetic and epig regulation, with HDAC6 and c-Myc as potential therapeutic targets
Literature	GENERIF_SUMMARY	Induction of sustained MYC expression in hypoxia contributes to

Main Category	Category	Terms
		activation of transcriptional programs critical for human embryoni cell self-renewal.
Literature	GENERIF_SUMMARY	Myc is central to T-ALL but its overexpression per se is inefficient i triggering the cascade of events leading to malignant transformati T-cell acute lymphoblastic leukemia.
Literature	GENERIF_SUMMARY	Smad7 enhanced ubiquitylation of Myc through direct interaction v Myc and recruitment of Skp2. Ablation of Smad7 resulted in less sensitivity to the growth inhibitory effect of TGF-beta by inducing s Myc expression.
Literature	GENERIF_SUMMARY	cyclophilin B (CypB) is a prolyl isomerase residing in the endoplasr reticulum (ER), that provides an essential survival signal in glioblas multiforme cells through myc and mutant p53
Literature	GENERIF_SUMMARY	MYC is involved in a wide range of cellular processes including cel control, metabolism, signal transduction, self-renewal, maintenanc pluripotency, and control of cell fate decisions.
Literature	GENERIF_SUMMARY	These findings suggest that nuclear AXIN2 functions as a rheostat control MYC expression in response to Wnt/beta-catenin signaling
Literature	GENERIF_SUMMARY	Cyclin dependent kinase-9 mediated transcriptional de-regulation c cMYC as a critical determinant of endocrine-therapy resistance in l cancers.
Literature	GENERIF_SUMMARY	An association between increased 2-hydroxyglutarate levels and M pathway activation in breast cancer.
Literature	GENERIF_SUMMARY	ROCK has a crucial role in regulating prostate tumor growth throug interaction with c-Myc
Literature	GENERIF_SUMMARY	MYC gene alterations in large B-cell lymphomas are frequently associated with BCL2 or BCL6 translocations conferring a very aggressive behavior.
Literature	GENERIF_SUMMARY	In the current cohort, use of DISH identified all MYC amplified case distinguished secondary angiosarcoma from AVL. DISH staining m useful in distinguishing secondary angiosarcoma from AVL in challenging cases.
Literature	GENERIF_SUMMARY	We have also found out that CD44v8-10 expression is associated v the turn-over of the c-Myc with the experiments using gastric canc lines.
Literature	GENERIF_SUMMARY	High c-myc expression was observed in glioma.
Literature	GENERIF_SUMMARY	Our results demonstrate that overexpression of miR-145 inhibits tu growth in part by targeting c-Myc.
Literature	GENERIF_SUMMARY	these results highlight the tumor-suppressive role of SIRT4 in Myc- induced B cell lymphoma and suggest that SIRT4 may be a potenti target against Myc-induced and/or glutamine-dependent cancers.
Literature	GENERIF_SUMMARY	meta-analysis suggests that the 8q24.21-rs6983267 polymorphism associated with colorectal cancer (CRC) and colorectal adenoma susceptibility, but these associations vary in different ethnic popul
Literature	GENERIF_SUMMARY	Inhibition of mRNA and protein expression of hTERT and c-myc.
Literature	GENERIF_SUMMARY	Findings suggest a model whereby ROCK inhibition drives

Main Category	Category	Terms
		polyploidization, DMS growth and proplatelet formation late in megakaryocyte maturation through downregulation of MYC and N expression.
Literature	GENERIF_SUMMARY	partial iPSCs depend on a high level of c-Myc expression for their s renewal properties
Literature	GENERIF_SUMMARY	Over-expression of HMGCR in esophageal squamous cell carcinon (ESCC) cells promoted cell growth and migration.
Literature	GENERIF_SUMMARY	In conclusion, the development of colorectal cancer requires MYC activation through retention of the risk allele, or amplification of th risk allele at the oncogenic single nucleotide polymorphism.
Literature	GENERIF_SUMMARY	A critical role for c-Myc in leukemia-initiating cells maintenance an inhibition may be an effective therapy for relapsed/induction failur acute lymphoblastic leukemia patients.
Literature	GENERIF_SUMMARY	Data suggest GHET1 (gastric carcinoma high expressed transcript prognostic factor for gastric carcinoma; GHET1 promotes c-Myc m stability/expression, binds IGF2BP1 (insulin-like growth factor 2 m binding protein 1), promotes tumor growth.
Literature	GENERIF_SUMMARY	Data suggest a shared underlying biology among proto-oncogene proteins myc rearranged B-cell lymphomas.
Literature	GENERIF_SUMMARY	Only 2 (3%) of 59 molecular Burkitt lymphoma lacked a MYC translocation, which both shared a peculiar pattern of chromosom aberration characterized by interstitial gains including 11q23.2-q23 telomeric losses of 11q24.1-qter.
Literature	GENERIF_SUMMARY	MYC-dependent breast cancer cells possess high MYC expression high level of MYC phosphorylation, and are sensitive to inhibition o CDK1.
Literature	GENERIF_SUMMARY	Results show that Myc drives local prostate metastasis and is criti maintenance of metastasis prostate cancer.
Literature	GENERIF_SUMMARY	c-MYC expression may have prognostic significance in synovial sa
Literature	GENERIF_SUMMARY	We conclude that MYC amplification is present in secondary mam angiosarcomas but not in atypical vascular lesions
Literature	GENERIF_SUMMARY	G-quadruplex forming DNA at c-Myc promoter Pu27 destabilizes p at telomere and inhibits DNA repair molecules.
Literature	GENERIF_SUMMARY	Study describes a novel mechanism, involving c-Myc and miR-17-9 which integrates cell proliferation and apoptosis resistance.
Literature	GENERIF_SUMMARY	EBP2 is a novel binding partner of c-Myc that regulates cell prolifer and tumorigenesis via a positive feedback loop.
Literature	GENERIF_SUMMARY	the existence of different patterns of expression of Pim-3, c-Myc, a p27 and their clinicopathologic correlations in adenocarcinomas o gastric cardia and the distal stomach.
Literature	GENERIF_SUMMARY	c-Myc over-expression may be a factor indicating poor prognosis i multiple myeloma.
Literature	GENERIF_SUMMARY	MYC, in concert with EZH2, epigenetically attenuates MST1 expres and suggest that the loss of MST1/Hippo functions is critical for t MYC or EZH2 mediation of cancer cell survival.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Myc status alone can be used to predict overall survival in patients colorectal cancer undergoing surgical resection.
Literature	GENERIF_SUMMARY	data suggest that MYC rearrangements, regardless of when they o during multiple myeloma pathogenesis, provide one event that contributes to tumor autonomy
Literature	GENERIF_SUMMARY	Suggest high level of c-Myc cytoplasmic expression may be consid as a valuable marker for prognosis of pancreatic cancer.
Literature	GENERIF_SUMMARY	conclude that downregulation of BIM represents a key survival sig downstream of oncogenic MYC and PI3K-AKT signaling in treatme resistantT-cell acute lymphoblastic leukemia
Literature	GENERIF_SUMMARY	We found no statistically significant relationship between the quan expression of c-myc and any other clinical or pathological paramet oral squamous cell carcinoma
Literature	GENERIF_SUMMARY	A second RIM/DS screen comparing lymphomas of wild-type and parental transgenics showed that CD2-MYC tumours are virtually dependent on activation of Runx family genes in strong preference other potent Myc collaborating genes
Literature	GENERIF_SUMMARY	c-Myc, which has been shown to induce rDNA transcription directly physically associated with rDNA gene looping structures and the intergenic spacer sequence in growing cells.
Literature	GENERIF_SUMMARY	It is a gastric carcinoma oncogene and is targeted by miR-494.
Literature	GENERIF_SUMMARY	silencing or loss of CDK4 augmented the tumorigenic potential of driven B cell lymphoma
Literature	GENERIF_SUMMARY	Low specificity and positive predictive value (PPV) of MYC immunohistochemistry (IHC), in relation to fluorescence in situ hybridisation (FISH) analysis, were observed despite good sensitiv negative predictive value (NPV).
Literature	GENERIF_SUMMARY	Immunohistochemical assessment of p53, particularly in combina with MYC, could be useful in identifying a high-risk subgroup of pa with diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	MYC protein expression is a poor prognostic factor that may be associated with either B-cell lymphoma, unclassifiable or diffuse la cell lymphoma morphology
Literature	GENERIF_SUMMARY	In human Colorectal cancer (CRC), gain-of-function alterations in M and loss-of-function alterations in TGF-beta exhibit a masking epis interaction and are functionally redundant.
Literature	GENERIF_SUMMARY	High expression of c-Myc/Ki-67 extranodal NK/T-cell lymphoma, na type patients may be valuable indicators for predicting survival.
Literature	GENERIF_SUMMARY	Myc and its obligate heterodimeric partner, Max, are integral to the coordinated recruitment and post-translational modification of components of the core transcriptional machinery.
Literature	GENERIF_SUMMARY	Data show loss of VHL, stabilization of HIF-2alpha and increased c activity, binding and transcriptional repression, through induction c PLA2R1 DNA methylation closed to PLA2R1 transcriptional start s results in decreased PLA2R1 transcription.
Literature	GENERIF_SUMMARY	Amplification and overexpression of MYC is associated with the

Main Category	Category	Terms
		transition of cervical intraepithelial neoplasia to cervical cancer.
Literature	GENERIF_SUMMARY	A long noncoding RNA (lncRNA), CCAT1-L, is transcribed specifica human colorectal cancers from a locus 515 kb upstream of MYC.
Literature	GENERIF_SUMMARY	c-myc regulated the expression of human PDF.
Literature	GENERIF_SUMMARY	This study provides for the first time, the c-Myc dependent regulati NKG2D ligands in acute myeloid leukemia.
Literature	GENERIF_SUMMARY	TP53 mutations are frequent events in double-hit B-cell lymphoma MYC and BCL2 but not MYC and BCL6 translocations
Literature	GENERIF_SUMMARY	c-Myc-induced capping is required for c-Myc-dependent gene expr and cell proliferation
Literature	GENERIF_SUMMARY	Significantly elevated c-MYC gene expression was found in cholesteatoma compared to atheroma and to normal skin samples
Literature	GENERIF_SUMMARY	MYC-HEG and MXI1-LEG levels are associated with poor prognosis patients with breast cancer, suggesting that they may be useful molecular markers in breast cancer prognosis prediction.
Literature	GENERIF_SUMMARY	Results demonstrated that SK2 regulates MYC, which has a pivota hematologic malignancies.
Literature	GENERIF_SUMMARY	the knowledge of the Myc-dependent cell cycle regulatory mechan will help to discover new therapeutic approaches directed against malignancies with deregulated Myc
Literature	GENERIF_SUMMARY	the c-Myc-mediated transcriptional repression of miR-15-16 in hyp induced by increased HIF-2alpha and promoted tumor angiogenes hematogenous metastasis by the further loss of post-transcriptior inhibition of FGF2.
Literature	GENERIF_SUMMARY	Purified GCN5 binds to an N-terminal sub-domain of MYC TAD.
Literature	GENERIF_SUMMARY	MYC activation is a common event in plasma cell myeloma and co possibly represent a detectable transforming event from monoclor gammopathy of undetermined significance to myeloma.
Literature	GENERIF_SUMMARY	Although neither Epstein Barr virus nor MYC are sufficient to cause Burkitt lymphoma there is increasing information from techniques as complete RNA sequencing that identify essential pathways that activated in the pathogenesis.
Literature	GENERIF_SUMMARY	The combinative model with IPI score and MYC protein expression stratify DLBCL patients into prognostically relevant subgroups mor effectively than either the IPI or the MYC alone.
Literature	GENERIF_SUMMARY	the expression and activity of c-MYC itself are under the control of miRNAs. Here, we survey how these networks mediate and regulat MYC functions.
Literature	GENERIF_SUMMARY	Here we review the activities of MYC, MNT and other MAX interact proteins in the setting of T and B cell activation and oncogenesis
Literature	GENERIF_SUMMARY	Here we will focus on how Myc controls a number of diverse cellul processes that converge to ensure processivity and robustness of synthesis, thus preventing the inherent replicative stress response usually evoked by oncogenic lesions.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Studies indicate the prognostic value of C-MYC aberrations.
Literature	GENERIF_SUMMARY	MTBP associated with MYC at promoters and increased MYC-med transcription, proliferation, neoplastic transformation, and tumor development.
Literature	GENERIF_SUMMARY	MZF1-mediated MYC expression may promote tumor progression, resulting in poor outcomes in cases of lung adenocarcinoma with wild-type-LKB1 tumors.
Literature	GENERIF_SUMMARY	c-MYC gain (but not chromosome 8 gain or c-MYC amplification) is independent poor-prognostic factor for survival in lung adenocarcinomas.
Literature	GENERIF_SUMMARY	The binding of Z-DNA binding domain of human ADAR1 to the G-quadruplex in c-Myc promoter resulted in repression of c-Myc expression.
Literature	GENERIF_SUMMARY	Kinesin-1 transports c-MYC for proteasomal degradation in the cytoplasm.
Literature	GENERIF_SUMMARY	These data demonstrate that ZFX functions as a critical upstream regulator of c-Myc and plays essential roles in the maintenance of glioma stem cells phenotype
Literature	GENERIF_SUMMARY	This is the first report describing the clinical characteristics of pati with MM and c-MYC. These abnormalities are associated with an aggressive form of MM, high incidence of PCL/EMD and short OS.
Literature	GENERIF_SUMMARY	MYC is part of a network of bHLHLZ proteins centered on the MYC heterodimeric partner MAX and its counterpart, the MAX-like prote MLX.
Literature	GENERIF_SUMMARY	Deletion of Long-range enhancers regulating Myc expression is associated with craniofacial development.
Literature	GENERIF_SUMMARY	Aspirin interacts with genetic polymorphism rs6983267 close to M preventing colorectal cancer.
Literature	GENERIF_SUMMARY	Tumor suppressor DYRK1A effects on proliferation and chemoresi of AML cells by downregulating c-Myc.
Literature	GENERIF_SUMMARY	Our study provides the first evidence that an miR-22/Sp1/c-Myc ne regulates CD147 upregulation in breast cancer and that miR-22 rep breast cancer invasive and metastatic capacities.
Literature	GENERIF_SUMMARY	the decrease in the expression of miR-29b by c-Myc may be respon for FHIT loss-mediated tumor aggressiveness and for poor outcom non-small cell lung cancer.
Literature	GENERIF_SUMMARY	B-cell tumors harbored oncogenic c-myc amplification generated b breakage-fusion-bridge (BFB) from dicentric chromosomes formed through fusion of IgH V(D)J recombination-associated DSBs on chromosome 12 to sequences downstream of c-myc on chromoso 15.
Literature	GENERIF_SUMMARY	c-Myc contributes to the epigenetic regulation of HPP1 via the don recruitment of HDAC3.
Literature	GENERIF_SUMMARY	Our in vitro findings suggest that C-MYC and PVT1 oncogene (non- protein coding) copy number gains may promote a malignant mali pleural mesothelioma phenotype.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	activation of PP2A (here accomplished through antagonizing endogenous inhibitors) could be a novel antitumor strategy to posttranslationally target c-MYC in breast cancer.
Literature	GENERIF_SUMMARY	Here, we discuss future research trends that embrace advances in genome-wide and proteome-wide approaches to systematically elu mechanisms of Myc action
Literature	GENERIF_SUMMARY	we observed amplification of the MYC locus in 6/7 and MYC protei overexpression in all cases of undifferentiated round cell sarcoma defined molecularly by oncogenic fusion of the gene, CIC and DUX tested
Literature	GENERIF_SUMMARY	A conserved Myc region (amino acids 186-203) is required for the interaction with Sin3 proteins. Histone deacetylase 1 is recruited to Sin3b complexes, and its deacetylase activity is required for the ef of Sin3b on Myc.
Literature	GENERIF_SUMMARY	these results suggest that HOTAIR is a c-Myc-activated driver of malignancy, which acts in part through repression of miRNA-130a.
Literature	GENERIF_SUMMARY	Results showed that E2F1 acts as a negative feedback regulator o Myc-induced hTERT transcription. If this negative regulating mecha of E2F1 is attenuated or abrogated, hTERT is easily activated by c- overexpression, leading to tumorigenesis.
Literature	GENERIF_SUMMARY	Results suggest that miR-155 is extensively involved in the cancer pathogenesis of gastric carcinoma and support its function as rec cancer genes and show that c-myc is an important miR-155 target
Literature	GENERIF_SUMMARY	High c-myc expression was observed in non-small cell lung cancer
Literature	GENERIF_SUMMARY	Upregulation of MYC, KIT and RET and downregulation of CDKN2C characterise secondary angiosarcoma.
Literature	GENERIF_SUMMARY	These results suggest a relationship between the appearance of sp lipid species and the overexpression of MYC in lymphomas.
Literature	GENERIF_SUMMARY	Data identify a novel hotspot for mutations in MYC that deregulate expression in lymphoma and strongly implies that MYC mutations an active role in the pathophysiology of the disease.
Literature	GENERIF_SUMMARY	molecular basis for the anti-senescence effects of SIRT1 and FOX
Literature	GENERIF_SUMMARY	PIM inhibitors target CD25-positive AML cells through concomitan suppression of STAT5 activation and degradation of MYC oncoger
Literature	GENERIF_SUMMARY	The mammalian MYC/MAX/MAD network is functionally conserve Drosophila
Literature	GENERIF_SUMMARY	MYC amplification is a frequent event in small cell lung cancer and related to a short survival time.
Literature	GENERIF_SUMMARY	this is a preliminary study reporting, for the first time, a hypermethy c-myc promoter in maternal plasma in preeclamptic pregnancies.
Literature	GENERIF_SUMMARY	the frequency of detected cytogenetic aberrations MYC/MYCN, EG PDGRFA, homozygous deletion of the CDKN2A gene, and deletion PTEN gene, pediatric glioblastomas bear analogy to the subgroup IDH1-mutant glioblastomas in adults.
Literature	GENERIF_SUMMARY	Myc alone is insufficient to induce lymphoma and requires the Akt

Main Category	Category	Terms
		pathway.
Literature	GENERIF_SUMMARY	Nuclear expression of c-Myc was predominantly observed in oral carcinoma tissues.
Literature	GENERIF_SUMMARY	Here we give an overview of the role of MYC in regulation of metab pathways in tumor cells
Literature	GENERIF_SUMMARY	PKM2 depletion could provoke glutamine metabolism by enhancin beta-catenin signaling pathway and consequently promoting its downstream c-Myc-mediated glutamine metabolism in colon canc cells.
Literature	GENERIF_SUMMARY	changes in MYC levels activate and repress specific sets of direct genes that are characteristic of MYC-transformed tumour cells
Literature	GENERIF_SUMMARY	Gain of PVT1 long non-coding RNA expression was required for hi MYC protein levels in 8q24-amplified human cancer cells
Literature	GENERIF_SUMMARY	p63 Regulates the migration and invasion of esophageal squamou carcinoma cells through activation of the beta-catenin/c-Myc path
Literature	GENERIF_SUMMARY	PARP-1 is constitutively associated in vivo to a c-MYC promoter re recognized as biologically relevant for the transcriptional regulatio the gene.
Literature	GENERIF_SUMMARY	Data suggest that the combination of high p27 Kip1 and low Myc (is a marker of CLL cells which is mediated by Skp2 protein
Literature	GENERIF_SUMMARY	indicate that c-Myc knockout cells preferentially utilize fatty acids energy-generating substrates and reprogram other pathways to ma acetyl-CoA and ATP production.
Literature	GENERIF_SUMMARY	There was no statistically significant association between c-myc expression and risk of relapse or death in our study. Routine c-myc immunostaining may help identify higher risk patients and guide management of B-ALL.
Literature	GENERIF_SUMMARY	The objective if the current review was to evaluate the implications MYC aberrancy with respect to the B-cell lymphoma double-hit and hit phenotypes and to consider the available data for clinical and practical management
Literature	GENERIF_SUMMARY	the CRTC1/MAML2 transcriptional signature predicts other malign having combined involvement of MYC and CREB
Literature	GENERIF_SUMMARY	Integration of proteomic and transcriptomic profiles identifies a no PDGF-MYC network in human smooth muscle cells
Literature	GENERIF_SUMMARY	high MYC/BCL2 DHS, high MYC/BCL6 DHS and high THS were associated with inferior OS and PFS in both CHOP and R-CHOP co
Literature	GENERIF_SUMMARY	a small subset of large B-cell lymphomas have concurrent MYC an BCL2 abnormalities other than translocations
Literature	GENERIF_SUMMARY	c-myc is upregulated in hepatocellular carcinoma by PGE2.
Literature	GENERIF_SUMMARY	B-cell lymphomas with translocations involving MYC and BCL6 hav morphologic and immunophenotypic features suggestive of Burkit lymphoma or gray zone lymphoma, and they tend to be diagnosed in women, often in extranodal locations.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	These results suggest that deregulation of MYC plays an importan in the pathogenesis of B-cell prolymphocytic leukemia and expand spectrum of B-cell neoplasms associated with aberrations of MYC
Literature	GENERIF_SUMMARY	show that physiologic upregulation of c-Myc can lead to cellular proliferation without DNA replication stress
Literature	GENERIF_SUMMARY	c-Myc over-expression in leukemic cells induced resistance to chemotherapeutic drugs, enhanced colony formation capacity and inhibited cell differentiation induced by all-trans retinoic acid.
Literature	GENERIF_SUMMARY	Myc inhibition is effective against glioma and reveals a role for My proficient mitosis.
Literature	GENERIF_SUMMARY	C-myc, the downstream target gene of beta-catenin, plays an impo role in regulating cisplatin resistance in A549/DDP cells.
Literature	GENERIF_SUMMARY	the high sensitivity of leukemia cells to HQ17(3) may be associate the reduction of topo IIalpha and c-Myc activities, as well as with t downregulation of the miR-17-92 cluster expression.
Literature	GENERIF_SUMMARY	The studies demonstrated that c-Myc/Max functioned in maintaini chromatin-dependent repression of the hTERT gene in addition to activating its promoter.
Literature	GENERIF_SUMMARY	Our findings may be helpful in exploring the underlying mechanism CML and provide useful information in cancer treatment.
Literature	GENERIF_SUMMARY	MYC as a master regulator during hepatocarcinogenesis.
Literature	GENERIF_SUMMARY	PIWIL2 modulates tumor cell proliferation and F-actin filaments by interacting with NME2 and regulating c-Myc expression.
Literature	GENERIF_SUMMARY	identify a new long range-acting MYC enhancer controlled by NOTC that is targeted by recurrent chromosomal duplications in T cell ac lymphoblastic leukemia
Literature	GENERIF_SUMMARY	This study highlights that the gain of MYC and TP53 copies seems a frequent finding in gallbladder cancer.
Literature	GENERIF_SUMMARY	Data show that 2-deoxy-d-glucose (2-DG) combined with methylprednisolone synergistically inhibited cell proliferation, indu cell apoptosis and cell cycle arrest via down-regulation of hypoxia inducible factor 1 alpha subunit (HIF-1alpha) and c-MYC proten.
Literature	GENERIF_SUMMARY	Data suggest that Hhex is a novel regulator of c-Myc function that c-Myc activity in transformed cells.
Literature	GENERIF_SUMMARY	Immunoblastic variant of diffuse large B-cell lymphoma are geneti characterized by frequent MYC-IGH translocations.
Literature	GENERIF_SUMMARY	Hypofractionated radiotherapy enhances p53 gene transcription ar protein expression, while c-Myc protein is downregulated.
Literature	GENERIF_SUMMARY	Transcriptional activation by MYC in colon cancer cells requires th continuous degradation of MIZ1.
Literature	GENERIF_SUMMARY	The poor prognostic marker, CD44, was among the upregulated ge MYC translocations occurred as secondary abnormalities, present subclones in one-half of the cases.
Literature	GENERIF_SUMMARY	JQ1 potently abrogates c-Myc expression in MCC cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	these results identify a c-MYC-related network that enhances SIRT protein expression in human FLT3-internal tandem duplication acu myeloid leukemia leukemia stem cells.
Literature	GENERIF_SUMMARY	A Myc-Aurka feedback loop.
Literature	GENERIF_SUMMARY	Data indicate that combined analyses of genetic aberrations and p expression of neoplasm proteins MYC, BCL2 and TP53 identified a proportion of diffuse large B-cell lymphomas patients with poor ou
Literature	GENERIF_SUMMARY	USP37 is significantly upregulated in human lung cancer tissues, w its expression is positively correlated with c-Myc protein expressio
Literature	GENERIF_SUMMARY	a higher proportion of copy number alteration (CNA) at 8q24 (MYC and the available evidence supporting the role of MYC in the proce cancer metastases is conflicting, MYC status was determined in ti microarray sections
Literature	GENERIF_SUMMARY	iM formation from a C-rich strand from the promoter of the human gene.
Literature	GENERIF_SUMMARY	Data indicate that the rates of BCL6 gene rearrangement, P53 gene deletion and MYC rearrangement were 21.5% (14/65), 35.4% (23/6 7.7% (5/65), respectively.
Literature	GENERIF_SUMMARY	Report frequent MYC gains in T-cell prolymphocytic leukemia with cutaneous involvement.
Literature	GENERIF_SUMMARY	Intracellular NOTCH1 and NOTCH2, by inducing MYC, suppressed miR-30a in B- and T-cell malignancies.
Literature	GENERIF_SUMMARY	Importantly, the AKT1/MYC status was independent of Gleason gra and pathologic staging. Our findings show how prostate tumors un a metabolic reprogramming that reflects their molecular phenotype
Literature	GENERIF_SUMMARY	C-MYC overexpression may play an important role in aggressive transformation and is an independent prognostic factor in MALT lymphoma.
Literature	GENERIF_SUMMARY	anaplastic large cell lymphomas are dependent on IRF4 and MYC signaling
Literature	GENERIF_SUMMARY	A distal enhancer at >1 Mb 3' of human Myc binds Notch transcript complexes and physically interacts with the Myc proximal promote Changes in Notch activation change H3K27 acetylation across the enhancer correlating with Myc expression.
Literature	GENERIF_SUMMARY	the ETV6/ARG oncoprotein contributes to autonomous cell growth compensating for the requirement of growth factor through activat STAT5 signaling, which leads to the up-regulation of c-Myc.
Literature	GENERIF_SUMMARY	IGH/MYC and IGH/BCL2 double hit translocations are associated w plasma cell leukemia.
Literature	GENERIF_SUMMARY	GP130 signaling collaborated with MYC to induce MM and was responsible and sufficient for directing the plasma cell phenotype.
Literature	GENERIF_SUMMARY	STK33 plays an essential role in hepatocellular proliferation and liv tumorigenesis. STK33 may bind directly to c-Myc and increase its transcriptional activity.
Literature	GENERIF_SUMMARY	PCTK1 in the proliferation and survival of medulloblastoma charac

Main Category	Category	Terms
		by cMYC amplification
Literature	GENERIF_SUMMARY	MYC amplification by CISH was identified in 9% of SCLCs, and corr with protein expression. As novel Myc-targeted therapies are devel CISH and IHC should be considered as biomarkers of Myc pathway dysregulation in SCLC.
Literature	GENERIF_SUMMARY	The synergy of Aurora B inhibitor with cisplatin is dependent on c-M expression.
Literature	GENERIF_SUMMARY	Data indicate that proto-oncogene protein cMyc is required for PCA mediated cell proliferation.
Literature	GENERIF_SUMMARY	human cellular models with inducible expression of c-Myc and H-R (Ras), two commonly deregulated oncoproteins operating in a functionally connected signaling network, is reported.
Literature	GENERIF_SUMMARY	MYC loss-of-function alters multiple biological processes during adipogenesis.
Literature	GENERIF_SUMMARY	human dental pulp cells from deciduous and permanent teeth can undergo reprogramming to establish pluripotent stem cell lines wit Myc
Literature	GENERIF_SUMMARY	MSCs protected leukemia cells from apoptosis, at least in part, thr Myc dependent mechanisms, and that c-Myc contributed to microenvironment-mediated drug resistance in AML.
Literature	GENERIF_SUMMARY	Putative novel MYC interactors include components of the STAGA/ and SWI/SNF chromatin remodeling complexes
Literature	GENERIF_SUMMARY	Data indicate that dihydroindolizino indole derivative reduced c-MY expression and brings down cancer cell proliferation in cancer cell
Literature	GENERIF_SUMMARY	Multi-walled carbon nanotubes may act on c-Myc to down-regulate ABCB1/ABCC4 expression.
Literature	GENERIF_SUMMARY	Variable expression of MYC distinguishes Burkitt lymphoma from large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Author demonstrate that both N-Myc and c-Myc proteins can bind activate the TWIST1 promoter and propose TWIST1 as a direct MY transcriptional target.
Literature	GENERIF_SUMMARY	The level of Myc binding at target genes and the transcriptional ou are differentially modulated by additional regulators, including Miz [review]
Literature	GENERIF_SUMMARY	MYC expression and other immunophenotypic markers used for prognostication of systemic DLBCL might not apply to CNS DLBCL differences in disease biology.
Literature	GENERIF_SUMMARY	The data are consistent with the rs4487645-CDCA7L loci being responsible for the chromosome 7p11.2 association with multiple myeloma risk, probably exerting its effects through an extended pa involving IRF4 and MYC.
Literature	GENERIF_SUMMARY	Overexpression of GYS1, MIF, and MYC is associated with adverse outcome and poor response to azacitidine in myelodysplastic syn and acute myeloid leukemia
Literature	GENERIF_SUMMARY	the synthetic lethality between PRKDC and MYC may in part be du

Main Category	Category	Terms
		PRKDC dependent modulation of MYC expression, as well as MYC induced DNA damage where PRKDC plays a key role in DNA dama repair.
Literature	GENERIF_SUMMARY	By being a coactivator for both c-Myc and AR, PCGEM1 reprogram androgen network and the central metabolism in a tumor-specific making it a promising target for therapeutic intervention.
Literature	GENERIF_SUMMARY	DEC2 participates in hypoxia-induced cell proliferation by functioni a target gene of the PI3K/Akt signaling pathway and regulating the expression of c-Myc.
Literature	GENERIF_SUMMARY	Data show that p32 hyaluronan binding protein (p32) is a direct transcriptional target of oncogene Myc and that high level of Myc i malignant brain cancers correlates with high expression of p32.
Literature	GENERIF_SUMMARY	data identify c-MYC as a radiosensitive locus, implicating this onco transcription factor in the aetiology of radiogenic breast cancer
Literature	GENERIF_SUMMARY	Findings identify P53-MYC interactions at medulloblastoma relaps biomarkers of clinically aggressive disease.
Literature	GENERIF_SUMMARY	Data indicate that proto-oncogene c-MYC is necessary and sufficie confer resistance to everolimus.
Literature	GENERIF_SUMMARY	These findings indicate that the oncogenic function of c-Myc in pro cancer cells is regulated by 5-Lox activity, revealing a novel mecha of 5-Lox action
Literature	GENERIF_SUMMARY	Results show that SORT1 and MYC SNPs were associated with inc coronary heart disease in African American individuals. We also pr evidence for fine-mapping at this locus, and identified an array wid association for a SNP in MYC.
Literature	GENERIF_SUMMARY	Data indicate that ribosomal protein (L11) promotes the recruitme microRNA-130a (miR-130a) to oncoprotein c-Myc in response to U irradiation treatment.
Literature	GENERIF_SUMMARY	c-MYC-acetylation is required for the cooperation between p30(II) a MYC which promotes proviral replication and contribute to HTLV-1 induced carcinogenesis.
Literature	GENERIF_SUMMARY	MYC protein expression is not necessarily correlated with MYC ger rearrangements in lymphomas.
Literature	GENERIF_SUMMARY	Data suggests a determinant role of additional, possibly differentia specific factors in the activity of MYC-bound lncRNA promoters.
Literature	GENERIF_SUMMARY	This study therefore implicates c-Myc as a potential regulator of th cancer-promoting effects of equol via up-regulation of eIF4GI and selective initiation of translation on mRNAs that utilize non-canoni initiation, including certain oncogenes
Literature	GENERIF_SUMMARY	these results reveal c-MYC exerts suppressive effects at several cr checkpoints in Ag presentation, which contribute to the immunoev properties of B cell lymphomas
Literature	GENERIF_SUMMARY	Results suggest that WT1 and c-MYC expression is important for s in KRAS mutant tumors as opposed to KRAS wild-type non-small c tumors.
Literature	GENERIF_SUMMARY	Recurrent amplification of MYC and TNFRSF11B in 8q24 is associa

Main Category	Category	Terms
		with poor survival in patients with gastric cancer.
Literature	GENERIF_SUMMARY	Elevated levels of c-Myc in the P493-6 cell model of Burkitt's lymph results in an increase of the total level of RNA.
Literature	GENERIF_SUMMARY	Boolean probability approaches identified MYC expression as pote affecting liposarcoma signaling networks and cancer outcome. A l panel of lipomatous tumors revealed that MYC protein expression correlated with patient survival.
Literature	GENERIF_SUMMARY	The suppression of c-Myc resulted in reduced cell growth, colony formation, and cell cycle progression in 5-8F nasopharyngeal carci cells.
Literature	GENERIF_SUMMARY	Propose TPX2 and AURKA as novel co-regulators on the MYC path colorectal neoplasms.
Literature	GENERIF_SUMMARY	let-7b decreases drug resistance in gastric cancer cells by downregulating c-Myc. Cancer stem cell differentiation involves do negative autoregulatory loops (Lin28/let-7 and Myc/let-7) and a do positive autoregulatory loop (Lin28/Lin28B/Myc).
Literature	GENERIF_SUMMARY	Knockdown of MondoA, or its dimerization partner Mlx, blocks My induced reprogramming of multiple metabolic pathways, resulting apoptosis
Literature	GENERIF_SUMMARY	These results indicate that a dynamic interplay of TCF transcriptio factors governs MYC gene expression in colorectal cancers.
Literature	GENERIF_SUMMARY	Findings suggest that the regulation of c-Myc in breast cancer cell dependent on the molecular subtype, and that beta-catenin-mediat regulation of c-Myc and p21 may control the balance of cell death proliferation in breast cancer.
Literature	GENERIF_SUMMARY	Results provide novel regulatory mechanisms in MYC function thro lncRNAs and new potential lncRNA targets of colorectal cancer.
Literature	GENERIF_SUMMARY	Results establish that FBXW7 down-regulation is synthetic lethal w MYC, and that MYC is a critical target of FBXW7 in breast epithelia
Literature	GENERIF_SUMMARY	Data show that tylophorine compounds exert anti-cancer activity predominantly by targeting and sequestering the caprin-1 protein a Myc mRNA associated ribonucleoprotein complex.
Literature	GENERIF_SUMMARY	Myc translocation is associated with lymphomagenesis.
Literature	GENERIF_SUMMARY	c-MYC expression is up-regulated through the cross-talk between E HER2 in aromatase inhibitor resistant breast cancer cells.
Literature	GENERIF_SUMMARY	c-MYC confers resistance to 5-fluorouracil through regulating ABC expression in human colon cancer cells.
Literature	GENERIF_SUMMARY	Data indicate that long noncoding RNAs (lncRNAs) are a main component of the transcription factor c-Myc transcriptional netwo
Literature	GENERIF_SUMMARY	INZ(c) treatment decreased c-Myc expression at both mRNA and p level, and suppressed c-Myc transcriptional activity in human Burk lymphoma Raji cells with mutant p53.
Literature	GENERIF_SUMMARY	progressive increase in the intensity of expression from chronic he to cirrhosis to hepatocellular carcinoma in Egyptian patients

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Demonstrate regulation of global gene expression by MYC oncopr liver stem cells to generate liver tumors.
Literature	GENERIF_SUMMARY	Data suggest that down-regulation of MYC expression may have beneficial effect on health and survival to old age. [REVIEW]
Literature	GENERIF_SUMMARY	Results suggest the potential for therapeutic application of Aurora B inhibitors in the treatment of MYC overexpressing medulloblasto
Literature	GENERIF_SUMMARY	MYC+/BCL-2+ primary gastrointestinal diffuse large B-cell lympho patients have worse chemotherapy response and poorer prognosis patients who only express one of the two proteins.
Literature	GENERIF_SUMMARY	These results suggest that low dose erlotinib-cisplatin combinatio exhibits its anti-tumor activity by targeting angiogenesis through th modulation of the c-MYC/HIF-1alpha/VEGF pathway in NSCLC with exon 19 deletions.
Literature	GENERIF_SUMMARY	Data indicate that high MYC protein levels abnormally delay resolu DNA lesions.
Literature	GENERIF_SUMMARY	These findings provide new insights that SirT1 has a profound role regulating RIBE where a c-Myc-dependent release of ROS may be involved.
Literature	GENERIF_SUMMARY	USP36 is a crucial and bono fide deubiquitinating enzyme controlli Myc's nucleolar degradation pathway
Literature	GENERIF_SUMMARY	Comparative gene expression analysis suggested that a multitude genes involved in the innate immune response were expressed in p19ARF wild-type, but not null, tumors upon MYC inactivation.
Literature	GENERIF_SUMMARY	We further uncovered that phosphoserine phosphatase (PSPH), th rate-limiting enzyme of the SSP pathway, is critical for cMyc-driven cancer progression both in vitro and in vivo
Literature	GENERIF_SUMMARY	Our results confirm MYC as frequently amplified in early-stage non cell lung cancer
Literature	GENERIF_SUMMARY	the JQ1-resistant cells remain dependent on c-MYC that now beco co-regulated by high levels of GLI2.
Literature	GENERIF_SUMMARY	luteolin and apigenin increased telomerase activity, maintained DP presenescent state, and activated the expression of Oct-4, Sox2, a Myc at a dose- and time-dependent pattern in DPCs even at late passages, albeit repressed differentiation
Literature	GENERIF_SUMMARY	Data show that a small molecule inhibitor of the MYC transcription can be an effective anticancer agent when delivered using a integr alphavbeta3 and VLA-4-targeted nanotherapy approach.
Literature	GENERIF_SUMMARY	Isolated MYC cytogenetic abnormalities in diffuse large B-cell lym do not predict an adverse clinical outcome
Literature	GENERIF_SUMMARY	Although immunohistochemical assessment for MYC and BCL2 m helpful initial screen to identify higher-risk patients, FISH analysis f MYC remains important for further risk stratification in patients wi diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Triple hit B-cell lymphoma with MYC, BCL2, and BCL6 translocatio rearrangements are clinically aggressive tumors associated with a prognosis.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	In the context of tyrosine kinase-activated leukemias, c-MYC contr to aberrant DNA repair through downstream targets LIG3 and PARI regulation.
Literature	GENERIF_SUMMARY	Our data identify IL6 detection as a potential causal biomarker for driven metastasis after loss of PTEN and p53.
Literature	GENERIF_SUMMARY	c-myc may play an important role in antineoplastic drug sensitivity melanoma.
Literature	GENERIF_SUMMARY	primary tumors were significantly more diffusely positive for c-myc metastatic tumors (p = 0.011)
Literature	GENERIF_SUMMARY	Although MYC is a valuable ancillary tool in distinguishing angiosarcomas from atypical vascular lesions , FLT4 immunohistochemistry may be used to screen for patients with FL gene amplification
Literature	GENERIF_SUMMARY	data suggest that loss of the p53 tumor suppressor cooperates wi Mychigh/TXNIPlow-driven metabolic dysregulation to drive the aggressive clinical behavior of TNBC.
Literature	GENERIF_SUMMARY	the mRNA of c-myc were increased by bile acids in acidified media not at a pH of 7.0 . Importantly, pharmacologic inhibition of c-myc 10058-F4 prevented hTERT induction by DCA or CDCA in gastric ca cells under acidic conditions
Literature	GENERIF_SUMMARY	We confirmed that these dimeric inhibitors directly bind to Myc blo its interaction with Max and affect transcription of MYC dependent genes.
Literature	GENERIF_SUMMARY	a link between MYC and mTOR-independent eIF4E contribute to th resistance to everolimus in SCLC cells. Control of the MYC-eIF4E a may be a novel therapeutic strategy for everolimus action in small lung cancer
Literature	GENERIF_SUMMARY	This study provides some compelling evidences in support of HBx elicited and c-Myc-mediated increase in UBF levels that abets onco onslaught in hepatic cells by increasing rDNA transcription and rib biogenesis.
Literature	GENERIF_SUMMARY	ERK/MSK/Sp1/c-Myc axis functioned as a critical regulator of surv expression.
Literature	GENERIF_SUMMARY	SCP1 regulates c-Myc stability and functions through dephosphory c-Myc Serine-62.
Literature	GENERIF_SUMMARY	Our findings show that MYC amplification is a highly specific but p sensitive marker for SAS and, therefore, a negative result does not exclude the diagnosis of angiosarcoma.
Literature	GENERIF_SUMMARY	c-Myc is targeted to the proteasome for degradation in a SUMOyla dependent manner, regulated by PIAS1, SENP7 and RNF4
Literature	GENERIF_SUMMARY	high levels of Myc engage Miz1 in repressive DNA binding complex and suppress an SRF-dependent transcriptional program that supp survival of epithelial cells.
Literature	GENERIF_SUMMARY	the expression of WNT4, a Wnt ligand, and three targets of Wnt-ss- catenin transcription activation, namely, MMP7, cyclinD1 (CD1) an MYC in 141 penile tissue cores from 101 unique samples, were investigated.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	expression of OCT4, SOX2, KLF4 and MYC (OSKM) induced pluripo stem cell differentiation
Literature	GENERIF_SUMMARY	Results show that Myc expression is up-regulated in esophageal squamous cell carcinoma and inversely correlates with mir-1294 expression. Also, in vitro studies show that MIR-1294 suppresses c expression by direct targeting its 3'UTR.
Literature	GENERIF_SUMMARY	Data suggest that ubiquitin thioesterase 7 (HAUSP) may act as an oncogenic protein that can modulate c-MYC protein expression via transformation-transcription domain-associated protein (TRRAP).
Literature	GENERIF_SUMMARY	Here we show that an enhancer proximal to the c-Myc promoter is enriched in H3K27Ac and associated with high occupancy of BRD4 coincides with a putative c-Myc super-enhancer in MCC cells.
Literature	GENERIF_SUMMARY	FBXO32 targets Lys-326 of c-Myc to form polyubiquitin chains, res in inhibition of cell proliferation.
Literature	GENERIF_SUMMARY	Demonstrate an association between nuclear C-MYC immunostain and TMPRSS2-ERG status in prostate cancer.
Literature	GENERIF_SUMMARY	These data provide evidence for oncogenic properties of Scribble i driven B-cell lymphomagenesis, reinforcing recent findings that overexpression of a mutant form of Scribble can act as an oncoge epithelial cells
Literature	GENERIF_SUMMARY	a structural rationalization for the enhanced thermal stability of the MYC22-G14T/G23T G-quadruplex.
Literature	GENERIF_SUMMARY	Increased c-myc is associated with invasiveness in Non-small Cell Cancer.
Literature	GENERIF_SUMMARY	Authors identified the MYC-repressed gene GADD45A as a target g the MYC-repressed MYCLos such as MYCLo-4 and MYCLo-6.
Literature	GENERIF_SUMMARY	high MYC protein expression was associated with lower overall su in patients with primary diffuse large B-cell lymphoma of the centra nervous system
Literature	GENERIF_SUMMARY	DLBCL with BCL2 and c-MYC rearrangement of the subgroups of lymphoma is associated with very poor survival
Literature	GENERIF_SUMMARY	MUC16 knockdown leads to inhibition of mTOR activity and reduce expression of its downstream target c-MYC, a key player in cellular growth, proliferation and metabolism.
Literature	GENERIF_SUMMARY	c-Myc protein functions in the process of DNA double-strand break at least partially, through affecting the ATM phosphorylation and D PKcs kinase activity.
Literature	GENERIF_SUMMARY	NF-kappaB2/p52
Literature	GENERIF_SUMMARY	Is it only about MYC? How to approach the diagnosis of diffuse lar cell lymphomas
Literature	GENERIF_SUMMARY	the expression of SRC-1 was positively correlated with PCNA expre in human HCC specimens, and the expression levels of c-Myc in SI positive HCC specimens were higher than in SRC-1-negative
Literature	GENERIF_SUMMARY	Essential for MYC expreession increase upon CDK9 inhibition is th bromodomain protein BRD4 captures P-TEFb from 7SK snRNP to c

Main Category	Category	Terms
		to target genes and also enhances CDK9's activity and resistance t inhibition.
Literature	GENERIF_SUMMARY	Elevated levels of MYC in primary myeloma cells have been reporte arise from complex genetic aberrations and are more common tha previously thought. Thus, elevated MYC expression is achieved dif in myeloma cell lines and primary cells.
Literature	GENERIF_SUMMARY	Triptolide may suppress HIF1alpha through a cMycdependent mechanism in pancreatic cancer.
Literature	GENERIF_SUMMARY	MYC is a key regulating factor for the control of ITGA1 expression colorectal cancer.
Literature	GENERIF_SUMMARY	Findings indicate that IL7 receptor (IL7R) and c-myc expression as intrinsic biomarkers that can predict the fate of CD8+ T effector ce after adoptive transfer.
Literature	GENERIF_SUMMARY	Prediction model based on the marker MYC determines progressio in non-dysplastic Barrett's esophagus.
Literature	GENERIF_SUMMARY	SATB1 is overexpressed in pancreatic cancer, promoting cancer ce proliferation and invasion through the activation of MYC.
Literature	GENERIF_SUMMARY	protein pairs significantly correlated with an increased risk of deat non-small cell lung cancer
Literature	GENERIF_SUMMARY	This review will focus on mechanisms that contribute to deregulat MYC expression in pancreatic carcinogenesis and progression and summarize novel biological findings from recent in vivo models. [re
Literature	GENERIF_SUMMARY	The anti-PEL effects of IMiDs involved cereblon-dependent suppre of IRF4 and rapid degradation of IKZF1, but not IKZF3. Small hairpi mediated knockdown of MYC enhanced the cytotoxicity of IMiDs
Literature	GENERIF_SUMMARY	Targeting Myc and let-7a may provide a selective mechanism for th deregulation of glucose metabolic pathways in glioma cells. (Revie
Literature	GENERIF_SUMMARY	Data indicate that diffuse large B-cell lymphoma (DLBCL) patients proto-oncogene proteins MYC or BCL2 copy number aberration (CN constituted a unique group with extremely poor outcome and may more aggressive treatment regimens.
Literature	GENERIF_SUMMARY	epigenetic regulation of key transcription factor MYC through LSD1 governs transitions between tumorigenic states and provides a framework for glioblastoma therapeutic development
Literature	GENERIF_SUMMARY	HSP60 overexpression increases the protein levels of the p110alph subunit of phosphoinositide 3-kinase and c-Myc
Literature	GENERIF_SUMMARY	E2F1 transcripts and miR-17-5p were significantly downregulated v Myc and MxA transcripts were significantly upregulated in SLE.
Literature	GENERIF_SUMMARY	Data show that Myc sensitizes cancer cells to mitotic blockers and agents that accelerate mitotic progression by regulating the expres of an apoptotic network.
Literature	GENERIF_SUMMARY	Bag-1 indirectly affects cell survival through c-Myc activated signa that causes elevation of ornithine decarboxylase
Literature	GENERIF_SUMMARY	we describe a regulatory pathway modulating BCR and BCR/ABL1 expression, showing that the BCR promoter is under the transcripti

Main Category	Category	Terms
		control of the MYC/MAX heterodimer.
Literature	GENERIF_SUMMARY	Increased expression of c-myc is associated with glioblastoma.
Literature	GENERIF_SUMMARY	the epithelial expression of MYC was significantly enhanced in ect endometrium compared to eutopic tissues
Literature	GENERIF_SUMMARY	required for formation of DOT1L-containing transcriptional active complex and recognition of DOT1L on epithelial-mesenchymal tran transcription factors in regulation of breast cancer stem cell activi
Literature	GENERIF_SUMMARY	The amplification of c-MYC, MLL and RUNX1 genes is related to th progressive changes of the karyotype in patients with AML and MD trisomy 8, 11 and 21 in bone marrow, and is a part of the clonal evo
Literature	GENERIF_SUMMARY	The ADCY7 deficiency resulted in decreased cell growth, elevated apoptosis, and lower c-Myc expression in cultured leukemia cells obtained from acute myeloid leukemia patients.
Literature	GENERIF_SUMMARY	c-MYC protein levels were higher in cisplatin-resistant cells when compared with their cisplatin-sensitive counterparts.
Literature	GENERIF_SUMMARY	Tumor infiltrating neutrophils modulate AR/c-Myc signals to promo renal carcinoma cell proliferation.
Literature	GENERIF_SUMMARY	A dynamic alteration in TERT promoter occupancy by Snail and c-M the mechanistic basis for TGF-beta-mediated regulation of TERT.
Literature	GENERIF_SUMMARY	In this review, we highlight recent progress in how these lncRNAs participate in control of MYC levels in normal and tumor cells.
Literature	GENERIF_SUMMARY	Case Reports
Literature	GENERIF_SUMMARY	Case Report
Literature	GENERIF_SUMMARY	a critical role for JMJD1A in regulating proliferation and survival of prostate cancer cells by controlling c-Myc expression at transcripti and post-translational levels
Literature	GENERIF_SUMMARY	Mechanistic studies indicated that PAF1C could promote lung can proliferation through regulating c-MYC transcription.
Literature	GENERIF_SUMMARY	The results do not support our hypothesis that common germline g variants in the MYC genes is associated with the risk of developing medulloblastoma.
Literature	GENERIF_SUMMARY	Immunohistochemistry for MYC testing in aggressive B-cell lymph can be used for screening cases, which require further confirmator testing.
Literature	GENERIF_SUMMARY	HPV[human papillomavirus] integration and c-MYC gene amplifica detected by FISH could be an important biomarker for use in clinic practice to determine SIL [squamous intraepithelial lesions] with a progression.
Literature	GENERIF_SUMMARY	NDRG2 functions as an essential regulator in glycolysis and glutaminolysis via repression of c-Myc, and acts as a suppressor c carcinogenesis.
Literature	GENERIF_SUMMARY	Data show that proto-oncogene protein c-myc is upregulated by sumoylated heterogeneous nuclear ribonucleoprotein K (hnRNP K) translational level in Burkitt's lymphoma cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Up-regulation of SIRT3 in prostate cancer suppressed the phosphorylation of Akt, leading to the ubiquitination and degradati oncoprotein c-MYC.
Literature	GENERIF_SUMMARY	Data (including data from studies using transgenic mice) suggest deregulated Myc pathway (due to weak IgH Calpha Myc allele) anc latency locus of KSHV (Kaposi sarcoma-associated herpesvirus) cooperate to further B-cell lymphoma progression.
Literature	GENERIF_SUMMARY	data suggest that oncogenic MYC confers a collateral stress on sp and so components of the spliceosome may be therapeutic entry p for aggressive MYC-driven cancers
Literature	GENERIF_SUMMARY	MiR-34a suppresses trophoblast invasion by directly targeting MYC
Literature	GENERIF_SUMMARY	CD30 expression was not associated with prognosis in our cohort novoDLBCL, including in patients who received aggressive chemotherapy. CD30 expression and MYC rearrangement were mu exclusive in de novoDLBCL.
Literature	GENERIF_SUMMARY	Suppression of MYC and subsequent increase of PGC-1alpha were identified as key determinants for the OXPHOS dependency of CSC which was abolished in resistant CSC clones.
Literature	GENERIF_SUMMARY	Target gene recognition by MYC depends on its interaction with W This interaction could create an avidity-based chromatin recognitic mechanism allowing MYC to select its target genes in response to genetic and epigenetic determinants. Review.
Literature	GENERIF_SUMMARY	we demonstrate that patients with relapsed/refractory aggressive lymphoma and dual expression of MYC and BCL2 had particularly prognoses when treated uniformly with salvage chemotherapy, independently of other known risk factors.
Literature	GENERIF_SUMMARY	Loss of OTX2 expression resulted in decreased expression of C-M CRX, genes previously implicated in retinoblastoma tumorigenesis of OTX2 expression increased the phosphorylation of RB, a potenti mechanism of modulating cell proliferation
Literature	GENERIF_SUMMARY	c-myc is involved in the formation of ovarian borderline mucinous cystadenoma and mucinous cystadenocarcinoma.
Literature	GENERIF_SUMMARY	these findings confirm that over-expression of BCL2 and MYC prot IHC in DLBCL is associated with a poor prognosis in R-CHOP-treat patients.
Literature	GENERIF_SUMMARY	c-MYC Copy-Number Gain Is associated with Colorectal Cancer.
Literature	GENERIF_SUMMARY	High-grade B-cell lymphoma with MYC rearrangement and without BCL6 rearrangements is associated with high P53 expression and prognosis.
Literature	GENERIF_SUMMARY	MYC translocation-positive and MYC translocation-negative Burkit lymphoma cases are slightly different in terms of microRNA and g expression.
Literature	GENERIF_SUMMARY	Celastrol and some of its quinone methidecontaining analogs dire inhibit c-Myc-Max heterodimers in tumor cells.
Literature	GENERIF_SUMMARY	miR-342-3p is capable of indirectly regulating MYC activity via dire repression of E2F1.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	miR-320b suppresses cell proliferation by targeting c-Myc in huma colorectal cancer cells
Literature	GENERIF_SUMMARY	FUBP1 may potentially stimulate c-Myc expression in ESCC and its expression may promote esophageal squamous cell carcinoma progression.
Literature	GENERIF_SUMMARY	B-cell receptor stimulation promotes mRNA translation in chronic lymphocytic leukemia cells, including of the oncoprotein, MYC.
Literature	GENERIF_SUMMARY	The tryptophan metabolite picolinic acid suppresses proliferation a metabolic activity of CD4+ T cells and inhibits c-Myc activation.
Literature	GENERIF_SUMMARY	NFATC1 promoteds growth of ovarian cancer cells up-regulating c- through activation of ERK1/2/p38/MAPK signal pathway.
Literature	GENERIF_SUMMARY	MicoRNA-451 is a novel tumor suppressor via targeting c-myc in h and neck squamous cell carcinomas
Literature	GENERIF_SUMMARY	analysis of molecular interactions between c-Myc and various well known inflammatory mediators in Chronic Liver Diseases[review]
Literature	GENERIF_SUMMARY	C-MYC amplification in gastric cancer is correlated with survival in advanced stages and deeply invasive stomach cancer.
Literature	GENERIF_SUMMARY	Data confirmed the validity of the RC cell line as a representative m of proto-oncogene proteins MYC/BCL2 double-hit diffuse large B c lymphoma.
Literature	GENERIF_SUMMARY	Data show that overexpression of c-myc proto-oncogene protein c prevent the metabolic shift induced by pituitary tumor-transformin (PTTG) knockwown.
Literature	GENERIF_SUMMARY	Data indicate an oncogenic role for an Ikaros protein/MYCBP2 pro proto-oncogene protein c-MYC axis in adult acute lymphoblastic leukemia (ALL), providing a mechanism of target therapies that ac Ikaros in ALL.
Literature	GENERIF_SUMMARY	Data indicate that the presence of a myc proto-oncogene protein (but not bcl-2 proto-oncogene protein (BCL2) abnormality predicted poor survival of MCL patients.
Literature	GENERIF_SUMMARY	Data show that Myc boxes (MbIV) is required for the association o with the abundant transcriptional coregulator host cell factor-1 (HC
Literature	GENERIF_SUMMARY	SOX2 and SOX2-MYC Reprogramming Process of Fibroblasts to th Neural Stem Cells Compromised by Senescence.
Literature	GENERIF_SUMMARY	detected coordination between regulation of transcription and tran upon modulation of Myc activity and showed connection of these responses to mTOR signaling to enhance oncogenic transformatic to the TGFbeta pathway to modulate cell migration and invasivene
Literature	GENERIF_SUMMARY	our data indicated that there is a regulatory feedback loop betwee miR-17-5p and c-Myc, in which miR-17-5p could suppress some of distinguishing features, invasion, and metastasis, of oncogenic c-M HCC cells, and meanwhile, miR-17-5p is upregulated by c-Myc role transcription factor, although further studies are still needed
Literature	GENERIF_SUMMARY	Study provides evidence for expression and stable accumulation o four proteins (mrtl, MycHex1, p64 and p67 Myc) encoded by three overlapping reading frames from within the human c-myc locus.

Main Category	Category	Terms
		Endogenous mrtl and MycHex1 exhibit distinct intracellular distrib patterns consistent with a role for mrtl in translational regulation a possible relationship between MycHex1 and DNA replication.
Literature	GENERIF_SUMMARY	Data show that combined MYC activation and Pten loss driven by t Hoxb13 regulatory locus synergize to induce genomic instability ar aggressive prostate cancer that phenocopies the human disease a histologic and genomic levels.
Literature	GENERIF_SUMMARY	study showed that De novo MYCyBCL2 double-hit BCP-ALL is a rar disease that also occurs in pediatric and young adult patients and associated with complex karyotypes and poor prognosis. Younger patients may benefit from intensified chemotherapy.
Literature	GENERIF_SUMMARY	Here, the authors report that the human adenovirus 5 E1A N-termir region also interacted with the cellular proto-oncoprotein c-MYC ar homolog of enhancer of yellow 2 (ENY2).
Literature	GENERIF_SUMMARY	Data show that Omomyc protein co-localized with proto-oncogene protein c-myc (c-Myc), protein arginine methyltransferase 5 (PRMT histone H4 H4R3me2s-enriched chromatin domains.
Literature	GENERIF_SUMMARY	Non-Hodgkin lymphomas with MYC+/BCL2+/BCL6- gene rearrange was more likely to have a non-germinal center cell of origin than M BCL2-/BCL6+ and MYC+/BCL2+/BCL6+ lymphomas.
Literature	GENERIF_SUMMARY	findings further support the importance of MYC in CLL/SLL and th hypothesis that upstream mediators of MYC protein expression, ra than intrinsic abnormalities of the MYC gene, are responsible for it expression in proliferation centers
Literature	GENERIF_SUMMARY	diffuse large B-cell lymphoma patients with either MYC/BCL6 rearrangements or MYC/BCL6 co-expression did not always have p prognosis
Literature	GENERIF_SUMMARY	the present study clearly demonstrates that silencing ABCB1, but r myc, led to a considerable enhancement of chemosensitivity in He Dox cells, indicating the reversal of ABC transporter-mediated MDR
Literature	GENERIF_SUMMARY	inhibition of Ahnak can promote generation of induced pluripotent cells (iPSC) via up-regulation of endogenous c-Myc.
Literature	GENERIF_SUMMARY	The present meta-analysis suggests that the MYC rs9642880[T] al significantly associated with bladder cancer risk.
Literature	GENERIF_SUMMARY	a An unexpected role of Myc is in inducing glutamine synthesis an suggest a molecular connection between DNA demethylation and glutamine metabolism in Mycdriven cancers.
Literature	GENERIF_SUMMARY	Concomitant gain of 1q21 and MYC translocation define a poor prognostic subgroup of hyperdiploid multiple myeloma.
Literature	GENERIF_SUMMARY	There were differences in MUC1 and c-myc expression in benign a papillary thyroid carcinoma.
Literature	GENERIF_SUMMARY	Many exciting new small molecule inhibitors such as BCL-2 and M inhibitors are in development and are exciting for these diseases a attempts are underway to combine them with effective immunochemotherapy platforms.
Literature	GENERIF_SUMMARY	SerpinB3 indirectly increased the transcription of Myc through the induction of Yap pathway.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Knockdown of c-Myc inhibited colon cancer cell proliferation large through downregulating GCN5 transcription, which can be fully res by the ectopic GCN5 expression
Literature	GENERIF_SUMMARY	IDO, through GCN2 kinase activation, downregulates the levels of TCRcomplex tchain and cMyc, resulting in the suppression of Tcell proliferation and a reduction in the levels of LDHA and GLS2
Literature	GENERIF_SUMMARY	SMARCAL1 negatively regulates c-myc transcription by altering the conformation of its promoter region during differentiation.
Literature	GENERIF_SUMMARY	MYC-driven change in mitochondrial dynamics limits YAP/TAZ fun in mammary epithelial cells and breast neoplasms.
Literature	GENERIF_SUMMARY	directed mutagenesis revealed the importance of c-Myc binding si from -751 to -756 and -548 to -553 on the promoter of hPLSCR1in transcriptionally regulating the expression of hPLSCR1.
Literature	GENERIF_SUMMARY	Propose that degradation of MYC limits the accumulation of MYC/ complexes during transcriptional activation.
Literature	GENERIF_SUMMARY	c-Myc and heparanase expression was positively correlated with h levels, and was also an independent predictor of metastasis and s
Literature	GENERIF_SUMMARY	High expression of c-myc is associated with colorectal cancer.
Literature	GENERIF_SUMMARY	single or combined genomic alterations and survival in diffuse larg cell lymphomas
Literature	GENERIF_SUMMARY	Results support a model in which the HBXIP/Hotair/LSD1 complex serves as a critical effector of c-Myc in activating transcription of i target genes, illuminating long-standing questions on how c-Myc d carcinogenesis.
Literature	GENERIF_SUMMARY	Overexpression of c-Myc is associated with multiple myeloma.
Literature	GENERIF_SUMMARY	Report MYC genetic alterations in angiosarcomas.
Literature	GENERIF_SUMMARY	Cd-induced accumulation of c-Myc requires the activation of sever signaling pathways
Literature	GENERIF_SUMMARY	miR-23b/SP1/c-myc forms a feed-forward loop supporting multipl myeloma cell growth
Literature	GENERIF_SUMMARY	High myc expression is associated with multiple myeloma.
Literature	GENERIF_SUMMARY	MYC is an oncoprotein whose expression is deregulated in multipl human cancers, identifying its critical downstream activities in tum of key importance for designing effective therapeutic strategies. [F
Literature	GENERIF_SUMMARY	Identify of MLL-fusion/MYC dash, verticalmiR-26 dash, verticalTET signaling circuit in MLL-rearranged acute myeloid leukemia.
Literature	GENERIF_SUMMARY	beta2-adrenergic receptor signaling promotes pancreatic ductal adenocarcinoma progression by facilitating PCBP2-dependent c-m expression.
Literature	GENERIF_SUMMARY	Suggest that first line therapy for diffuse large B-cell lymphomas s be more specifically targeted against MYC and the genes and prot that are deregulated by MYC.
Literature	GENERIF_SUMMARY	LMWHA/RHAMM downstream signaling regulates fibrosarcoma c

Main Category	Category	Terms
		growth in a beta-catenin/c-myc dependent manner.
Literature	GENERIF_SUMMARY	Data show that expressions of histone deacetylase 6 protein (HDA and c-myc protein are increased in fibroblasts transformed with ac K-ras protein.
Literature	GENERIF_SUMMARY	when overexpressed, c-MYC is able to repress Per1 transactivation BMAL1/CLOCK via targeting selective E-box sequences. Important upon serum stimulation, MYC was detected in BMAL1 protein com
Literature	GENERIF_SUMMARY	our data highlight an important role for KLF2/c-myc pathway in HC development and progression.
Literature	GENERIF_SUMMARY	MYC expression resulted in poor overall survival in favourable and intermediate cytogenetic risk groups. However, MYC expression in unfavourable cytogenetic risk group exerted a protective effect.
Literature	GENERIF_SUMMARY	we uncovered pathogenic MYC mutations that appear restricted to myeloid leukemias with NUP98-NSD1 translocations
Literature	GENERIF_SUMMARY	The CCND1 genes were found very close to the IGH locus in naive and further away after maturation. In contrast, the CMYC alleles be localized closer to an IGH locus at the stage of SHM/CSR.
Literature	GENERIF_SUMMARY	we demonstrated that upregulation of suprabasin activated the Wn catenin signaling pathway and led to nuclear localization of b-cate upregulation of Cyclin D1 and c-Myc. Together, our results suggest suprabasin plays an important oncogenic role in promoting prolife and tumorigenesis of esophageal squamous cell carcinoma .
Literature	GENERIF_SUMMARY	Analysis of microarray data sets further demonstrated that MUC1 positively correlate with MYC expression in multiple myeloma progression
Literature	GENERIF_SUMMARY	MiR-494 has an anti-tumor role in Epithelial ovarian cancer via c-M
Literature	GENERIF_SUMMARY	We conclude that 8q24/MYC rearrangement in chronic lymphocyti leukemia is rare and often acquired during the course of disease
Literature	GENERIF_SUMMARY	Inhibition of mTORC1-mediated 4EBP1 phosphorylation leads to decreased expression of c-MYC and subsequent upregulation of th proapoptotic BCL2 family member PUMA, whereas inhibition of mT results in nuclear factor-kappaB-mediated expression of the Early Response 1 (EGR1) gene, which encodes a transcription factor tha and transactivates the proapoptotic BCL2L11 locus encoding BIM.
Literature	GENERIF_SUMMARY	Data indicate that miR-206's effect on Myc was mediated through MAP3K13.
Literature	GENERIF_SUMMARY	Results showed an upregulation of CCAT1 detected in adult acute myeloid leukemia (AML) patients. It repressed monocytic different and promoted cell growth by sequestering tumor suppressive miR- which expression significantly decrease in AML patients but increa myc expression.
Literature	GENERIF_SUMMARY	Immunohistochemical panel of CDX2, p120ctn, c-Myc, and Jagged proteins would be to distinguish between low/high grade dysplasia histologically challenging cases of Barrett's esophagus.
Literature	GENERIF_SUMMARY	BRD4 positively regulates EZH2 transcription through upregulation MYC, and is a novel promising target for pharmacologic treatment transcriptional program intervention against this intractable diseas

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	We further show that the SUMO2 pathway acts independently of exogenous C-MYC expression and in parallel with small-molecule enhancers of reprogramming. Importantly, suppression of SUMO2 promotes the generation of human induced pluripotent stem cells
Literature	GENERIF_SUMMARY	These findings demonstrate that MYC-overexpressing TNBC show increased bioenergetic reliance on fatty acid oxidation(FAO) and id the inhibition of FAO as a potential therapeutic strategy for this sub breast cancer.
Literature	GENERIF_SUMMARY	MYC appears to initiate and maintain tumorigenesis, in part, throug modulation of immune regulatory molecules.
Literature	GENERIF_SUMMARY	interplay between MATalpha1, c-Myc, and Maf proteins, and their deregulation during chronic cholestasis may facilitate cholangiocarcinoma oncogenesis
Literature	GENERIF_SUMMARY	feedback regulation between cMyc and p53 is important for the T homeostasis.
Literature	GENERIF_SUMMARY	MYC overexpression is associated with T-cell and Hodgkin Lympho
Literature	GENERIF_SUMMARY	H. pylori induced activation of NF-kappaB and AP-1, cell proliferati expression of oncogenes (beta-catenein, c-myc) in AGS cells, whic inhibited by transfection of MAD3 and TAM67.
Literature	GENERIF_SUMMARY	This work demonstrates that alpha2M*/CS-GRP78 acts as an upst regulator of the PDK1/PLK1 signaling axis to modulate c-MYC transcription and its target genes, suggesting a therapeutic strateg targeting c-MYC-associated malignant progression.
Literature	GENERIF_SUMMARY	This work reveals a previously unrecognized function for ELL as ar ubiquitin ligase for c-Myc and a potential tumour suppressor.
Literature	GENERIF_SUMMARY	Ergosterol peroxide stimulated Foxo3 activity by inhibiting pAKT ar Myc and activating pro-apoptotic protein Puma and Bax to induce cancer cell death.
Literature	GENERIF_SUMMARY	dose-intensified immunochemotherapy with or without HDC/ASCT not effective in patients with de novo DLBCL, who had advanced di and concurrent overexpression of MYC and BCL2 protein.
Literature	GENERIF_SUMMARY	Impact of SNPs on CpG Islands in the MYC and HRAS oncogenes a a wide variety of tumor suppressor genes has been analyzed in a n cancer bioinformatics approach.
Literature	GENERIF_SUMMARY	Myc activation in glioblastoma generates a dependency on glycoly and an addiction to metabolites required for glycolysis.
Literature	GENERIF_SUMMARY	Study identified a novel epigenetic mechanism showing how JMJD cooperates with Myc during oncogenic transformation. Combined expression of Myc and JMJD6 confers a more aggressive phenoty mouse and human tumors.
Literature	GENERIF_SUMMARY	c-Myc Sustains Transformed Phenotype and Promotes Radioresist of Embryonal Rhabdomyosarcoma Cell Lines
Literature	GENERIF_SUMMARY	Data indicate a regulatory circuit between ANXA1, NF-kB, c-myc ar miR-196a which regulates breast cancer cell proliferation and tum growth.
Literature	GENERIF_SUMMARY	Results strongly indicate that SCLC cells carrying amplification of

Main Category	Category	Terms
		MYCL or MYCN are addicted to MYC function.
Literature	GENERIF_SUMMARY	CD44 and FGFR2 maintain stemness in gastric cancer by different regulating c-Myc transcription.
Literature	GENERIF_SUMMARY	Inhibition of c-MYC in glioblastoma multiforme cells blunts hypoxi dependent glycolytic reprogramming and mitochondria fragmenta hypoxia.
Literature	GENERIF_SUMMARY	These results indicate that miR-25 has anti-apoptosis roles in AGS possibly via inhibiting FBXW7 and thus promoting oncogenes, suc CCNE1 and MYC.
Literature	GENERIF_SUMMARY	MYC genetic heteroclonality is a frequent event in diffuse large B-c lymphoma and may have a relevant role in modulating MYC expres
Literature	GENERIF_SUMMARY	The long non-coding RNA PARROT is an upstream regulator of c-M affects proliferation and genetic translation in tumor cells.
Literature	GENERIF_SUMMARY	Data show that inactivated Sendai virus (HVJ-E)-induced apoptosi associated with c-Myc downregulation.
Literature	GENERIF_SUMMARY	C-MYC is related to GATA3 and Ki-67 expression and associated w poor prognosis in nodal peripheral T-cell lymphomas
Literature	GENERIF_SUMMARY	Concurrent nuclear ERG and MYC protein overexpression is comm prostate cancer and defines a subset of locally advanced tumors.
Literature	GENERIF_SUMMARY	c-Myc overexpression may increase sensitivity to poly(I
Literature	GENERIF_SUMMARY	Data show that Islet-1 (ISL1) activated the expression of cyclin B1 (CCNB1), cyclin B2 (CCNB2) and c-myc (c-MYC) genes by binding t conserved binding sites on their promoters or enhancers.
Literature	GENERIF_SUMMARY	MYC gene copies, centromere status and PI3K activation may adv impact trastuzumab treated metastatic breast cancer patient outc and seem worthy validating in larger series.
Literature	GENERIF_SUMMARY	demonstrate that co-therapy with IRES-J007 and PP242 significan reduces tumor growth of GBM xenografts in mice and that combin inhibitor treatments markedly reduce the mRNA translational state cyclin D1 and c-MYC transcripts in these tumors
Literature	GENERIF_SUMMARY	c-Myc influences GPI-AP signaling transcriptionally and posttransl and represses GPI-AP anti-proliferative signaling in tumors
Literature	GENERIF_SUMMARY	these results indicate that PIAS1 is a positive regulator of MYC.
Literature	GENERIF_SUMMARY	c-myc overexpression is associated with adverse clinical features with a possible negative prognostic impact on survival.
Literature	GENERIF_SUMMARY	MYC gene family of transcription factors may be a targetable entit test new therapies against, in particular, aurora kinase inhibitors.Epigentic processes, such as gene promoter methylatio histone acetylation, may be candidate targets to test in small cell l cancer (SCLC)
Literature	GENERIF_SUMMARY	By establishing c-Myc as a direct target of miR-449a, the authors revealed that miR-449a enhanced radiosensitivity by repressing c-M expression in LNCaP prostate cancer cells.
Literature	GENERIF_SUMMARY	Diverse gastric cancer cell lines of Asian and Brazilian origins diffe

Main Category	Category	Terms
		BRD4 and c-MYC expression levels and sensitivity to BET inhibitors
Literature	GENERIF_SUMMARY	INI1 re-expression suppresses cell proliferation and MYC-potentiat transformation.
Literature	GENERIF_SUMMARY	Report differential expression of EZH2 protein in small cell and aggressive B-cell non-Hodgkin lymphomas and differential regulati EZH2 expression by p-ERK1/2 and MYC in aggressive B-cell lymph
Literature	GENERIF_SUMMARY	Baseline enhancer activity of the conserved region specifically on t MYC promoter and its further positive modulation by the SNP risk- was shown in vitro. Our findings implicate MYC deregulation as the underlying cause of the observed association.
Literature	GENERIF_SUMMARY	While TP53 mutation and MYC amplification were synergistic in promoting tumor progression, PIK3CA mutation was found to have alleviated the oncogenic effect of either the TP53 mutation or MYC amplification, and was associated with a significant reduction in m activity in TP53 mutated and/or MYC amplified breast cancer
Literature	GENERIF_SUMMARY	Study demonstrated that MYC and BCL2 overexpression was signi associated with a high scoring class, and was related to shorter progression-free survival and overall survival in patients with prima diffuse large B-cell lymphoma of the central nervous system.
Literature	GENERIF_SUMMARY	TCF7L2 mediates canonic Wnt/beta-catenin signaling and c-Myc upregulation during abnormal cardiac remodeling in heart failure a suppression of Wnt/beta-catenin to c-Myc axis can be explored for preventing and treating heart failure.
Literature	GENERIF_SUMMARY	Our data reveal the existence of a feedback loop between c-Myc an lncRNA-MIF, through which c-Myc protein stability is finely controll Additionally, we show that the lncRNA-MIF inhibits aerobic glycolys tumorigenesis by suppressing c-Myc and miR-586.
Literature	GENERIF_SUMMARY	Results revealed that double minute chromosomes in myeloid neoplasms commonly harbor MYC or MLL gene amplification and manifest as micronuclei within leukemic blasts.
Literature	GENERIF_SUMMARY	WDR5 functions to sustain proper execution of DNA replication in pancreatic ductal adenocarcinoma cells, as previously suggested b replication stress studies involving MLL1, and c-Myc, also found to interact with WDR5.
Literature	GENERIF_SUMMARY	These data suggest that MYC acts as a master coordinator that inv modulates the impact of cell cycle and circadian clock on gene expression via its interaction with MIZ1.
Literature	GENERIF_SUMMARY	Study reveals a novel crosstalk between p63 and c-Myc that may p important role in cell cycle progression and tumorigenesis.
Literature	GENERIF_SUMMARY	FOXR2 acts with MYC to promote cancer cell proliferation, which is potential tumor-specific target for therapeutic intervention against driven cancers.
Literature	GENERIF_SUMMARY	our findings identify a key role for c-Myc in TRAIL deregulation and biomarker of the anticancer action of HDACi in acute myeloid leuk
Literature	GENERIF_SUMMARY	The purpose of this chapter is to provide a recent progress of nonc RNA in the regulation of p53 and c-Myc on network of cellular sign and its potential implications in both basic science and clinical application

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	modulation of rDNA transcription initiation, elongation and rRNA processing is an immediate, co-regulated response to altered amin abundance, dependent on both mTORC1 activation of S6K1 and M activity
Literature	GENERIF_SUMMARY	Case Report
Literature	GENERIF_SUMMARY	This study reveals a stringent association between FGFR and the downstream effector c-Myc in FGFR-dependent cancers, and sugg the potential therapeutic value of c-Myc in FGFR-targeted cancer th
Literature	GENERIF_SUMMARY	let-7d due to the defective MYC/E-box3 binding.
Literature	GENERIF_SUMMARY	Data suggest that the co-existence of KRAS mutations and high M expression predicts anti-mitotic drug sensitivity.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with clear-cell renal cell carci
Literature	GENERIF_SUMMARY	Data show that tripartite motif-containing protein 33 (TRIM33) sile attenuates down-regulation of MYC and TGF-beta signaling in resp to bromodomain and extraterminal domain protein inhibitors (BET
Literature	GENERIF_SUMMARY	Increased polyamine metabolism in CRC could be driven by c-Myc EBPbeta rather than Bacteroides fragilis infection.
Literature	GENERIF_SUMMARY	MYC and TEAD activity is able to stratify different breast cancer su in large panels of breast cancer patients.
Literature	GENERIF_SUMMARY	Further analysis indicated that JQ1 inhibited the recruitment of BD the promoter complex of the Myc and Ccnd1 genes in rat thyroid follicular PCCL3 cells, resulting in decreased MYC expression at th mRNA and protein levels to inhibit tumor cell proliferation
Literature	GENERIF_SUMMARY	Data show that phosphoinositide-3-kinase, catalytic, delta polypep (PIK3CD) can promote proliferation and prevent apoptosis in diffus large B cell lymphoma (DLBCL) cells in vitro through upregulation o myc protein.
Literature	GENERIF_SUMMARY	High MYC expression is associated with skin neoplasms.
Literature	GENERIF_SUMMARY	Messenger RNA and protein expression of MYC were determined b PCR and western blot, respectively.
Literature	GENERIF_SUMMARY	Sole rearrangement but not amplification of MYC is associated wit poor prognosis in patients with diffuse large B cell lymphoma and lymphoma unclassifiable
Literature	GENERIF_SUMMARY	non-small cell lung cancer savolitinib resistance arises via multiple mechanisms that converge on MET-independent mTOR and MYC activation
Literature	GENERIF_SUMMARY	A novel method using an inactivated viral particle to package and d four purified recombinant Yamanaka transcription factors (Sox2, O Klf4, and c-Myc) resulting in reprogramming of human primary fibr has been described.
Literature	GENERIF_SUMMARY	Findings reveal a previously unrecognized role of c-Myc as a poten ceRNA for PML/RARalpha in acute promyelocytic leukemia.
Literature	GENERIF_SUMMARY	EBNA2 recruits the BRG1 ATPase of the SWI/SNF remodeller to MY enhancers and BRG1 is required for enhancer-promoter interaction Epstein-Barr virus-infected cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that inhibition of sphingosine kinase-2 by ABC294640 i synergistically cytotoxic with gemcitabine toward three pancreatic cell lines, resulting in decreased expression of both ribonucleotide reductase regulatory subunit M2 (RRM2) and c-MYC protein (Myc) three cell lines.
Literature	GENERIF_SUMMARY	High c-Myc expression is associated with tumor metastasis and p prognosis in human melanoma. c-Myc upregulates Snail expressio promote EMT via the TGF-beta/Snail/Ecadherin signal pathway.
Literature	GENERIF_SUMMARY	Follicular lymphoma with MYC and BCL2 translocations, so-called double-hit follicular lymphoma (DH-FL), is part of the spectrum of hit high-grade lymphoma.
Literature	GENERIF_SUMMARY	ROCK inhibitor Y-27632 cooperated with Myc to immortalize keratinocytes efficiently, indicating that apoptosis is a major barrie Myc-induced immortalization of keratinocytes.
Literature	GENERIF_SUMMARY	MYC-nick, fascin, and Cdc42 are frequently up-regulated in cells pr at the invasive front of human colorectal tumors, suggesting a coordinated role for these proteins in tumor migration.
Literature	GENERIF_SUMMARY	TGF-beta1 increased OSCC cell proliferation by upregulating the expression of DeltaNp63 and c-Myc oncogenes. Although the basa OSCC cell proliferation is sustained by activating DeltaNp63, increa induction of c-Myc causes unregulated OSCC cell proliferation.
Literature	GENERIF_SUMMARY	the MYU/hnRNP-K/CDK6 pathway functions downstream of Wnt/c signaling and plays a critical role in the proliferation and tumorigen colon cancer cells.
Literature	GENERIF_SUMMARY	This discovery suggested that miR-451 is a tumor suppressor moc bladder cancer cell migration and invasion by directly targeting c-M
Literature	GENERIF_SUMMARY	Using a structure/function-based approach, authors identified the mitochondrial RNA polymerase (POLRMT) locus as a critical down target of MYC.
Literature	GENERIF_SUMMARY	High MYC expression is associated with lung cancer.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with gastric cancer.
Literature	GENERIF_SUMMARY	Results show an overexpression of c-MYC protein, mRNA, and ss-c nuclear expression in 54.8, 65.7, and 60.2 % of consecutive colore cancer patients, respectively. Also, c-MYC protein overexpression v significantly correlated with mRNA overexpression and with ss-cat nuclear expression.
Literature	GENERIF_SUMMARY	results identify the novel immunomodulatory role of MYC in human plasmacytoid dendritic cells and may add to our understanding of aberrant plasmacytoid dendritic cells function in cancer and autoi disease
Literature	GENERIF_SUMMARY	No significant difference in survival was found between patients w DLBCL with MYC ICN and patients with no MYC aberrations
Literature	GENERIF_SUMMARY	wtp53 binds to MYC promoter region containing putative G-quadru motif in two wtp53-expressing cell lines. The results suggest that v binding to G-quadruplexes can take part in transcriptional regulatio its target genes.
Literature	GENERIF_SUMMARY	Inhibition of mitochondrial translation with the antibiotic Tigecyclin

Main Category	Category	Terms
		synthetic-lethal with Myc activation, impaired respiratory activity a tumor cell survival in vitro, and significantly extended lifespan in lymphoma-bearing mice.
Literature	GENERIF_SUMMARY	E1A 243R promotes association of MYC/MAX with the NuA4/Tip6 complex, implicating the importance of the MYC/NuA4 pathway in cellular transformation by both MYC and E1A.
Literature	GENERIF_SUMMARY	analysis of c-MYC signaling in inflammatory and cancerous colon diseases [review]
Literature	GENERIF_SUMMARY	Results indicate that bufalin can inhibit pancreatic cancer growth b targeting c-Myc/NFkappaB pathway.
Literature	GENERIF_SUMMARY	The presence of MYC amplifications in two cases of cutaneous angiosarcoma secondary to chronic lymphedema of morbid obesi described
Literature	GENERIF_SUMMARY	In conclusion, aberrant coexpression of MYC and PRDM1/Blimp1a owing to genetic changes is responsible for the phenotype of plasmablastic lymphoma cases.
Literature	GENERIF_SUMMARY	In central nervous system diffuse large B-cell lymphoma, age over years, Eastern Cooperative Oncology Group (ECOG) performance s >/=2 and MYC protein overexpression were significantly associate an increased risk of death. MYC translocation and MYC mRNA expression had no prognostic significance.
Literature	GENERIF_SUMMARY	our findings indicate that the expression levels of P-GP, MYC, casp and AKT3 are candidate biomarkers of cell sensitivity to PLKis.
Literature	GENERIF_SUMMARY	Multiple studies have demonstrated that after translocation into th immunoglobulin heavy chain (IgH) locus, c-myc is constitutively expressed under the control of active IgH cis-regulatory enhancers [review]
Literature	GENERIF_SUMMARY	A signature of OmoMYC-regulated genes defines subgroups with h MYC levels in multiple tumor entities and identifies novel targets fo eradication of MYC-driven tumors.
Literature	GENERIF_SUMMARY	The overexpression of CSN6 reduced the effect of quercetin treatn HT29 cells, suggesting that quercetininduced apoptosis may involv AktCSN6Myc signaling axis in HT29 cells.
Literature	GENERIF_SUMMARY	Our results provide a novel mechanistic insight into the activation by 27-HC via transcriptional repression of PP2A, SCP1 and FBW7 t increase Myc protein stability in breast cancer cells.
Literature	GENERIF_SUMMARY	PSME3 plays an oncogenic role in pancreatic cancer by inhibiting c degradation to promote glycolysis.
Literature	GENERIF_SUMMARY	c-Myc deregulation induces mRNA capping enzyme dependency in cells.
Literature	GENERIF_SUMMARY	In AML patients, low level of miR-451 is negatively correlated with levels of c-Myc and YWHAZ, while c-Myc level is positively related t YWHAZ expression. These results suggested that c-Myc dash, verticalmiR-451 dash, verticalYWHAZ/AKT cascade might play a c role during leukemogenesis, and reintroduction of miR-451 could b potential strategy for AML therapy.
Literature	GENERIF_SUMMARY	Cisplatin-induced synthetic lethality to arginine-starvation therapy

Main Category	Category	Terms
		transcriptional suppression of ASS1 is regulated by DEC1, HIF-1alp and c-Myc transcription network and is independent of ASS1 prom DNA methylation.
Literature	GENERIF_SUMMARY	IGF-II siRNA inactivates the FAK/PI3K/Akt signaling pathway, and f reduces cell proliferation, N-ras and C-myc levels in SMMC-7721 ce
Literature	GENERIF_SUMMARY	Genetic variation at the 8q24.21 renal cancer susceptibility locus a HIF1A and HIF1B binding to a MYC enhancer.
Literature	GENERIF_SUMMARY	Genomic copy number alteration data, together with clinical studie identifies c-MYC amplification as an important risk factor associat with the most aggressive forms of medulloblastoma with marked metastatic potential. (Review)
Literature	GENERIF_SUMMARY	mantle cell lymphoma with MYC rearrangement is characterized by advanced-stage disease, aggressive morphologic features, a high proliferation rate, p53 expression, a complex karyotype, and a poor prognosis
Literature	GENERIF_SUMMARY	Increased MYC expression in high-grade de novo Angiosarcoma suggests that MYC overexpression may play a role in the pathogen these tumours, and MYC immunohistochemistry may be a prognos and/or therapeutic biomarker in a subset of these tumours
Literature	GENERIF_SUMMARY	PRC and c-MYC can act in concert through Akt-GSK-3 signaling to reprogram gene expression in response to mitochondrial stress.
Literature	GENERIF_SUMMARY	HIF-2alpha plays an important role in regulating the expression of in chronic hypoxia, and consequently controls the sensitivity of col cancer cells to 5-FU treatment in this environment.
Literature	GENERIF_SUMMARY	Results show that in the presence of EYA1, cMyc ubiquitination is inhibited as well as its interaction to FBW7 .
Literature	GENERIF_SUMMARY	MYC rearrangement is associated with B-cell lymphoma.
Literature	GENERIF_SUMMARY	A positive feedback loop involving the Wnt/beta-catenin/MYC/Sox defines a highly tumorigenic cell subset in ALK + anaplastic large c lymphoma.
Literature	GENERIF_SUMMARY	FoxO3a might be a key regulator in cetuximab resistance through u regulating c-Myc in colorectal cancer targeted therapy
Literature	GENERIF_SUMMARY	mdig directly interacts with c-myc and JAK1 in multiple myeloma (cell lines, which contributes to hyperactivation of the IL-6-JAK-STA signaling important for the pathogenesis of MM.
Literature	GENERIF_SUMMARY	these studies demonstrate that transcription factors CREB and c-M maintain the transcriptional activity of STING
Literature	GENERIF_SUMMARY	JMJD1A and c-Myc levels are independent prognostic factors for c cancer patients
Literature	GENERIF_SUMMARY	CRY2 and FBXL3 cooperatively degrade c-MYC preventing the development of cancer.
Literature	GENERIF_SUMMARY	Experimental studies indicate that under molecular crowding cond (in the presence of 40wt% PEG 200), 1-2 show weak affinity for c-m while 3 still displays high affinity and selectivity for c-myc. On the c hand, 1-3 act as efficient and selective ligand for telomeric quadru DNA under molecular crowding conditions.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	ADA3 overexpression enhances cell proliferation that is associated increased expression of c-MYC. Expression patterns with respect t ADA3/c-MYC can divide patients into four significantly different subgroups, with c-MYC High and ADA3 Low status independently predicting poor survival in patients.
Literature	GENERIF_SUMMARY	Data support a novel view of MYC as a network stabilizer that strengthens the regulatory nodes of gene expression networks controlling cell phenotype and highlight Omomyc as model molecu targeting cancer stem cells.
Literature	GENERIF_SUMMARY	The mechanism of inhibition of c-Myc transcriptional activity by M that binds c-Myc while competing for binding with Max has been described.
Literature	GENERIF_SUMMARY	YWHAE silencing induces cell proliferation, invasion and migration through the up-regulation of CDC25B and MYC in gastric cancer ce
Literature	GENERIF_SUMMARY	C-myc regulates mPGES1 expression by binding to the proximal promoter. C-myc transfection in HeLa cells up-regulates mPGES1 r and protein expression.
Literature	GENERIF_SUMMARY	Epstein-Barr virus super-enhancers eRNAs important for enhancer promoter looping at the MYC locus
Literature	GENERIF_SUMMARY	data show that Hdac1 and Hdac2 impact on Emu-myc B cell prolife and apoptosis and suggest that a critical level of Hdac activity may required for Emu-myc tumorigenesis and proper B cell developmen
Literature	GENERIF_SUMMARY	Mechanistic evidence indicates that MYC promotes recruitment of methyltransferase (RNMT) to Wnt signaling gene promoters by enhancing phosphorylation of serine 5 on the RNA polymerase II c terminal domain, mediated in part through an interaction between TIP60 acetyltransferase complex and TFIIH.
Literature	GENERIF_SUMMARY	Mechanistically, we found that BETi-mediated inhibition of cMYC correlates with the upregulation of miR-125b-5p and the downregu of the cMYC/miR-125b-5p target gene IRF4, a transcriptional repre MICA.
Literature	GENERIF_SUMMARY	In conclusion, we show for the first time that inhibition of platelets aspirin can affect their ability to induce cancer cell proliferation thr the modulation of the c-MYC oncoprotein.
Literature	GENERIF_SUMMARY	This study demonstrates novel regulatory circuits involving miR-14 ERBB3/AKT2/c-myc and DNMT1 that controls bladder cancer progression, which may be useful in the development of more effe therapies against bladder cancer.
Literature	GENERIF_SUMMARY	Studies indicate that eukaryotic translation initiation factor 6 (eIF6 central regulator of metabolism independent from mTOR protein a myc proto-oncogene protein (Myc).
Literature	GENERIF_SUMMARY	BRD4 has a role in inhibiting neoplasms characterized by activatio MYC
Literature	GENERIF_SUMMARY	c-Myc expression is regulated by SOX18 in prostate cancer.
Literature	GENERIF_SUMMARY	the biochemical and structural results presented here reveal that M and CaM directly interact with each other, and further analyses are required to elucidate in detail the molecular mechanisms of functi interconnections between Myc regulatory pathways and Ca2+ sec

Main Category	Category	Terms
		messenger signaling.
Literature	GENERIF_SUMMARY	c-Myc co-ordinates mRNA cap methylation and ribosomal RNA production.
Literature	GENERIF_SUMMARY	FGFR1 amplification and MYC expression have prognostic implica resected esophageal squamous cell carcinomas with respect to a therapy.
Literature	GENERIF_SUMMARY	data suggest that the down-regulation of miR-451a contributes to activation and proliferation of CD4(+) T cells by targeting the transcription factor Myc in dilated cardiomyopathy patients and m contribute to the immunopathogenesis of dilated cardiomyopathy.
Literature	GENERIF_SUMMARY	IRS1/beta-Catenin Axis Is Activated and Induces MYC Expression i Acute Lymphoblastic Leukemia Cells
Literature	GENERIF_SUMMARY	ZNF121 as a MYC-interacting protein with functional effects on MY cell proliferation
Literature	GENERIF_SUMMARY	Central nervous system posttransplant lymphoproliferative disorde EBV positive, typically lacks p53 and Myc expression by immunohistochemistry, and can present with numerous backgrou lymphocytes.
Literature	GENERIF_SUMMARY	Results showed that the average expression levels of miR-200c an Myc were significantly higher in nasopharyngeal carcinoma (NPC) and that c-Myc targets mir-200c to promote cellular transformatio metastasis in NPC cells.
Literature	GENERIF_SUMMARY	the expression of b-catenin can activate the nuclear gene c-myc a regulate the expression of transit-amplifying cell markers, indicati beta-catenin is involved in the transformation process from hair fo stem cells to transit-amplifying cells
Literature	GENERIF_SUMMARY	Emetine induced cell death in primary refractory lymphoma cells w MYC rearrangement.
Literature	GENERIF_SUMMARY	These data suggest a new and interesting role of MIR7-3HG as an autophagic MIRNA that may affect oncogenesis through the regul the tumor suppressor AMBRA1.
Literature	GENERIF_SUMMARY	Our results indicate that AURKA plays an important role in the acti of EIF4E and cap-dependent translation. Targeting the AURKA-EIF4 MYC axis using alisertib is a novel therapeutic strategy that can be applicable for everolimus-resistant tumors and/or subgroups of ca that show overexpression of AURKA and activation of EIF4E and c-
Literature	GENERIF_SUMMARY	Role of c-myc signaling in in lung adenocarcinoma cells.
Literature	GENERIF_SUMMARY	Data suggest that sulforaphane (SFN) exerted anticancer function through upregulation of microRNA miR-214, which in turn targets t coding region of c-MYC and beta-catenin.
Literature	GENERIF_SUMMARY	MYC Amplification is associated with good response to chemothe Breast Cancer.
Literature	GENERIF_SUMMARY	any of the molecules or processes in the network could be targete curb the oncogenic effects of c-Myc, just as BRD4 can be targeted since the targeting of metabolic enzymes has proved effective in n tumor models, it might be possible to develop new therapies base the fact that c-Myc has a role in controlling cellular metabolism

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	we evaluated the (-)-JQ1 enantiomer that is structurally incapable o inhibiting BET bromodomains, which resulted in a minimal impact MYC transcription, but did not result in a statistically significant difference in tumor burden or survival distributions compared to treatment with (+)-JQ1.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with basal breast cancer.
Literature	GENERIF_SUMMARY	MYC positively regulates RUNX3 transcription in NKTL cell lines. M interacts with RUNX3. Potential binding sites for MYC were identifi the RUNX3 enhancer region. MYC-inhibitor JQ1 caused significant downregulation of MYC and RUNX3, leading to apoptosis in NKTL MYC may be an important upstream driver of RUNX3 upregulation.
Literature	GENERIF_SUMMARY	The MUC1 oncoprotein was identified as the critical driver of (extracellular vesicle) EV-mediated myeloid-derived suppressor cel expansion in AML. microRNA miR34a acts as the regulatory mech by which MUC1 drives c-myc expression in AML cells and EVs.
Literature	GENERIF_SUMMARY	The human cMyc gene, when expressed in Drosophila, impedes ac JNK signaling-induced cell death. Only the longest isoform c-Myc1 not the truncated c-Myc2 or c-MycS, could suppress GMR>Egr trig small eye phenotype. Besides its well-studied apoptosis promotin function, Myc also antagonizes JNK-mediated cell death in Drosop and this function is likely conserved from fly to human.
Literature	GENERIF_SUMMARY	The data provided new insights into the functional interaction betw the KRAS and MYC pathways across various cancer types
Literature	GENERIF_SUMMARY	In breast cancer cell lines USP22 increases c-Myc stability through deubiquitination, which is closely correlated with breast cancer progression.
Literature	GENERIF_SUMMARY	High Myc expression is associated with lung cancer.
Literature	GENERIF_SUMMARY	Upregulation of c-myc is associated with cholangiocarcinoma.
Literature	GENERIF_SUMMARY	Human mesenchymal stem cells were transformed into osteosarc like cells by Rb knockdown and c-Myc overexpression.
Literature	GENERIF_SUMMARY	Results indicate that spliceosome inhibitors would be promising molecular target drugs in small cell lung cancer (SCLC) irrespectiv the myc proto-oncogene protein (MYC) status.
Literature	GENERIF_SUMMARY	Activation of stromal MYC was critical for this reprogramming and sustained cellular responses elicited by LO, both in vitro and in vivo AKT1-dependent manner. Inhibition of LO internalization prevented activation of MYC and impaired the tumor-supporting properties o fibroblasts.
Literature	GENERIF_SUMMARY	Diffuse large B-cell lymphoma with concurrent high MYC and BCL2 expression shows evidence of active B-cell receptor signaling
Literature	GENERIF_SUMMARY	MYC-dependent attenuation of GCLC by miR-18a contributes to GS depletion in vivo, and low GSH corresponds with increased sensiti oxidative stress in tumors.
Literature	GENERIF_SUMMARY	BRG1/BRM and c-MYC have an antagonistic relationship regulatin expression of cardiac conduction genes that maintain contractility is reminiscent of their antagonistic roles as a tumor suppressor an oncogene in cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data suggest the possibility of combinatory therapies targeting bo c-Myc proliferating program and NF-kappaB activation pathways in diffuse large B-cell lymphomas.
Literature	GENERIF_SUMMARY	this review discusses how MYC suppresses immune surveillance, how oncogene-targeted therapies may restore the immune respon against tumors
Literature	GENERIF_SUMMARY	Study demonstrated that local recurrent gastric cancer patients sh higher c-Myc and hTERT expression at the protein and mRNA level that acidified bile acids enhance tumor progression and telomeras activity in gastric cancer via Myc activity.
Literature	GENERIF_SUMMARY	Increased expression of betacatenin and cmyc was detected in the majority of aggressive Non-functional pituitary adenomas (NFPAs) specimens (71.1 and 88.7%, respectively). There was a significant positive correlation between betacatenin and cmyc expression and aggressiveness [P=0.001, Odds Ratio (OR)=4.011; P
Literature	GENERIF_SUMMARY	The combination of PD-L1 and HLA class I represents a novel prog biomarker for neuroblastoma. Pharmacologic inhibition of MYCN a MYC may be exploited to target PD-L1 and restore an efficient anti immunity in high-risk neuroblastoma.
Literature	GENERIF_SUMMARY	MYC, DUX4, and EIF4A3 might contribute to facioscapulohumeral dystrophy pathophysiology
Literature	GENERIF_SUMMARY	PCTAIRE1 has a role in regulating p27, c-Myc levels and tumor gro cutaneous cutaneous squamous cell carcinoma cells
Literature	GENERIF_SUMMARY	A CD34-negative MYC-rearranged B-lymphoblastic lymphoma aber expresses CD3 and CD5.
Literature	GENERIF_SUMMARY	NEAT1-associated paraspeckle proteins P54nrb and PSF have bee reported as positive regulators of c-Myc translation through interac with c-Myc IRES
Literature	GENERIF_SUMMARY	MYC protein-positive diffuse large B-cell lymphoma features highly activated B-cell receptor signaling.
Literature	GENERIF_SUMMARY	Human c-myc suppresses poly(Q)-mediated neurotoxicity in Droso disease model.
Literature	GENERIF_SUMMARY	NOTCH1 mutations in CLL are associated with the overexpression MYC and MYC-related genes involved in protein biosynthesis inclu NPM1, which are allegedly responsible for cell growth and/or proliferation advantages of NOTCH1-mut CLL
Literature	GENERIF_SUMMARY	immunohistochemically defined cell remains a useful tool for pred prognosis in diffuse large B-cell lymphoma when performed under optimized standardized conditions and that BCL2 expression may identify elderly patients at risk for relapse and who could potential respond to anti-BCL2 targeted agents. . the coexpression of MYC a BCL2 does not appear to predict worse survival
Literature	GENERIF_SUMMARY	Data suggest that MYC induction of REV-ERBalpha is both persiste recurrent across many inducible MYC model systems.
Literature	GENERIF_SUMMARY	within a limited region containing sequences with the potential to a multiple structures, only one structure predominates under a given condition. The predominance of H-DNA implicates this structure in instability associated with the human c-MYC oncogene

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	This study identifies a novel signaling involving SYK/c-MYC/MALA promising therapeutic target for the treatment of Ewing sarcoma.
Literature	GENERIF_SUMMARY	Taken together, this study suggests that the OVOL1-OVOL2 axis is modulator of c-Myc expression in the shift from in situ epidermal malignancy (Bowen's disease) to invasive squamous cell carcinom
Literature	GENERIF_SUMMARY	data suggest the existence in T-ALL of a disrupted RNA decapping pathway, mediated by the DNA methylation-associated loss of NUD which contributes to the natural history of the disease by stabilizin transforming factors, such as is the case of the leukemogenic prot MYC
Literature	GENERIF_SUMMARY	this is the first study to show that PD-L1 gene amplification is not detected, but PD-L1 protein is commonly expressed in ALK- ALCL t More importantly, PD-L1 expression is transcriptionally regulated b STAT3 and MYC in ALK- ALCL, thus providing a biologic rationale f design of optimal combinations of targeted therapies and immune checkpoint blockade in ALCL and possibly other T-cell lymphomas
Literature	GENERIF_SUMMARY	MYC and BCL2 genetic alterations were profiled using next-genera sequencing and high-resolution single nucleotide polymorphism a 347 de novo diffuse large B-cell lymphoma cases.
Literature	GENERIF_SUMMARY	elevated MYC levels confer resistance to pharmacologic inhibitors BCR signaling, which has significant implications for B-cell non-Ho lymphoma treatment.
Literature	GENERIF_SUMMARY	Consistently, samples from oral squamous cell carcinoma (OSCC) patients exhibited a noticeably stronger CREPT expression than noncancerous samples. In contrast, knocking down of CREPT in O cell lines significantly reduced proliferation, colony formation and migration as well as the expression of cyclin D1 and c-Myc, but pro apoptosis.
Literature	GENERIF_SUMMARY	BRD4 and MYC are essential for the expression of a subgroup of g induced by class-I HDAC inhibitors.
Literature	GENERIF_SUMMARY	aberrantly methylated CpGs are enriched in regulatory regions ass with MYC protein motifs and affect gene expression.
Literature	GENERIF_SUMMARY	The present findings show that expression of c-MYC has prognost value in squamous cell carcinoma of the tongue, and could be use choice of therapy.
Literature	GENERIF_SUMMARY	Results report that RBM38 mediates direct inhibition of c-Myc expression, which in turn suppresses RBM38 expression. Thus, it c concluded that RBM38 and c-Myc form a unique mutually antagon RBM38-c-Myc loop in breast cancer.
Literature	GENERIF_SUMMARY	The authors show here that glutamine deprivation suppresses tran of endogenous MYC via coupling the 3'-UTR of the MYC mRNA and polymerase II function.
Literature	GENERIF_SUMMARY	Functional validation of the oncogenic cooperativity and targeting potential of tuberous sclerosis mutation in medulloblastoma using MYC-amplified model cell line
Literature	GENERIF_SUMMARY	C-Myc overexpression partially reprogrammed AR chromatin occu and was associated with altered histone marks distribution, most H3K4me1 and H3K27me3 and c-Myc and the AR co-occupy a subs number of binding sites and these exhibited enhancer-like

Main Category	Category	Terms
		characteristics.
Literature	GENERIF_SUMMARY	these data identify c-MYC as a novel bona fide SPOP substrate, an explain the frequent inactivation of SPOP in human prostate adenocarcinoma.
Literature	GENERIF_SUMMARY	we have identified that Myc is a key regulator of the RU/RR dichoto TNBC, which is in turn linked to stem-like features in these tumors.
Literature	GENERIF_SUMMARY	we suggested that P2X7R and NLRP3 inflammasome are over-exp in HNSCC and that the degree of expressional level may represent prognosis of patients.
Literature	GENERIF_SUMMARY	This beta-catenin-mediated activation of PHB expression was independent of cMYC activation, a product of Wnt signaling.These indicate that PHB is a direct target of beta-catenin and the increas level of PHB in leukemia can be regulated by Wnt signaling
Literature	GENERIF_SUMMARY	The results reveal a new connection between p38MAPK, MYC and NOTCH signaling, demonstrate two mechanisms of NOTCH3 regul and provide evidence for NOTCH3 involvement in prostate luminal differentiation.
Literature	GENERIF_SUMMARY	NDRG1 prevented the degradation of c-Myc through Skp2-mediate ubiquitination in tumor cells. NDRG1 directly interacted with Skp2, decreased phosphorylation of Skp2 through inactivation of CDK2.
Literature	GENERIF_SUMMARY	DNA methylation levels at CpG sites in MYC may be associated specifically with the risk of aggressive prostate cancer.
Literature	GENERIF_SUMMARY	Inhibition of MYC significantly blocked the effects of TIM on CSC population, cell invasion and anchor-independent cell growth. TIM an important role in promoting breast cancer progression and may represent a novel therapeutic target for breast cancer.
Literature	GENERIF_SUMMARY	REVIEW
Literature	GENERIF_SUMMARY	Menin functions as an oncogenic regulatory factor that is critical f MYC-mediated gene transcription.
Literature	GENERIF_SUMMARY	Downregulation of MYC abrogated the effect of HN1 overexpressio breast cancer cell lines. Taken together, these data reveal that HN promotes the progression of breast cancer by upregulating MYC expression, and might be a therapeutic target for breast cancer.
Literature	GENERIF_SUMMARY	C-MYC and FBXW7 affect Adult T-cell Leukemia/Lymphoma prolife and progression, and low FBXW7 may increase C-MYC expression. MYC was a critical prognostic factor in Adult T-cell Leukemia/Lym patients.
Literature	GENERIF_SUMMARY	High expression of c-myc is associated with non-Hodgkin's lympho and acute myeloid leukemia.
Literature	GENERIF_SUMMARY	The results strongly suggest that the combination of MYCL plus M may promote direct conversion of human fibroblasts into functiona myoblasts that could potentially be used for regenerative therapy f muscle diseases and congenital muscle defects.
Literature	GENERIF_SUMMARY	Authors here report the first MBG3 model from embryonic cerebell cells by Myc activation and loss of Trp53 function using in utero electroporation (EP)-based in vivo gene transfer combined to a Cre mediated technology.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	MYC protein is expressed in variable degrees among pediatric sma round blue cell tumors (SRBCT), and expression of this protein car upregulated/deregulated in many ways. Findings provide a baselin MYC expression in pediatric SRBCT and suggest that there may be multiple mechanisms of MYC upregulation in these different neopl
Literature	GENERIF_SUMMARY	The lower apoptotic activity of low-grade slightly elevated adenom be partly attributed to upregulated beta-catenin pathway activity ar downregulated c-Myc expression.
Literature	GENERIF_SUMMARY	Because RPL23 is encoded by a target gene of c-Myc, the RPL23/M c-Myc regulatory circuit provides a feedback loop that links efficien RPL23 expression with c-Myc's function to suppress Miz-1-induced inhibitors and thereby leads to apoptotic resistance in higher-risk myelodysplastic syndrome patients.
Literature	GENERIF_SUMMARY	High expression of c-myc is associated with colorectal cancer.
Literature	GENERIF_SUMMARY	Mitochondrial AKAP1 supports mTOR pathway and tumor growth.
Literature	GENERIF_SUMMARY	MYC and hsamiR4235p have been identified to be critical biomark nasopharyngeal carcinoma.
Literature	GENERIF_SUMMARY	MYC activation in papillary clear cell renal cell carcinoma leads to worse prognosis.
Literature	GENERIF_SUMMARY	The clinicopathologic features of 187 large B-cell lymphomas with fluorescence in situ hybridization were investigated. Patients with double/triple-hit lymphomas, but not single-hit lymphomas, had a significantly worse prognosis even among double/triple-hit lympho
Literature	GENERIF_SUMMARY	Combined, these findings suggest that c-Myc could transcriptional regulate TCRP1 in cell lines and clinical samples and identified the TCRP1 axis as a negative biomarker of prognosis in tongue and lu cancers.
Literature	GENERIF_SUMMARY	High myc expression is associated with lung cancer.
Literature	GENERIF_SUMMARY	Overexpression of MYC in diffuse large B-cell lymphoma can be dr the BCR-PI3K signalling pathway
Literature	GENERIF_SUMMARY	Depletion of glycolytic intermediates led to a consistent decrease TXNIP expression in response to 1,25(OH)2D3, an effect that coinc with the activation of AMPK signaling and a reduction in c-MYC expression.
Literature	GENERIF_SUMMARY	c-Myc, a downstream key effector of BRAF(V600E) signaling, was required for BRAF(V600E)-induced changes in lysine27-trimethylat histone H3 through regulating the components of the polycomb repressive complex 2 (PRC2) genes Ezh2, Suz12 and Jarid2 at bot transcriptional levels via direct binding to their regulatory elements post-transcriptional levels via repressing the miR-26a, miR-200b ar miR-155.
Literature	GENERIF_SUMMARY	Our findings indicate that Prdx2 might have an important role in th regulation of trophoblast proliferation and apoptosis during early pregnancy, and that its expression is mediated by c-Myc. Thus, the proteins may be involved in the pathogenesis of RM and may repre potential therapeutic targets
Literature	GENERIF_SUMMARY	c-Myc regulates P-selectin glycoprotein ligand-1 expression in monocytes during HIV-1 infection.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Cryptic t(3;8)(q27;q24) and/or MYC-BCL6 linkage associated with expression by immunohistochemistry is frequent in multiple-hit B-c lymphomas.
Literature	GENERIF_SUMMARY	The c-MYC was differentially expressed in a series of human esopl tissues, and the aberrant c-MYC expression could be a potential fa carcinogenesis and progression of esophageal squamous cell car
Literature	GENERIF_SUMMARY	MYC expression significantly correlated with PD-L1 expression and NSCLC patients with MYC-PD-L1 double-positive samples showed clinical outcomes.
Literature	GENERIF_SUMMARY	Results provide evidence that myc expression level is regulated by in gastric neoplasm through transcriptional and epigenetic regulat
Literature	GENERIF_SUMMARY	PCYT1A was upregulated by MYC, which resulted in the induction aberrant choline metabolism and the inhibition of B-lymphoma cel necroptosis.
Literature	GENERIF_SUMMARY	Here the authors show that sublethal activation of Caspase-3 plays essential, facilitative role in Myc-induced genomic instability and oncogenic transformation.
Literature	GENERIF_SUMMARY	Studies showed that MYC amplification is present in 30-50% of hig grade breast cancers. MYC-dependent pathways are often elevated acquired resistance to anti-cancer therapies and can be used as a predictive marker for drug resistance in breast cancer. [review]
Literature	GENERIF_SUMMARY	c-Myc and p53 are potential hepatocellular carcinoma (HCC) diagn biomarkers, and convenient combinations of them could improve diagnostic accuracy of HCC.
Literature	GENERIF_SUMMARY	Findings indicated that BIN1 restoration in NSCLC could reverse PI mediated immune escape by inactivating the c-MYC and EGFR/mit activated protein kinase pathways.
Literature	GENERIF_SUMMARY	Sequence-specific DNA binding by MYC/MAX to low-affinity non-E- motifs
Literature	GENERIF_SUMMARY	High myc expression is associated with brain cancer.
Literature	GENERIF_SUMMARY	Mechanistic investigations demonstrated that SNHG3 functioned a competing endogenous RNA (ceRNA) to 'sponge' miR-182-5p, thus leading to the release of c-Myc from miR-182-5p and modulating th expression of c-Myc. In conclusion, SNHG3 promoted CRC progres via sponging miR-182-5p and upregulating c-Myc and its target gen
Literature	GENERIF_SUMMARY	Luciferase reporter assay showed that c-Myc, an oncogene that regulating cell survival, angiogenesis and metastasis, was a direct of miR-376a. Over-expression of miR-376a decreased the mRNA a protein levels of c-Myc in A549 cells.
Literature	GENERIF_SUMMARY	The purpose of this study was to explore gene copy number (GCN) variation of EGFR, HER2, c-MYC, and MET in patients with primary colorectal cancer.
Literature	GENERIF_SUMMARY	cMyc promotes rhabdomyosarcoma development by inhibiting apo through repression of p21 transcription.
Literature	GENERIF_SUMMARY	MYC extra copy in diffuse large B-cell lymphoma is an independent prognostic factor

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	EGFR amplification/EGFRvIII mutation can repress the expression miR-524 by histone modification. MiR-524-3p and miR-524-5p inhib TGF/beta, Notch and the Hippo pathway by targeting Smad2, Hes1 Tead1, respectively; these pathways repressed their common downstream transcription factor, C-myc.
Literature	GENERIF_SUMMARY	Expression of far upstream element-binding protein 1 correlates w Myc expression in sacral chordomas and is associated with tumor progression and poor prognosis
Literature	GENERIF_SUMMARY	deficiency alters the expression of a crucial subset of TAL1- and NOTCH1-regulated genes, including the MYB and MYC oncogenes, respectively.
Literature	GENERIF_SUMMARY	Our work demonstrates that MYC expression levels differ between subcutaneous panniculitis-like T-cell lymphoma and erythematosu panniculitis and suggests that this important oncoprotein may pla in the pathogenesis of subcutaneous panniculitis-like T-cell lympho
Literature	GENERIF_SUMMARY	Strong cytoplasmic c-myc expression and weak nuclear expressio adrenocortical tumours associated with malignancy and shorter s
Literature	GENERIF_SUMMARY	Data show that ME47, a designed small minimalist hybrid protein (binds to E-box binding sites of MYC target genes, suggesting an alternative therapeutic targeting system that can be used to target transcription factors important in diseases, including cancer.
Literature	GENERIF_SUMMARY	Data indicate the SCF(Fbxw7)-independent regulatory mechanism centred on the highly conserved lysine-52 (K52) within MYC Box I.
Literature	GENERIF_SUMMARY	Overexpression of c-Myc in AA derived MDA-MB-468 (Myc/MDA-4 cells resulted in a significant increase in CSCs and with minimal ch in epithelial-to-mesenchymal transition (EMT) compared to the co group
Literature	GENERIF_SUMMARY	High MYC expression is associated with diffuse large B-cell lymph
Literature	GENERIF_SUMMARY	RNA polymerase III (Pol III) transcribes medium-sized non-coding (collectively termed Pol III genes), and data show that when Pol III are hypo-methylated, MYC amplifies their transcription, regardless recognition DNA motif.
Literature	GENERIF_SUMMARY	MYC negatively regulated the expression of genes involved in mitochondrial biogenesis and maintenance but positively regulate genes involved in DNA and histone methylation. Knockdown of MY colorectal cancer cells reset the altered metabolism and suppress growth.
Literature	GENERIF_SUMMARY	These results indicated that cMyc and Fas regulated the sensitivity A549 cells to irradiation by regulating caspase8-mediated Bid acti and the subsequent association with the mitochondrial pathway o apoptosis.
Literature	GENERIF_SUMMARY	These results indicate that Merlin/YAP/cMyc/mTOR signaling axis promotes human cholangiocarcinoma (CCA) cell proliferation by overriding contact inhibition. We propose that overriding cMycme contact inhibition is implicated in the development of CCA.
Literature	GENERIF_SUMMARY	study revealed a tumorigenic effect of long nnon-coding RNA PCA Colorectal Ccancer cells, and this effect is partly dependent on the inhibition of c-myc.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	In breast tumor cells, p53 dynamics are coupled to MYC repressio response to DNA damage. The coupling generates MYC-dependen global transcription inhibition, but p53 targets bypass the inhibitio repression during the damage response is important for proper regulation of the cell cycle and apoptosis.
Literature	GENERIF_SUMMARY	we demonstrate that neither MYC IHC nor MYC FISH alone is a suf screening mechanism for identification of the clinically relevant en of HGBLwR or DEL
Literature	GENERIF_SUMMARY	The effect of MYC gene status on breast cancer patient outcome s to depend on the underlying chromosomal instability and appears unfavorable for tumors with MYC amplification without polysomy. Nuclear Myc protein expression seems predictive for benefit from adjuvant paclitaxel.
Literature	GENERIF_SUMMARY	the findings outlined in the current study suggest that PCAT-1 regu the invasiveness and drug resistance in CRC cells and that PCAT-1 promote CRC cell invasion by modulating the expression of c-Myc.
Literature	GENERIF_SUMMARY	ruthenium(II) complexes can be developed as potential inhibitors i chemotherapy through their binding and stabilization of c-myc G-quadruplex DNA.
Literature	GENERIF_SUMMARY	The positive expression of C-myc in triple-negative breast cancer t was higher than those in precancerous normal tissues. Expression related with the diameter of tumor, clinical staging, pathological gr lymphatic metastasis, and prognosis. 33 cases had an increase in gene copy number and the gene amplification was observed to be
Literature	GENERIF_SUMMARY	Whereas the frequency of MYC amplification was similar to adenocarcinoma (10.5% versus 4%, P = .2), the frequency of PTGE amplification was higher than adenocarcinoma (10.5% versus 0.3% = .01)
Literature	GENERIF_SUMMARY	This study elucidates the molecular basis of the c-Myc/EGLN1-me induction of LSH expression that inhibits ferroptosis
Literature	GENERIF_SUMMARY	Double-hit lymphoma (DHL) is an aggressive form of DLBCL with a unmet treatment need, in which MYC rearrangement is present wit either BCL2 or BCL6 rearrangement
Literature	GENERIF_SUMMARY	metabolic switching is lineage-specific and not a required step for pluripotency in human pluripotent stem cells and identifies MYC a MYCN as developmental regulators that couple metabolism to pluripotency and cell fate determination.
Literature	GENERIF_SUMMARY	c-Myc was capable of upregulating HP1gamma by directly binding E-box element in the first intron of HP1gamma gene, and the upreg HP1gamma, in turn, repressed the expression of miR-451a by enha H3K9 methylation at the promoter region of miR-451a.
Literature	GENERIF_SUMMARY	The study suggests that nuclear overexpression of cMYC correlate tumorigenesis / dedifferentiation in follicular cell derived thyroid carcinomas.
Literature	GENERIF_SUMMARY	our findings suggest that the innate role of MYC-mediated cell competition in development is conserved in human cancer, with malignant cells using MYC activity to colonise the organ at the exp of less performant neighbours.
Literature	GENERIF_SUMMARY	MYC and MCL1 cooperate in the maintenance of chemotherapy-re

Main Category	Category	Terms
		cancer stem cells in triple-negative breast cancer.
Literature	GENERIF_SUMMARY	prognostic effect of imbalanced MYC and PRC2
Literature	GENERIF_SUMMARY	We found that the combination of alpha-mangostin with TRAIL ind apoptosis of SAS cells through the mitochondrial pathway via acti of caspase-9 and -3/7, following release of cytochrome c. This apo was induced by S/G2/M-phase arrest. Immunopositivity for c-Myc observed in the cytoplasm of tumor cells in 16 (40%) of the 40 cas human oral squamous cell carcinoma (HOSCC).
Literature	GENERIF_SUMMARY	MYC/BCL2 co-expression is associated with a poorer prognosis ar independent of cell-of-origin classification in diffuse large B-cell lymphoma of the CNS.
Literature	GENERIF_SUMMARY	Data indicate that miR-34a enhanced the sensitivity to cisplatin by upregulation of c-Myc and Bim pathway.
Literature	GENERIF_SUMMARY	Data show that MYC, BCL2 and BCL6 translocation had no progno impact with respect to progression free survival (PFS) or overall su (OS).
Literature	GENERIF_SUMMARY	High myc expression is associated with cancer.
Literature	GENERIF_SUMMARY	Case Reports
Literature	GENERIF_SUMMARY	we show that transcription of the LMP1 gene can be negatively reg by a host transcription factor, c-Myc.
Literature	GENERIF_SUMMARY	MYC amplification and MYC overexpression occurred almost exclu in secondary cutaneous angiosarcoma in our series.
Literature	GENERIF_SUMMARY	STAT3 activation and MYC expression were critical for the prolifera and survival of Aggressive NK-cell Leukemia cells.
Literature	GENERIF_SUMMARY	topical mevastatin accelerates wound closure by promoting epithelialization via multiple mechanisms
Literature	GENERIF_SUMMARY	High protein expression of the glutamine-proline enzymes were all associated with high MYC protein in Luminal B tumours only (P
Literature	GENERIF_SUMMARY	MYC directly regulates DANCR and plays important role in cancer c proliferation.
Literature	GENERIF_SUMMARY	Authors conclude that quantitative measurements of intratumor heterogeneity by multiplex FISH, detection of MYC amplification ar TP53 mutation could augment prognostication in breast cancer pa
Literature	GENERIF_SUMMARY	knockdown of AP4 abrogated senescence-like phenotype in cells expressing low level of c-Myc, and accelerated cell death in cells w medium level of c-Myc, indicating that AP4 was required for cellula senescence induced by low level of c-Myc.
Literature	GENERIF_SUMMARY	we highlight the emerging recognition of MYC and BCL2 coexpress the most robust predictor of diffuse large B cell lymphoma outcom discuss rationally conceived experimental approaches to treat thes high-risk patients.
Literature	GENERIF_SUMMARY	Multivariable analysis indicated that IPI (P = 0.002), chemotherapy regimens (P = 0.017), and MYC gene rearrangements (P = 0.004) w independent adverse prognostic factors for all diffuse large B cell Lymphoma(DLBCL) patients in this study. Results demonstrated th

Main Category	Category	Terms
		poor survival of DLBCL patients with HBV infection was closely inv in chemotherapy regimens, IPI, and MYC gene rearrangements
Literature	GENERIF_SUMMARY	BMH-21 and its analogue 2 bind to G-quadruplex present in the c-M promoter, down-regulating c-Myc expression in human tumor cells downregulation reflected an early and persistent modulation of cM mRNA.
Literature	GENERIF_SUMMARY	In our study, the c-myc oncogene was amplified in 11.1% of BPH samples. Bivariate analysis failed to reveal any significant associat between oncogene amplification and the clinicopathologic variable examined.
Literature	GENERIF_SUMMARY	c-Myc expression is regulated by nitric oxide in the epidermal stem cells.FOXG1 induces transcriptional activity of the c-Myc gene pro
Literature	GENERIF_SUMMARY	The c-Myc/miR-200b/PRDX2 loop regulates colorectal cancer (CR progression and its disruption enhances tumor metastasis and chemotherapeutic resistance in CRC.
Literature	GENERIF_SUMMARY	Authors show that loss of the tumor suppressor p53 increased MY mRNA levels even in the absence of estrogen stimulation. Howeve cells with wild-type p53, SRC acted to overcome p53-mediated inhi of estrogen-stimulated cell cycle entry and progression.
Literature	GENERIF_SUMMARY	Our study highlighted the high colorectal cancer risk of people car MYC rs6983267 G and KBTBD11 rs11777210 C alleles
Literature	GENERIF_SUMMARY	These findings thus reveal a MYC-SLC7A5/SLC43A1 signaling circ underlies EAA metabolism, MYC deregulation, and tumorigenesis.
Literature	GENERIF_SUMMARY	MYC is a bona fide oncogene in a clinically significant group of hig childhood neuroblastomas.MYC is activated through either focal amplification of distal enhancers or enhancer hijacking mediated b chromosomal translocation.
Literature	GENERIF_SUMMARY	Deficiency of miR-144/451 expression may play a bona fide role in derepression of silenced c-Myc, which contributes to tumor develo including B-lymphomagenesis.
Literature	GENERIF_SUMMARY	The association of single nucleotide polymorphisms across the 8q chromosome region (positioned at 127180736 and 127183014 ne small es, Cyrillic-MYC gene) with chronic lymphocytic leukemia risl confirmed.
Literature	GENERIF_SUMMARY	review recent research regarding functions of Myc as an important modulator in immune disorders, postallogeneic hematopoietic ste transplantation (HSCT) and several cancers. Myc overexpression h been repeatedly linked to immune disorders and specific cancers.
Literature	GENERIF_SUMMARY	Study shows that recessive dystrophic epidermolysis bullosa- squa cell carcinoma (SCC) tumors harbor genetic alterations similar to t in UV-related SCCs. Mutations in NOTCH1/2/4 and TP53 and copy number alterations in MYC, together with the activation of the TGF receptor signaling pathway, seem to play a major role in this malig
Literature	GENERIF_SUMMARY	Results showed that c-Myc mRNA expression levels of gastric can (GC) were higher in DDX6 up-regulated-GC clinical samples. Also, D associated with c-Myc mRNA. Moreover, enforced overexpression DDX6 promoted both mRNA and protein expression of c-Myc in GC On the other hand, the gene silencing of DDX6 induced growth suppression through down-regulation of c-Myc in GC cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	clusters of enhancers, such as BENC in the MYC gene, form highly combinatorial systems that allow precise control of gene expressi across normal cellular hierarchies and which also can be hijacked malignancies
Literature	GENERIF_SUMMARY	Genomewide ChIP-seq experiments suggest that Che-1 acts as a downstream effector of c-Myc. These results identify the pivotal ro Che-1 in the control of B-cell precursor acute lymphoblastic leuken (BCP-ALL) proliferation and present the protein as a possible thera target in children with relapsed BCP-ALL
Literature	GENERIF_SUMMARY	Blastic plasmacytoid dendritic cell neoplasm with unusual morpho MYC rearrangement and TET2 and DNMT3A mutations.
Literature	GENERIF_SUMMARY	miR-27a-5p is positively regulated by MYC, and its silencing due to aberrant promoter methylation occurs early in prostate carcinogen concomitantly with loss of MYC regulatory activity.
Literature	GENERIF_SUMMARY	We demonstrate that VCP regulates many nuclear and chromatin-associated proteins and promotes the degradation and activity of transcription factor c-Myc.
Literature	GENERIF_SUMMARY	PIM1-mediated phosphorylation of c-Myc activates the expression transcription factors to synergistically promote epithelial-mesench transition.
Literature	GENERIF_SUMMARY	these data establish the synthetic lethal interaction of the IRE1/XB pathway with MYC hyperactivation and provide a potential therapy MYC-driven human breast cancers.
Literature	GENERIF_SUMMARY	Impact of 9p deletion and p16, Cyclin D1, and Myc hyperexpressio the outcome of anaplastic oligodendrogliomas.
Literature	GENERIF_SUMMARY	This study identified PDIA3P as a novel c-Myc interacting long non RNA.
Literature	GENERIF_SUMMARY	a phosphorylation mutant form of Mxi1 (Mxi1-S160A), which cann degraded by S6K1 and beta-Trcp, is much more stable and efficien suppressing the transcriptional activity of Myc and radioresistance lung cancer cells.
Literature	GENERIF_SUMMARY	current data demonstrate that both INSR and IGF1R are directly ta by C-myc and exert similar effects to promote the tumorigenesis a metastasis of TSCC through the NF-kappaB pathway.
Literature	GENERIF_SUMMARY	High MYC amplification is associated with HER2 positive breast ca in African American women.
Literature	GENERIF_SUMMARY	MYC-driven tumor initiation relies on cell reprogramming, which is mediated by the activation of MYC-dependent oncogenic enhance
Literature	GENERIF_SUMMARY	G variant of rs6983267 single nucleotide polymorphism (SNP) in C gene and MYC enhancer region functions as an independent risk f for cervical squamous cell carcinoma (SCC). MYC transcript levels increased in cancerous and normal tissue in carriers of GG polymorphism compared with carriers of TT polymorphism
Literature	GENERIF_SUMMARY	Study identifies Eya3 as a regulator of PP2A, a major cellular Ser/T phosphatase, and uncovers a mechanism of controlling the stabili critical oncogene, c-Myc.
Literature	GENERIF_SUMMARY	High MYC expression is associated with Choroid Plexus and Ciliar

Main Category	Category	Terms
		Tumors.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with the development of pros cancer.
Literature	GENERIF_SUMMARY	c-Myc transactivates miR-141 expression and that BRD7, a direct t of c-Myc, serves as a cofactor of c-Myc and forms a negative feed loop with c-Myc in miR-141 transcription in NPC.
Literature	GENERIF_SUMMARY	PLGF promotes Epithelial-mesenchymal transition (EMT) and tumorsphere formation through inducing miR-19a expression by upregulating c-MYC.
Literature	GENERIF_SUMMARY	SUMO and MYC mediate opposite effects upon global transcriptio controlling the level of CDK9 sumoylation.
Literature	GENERIF_SUMMARY	Results show that MYC expression and its targets in breast cancer regulated by EPIC1.
Literature	GENERIF_SUMMARY	The findings of the current study demonstrate presence of the IDH R132H mutation in primary human glioblastoma cell lines with upregulated HIF-1alpha expression, downregulating c-MYC activity resulting in a consequential decrease in miR-20a, which is respons cell proliferation and resistance to standard temozolomide treatme
Literature	GENERIF_SUMMARY	the findings suggest that ZNF746 promotes colorectal cancer progression via c-Myc stability mediated by glycogen synthase kin 3beta and F-box/WD repeat-containing protein 7.
Literature	GENERIF_SUMMARY	Kazakh and Han patients with esophageal squamous cell carcinor Glut1 c-myc co-expression had poorer prognosis.
Literature	GENERIF_SUMMARY	Study reports that NME2 is an oncogene in osteosarcoma (OS) tha associated with its clinicopathologic features. Downregulation of N could reduce the proliferation of OS cells and arrest the OS cell cyc the G2/M phase. The deregulation of NME2 enhanced the express c-Myc and affected the proliferation of osteosarcoma.
Literature	GENERIF_SUMMARY	MYC promotes human iPSC generation primarily by facilitating the escape of an OCT3/4, SOX2, and KLF4 (OSK)-induced proliferation blockade in early reprogramming cells. It does this by repressing retinoblastoma protein (RB) rather than enhancing OSK binding, suppressing fibroblast-specific genes, or inducing metabolic chang
Literature	GENERIF_SUMMARY	Melatonin disturbs SUMOylation-mediated crosstalk between c-My nestin via MT1 activation and promotes the sensitivity of paclitaxe brain cancer stem cells.
Literature	GENERIF_SUMMARY	miR-105 promotes MYC-mediated metabolic reprogramming of br cancer stromal cells, contributing to sustained tumour growth by conditioning the shared metabolic environment.
Literature	GENERIF_SUMMARY	Study shows that DEPTOR, a suppressor of mTOR, is a direct targe Wnt/beta-catenin/c-Myc signaling in colorectal cancer cells. Inhibi Wnt/beta-catenin or knockdown of c-Myc decreased, while activati Wnt/beta-catenin or overexpression of c-Myc increased the expres DEPTOR. c-Myc bound the promoter of DEPTOR and transcriptiona regulated DEPTOR expression.
Literature	GENERIF_SUMMARY	CD30+ diffuse large B-cell lymphoma has characteristic clinicopathological features mutually exclusive with MYC gene rearrangement and negatively associated with BCL2 protein expres

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	these results provide genetic evidence of YAP/TAZ as oncogenic initiators and drivers for gastric tumors with MYC as the key down mediator.
Literature	GENERIF_SUMMARY	low expression of c-Myc protein predicts poor outcomes in patient HCC with hepatectomy.
Literature	GENERIF_SUMMARY	Using isothermal calorimetry, the study found that Myc phosphoryl destabilizes this ternary protein-DNA complex by decreasing Myc's affinity for Max by 2 orders of magnitude, suggesting a major effec phosphorylation on this complex.
Literature	GENERIF_SUMMARY	Circular RNA hsa_circRNA_103809 promotes lung cancer progress facilitating ZNF121-dependent MYC expression by sequestering miR-4302.
Literature	GENERIF_SUMMARY	These results suggest that ROS generation and c-MYC suppressio important roles in tetrandrine-induced autophagy and differentiatio the results from in vivo experiments were consistent with those fro vitro studies.
Literature	GENERIF_SUMMARY	could not find any relationship between Bcl-2, c-Myc and EBER-ISH positivity and the low/high IPS groups in classical Hodgkin lympho
Literature	GENERIF_SUMMARY	the synergistic effect is likely due to two reasons
Literature	GENERIF_SUMMARY	evidence supports a role for Pygo2 as an essential component of I oncogenic activity required for mitosis.
Literature	GENERIF_SUMMARY	A subset of pancreatic acinar cell carcinomas shows c-MYC altera including gene amplification and chromosome 8 polysomy.
Literature	GENERIF_SUMMARY	MYC overexpression by IHC is a strong prognostic factor for remis duration in acute myeloid leukemia (AML) patients of all ages and types. MYC overexpression is also an important biomarker for surv untreated patients >/=55 years of age (all risk groups) and interme and high-risk AML patients of all ages, with higher MYC-immunopo conferring an inferior prognosis.
Literature	GENERIF_SUMMARY	The data demonstrated that 10058F4, a cMyc inhibitor, increased t growth inhibition, G0/G1 phase arrest and apoptosis of the NALM6 CEM cells as induced by dexamethasone (DXM), a type of GC.
Literature	GENERIF_SUMMARY	a novel signal circuit of Stat3/Oct-4/c-Myc was identified for regula stemness-mediated Doxorubicin resistance in triple-negative breas cancer
Literature	GENERIF_SUMMARY	We demonstrate that inflammatory bowel disease-associated intes adenocarcinomas have a high frequency of c-MYC amplification th associated with mucinous and signet ring cell differentiation.
Literature	GENERIF_SUMMARY	ATT selectively destabilizes c-Myc in human cancer cells.
Literature	GENERIF_SUMMARY	c-MYC/BCL2 protein co-expression is associated with non-germina center B-cell in Diffuse Large B-Cell Lymphoma
Literature	GENERIF_SUMMARY	In esophageal squamous cell carcinoma (ESCC) tissues, c-Myc expression was inversely correlated with NS1-binding protein (NS1 levels, and was associated with a shorter disease-specific survival
Literature	GENERIF_SUMMARY	Translocations involving the 8q24 MYC locus more frequently man as t(6;8)(p21;q24), and, given its association with specific

Main Category	Category	Terms
		clinicopathological features suggesting even more aggressive beh t(6;8)(p21;q24) indicate a genetically defined subgroup within blas plasmacytoid dendritic cell neoplasm
Literature	GENERIF_SUMMARY	TP53 mutations define a subset of ALK-translocated non-small cel carcinoma tumours with recurrent MYC amplication that harbour chromosomal instability, leading to the co-occurrence of pathogen aberrations.
Literature	GENERIF_SUMMARY	Identify SETDB1 as a prominent oncogene in breast cancer. The c- BMI1 axis is essential for SETDB1-mediated breast tumourigenesi
Literature	GENERIF_SUMMARY	these findings identify c-Myc not only as being responsible for miR repression in Leishmania-infected macrophages but also as a nov essential virulence factor by proxy that promotes Leishmania surv
Literature	GENERIF_SUMMARY	These data individuate Che-1 as a possible novel target in the treat of B-cell precursor acute lymphoblastic leukemia able to affect c-M driven tumorigenicity.
Literature	GENERIF_SUMMARY	Expression and Clinical Significance of LC-3 and P62 in Non-small Lung Cancer
Literature	GENERIF_SUMMARY	MYC protein expression scoring and its impact on the prognosis o aggressive B-cell lymphoma patients.
Literature	GENERIF_SUMMARY	HUWE1 overexpression could functionally suppress prostate carci development both in vitro and in vivo, possibly by inverse regulatio Myc.
Literature	GENERIF_SUMMARY	DLBCL patients with pleural effusion and MYC-R had significantly s OS and PFS than those with DE or without MYC-R or DE.
Literature	GENERIF_SUMMARY	EGF activated Myc and Myc overexpression inhibited miR-26b by recruitment of HDAC3, which in turn induced the expression of EZH promoted the progression of epithelial-mesenchymal transition in lens epithelial cells
Literature	GENERIF_SUMMARY	MACC1 and c-Myc are highly expressed in serum and tumor tissue EC patients. Both are correlated with TNM stage, primary infiltratio lymph node or distal metastasis.
Literature	GENERIF_SUMMARY	Long non-coding RNA LINC00310 promoted cell proliferation by regulating c-Myc expression in vitro.
Literature	GENERIF_SUMMARY	C-Myc transcriptionally enhances MTDH (metadherin) expression a subsequently activates Twist1 expression to induce EMT.
Literature	GENERIF_SUMMARY	MYC may down-regulate PD-L1 expression in the context of hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	GATAD2B interacts with C-MYC to enhance KRAS driven tumor gro
Literature	GENERIF_SUMMARY	miR135a directly bound to UCA1 and the 3' untranslated region of and UCA1 competed with cmyc for miR135a binding.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with colorectal cancer.
Literature	GENERIF_SUMMARY	VWA2 might be a constituent of a larger oncogenic transcriptional program regulated by c-Myc.
Literature	GENERIF_SUMMARY	Results show that c-Myc protein expression and transcriptional ac

Main Category	Category	Terms
		are upregulated by R1 which interacts with its NH2-terminal domai enhancing protein stability.
Literature	GENERIF_SUMMARY	Fluorescence in situ hybridization studies (histologic sections) cor translocations of MYC (8q24), BCL2 (18q21) and BCL6 (3q27) in a patients.
Literature	GENERIF_SUMMARY	Data how that transcription factor myc (MYC) directly occupied the kb and -0.35 kb regulatory regions in the microRNA 150 (MIR150) g
Literature	GENERIF_SUMMARY	MYC is a key regulator of autophagic memory in pathogenic T cells human arthritis.
Literature	GENERIF_SUMMARY	These results revealed a novel mechanism of E7 function whereby elevated GCN5 acetylates histones and c-Myc to regulate E2F1 expression and cell cycle progression.
Literature	GENERIF_SUMMARY	4-chlorobenzoyl berbamine (CBBM) inhibits the JAK2/STAT3 pathw leading to reduced c-Myc transcription. Collectively, these findings suggest that CBBM could be a promising lead compound for treatn of c-Myc-driven diffuse large B cell lymphoma.
Literature	GENERIF_SUMMARY	TXNIP is a key adaptor for c-Myc-driven aerobic glycolysis in prost cancer
Literature	GENERIF_SUMMARY	Identify a high incidence of MYC rearrangements in Primary cutane diffuse large B-cell lymphoma, leg type compared to nodal diffuse B-cell lymphoma.
Literature	GENERIF_SUMMARY	Findings suggested that KPNA2, a potential tumor oncogene, perfo its function in part via regulating cellular metabolism through c-my signaling axis. It would provide a possible explanation for Warburg and thus offer a new perspective to the roles of KPNA2 in gliomag
Literature	GENERIF_SUMMARY	MYC activity underlies intrinsic resistance to ibrutinib in MCL. As a protein of HSP90, MYC can be inhibited via PU-H71 to overcome pr ibrutinib resistance.
Literature	GENERIF_SUMMARY	CCND1 , C-MYC , and FGFR1 amplifications were observed in 34.28 28.57%, and 17.14% of the 35 samples (invasive ductal breast carcinoma).
Literature	GENERIF_SUMMARY	lncRNA THOR is up-regulated in retinoblastoma, and its over-expre significantly enhances the malignant phenotype transformation of retinoblastoma cells by up-regulating c-myc and TGF2BP1 express
Literature	GENERIF_SUMMARY	RASSF7 competed with MAX in the formation of a heterodimeric complex with c-Myc and attenuated its occupancy on target gene promoters to regulate transcription.
Literature	GENERIF_SUMMARY	NEAT1 is a direct transcriptional target of c-Myc. c-Myc represses expression by binding to the NEAT1 promoter, and SFPQ is require NEAT1-mediated apoptosis in K562 cells.
Literature	GENERIF_SUMMARY	PBK/TOPK provides stability of an oncoprotein, c-MYC.
Literature	GENERIF_SUMMARY	In cisplatin-resistant ovarian cancer cells c-Myc enhances the expr of EZH2 by directly suppressing miR-137 that targets EZH2 mRNA Inhibition of c-Myc-miR-137-EZH2 pathway re-sensitizes resistant cisplatin. Clinical studies further confirm the activated c-Myc-miR- EZH2 pathway in platinum drug-resistant or recurrent ovarian canc patients.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Myeloma cells with histone modifier mutations or lower IRF4/MYC expression were less sensitive to DOT1L inhibition, but with prolon treatment, anti-proliferative effects were achieved in these cells.
Literature	GENERIF_SUMMARY	study provides an interesting example using chemical biological approaches for determining distinct biological consequences from inhibiting vs. activating an E3 ubiquitin ligase and suggests a pote broad therapeutic strategy for targeting c-MYC in cancer treatment pharmacologically modulating cIAP1 E3 ligase activity.
Literature	GENERIF_SUMMARY	FBP1 modulates the sensitivity of pancreatic cancer cells to BET inhibitors by decreasing the expression of c-Myc. These findings highlight FBP1 could be used as a therapeutic niche for patient-tail therapies
Literature	GENERIF_SUMMARY	the findings of this study demonstrate that hsamiR24 suppresses metastasis in nasopharyngeal carcinoma by regulating the cMyc/E axis, suggesting that hsamiR24 may be used as a prognostic facto as a novel target for the prevention of nasopharyngeal carcinoma metastasis.
Literature	GENERIF_SUMMARY	Study using human ATRT cell lines, patient-derived cell culture, ex v patient-derived tumor, and orthotopic xenograft models shows tha occupies distinct promoter loci in atypical teratoid rhabdoid tumor (ATRT) compared to embryonic stem cells and suggests that SMA loss alters chromatin occupancy of MYC.
Literature	GENERIF_SUMMARY	study reveals a novel role for TSC1 in securing homeostasis betwe MYC and mTORC1 that is required for cell survival and tumor maintenance in Burkitt's lymphoma. The study identifies TSC1/2 inhibition and/or mTORC1 hyperactivation as a novel therapeutic s for MYC-driven cancers.
Literature	GENERIF_SUMMARY	inhibition of PIM1 attenuates prostate tumor growth and migration stabilizing c-Myc.
Literature	GENERIF_SUMMARY	propose that under conditions of oxidative stress given by the internalization of oxLDL, macrophages employ the formation of the amphiphysin 2(Bin1)/c-Myc complex as a control mechanism to in avoid the process of cell death
Literature	GENERIF_SUMMARY	Oncogenic zinc finger protein ZNF322A promotes stem cell-like properties in lung cancer through transcriptional suppression of c- expression.
Literature	GENERIF_SUMMARY	inhibition of PLK1 triggered degradation of MYC and of the antiapo protein MCL-1, and PLK1 inhibitors showed synergy with BCL-2 antagonists in blocking DHL cell growth, survival, and tumorigenici supporting clinical targeting of PLK1 in DHL.
Literature	GENERIF_SUMMARY	In this review, we provide support to the hypothesis that the coope of c-Myc with transcriptional cofactors mediates c-Myc-induced ce functions. We produce evidence that recently identified cofactors a involved in c-Myc control of survival mechanisms of cancer cells
Literature	GENERIF_SUMMARY	This study discovers a paradoxical role of c-MYC in promoting metastasis to the brain and in rendering brain-metastatic cells mor susceptible to TRAIL.
Literature	GENERIF_SUMMARY	This study shows that IG-MYC (+) neoplasms with precursor B-cell phenotype show recurrent NRAS/KRAS mutations, lack of function cell receptor, and IG-MYC translocations due to aberrant VDJ

Main Category	Category	Terms
		recombination.
Literature	GENERIF_SUMMARY	Temporal dynamics of Wnt-dependent transcriptome reveal an onc Wnt/MYC/ribosome axis.
Literature	GENERIF_SUMMARY	BCL6 translocation was detected in 15 (12%) cases. Translocation involving MYC and BCL2 was identified in 3 cases (3.8%) and 1 cas (1.3%) respectively. One double hit lymphoma was discovered with MYC/BCL2 translocation (1.3%).
Literature	GENERIF_SUMMARY	Study reports a high-resolution crystal structure (2.35 A) of the ma quadruplex formed in the NHE III1 region of the c-MYC promoter. T crystal structure is in general agreement with the solution NMR str however, key differences are observed in the position of nucleotide outside the G-quartet core.
Literature	GENERIF_SUMMARY	we demonstrated that MYC recruited DNMT3A to the miR-200b pro resulting in proximal CpG island hypermethylation and subsequent miR-200b repression. MiR-200b directly inhibited DNMT3A express and formed a feedback loop in Triple-negative breast cancer (TNB
Literature	GENERIF_SUMMARY	hUTP14a interacts with c-Myc and protects c-Myc from ubiquitinat and degradation in a USP36-dependent way.
Literature	GENERIF_SUMMARY	These data demonstrated that AXL promotes epirubicin resistance through transcriptional upregulation of c-MYC in esophageal adenocarcinoma cells.
Literature	GENERIF_SUMMARY	The high expression of c-myc may promote the invasion and meta of cervical cancer, and the high expression of bcat1 may promote proliferation, invasion and metastasis of cervical cancer, which ma a synergistic effect in the pathogenesis of cervical cancer.
Literature	GENERIF_SUMMARY	TXNDC9 promotes hepatocellular carcinoma progression by positi regulation of MYC-mediated transcriptional network.
Literature	GENERIF_SUMMARY	Our study determined a dual role for c-Myc, as a major contributor induced cystogenesis and in a feed-forward regulatory Pkd1-c-Myc mechanism that may also prevail in human ADPKD.
Literature	GENERIF_SUMMARY	RMRP functions as a miR-34a-5p sponge to promote cell proliferat and repress cell apoptosis through upregulation of c-Myc in MM
Literature	GENERIF_SUMMARY	DPT regulates CDK4, CDK6 and p21, through MEK-ERK-MYC signal repress papillary thyroid cancer proliferation.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with colon cancer.
Literature	GENERIF_SUMMARY	This study also reveals a TET2-SNIP1-c-MYC pathway in mediating damage response.
Literature	GENERIF_SUMMARY	ODC1 is an important bona fide gene target of MYC, which encode sentinel, rate-limiting enzyme in polyamine biosynthesis. [review]
Literature	GENERIF_SUMMARY	MYC protein interactome profiling reveals functionally distinct regi that cooperate to drive tumorigenesis.
Literature	GENERIF_SUMMARY	c-MYC could bind directly to the EphA2 and Wnt1 promoter to enha their transcription. The entire process formed an EphA2-mediated forward loop. A small molecular inhibitor of EphA2 potently inhibit proliferation of gastric cancer in vitro and in vivo, including gastric patient-derived xenografts. Thus, our data identify EphA2 as an exc

Main Category	Category	Terms
		candidate for gastric cancer therapy.
Literature	GENERIF_SUMMARY	Study demonstrated that the expression of EP4 receptors was up-regulated by c-Myc by binding to Sp-1 under low cellular density conditions but was down-regulated under high cellular density con via the increase in the expression levels of HIF-1alpha protein, whi pull out c-Myc and Sp-1 from DNA-binding.
Literature	GENERIF_SUMMARY	Data support the current World Health Organization classification t define an entity with involvement of MYC , BCL2 and/or BCL6 . Alth complex karyotypes are highly significant in these patients, they do seem to have an additional high number of variants at the molecul level.
Literature	GENERIF_SUMMARY	Inhibiting phosphorylation of GSK3 substrates c-Myc on T58 and b catenin on S33/S37/T41 and their subsequent upregulation contrib the antitumor activity of GSK3 inhibition.
Literature	GENERIF_SUMMARY	The expression of Lin28A and c-Myc was upregulated in PTC tissu cell lines, whereas the expression of let-7a was downregulated in P cell lines. Clinically, Lin28A was linked to a higher tumor/node/ metastasis stage and the presence of lymph node metastases.
Literature	GENERIF_SUMMARY	Select E-box locations that can be bound by both MITF and MYC-M form a separate class of MITF binding sites characterized by differ sequence content in the flanking region, diminished interaction wit SOX10, higher evolutionary conservation, and less tissue-specific chromatin organization.
Literature	GENERIF_SUMMARY	In vitro and in vivo cell-based assays showed that CDDO-NFM inhib glycolysis via degradation of c-MYC rather than activating peroxiso proliferator-activated receptor gamma.
Literature	GENERIF_SUMMARY	miR-4282 was down-regulated in human breast cancer (BC) tissue particularly in invasive and metastatic tumors. Expression of miR-4 was related to the occurrence of metastasis and the clinical grade The results of bioinformatics analysis combined with qRT-PCR and Western blot demonstrated that MYC might be the target gene of miR-4282 in BC.
Literature	GENERIF_SUMMARY	Study conclude that t(3;8)(q26.2;q24) often leads to MECOM and M rearrangement, occurs predominantly in therapy-related myeloid neoplasms or at disease progression, and shares some similarities myeloid neoplasms associated with inv(3)/GATA2-MECOM. Patien myeloid neoplasms associated with t(3;8)(q26.2;q24) have a dism outcome.
Literature	GENERIF_SUMMARY	Mutational landscape of primary, metastatic, and recurrent ovarian cancer reveals c-MYC gains as potential target for BET inhibitors.
Literature	GENERIF_SUMMARY	we conclude that c-Myc-induced upregulation of SNHG16 enhance progression and carcinogenesis in OSCC.
Literature	GENERIF_SUMMARY	Authors demonstrate that CUL4B upregulates the expression of C- post-transcriptional level through epigenetic silencing of miR-33b-5 CUL4B-induced oncogenic activity in PCa by targeting C-MYC is repressed by miR-33b-5p.
Literature	GENERIF_SUMMARY	Deregulation of the p53
Literature	GENERIF_SUMMARY	Myc is functionally important target gene of METTL3 in bladder cancer.AFF4 directly regulates MYC gene expression.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	lnc-XLEC1 had inhibitive effects that may result from its collaborat with MBP-1 during the suppression of the c-Myc expression.
Literature	GENERIF_SUMMARY	results reveal a previously unappreciated mechanism in which the Myc/miR-141 axis plays a critical role in nasopharyngeal carcinom (NPC) progression and may provide some potential and valuable ta for the diagnosis and treatment of NPC.
Literature	GENERIF_SUMMARY	Expression levels of PAX8AS1
Literature	GENERIF_SUMMARY	Because loss of FOXP3 transcriptionally induces c-Myc expressior loss of TSC1 activates mTOR signaling, these data suggest cross-t between FOXP3-c-MYC and TSC1-mTOR signaling that converges MYC to regulate tumor progression
Literature	GENERIF_SUMMARY	Exosomal FMR1-AS1 facilitates maintaining cancer stem-like cell dynamic equilibrium via TLR7/NF-kappaB/c-Myc signaling in fema esophageal carcinoma.
Literature	GENERIF_SUMMARY	These findings suggest that in patients with LBCL stratification by protein expression level significantly improves the prognostic impa associated with MYC translocation.
Literature	GENERIF_SUMMARY	FIRRE is transcriptionally activated by MYC.
Literature	GENERIF_SUMMARY	Inhibition of either EGFR or ERK activity overcame the JQ1 resistar significantly decreased MYC protein level in vitro and in viv
Literature	GENERIF_SUMMARY	MTOR2/C-MYC/GFAT1 axis is responsible for the modulation on th crosstalk between glycolysis and glutaminolysis in glioblastoma c
Literature	GENERIF_SUMMARY	Glioblastoma stem cells (GSCs) preferentially expressed HELLS compared with their differentiated tumor progeny and normal brai Elevated HELLS expression associated with poor prognosis of glio patients. HELLS interacts with E2F3 and MYC to regulate gene expression critical to GSC proliferation. HELLS expression strongly correlated with targets of E2F3 and MYC transcriptional activity in glioblastoma patients.
Literature	GENERIF_SUMMARY	we confirmed that miR-487b is a CRC suppressor that prevents the process and targets MYC, SUZ12, and KRAS to inhibit the prolifera migration and invasion of CRC cells. Meanwhile, miR-487b is nega regulated by DNA methylation
Literature	GENERIF_SUMMARY	These results suggest that Wnt/MYC signaling contributes to Croh disease pathogenesis and that patients harboring the disease-ass allele may benefit from therapies that target MYC or MYC-regulate genes.
Literature	GENERIF_SUMMARY	study uncover that the RING domain of XIAP supports c-Myc prote stability, providing insight into the molecular mechanism and role o Myc overexpression in cancer progression.
Literature	GENERIF_SUMMARY	A critical role of c-Myc in regulating the coordinated expression of Androgen Receptor (AR)-FL and AR-Vs that is commonly observed Castration-resistant prostate cancer and this suggests the utility o targeting c-Myc as an adjuvant to AR-directed therapy.
Literature	GENERIF_SUMMARY	c-Myc mediated upregulation of long noncoding RNA SNHG12 reg proliferation and drug sensitivity in natural killer/T-cell lymphoma.
Literature	GENERIF_SUMMARY	The present results suggest that LSD1 is induced by c-Myc and for

Main Category	Category	Terms
		positive feedback mechanism in transcription reactions by c-Myc.
Literature	GENERIF_SUMMARY	NELFE-Dependent MYC Signature Identifies a Unique Cancer Subty Hepatocellular Carcinoma.
Literature	GENERIF_SUMMARY	C-MYC expression promoted high proliferation rates of MSC, atten but not abrogated their differentiation capacity, and did not immed lead to tumor formation in the tested in vivo mouse model.
Literature	GENERIF_SUMMARY	cMyc decreases pyruvate levels by promoting thyroid hormone-bin protein (PKM2) and lactate dehydrogenase A (LDHA) levels, consequently decreasing inhibition to histone deacetylase 3 (HDA and protecting cancer cells from apoptosis.
Literature	GENERIF_SUMMARY	We postulate that c-Myc-mediated modulation of genetic stability cells may trigger cellular heterogeneity and affect adaptive respon changing environment.
Literature	GENERIF_SUMMARY	The review is focused on the role of MYC as a cell-cycle brake rele how MYC stimulates the cell cycle mainly through the functional inactivation of cell cycle inhibitors. MYC antagonizes the activities the expression levels of p15, ARF, p21, and p27 through different mechanisms. [review]
Literature	GENERIF_SUMMARY	High expression levels of PLK1 and c-Myc were independent progn factors for diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Results suggest that three positive feedback loops and one negati feedback loop were controlling c-Myc transcription factor (c-MYC) transcription.
Literature	GENERIF_SUMMARY	The present study demonstrated that PRMT5 epigenetically silenc expression of the tumor suppressor FBW7, leading to increased cM levels and the subsequent enhancement of the proliferation of and aerobic glycolysis in pancreatic cancer cells
Literature	GENERIF_SUMMARY	Using mass spectrometry of both MYC and Pol II complexes, we sl here that MYC controls the assembly of Pol II with a small set of transcription elongation factors that includes SPT5, a subunit of th elongation factor DSIF. MYC directly binds SPT5, recruits SPT5 to promoters, and enables the CDK7-dependent transfer of SPT5 onto
Literature	GENERIF_SUMMARY	High c-myc expression is associated with Cholangiocarcinoma.
Literature	GENERIF_SUMMARY	High MYC expression is associated with Cell Proliferation, Migratio the Epithelial-Mesenchymal Transition in Breast Cancer.
Literature	GENERIF_SUMMARY	Inflammation-dependent overexpression of c-Myc enhances CRL4(DCAF4) E3 ligase activity and promotes ubiquitination of ST colitis-associated cancer.
Literature	GENERIF_SUMMARY	Study identified ADREG5 as a MYC target gene able to discriminate between Burkitt lymphoma and diffuse large cell lymphoma (DLBC irrespectively of the presence of MYC breaks in DLBCL.
Literature	GENERIF_SUMMARY	circCDYL functions as a tumor suppressor in bladder cancer by do regulating the expression of C-MYC
Literature	GENERIF_SUMMARY	Study demonstrates that the plasmacytoid dendritic cells (pDCs)-s RUNX2 super-enhancer is hijacked to activate expression of MYC t(6;8) in blastic plasmacytoid dendritic cell neoplasm (BPDCN) cel unveil the molecular mechanisms underlying the pathogenesis of

Main Category	Category	Terms
		BPDCN, which originates from a precursor of pDCs.
Literature	GENERIF_SUMMARY	USP36 overexpression decreased ischemia-induced apoptosis and oxidative stress in human renal tubular HK-2cells. The protein leve Myc and SOD2 were declined in ischemic HK-2cells with enhanced ubiquitination. USP36 overexpression stabilized c-Myc and SOD2 b preventing ischemia-induced ubiquitination of both proteins.
Literature	GENERIF_SUMMARY	Authors find that the coordinated regulation of housekeeping func and tissue-specific gene expression requires a feedforward circuit whereby Ikaros down-regulates the expression of Myc.
Literature	GENERIF_SUMMARY	A noncoding RNA LINC00504 interacts with c-Myc to regulate tum metabolism in colon cancer.
Literature	GENERIF_SUMMARY	PHF10 expression in cells of different lines is activated by the c-M oncogene. Since PHF10 stimulates cell proliferation, its c-MYC-dependent activation in cancer cells should lead to an increase in t proliferation rate.
Literature	GENERIF_SUMMARY	The processed SNHG15 is overexpressed in CRC tumors and its expression is highly correlated with poor survival of patients. Interestingly, SNHG15 is more highly expressed in tumors with hig of MYC expression, while MYC protein binds to two E-box motifs o SNHG15 sequence, indicating that SNHG15 transcription is directl regulated by the oncogene MYC.
Literature	GENERIF_SUMMARY	Study reexamine the relationship between MYC and SNF5 and sho SNF5 inhibits, not co-activate, the DNA-binding ability of MYC and impedes target gene recognition by MYC in cells. MYC regulation b SNF5 is separable from its role in chromatin remodeling, and reintroduction of SNF5 into SMARCB1-null cells mimics the primar transcriptional effects of MYC inhibition.
Literature	GENERIF_SUMMARY	Results showed that Myc directed transcription and subcellular mitochondrial trafficking in regulating tumor cell movements and metastasis.
Literature	GENERIF_SUMMARY	Study uncover an unexpected coordination of transcription and sp of Sam68 by c-MYC, which may represent a key step in prostate ca tumorigenesis.
Literature	GENERIF_SUMMARY	RHPN1-AS1 is a molecular sponge of miR-4261, and direct transcriptional target of c-Myc.
Literature	GENERIF_SUMMARY	Two oncogenic Myc proteins, c-Myc and N-Myc, transcriptionally c the expression of the mitochondrial chaperone TNFR-associated protein-1 (TRAP1) in cancer. This Myc-mediated regulation preserv folding and function of mitochondrial oxidative phosphorylation (OXPHOS) complex II and IV subunits, dampened reactive oxygen species production, and enabled oxidative bioenergetics in tumor c
Literature	GENERIF_SUMMARY	Hundreds of genes were differentially expressed in CTCF-depleted among which MYC and a number of MYC target genes were specif downregulated. Mechanically, acute depletion of CTCF disrupted th direct interaction between the MYC promoter and its distal enhanc cluster residing approximately 1.8 Mb downstream. MYC expressio not much affected by CTCF loss in erythroid cells suggesting that could be...
Literature	GENERIF_SUMMARY	There was a statistically significant correlation between mRNA of and BCL2.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	These findings suggest that the disruption of the Myc-PDE4B circu can be exploited in the treatment of B cell malignancies.
Literature	GENERIF_SUMMARY	c-MYC overexpression induces choroid plexus papillomas through cell mediated inflammatory mechanism.
Literature	GENERIF_SUMMARY	regulates mRNA translation efficiency and start-site selection in lymphoma
Literature	GENERIF_SUMMARY	Study provides evidence that sustained induction of c-MYC drives paclitaxel resistance in pancreatic ductal adenocarcinoma (PDAC)
Literature	GENERIF_SUMMARY	a novel mechanism of miR-374a/Myc axis modulating iron overloa induced production of reactive oxygen species and the activation c hepatic stellate cells via TGF-beta1 and IL-6, is reported.
Literature	GENERIF_SUMMARY	High MYC expression is associated with Burkitt lymhoma.
Literature	GENERIF_SUMMARY	5MP1 is a novel oncogene that reprograms c-Myc translation in CR 5MP1 could be a potential therapeutic target to overcome therapeu resistance conferred by tumor heterogeneity of CRC.
Literature	GENERIF_SUMMARY	CD28 up-regulates glycolysis independent of the T cell receptor (TC engagement by promoting the increase of c-myc and the glucose transporter, Glut1, in relapsing-remitting multiple sclerosis CD4(+)
Literature	GENERIF_SUMMARY	Microhomology-mediated end joining drives complex rearrangeme and overexpression of MYC and PVT1 in multiple myeloma.
Literature	GENERIF_SUMMARY	In gastric cancer patients, HMGA1 and c-Myc expression were clos associated with the glycolysis gene signature.
Literature	GENERIF_SUMMARY	Postoperative detection of TCF7, c-Myc, and FOSL1 may be useful stratifying patients with a high risk of unfavorable prognosis, and suppressing TCF7 or its downstream effectors may be a promising strategy for the treatment of Perihilar cholangiocarcinoma (PHCC)
Literature	GENERIF_SUMMARY	Spontaneous regression of a plasmablastic lymphoma with MYC rearrangement.
Literature	GENERIF_SUMMARY	The contribution of MYC and PLK1 expression to proliferative capa diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	Amplification of HER-2/neu gene, along with high expression of c-M HER-2/neu and cyclin E proteins, are associated with such indices tumor progression as a low differentiation grade and deep myome invasion, suggesting the potential possibility of including these ma in the panel for determining the molecular endometrial carcinomas subtype associated with an aggressive course of the disease.
Literature	GENERIF_SUMMARY	Study reports the lncRNA E2F1 mRNA stabilizing factor (EMS) as a c-Myc transcriptional target. EMS functions as an oncogenic mole promoting G1/S cell cycle progression. EMS cooperates with the R binding protein RALY to stabilize E2F1 mRNA, and thereby increase E2F1 expression. Furthermore, EMS is able to connect c-Myc to ce control and tumorigenesis via modulating E2F1 mRNA stability.
Literature	GENERIF_SUMMARY	We report abnormal expression of the miR-17-92 cluster in acute promyelocytic leukemia cells and identified miR-17-92 as a target g c-Myc during ATRA-induced granulocytic differentiation.
Literature	GENERIF_SUMMARY	Finding that MYC directly deregulates the expression of TET1 and

Main Category	Category	Terms
		in T-ALL provides novel evidence that MYC controls DNA (hydroxy)methylation in a genome-wide fashion. It reveals a coordi interplay between the components of the DNA (de)methylating machinery that contribute to MYC-driven tumor maintenance.
Literature	GENERIF_SUMMARY	MYC maintains self-renewal exclusively in cancer stem cells by selectively binding to the promoter and activating the HIF2alpha stemness pathway in lymphoma.
Literature	GENERIF_SUMMARY	MYC amplification in patient-derived glioblastoma stem-like cells (generates sensitivity to PARPi via Myc-mediated transcriptional repression of CDK18.
Literature	GENERIF_SUMMARY	Tumor-specific inhibitory action of decorin on different hepatoma c lines.
Literature	GENERIF_SUMMARY	microRNA-103 promotes LPS-induced inflammatory injury by targe Myc in HK-2 cells
Literature	GENERIF_SUMMARY	Oncogenic MYC induces the impaired ribosome biogenesis checkpoint.MYC regulates the expression of RPL5 and RPL11 at th mRNA level.TP53 stability is regulated by MYC.
Literature	GENERIF_SUMMARY	229 c-Myc mRNA-binding proteins were identified, confirming prev proposed interactors, suggesting new interactors, and providing information related to the roles and pathways known to involve c-M
Literature	GENERIF_SUMMARY	Inhibition effect of exosomes-mediated Let-7a on the developmen metastasis of triple negative breast cancer by down-regulating the expression of c-Myc.
Literature	GENERIF_SUMMARY	Unbiased Metabolic Profiling Predicts Sensitivity of High MYC-Exp Atypical Teratoid/Rhabdoid Tumors to Glutamine Inhibition with 6- Diazo-5-Oxo-L-Norleucine.
Literature	GENERIF_SUMMARY	Associations among dietary seaweed intake, c-MYC rs6983267 polymorphism, and risk of colorectal cancer in a Korean populatio
Literature	GENERIF_SUMMARY	Summary the coamplification of PVT1 and MYC in cancer, the posi feedback mechanism, and the latest promoter competition mecha of PVT1 and MYC, as well as how PVT1 participates in the downst signaling pathway of c-Myc by regulating key molecules.[review]
Literature	GENERIF_SUMMARY	Patients with MYC and BCL2 and/or BCL6 gene extra copies might a trend towards poor prognosis
Literature	GENERIF_SUMMARY	This study suggests a regulatory network in which ZFAS1 is capab enhancing c-Myc expression by inducing the expression of YAP1, T and KDM3A through crosstalk with their upstream miRNAs, thereb globally promoting prostate cancer tumorigenesis.
Literature	GENERIF_SUMMARY	Authors observed that c-MYC regulates lncRNAs that have importa roles on proliferation, cell cycle and etc. Further studies will give us light to identify molecular mechanisms related to MYC-lncRNA reg pathways in breast cancer.
Literature	GENERIF_SUMMARY	MYC rearrangement was frequently identified in plasmablastic lym (PBL) patients, and IGH was the partner gene in an overwhelming majority of MYC rearrangements.
Literature	GENERIF_SUMMARY	provide a MYC-dependent model of breast cancer, which can be us assay in vivo tumour signalling pathways, proliferation and

Main Category	Category	Terms
		transformation from normal breast acini to invasive breast carcino
Literature	GENERIF_SUMMARY	AML-MRC patients with high MYC expression have inferior OS outc compared to low MYC patients.
Literature	GENERIF_SUMMARY	Findings indicate that MYMLR transcriptionally regulates MYC by p an MYC enhancer in proximity to the promoter through direct intera with PCBP2.
Literature	GENERIF_SUMMARY	Study report that LncRNA GLCC1 stabilizes c-Myc transcriptional f from ubiquitination by direct interaction with HSP90AA1 chaperon further specifies the transcriptional modification pattern on c-Myc genes, such as LDHA, consequently reprogram glycolytic metaboli colorectal cancer cells proliferation.
Literature	GENERIF_SUMMARY	PTTG1 is involved in TNF-alpha-related hepatocellular carcinoma v induction of c-myc.
Literature	GENERIF_SUMMARY	interaction between LINC00346 and CTCF prevents the binding of to c-Myc promoter, relieving the CTCF-mediated repression of c-My
Literature	GENERIF_SUMMARY	we revealed that CPA4 downregulation may induce apoptosis and arrest by suppressing the protein kinase B/c-MYC pathway. These suggest that CPA4 has an oncogenic effect on lung cancer growth together, we identified a novel gene in lung cancer that might provi basis for new therapeutic targets.
Literature	GENERIF_SUMMARY	An increase in MYC copy number has a progressive negative progr impact in patients with diffuse large B-cell and high-grade lymphor who may benefit from intensified treatment regimens.
Literature	GENERIF_SUMMARY	The secondary structure propensities and tertiary interactions of M determined for all bHLH-LZ residues, including those with poor NM properties under native conditions. This reveals conformations tha not predictable using existing crystal structures.
Literature	GENERIF_SUMMARY	C-myc/miR-150/EPG5 axis mediated dysfunction of autophagy pro development of non-small cell lung cancer.
Literature	GENERIF_SUMMARY	A total of 688 common DEGs were identified between survivors an survivors of sepsis, and 96 genes were involved in survival network crucial genes Signal transducer and activator of transcription 5A (STAT5A), CCAAT/enhancer-binding protein beta (CEBPB), Myc pro oncogene protein (MYC), and REL-associated protein (RELA) were identified and showed increased expression in sepsis survivors.
Literature	GENERIF_SUMMARY	MYC induced the expression of the tryptophan transporters SLC7A SLC1A5 and the enzyme arylformamidase (AFMID), involved in the conversion of tryptophan into kynurenine.
Literature	GENERIF_SUMMARY	Cdk2 phosphorylated c-Myc at Serine 62, promoting its associatio the miR-571 promoter region
Literature	GENERIF_SUMMARY	Assessment of the molecular mechanism demonstrated that SREB interacted with cMyc and cooperated with cMyc to activate HMGC expression.
Literature	GENERIF_SUMMARY	These results suggested that the overexpression of cMyc may con to the immune escape of cancer cells and cell proliferation. Combi treatment with NKbased cancer immunotherapy and inhibition of c may achieve improved therapeutic results.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Rapid progression of multiple myeloma appears to be independent associated with Ig MYC SV and DIS3 mutations
Literature	GENERIF_SUMMARY	The MYC Oncogene Cooperates with Sterol-Regulated Element-Bin Protein to Regulate Lipogenesis Essential for Neoplastic Growth.
Literature	GENERIF_SUMMARY	ALK(ATI) interacted with c-Myc and increased the binding of c-Myc ABCG2 promoter, resulting in the induction of stem cell-like proper Together, these findings indicate that ALK(ATI) may be a potential prognostic marker and therapeutic target for Soft tissue sarcoma (patients harboring such ALK aberrations
Literature	GENERIF_SUMMARY	Results provide evidence that COMMD3
Literature	GENERIF_SUMMARY	Functional assays showed that LINC01123 promoted NSCLC cell proliferation and aerobic glycolysis. Mechanistic investigations rev that LINC01123 was a direct transcriptional target of c-Myc. LINC0 increased c-Myc mRNA expression by sponging miR-199a-5p.
Literature	GENERIF_SUMMARY	MYC Rearrangement and Translocation Partner of immunoglobulin BCL2, BCL6 is associated with Diffuse Large B-Cell Lymphoma.
Literature	GENERIF_SUMMARY	Data suggest that the mechanism of action of Omomyc is to bind either a homodimer or a heterodimer with Max that is formed cotranslationally, revealing a novel mechanism to inhibit the MYC oncogene.
Literature	GENERIF_SUMMARY	TRAF3 regulates the oncogenic proteins Pim2 and c-Myc to restrai survival in normal and malignant B cells.
Literature	GENERIF_SUMMARY	GATA3-Controlled Nucleosome Eviction Drives MYC Enhancer Acti T-cell Development and Leukemia.
Literature	GENERIF_SUMMARY	High C-MYC expression is associated with non-small cell lung can
Literature	GENERIF_SUMMARY	High c-myc expression is associated with colon cancer.
Literature	GENERIF_SUMMARY	Knockdown of ANGPTL4 rescued the tumor suppressive phenotyp LMX1A overexpression, which indicated that LMX1A upregulates ANGPTL4 to exert its role. Mechanistically, we found that LMX1A inhibited the expression of the oncogene C-Myc, which is alleviated ANGPTL4 knockdown.
Literature	GENERIF_SUMMARY	C-MYC overexpression may contribute to PCa progression by activ SOX4. Findings highlight an important role of C-MYC/SOX4 in PCa progression in a subset of PCa patients.
Literature	GENERIF_SUMMARY	MYC and STAT3 may be the key regulatory genes in the underlying dysfunction of sepsis-induced acute respiratory distress syndrome
Literature	GENERIF_SUMMARY	tumoral FOXP3 was positively correlated with C-MYC overexpressi Tregs count
Literature	GENERIF_SUMMARY	c-Myc shuttled by tumour-derived extracellular vesicles promotes bronchial cell proliferation through miR-19b and miR-92a.
Literature	GENERIF_SUMMARY	Oncogenic HOXB8 is driven by MYC-regulated super-enhancer and potentiates colorectal cancer invasiveness via BACH1.
Literature	GENERIF_SUMMARY	MiR-1827 functions as a tumor suppressor in lung adenocarcinom targeting MYC and FAM83F.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	MYC is a transcriptional regulator of LEF1 in colonic cells
Literature	GENERIF_SUMMARY	NSD3S stabilizes MYC through hindering its interaction with FBXW
Literature	GENERIF_SUMMARY	Our study unveils a mechanism of how TYMS is transcriptionally regulated by MYC, and provides rationales for the precise use of T inhibitors in the clinic.
Literature	GENERIF_SUMMARY	miR-29a Is Repressed by MYC in Pancreatic Cancer and Its Restora Drives Tumor-Suppressive Effects via Downregulation of LOXL2.
Literature	GENERIF_SUMMARY	Oncoprotein c-Myc enhances PVT1 expression, whereas P53 supp its expression.
Literature	GENERIF_SUMMARY	A MYC-GCN2-eIF2alpha negative feedback loop limits protein synt to prevent MYC-dependent apoptosis in colorectal cancer.
Literature	GENERIF_SUMMARY	A 2.4 -A resolution crystal structure reveals that human MYC amin 98-111 interact with TBP in the presence of the amino-terminal do of TBP-associated factor 1 (TAF1(TAND1)).
Literature	GENERIF_SUMMARY	This study reveals that HDAC5 regulated by C-MYC is essential for deacetylation and nuclear localisation, which is critical for tamoxif resistance. These results indicate a potential therapy strategy for E breast cancer by targeting C-MYC/HDAC5/SOX9 axis.
Literature	GENERIF_SUMMARY	SUMOylation down-regulates rDNA transcription by repressing expression of upstream-binding factor and proto-oncogene c-Myc
Literature	GENERIF_SUMMARY	Circ-PRMT5 promotes gastric cancer progression by sponging miR and miR-1304 to upregulate MYC
Literature	GENERIF_SUMMARY	LINC01116 accelerates nasopharyngeal carcinoma progression ba on its enhancement on MYC transcription activity.
Literature	GENERIF_SUMMARY	diffuse large B-cell lymphoma (DLBCL) patients with DECM showe significantly inferior clinical outcomes compared to the CD5(+), MY or CD5(-)MYC(-) patients. Combinational therapeutic modalities m a candidate approach to improve the prognosis of these patients.
Literature	GENERIF_SUMMARY	miR-760 exerts an antioncogenic effect in esophageal squamous c carcinoma by negatively driving fat metabolism via targeting c-Myc
Literature	GENERIF_SUMMARY	Reduced expression of dMyc mitigates Tau(V337M) mediated neurotoxicity by preventing the Tau hyperphosphorylation and indu autophagy in Drosophila.
Literature	GENERIF_SUMMARY	Authors showed that PES1 interacted with BRD4 to enhance c-Myc expression, which is the primary cause of cancer cell resistance to inhibitors in pancreatic cancer.
Literature	GENERIF_SUMMARY	Cisplatin exposure causes c-Myc-dependent resistance to CDK4/6 inhibition in HPV-negative head and neck squamous cell carcinom
Literature	GENERIF_SUMMARY	Clinically, XLOC_006390 was positively correlated with the mRNA l GDH1, and c-Myc positively regulated GDH1 gene expression, whic tightly associated with PC patient prognosis. The dysregulated lnc Myc axis increased glutamate metabolism, promoting PC progress a higher stage.
Literature	GENERIF_SUMMARY	HBx and c-MYC are involved in URI1 expression in HCC-B. URI1 expression may play important roles in the development and progr

Main Category	Category	Terms
		of HCC-B because HBx and c-MYC are well-known oncogenic facto the virus and host
Literature	GENERIF_SUMMARY	our study indicated that the TRIP13/FBXW7/c-MYC pathway might provide a prospective therapeutic target in the treatment of gliobla
Literature	GENERIF_SUMMARY	CDK12 Promotes Breast Cancer Progression and Maintains Stemr Activating c-myc/beta -catenin Signaling.
Literature	GENERIF_SUMMARY	We demonstrated that PDMN-JQ1 could induce photothermal effe upon laser irradiation and down-regulate the expression of c-MYC PD-L1 to further boost the therapeutic efficacy.
Literature	GENERIF_SUMMARY	Deregulating MYC in a model of HER2+ breast cancer mimics hum intertumoral heterogeneity.
Literature	GENERIF_SUMMARY	Disrupting the MYC-WDR5 interaction in cancer promotes rapid an comprehensive tumor regression.
Literature	GENERIF_SUMMARY	FHIT and C-MYC expression in cervical histology and cytology as biomarkers for detecting high-grade intraepithelial neoplasia in hu papillomavirus-positive women.
Literature	GENERIF_SUMMARY	High expression of cMyc and activation of the ERK1/2 pathway co resistance against alectinib in ALK expressing glioblastoma.
Literature	GENERIF_SUMMARY	The cancer-cell-specific gating of MYC is regulated by AHCTF1.
Literature	GENERIF_SUMMARY	lncRNA CCAT1/miR-490-3p/MAPK1/c-Myc positive feedback loop progression of acute myeloid leukaemia.
Literature	GENERIF_SUMMARY	Myc is a regulator of fetal thymus development to support the rapi increase of thymus size during fetal life.
Literature	GENERIF_SUMMARY	Proteasome inhibition disrupts the metabolism of fumarate hydrat deficient tumors by downregulating p62 and c-Myc.
Literature	GENERIF_SUMMARY	HAS3-induced extracellular vesicles from melanoma cells stimulat mediated c-Myc upregulation via the hedgehog signaling pathway target cells.
Literature	GENERIF_SUMMARY	A critical role for c-Myc in group 2 innate lymphoid cell activation.
Literature	GENERIF_SUMMARY	Distinct genetic changes reveal evolutionary history and heteroger molecular grade of DLBCL with MYC/BCL2 double-hit.
Literature	GENERIF_SUMMARY	Multi-Omics Analysis Identifies MGA as a Negative Regulator of th Pathway in Lung Adenocarcinoma.
Literature	GENERIF_SUMMARY	High c-myc expression is associated with Muscle Invasive Urotheli Carcinoma of the Urinary Bladder.
Literature	GENERIF_SUMMARY	Our research illustrated a feedback loop of HOXC-AS1-MYC in aggravating GC cell growth and metastasis, highlighting HOXC-AS promising target for GC diagnosis and treatment.
Literature	GENERIF_SUMMARY	Overexpression of PC is deregulated by c-Myc in these cancers.
Literature	GENERIF_SUMMARY	Compared to vehicle-treated cells, the combination-treated cells sh decreased levels of the BRD4, as well as c-Myc protein after 48 hou exposure. In combination, the selective BRD4 inhibitor, ITH-47, and ESE-15-ol synergistically inhibited the growth of MDA-MB-231 brea

Main Category	Category	Terms
		cancer cells, but not of the MCF-7 cell line
Literature	GENERIF_SUMMARY	+ 284 region of c-Myc promoter, and the enrichment was decrease DOT1L inhibition. Therefore, DOT1L silencing might inhibit the transcriptional expression of c-Myc by inhibiting methylation of H3 colorectal neoplasm.
Literature	GENERIF_SUMMARY	FoxO6 regulated nuclear factor erythroid 2-related factor (Nrf2) expression via c-Myc after 3% isoflurane preconditioning and OGD exposure. Thus, isoflurane preconditioning prevented OGD-induced in LO2 cells by modulating FoxO6, c-Myc, and Nrf2 signaling.
Literature	GENERIF_SUMMARY	STK31 regulates the proliferation and cell cycle of lung cancer cell the Wnt/betacatenin pathway and feedback regulation by cmyc.
Literature	GENERIF_SUMMARY	lncRNA PVT1 promotes hepatitis B viruspositive liver cancer progr by disturbing histone methylation on the cMyc promoter.
Literature	GENERIF_SUMMARY	we focused on estrogen stimulation of the well-characterized GRE MYC target genes that revealed large differences in cell-by-cell responses, and, more interestingly, between alleles within the sam both over time and hormone concentration.
Literature	GENERIF_SUMMARY	High level MYC amplification in B-cell lymphomas
Literature	GENERIF_SUMMARY	The expression of MYC is strongly dependent on the circular PVT1 expression in pure Gleason pattern 4 of prostatic cancer.
Literature	GENERIF_SUMMARY	MYC and Twist1 cooperate to drive metastasis by eliciting crossta between cancer and innate immunity.
Literature	GENERIF_SUMMARY	MYC Instructs and Maintains Pancreatic Adenocarcinoma Phenoty
Literature	GENERIF_SUMMARY	AGO2 Mediates MYC mRNA Stability in Hepatocellular Carcinoma.
Literature	GENERIF_SUMMARY	Protein Kinase D3 promotes the cell proliferation by activating the c-MYC axis in breast cancer.
Literature	GENERIF_SUMMARY	Characterization of Arsenic-Induced Cancer Stem-Like Cells.
Literature	GENERIF_SUMMARY	CPF impedes cell cycle re-entry of quiescent lung cancer cells thro transcriptional suppression of FACT and c-MYC.
Literature	GENERIF_SUMMARY	Analysis for expression levels and C-myc/chromosome 8 numerica imbalances showed that there are different protein expression pat due to gene amplification combined or not with chromosome 8 polysomy.
Literature	GENERIF_SUMMARY	FGFR1 is associated with c-MYC and proangiogenic molecules in metastatic renal cell carcinoma under anti-angiogenic therapy.
Literature	GENERIF_SUMMARY	EZH2 seems to be upregulated by MYC, to rely on TP53 alterations
Literature	GENERIF_SUMMARY	Structure and dynamics at N- and C-terminal regions of intrinsicall disordered human c-Myc PEST degron reveal a pH-induced transiti
Literature	GENERIF_SUMMARY	SUMO pathway inhibition targets an aggressive pancreatic cancer subtype.
Literature	GENERIF_SUMMARY	This is the first report on the clinical aspect of ribosome biogenesi pediatric BCP-ALL [B-cell precursor acute lymphoblastic leukemia shows that overexpression of CMYC and C/D box nucleoproteins F

Main Category	Category	Terms
		and NOP56 is an antecedent event in patients who subsequently re
Literature	GENERIF_SUMMARY	UBR5 Is Coamplified with MYC in Breast Tumors and Encodes an Ubiquitin Ligase That Limits MYC-Dependent Apoptosis.
Literature	GENERIF_SUMMARY	MicroRNA-216b suppresses the cell growth of hepatocellular carci by inhibiting Ubiquitin-specific peptidase 28 expression.
Literature	GENERIF_SUMMARY	c-Jun, Foxo3a, and c-Myc Transcription Factors are Key Regulators ATP-Mediated Angiogenic Responses in Pulmonary Artery Vasa Va Endothelial Cells.
Literature	GENERIF_SUMMARY	RBP EIF2S2 Promotes Tumorigenesis and Progression by Regulati MYC-Mediated Inhibition via FHIT-Related Enhancers.
Literature	GENERIF_SUMMARY	Targeting Oncogenic Super Enhancers in MYC-Dependent AML Usi Small Molecule Activator of NR4A Nuclear Receptors.
Literature	GENERIF_SUMMARY	In this Review, we first summarize the biochemistry of MYC protein what is known (or is unclear) about the MYC target genes. We then discuss recent progress in defining the interactomes of MYC and M and how this information affects central concepts of MYC biology, focusing on mechanisms by which MYC proteins modulate transcr
Literature	GENERIF_SUMMARY	The Spectrum of MYC Alterations in Diffuse Large B-Cell Lymphom
Literature	GENERIF_SUMMARY	The Secreted Acid Phosphatase Domain-Containing GRA44 from Toxoplasma gondii Is Required for c-Myc Induction in Infected Cell
Literature	GENERIF_SUMMARY	Using a human prostate epithelial transformation assay, this study confirmed the Myc regulation of 147 of 1,039 cassette exons, man which introduced frameshifts or encoded premature stop codons
Literature	GENERIF_SUMMARY	FGF Trapping Inhibits Multiple Myeloma Growth through c-Myc Degradation-Induced Mitochondrial Oxidative Stress.
Literature	GENERIF_SUMMARY	Immunohistochemistry for c-myc and bcl-2 overexpression improv stratification in primary central nervous system lymphoma.
Literature	GENERIF_SUMMARY	MYC Regulation of D2HGDH and L2HGDH Influences the Epigenon Epitranscriptome.
Literature	GENERIF_SUMMARY	C1orf35 contributes to tumorigenesis by activating c-MYC transcri in multiple myeloma.
Literature	GENERIF_SUMMARY	Oncogenic hsa_circ_0091581 promotes the malignancy of HCC ce through blocking miR-526b from degrading c-MYC mRNA.
Literature	GENERIF_SUMMARY	c-MYC expression and maturity phenotypes are associated with ou benefit from addition of ixazomib to lenalidomide-dexamethasone myeloma.
Literature	GENERIF_SUMMARY	MYC Dysregulates Mitosis, Revealing Cancer Vulnerabilities.
Literature	GENERIF_SUMMARY	Apolipoprotein E2 modulates cell cycle function to promote prolife in pancreatic cancer cells via regulation of the c-Myc-p21(Waf1) signalling pathway.
Literature	GENERIF_SUMMARY	A novel miR-200c/c-myc negative regulatory feedback loop is esse the EMT process, CSC biology and drug sensitivity in nasopharyng cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Enhanced expression of Cyclin D1 and C-myc, a prognostic factor a possible mechanism for recurrence of papillary thyroid carcinoma.
Literature	GENERIF_SUMMARY	Long noncoding RNA CMPK2 promotes colorectal cancer progress activating the FUBP3-c-Myc axis.
Literature	GENERIF_SUMMARY	Association of MYC gene polymorphisms with neuroblastoma risk Chinese children
Literature	GENERIF_SUMMARY	Knockdown of ubiquitin-specific peptidase 13 inhibits cell growth o hepatocellular carcinoma by reducing c-Myc expression.
Literature	GENERIF_SUMMARY	MYC rearrangement but not extra MYC copies is an independent prognostic factor in patients with mantle cell lymphoma.
Literature	GENERIF_SUMMARY	Genetic lesions in MYC and STAT3 drive oncogenic transcription fa overexpression in plasmablastic lymphoma.
Literature	GENERIF_SUMMARY	HMGB1 release promotes paclitaxel resistance in castration-resist prostate cancer cells via activating c-Myc expression.
Literature	GENERIF_SUMMARY	Long non-coding RNA UCA1 modulates cell proliferation and apop by regulating miR-296-3p/Myc axis in acute myeloid leukemia.
Literature	GENERIF_SUMMARY	This study firstly found c-MYC amplification could predict poor pro in schistosomiasis-associated colorectal cancer, but not in colorec cancer without schistosomiasis.
Literature	GENERIF_SUMMARY	Pharmacological and genetic targeting of 5-lipoxygenase interrupt Myc oncogenic signaling and kills enzalutamide-resistant prostate cancer cells via apoptosis.
Literature	GENERIF_SUMMARY	Colocalization of MID1IP1 and c-Myc is Critically Involved in Liver C Growth via Regulation of Ribosomal Protein L5 and L11 and CNOT
Literature	GENERIF_SUMMARY	Although cMYC contributes to tamoxifen resistance, it improves ci sensitivity in ERpositive breast cancer.
Literature	GENERIF_SUMMARY	The Frequency of Double Expresser in Selected Cases of High Grad Diffuse Large B-Cell Lymphomas.
Literature	GENERIF_SUMMARY	The F-box protein FBXL16 up-regulates the stability of C-MYC oncoprotein by antagonizing the activity of the F-box protein FBW7
Literature	GENERIF_SUMMARY	FAM122A promotes acute myeloid leukemia cell growth through inhibiting PP2A activity and sustaining MYC expression.
Literature	GENERIF_SUMMARY	Silibinin induces metabolic crisis in triple-negative breast cancer c modulating EGFR-MYC-TXNIP axis
Literature	GENERIF_SUMMARY	Association between C-myc and K-ras gene polymorphisms and no Hodgkin lymphoma.
Literature	GENERIF_SUMMARY	miR193b exhibits mutual interaction with MYC, and suppresses gr and metastasis of osteosarcoma.
Literature	GENERIF_SUMMARY	Molecular mechanism of c-Myc and PRPS1/2 against thiopurine resistance in Burkitt's lymphoma.
Literature	GENERIF_SUMMARY	Restoration of miR-193a expression is tumor-suppressive in MYC amplified Group 3 medulloblastoma.
Literature	GENERIF_SUMMARY	Deregulation of miRNAs-cMYC circuits is a key event in refractory

Main Category	Category	Terms
		disease type-2 lymphomagenesis.
Literature	GENERIF_SUMMARY	GPAA1 promotes progression of childhood acute lymphoblastic le through regulating c-myc.
Literature	GENERIF_SUMMARY	Acidic fibroblast growth factor underlies microenvironmental regul of MYC in pancreatic cancer.
Literature	GENERIF_SUMMARY	SNHG11 promotes cell proliferation in colorectal cancer by formin positive regulatory loop with c-Myc.
Literature	GENERIF_SUMMARY	Integrated Analysis of mRNA-seq and miRNA-seq to Identify c-MYC YAP1 and miR-3960 as Major Players in the Anticancer Effects of C Acid Phenethyl Ester in Human Small Cell Lung Cancer Cell Line.
Literature	GENERIF_SUMMARY	Identification of transcription factors MYC and C/EBPbeta mediate regulatory networks in heart failure based on gene expression omn datasets.
Literature	GENERIF_SUMMARY	Prognostic significance of C-MYC dysregulation in esophageal squamous cell carcinoma
Literature	GENERIF_SUMMARY	MYC Drives Temporal Evolution of Small Cell Lung Cancer Subtype Reprogramming Neuroendocrine Fate.
Literature	GENERIF_SUMMARY	MYC protein stability is negatively regulated by BRD4.
Literature	GENERIF_SUMMARY	Contribution of immunophenotype to the investigation and differen diagnosis of Burkitt lymphoma, double-hit high-grade B-cell lympho and single-hit MYC-rearranged diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	MYC functions as a switch for natural killer cell-mediated immune surveillance of lymphoid malignancies.
Literature	GENERIF_SUMMARY	ACYP2 contributes to malignant progression of glioma through promoting Ca(2+) efflux and subsequently activating c-Myc and ST signals.
Literature	GENERIF_SUMMARY	ETS variant transcription factor 5 and c-Myc cooperate in derepres the human telomerase gene promoter via composite ETS/E-box m
Literature	GENERIF_SUMMARY	DCLK1 inhibition attenuates tumorigenesis and improves chemosensitivity in esophageal squamous cell carcinoma by inhib beta-catenin/c-Myc signaling.
Literature	GENERIF_SUMMARY	Insights about MYC and Apoptosis in B-Lymphomagenesis
Literature	GENERIF_SUMMARY	RNF8 induces beta-catenin-mediated c-Myc expression and promo colon cancer proliferation.
Literature	GENERIF_SUMMARY	Prognostic Value of Concurrent Expression of C-MYC and BCL2 in Intravascular Large B-Cell Lymphoma
Literature	GENERIF_SUMMARY	FBXL6 governs c-MYC to promote hepatocellular carcinoma throug ubiquitination and stabilization of HSP90AA1.
Literature	GENERIF_SUMMARY	Toxoplasma Uses GRA16 To Upregulate Host c-Myc.
Literature	GENERIF_SUMMARY	Biomarker-driven phase 2 umbrella trial study for patients with rec small cell lung cancer failing platinum-based chemotherapy.
Literature	GENERIF_SUMMARY	Spermine synthase and MYC cooperate to maintain colorectal can survival by repressing Bim expression.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Low expression of miR-let-7a promotes cell growth and invasion th the regulation of c-Myc in oral squamous cell carcinoma.
Literature	GENERIF_SUMMARY	Hyperglycemia enhances pancreatic cancer progression accompa elevations in phosphorylated STAT3 and MYC levels.
Literature	GENERIF_SUMMARY	The transcription factors aryl hydrocarbon receptor and MYC coop in the regulation of cellular metabolism.
Literature	GENERIF_SUMMARY	Micronuclei, dmin chromosomes and MYC amplifications as a sing presentation of myeloid malignancies.
Literature	GENERIF_SUMMARY	YL064 activates proteasomal-dependent degradation of c-Myc and synergistically enhances the anti-tumor activity of ABT-199 in diffu large B cell lymphoma.
Literature	GENERIF_SUMMARY	Regulation of cancer cell metabolism
Literature	GENERIF_SUMMARY	The c-Rel-c-Myc axis controls metabolism and proliferation of hum leukemia cells.
Literature	GENERIF_SUMMARY	MEIS1 down-regulation by MYC mediates prostate cancer develop through elevated HOXB13 expression and AR activity.
Literature	GENERIF_SUMMARY	A novel TRPM7/O-GlcNAc axis mediates tumour cell motility and metastasis by stabilising c-Myc and caveolin-1 in lung carcinoma.
Literature	GENERIF_SUMMARY	LncRNA CSMD1-1 promotes the progression of Hepatocellular Carcinoma by activating MYC signaling.
Literature	GENERIF_SUMMARY	Shenmai Injection Supresses Glycolysis and Enhances Cisplatin Cytotoxicity in Cisplatin-Resistant A549/DDP Cells via the AKT-mT Myc Signaling Pathway.
Literature	GENERIF_SUMMARY	Atypical Teratoid/Rhabdoid Tumor
Literature	GENERIF_SUMMARY	ID1 overexpression promotes HCC progression by amplifying the A Myc signaling pathway.
Literature	GENERIF_SUMMARY	Dissecting transcriptional amplification by MYC.
Literature	GENERIF_SUMMARY	Extra copies of MYC, BCL2, and BCL6 and outcome in patients wit diffuse large B-cell lymphoma.
Literature	GENERIF_SUMMARY	The prognostic value of 25-hydroxy vitamin D deficiency and its interaction with c-Myc expression in diffuse large B cell lymphoma
Literature	GENERIF_SUMMARY	Cancer-associated fibroblasts-derived exosomal miR-17-5p promo colorectal cancer aggressive phenotype by initiating a RUNX3/MY beta1 positive feedback loop.
Literature	GENERIF_SUMMARY	The Myc and Ras Partnership in Cancer
Literature	GENERIF_SUMMARY	Identification of MYC as an antinecroptotic protein that stifles RIP RIPK3 complex formation.
Literature	GENERIF_SUMMARY	Alternative translation initiation from an upstream, in-frame non-A (CUG) and a downstream AUG start site results in the production c isoforms with distinct N-termini.
Literature	GENERIF_SUMMARY	The ubiquitin ligase Cullin-1 associates with chromatin and regulat transcription of specific c-MYC target genes.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	High-level MYC expression associates with poor survival in patient acute myeloid leukemia and collaborates with overexpressed p53 i leukemic transformation in patients with myelodysplastic syndrom
Literature	GENERIF_SUMMARY	Histone methyltransferase DOT1L coordinates AR and MYC stabili prostate cancer.
Literature	GENERIF_SUMMARY	""""Double hit"""" anaplastic large cell lymphoma with concurrent AL MYC rearrangements."
Literature	GENERIF_SUMMARY	JMJD3 promotes esophageal squamous cell carcinoma pathogen through epigenetic regulation of MYC.
Literature	GENERIF_SUMMARY	Inhibition of the MYC-Regulated Glutaminase Metabolic Axis Is an Effective Synthetic Lethal Approach for Treating Chemoresistant C Cancers.
Literature	GENERIF_SUMMARY	Analysis of primary central nervous system large B-cell lymphoma era of high-grade B-cell lymphoma
Literature	GENERIF_SUMMARY	Clinicopathological and prognostic significance of BCL2, BCL6, MY IRF4 copy number gains and translocations in follicular lymphoma
Literature	GENERIF_SUMMARY	Methylation-mediated LINC00261 suppresses pancreatic cancer progression by epigenetically inhibiting c-Myc transcription.
Literature	GENERIF_SUMMARY	Inchworm stepping of Myc-Max heterodimer protein diffusion alon
Literature	GENERIF_SUMMARY	Long non-coding RNA LPP-AS2 promotes glioma tumorigenesis vi miR-7-5p/EGFR/PI3K/AKT/c-MYC feedback loop.
Literature	GENERIF_SUMMARY	Dual PLK1 and STAT3 inhibition promotes glioblastoma cells apop through MYC.
Literature	GENERIF_SUMMARY	The Role of Chaperone-Mediated Autophagy in Cell Cycle Control a Implications in Cancer.
Literature	GENERIF_SUMMARY	Hypoxia Induces Mitochondrial Defect That Promotes T Cell Exhau in Tumor Microenvironment Through MYC-Regulated Pathways.
Literature	GENERIF_SUMMARY	Deciphering the role of Wnt signaling in acute myeloid leukemia prognosis
Literature	GENERIF_SUMMARY	Integrative genomic analysis focused on cell cycle genes for MYC- aggressive mature B-cell lymphoma.
Literature	GENERIF_SUMMARY	High-grade B-Cell Lymphoma With MYC, BCL2, and/or BCL6 Translocations/Rearrangements
Literature	GENERIF_SUMMARY	Implications of MYC Rearrangements in Newly Diagnosed Multiple Myeloma.
Literature	GENERIF_SUMMARY	De novo induction of lineage plasticity from human prostate lumin epithelial cells by activated AKT1 and c-Myc.
Literature	GENERIF_SUMMARY	Digital PCR for the Analysis of MYC Copy Number Variation in Lung Cancer.
Literature	GENERIF_SUMMARY	c-Myc inactivation of p53 through the pan-cancer lncRNA MILIP dr cancer pathogenesis.
Literature	GENERIF_SUMMARY	TTF-1 and c-MYC-defined Phenotypes of Large Cell Neuroendocrin Carcinoma and Delta-like Protein 3 Expression for Treatment Selec

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Breast tumour cell subpopulations with expression of the MYC and proteins.
Literature	GENERIF_SUMMARY	Dephosphorylation of the Proneural Transcription Factor ASCL1 Re Engages a Latent Post-Mitotic Differentiation Program in Neurobla
Literature	GENERIF_SUMMARY	Gfi1 upregulates c-Myc expression and promotes c-Myc-driven cel proliferation.
Literature	GENERIF_SUMMARY	CIP2A regulates MYC translation (via its 5'UTR) in colorectal cance
Literature	GENERIF_SUMMARY	Guanosine triphosphate links MYC-dependent metabolic and ribos programs in small-cell lung cancer.
Literature	GENERIF_SUMMARY	MYC in Brain Development and Cancer.
Literature	GENERIF_SUMMARY	The long noncoding RNA LUCAT1 promotes colorectal cancer cell proliferation by antagonizing Nucleolin to regulate MYC expressior
Literature	GENERIF_SUMMARY	Targeting the ubiquitin-proteasome system in a pancreatic cancer subtype with hyperactive MYC.
Literature	GENERIF_SUMMARY	MYC Regulates PHF8, Which Promotes the Progression of Gastric Cancer by Suppressing miR-22-3p.
Literature	GENERIF_SUMMARY	Single-nucleotide polymorphism rs4142441 and MYC co-modulate non-coding RNA OSER1-AS1 suppresses non-small cell lung cance sequestering ELAVL1.
Literature	GENERIF_SUMMARY	The impact of MYC and BCL2 structural variants in tumors of DLBC morphology and mechanisms of false-negative MYC IHC.
Literature	GENERIF_SUMMARY	Radiosensitizing effects of cmyc gene knockdowninduced G2/M p arrest by intrinsic stimuli via the mitochondrial signaling pathway.
Literature	GENERIF_SUMMARY	c-Myc promotes lymphatic metastasis of pancreatic neuroendocri tumor through VEGFC upregulation.
Literature	GENERIF_SUMMARY	MYC gene amplification by fluorescence in situ hybridization and M protein expression by immunohistochemistry in the diagnosis of cutaneous angiosarcoma
Literature	GENERIF_SUMMARY	MYC Targets Scores Are Associated with Cancer Aggressiveness a Poor Survival in ER-Positive Primary and Metastatic Breast Cancer
Literature	GENERIF_SUMMARY	Somatic copy number gains in MYC, BCL2, and BCL6 identifies a s of aggressive alternative-DH/TH DLBCL patients.
Literature	GENERIF_SUMMARY	Association between the CEBPA and c-MYC genes expression leve acute myeloid leukemia pathogenesis and development.
Literature	GENERIF_SUMMARY	Pivotal Role of Fatty Acid Synthase in c-MYC Driven Hepatocarcinogenesis.
Literature	GENERIF_SUMMARY	A novel metabolic function of Myc in regulation of fatty acid synth prostate cancer.
Literature	GENERIF_SUMMARY	Silencing long non-coding RNA XIST suppresses drug resistance in myeloid leukemia through down-regulation of MYC by elevating microRNA-29a expression.
Literature	GENERIF_SUMMARY	MYC Activity Inference Captures Diverse Mechanisms of Aberrant Pathway Activation in Human Cancers.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Bromodomain and extra-terminal motif (BET) inhibition is synthetic with loss of SMAD4 in colorectal cancer cells via restoring the loss MYC repression.
Literature	GENERIF_SUMMARY	TRIB3 promotes MYC-associated lymphoma development through suppression of UBE3B-mediated MYC degradation.
Literature	GENERIF_SUMMARY	MYC-induced human acute myeloid leukemia requires a continuing GM-CSF costimulus.
Literature	GENERIF_SUMMARY	Blockade of EIF5A hypusination limits colorectal cancer growth by inhibiting MYC elongation.
Literature	GENERIF_SUMMARY	Olfactomedin 4 mediation of prostate stem/progenitor-like cell proliferation and differentiation via MYC.
Literature	GENERIF_SUMMARY	Long non-coding RNA PLAC2 suppresses the survival of gastric ca cells through down-regulating C-Myc.
Literature	GENERIF_SUMMARY	MCM10 compensates for Myc-induced DNA replication stress in b cancer stem-like cells.
Literature	GENERIF_SUMMARY	ACSL4 reprograms fatty acid metabolism in hepatocellular carcinc c-Myc/SREBP1 pathway.
Literature	GENERIF_SUMMARY	miR-338-5p inhibits cell growth and migration via inhibition of the METTL3/m6A/c-Myc pathway in lung cancer.
Literature	GENERIF_SUMMARY	EXPRESSION OF LIPOPROTEIN LIPASE AND c-MYC ONCOGENE IN PATIENTS WITH CHRONIC LYMPHOCYTIC LEUKEMIA AFFECTED E CHORNOBYL ACCIDENT.'", trans ""EKSPRESIIa GENA LIPOPROTEINLIPAZY I ONKOGENA c-MYC U KhVORYKh NA KhRONIChNU LIMFOTsYTARNU LEIKEMIIu, IaKI POSTRAZhDALY VNASLIDOK AVARII NA ChORNOBYL'S'KII AES."
Literature	GENERIF_SUMMARY	MYC DNA Methylation in Prostate Tumor Tissue Is Associated wit Gleason Score.
Literature	GENERIF_SUMMARY	Long noncoding RNA NBAT1 suppresses hepatocellular carcinoma progression via competitively associating with IGF2BP1 and decre c-Myc expression.
Literature	GENERIF_SUMMARY	The UVSSA complex alleviates MYC-driven transcription stress.
Literature	GENERIF_SUMMARY	TAS4464, a NEDD8-activating enzyme inhibitor, activates both intri and extrinsic apoptotic pathways via c-Myc-mediated regulation in myeloid leukemia.
Literature	GENERIF_SUMMARY	Cardiac myosin-binding protein C in the diagnosis and risk stratific of acute heart failure.
Literature	GENERIF_SUMMARY	mRNA and miRNA Expression Analyses of the MYC/E2F/miR-17-9 Network in the Most Common Pediatric Brain Tumors.
Literature	GENERIF_SUMMARY	Ubiquitylation of MYC couples transcription elongation with double strand break repair at active promoters.
Literature	GENERIF_SUMMARY	The inflammatory kinase IKKalpha phosphorylates and stabilizes c and enhances its activity.
Literature	GENERIF_SUMMARY	Histone demethylase KDM4C controls tumorigenesis of glioblasto epigenetically regulating p53 and c-Myc.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Insights into the Links between MYC and 3D Chromatin Structure a Epigenetics Regulation
Literature	GENERIF_SUMMARY	BAALC-AS1/G3BP2/c-Myc feedback loop promotes cell proliferati esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	High-grade B-cell lymphomas with MYC and BCL2 translocations la tumor-associated macrophages and PD-L1 expression
Literature	GENERIF_SUMMARY	Large remodeling of the Myc-induced cell surface proteome in B ce and prostate cells creates new opportunities for immunotherapy.
Literature	GENERIF_SUMMARY	MYC and NOTCH1-positive postradiation cutaneous angiosarcoma breast.
Literature	GENERIF_SUMMARY	Mantle cell lymphomas with concomitant MYC and CCND1 breakp are recurrently TdT positive and frequently show high-grade pathol and genetic features.
Literature	GENERIF_SUMMARY	Genetic alterations in squamous cell lung cancer associated with idiopathic pulmonary fibrosis.
Literature	GENERIF_SUMMARY	Targeting miR-21 with NL101 blocks c-Myc/Mxd1 loop and inhibits growth of B cell lymphoma.
Literature	GENERIF_SUMMARY	The chromatin modifier MORC2 affects glucose metabolism by regulating the expression of lactate dehydrogenase A through a fe forward loop with c-Myc.
Literature	GENERIF_SUMMARY	HMGA1-TRIP13 axis promotes stemness and epithelial mesenchy transition of perihilar cholangiocarcinoma in a positive feedback lo dependent on c-Myc.
Literature	GENERIF_SUMMARY	The combination of C-Myc rearrangement and 1q21 gain is associ with poor prognosis in multiple myeloma.
Literature	GENERIF_SUMMARY	Cell of origin (COO), BCL2/MYC status and IPI define a group of pa with Diffuse Large B-cell Lymphoma (DLBCL) with poor prognosis real-world clinical setting.
Literature	GENERIF_SUMMARY	CDK8 maintains stemness and tumorigenicity of glioma stem cells regulating the c-MYC pathway.
Literature	GENERIF_SUMMARY	ARE STEM CELL MARKER EXPRESSION AND CD133 ANALYSIS RELEVANT TO DIFFERENTIATE COLORECTAL CANCER?
Literature	GENERIF_SUMMARY	BCAT1 overexpression regulates proliferation and cMyc/GLUT1 sig in head and neck squamous cell carcinoma.
Literature	GENERIF_SUMMARY	MYC single-hit large B-cell lymphoma
Literature	GENERIF_SUMMARY	The folate cycle enzyme MTHFD2 induces cancer immune evasion through PD-L1 up-regulation.
Literature	GENERIF_SUMMARY	In oxygen-deprived tumor cells ERp57 provides radioprotection and ensures proliferation via c-Myc, PLK1 and the AKT pathway.
Literature	GENERIF_SUMMARY	A regulatory loop among CD276, miR-29c-3p, and Myc exists in can cells against natural killer cell cytotoxicity.
Literature	GENERIF_SUMMARY	Co-Operativity between MYC and BCL-2 Pro-Survival Proteins in Ca
Literature	GENERIF_SUMMARY	PD-L1 lncRNA splice isoform promotes lung adenocarcinoma

Main Category	Category	Terms
		progression via enhancing c-Myc activity.
Literature	GENERIF_SUMMARY	Snord116 Post-transcriptionally Increases Nhlh2 mRNA Stability
Literature	GENERIF_SUMMARY	Uncovering metabolic reservoir cycles in MYC-transformed lympho cells using stable isotope resolved metabolomics.
Literature	GENERIF_SUMMARY	Myelocytomatosis-Protein Arginine N-Methyltransferase 5 Axis De the Tumorigenesis and Immune Response in Hepatocellular Carcin
Literature	GENERIF_SUMMARY	MXD/MIZ1 transcription regulatory complexes activate the expres MYC-repressed genes.
Literature	GENERIF_SUMMARY	Multiple interactions of the oncoprotein transcription factor MYC w SWI/SNF chromatin remodeler.
Literature	GENERIF_SUMMARY	Obscure Involvement of MYC in Neurodegenerative Diseases and Neuronal Repair.
Literature	GENERIF_SUMMARY	Relative frequency and clinicopathologic characteristics of MYC-rearranged follicular lymphoma.
Literature	GENERIF_SUMMARY	MYC amplifications are common events in childhood osteosarcom
Literature	GENERIF_SUMMARY	Low LIM-domain only 2 (LMO2) expression in aggressive B cell lymphoma correlates with MYC and MYC/BCL2 rearrangements, especially in germinal center cell-type tumors.
Literature	GENERIF_SUMMARY	Momordin Ic induces G0/1 phase arrest and apoptosis in colon ca cells by suppressing SENP1/c-MYC signaling pathway.
Literature	GENERIF_SUMMARY	[Genetic abnormality and protein expression of C-MYC and PD-L1 i negative anaplastic large cell lymphoma].
Literature	GENERIF_SUMMARY	Matrine suppresses cell growth of diffuse large B-cell lymphoma v inhibiting CaMKIIgamma/c-Myc/CDK6 signaling pathway.
Literature	GENERIF_SUMMARY	The circACTN4 interacts with FUBP1 to promote tumorigenesis an progression of breast cancer by regulating the expression of proto oncogene MYC.
Literature	GENERIF_SUMMARY	Oncogene-regulated release of extracellular vesicles.
Literature	GENERIF_SUMMARY	Aberrant expression and genetic alteration of c-MYC in anaplastic cell lymphoma.
Literature	GENERIF_SUMMARY	MYC- and MIZ1-Dependent Vesicular Transport of Double-Strand R Controls Immune Evasion in Pancreatic Ductal Adenocarcinoma.
Literature	GENERIF_SUMMARY	Adverse outcome in follicular lymphoma is associated with MYC rearrangements but not MYC extra copies.
Literature	GENERIF_SUMMARY	Long non-coding RNA AFAP1-AS1 accelerates lung cancer cells migration and invasion by interacting with SNIP1 to upregulate c-M
Literature	GENERIF_SUMMARY	Novel circular RNA circSLIT2 facilitates the aerobic glycolysis of pancreatic ductal adenocarcinoma via miR-510-5p/c-Myc/LDHA a
Literature	GENERIF_SUMMARY	Targeting p130Cas- and microtubule-dependent MYC regulation sensitizes pancreatic cancer to ERK MAPK inhibition.
Literature	GENERIF_SUMMARY	An oncogenic lncRNA, GLCC1, promotes tumorigenesis in gastric carcinoma by enhancing the c-Myc/IGF2BP1 interaction.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Knockdown of DEAD-box RNA helicase 52 (DDX52) suppresses the proliferation of melanoma cells in vitro and of nude mouse xenogra targeting c-Myc.
Literature	GENERIF_SUMMARY	MYCL1 Amplification and Expression of L-Myc and c-Myc in Surgic Resected Small-Cell Lung Carcinoma.
Literature	GENERIF_SUMMARY	LCAT3, a novel m6A-regulated long non-coding RNA, plays an onco role in lung cancer via binding with FUBP1 to activate c-MYC.
Literature	GENERIF_SUMMARY	Unexpected suppression of tumorigenesis by c-MYC via TFAP4-dependent restriction of stemness in B lymphocytes.
Literature	GENERIF_SUMMARY	Impact of hypoxia on the pathogenesis and therapy resistance in m myeloma.
Literature	GENERIF_SUMMARY	An investigation on the c-MYC, AXIN1, and COL11A1 gene express colorectal cancer.
Literature	GENERIF_SUMMARY	MYC suppresses STING-dependent innate immunity by transcriptio upregulating DNMT1 in triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Investigation of the Relationship between CMYC Gene Polymorphis and Glioma Susceptibility in Chinese Children.
Literature	GENERIF_SUMMARY	Mild chronic hypoxia-induced HIF-2alpha interacts with c-MYC thro competition with HIF-1alpha to induce hepatocellular carcinoma c proliferation.
Literature	GENERIF_SUMMARY	MYC
Literature	GENERIF_SUMMARY	Whole genome sequencing demonstrates substantial pathophysio differences of MYC rearrangements in patients with plasma cell myeloma and B-cell lymphoma.
Literature	GENERIF_SUMMARY	LncRNA KCNQ1OT1 activated by c-Myc promotes cell proliferation interacting with FUS to stabilize MAP3K1 in acute promyelocytic leukemia.
Literature	GENERIF_SUMMARY	Circular RNA circRHOT1 contributes to pathogenesis of non-small lung cancer by epigenetically enhancing C-MYC expression throug recruiting KAT5.
Literature	GENERIF_SUMMARY	SPARC-positive macrophages are the superior prognostic factor in microenvironment of diffuse large B-cell lymphoma and independe MYC rearrangement and double-/triple-hit status.
Literature	GENERIF_SUMMARY	NGS Analysis Confirms Common TP53 and RB1 Mutations, and Su MYC Amplification in Ocular Adnexal Sebaceous Carcinomas.
Literature	GENERIF_SUMMARY	The Contribution of Autophagy and LncRNAs to MYC-Driven Gene Regulatory Networks in Cancers.
Literature	GENERIF_SUMMARY	PHF10 subunit of PBAF complex mediates transcriptional activatio MYC.
Literature	GENERIF_SUMMARY	MAGT1 is required for HeLa cell proliferation through regulating p2 expression, S-phase progress, and ERK/p38 MAPK MYC axis.
Literature	GENERIF_SUMMARY	Long non-coding RNA CTSLP8 mediates ovarian cancer progressio chemotherapy resistance by modulating cellular glycolysis and reg c-Myc expression through PKM2.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Downregulation of miR-23b by transcription factor c-Myc alleviates ischemic brain injury by upregulating Nrf2.
Literature	GENERIF_SUMMARY	MYC Expression Is Associated With p53 Expression and TP53 Abe and Predicts Poor Overall Survival in Acute Lymphoblastic Leukem Lymphoma.
Literature	GENERIF_SUMMARY	CircVCAN/SUB1 up-regulates MYC/HSP90beta to enhance the proliferation and migration of glioma cells.
Literature	GENERIF_SUMMARY	The leukemic oncogene EVI1 hijacks a MYC super-enhancer by CT facilitated loops.
Literature	GENERIF_SUMMARY	USP29 coordinates MYC and HIF1alpha stabilization to promote tu metabolism and progression.
Literature	GENERIF_SUMMARY	Plasmablastic lymphomas show restricted EBV latency profile and gene aberrations.
Literature	GENERIF_SUMMARY	LncRNA SNHG17 interacts with LRPPRC to stabilize c-Myc protein promote G1/S transition and cell proliferation.
Literature	GENERIF_SUMMARY	RANBP10 promotes glioblastoma progression by regulating the FB c-Myc pathway.
Literature	GENERIF_SUMMARY	Repressing MYC by targeting BET synergizes with selective inhibiti PI3Kalpha against B cell lymphoma.
Literature	GENERIF_SUMMARY	Super-enhancer-associated TMEM44-AS1 aggravated glioma progression by forming a positive feedback loop with Myc.
Literature	GENERIF_SUMMARY	Feedback-regulated transcriptional repression of FBXO31 by c-Myc triggers ovarian cancer tumorigenesis.
Literature	GENERIF_SUMMARY	SNHG17, as an EMT-related lncRNA, promotes the expression of c- by binding to c-Jun in esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	ANXA1 (Annexin A1) regulated by MYC (MYC proto-oncogene) pro the growth of papillary thyroid carcinoma.
Literature	GENERIF_SUMMARY	AID is a poor prognostic marker of high-grade B-cell lymphoma wit and BCL2 and/or BCL6 rearrangements.
Literature	GENERIF_SUMMARY	DNA damage triggers an interplay between wtp53 and c-Myc affec lymphoma cell proliferation and Kaposi sarcoma herpesvirus replic
Literature	GENERIF_SUMMARY	Significance of Single-cell Level Dual Expression of BCL2 and MYC Determined With Multiplex Immunohistochemistry in Diffuse Large Lymphoma.
Literature	GENERIF_SUMMARY	MYC overexpression is associated with an early disease progressi from MDS to AML.
Literature	GENERIF_SUMMARY	HELZ2 promotes K63-linked polyubiquitination of c-Myc to induce retinoblastoma tumorigenesis.
Literature	GENERIF_SUMMARY	c-Myc-activated intronic miR-210 and lncRNA MIR210HG synergist promote the metastasis of gastric cancer.
Literature	GENERIF_SUMMARY	PP2A is a therapeutically targetable driver of cell fate decisions via Myc/p21 axis in human and murine acute myeloid leukemia.
Literature	GENERIF_SUMMARY	Runx3 is required for oncogenic Myc upregulation in p53-deficient

Main Category	Category	Terms
		osteosarcoma.
Literature	GENERIF_SUMMARY	The potential role of c-MYC and polyamine metabolism in multiple resistance in bladder cancer investigated by metabonomics.
Literature	GENERIF_SUMMARY	Disease-associated c-MYC downregulation in human disorders of transcriptional regulation.
Literature	GENERIF_SUMMARY	The scaffold protein menin is essential for activating the MYC locu MYC-mediated androgen receptor transcription in androgen recept dependent prostate cancer cells.
Literature	GENERIF_SUMMARY	Lysine Demethylase 6B Regulates Prostate Cancer Cell Proliferatio Controlling c-MYC Expression.
Literature	GENERIF_SUMMARY	Low NCOR2 levels in multiple myeloma patients drive multidrug resistance via MYC upregulation.
Literature	GENERIF_SUMMARY	MYC assembles and stimulates topoisomerases 1 and 2 in a """"topoisome"""" ."
Literature	GENERIF_SUMMARY	Androgen receptor and MYC equilibration centralizes on developm super-enhancer.
Literature	GENERIF_SUMMARY	MYCL promotes iPSC-like colony formation via MYC Box 0 and 2 domains.
Literature	GENERIF_SUMMARY	Association between c-Myc Expression with Clinicopathological Fe in T And NK Cell Lymphomas.
Literature	GENERIF_SUMMARY	Genetic Subtyping and Phenotypic Characterization of the Immune Microenvironment and MYC/BCL2 Double Expression Reveal Heterogeneity in Diffuse Large B-cell Lymphoma.
Literature	GENERIF_SUMMARY	CLDN6 Suppresses c-MYC-Mediated Aerobic Glycolysis to Inhibit Proliferation by TAZ in Breast Cancer.
Literature	GENERIF_SUMMARY	Topographic mapping of the glioblastoma proteome reveals a tripl model of intra-tumoral heterogeneity.
Literature	GENERIF_SUMMARY	Canonical WNT signaling-dependent gating of MYC requires a noncanonical CTCF function at a distal binding site.
Literature	GENERIF_SUMMARY	SLCO4A1-AS1 promotes colorectal tumourigenesis by regulating C Myc signalling.
Literature	GENERIF_SUMMARY	High grade B-cell lymphoma with MYC, BCL2 and/or BCL6 rearrangements
Literature	GENERIF_SUMMARY	Metastatic tumor antigen 1 contributes to hepatocarcinogenesis posttranscriptionally through RNA-binding function.
Literature	GENERIF_SUMMARY	The deubiquitinating enzyme USP17 regulates c-Myc levels and co cell proliferation and glycolysis.
Literature	GENERIF_SUMMARY	KRT13 promotes stemness and drives metastasis in breast cancer through a plakoglobin/c-Myc signaling pathway.
Literature	GENERIF_SUMMARY	Critical Role for Cap-Independent c-MYC Translation in Progressio Multiple Myeloma.
Literature	GENERIF_SUMMARY	CRC-derived exosomes containing the RNA binding protein HuR pr lung cell proliferation by stabilizing c-Myc mRNA.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Disrupting the MYC-TFEB Circuit Impairs Amino Acid Homeostasis Provokes Metabolic Anergy.
Literature	GENERIF_SUMMARY	[Clinicopathological features and prognosis of high-grade B-cell lymphoma with MYC and bcl-2 and/or bcl-6 rearrangements].
Literature	GENERIF_SUMMARY	Cryptic MYC insertions in Burkitt lymphoma
Literature	GENERIF_SUMMARY	PKP1 and MYC create a feedforward loop linking transcription and translation in squamous cell lung cancer.
Literature	GENERIF_SUMMARY	Global analysis of RNA-binding proteins identifies a positive feedb loop between LARP1 and MYC that promotes tumorigenesis.
Literature	GENERIF_SUMMARY	EZH2 noncanonically binds cMyc and p300 through a cryptic transactivation domain to mediate gene activation and promote oncogenesis.
Literature	GENERIF_SUMMARY	Circadian Gene cry Controls Tumorigenesis through Modulation of Accumulation in Glioblastoma Cells.
Literature	GENERIF_SUMMARY	IBtkalpha Activates the beta-Catenin-Dependent Transcription of M through Ubiquitylation and Proteasomal Degradation of GSK3beta Cancerous B Cells.
Literature	GENERIF_SUMMARY	[MYC and BCL-2 protein co-expression and prognosis of patients v diffuse large B-cell lymphoma
Literature	GENERIF_SUMMARY	The Diminishment of Novel Endometrial Carcinoma-Derived Stem- Cells by Targeting Mitochondrial Bioenergetics and MYC.
Literature	GENERIF_SUMMARY	PRMT5-activated c-Myc promote bladder cancer proliferation and invasion through up-regulating NF-kappaB pathway.
Literature	GENERIF_SUMMARY	Molecular landscape of c-Myc signaling in prostate cancer
Literature	GENERIF_SUMMARY	Inhibition of KDM4C/c-Myc/LDHA signalling axis suppresses prost cancer metastasis via interference of glycolytic metabolism.
Literature	GENERIF_SUMMARY	c-MYC-USP49-BAG2 axis promotes proliferation and chemoresista colorectal cancer cells in vitro.
Literature	GENERIF_SUMMARY	MiR-222-3p inhibits formation of medulloblastoma stem-like cells targeting Notch2/c-myc signaling pathway.
Literature	GENERIF_SUMMARY	The emerging roles of the interaction between m6A modification a Myc in driving tumorigenesis and development.
Literature	GENERIF_SUMMARY	[Expression Level and Correlation of miR-211, miR-155, C-myc in A Lymphocytic Leukemia].
Literature	GENERIF_SUMMARY	Cyclic-AMP signalling, MYC and hypoxia-inducible factor 1alpha in to regulate angiogenesis in B-cell lymphoma.
Literature	GENERIF_SUMMARY	Characteristics of MYC Amplification and Their Association with Clinicopathological and Molecular Factors in Patients with Breast
Literature	GENERIF_SUMMARY	A Combined Biomarker of Bright CD38 and MYC >/=55% Is Highly Predictive of Double-/Triple-Hit High-Grade B-Cell Lymphoma.
Literature	GENERIF_SUMMARY	Hsa_circ_0023984 Regulates Cell Proliferation, Migration, and Inva Esophageal Squamous Cancer via Regulating miR-1294/PI3K/Akt/ Pathway.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Far upstream element -binding protein 1 (FUBP1) participates in th malignant process and glycolysis of colon cancer cells by combini with c-Myc.
Literature	GENERIF_SUMMARY	MYC drives aggressive prostate cancer by disrupting transcriptiona pause release at androgen receptor targets.
Literature	GENERIF_SUMMARY	NEDD4L inhibits cell viability, cell cycle progression, and glutamine metabolism in esophageal squamous cell carcinoma via ubiquitina c-Myc.
Literature	GENERIF_SUMMARY	Polyploid giant cancer cells, EZH2 and Myc upregulation in mamm epithelial cells infected with high-risk human cytomegalovirus.
Literature	GENERIF_SUMMARY	Elevated beta-catenin and C-myc promote malignancy, relapse, and indicate poor prognosis in patients with relapsed glioma.
Literature	GENERIF_SUMMARY	Topoisomerase 1 inhibits MYC promoter activity by inducing G-quadruplex formation.
Literature	GENERIF_SUMMARY	Myc manipulates the miRNA content and biologic functions of sma lung cancer cell-derived small extracellular vesicles.
Literature	GENERIF_SUMMARY	BRD4 degradation blocks expression of MYC and multiple forms o cell resistance in Ph(+) chronic myeloid leukemia.
Literature	GENERIF_SUMMARY	A Novel BRD Family PROTAC Inhibitor dBET1 Exerts Great Anti-Can Effects by Targeting c-MYC in Acute Myeloid Leukemia Cells.
Literature	GENERIF_SUMMARY	c-myc-mediated upregulation of NAT10 facilitates tumor developm cell cycle regulation in non-small cell lung cancer.
Literature	GENERIF_SUMMARY	EBNA2-EBF1 complexes promote MYC expression and metabolic processes driving S-phase progression of Epstein-Barr virus-infect cells.
Literature	GENERIF_SUMMARY	TRIM37 promotes the aggressiveness of ovarian cancer cells and increases c-Myc expression by binding to HUWE1.
Literature	GENERIF_SUMMARY	ADAMTS10 inhibits aggressiveness via JAK/STAT/c-MYC pathway reprograms macrophage to create an anti-malignant microenviron in gastric cancer.
Literature	GENERIF_SUMMARY	MYC
Literature	GENERIF_SUMMARY	EST12 regulates Myc expression and enhances anti-mycobacterial inflammatory response via RACK1-JNK-AP1-Myc immune pathway
Literature	GENERIF_SUMMARY	MYC Promotes LDHA Expression through MicroRNA-122-5p to Pot Glycolysis in Hepatocellular Carcinoma.
Literature	GENERIF_SUMMARY	ATF4/MYC Regulates MTHFD2 to Promote NSCLC Progression by Mediating Redox Homeostasis.
Literature	GENERIF_SUMMARY	The OTUD6B-LIN28B-MYC axis determines the proliferative state in multiple myeloma.
Literature	GENERIF_SUMMARY	The miR-3648/FRAT1-FRAT2/c-Myc negative feedback loop modul the metastasis and invasion of gastric cancer cells.
Literature	GENERIF_SUMMARY	c-Myc plays a key role in IFN-gamma-induced persistence of Chlam trachomatis.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Direct hOGG1-Myc interactions inhibit hOGG1 catalytic activity and Myc to its promoters under oxidative stress.
Literature	GENERIF_SUMMARY	Melatonin inhibits ESCC tumor growth by mitigating the HDAC7/be catenin/c-Myc positive feedback loop and suppressing the USP10- maintained HDAC7 protein stability.
Literature	GENERIF_SUMMARY	SMAD4 Loss Induces c-MYC-Mediated NLE1 Upregulation to Supp Protein Biosynthesis, Colorectal Cancer Growth, and Metastasis.
Literature	GENERIF_SUMMARY	DLGAP1-AS2 promotes human colorectal cancer progression throu trans-activation of Myc.
Literature	GENERIF_SUMMARY	Distinct clinicopathological characteristics, genomic alteration and prognosis in breast cancer with concurrent TP53 mutation and MY amplification.
Literature	GENERIF_SUMMARY	Baseline radiomics features and MYC rearrangement status predic progression in aggressive B-cell lymphoma.
Literature	GENERIF_SUMMARY	POR overexpression induces tamoxifen-resistance in breast cance through the STAT1/c-Myc pathway.
Literature	GENERIF_SUMMARY	Protein Phosphatase 2a Inhibits Gastric Cancer Cell Glycolysis by Reducing MYC Signaling.
Literature	GENERIF_SUMMARY	The deubiquitinating enzyme USP37 promotes keloid fibroblasts proliferation and collagen production by regulating the c-Myc expre
Literature	GENERIF_SUMMARY	MYC and TP53 Alterations but Not MAPK Pathway Mutations Are Common Oncogenic Mechanisms in Follicular Dendritic Cell Sarco
Literature	GENERIF_SUMMARY	Rare MYC-N11S germline mutation indicative of inherited breast ca in a multigeneration family.
Literature	GENERIF_SUMMARY	Knockdown of METTL5 inhibits the Myc pathway to downregulate expression and inhibits immune escape of hepatocellular carcinon cells.
Literature	GENERIF_SUMMARY	Hematological and neurological expressed 1 (HN1) activates c-My signaling by inhibiting ubiquitin-mediated proteasomal degradation Myc in hepatocellular carcinoma.
Literature	GENERIF_SUMMARY	MYC and MET cooperatively drive hepatocellular carcinoma with d molecular traits and vulnerabilities.
Literature	GENERIF_SUMMARY	Naa10p promotes cell invasiveness of esophageal cancer by coordinating the c-Myc and PAI1 regulatory axis.
Literature	GENERIF_SUMMARY	Expression of p-STAT3 and c-Myc correlates with P2-HNF4alpha expression in nonalcoholic fatty liver disease (NAFLD).
Literature	GENERIF_SUMMARY	MYC Overexpression Drives Immune Evasion in Hepatocellular Carcinoma That Is Reversible through Restoration of Proinflamma Macrophages.
Literature	GENERIF_SUMMARY	C-MYC Inhibited Ferroptosis and Promoted Immune Evasion in Ova Cancer Cells through NCOA4 Mediated Ferritin Autophagy.
Literature	GENERIF_SUMMARY	Transcription Factors STAT3 and MYC Are Key Players of Human F Lysate-Induced Cell Proliferation.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Combined thioredoxin reductase and glutaminase inhibition exerts synergistic anti-tumor activity in MYC-high high-grade serous ovari carcinoma.
Literature	GENERIF_SUMMARY	Oncogenic RAS promotes MYC protein stability by upregulating the expression of the inhibitor of apoptosis protein family member Sur
Literature	GENERIF_SUMMARY	MYC amplification in angiosarcoma depends on etiological/clinica subgroups - Diagnostic and prognostic value.
Literature	GENERIF_SUMMARY	Upregulation of the c-MYC oncogene and adjacent long noncoding PVT1 and CCAT1 in esophageal squamous cell carcinoma.
Literature	GENERIF_SUMMARY	c-Myc-IMPDH1/2 axis promotes tumourigenesis by regulating GTP metabolic reprogramming.
Literature	GENERIF_SUMMARY	Targeting VPS72 inhibits ACTL6A/MYC axis activity in HCC progre
Literature	GENERIF_SUMMARY	PTBP1 drives c-Myc-dependent gastric cancer progression and stemness.
Literature	GENERIF_SUMMARY	Small molecule Z363 co-regulates TAF10 and MYC via the E3 ligas TRIP12 to suppress tumour growth.
Literature	GENERIF_SUMMARY	MYC Causes Multiple Myeloma Progression via Attenuating TP53- Induced MicroRNA-34 Expression.
Literature	GENERIF_SUMMARY	B7-H6 enhances F-actin rearrangement by targeting c-MYC activat promote medulloblastoma migration and invasion.
Literature	GENERIF_SUMMARY	c-MYC mediates the crosstalk between breast cancer cells and tur microenvironment.
Literature	GENERIF_SUMMARY	MYC promotes fibroblast osteogenesis by regulating ALP and BMP participate in ectopic ossification of ankylosing spondylitis.
Literature	GENERIF_SUMMARY	RNF130 protects against pulmonary fibrosis through suppressing glycolysis by mediating c-myc ubiquitination.
Literature	GENERIF_SUMMARY	Combined inhibition of polyamine metabolism and eIF5A hypusina suppresses colorectal cancer growth through a converging effect MYC translation.
Literature	GENERIF_SUMMARY	MYC determines lineage commitment in KRAS-driven primary liver cancer development.
Literature	GENERIF_SUMMARY	MYC-driven U2SURP regulates alternative splicing of SAT1 to prom triple-negative breast cancer progression.
Literature	GENERIF_SUMMARY	BMP9 promotes autophagy and inhibits migration and invasion in cancer cells through the c-Myc/SNHG3/mTOR signaling axis.
Literature	GENERIF_SUMMARY	Correlation between expression of Lin28B and C-myc in patients w laryngeal squamous cell carcinoma and clinicopathological featur prognosis.
Literature	GENERIF_SUMMARY	CCT6A promotes esophageal squamous cell carcinoma cell prolife invasion and epithelial-mesenchymal transition by activating TGF-b Smad/c-Myc pathway.
Literature	GENERIF_SUMMARY	MYC activation impairs cell-intrinsic IFNgamma signaling and con resistance to anti-PD1/PD-L1 therapy in lung cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	miR-526b-5p/c-Myc/Foxp1 participates in recurrent spontaneous abortion by regulating the proliferation, migration, and invasion of trophoblasts.
Literature	GENERIF_SUMMARY	[Knockdown of IGF2BP2 inhibits colorectal cancer cell proliferatior migration and promotes tumor immunity by down-regulating MYC expression].
Literature	GENERIF_SUMMARY	Myc controls NK cell development, IL-15-driven expansion, and translational machinery.
Literature	GENERIF_SUMMARY	DNA polymerase POLD1 promotes proliferation and metastasis of bladder cancer by stabilizing MYC.
Literature	GENERIF_SUMMARY	MYC promotes global transcription in part by controlling P-TEFb co formation via DNA-binding independent inhibition of CDK9 SUMOy
Literature	GENERIF_SUMMARY	The effects of MYC on exosomes derived from cancer cells in the of breast cancer.
Literature	GENERIF_SUMMARY	EZH2-Myc driven glioblastoma elicited by cytomegalovirus infectio human astrocytes.
Literature	GENERIF_SUMMARY	KRAS, MYC, and ARF6
Literature	GENERIF_SUMMARY	The c-MYC transcription factor conduces to resistance to cisplatin regulating MMS19 in bladder cancer cells.
Literature	GENERIF_SUMMARY	[High expression of MYH9 inhibits apoptosis of non-small cell lung cancer cells through activating the AKT/c-Myc pathway].
Literature	GENERIF_SUMMARY	TRIM55 inhibits colorectal cancer development via enhancing prot degradation of c-Myc.
Literature	GENERIF_SUMMARY	Heat shock factor 1 (HSF1) specifically potentiates c-MYC-mediate transcription independently of the canonical heat shock response.
Literature	GENERIF_SUMMARY	FIT links c-Myc and P53 acetylation by recruiting RBBP7 during col carcinogenesis.
Literature	GENERIF_SUMMARY	HNF4alpha, SP1 and c-myc are master regulators of CNS autoimm
Literature	GENERIF_SUMMARY	SMARCB1 regulates a TFCP2L1-MYC transcriptional switch promo renal medullary carcinoma transformation and ferroptosis resistar
Literature	GENERIF_SUMMARY	Elevated nuclear PIGL disrupts the cMyc/BRD4 axis and improves blockade therapy by dampening tumor immune evasion.
Literature	GENERIF_SUMMARY	The Oncogenic Protein Kinase/ATPase RIOK1 Is Up-Regulated via myc/E2F Transcription Factor Axis in Prostate Cancer.
Literature	GENERIF_SUMMARY	Long non-coding RNAs CCAT1 and CCAT2 in colorectal liver metas are tumor-suppressive via MYC interaction and might predict patie outcomes.
Literature	GENERIF_SUMMARY	Beyond gene expression
Literature	GENERIF_SUMMARY	MYC overrides HIF-1alpha to regulate proliferating primary cell metabolism in hypoxia.
Literature	GENERIF_SUMMARY	Orphan quality control shapes network dynamics and gene expres
Literature	GENERIF_SUMMARY	Stage-specific coexpression network analysis of Myc in cohorts of

Main Category	Category	Terms
		cancer.
Literature	GENERIF_SUMMARY	EYA2 tyrosine phosphatase inhibition reduces MYC and prevents medulloblastoma progression.
Literature	GENERIF_SUMMARY	Clinicopathologic and Molecular Characterization of Anorectal Neuroendocrine Carcinomas Reveals Human Papillomavirus, p53, Myc as Alternative Mechanisms of Carcinogenesis.
Literature	GENERIF_SUMMARY	Silencing of Perilipin 3 Inhibits Lung Adenocarcinoma Cell Immune Resistance by Regulating the Transcription of PD-L1 Through c-My
Literature	GENERIF_SUMMARY	NEK8 regulates colorectal cancer progression via phosphorylating
Literature	GENERIF_SUMMARY	Exploiting the fibroblast growth factor receptor-1 vulnerability to therapeutically restrict the MYC-EZH2-CDKN1C axis-driven prolifer Mantle cell lymphoma.
Literature	GENERIF_SUMMARY	Irreversible cell cycle exit associated with senescence is mediated constitutive MYC degradation.
Literature	GENERIF_SUMMARY	UPR-Induced miR-616 Inhibits Human Breast Cancer Cell Growth a Migration by Targeting c-MYC.
Literature	GENERIF_SUMMARY	MYC Deregulation and PTEN Loss Model Tumor and Stromal Heterogeneity of Aggressive Triple-Negative Breast Cancer.
Literature	GENERIF_SUMMARY	Activated MKK3/MYC crosstalk impairs dabrafenib response in BRAFV600E colorectal cancer leading to resistance.
Literature	GENERIF_SUMMARY	SCARB2 drives hepatocellular carcinoma tumor initiating cells via enhanced MYC transcriptional activity.
Literature	GENERIF_SUMMARY	USP47 inhibits m6A-dependent c-Myc translation to maintain regu T cell metabolic and functional homeostasis.
Literature	GENERIF_SUMMARY	Phosphorylated Hsp27 promotes adriamycin resistance in breast c cells through regulating dual phosphorylation of c-Myc.
Literature	GENERIF_SUMMARY	MYC is a regulator of androgen receptor inhibition-induced metabo requirements in prostate cancer.
Literature	GENERIF_SUMMARY	Comparative study on the mutation spectrum of L-MYC and C-MYC genes of blood cfDNA in patients with ovarian cancer and healthy females.
Literature	GENERIF_SUMMARY	Dissecting transcription of the 8q24-MYC locus in prostate cancer recognizes the equilibration between androgen receptor direct and indirect dual-functions.
Literature	GENERIF_SUMMARY	MYC in liver cancer
Literature	GENERIF_SUMMARY	Phagocytosis-initiated tumor hybrid cells acquire a c-Myc-mediate quasi-polarization state for immunoevasion and distant dissemina
Literature	GENERIF_SUMMARY	MYC acetylated lysine residues drive oncogenic cell transformatio regulate select genetic programs for cell adhesion-independent gr and survival.
Literature	GENERIF_SUMMARY	Assessment of MYC and TERT copy number variations in lung can using digital PCR.
Literature	GENERIF_SUMMARY	Tripartite motif containing 33 demonstrated anticancer effect by

Main Category	Category	Terms
		degrading c-Myc
Literature	GENERIF_SUMMARY	Genetic screening for anticancer genes highlights FBLN5 as a synt lethal partner of MYC.
Literature	GENERIF_SUMMARY	Alternative genetic alterations of MYC, BCL2, and/or BCL6 in high-g B-cell lymphoma (HGBL) and diffuse large B-cell lymphoma (DLBC
Literature	GENERIF_SUMMARY	c-MYC-dependent transcriptional inhibition of autophagy is implica cisplatin sensitivity in HPV-positive head and neck cancer.
Literature	GENERIF_SUMMARY	Evaluation of potential role of R-loop and G-quadruplex DNA in the fragility of c-MYC during chromosomal translocation associated w Burkitt's lymphoma.
Literature	GENERIF_SUMMARY	GREM1 knockdown regulates the proliferation, apoptosis and EMT benign prostatic hyperplasia by suppressing the STAT3/c-Myc sign
Literature	GENERIF_SUMMARY	ETV4-Dependent Transcriptional Plasticity Maintains MYC Express and Results in IMiD Resistance in Multiple Myeloma.
Literature	GENERIF_SUMMARY	Transcriptional regulation of amino acid metabolism by KDM2B, in context of ncPRC1.1 and in concert with MYC and ATF4.
Literature	GENERIF_SUMMARY	LncRNA CCAT1 participates in pancreatic ductal adenocarcinoma progression by forming a positive feedback loop with c-Myc.
Literature	GENERIF_SUMMARY	Hepatitis C virus may accelerate breast cancer progression by incr mutant p53 and c-Myc oncoproteins circulating levels.
Literature	GENERIF_SUMMARY	SERPINB3-MYC axis induces the basal-like/squamous subtype and enhances disease progression in pancreatic cancer.
Literature	GENERIF_SUMMARY	Lesser prevalence of polyps/WNT-dysregulation and concomitant upregulation of gamma-catenin/MYC point to alternate pathways i colorectal cancer in India.
Literature	GENERIF_SUMMARY	Analysis of the Polymorphisms and Expression Levels of the BCL2 and c-MYC Genes in Patients with Ovarian Cancer.
Literature	GENERIF_SUMMARY	ARHGAP44-mediated regulation of the p53/C-myc/Cyclin D1 pathw modulating the malignant biological behavior of osteosarcoma cel
Literature	GENERIF_SUMMARY	Mechanism of co-operation of mutant IL-7Ralpha and mutant NRA acute lymphoblastic leukemia
Literature	GENERIF_SUMMARY	KIF20A Promotes CRC Progression and the Warburg Effect throug C-Myc/HIF-1alpha Axis.
Literature	GENERIF_SUMMARY	Impact of MYC and BCL2 double expression on outcomes in prima lymphoma
Literature	GENERIF_SUMMARY	Expression and Functional Analysis of core stemness factors OSK (OCT4, SOX2, KLF4, and MYC) in Pan-cancer.
Literature	GENERIF_SUMMARY	FTO up-regulation induced by MYC suppresses tumour progressio Epstein-Barr virus-associated gastric cancer.
Literature	GENERIF_SUMMARY	Histone demethylase KDM4B accelerates the progression of glioblastoma via the epigenetic regulation of MYC stability.
Literature	GENERIF_SUMMARY	The significance of concurrent MYC and BCL2 expression in Egypt patients with diffuse large B-cell NHL.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Tumor suppressive function of IGF2BP1 in gastric cancer through decreasing MYC.
Literature	GENERIF_SUMMARY	Isoform-Directed Control of c-Myc Functions
Literature	GENERIF_SUMMARY	A recurrent de novo MAX p.Arg60Gln variant causes a syndromic overgrowth disorder through differential expression of c-Myc targe genes.
Literature	GENERIF_SUMMARY	NCAPG2 promotes prostate cancer malignancy and stemness via STAT3/c-MYC signaling.
Literature	GENERIF_SUMMARY	LINC00629, a HOXB4-downregulated long noncoding RNA, inhibits glycolysis and ovarian cancer progression by destabilizing c-Myc.
Literature	GENERIF_SUMMARY	MYC rearrangements in HIV-associated large B-cell lymphomas
Literature	GENERIF_SUMMARY	Lysine demethylase 5C inhibits transcription of prefoldin subunit 5 activate c-Myc signal transduction and colorectal cancer progressi
Literature	GENERIF_SUMMARY	Ribogenesis boosts controlled by HEATR1-MYC interplay promote transition into brain tumour growth.
Literature	GENERIF_SUMMARY	The dimeric deubiquitinase USP28 integrates 53BP1 and MYC func to limit DNA damage.
Literature	GENERIF_SUMMARY	Aurora B facilitates cholangiocarcinoma progression by stabilizing Myc.
Literature	GENERIF_SUMMARY	ANP32B inhibition suppresses the growth of prostate cancer cells regulating c-Myc signaling.
Literature	GENERIF_SUMMARY	Reciprocal regulation of lncRNA MEF and c-Myc drives colorectal c tumorigenesis.
Literature	GENERIF_SUMMARY	FBXO8 is a novel prognostic biomarker in different molecular subty breast cancer and suppresses breast cancer progression by target MYC.
Literature	GENERIF_SUMMARY	G-quadruplex DNA structure is a positive regulator of MYC transcri
Literature	GENERIF_SUMMARY	EBF1, PAX5, and MYC
Literature	GENERIF_SUMMARY	Targeting MYC induces lipid droplet accumulation by upregulation HILPDA in clear cell renal cell carcinoma.
Literature	GENERIF_SUMMARY	hsa_circ_0008500 regulates Benzo(a)pyrene-loaded gypsum-induc inflammation and apoptosis in human bronchial epithelial cells via activation of Ahr/C-myc pathways.
Literature	GENERIF_SUMMARY	Cytoplasmic localization of SETDB1-induced Warburg effect via c-l LDHA axis enhances migration and invasion in breast carcinoma.
Literature	GENERIF_SUMMARY	MYC activity at enhancers drives prognostic transcriptional progra through an epigenetic switch.
Literature	GENERIF_SUMMARY	ERG and c-MYC regulate a critical gene network in BCR
Literature	GENERIF_SUMMARY	SIRT5 promote malignant advancement of chordoma by regulating desuccinylation of c-myc.
Literature	GENERIF_SUMMARY	METTL3 orchestrates glycolysis by stabilizing the c-Myc/WDR5 co in triple-negative breast cancer.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	LncRNA SNHG26 promotes gastric cancer progression and metas by inducing c-Myc protein translation and an energy metabolism p feedback loop.
Literature	GENERIF_SUMMARY	Aging-related defects in macrophage function are driven by MYC a USF1 transcriptional programs.
Literature	GENERIF_SUMMARY	Latent Epstein-Barr virus infection collaborates with Myc over-expr in normal human B cells to induce Burkitt-like Lymphomas in mice.
Literature	GENERIF_SUMMARY	STK16 promoted colorectal cancer progress in a c-MYC signaling- dependent manner.
Literature	GENERIF_SUMMARY	CMYC-initiated HNF1A-AS1 overexpression maintains the stemnes gastric cancer cells.
Literature	GENERIF_SUMMARY	Effect of MYC and PARP Inhibitors in Ovarian Cancer Using an In V Model.
Literature	GENERIF_SUMMARY	MYC and NCAPG2 as molecular targets of colorectal cancer and g cancer in nursing.
Literature	GENERIF_SUMMARY	Linc00941 fuels ribogenesis and protein synthesis by supporting r cMYC translation in malignant pleural mesothelioma.
Literature	GENERIF_SUMMARY	Upregulation of HAS2 promotes glioma cell proliferation and chemoresistance via c-myc.
Literature	GENERIF_SUMMARY	Suppression of N-Glycosylation of Zinc Finger Protein 471 Affects Proliferation, Invasion, and Docetaxel Sensitivity of Tongue Squam Cell Carcinoma via Regulation of c-Myc.
Literature	GENERIF_SUMMARY	ZDHHC20-mediated S-palmitoylation of YTHDF3 stabilizes MYC m to promote pancreatic cancer progression.
Literature	GENERIF_SUMMARY	Orthogonal proteogenomic analysis identifies the druggable PA2G axis in 3q26 AML.
Literature	GENERIF_SUMMARY	Low NDRG2, regulated by the MYC/MIZ-1 complex and methylatio predicts poor outcomes in DLBCL patients.
Literature	GENERIF_SUMMARY	Gene expression profiling of p53 and c-myc in HTLV-1 positive bloo donors in Congo.
Literature	GENERIF_SUMMARY	Missense Mutations in Myc Box I Influence Nucleocytoplasmic Tra to Promote Leukemogenesis.
Literature	GENERIF_SUMMARY	A novel MYC-ZNF706-SLC7A11 regulatory circuit contributes to ca progression and redox balance in human hepatocellular carcinoma
Literature	GENERIF_SUMMARY	A microdeletion event at 19q13.43 in IDH-mutant astrocytomas is strongly correlated with MYC overexpression.
Literature	GENERIF_SUMMARY	[Amplifiation of the c-MYC gene in acinar prostate adenocarcinom Morphogenic comparisons].
Literature	GENERIF_SUMMARY	Toll-like receptor signaling in multiple myeloma cells promotes the expression of pro-survival genes B-cell lymphoma 2 and MYC and modulates the expression of B-cell maturation antigen.
Literature	GENERIF_SUMMARY	hnRNPAB Promotes Pancreatic Ductal Adenocarcinoma Extravasa and Liver Metastasis by Stabilizing MYC mRNA.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	WNT Oncogenic Transcription Requires MYC Suppression of Lysos Activity and EPCAM Stabilization in Gastric Tumors.
Literature	GENERIF_SUMMARY	CircCFL1 Promotes TNBC Stemness and Immunoescape via Deacetylation-Mediated c-Myc Deubiquitylation to Facilitate Mutan Transcription.
Literature	GENERIF_SUMMARY	A positive feedback loop between PFKP and c-Myc drives head an squamous cell carcinoma progression.
Literature	GENERIF_SUMMARY	The ubiquitin-like protein UBTD1 promotes colorectal cancer progr by stabilizing c-Myc to upregulate glycolysis.
Literature	GENERIF_SUMMARY	Intron Retention of DDX39A Driven by SNRPD2 is a Crucial Splicing for Oncogenic MYC/Spliceosome Program in Hepatocellular Carci
Literature	GENERIF_SUMMARY	Circular RNA hsa_circ_0000467 promotes colorectal cancer progre by promoting eIF4A3-mediated c-Myc translation.
Literature	GENERIF_SUMMARY	Regulation of MYC by CARD14 in human epithelium is a determina epidermal homeostasis and disease.
Literature	GENERIF_SUMMARY	Transcriptomic classification of diffuse large B-cell lymphoma ider a high-risk activated B-cell-like subpopulation with targetable MYC dysregulation.
Literature	GENERIF_SUMMARY	SOX2 represses c-MYC transcription by altering the co-activator landscape of the c-MYC super-enhancer and promoter regions.
Literature	GENERIF_SUMMARY	Dual therapeutic targeting of MYC and JUNB transcriptional progra enhanced anti-myeloma activity.
Literature	GENERIF_SUMMARY	MYC Induces Oncogenic Stress through RNA Decay and Ribonucle Catabolism in Breast Cancer.
Literature	GENERIF_SUMMARY	Prognostic Impact of Notch1 Intracellular Domain, P63, and c-MYC Lacrimal Gland Adenoid Cystic Carcinoma.
Literature	GENERIF_SUMMARY	METTL3 Regulates the Translation of Oncogene Myc through m[6] Modification and Promotes the Occurrence and Development of C Cancer.
Literature	GENERIF_SUMMARY	TRIM40 interacts with ROCK1 directly and inhibits colorectal cance proliferation through the c-Myc/p21 axis.
Literature	GENERIF_SUMMARY	Regulation of lipid and serine metabolism by the oncogene c-Myc.
Literature	GENERIF_SUMMARY	ADAMTS4 exacerbates lung cancer progression via regulating c-M protein stability and activating MAPK signaling pathway.
Literature	GENERIF_SUMMARY	WDR20 prevents hepatocellular carcinoma senescence by orchest the simultaneous USP12/46-mediated deubiquitination of c-Myc.
Pathways	KEGG_PATHWAY	MAPK signaling pathway
Pathways	KEGG_PATHWAY	ErbB signaling pathway
Pathways	KEGG_PATHWAY	Cell cycle
Pathways	KEGG_PATHWAY	PI3K-Akt signaling pathway
Pathways	KEGG_PATHWAY	Cellular senescence

Main Category	Category	Terms
Pathways	KEGG_PATHWAY	Wnt signaling pathway
Pathways	KEGG_PATHWAY	TGF-beta signaling pathway
Pathways	KEGG_PATHWAY	Hippo signaling pathway
Pathways	KEGG_PATHWAY	Signaling pathways regulating pluripotency of stem cells
Pathways	KEGG_PATHWAY	JAK-STAT signaling pathway
Pathways	KEGG_PATHWAY	Thyroid hormone signaling pathway
Pathways	KEGG_PATHWAY	Salmonella infection
Pathways	KEGG_PATHWAY	Hepatitis C
Pathways	KEGG_PATHWAY	Hepatitis B
Pathways	KEGG_PATHWAY	Human cytomegalovirus infection
Pathways	KEGG_PATHWAY	Human T-cell leukemia virus 1 infection
Pathways	KEGG_PATHWAY	Kaposi sarcoma-associated herpesvirus infection
Pathways	KEGG_PATHWAY	Epstein-Barr virus infection
Pathways	KEGG_PATHWAY	Pathways in cancer
Pathways	KEGG_PATHWAY	Transcriptional misregulation in cancer
Pathways	KEGG_PATHWAY	Proteoglycans in cancer
Pathways	KEGG_PATHWAY	MicroRNAs in cancer
Pathways	KEGG_PATHWAY	Chemical carcinogenesis - receptor activation
Pathways	KEGG_PATHWAY	Colorectal cancer
Pathways	KEGG_PATHWAY	Endometrial cancer
Pathways	KEGG_PATHWAY	Thyroid cancer
Pathways	KEGG_PATHWAY	Bladder cancer
Pathways	KEGG_PATHWAY	Chronic myeloid leukemia
Pathways	KEGG_PATHWAY	Acute myeloid leukemia
Pathways	KEGG_PATHWAY	Small cell lung cancer
Pathways	KEGG_PATHWAY	Breast cancer
Pathways	KEGG_PATHWAY	Hepatocellular carcinoma
Pathways	KEGG_PATHWAY	Gastric cancer
Pathways	KEGG_PATHWAY	Central carbon metabolism in cancer
Pathways	REACTOME_PATHWAY	Developmental Biology
Pathways	REACTOME_PATHWAY	Cytokine Signaling in Immune system
Pathways	REACTOME_PATHWAY	Adaptive Immune System

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	Transcription of E2F targets under negative control by DREAM com
Pathways	REACTOME_PATHWAY	Cell-Cell communication
Pathways	REACTOME_PATHWAY	G0 and Early G1
Pathways	REACTOME_PATHWAY	Signaling by NOTCH
Pathways	REACTOME_PATHWAY	Signal Transduction
Pathways	REACTOME_PATHWAY	Cell Cycle
Pathways	REACTOME_PATHWAY	Disease
Pathways	REACTOME_PATHWAY	Immune System
Pathways	REACTOME_PATHWAY	Signaling by TGF-beta Receptor Complex
Pathways	REACTOME_PATHWAY	Signaling by WNT
Pathways	REACTOME_PATHWAY	Signaling by NOTCH1
Pathways	REACTOME_PATHWAY	Signaling by ALK
Pathways	REACTOME_PATHWAY	TCF dependent signaling in response to WNT
Pathways	REACTOME_PATHWAY	Formation of the beta-catenin:TCF transactivating complex
Pathways	REACTOME_PATHWAY	NOTCH1 Intracellular Domain Regulates Transcription
Pathways	REACTOME_PATHWAY	Generic Transcription Pathway
Pathways	REACTOME_PATHWAY	Transcriptional activity of SMAD2/SMAD3:SMAD4 heterotrimer
Pathways	REACTOME_PATHWAY	SMAD2/SMAD3:SMAD4 heterotrimer regulates transcription
Pathways	REACTOME_PATHWAY	Cellular responses to stress
Pathways	REACTOME_PATHWAY	Signaling by NOTCH1 PEST Domain Mutants in Cancer
Pathways	REACTOME_PATHWAY	Signaling by NOTCH1 in Cancer
Pathways	REACTOME_PATHWAY	Constitutive Signaling by NOTCH1 PEST Domain Mutants
Pathways	REACTOME_PATHWAY	Signaling by NOTCH1 HD+PEST Domain Mutants in Cancer
Pathways	REACTOME_PATHWAY	Constitutive Signaling by NOTCH1 HD+PEST Domain Mutants
Pathways	REACTOME_PATHWAY	Regulation of T cell activation by CD28 family
Pathways	REACTOME_PATHWAY	Co-inhibition by PD-1
Pathways	REACTOME_PATHWAY	Metabolism of proteins
Pathways	REACTOME_PATHWAY	Adherens junctions interactions
Pathways	REACTOME_PATHWAY	Cell-cell junction organization
Pathways	REACTOME_PATHWAY	Binding of TCF/LEF:CTNNB1 to target gene promoters
Pathways	REACTOME_PATHWAY	Cell junction organization
Pathways	REACTOME_PATHWAY	Signaling by Interleukins

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	Mitotic G1 phase and G1/S transition
Pathways	REACTOME_PATHWAY	Diseases of signal transduction by growth factor receptors and se messengers
Pathways	REACTOME_PATHWAY	MAPK family signaling cascades
Pathways	REACTOME_PATHWAY	MAPK6/MAPK4 signaling
Pathways	REACTOME_PATHWAY	Deubiquitination
Pathways	REACTOME_PATHWAY	Ub-specific processing proteases
Pathways	REACTOME_PATHWAY	Post-translational protein modification
Pathways	REACTOME_PATHWAY	Interleukin-4 and Interleukin-13 signaling
Pathways	REACTOME_PATHWAY	Cyclin E associated events during G1/S transition
Pathways	REACTOME_PATHWAY	G1/S Transition
Pathways	REACTOME_PATHWAY	S Phase
Pathways	REACTOME_PATHWAY	Cell Cycle, Mitotic
Pathways	REACTOME_PATHWAY	Cyclin A:Cdk2-associated events at S phase entry
Pathways	REACTOME_PATHWAY	RNA Polymerase II Transcription
Pathways	REACTOME_PATHWAY	Gene expression (Transcription)
Pathways	REACTOME_PATHWAY	Transcriptional regulation by the AP-2 (TFAP2) family of transcripti factors
Pathways	REACTOME_PATHWAY	TFAP2 (AP-2) family regulates transcription of cell cycle factors
Pathways	REACTOME_PATHWAY	Transcriptional regulation by RUNX3
Pathways	REACTOME_PATHWAY	ESR-mediated signaling
Pathways	REACTOME_PATHWAY	RUNX3 regulates WNT signaling
Pathways	REACTOME_PATHWAY	Cellular responses to stimuli
Pathways	REACTOME_PATHWAY	Signaling by Nuclear Receptors
Pathways	REACTOME_PATHWAY	Signaling by Receptor Tyrosine Kinases
Pathways	REACTOME_PATHWAY	Signaling by TGFB family members
Pathways	REACTOME_PATHWAY	Estrogen-dependent gene expression
Pathways	REACTOME_PATHWAY	Transcriptional regulation of granulopoiesis
Pathways	REACTOME_PATHWAY	Cellular response to chemical stress
Pathways	REACTOME_PATHWAY	KEAP1-NFE2L2 pathway
Pathways	REACTOME_PATHWAY	Nuclear events mediated by NFE2L2
Pathways	REACTOME_PATHWAY	Regulation of Homotypic Cell-Cell Adhesion
Pathways	REACTOME_PATHWAY	Regulation of CDH1 Expression and Function

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	Regulation of Expression and Function of Type I Classical Cadherin
Pathways	REACTOME_PATHWAY	Regulation of CDH1 mRNA translation by microRNAs
Pathways	REACTOME_PATHWAY	Regulation of NFE2L2 gene expression
Pathways	REACTOME_PATHWAY	Regulation of PD-L1(CD274) expression
Pathways	REACTOME_PATHWAY	Regulation of PD-L1(CD274) transcription
Pathways	WIKIPATHWAYS	miRNA regulation of DNA damage response
Pathways	WIKIPATHWAYS	miRNAs involved in DNA damage response
Pathways	WIKIPATHWAYS	TP53 network
Pathways	WIKIPATHWAYS	Cell cycle
Pathways	WIKIPATHWAYS	Integrated cancer pathway
Pathways	WIKIPATHWAYS	Integrated breast cancer pathway
Pathways	WIKIPATHWAYS	Prolactin signaling
Pathways	WIKIPATHWAYS	Neural crest differentiation
Pathways	WIKIPATHWAYS	Metastatic brain tumor
Pathways	WIKIPATHWAYS	Androgen receptor network in prostate cancer
Pathways	WIKIPATHWAYS	B cell receptor signaling
Pathways	WIKIPATHWAYS	Gastric cancer network 2
Pathways	WIKIPATHWAYS	Spinal cord injury
Pathways	WIKIPATHWAYS	Retinoblastoma gene in cancer
Pathways	WIKIPATHWAYS	Apoptosis
Pathways	WIKIPATHWAYS	Polycystic kidney disease pathway
Pathways	WIKIPATHWAYS	Aryl hydrocarbon receptor pathway
Pathways	WIKIPATHWAYS	Interleukin 1 IL 1 structural pathway
Pathways	WIKIPATHWAYS	Mammary gland development embryonic development stage 1 of
Pathways	WIKIPATHWAYS	Mammary gland development puberty stage 2 of 4
Pathways	WIKIPATHWAYS	Mammary gland development involution stage 4 of 4
Pathways	WIKIPATHWAYS	Mammary gland development pregnancy and lactation stage 3 of
Pathways	WIKIPATHWAYS	Bladder cancer
Pathways	WIKIPATHWAYS	Hair follicle development organogenesis stage 2 of 3
Pathways	WIKIPATHWAYS	Ectoderm differentiation
Pathways	WIKIPATHWAYS	Vitamin D receptor pathway
Pathways	WIKIPATHWAYS	PPAR alpha pathway

Main Category	Category	Terms
Pathways	WIKIPATHWAYS	Nuclear receptors meta pathway
Pathways	WIKIPATHWAYS	let 7 inhibition of ES cell reprogramming
Pathways	WIKIPATHWAYS	RAC1 PAK1 p38 MMP2 pathway
Pathways	WIKIPATHWAYS	Imatinib and chronic myeloid leukemia
Pathways	WIKIPATHWAYS	Hepatitis C and hepatocellular carcinoma
Pathways	WIKIPATHWAYS	Pathways affected in adenoid cystic carcinoma
Pathways	WIKIPATHWAYS	Wnt beta catenin signaling in leukemia
Pathways	WIKIPATHWAYS	Physico chemical features and toxicity associated pathways
Pathways	WIKIPATHWAYS	MAPK signaling
Pathways	WIKIPATHWAYS	Apoptosis regulation by parathyroid hormone related protein
Pathways	WIKIPATHWAYS	Wnt signaling and pluripotency
Pathways	WIKIPATHWAYS	p38 MAPK signaling
Pathways	WIKIPATHWAYS	PI3K AKT mTOR vitamin D3 signaling
Pathways	WIKIPATHWAYS	Endometrial cancer
Pathways	WIKIPATHWAYS	PI3K Akt signaling
Pathways	WIKIPATHWAYS	Chromosomal and microsatellite instability in colorectal cancer
Pathways	WIKIPATHWAYS	lncRNA in canonical Wnt signaling and colorectal cancer
Pathways	WIKIPATHWAYS	Breast cancer pathway
Pathways	WIKIPATHWAYS	Wnt signaling
Pathways	WIKIPATHWAYS	ncRNAs in Wnt signaling in hepatocellular carcinoma
Pathways	WIKIPATHWAYS	G1 to S cell cycle control
Pathways	WIKIPATHWAYS	Hippo Merlin signaling dysregulation
Pathways	WIKIPATHWAYS	Small cell lung cancer
Pathways	WIKIPATHWAYS	Gastrin signaling
Pathways	WIKIPATHWAYS	Hepatitis B infection
Pathways	WIKIPATHWAYS	EGFR tyrosine kinase inhibitor resistance
Pathways	WIKIPATHWAYS	3q29 copy number variation syndrome
Pathways	WIKIPATHWAYS	MAPK pathway in congenital thyroid cancer
Pathways	WIKIPATHWAYS	7q11 23 copy number variation syndrome
Pathways	WIKIPATHWAYS	Pleural mesothelioma
Pathways	WIKIPATHWAYS	Interactions of natural killer cells in pancreatic cancer
Pathways	WIKIPATHWAYS	Warburg effect modulated by deubiquitinating enzymes and their substrates

Main Category	Category	Terms
Pathways	WIKIPATHWAYS	Neurogenesis regulation in the olfactory epithelium
Pathways	WIKIPATHWAYS	Acute myeloid leukemia
Pathways	WIKIPATHWAYS	Pathophysiological roles of DUX4 in FSHD1
Pathways	WIKIPATHWAYS	5q35 copy number variation
Pathways	WIKIPATHWAYS	Smith Magenis and Potocki Lupski syndrome copy number variatio
Pathways	WIKIPATHWAYS	Growth factors and hormones in beta cell proliferation
Pathways	WIKIPATHWAYS	Cancer pathways
Pathways	WIKIPATHWAYS	Hallmark of cancer sustaining proliferative signaling
Pathways	WIKIPATHWAYS	Transcriptional regulation of memory B cell differentiation
Pathways	WIKIPATHWAYS	BDNF signaling in neurodevelopment
Pathways	WIKIPATHWAYS	Deregulating cellular metabolism through non genotoxic carcinoge
Pathways	WIKIPATHWAYS	ErbB signaling
Pathways	WIKIPATHWAYS	DNA damage response
Pathways	WIKIPATHWAYS	DNA damage response only ATM dependent
Protein Domains	INTERPRO	Tscrpt_reg_Myc
Protein Domains	INTERPRO	Myc-LZ
Protein Domains	INTERPRO	bHLH_dom
Protein Domains	INTERPRO	Tscrpt_reg_Myc_N
Protein Domains	INTERPRO	HLH_DNA-bd_sf
Protein Domains	INTERPRO	Myc_transcription_factors
Protein Domains	PIR_SUPERFAMILY	Myc_protein
Protein Domains	SMART	HLH
Protein Domains	UP_KW_DOMAIN	Transmembrane
Protein Domains	UP_KW_DOMAIN	Transmembrane helix