Main Category	Category	Terms
Disease	OMIM_DISEASE	Progesterone resistance
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription
Functional Annotations	UP_KW_BIOLOGICAL_PROCESS	Transcription regulation
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Membrane
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Mitochondrion
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Nucleus
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Cytoplasm
Functional Annotations	UP_KW_CELLULAR_COMPONENT	Mitochondrion outer membrane
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	DNA-binding
Functional Annotations	UP_KW_MOLECULAR_FUNCTION	Receptor
Functional Annotations	UP_KW_PTM	Lipoprotein
Functional Annotations	UP_KW_PTM	Palmitate
Functional Annotations	UP_KW_PTM	Phosphoprotein
Functional Annotations	UP_KW_PTM	Ubl conjugation
Functional Annotations	UP_KW_PTM	Isopeptide bond
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Acidic residues
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Low complexity
Functional Annotations	UP_SEQ_FEATURE	COMPBIAS:Pro residues
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cte SUMO)
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cte SUMO); alternate
Functional Annotations	UP_SEQ_FEATURE	CROSSLNK:Glycyl lysine isopeptide (Lys-Gly) (interchain with G-Cte ubiquitin); alternate

Main Category	Category	Terms
Functional Annotations	UP_SEQ_FEATURE	DNA_BIND:Nuclear receptor
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:NR LBD
Functional Annotations	UP_SEQ_FEATURE	DOMAIN:Nuclear receptor
Functional Annotations	UP_SEQ_FEATURE	MOTIF:LXXL motif 1
Functional Annotations	UP_SEQ_FEATURE	MOTIF:LXXL motif 2
Functional Annotations	UP_SEQ_FEATURE	MOTIF:Nuclear localization signal
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Great loss of sumoylation; when associated with Completely abolishes sumoylation; when associated with R-7 and R-531. Loss of CUEDC2-mediated protein degradation. Increased ligand-dependent transcriptional activity.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Some loss of sumoylation; when associated with R-531. Complete loss of sumoylation; when associated with R-388 R-531.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:K->R: Some loss of sumoylation; when associated with Completely abolishes sumoylation; when associated with R-7 and R-388.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-115 and A-118.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-115 and A-119.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-118 and A-119.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-55 and A-58.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-55 and A-59.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:L->A: Reduces transcriptional activation; when associat with A-58 and A-59.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: Abolishes CDK2-induced activity in the absence, b not in the presence, of progestin. Delayed nuclear translocation in presence of progestin.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: No change in progestin-induced protein degradati when associated with A-344. No change in sumoylation; when associated with A-294 and A-344.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: No effect on interaction with CUEDC2. Impaired progesterone-induced transcriptional activity. No CUEDC2- nor progestin-mediated protein degradation. No change in sumoylatio when associated with A-344 and A-345.

Main Category	Category	Terms
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->A: No interaction with SP1. No change in progestin-induced protein degradation; when associated with A-345. No char in sumoylation; when associated with A-294 and A-345.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:S->D: Decreases protein stability and increases progesterone-induced transcriptional activity.
Functional Annotations	UP_SEQ_FEATURE	MUTAGEN:W->A,F,R: Reduces transcriptional activation.
Functional Annotations	UP_SEQ_FEATURE	REGION:AF1; mediates transcriptional activation
Functional Annotations	UP_SEQ_FEATURE	REGION:AF2; mediates transcriptional activation
Functional Annotations	UP_SEQ_FEATURE	REGION:AF3; mediates transcriptional activation (in isoform B)
Functional Annotations	UP_SEQ_FEATURE	REGION:Disordered
Functional Annotations	UP_SEQ_FEATURE	REGION:Mediates transcriptional transrepression (in isoform A)
Functional Annotations	UP_SEQ_FEATURE	REGION:Modulating, Pro-Rich
Functional Annotations	UP_SEQ_FEATURE	ZN_FING:NR C4-type
Gene Ontology	GOTERM_BP_DIRECT	ovulation from ovarian follicle
Gene Ontology	GOTERM_BP_DIRECT	epithelial cell maturation
Gene Ontology	GOTERM_BP_DIRECT	glandular epithelial cell maturation
Gene Ontology	GOTERM_BP_DIRECT	regulation of DNA-templated transcription
Gene Ontology	GOTERM_BP_DIRECT	regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	signal transduction
Gene Ontology	GOTERM_BP_DIRECT	cell-cell signaling
Gene Ontology	GOTERM_BP_DIRECT	regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	negative regulation of gene expression
Gene Ontology	GOTERM_BP_DIRECT	nuclear receptor-mediated steroid hormone signaling pathway

Main Category	Category	Terms
Gene Ontology	GOTERM_BP_DIRECT	mammary gland development
Gene Ontology	GOTERM_BP_DIRECT	paracrine signaling
Gene Ontology	GOTERM_BP_DIRECT	steroid hormone receptor signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	positive regulation of transcription by RNA polymerase II
Gene Ontology	GOTERM_BP_DIRECT	lung alveolus development
Gene Ontology	GOTERM_BP_DIRECT	regulation of epithelial cell proliferation
Gene Ontology	GOTERM_BP_DIRECT	progesterone receptor signaling pathway
Gene Ontology	GOTERM_BP_DIRECT	maintenance of protein location in nucleus
Gene Ontology	GOTERM_BP_DIRECT	tertiary branching involved in mammary gland duct morphogenesi
Gene Ontology	GOTERM_CC_DIRECT	chromatin
Gene Ontology	GOTERM_CC_DIRECT	nucleus
Gene Ontology	GOTERM_CC_DIRECT	nucleoplasm
Gene Ontology	GOTERM_CC_DIRECT	cytoplasm
Gene Ontology	GOTERM_CC_DIRECT	mitochondrion
Gene Ontology	GOTERM_CC_DIRECT	mitochondrial outer membrane
Gene Ontology	GOTERM_CC_DIRECT	cytosol
Gene Ontology	GOTERM_CC_DIRECT	plasma membrane
Gene Ontology	GOTERM_CC_DIRECT	membrane
Gene Ontology	GOTERM_MF_DIRECT	RNA polymerase II cis-regulatory region sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity, RNA polymerase II-specif
Gene Ontology	GOTERM_MF_DIRECT	transcription coactivator binding

Main Category	Category	Terms
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription activator activity, RNA polymerase II-specific
Gene Ontology	GOTERM_MF_DIRECT	DNA binding
Gene Ontology	GOTERM_MF_DIRECT	DNA-binding transcription factor activity
Gene Ontology	GOTERM_MF_DIRECT	nuclear steroid receptor activity
Gene Ontology	GOTERM_MF_DIRECT	nuclear receptor activity
Gene Ontology	GOTERM_MF_DIRECT	signaling receptor binding
Gene Ontology	GOTERM_MF_DIRECT	steroid binding
Gene Ontology	GOTERM_MF_DIRECT	protein binding
Gene Ontology	GOTERM_MF_DIRECT	zinc ion binding
Gene Ontology	GOTERM_MF_DIRECT	lipid binding
Gene Ontology	GOTERM_MF_DIRECT	enzyme binding
Gene Ontology	GOTERM_MF_DIRECT	estrogen response element binding
Gene Ontology	GOTERM_MF_DIRECT	identical protein binding
Gene Ontology	GOTERM_MF_DIRECT	sequence-specific DNA binding
Gene Ontology	GOTERM_MF_DIRECT	metal ion binding
Gene Ontology	GOTERM_MF_DIRECT	ATPase binding
Gene Ontology	GOTERM_MF_DIRECT	sequence-specific double-stranded DNA binding
General Annotations	CHROMOSOME	11
General Annotations	CYTOGENETIC_LOCATION	11q22.1
General Annotations	ENTREZ_GENE_SUMMARY	This gene encodes a member of the steroid receptor superfamily. T encoded protein mediates the physiological effects of progesteron which plays a central role in reproductive events associated with th establishment and maintenance of pregnancy. This gene uses two distinct promotors and translation start sites in the first exon to

Main Category	Category	Terms
		produce several transcript variants, both protein coding and non-protein coding. Two of the isoforms (A and B) are identical except an additional 165 amino acids found in the N-terminus of isoform and mediate their own response genes and physiologic effects wit little overlap. [provided by RefSeq, Sep 2015]
General Annotations	UP_COMMENT_ALTERNATIVE_PRODUCTS	Event=Alternative promoter usage, Alternative splicing; Named isoforms=5; Name=B; Synonyms=PRB, PR-B; IsoId=P06401-1; Sequence=Displayed; Name=A; Synonyms=PRA, PR-A; IsoId=P06401-2; Sequence=VSP_003706; Name=3; IsoId=P06401 Sequence=VSP_046942; Name=4; Synonyms=PR-M; IsoId=P0640 Sequence=VSP_047454, VSP_047455; Name=5; Synonyms=delta4 IsoId=P06401-5; Sequence=VSP_053543;
General Annotations	UP_COMMENT_DOMAIN	Composed of three domains: a modulating N-terminal domain, a D binding domain and a C-terminal ligand-binding domain.
General Annotations	UP_COMMENT_DOMAIN	Composed of three domains: a modulating N-terminal domain, a D binding domain and a C-terminal ligand-binding domain. {ECO:0000256|RuleBase:RU368037}.
General Annotations	UP_COMMENT_FUNCTION	Steroid hormone receptor involved in the regulation of eukaryotic g expression which affects cellular proliferation and differentiation i target tissues. {ECO:0000256|RuleBase:RU368037}.
General Annotations	UP_COMMENT_FUNCTION	The steroid hormones and their receptors are involved in the regulation of eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues. Depending on the isoform, progesterone receptor functions as a transcriptional activ or repressor. {ECO:0000269|PubMed:10757795, ECO:0000269| PubMed:1587864, ECO:0000269|PubMed:37478846, ECO:000026 PubMed:9407067, ECO:0000305}.
General Annotations	UP_COMMENT_FUNCTION	[Isoform 4]: Increases mitochondrial membrane potential and cellu respiration upon stimulation by progesterone.
General Annotations	UP_COMMENT_FUNCTION	[Isoform A]: Ligand-dependent transdominant repressor of steroid hormone receptor transcriptional activity including repression of it isoform B, MR and ER. Transrepressional activity may involve recruitment of corepressor NCOR2. {ECO:0000269|PubMed:79691 ECO:0000269|PubMed:8180103, ECO:0000269|PubMed:8264658, ECO:0000305, ECO:0000305|PubMed:10757795}.
General Annotations	UP_COMMENT_FUNCTION	[Isoform B]: Transcriptional activator of several progesteron-dependent promoters in a variety of cell types. Involved in activatio SRC-dependent MAPK signaling on hormone stimulation. {ECO:0000269|PubMed:7969170}.
General Annotations	UP_COMMENT_INTERACTION	P06401; Q9H467: CUEDC2; NbExp=9; IntAct=EBI-78539, EBI-12482 P06401; P03372: ESR1; NbExp=20; IntAct=EBI-78539, EBI-78473; P06401; P06401: PGR; NbExp=2; IntAct=EBI-78539, EBI-78539; P06401; P40763: STAT3; NbExp=3; IntAct=EBI-78539, EBI-518675; P06401-1; P03372: ESR1; NbExp=4; IntAct=EBI-12590474, EBI-784
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 3]: Produced by alternative splicing of isoform B. {ECO:0000305}.
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 4]: Produced by alternative promoter usage. {ECO:000030
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform 5]: Produced by alternative splicing of isoform B. {ECO:0000305}.

Main Category	Category	Terms
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform A]: Produced by alternative promoter usage. {ECO:000030
General Annotations	UP_COMMENT_MISCELLANEOUS	[Isoform B]: Produced by alternative promoter usage.
General Annotations	UP_COMMENT_PTM	Palmitoylated by ZDHHC7 and ZDHHC21. Palmitoylation is require for plasma membrane targeting and for rapid intracellular signalin ERK and AKT kinases and cAMP generation. {ECO:0000269| PubMed:22031296}.
General Annotations	UP_COMMENT_PTM	Phosphorylated on multiple serine sites. Several of these sites are hormone-dependent. Phosphorylation on Ser-294 occurs preferent on isoform B, is highly hormone-dependent and modulates ubiquitination and sumoylation on Lys-388. Phosphorylation on Ser-102 and Ser-345 also requires induction by hormone. Basal phosphorylation on Ser-81, Ser- 162, Ser-190 and Ser-400 is increa in response to progesterone and can be phosphorylated in vitro by CDK2-A1 complex. Increased levels of phosphorylation on Ser-400 also in the presence of EGF, heregulin, IGF, PMA and FBS. Phosphorylation at this site by CDK2 is ligand- independent, and increases nuclear translocation and transcriptional activity. Phosphorylation at Ser-162 and Ser-294, but not at Ser-190, is impaired during the G(2)/M phase of the cell cycle. Phosphorylatio on Ser-345 by ERK1/2 MAPK is required for interaction with SP1. {ECO:0000269|PubMed:10628747, ECO:0000269|PubMed:106554 ECO:0000269|PubMed:11110801, ECO:0000269|PubMed:1557266 ECO:0000269|PubMed:15798179, ECO:0000269|PubMed:1702091 ECO:0000269|PubMed:17173941, ECO:0000269|PubMed:1734765 ECO:0000269|PubMed:17717077, ECO:0000269|PubMed:1820214 ECO:0000269|PubMed:7476977, ECO:0000269|PubMed:8702648, ECO:0000269|PubMed:9171245}.
General Annotations	UP_COMMENT_PTM	Sumoylation is hormone-dependent and represses transcriptional activity. Sumoylation on all three sites is enhanced by PIAS3. Desumoylated by SENP1. Sumoylation on Lys-388, the main site of sumoylation, is repressed by ubiquitination on the same site, and modulated by phosphorylation at Ser-294. {ECO:0000269| PubMed:10628747, ECO:0000269|PubMed:10655479, ECO:00002 PubMed:15798179, ECO:0000269|PubMed:17020914, ECO:00002 PubMed:17173941, ECO:0000269|PubMed:17347654, ECO:00002 PubMed:17717077, ECO:0000269|PubMed:18202149, ECO:00002 PubMed:8702648}.
General Annotations	UP_COMMENT_PTM	Ubiquitination is hormone-dependent and represses sumoylation o the same site (PubMed:10628747, PubMed:10655479, PubMed:15798179, PubMed:17173941, PubMed:17717077, PubMed:18202149, PubMed:8702648). Promoted by MAPK-media phosphorylation on Ser-294 (PubMed:10628747, PubMed:106554 PubMed:15798179, PubMed:17173941, PubMed:17717077, PubMed:18202149, PubMed:8702648). Ubiquitinated by UBR5, lea to its degradation: UBR5 specifically recognizes and binds ligand-bound PGR when it is not associated with coactivators (NCOAs) (PubMed:37478846). In presence of NCOAs, the UBR5-degron is n accessible, preventing its ubiquitination and degradation (PubMed:37478846). {ECO:0000269|PubMed:10628747, ECO:0000269|PubMed:10655479, ECO:0000269|PubMed:1579817 ECO:0000269|PubMed:17173941, ECO:0000269|PubMed:1771707 ECO:0000269|PubMed:18202149, ECO:0000269|PubMed:3747884 ECO:0000269|PubMed:8702648}.

Main Category	Category	Terms
General Annotations	UP_COMMENT_SIMILARITY	Belongs to the nuclear hormone receptor family. NR3 subfamily. {ECO:0000305}.
General Annotations	UP_COMMENT_SIMILARITY	Belongs to the nuclear hormone receptor family. {ECO:0000256|RuleBase:RU368037}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus {ECO:0000256|ARBA:ARBA00004123}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus {ECO:0000256|RuleBase:RU368037}. Cytoplasm {ECO:0000256|RuleBase:RU368037}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	Nucleus. Cytoplasm. Note=Nucleoplasmic shuttling is both hormo and cell cycle-dependent. On hormone stimulation, retained in the cytoplasm in the G(1) and G(2)/M phases.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform 4]: Mitochondrion outer membrane {ECO:0000269|PubMed:23518922}.
General Annotations	UP_COMMENT_SUBCELLULAR_LOCATION	[Isoform A]: Nucleus. Cytoplasm. Note=Mainly nuclear.
General Annotations	UP_COMMENT_SUBUNIT	Interacts with SMARD1 and UNC45A. Interacts with CUEDC2; the interaction promotes ubiquitination, decreases sumoylation, and represses transcriptional activity. Interacts with PIAS3; the interact promotes sumoylation of PR in a hormone-dependent manner, inhi DNA-binding, and alters nuclear export. Interacts with SP1; the interaction requires ligand-induced phosphorylation on Ser-345 by ERK1/2 MAPK. Interacts with PRMT2. Isoform A interacts with NCOR2. Isoform B (but not isoform A) interacts with NCOA2 and NCOA1. Isoform B (but not isoform A) interacts with KLF9. Interac with GTF2B (PubMed:1517211). {ECO:0000250|UniProtKB:Q00175 ECO:0000269|PubMed:10757795, ECO:0000269|PubMed:1203995 ECO:0000269|PubMed:12917342, ECO:0000269|PubMed:1517211 ECO:0000269|PubMed:16478993, ECO:0000269|PubMed:1702091 ECO:0000269|PubMed:17347654, ECO:0000269|PubMed:1820214
General Annotations	UP_COMMENT_TISSUE_SPECIFICITY	In reproductive tissues the expression of isoform A and isoform B varies as a consequence of developmental and hormonal status. Isoform A and isoform B are expressed in comparable levels in ute glandular epithelium during the proliferative phase of the menstrua cycle. Expression of isoform B but not of isoform A persists in the glands during mid-secretory phase. In the stroma, isoform A is the predominant form throughout the cycle. Heterogeneous isoform expression between the glands of the endometrium basalis and functionalis is implying region-specific responses to hormonal stin {ECO:0000269|PubMed:11041221}.
Identifiers	ENTREZ_GENE_ID	5241
Identifiers	ENSEMBL_GENE_ID	ENSG00000082175
Identifiers	UNIPROT_ID	Q8NG42_HUMAN
Identifiers	UNIPROT_ID	Q8NG45_HUMAN
Identifiers	UNIPROT_ID	Q8NG44_HUMAN
Identifiers	UNIPROT_ID	Q8NG43_HUMAN
Identifiers	UNIPROT_ID	PRGR_HUMAN

Main Category	Category	Terms
Identifiers	UNIPROT_ID	A0A4P8D7F0_HUMAN
Identifiers	UNIPROT_ID	A0A0J9YVP1_HUMAN
Interactions	DRUGBANK	Etonogestrel
Interactions	DRUGBANK	Desogestrel
Interactions	DRUGBANK	Megestrol acetate
Interactions	DRUGBANK	Levonorgestrel
Interactions	DRUGBANK	Dydrogesterone
Interactions	DRUGBANK	Progesterone
Interactions	DRUGBANK	Spironolactone
Interactions	DRUGBANK	Lindane
Interactions	DRUGBANK	Fluticasone propionate
Interactions	DRUGBANK	Medroxyprogesterone acetate
Interactions	DRUGBANK	Mitotane
Interactions	DRUGBANK	Norethisterone
Interactions	DRUGBANK	Mometasone
Interactions	DRUGBANK	Ethynodiol diacetate
Interactions	DRUGBANK	Mifepristone
Interactions	DRUGBANK	Norgestimate
Interactions	DRUGBANK	Drospirenone
Interactions	DRUGBANK	Danazol
Interactions	DRUGBANK	Oxybenzone
Interactions	DRUGBANK	Allylestrenol
Interactions	DRUGBANK	Phthalic Acid
Interactions	DRUGBANK	Metribolone
Interactions	DRUGBANK	Tanaproget
Interactions	DRUGBANK	Telapristone acetate
Interactions	DRUGBANK	Asoprisnil
Interactions	DRUGBANK	Norelgestromin
Interactions	DRUGBANK	Gestodene
Interactions	DRUGBANK	Hydroxyprogesterone caproate
Interactions	DRUGBANK	Ulipristal
Interactions	DRUGBANK	Fluticasone furoate

Main Category	Category	Terms
Interactions	DRUGBANK	Dienogest
Interactions	DRUGBANK	Medrogestone
Interactions	DRUGBANK	Norgestrel
Interactions	DRUGBANK	Homosalate
Interactions	DRUGBANK	Enzacamene
Interactions	DRUGBANK	Gestrinone
Interactions	DRUGBANK	Darolutamide
Interactions	DRUGBANK	Demegestone
Interactions	DRUGBANK	Fluticasone
Interactions	DRUGBANK	Mometasone furoate
Interactions	DRUGBANK	Segesterone acetate
Interactions	PUBCHEM	1-Cyclopentyl-6-imidazol-1-yl-1h-benzoimidazole-2-thiol
Interactions	PUBCHEM	6-(2,3-difluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	1-Benzyl-6-(3-chloro-phenyl)-1,3-dihydro-benzoimidazole-2-thione
Interactions	PUBCHEM	(3R,4S)-3-(4-(4-Fluorophenyl)-4-hydroxypiperidin-1-yl)-3,4-dihydro-2 chromene-4,7-diol
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[1-(prop-2-en-1-yloxy)propyl]-1, dihydroquinoline
Interactions	PUBCHEM	3-Benzyl-5-(3-chlorophenyl)-3-methyl-1,3-dihydro-2H-indole-2-thion
Interactions	PUBCHEM	(5Z)-5-[(3-fluorophenyl)methylidene]-2,2,4-trimethyl-1,4-dihydrochromeno[3,4-f]quinolin-3-one
Interactions	PUBCHEM	(S)-10-Methoxy-2,2,4-trimethyl-5-((S)-3-methyl-cyclohex-2-enyl)-2,5 dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	N-(1-(1H-indol-3-yl)propan-2-yl)-2,4,5-trichlorobenzenesulfonamide
Interactions	PUBCHEM	Turofexorate Isopropyl
Interactions	PUBCHEM	5-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)thiophene-2 carbonitrile
Interactions	PUBCHEM	5-(5-chlorothiophen-2-yl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	1-Decyl-3-methylimidazolium hexafluorophosphate
Interactions	PUBCHEM	4-benzyl-6-(3-chlorophenyl)-4-methyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	4-chloro-N-methyl-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[2-phenyl-1-(prop-2-en-1-yloxy)ethyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	4-methoxy-N-methyl-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Amiprofos-methyl

Main Category	Category	Terms
Interactions	PUBCHEM	6-(3-Chloro-4-fluorophenyl)-4,4-dimethyl-1h-benzo[d][1,3]oxazine-2 thione
Interactions	PUBCHEM	5-(2-chlorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	3-fluoro-5-(8-fluoro-4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin yl)benzonitrile
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[2-methyl-1-(prop-2-en-1-yloxy)propyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	[3-(3,4-Dichloro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl]-(4-nitro-phen methanone
Interactions	PUBCHEM	FR167356
Interactions	PUBCHEM	Metapristone
Interactions	PUBCHEM	2,2,4-Trimethyl-5-(3-trifluoromethyl-phenyl)-2,5-dihydro-1H-6-oxa-1- chrysene
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[3-phenyl-1-(prop-2-en-1-yloxy)propyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	4-{1-[2-(3-Chlorophenyl)ethoxy]ethyl}-6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	6-(2-chlorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	4,4-dimethyl-6-(3-nitrophenyl)-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	6-(3-chloro-5-fluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thio
Interactions	PUBCHEM	3-(2-sulfanylidenespiro[1H-3,1-benzoxazine-4,1'-cyclohexane]-6-yl)benzonitrile
Interactions	PUBCHEM	N-(1-(1H-indol-3-yl)propan-2-yl)-2,6-dichlorobenzenesulfonamide
Interactions	PUBCHEM	(5S)-10-methoxy-2,2,4-trimethyl-5-[(1R)-3-methylcyclohex-2-en-1-yl]-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	6-(2-fluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	Glycyrrhetinic Acid
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-5-prop-2-ynyl-2,5-dihydro-1H-6-oxa-1-az chrysene
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(1H-indol-2-ylmethyl) methylpentan-2-ol
Interactions	PUBCHEM	3-Fluoro-4-(4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl)benzonitrile
Interactions	PUBCHEM	1,1,1-trifluoro-2-[(6-fluoro-1H-indol-2-yl)methyl]-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2-benzyl-2-hydroxy-4-methyl-N-(4-methyl-1-oxo-2,3-benzoxazin-6-yl phenylpentanamide
Interactions	PUBCHEM	2-Cyclohexylmethyl-2-hydroxy-4-methyl-4-phenyl-pentanoic acid (4 methyl-1-oxo-1H-benzo[d][1,2]oxazin-6-yl)-amide

Main Category	Category	Terms
Interactions	PUBCHEM	4-(5-bromo-2,3-dihydro-1-benzofuran-7-yl)-1,1,1-trifluoro-2-(1H-indo ylmethyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2-Biphenyl-4-ylmethyl-2-hydroxy-4-methyl-4-phenyl-pentanoic acid oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	CID 10150825
Interactions	PUBCHEM	1,1,1-trifluoro-2-[(5-fluoro-1H-indol-2-yl)methyl]-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	7-[5,5,5-trifluoro-4-hydroxy-4-(1H-indol-2-ylmethyl)-2-methylpentan- yl]-2,3-dihydro-1-benzofuran-5-carbonitrile
Interactions	PUBCHEM	2-Hydroxy-2-(2-hydroxy-benzyl)-4-methyl-4-phenyl-pentanoic acid (oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[[7-(trifluoromethyl)-1H-indol-2-yl]methyl]pentan-2-ol
Interactions	PUBCHEM	2-Hydroxy-4-methyl-2-naphthalen-2-ylmethyl-4-phenyl-pentanoic ac (1-oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	5-Allyl-10-difluoromethoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-a chrysene
Interactions	PUBCHEM	N-(1-Ethoxy-6-phenyl-6H-benzo[c]chromen-8-yl)-methanesulfonam
Interactions	PUBCHEM	FR150011
Interactions	PUBCHEM	2-Hydroxy-4-methyl-2,4-diphenyl-pentanoic acid (1-oxo-1,3-dihydro- isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[(5-methyl-1 indol-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	2-Cyclohexylmethyl-2-hydroxy-4-methyl-4-phenyl-pentanoic acid (1 oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	2-Hydroxy-4-methyl-2-phenethyl-4-phenyl-pentanoic acid (1-oxo-1,3 dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	2-Hydroxy-2-(3-hydroxy-benzyl)-4-methyl-4-phenyl-pentanoic acid (oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-[(3-methylphenyl)methyl]-N-(1-oxo-3H-2-benzofuran-5-yl)pentanamide
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-phenyl-2,5-dihydro-1H-6-oxa-1-aza-chryse
Interactions	PUBCHEM	N-[6-(3-Fluoro-phenyl)-1-methoxy-6H-benzo[c]chromen-8-yl]-methanesulfonamide
Interactions	PUBCHEM	1-(Quinolin-5-ylamino)-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(trifluoromethyl)pentan-2-ol
Interactions	PUBCHEM	2-[(3,5-dimethylphenyl)methyl]-4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)pentanamide
Interactions	PUBCHEM	Menadiol
Interactions	PUBCHEM	2-{5-[4-({[(2,4-Difluorophenyl)methyl](3-methanesulfonamido-2-methylphenyl)amino}methyl)phenoxy]-2-fluorophenoxy}acetic acid

Main Category	Category	Terms
Interactions	PUBCHEM	10-Methoxy-2,2,4,5-tetramethyl-2,5-dihydro-1H-6-oxa-1-aza-chryser
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[(4-methyl-1 indol-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[(6-methyl-1 indol-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-((4-methylnaphthalen-1-yl)methyl)pentan-2-ol
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[[6-(trifluoromethyl)-1H-indol-2-yl]methyl]pentan-2-ol
Interactions	PUBCHEM	4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-[(2-methylphenyl)methyl]-N-(1-oxo-3H-2-benzofuran-5-yl)pentanamide
Interactions	PUBCHEM	5-(3-nitrophenyl)-1,3-dihydro-2H-indol-2-one
Interactions	PUBCHEM	6-(3-Chloro-phenyl)-1-methyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	5-(4,4-Dimethyl-oxo-1,4-dihydro-2H-3,1-benzoxazine-6-yl)-1H-pyrrol carbonitrile
Interactions	PUBCHEM	6-(3-Nitro-phenyl)-3H-benzothiazol-2-one
Interactions	PUBCHEM	N-(1-Methoxy-6-p-tolyl-6H-benzo[c]chromen-8-yl)-methanesulfonar
Interactions	PUBCHEM	Estriol Tripropionate
Interactions	PUBCHEM	N-[6-(3-Chloro-phenyl)-1-methoxy-6H-benzo[c]chromen-8-yl]-methanesulfonamide
Interactions	PUBCHEM	9-Phenanthrol
Interactions	PUBCHEM	5-[7-(Diethylamino)-2-oxochromen-6-yl]-1-methylpyrrole-2-carbonit
Interactions	PUBCHEM	PharmaGSID_47315
Interactions	PUBCHEM	Binapacryl
Interactions	PUBCHEM	1,1,1-trifluoro-2-[(7-fluoro-1H-indol-2-yl)methyl]-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2-(2,3-Dichlorobenzyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)- methylpentan-2-ol
Interactions	PUBCHEM	2-Benzyl-4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methylpentanoic acid (1-oxo-1,3-dihydroisobenzofuran-5-yl)amide
Interactions	PUBCHEM	2-[(4-tert-butylphenyl)methyl]-2-hydroxy-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenylpentanamide
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[1-(prop-2-en-1-yloxy)ethyl]-1,2 dihydroquinoline
Interactions	PUBCHEM	6-(3-bromo-5-fluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thio
Interactions	PUBCHEM	(S)-10-Methoxy-2,2,4-trimethyl-5-((S)-3-methyl-cyclohex-2-enyl)-2,5 dihydro-1H-6-oxa-1-aza-chrysen-9-ol
Interactions	PUBCHEM	2-Chloro-3-(2,2-dimethyl-4-{[(2-phenylethyl)sulfanyl]methyl}-1,2-dihydroquinolin-6-yl)phenol

Main Category	Category	Terms
Interactions	PUBCHEM	1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	Bufotenine
Interactions	PUBCHEM	N-(1-Methoxy-6-phenyl-6H-benzo[c]chromen-8-yl)-methanesulfonamide
Interactions	PUBCHEM	N-(1-Methoxy-6-thiophen-2-yl-6H-benzo[c]chromen-8-yl)-methanesulfonamide
Interactions	PUBCHEM	5-Allyl-10-methoxy-2,2,4-trimethyl-9-prop-2-ynyloxy-2,5-dihydro-1H-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Allyl-9-allyloxy-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1 aza-chrysene
Interactions	PUBCHEM	4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]benzonitrile
Interactions	PUBCHEM	3-Chloro-4-(4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl)benzonitrile
Interactions	PUBCHEM	2-(2,4-Dichlorobenzyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)- methylpentan-2-ol
Interactions	PUBCHEM	2-[(3,5-dihydroxyphenyl)methyl]-2-hydroxy-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenylpentanamide
Interactions	PUBCHEM	5-[2-Benzyl-4-(5-fluoro-2-methoxy-phenyl)-2-hydroxy-4-methyl-pentylamino]-3H-isobenzofuran-1-one
Interactions	PUBCHEM	2-Benzyl-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentano acid (1-oxo-1,3-dihydroisobenzofuran-5-yl)amide
Interactions	PUBCHEM	2-benzyl-4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-N-(4-methyl-1-oxo-2,3-benzoxazin-6-yl)pentanamide
Interactions	PUBCHEM	2-((4-(Dimethylamino)phenyl)diazenyl)benzoic acid
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[(7-methyl-1 indol-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	2-(cyclohexylmethyl)-4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-met N-(1-oxo-3H-2-benzofuran-5-yl)pentanamide
Interactions	PUBCHEM	2-(cyclohexylmethyl)-4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-met N-(4-methyl-1-oxo-2,3-benzoxazin-6-yl)pentanamide
Interactions	PUBCHEM	7-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline-9-carbonitrile
Interactions	PUBCHEM	3-chloro-5-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)benzonitrile
Interactions	PUBCHEM	5-(3,4-difluorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	2-fluoro-4-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)benzonitrile
Interactions	PUBCHEM	5-(3-chloro-4-fluorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thio
Interactions	PUBCHEM	2,2,4-Trimethyl-5-phenyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	4-{1-[(2E)-but-2-en-1-yloxy]ethyl}-6-(2-methoxyphenyl)-2,2-dimethyl-dihydroquinoline
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-[3-(3,4-dichloro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl]-methanone
Interactions	PUBCHEM	(4S,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-1,2,4,5-tetrahydro-6-oxa-aza-chrysen-3-one
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	5-Bromo-2-((S)-2,2-dimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	6-(2-Fluorophenyl)-2,2-dimethyl-4-[(prop-2-en-1-ylsulfanyl)methyl]-1 dihydroquinoline
Interactions	PUBCHEM	6-(3-bromophenyl)-4,4-dimethyl-1,4-dihydro-2H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	4-Benzylsulfanylmethyl-6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	(S)-10-Methoxy-2,2,4-trimethyl-5-((R)-3-methyl-cyclohex-2-enyl)-2,5 dihydro-1H-6-oxa-1-aza-chrysen-9-ol
Interactions	PUBCHEM	6-(3,5-difluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	5-(3,5-difluorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	1-(3,4-Dichlorothiobenzoyl)-3-phenyl-1,4,5,6-tetrahydropyridazine
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[1-(prop-2-en-1-yloxy)but-3-en-yl]-1,2-dihydroquinoline
Interactions	PUBCHEM	4-{4-[3-(4-{[Benzyl(3-methanesulfonamido-2-methylphenyl)amino]methyl}phenoxy)phenoxy]butanamido}butanc acid
Interactions	PUBCHEM	Olivetol
Interactions	PUBCHEM	6-(3-fluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	6-(3,4-difluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	4-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)furan-2-carbonitrile
Interactions	PUBCHEM	4-methyl-5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-(4-methyl-3-phenyl-5,6-dihydro-4H-pyridazin-1 methanone
Interactions	PUBCHEM	4,4-Dimethyl-6-[3-fluoro-5-(trifluoromethyl)phenyl]-1,2-dihydro-4H-3 benzoxazine-2-thione
Interactions	PUBCHEM	1-Benzyl-6-(3-nitro-phenyl)-1,3-dihydro-benzoimidazole-2-thione

Main Category	Category	Terms
Interactions	PUBCHEM	6-(5-Fluoro-2-methoxyphenyl)-2,2-dimethyl-4-[1-(prop-2-en-1-yloxy)ethyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	6-(5-Fluoro-2-methoxyphenyl)-2,2-dimethyl-4-[1-(2-phenylethoxy)ethyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	Fenamidone
Interactions	PUBCHEM	6-(3-fluoro-5-methoxyphenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	4-fluoro-3-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)benzonitrile
Interactions	PUBCHEM	5-Allyl-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-9-ol
Interactions	PUBCHEM	4-propyl-5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	4-{1-[2-(4-Chlorophenyl)ethoxy]ethyl}-6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	1-Nitro-4-(4,6,6-trimethyl-2-methylene-cyclohex-3-enylmethyl)-benz
Interactions	PUBCHEM	6-(3-fluorophenyl)-4-methyl-1,4-dihydro-2H-3,1-benzoxazin-2-thione
Interactions	PUBCHEM	4-(2,4,4-Trimethyl-1,4-dihydro-2H-3,1-benzoxazin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	5-(4-chlorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	4,4-diethyl-6-(3-nitrophenyl)-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	5-(3-chloro-5-fluorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thio
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-propylsulfanylmethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	2-Chloro-3-{2,2-dimethyl-4-[(prop-2-en-1-ylsulfanyl)methyl]-1,2-dihydroquinolin-6-yl}phenol
Interactions	PUBCHEM	4-butyl-5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	5-Bromo-2-[[(1S,3R)-3-bromo-2,2-dimethyl-6-methylidenecyclohexyl]methyl]-4-methoxyphenol
Interactions	PUBCHEM	4-(2,2,4-Trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	4-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)furan-2-carbonitrile
Interactions	PUBCHEM	6-(3-chlorophenyl)-4-methyl-4-prop-2-enyl-1H-3,1-benzoxazine-2-th
Interactions	PUBCHEM	4-Allylsulfanylmethyl-6-(3-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	6-(3-Bromo-5-methyl-phenyl)-4,4-dimethyl-1,4-dihydro-benzo[d][1,3]oxazine-2-thione
Interactions	PUBCHEM	3-(8-bromo-4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)-5-fluorobenzonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	Isophytol
Interactions	PUBCHEM	6-(3-Bromo-5-trifluoromethoxy-phenyl)-4,4-dimethyl-1,4-dihydro-benzo[d][1,3]oxazine-2-thione
Interactions	PUBCHEM	4-Amino-3-nitrophenyl thiocyanate
Interactions	PUBCHEM	6-(3-chlorophenyl)-4,4-diethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	2-fluoro-5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)benzonitrile
Interactions	PUBCHEM	6-(3,5-dichlorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	5-(3-fluoro-5-methoxyphenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	6-(5-bromo-3-pyridinyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	Fulvestrant
Interactions	PUBCHEM	4-Allylsulfanylmethyl-6-(5-fluoro-2-methoxyphenyl)-2,2-dimethyl-1,2 dihydroquinoline
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-{1-[(3-methylbut-2-en-1-yl)oxy]ethyl}-1,2-dihydroquinoline
Interactions	PUBCHEM	Glucocorticoids receptor agonist 2
Interactions	PUBCHEM	(4R,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-1,2,4,5-tetrahydro-6-oxa-aza-chrysen-3-one
Interactions	PUBCHEM	N-(1-(1H-indol-3-yl)propan-2-yl)-2,4,6-trichlorobenzenesulfonamide
Interactions	PUBCHEM	Rimonabant
Interactions	PUBCHEM	Tirilazad
Interactions	PUBCHEM	Cyfluthrin
Interactions	PUBCHEM	2,2,4-Trimethyl-6-(3-nitrophenyl)-1,2-dihydroquinoline
Interactions	PUBCHEM	5-Bromo-4-methoxy-2-((1R,2S)-2-methyl-6-methylene-cyclohexylmethyl)-phenol
Interactions	PUBCHEM	[3-(4-Fluoro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl]-(4-nitro-phenyl)-methanone
Interactions	PUBCHEM	5-Bromo-2-((1S,2R,4R)-2,4-dimethyl-6-methylene-cyclohexylmethyl methoxy-phenol
Interactions	PUBCHEM	5-Benzyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Bromo-2-((1S,4R)-4-hydroxymethyl-2,2-dimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	5-(3-Fluoro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(2-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3 f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(2-chlorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[

Main Category	Category	Terms
		f]quinoline
Interactions	PUBCHEM	9-Chloro-5-(3-fluoro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	Acetic acid 5-bromo-4-methoxy-2-(5,5,7-trimethyl-spiro[2.5]oct-7-en ylmethyl)-phenyl ester
Interactions	PUBCHEM	2,2,4-Trimethyl-5-(4-trifluoromethyl-phenyl)-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	9-Chloro-5-(4-chloro-3-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(3-Bromo-5-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1 aza-chrysene
Interactions	PUBCHEM	4,6,6-Trimethyl-2-methylidene-1-[(4-nitrophenyl)methyl]cyclohex-3-en-1-ol
Interactions	PUBCHEM	6,8,8-trimethyl-4-(trifluoromethyl)-6,7,8,9-tetrahydropyrido[3,2-g]quinolin-2(1H)-one
Interactions	PUBCHEM	6,7,7,8,8-Pentamethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	(3-Bromo-4-fluoro-phenyl)-(3-phenyl-5,6-dihydro-4H-pyridazin-1-yl)-methanone
Interactions	PUBCHEM	Chlorobenzilate
Interactions	PUBCHEM	(4R,5S)-2,2,4-Trimethyl-5-phenyl-1,2,4,5-tetrahydro-6-oxa-1-aza-chrysen-3-one
Interactions	PUBCHEM	(5Z)-2,2,4-trimethyl-5-[(3-methylphenyl)methylidene]-1H-chromeno f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(3-fluorophenyl)methylidene]-2,2,4-trimethyl-3,4-dihydro-1H chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Acetic acid 5-bromo-4-methoxy-2-((S)-3,6,6-trimethyl-2-methylene-cyclohex-3-enylmethyl)-phenyl ester
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-8-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	[3-(4-Bromo-phenyl)-5,6-dihydro-4H-pyridazin-1-yl]-(3,5-dichloro-phenyl)-methanone
Interactions	PUBCHEM	5-(3-Bromo-5-fluoro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	(3-Chloro-phenyl)-(3-phenyl-5,6-dihydro-4H-pyridazin-1-yl)-methanc
Interactions	PUBCHEM	5-Bromo-2-((1S,5R)-5-hydroxy-2,2-dimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-[3-(4-ethyl-phenyl)-5,6-dihydro-4H-pyridazin-1 methanone
Interactions	PUBCHEM	(4R,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	9-Fluoro-5-(4-fluoro-3-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-oxa-1-aza-chrysene
Interactions	PUBCHEM	(3R,4S,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-2,3,4,5-tetrahydro-1H-oxa-1-aza-chrysen-3-ol
Interactions	PUBCHEM	1,8,8,9-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3-g]quinolin-2-one
Interactions	PUBCHEM	8-Methyl-8-propyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	1,6,8,8,10-Pentamethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	Tetraiodoethylene
Interactions	PUBCHEM	1,6,8,8-Tetramethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	5-Bromo-2-(2,2-dimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-(5,5-dimethyl-3-phenyl-5,6-dihydro-4H-pyridazin-1-yl)-methanone
Interactions	PUBCHEM	5-(4-Fluoro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(4-Bromo-phenyl)-[3-(4-chloro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl-methanone
Interactions	PUBCHEM	5-(3-Fluoro-4-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(4S,5S)-5-(3-Fluoro-phenyl)-2,2,4-trimethyl-1,2,4,5-tetrahydro-6-oxa-aza-chrysen-3-one
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-2,2-dimethyl-4-methylene-2,3,4,5-tetrahydro-1H-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-2,2-dimethyl-2,3-dihydro-1H,5H-6-oxa-1-aza-chrysen-4-one
Interactions	PUBCHEM	(3S,4R,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-2,3,4,5-tetrahydro-1H-oxa-1-aza-chrysen-3-ol
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-9-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-aza-chrysene
Interactions	PUBCHEM	9-Chloro-5-(4-methoxy-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-aza-chrysene
Interactions	PUBCHEM	5-(3,4-Dichloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	4,6,8,8-Tetramethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	6-(3,5-Difluorophenyl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	8-Ethyl-8-methyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one

Main Category	Category	Terms
Interactions	PUBCHEM	6-Ethyl-8,8-dimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3 g]quinolin-2-one
Interactions	PUBCHEM	8,8-Diethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	1,6,8,8-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3 g]quinolin-2-one
Interactions	PUBCHEM	5-bromo-4-methoxy-2-(((1S,4R)-2,2,4-trimethyl-6-methylenecyclohexyl)methyl)phenol
Interactions	PUBCHEM	(4-Chloro-3-trifluoromethyl-phenyl)-(3-phenyl-5,6-dihydro-4H-pyridazin-1-yl)-methanone
Interactions	PUBCHEM	9-Chloro-5-(3-chloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1 aza-chrysene
Interactions	PUBCHEM	5-(4-Bromo-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(4-bromophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno f]quinoline
Interactions	PUBCHEM	Dihydrotestosterone
Interactions	PUBCHEM	1,6,8,8,9-Pentamethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-[3-(4-fluoro-phenyl)-5,6-dihydro-4H-pyridazin- methanone
Interactions	PUBCHEM	(5Z)-2,2,4-trimethyl-5-[(4-methylphenyl)methylidene]-1H-chromeno f]quinoline
Interactions	PUBCHEM	(4R,5S)-5-(3-Fluoro-phenyl)-2,2,4-trimethyl-1,2,4,5-tetrahydro-6-oxa- aza-chrysen-3-one
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	1-[4-(2,2,4-Trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-5-yl)-phen ethanone
Interactions	PUBCHEM	(5Z)-5-[(2,6-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-2,2,4,4-tetramethyl-1,2,4,5-tetrahydro-6-oxa-1-a chrysen-3-one
Interactions	PUBCHEM	1-Nitro-4-(4,6,6-trimethyl-2-methylene-cyclohex-3-enylsulfanyl)-benzene
Interactions	PUBCHEM	6,8,8-Trimethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinol one
Interactions	PUBCHEM	7,8,8-Trimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	6,8,8,10-Tetramethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	(3,4-Dichloro-phenyl)-(5-methyl-3-phenyl-5,6-dihydro-4H-pyridazin-1

Main Category	Category	Terms
		methanone
Interactions	PUBCHEM	5-Bromo-4-methoxy-2-(4,6,6-trimethyl-2-methylene-cyclohex-3-enylmethyl)-phenol
Interactions	PUBCHEM	5-(4-Chloro-phenyl)-2,2-dimethyl-2,5-dihydro-1H-6-oxa-1-aza-chryse
Interactions	PUBCHEM	(5Z)-5-benzylidene-2,2,4-trimethyl-1,4-dihydrochromeno[3,4-f]quinolin-3-one
Interactions	PUBCHEM	(5Z)-5-[(3-chlorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(2,5-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Flavone
Interactions	PUBCHEM	2,3-Dimethylphenol
Interactions	PUBCHEM	(4S,5S)-2,2,4-Trimethyl-5-phenyl-1,2,4,5-tetrahydro-6-oxa-1-aza-chrysen-3-one
Interactions	PUBCHEM	Gluconic Acid
Interactions	PUBCHEM	9-Chloro-2,2,4-trimethyl-5-phenyl-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	Pentachloroaniline
Interactions	PUBCHEM	(4S,5S)-2,2,4-Trimethyl-5-(3-trifluoromethyl-phenyl)-1,2,4,5-tetrahydro-6-oxa-1-aza-chrysen-3-one
Interactions	PUBCHEM	Trimethylpentanediyl dibenzoate
Interactions	PUBCHEM	6,8,8,9-Tetramethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	6,8,8,10-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[g]quinolin-2-one
Interactions	PUBCHEM	5-(3,5-Dichloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(4R,5S)-2,2,4-Trimethyl-5-(3-trifluoromethyl-phenyl)-1,2,4,5-tetrahydro-6-oxa-1-aza-chrysen-3-one
Interactions	PUBCHEM	1,8,8-Trimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	8-Ethyl-1,8-dimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3 g]quinolin-2-one
Interactions	PUBCHEM	6-Isopropyl-8,8-dimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	2-Ethylhexyl p-hydroxybenzoate
Interactions	PUBCHEM	5-(4-Methoxy-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	Acetic acid 5-bromo-4-methoxy-2-(4,6,6-trimethyl-2-methylene-cyclohex-3-enylmethyl)-phenyl ester

Main Category	Category	Terms
Interactions	PUBCHEM	9-Fluoro-5-(4-methoxy-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa aza-chrysene
Interactions	PUBCHEM	5-(3-Bromo-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(2-bromophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[f]quinoline
Interactions	PUBCHEM	5-(4,6,6-Trimethyl-2-methylene-cyclohex-3-enylmethyl)-benzo[1,2,5]oxadiazole
Interactions	PUBCHEM	(6S,7S)-6,7,8,8-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	2-(3,4-Dichloro-benzyl)-6-phenyl-4,5-dihydro-2H-pyridazin-3-one
Interactions	PUBCHEM	3a,10-dimethyl-7-(trifluoromethyl)-2,3,4,5-tetrahydro-1H-indolizino[g]quinolin-9-one
Interactions	PUBCHEM	(5Z)-5-[(4-chlorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(2,4-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(4-Chloro-3-fluoro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-(3-trifluoromethyl-phenyl)-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	C.I. Basic Orange 2
Interactions	PUBCHEM	(3,4-Difluoro-phenyl)-(3-phenyl-5,6-dihydro-4H-pyridazin-1-yl)-methanone
Interactions	PUBCHEM	6,7,8,8-Tetramethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	(6R,7S)-6,7,8,8-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	5-Bromo-2-(2,2-dimethyl-5-methylene-cyclopentylmethyl)-4-metho phenol
Interactions	PUBCHEM	5-Bromo-2-(6,6-dimethyl-2-methylene-cyclohex-3-enylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	8-Ethyl-1,8,9-trimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	5-Bromo-2-((1S,5R)-5-hydroxy-2,2,5-trimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	(5Z)-5-[(3-methoxyphenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(2,3-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(4-Chloro-3-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1 aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	Dazomet
Interactions	PUBCHEM	6-(3-Fluoro-5-nitrophenyl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	5-Bromo-4-methoxy-2-((1S,2R)-2-methyl-6-methylene-cyclohexylmethyl)-phenol
Interactions	PUBCHEM	6-(Trifluoromethyl)spiro[1,3,4,9-tetrahydropyrido[3,2-g]quinoline-2,1 cyclohexane]-8-one
Interactions	PUBCHEM	5-Bromo-4-methoxy-2-(2,6,6-trimethyl-4-methylene-cyclohex-2-enylmethyl)-phenol
Interactions	PUBCHEM	5-Bromo-4-methoxy-2-[(E)-3-(4,6,6-trimethyl-2-methylene-cyclohex-enyl)-propenyl]-phenol
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-m-tolyl-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	(4S,5S)-5-(4-Chloro-phenyl)-2,2,4-trimethyl-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(3,4-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(6-Bromo-pyridin-2-yl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(4-Fluoro-3-trifluoromethyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(3-bromophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno f]quinoline
Interactions	PUBCHEM	Tamibarotene
Interactions	PUBCHEM	6-(3-Fluorophenyl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	2-Methyl-1-nitro-4-(4,6,6-trimethyl-2-methylene-cyclohex-3-enylmet benzene
Interactions	PUBCHEM	7-Ethyl-8,8-dimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3 g]quinolin-2-one
Interactions	PUBCHEM	1-Ethyl-6,8,8-trimethyl-4-trifluoromethyl-8,9-dihydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	Diperodon Hydrochloride
Interactions	PUBCHEM	[3-(4-Chloro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl]-(4-nitro-phenyl)-methanone
Interactions	PUBCHEM	2,2,4-Trimethyl-5-p-tolyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-5-[(4-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3 f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(3,5-difluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-Chloro-5-(4-fluoro-3-methyl-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(6-Bromo-pyridin-3-yl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-

Main Category	Category	Terms
		chrysene
Interactions	PUBCHEM	9-Chloro-2,2,4-trimethyl-5-(3-trifluoromethyl-phenyl)-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	4-(Trifluoromethyl)-8,8-dimethyl-8,9-dihydropyrido[3,2-g]quinolin-2(one
Interactions	PUBCHEM	7,7,8,8-Tetramethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3 g]quinolin-2-one
Interactions	PUBCHEM	(4-Chloro-phenyl)-[3-(4-chloro-phenyl)-5,6-dihydro-4H-pyridazin-1-yl methanone
Interactions	PUBCHEM	1,6,8,8,10-Pentamethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	(5-Allyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-10-yl)-methyl-amine
Interactions	PUBCHEM	(5Z)-5-[(2-ethylphenyl)methylidene]-9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-Allyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Allyl-10-methoxy-2,2,4-trimethyl-7-vinyl-2,5-dihydro-1H-6-oxa-1-az chrysene
Interactions	PUBCHEM	3,3'-Dimethylbenzidine dihydrochloride
Interactions	PUBCHEM	4-Iodophenol
Interactions	PUBCHEM	Dipentaerythritol pentaacrylate
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[[2-(trifluoromethoxy)phenyl]methylidene]-1H-chromeno[3,4-f]quinolin
Interactions	PUBCHEM	5-Allyl-9-bromo-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1- chrysene
Interactions	PUBCHEM	2-[(Z)-(9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-5-ylidene)methyl]-N,N-dimethylaniline
Interactions	PUBCHEM	2-[(Z)-(9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-5-ylidene)methyl]benzonitrile
Interactions	PUBCHEM	Mefenpyr-diethyl
Interactions	PUBCHEM	(5Z)-5-benzylidene-9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(2-propylphenyl)methylidene]-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-(pyridin-4-ylmethylidene)-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-7-fluoro-2,2,4-trimethyl-5-[(2-methylphenyl)methylidene]-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-Allyl-2,2,4-trimethyl-10-vinyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene-5-

Main Category	Category	Terms
		carboxylic acid ethyl ester
Interactions	PUBCHEM	5-Allyl-7-bromo-10-chloro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-az chrysen-9-ol
Interactions	PUBCHEM	(5Z)-9-fluoro-5-[(2-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	2-[(Z)-(9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-5-ylidene)methyl]benzaldehyde
Interactions	PUBCHEM	5-Methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(5Z)-7-fluoro-5-[(3-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(2-methylsulfanylphenyl)methylidene]-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5-Allyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-10-yl)-methanol
Interactions	PUBCHEM	(5-Allyl-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-9-yloxy)-acetonitrile
Interactions	PUBCHEM	(5Z)-9-fluoro-5-[(2-methoxyphenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-fluoro-2,2,4-trimethyl-5-methylene-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-5-benzylidene-7-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-5-[(2-bromophenyl)methylidene]-9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-Allyl-2,2,4-trimethyl-10-methylsulfanyl-2,5-dihydro-1H-6-oxa-1-aza chrysene
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-(pyridin-2-ylmethylidene)-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Fluoxastrobin
Interactions	PUBCHEM	(5-Allyl-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-9-yl)-methanol
Interactions	PUBCHEM	Crystal Violet
Interactions	PUBCHEM	(5Z)-5-[(2-chlorophenyl)methylidene]-9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Amitriptyline Hydrochloride
Interactions	PUBCHEM	(5Z)-7-fluoro-5-[(4-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	methyl 5-allyl-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-chromeno f]quinoline-9-carboxylate
Interactions	PUBCHEM	N-Methylphthalimide

Main Category	Category	Terms
Interactions	PUBCHEM	(5Z)-9-fluoro-5-(furan-2-ylmethylidene)-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	1-Naphthyl Isothiocyanate
Interactions	PUBCHEM	5-Allyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene-10-carbonitrile
Interactions	PUBCHEM	5-Allyl-10-chloro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen
Interactions	PUBCHEM	5-Bromomethylene-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	Guaiacol Carbonate
Interactions	PUBCHEM	5-Allyl-10-ethynyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chryse
Interactions	PUBCHEM	10-methoxy-2,2,4-trimethyl-5-[(E)-prop-1-enyl]-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(2-propan-2-ylphenyl)methylidene]-1 chromeno[3,4-f]quinoline
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-5-propenyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Allyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen-10-ol
Interactions	PUBCHEM	Nandrolone Furylpropionate
Interactions	PUBCHEM	5-Allyl-9-fluoro-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-a chrysene
Interactions	PUBCHEM	6-(4-bromophenylamino)-1,4,4-trimethyl-1H-benzo[d][1,3]oxazin-2(one
Interactions	PUBCHEM	6-(4-bromophenylamino)-1,4,4-trimethyl-1H-benzo[d][1,3]oxazine-2(4H)-thione
Interactions	PUBCHEM	Methyl ether, 9
Interactions	PUBCHEM	Fluopicolide
Interactions	PUBCHEM	5-(5-methyl-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(3,4-dichlorophenylamino)-1,4,4-trimethyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(4-bromophenylamino)-1-ethyl-4,4-dimethyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(3-chlorophenylamino)-4-ethyl-1-methyl-4-phenyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	5-((5R)-5-methyl-2-oxo-5-(thiophen-3-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	4,4-diethyl-6-(3-fluoro-5-nitrophenylamino)-1-methyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(2,3-dichlorophenylamino)-4,4-dimethyl-1H-benzo[d][1,3]oxazin-2(4H)-one

Main Category	Category	Terms
Interactions	PUBCHEM	1-methyl-5-(5-methyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenz [1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-1,1,1-trifluoro-4-methyl-2-(1 pyrrolo[2,3-c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	Alcohol, 8
Interactions	PUBCHEM	5-(5-methyl-2-oxo-5-(thiophen-3-yl)-1,2,3,5-tetrahydrobenzo[e] [1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	3-Fluoro-5-(5-isopropyl-5-thien-2-yl-2-thioxo-1,2,3,5-tetrahydo-4,1-benzoxazepin-7-yl)benzonitrile
Interactions	PUBCHEM	(5Z)-10-methoxy-2,2,4-trimethyl-5-[(3-methylphenyl)methylidene]-1 chromeno[3,4-f]quinolin-9-ol
Interactions	PUBCHEM	3-(5,5-Dimethyl-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	Tri-m-cresyl phosphate
Interactions	PUBCHEM	6-(3-chloro-4-fluorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d] [1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(4-bromophenylamino)-1-isopropyl-4,4-dimethyl-1H-benzo[d] [1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	3-(5-Ethyl-2-oxo-5-thien-3-yl-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(3,5-dichlorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d] [1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(2,3-dichlorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d] [1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5-ethyl-5-thien-3-yl-1,5-dihydro-4,1-benzoxazepin-2(3H)-one
Interactions	PUBCHEM	2-{2-Bromo-5-[4-({[(2,4-difluorophenyl)methyl](3-methanesulfonamido-2-methylphenyl)amino} methyl)phenoxy]phenoxy}acetic acid
Interactions	PUBCHEM	Formestane
Interactions	PUBCHEM	1-Methyl-5-[5-methyl-2-oxo-5-(3-thienyl)-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl]-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	(5Z)-5-[[3-[(E)-N-hydroxy-C-methylcarbonimidoyl]thiophen-2-yl]methylidene]-10-methoxy-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-9-ol
Interactions	PUBCHEM	Chlorotrianisene
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5-methyl-5-thien-2-yl-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(7H-pyrrolo[d]pyrimidin-6-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbon-yl-16-methyl-11-[4-pyridinyl)phenyl]estra-4,9-dien-3-one

Main Category	Category	Terms
Interactions	PUBCHEM	3-chloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	2-chloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	3-[(4,4-diethyl-1-methyl-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)amino]-5-fluorobenzonitrile
Interactions	PUBCHEM	3-Fluoro-5-(5-isopropyl-2-oxo-5-thien-2-yl-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl)benzonitrile
Interactions	PUBCHEM	N-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]phenyl]-N-methylformamide
Interactions	PUBCHEM	3-(3-Cyclobutyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	5-(5-methyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methylphenyl)-4-methyl-2-[(3-methyl-1H pyrrolo[2,3-c]pyridin-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	1-methyl-5-(2-oxo-5,5-di(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-Nitro-m-toluidine
Interactions	PUBCHEM	5-(1,5-dimethyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-methyl-5-(2-oxo-5-propyl-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenz [1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	(2-Chloro-5-{4-[((2,4-difluorobenzyl){2-methyl-3-[(methylsulfonyl)amino]phenyl}amino)methyl]phenoxy}phenoxy)ac acid
Interactions	PUBCHEM	3-Phenylphenol
Interactions	PUBCHEM	2-((1H-pyrrolo[3,2-b]pyridin-1-yl)methyl)-1,1,1-trifluoro-4-(5-fluoro-2 methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	6-(2,3-dichlorophenylamino)-1,4,4-trimethyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	1-methyl-5-(5-methyl-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(2-oxospiro[1H-4,1-benzoxazepine-5,1'-cyclohexane]-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	(4-(4-((Benzyl(2-methyl-3-((methylsulfonyl)amino)phenyl)amino)methyl)phenoxy)phenoxy)ac acid
Interactions	PUBCHEM	5-(5-(furan-2-yl)-5-methyl-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(3,4-difluorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d][1,3]oxazine-2(4H)-thione
Interactions	PUBCHEM	5-(5-ethyl-1-methyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo

Main Category	Category	Terms
		[1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	7-(3-chloro-4-fluorophenyl)-5-propyl-5-thiophen-2-yl-1H-4,1-benzoxazepin-2-one
Interactions	PUBCHEM	3-Fluoro-5-(2-oxo-5,5-dithien-2-yl-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl)benzonitrile
Interactions	PUBCHEM	5-(5-isopropyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methylphenyl)-4-methyl-2-(1H-pyrrolo[2, d]pyridazin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	(5Z)-5-[[4-fluoro-2-(methoxymethoxymethyl)phenyl]methylidene]-1(methoxy-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-9-ol
Interactions	PUBCHEM	3-[5-Ethyl-5-(2-furyl)-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl] fluorobenzonitrile
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5-isopropyl-5-thien-2-yl-1,5-dihydro-4,1-benzoxazepin-2(3H)-one
Interactions	PUBCHEM	Diphenylamine
Interactions	PUBCHEM	5-(7-Fluoro-3,3-dimethyl-2-oxo-1-propan-2-ylindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-chloro-6-(4-fluoro-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1 quinoline
Interactions	PUBCHEM	2,4,6-trimethyl-N-[1,1,1-trifluoro-3-(5-methyl-1H-indol-3-yl)propan-2- yl]benzenesulfonamide
Interactions	PUBCHEM	5-(7-fluoro-1,3,3-trimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-1-methyl pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(7-Fluoro-3,3-dimethyl-2-oxo-1-prop-2-ynylindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-chloro-6-(1H-indol-2-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinol
Interactions	PUBCHEM	4-Methylbenzyl alcohol
Interactions	PUBCHEM	5-(7-Fluoro-3,3-dimethyl-2-oxo-1-prop-2-enylindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	(2-Ethyl-2-((2-((1-oxoallyl)oxy)ethoxy)methyl)-1,3-propanediyl)bis(oxy-2,1-ethanediyl) diacrylate
Interactions	PUBCHEM	5-(5-fluoro-2-methoxyphenyl)-2,2,5-trimethyl-3-(1H-pyrrolo[2,3-c]pyridin-2-ylmethyl)hexan-3-ol
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-4-(3-methylbut-2-enyl)-1,2-dihydroquinolin-3(4H)-one
Interactions	PUBCHEM	1,1,1-Trifluoro-4-(5-fluoro-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-(1 pyrrolo[2,3-c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	Tafenoquine
Interactions	PUBCHEM	5-(3-Isopropyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-1-methyl-1 pyrrole-2-carbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	Way-255348
Interactions	PUBCHEM	5-chloro-6-(1H-indol-3-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoli
Interactions	PUBCHEM	5-chloro-6-(1H-indol-4-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoli
Interactions	PUBCHEM	(8s,11r,13s,14s,16s,17s)-17-Cyclopropylcarbonyl-16-Ethenyl-13-Methyl-11-(4-Pyridin-3-Ylphenyl)-2,6,7,8,11,12,14,15,16,17-Decahydro-1h-Cyclopenta[a]phenanthren-3-One
Interactions	PUBCHEM	Methyl 4-(2-chloro-4-fluorophenyl)-5-cyano-2,6-dimethyl-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	1,1,1-Trifluoro-4-(3-fluorophenyl)-4-methyl-2-(1H-pyrrolo[2,3-c]-pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	3-Bromotoluene
Interactions	PUBCHEM	5-chloro-6-(4,5-difluoro-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoline
Interactions	PUBCHEM	4-allyl-5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2-dihydroquinolin-3(4H)-one
Interactions	PUBCHEM	4-(2,3-Dihydrobenzofuran-7-yl)-1,1,1-trifluoro-4-methyl-2-(1h-pyrrolo[2,3-c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	5-(1-Benzyl-7-fluoro-3,3-dimethyl-2-oxoindol-5-yl)-1-methylpyrrole-2 carbonitrile
Interactions	PUBCHEM	5-[7-Fluoro-3,3-dimethyl-2-oxo-1-(2-phenylethyl)indol-5-yl]-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	Allyl acetate
Interactions	PUBCHEM	1,1,1-trifluoro-4-methyl-4-phenyl-2-(1H-pyrrolo[2,3-c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(thieno[2,3-c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	N-[3-(7-cyano-5-methyl-1H-indol-3-yl)-1,1,1-trifluoropropan-2-yl]-2,4, trimethylbenzenesulfonamide
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2-dihydroquinolin-3(one
Interactions	PUBCHEM	1,5-Hexadiene
Interactions	PUBCHEM	1-Methyl-5-(2-oxo-1,3-dihydroindol-5-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-fluoro-3,3-dimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-1-methyl-1 pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2,3,4-tetrahydroquinoline
Interactions	PUBCHEM	5-chloro-2,2,4,8-tetramethyl-6-(1-methylindol-7-yl)-3,4-dihydro-1H-quinoline
Interactions	PUBCHEM	5-chloro-6-(5-chloro-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1 quinoline

Main Category	Category	Terms
Interactions	PUBCHEM	5-(1-Cyclohexyl-7-fluoro-3,3-dimethyl-2-oxoindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	2H-1-Benzopyran-2-methanol, alpha,alpha'-(iminobis(methylene))b fluoro-3,4-dihydro-, hydrochloride (1:1), (alphaR,alpha'R,2R,2'S)-rel-
Interactions	PUBCHEM	5-(1-Cyclopentyl-7-fluoro-3,3-dimethyl-2-oxoindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoli ol
Interactions	PUBCHEM	5-chloro-6-(5-fluoro-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1 quinoline
Interactions	PUBCHEM	2,4,6-trimethyl-N-(1,1,1-trifluoro-3-indol-1-ylpropan-2-yl)benzenesulfonamide
Interactions	PUBCHEM	N-[3-(3-cyanoindol-1-yl)-1,1,1-trifluoropropan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	4-[(4S)-2-(4-chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-3,4-dihydropyrazol-4-yl]-N,N-dimethylaniline
Interactions	PUBCHEM	5-(1-Ethyl-7-fluoro-3,3-dimethyl-2-oxoindol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[7-Fluoro-3,3-dimethyl-1-(2-methylpropyl)-2-oxoindol-5-yl]-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-chloro-6-(1H-indol-6-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoli
Interactions	PUBCHEM	5-chloro-2,2,4,8-tetramethyl-6-(3-methyl-1H-indol-7-yl)-3,4-dihydro-1 quinoline
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,4,8-pentamethyl-1,2-dihydroquinolin-3(4H)-one
Interactions	PUBCHEM	5-(3-Cyclopentyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methylphenyl)-4-methyl-2-(1H-pyrrolo[2, c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,4,4,8-pentamethyl-1,2,3,4-tetrahydroquinolin-3-ol
Interactions	PUBCHEM	[(2R)-3-[2-[[(2S)-2-[[(4R)-4-[[(2S)-2-[[(2R)-2-[(3R,4R,5S,6R)-3-acetamido-2,5-dihydroxy-6-(hydroxymethyl)oxan-4-yl]oxypropanoyl]amino]propanoyl]amino]-5-amino-5-oxopentanoyl]amino]propanoyl]amino]ethoxy-hydroxyphosphoryl]oxy-2-hexadecanoyloxypropyl] hexadecanoate
Interactions	PUBCHEM	5-(3,3-diethyl-7-fluoro-2-oxo-1H-indol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	2-Amino-N-cyclohexyl-N-methylbenzenesulfonamide
Interactions	PUBCHEM	5-chloro-6-(4-chloro-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1 quinoline
Interactions	PUBCHEM	2,4,6-Trimethyl-N-[2,2,2-trifluoro-1-(1H-indol-3-ylmethyl)ethyl]benzenesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	Megestrol Acetate
Interactions	PUBCHEM	5-chloro-2,2,4,8-tetramethyl-6-(2-methyl-1H-indol-7-yl)-3,4-dihydro-1 quinoline
Interactions	PUBCHEM	1-[2-hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	5-(5-fluoro-2-methoxyphenyl)-2,2,5-trimethyl-3-(1H-pyrrolo[3,2-c]pyridin-2-ylmethyl)hexan-3-ol
Interactions	PUBCHEM	CID 11697882
Interactions	PUBCHEM	4-benzyl-5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2-dihydroquinolin-3(4H)-one
Interactions	PUBCHEM	5-(3,3-dimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-1-methyl-1H-pyrrol carbonitrile
Interactions	PUBCHEM	5-(7-Fluoro-3,3-dimethyl-2-oxo-1-propylindol-5-yl)-1-methylpyrrole-2 carbonitrile
Interactions	PUBCHEM	5-chloro-6-(4-methoxy-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoline
Interactions	PUBCHEM	2,4,6-trimethyl-N-[1,1,1-trifluoro-3-(7-methyl-1H-indol-3-yl)propan-2-yl]benzenesulfonamide
Interactions	PUBCHEM	(4S)-2-(4-chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-4-methyl-3,4 dihydropyrazole
Interactions	PUBCHEM	N-[3-(6-cyano-1H-indol-3-yl)-1,1,1-trifluoropropan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[3-(4-cyanoindol-1-yl)-1,1,1-trifluoropropan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	3-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)-5-methylbenzonitrile
Interactions	PUBCHEM	5-(3-hydroxyphenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	5Hpp-33
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5-methoxy-benzonitrile
Interactions	PUBCHEM	6-(3-chlorophenyl)-4-methyl-4-phenyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	5-Allyl-9-chloro-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1- chrysene
Interactions	PUBCHEM	dimethylazanium;N,N-dimethylcarbamodithioate
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-(thiophen-3-ylmethylidene)-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[[2-(trifluoromethyl)phenyl]methylidene]-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	6-{methyl[(1R)-1-phenylethyl]amino}-4-(trifluoromethyl)pyridine-3-carbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	6-(3-chlorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	5-((5S)-5-methyl-2-oxo-5-(thiophen-3-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-[2-hydroxy-4-methyl-4-o-tolyl-2-(trifluoromethyl)pentyl]-1H-quinoli one
Interactions	PUBCHEM	4-Cumylphenol
Interactions	PUBCHEM	2-[(2,3-Dihydrobenzo[1,4]oxazin-4-yl)methyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2,3-Dibromopropionic acid
Interactions	PUBCHEM	5-(5-ethyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(3,4-dichlorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	7-(3-chloro-4-fluorophenyl)-5-ethyl-5-(furan-2-yl)-1H-4,1-benzoxazepin-2-one
Interactions	PUBCHEM	6-(3-chlorophenylamino)-4-ethyl-1-methyl-4-(thiophen-2-yl)-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	(R)-2-((1H-pyrrolo[2,3-c]pyridin-2-yl)methyl)-1,1,1-trifluoro-4-(5-fluor methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	Secondary alcohol, 15
Interactions	PUBCHEM	(S)-3,5-Dihydroxy-6-[4-((8S,11R,13S,14S,17S)-17-hydroxy-13-methyl oxo-17-prop-1-ynyl-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-11-yl)-phenoxy]-hexanoic acid
Interactions	PUBCHEM	2,3-Dinitrotoluene
Interactions	PUBCHEM	tert-Butyl 4-hydroxybenzoate
Interactions	PUBCHEM	1,8-Dinitronaphthalene
Interactions	PUBCHEM	5-Nitroacenaphthene
Interactions	PUBCHEM	2-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-indole-6-carbonitrile
Interactions	PUBCHEM	N-acetyl-2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-carbamoyl-2-methyl-2-[(5S)-2-[4-(morpholine-4-carbonyl)phenyl]- chromeno[2,3-b]pyridin-5-yl]propanamide
Interactions	PUBCHEM	Acetic acid 5-bromo-2-((1S,6R)-4,6-dimethyl-2-methylene-cyclohex enylmethyl)-4-methoxy-phenyl ester
Interactions	PUBCHEM	9-Chloro-2,2,4-trimethyl-5-m-tolyl-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	5-(4-Bromo-phenyl)-9-chloro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1 aza-chrysene
Interactions	PUBCHEM	9-Methoxy-2,2,4-trimethyl-5-phenyl-2,5-dihydro-1H-6-oxa-1-aza-

Main Category	Category	Terms
		chrysene
Interactions	PUBCHEM	Pentabromophenol
Interactions	PUBCHEM	3,4,5-Trichlorophenol
Interactions	PUBCHEM	2,4,6-Triiodophenol
Interactions	PUBCHEM	3,5-Diethyl-1-phenyl-2-propyl-1,2-dihydropyridine
Interactions	PUBCHEM	2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[b]pyridin-5-yl]-2-methyl-N-(2-methylpropanoyl)propanamide
Interactions	PUBCHEM	N-[2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanoyl]cyclopropanecarboxamide
Interactions	PUBCHEM	N-[2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanoyl]cyclobutanecarboxamide
Interactions	PUBCHEM	2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[b]pyridin-5-yl]-2-methyl-N-(methylcarbamoyl)propanamide
Interactions	PUBCHEM	N-(ethylcarbamoyl)-2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-(cyclobutylcarbamoyl)-2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[b]pyridin-5-yl]-N-[(4-methoxyphenyl)methylcarbamoyl]-2-methylpropanamide
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5 chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	2-[(5S)-9-fluoro-2-[4-(morpholine-4-carbonyl)phenyl]-5H-chromeno[b]pyridin-5-yl]-2-methyl-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-[4-(pyrrolidine-1-carbonyl)phenyl]-5 chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-carbamoyl-2-methyl-2-[(5S)-2-[4-(pyrrolidine-1-carbonyl)phenyl]-5 chromeno[2,3-b]pyridin-5-yl]propanamide
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-[6-(pyrrolidine-1-carbonyl)-3-pyridinyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-[6-(morpholine-4-carbonyl)-3-pyridinyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-[6-(2-hydroxypropan-2-yl)-3-pyridinyl]-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	2-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-pyrrolo[2,3-c]pyridine-5-carboxamide
Interactions	PUBCHEM	4-[3-(4-Nitrophenyl)-1-adamantyl]benzonitrile
Interactions	PUBCHEM	4-[3-(4-Aminophenyl)-1-adamantyl]benzonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]acetamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-methylacetamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-ethylacetamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]hexanamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-methylhexanamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]benzamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-methylbenzamide
Interactions	PUBCHEM	methyl N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]carbamate
Interactions	PUBCHEM	methyl N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-methylcarbamate
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]methanesulfonamide
Interactions	PUBCHEM	N-[4-[3-(4-cyanophenyl)-1-adamantyl]phenyl]-N-methylmethanesulfonamide
Interactions	PUBCHEM	Desoxycorticosterone Pivalate
Interactions	PUBCHEM	2,4-Dichloronitrobenzene
Interactions	PUBCHEM	Org 2058
Interactions	PUBCHEM	Diflucortolone
Interactions	PUBCHEM	Octoclothepin maleate
Interactions	PUBCHEM	5"-(3-chlorophenyl)spiro[cyclohexane-1,3"-indol]-2"(1"H)-one
Interactions	PUBCHEM	5-(2,4,4-Trimethyl-1,4-dihydro-2H-3,1-benzoxazin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	N-(1-Difluoromethoxy-6-phenyl-6H-benzo[c]chromen-8-yl)-methanesulfonamide
Interactions	PUBCHEM	N-[4-(3-Chloranyl-4-Cyano-Phenoxy)-3,5-Dimethoxy-Phenyl]-1,1,1-Tris(Fluoranyl)methanesulfonamide
Interactions	PUBCHEM	Mizacorat
Interactions	PUBCHEM	3-Hydroxyacetanilide
Interactions	PUBCHEM	N-[4-(3-Chloranyl-4-Cyano-Phenoxy)cyclohexyl]-1,1,1-Tris(Fluoranyl)methanesulfonamide
Interactions	PUBCHEM	Ethyl Thioglycolate
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-5-[6-(3-methyl-1,2-oxazol-4-yl)-1H-benzimidazol-2-yl]-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	6-(3,5-dimethyl-1,2-oxazol-4-yl)-2,2,4,4-tetramethyl-1H-quinolin-3-on
Interactions	PUBCHEM	7-chloro-6-(3,5-dimethyl-1,2-oxazol-4-yl)-2,2,4,4-tetramethyl-1H-quinolin-3-one
Interactions	PUBCHEM	2-[[benzyl(methyl)amino]methyl]-5-fluoro-3-(4-fluoro-2-

Main Category	Category	Terms
		methoxyphenyl)-1H-indol-7-amine
Interactions	PUBCHEM	N-[3-(5-fluoro-2-methoxyphenyl)-1H-indol-7-yl]acetamide
Interactions	PUBCHEM	N-(5-methoxy-2-methyl-3-phenyl-1H-indol-7-yl)methanesulfonamid
Interactions	PUBCHEM	N-[3-(5-fluoro-2-methoxyphenyl)-5-methoxy-2-methyl-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[2-[[benzyl(methyl)amino]methyl]-5-tert-butyl-3-(4-fluoro-2-methoxyphenyl)-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[2-benzyl-3-(4-fluoro-2-methoxyphenyl)-5-propan-2-yl-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[3-(5-fluoro-2-methoxyphenyl)-2-phenyl-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[5-fluoro-3-(4-fluoro-2-methoxyphenyl)-2-methyl-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[3-(5-chloro-2-methoxyphenyl)-1H-indol-7-yl]methanesulfonamid
Interactions	PUBCHEM	N-[3-(3-chlorophenyl)-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[3-(2-methoxyphenyl)-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[3-(4-fluorophenyl)-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	2-[1-(4-Chlorophenyl)-1,3,4,9-tetrahydropyrido[3,4-b]indol-2-yl]ethan
Interactions	PUBCHEM	2-[(1R,3R)-1-(4-chlorophenyl)-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-2-yl]ethanol
Interactions	PUBCHEM	3-[(1R,3R)-1-(4-chlorophenyl)-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-2-yl]propanoic acid
Interactions	PUBCHEM	(1R,3R)-1-(4-chlorophenyl)-2-(2-hydroxyethyl)-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-6-ol
Interactions	PUBCHEM	(2S)-3-[(1R,3R)-1-(4-chlorophenyl)-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-2-yl]-2-methylpropanoic acid
Interactions	PUBCHEM	(E)-3-[4-[(1R,3R)-2-(2-hydroxyethyl)-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-1-yl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	(E)-3-[4-[(1R,3R)-2-[(2S)-3-hydroxy-2-methylpropyl]-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-1-yl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	(E)-3-[4-[(1R,3R)-2-[(2R)-3-hydroxy-2-methylpropyl]-3-methyl-1,3,4,9-tetrahydropyrido[3,4-b]indol-1-yl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	(E)-3-[4-[(1R,3R)-3-methyl-2-(2-methylpropyl)-1,3,4,9-tetrahydropyrido[3,4-b]indol-1-yl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	(E)-3-[3,5-difluoro-4-[(1R,3R)-3-methyl-2-(2-methylpropyl)-1,3,4,9-tetrahydropyrido[3,4-b]indol-1-yl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	alpha-Endosulfan
Interactions	PUBCHEM	Aldrin
Interactions	PUBCHEM	Imatinib Mesylate

Main Category	Category	Terms
Interactions	PUBCHEM	Gefitinib
Interactions	PUBCHEM	Basic fuchsin
Interactions	PUBCHEM	2,3',4,4'-Tetrahydroxybenzophenone
Interactions	PUBCHEM	4-Chloro-3-nitroaniline
Interactions	PUBCHEM	Dibutyltin dichloride
Interactions	PUBCHEM	Methotrexate
Interactions	PUBCHEM	N-[4-(3-chloro-4-cyanophenoxy)cyclohexyl]methanesulfonamide
Interactions	PUBCHEM	N-[4-(3-chloro-4-cyanophenoxy)-3,5-dimethoxyphenyl]methanesulfonamide
Interactions	PUBCHEM	2-Amino-5-chlorobenzophenone
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-(3,3 dimethylbut-1-ynyl)-17-hydroxy-13-methyl-1,2,6,7,8,9,10,11,12,14,15 dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-(3,3 dimethylbut-1-ynyl)-17-hydroxy-10,13-dimethyl-2,6,7,8,9,11,12,14,15 decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	CID 129295311
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-hydroxy-10,13-dimethyl-17-prop-1 ynyl-11-(4-pyrrolidin-1-ylphenyl)-2,6,7,8,9,11,12,14,15,16-decahydro cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-hydroxy-11-[4-[2-methoxyethyl(methyl)amino]phenyl]-10,13-dimethyl-17-prop-1-ynyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-(3,3-dimethylbut-1-yn-1-yl)-17-hydroxy-13-methyl-1,2,6,7,8,11,12,13,14,15,16,17-dodecahydro-3H-cyclopenta[a]phenanthren-3-one (non-preferred name)
Interactions	PUBCHEM	Ro 23-7637
Interactions	PUBCHEM	Carbophenothion
Interactions	PUBCHEM	O,P'-Ddt
Interactions	PUBCHEM	Ulipristal Acetate
Interactions	PUBCHEM	1,4-Benzenediamine, N-(1,3-dimethylbutyl)-N'-phenyl-
Interactions	PUBCHEM	Levonorgestrel
Interactions	PUBCHEM	1-Octyn-3-ol
Interactions	PUBCHEM	1,10-Phenanthroline
Interactions	PUBCHEM	Hexythiazox
Interactions	PUBCHEM	(S)-N-(4-Cyano-3-(trifluoromethyl)phenyl)-3-(4-fluoro-1H-pyrazol-1-yl)-2-hydroxy-2-methylpropanamide

Main Category	Category	Terms
Interactions	PUBCHEM	(2S)-N-[6-cyano-5-(trifluoromethyl)pyridin-3-yl]-3-(4-fluoropyrazol-1-yl)-2-hydroxy-2-methylpropanamide
Interactions	PUBCHEM	(2S)-3-(4-cyanopyrazol-1-yl)-N-[4-cyano-3-(trifluoromethyl)phenyl]-2-hydroxy-2-methylpropanamide
Interactions	PUBCHEM	N-benzyl-4-cyano-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	4-Phenoxyphenol
Interactions	PUBCHEM	1-Hexyl-5-(2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(7-Methoxy-4-methyl-2-oxochromen-6-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	1-(Phenylazo)-2-naphthol
Interactions	PUBCHEM	4-(3-(4-Hydroxybutyl)-4,4-dimethyl-2,5-dioxo-1-imidazolidinyl)-2-(trifluoromethyl)benzonitrile
Interactions	PUBCHEM	3-chloro-N-[4-(3-methoxyphenoxy)phenyl]benzenesulfonamide
Interactions	PUBCHEM	N-(4-benzoylphenyl)-3-chlorobenzenesulfonamide
Interactions	PUBCHEM	3-methoxy-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	3-chloro-N-methyl-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	1-(Cyanomethyl)-5-[7-(diethylamino)-2-oxochromen-6-yl]pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-(Naphthalen-2-ylmethyl)-5-(2-oxochromen-6-yl)pyrrole-2-carbonit
Interactions	PUBCHEM	N-(4-phenoxyphenyl)naphthalene-1-sulfonamide
Interactions	PUBCHEM	(2R,3S)-3-(2-chloro-3-fluoro-4-methoxyphenyl)-2-(ethylsulfanylmethyl)-1,1,1-trifluoro-3-[(2-methylquinolin-5-yl)amino]propan-2-ol
Interactions	PUBCHEM	3-methoxy-N-[4-(3-methoxyphenoxy)phenyl]benzenesulfonamide
Interactions	PUBCHEM	N-benzyl-3-chloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	1-Ethyl-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbon
Interactions	PUBCHEM	5-[7-(diethylamino)-2-oxochromen-6-yl]-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-(Cyclohexylmethyl)-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-[(4-Cyanophenyl)methyl]-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[7-(Diethylamino)-2-oxochromen-6-yl]-1-ethylpyrrole-2-carbonitrile
Interactions	PUBCHEM	N-[4-(3-methoxyphenoxy)phenyl]benzamide
Interactions	PUBCHEM	3-bromo-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	3,5-dichloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	N-benzyl-2-chloro-N-(4-phenoxyphenyl)benzenesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-(4-benzylphenyl)-3-chlorobenzenesulfonamide
Interactions	PUBCHEM	1-[(4-Fluorophenyl)methyl]-5-(2-oxochromen-6-yl)pyrrole-2-carboni
Interactions	PUBCHEM	1-(Cyclohexylmethyl)-5-(2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	N-benzyl-4-chloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	3-chloro-N-(4-phenylphenyl)benzenesulfonamide
Interactions	PUBCHEM	6-(5-Acetylthiophen-2-yl)chromen-2-one
Interactions	PUBCHEM	1-Benzyl-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-[(4-Cyanophenyl)methyl]-5-(2-oxochromen-6-yl)pyrrole-2-carboni
Interactions	PUBCHEM	N-benzyl-3-methoxy-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	1-[(4-Fluorophenyl)methyl]-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(3-Chlorothiophen-2-yl)chromen-2-one
Interactions	PUBCHEM	5-(7-methoxy-4-methyl-2-oxochromen-6-yl)-1H-pyrrole-2-carbonitril
Interactions	PUBCHEM	1-Benzyl-5-(2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	2H-1-Benzopyran-2-one, 6-(3-methyl-2-thienyl)-
Interactions	PUBCHEM	5-(2-Oxochromen-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	2,3-dichloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	5-(2-Oxochromen-6-yl)-1-[(2,3,4,5,6-pentafluorophenyl)methyl]pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(7-Hydroxy-4-methyl-2-oxochromen-6-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	1-[(4-Nitrophenyl)methyl]-5-(2-oxochromen-6-yl)pyrrole-2-carbonitr
Interactions	PUBCHEM	3-methoxy-N-methyl-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	6-(5-Methylthiophen-2-yl)chromen-2-one
Interactions	PUBCHEM	1-Benzyl-5-[7-(diethylamino)-2-oxochromen-6-yl]pyrrole-2-carbonitr
Interactions	PUBCHEM	N-[4-(4-hydroxyphenoxy)-3-methylphenyl]-3-methoxybenzenesulfonamide
Interactions	PUBCHEM	1-Ethyl-5-(2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-Hexyl-5-(7-methoxy-4-methyl-2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	N-benzyl-4-methoxy-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	N-[4-(3-methoxyphenoxy)phenyl]benzenesulfonamide
Interactions	PUBCHEM	2-chloro-N-methyl-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	1-[(3,5-Difluorophenyl)methyl]-5-(2-oxochromen-6-yl)pyrrole-2-

Main Category	Category	Terms
		carbonitrile
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-17-(3,3-dimethylbut-1-ynyl)-17-hydroxy-13-methyl-11-[4-(4-methylsulfonylpiperazin-1-yl)phenyl]-1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-hydroxy-10,13-dimethyl-17-prop-1-ynyl-11-(4-pyrrol-1-ylphenyl)-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(3-methoxyprop-1-ynyl)-10,13-dimethyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-17-(3,3-dimethylbut-1-ynyl)-17-hydroxy-13-methyl-11-(4-morpholin-4-ylphenyl)-1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-(3,3 dimethylpent-1-ynyl)-17-hydroxy-13-methyl-1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-11-[4-(diethylamino)phenyl]-17-(3,3-dimethylbut-1-ynyl)-17-hydroxy-13-methyl-1,2,6,7,8,9,10,11,12,14,15 dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	Oric-101
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-hydroxy-10,13-dimethyl-11-[4-[methyl(propan-2-yl)amino]phenyl]-17-prop-1-ynyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8R,9S,10R,11S,13S,14S,17S)-17-(3,3-dimethylbut-1-ynyl)-17-hydroxy-13-methyl-11-[4-(4-methylpiperazin-1-yl)phenyl]-1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-amino-4-hydroxyphenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(4-aminophenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[4-(3-amino-4-chlorophenyl)sulfanylphenyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(3-amino-4-chlorophenyl)sulfanylphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one

Main Category	Category	Terms
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(1R)-1-(3-aminophenyl)ethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(4-aminophenoxy)-3-hydroxyphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[6-[(4-aminophenyl)methylamino]-3-pyridinyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(4-aminophenyl)sulfanylmethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2 hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[6-[[(1R)-1-(4-aminophenyl)ethyl]amino]-3-pyridinyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(1S)-1-(4-aminophenyl)ethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(4-aminophenoxy)phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-amino-4-chlorophenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(3-aminophenyl)sulfanylphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(1S)-1-(3-aminophenyl)ethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-[(3-aminophenyl)methyl]-3-hydroxyphenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[4-(3-aminophenyl)sulfanylphenyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-aminophenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-9,13-dimethyl-16-oxo-5,7-

Main Category	Category	Terms
		dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-diene-8-carboxylic acid
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-(3-aminophenyl)sulfanylphenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[4-[(3-aminophenyl)methyl]phenyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-aminophenyl)sulfanylmethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2 hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	S-(fluoromethyl) (1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-aminophenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-9,13-dimethyl-16-oxo-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-diene-8-carbothioate
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(4-aminophenyl)sulfanylphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-aminophenyl)methyl] hydroxyphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-[(3-amino-4-hydroxyphenyl)methyl]phenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[4-[(3-aminophenyl)sulfanylmethyl]phenyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-[(3-aminophenyl)sulfanylmethyl]phenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(6alpha,11beta,16alpha)-16,17-[[(R)-[4-[(3-Aminophenyl)methyl]phenyl]methylene]bis(oxy)]-6,9-difluoro-11,21 dihydroxypregna-1,4-diene-3,20-dione
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(4-amino-3-chlorophenyl)sulfanylmethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2 hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[6-[[(1S)-1-(4-aminophenyl)ethyl]amino]-3-pyridinyl]-12-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one

Main Category	Category	Terms
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-(3-amino-4-chlorophenyl)sulfanylphenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S)-6-[6-[[1-(4-aminophenyl)cyclopropyl]amino]-3-pyridinyl]-12-fluoro-11-hydroxy-8 hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-(4-aminophenyl)sulfanylphenyl]-11-hydroxy-8-(2-hydroxyacetyl)-6,9,13 trimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	Glucocorticoid receptor agonist-2
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12S,13R)-6-[4-(4-aminophenyl)sulfonylphenyl]-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	Glucocorticoid receptor agonist-1
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-(4-aminophenyl)sulfanylphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-6,9,13-trimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(4-aminophenyl)methyl] hydroxyphenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(3-amino-4-chlorophenyl)sulfanylmethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2 hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	Terbutryn
Interactions	PUBCHEM	1,1,1-Trichloropropanone
Interactions	PUBCHEM	Clozapine
Interactions	PUBCHEM	Salinazid
Interactions	PUBCHEM	Betamethasone 17-propionate 21-methoxide
Interactions	PUBCHEM	Sildenafil Citrate
Interactions	PUBCHEM	Eltrombopag
Interactions	PUBCHEM	6-[[(3
Interactions	PUBCHEM	rac-5,7-difluoro-3-hydroxy-2,2-dimethyl-6-(3-methyl-1H-indol-7-yl)-2 dihydroquinolin-4(1H)-one O-ethyl oxime
Interactions	PUBCHEM	2-[(E)-[5,7-difluoro-2,2-dimethyl-6-(3-methyl-1H-indol-7-yl)-1,3-dihydroquinolin-4-ylidene]amino]oxy-2-methylpropan-1-ol
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5-methyl-1,3-dihydro-1,4-benzodiazepin

Main Category	Category	Terms
		one
Interactions	PUBCHEM	5,7-difluoro-2,2-dimethyl-6-(3-methyl-1H-indol-7-yl)-2,3-dihydroquinolin-4(1H)-one O-tert-butyl oxime
Interactions	PUBCHEM	6-(3-chloro-1H-indol-7-yl)-5,7-difluoro-2,2-dimethyl-2,3-dihydroquinolin-4(1H)-one O-tert-butyl oxime
Interactions	PUBCHEM	rac-5,7-difluoro-3-hydroxy-2,2-dimethyl-6-(3-methyl-1H-indol-7-yl)-2 dihydroquinolin-4(1H)-one O-methyl oxime
Interactions	PUBCHEM	5,7-difluoro-2,2-dimethyl-6-(3-methyl-1H-indol-7-yl)-2,3-dihydroquinolin-4(1H)-one O-isopropyl oxime
Interactions	PUBCHEM	Darbufelone (mesylate)
Interactions	PUBCHEM	(2S)-3-(4-bromo-3-fluoropyrazol-1-yl)-N-[4-cyano-3-(trifluoromethyl)phenyl]-2-hydroxy-2-methylpropanamide
Interactions	PUBCHEM	(2S)-2-[[2-[[2-[[(2S)-2-[[(9S,13S)-9-[(2S)-butan-2-yl]-13-[[(2S)-5-carbamimidamido-2-[3-[(3',6'-dihydroxy-3-oxospiro[2-benzofuran-1, xanthene]-5-yl)carbamothioylamino]propanoylamino]pentanoyl]amino]-6-(2,2-dimethylpropyl)-5,8,11,14-tetraoxo-1,4,7,10-tetrazacyclotetradecan carbonyl]amino]-5-carbamimidamidopentanoyl]amino]-4,4-dimethylpentanoyl]amino]-4,4-dimethylpentanoyl]amino]pentanediamide
Interactions	PUBCHEM	(2S)-2-[[(2S)-2-[[(2S)-2-[[(2S)-2-[[(2S)-2-[[(2S)-2-[[(2S,3S)-2-[[(2S)-6-amino-2-[[(2S)-2-[3-[(3',6'-dihydroxy-3-oxospiro[2-benzofuran-1,9'-xanthene]-5-yl)carbamothioylamino]propanoylamino]-3-(1H-imidazol-5-yl)propanoyl]amino]hexanoyl]amino]-3-methylpentanoyl]amino]-4-methylpentanoyl]amino]-3-(1H-imidazol yl)propanoyl]amino]-5-carbamimidamidopentanoyl]amino]-4-methylpentanoyl]amino]-4-methylpentanoyl]amino]pentanediamid
Interactions	PUBCHEM	(5S,6R,8R)-8-ethyl-2-fluoro-5-[(2-methylquinolin-5-yl)amino]-6-(trifluoromethyl)-7,8-dihydro-5H-naphthalene-1,6-diol
Interactions	PUBCHEM	5-[[(1S,2R)-1-(5-bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pent-4-enyl]amino]-2H-isoquinolin-1-one
Interactions	PUBCHEM	(2S)-2-[[(2S)-2-[[(2S)-2-[[(2S)-2-[[(6S,9S,13S)-9-[(2S)-butan-2-yl]-13-[[(2S)-5-carbamimidamido-2-[[3-[(3',6'-dihydroxy-3-oxospiro[2-benzofuran-1,9'-xanthene]-5-yl)carbamothioylamino]-3-oxopropyl]amino]pentanoyl]amino]-6-(2-methylpropyl)-5,8,11,14-tetraoxo-1,4,7,10-tetrazacyclotetradecane-3-carbonyl]amino]-5-carbamimidamidopentanoyl]amino]-4-methylpentanoyl]amino]-4-methylpentanoyl]amino]pentanediamide
Interactions	PUBCHEM	5-[[(1S,2R)-6-fluoro-2,5-dihydroxy-4,4-dimethyl-2-(trifluoromethyl)-1 dihydronaphthalen-1-yl]amino]-2H-isoquinolin-1-one
Interactions	PUBCHEM	5-[[(1S,2R)-6-fluoro-2,5-dihydroxy-4,4-dimethyl-2-(trifluoromethyl)-1 dihydronaphthalen-1-yl]amino]-1H-quinolin-2-one
Interactions	PUBCHEM	Canrenone
Interactions	PUBCHEM	Estradiol Valerate
Interactions	PUBCHEM	Ethyl 2-(6-(ethylamino)-3-(ethylimino)-2,7-dimethyl-3H-xanthen-9-yl)benzoate hydrochloride (1:1)

Main Category	Category	Terms
Interactions	PUBCHEM	SSR 241586 HCl
Interactions	PUBCHEM	CID 138911324
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(1R)-1-(4-aminophenyl)ethyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	CI-959
Interactions	PUBCHEM	6-Phenylcoumarin
Interactions	PUBCHEM	(1S,2S,4R,6R,8S,9S,11S,12R,13S,19S)-6-[4-[(4-amino-3-methoxyphenyl)methyl]phenyl]-12,19-difluoro-11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-5,7-dioxapentacyclo[10.8.0.02,9.04,8.013,18]icosa-14,17-dien-16-one
Interactions	PUBCHEM	Hexylparaben
Interactions	PUBCHEM	Heptyl p-hydroxybenzoate
Interactions	PUBCHEM	Dichlofluanid
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-hydroxy-11-(4-methoxyphenyl)-10 dimethyl-17-prop-1-ynyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-(2-cyclopropylethynyl)-11-[4-(dimethylamino)phenyl]-17-hydroxy-10,13-dimethyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	Bps-mpe4
Interactions	PUBCHEM	Ethyl 4-iodobenzoate
Interactions	PUBCHEM	4-Hydroxybenzophenone
Interactions	PUBCHEM	3,3',4',5-Tetrachlorosalicylanilide
Interactions	PUBCHEM	Dibenzosuberone
Interactions	PUBCHEM	4-[(2Z)-2-[(2E,4E,6Z)-7-[1,1-dimethyl-3-(4-sulfobutyl)benzo[e]indol-3 ium-2-yl]hepta-2,4,6-trienylidene]-1,1-dimethylbenzo[e]indol-3-yl]butane-1-sulfonate
Interactions	PUBCHEM	2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-4-methyl-5H-phenanthridin-6-one
Interactions	PUBCHEM	4-fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-one
Interactions	PUBCHEM	9-fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-one
Interactions	PUBCHEM	4-ethyl-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-one
Interactions	PUBCHEM	8-Fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-4,5-dimethylphenanthridin-6-one
Interactions	PUBCHEM	8-fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-4-methyl-5H

Main Category	Category	Terms
		phenanthridin-6-one
Interactions	PUBCHEM	2-(1,1,1,3,3,3-Hexafluoro-2-hydroxypropan-2-yl)-4,5-dimethylphenanthridin-6-one
Interactions	PUBCHEM	2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-4-methoxy-5H-phenanthridin-6-one
Interactions	PUBCHEM	8-fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-one
Interactions	PUBCHEM	2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-4-propyl-5H-phenanthridin-6-one
Interactions	PUBCHEM	7-fluoro-2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-one
Interactions	PUBCHEM	Furazabol
Interactions	PUBCHEM	Ethidium Bromide
Interactions	PUBCHEM	Rabeprazole Sodium
Interactions	PUBCHEM	(4-methylphenyl)[3-phenyl-5,6-dihydro-1(4H)-pyridazinyl]methanon
Interactions	PUBCHEM	(4-chlorophenyl)[3-phenyl-5,6-dihydro-1(4H)-pyridazinyl]methanone
Interactions	PUBCHEM	5-Chlorosalicylanilide
Interactions	PUBCHEM	Ezetimibe
Interactions	PUBCHEM	Tetrabutyltin
Interactions	PUBCHEM	Vatalanib
Interactions	PUBCHEM	Pentaerythritol tribromide
Interactions	PUBCHEM	Flurandrenolide
Interactions	PUBCHEM	Bisphenol A diglycidyl ether dimethacrylate
Interactions	PUBCHEM	2,4-Dinitrophenyl thiocyanate
Interactions	PUBCHEM	N-((3S)-2,3-Dihydro-6-(phenylmethoxy)-3-benzofuranyl)-N-hydroxyu
Interactions	PUBCHEM	Etoxazole
Interactions	PUBCHEM	2-Aminofluorene
Interactions	PUBCHEM	Strontium carbonate
Interactions	PUBCHEM	3H-Indole, 2,3,3-trimethyl-
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-phenyl-1-p-tolylpropan-1-one
Interactions	PUBCHEM	1,3,3-Trimethyl-4,11-dihydro-3H-indeno[2,1-f]quinoline
Interactions	PUBCHEM	9-Bromo-1,3,3-trimethyl-4,11-dihydro-3H-indeno[2,1-f]quinoline
Interactions	PUBCHEM	10-Fluoro-1,3,3-trimethyl-4,11-dihydro-3H-indeno[2,1-f]quinoline
Interactions	PUBCHEM	8-Bromo-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline

Main Category	Category	Terms
Interactions	PUBCHEM	2,2,4-Trimethyl-1,2-dihydrobenzofuro[3,2-g]quinoline
Interactions	PUBCHEM	1,3,3-Trimethyl-3,4-dihydrobenzofuro[2,3-f]quinoline
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	(2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-9-yl)methanc
Interactions	PUBCHEM	8-Chloro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	8-Fluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	1-(2,2,4-Trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-8-yl)-ethar
Interactions	PUBCHEM	1,3,3-Trimethyl-9-nitro-4,11-dihydro-3H-indeno[2,1-f]quinoline
Interactions	PUBCHEM	2,2,4-Trimethyl-2,10-dihydro-1H-pyrido[2,3-b]carbazole
Interactions	PUBCHEM	11-Ethyl-1,3,3-trimethyl-4,11-dihydro-3H-pyrido[3,2-a]carbazole
Interactions	PUBCHEM	6-[2-Hydroxy-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-trifluorometh pentylamino]-4-methyl-2,3-benzoxazin-1-one
Interactions	PUBCHEM	Capsaicin
Interactions	PUBCHEM	Zuclomiphene
Interactions	PUBCHEM	Beveno
Interactions	PUBCHEM	4-Hydroxyazobenzene
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-17-hydroxy-10,13-dimethyl-17-(3-methylbut-1-ynyl)-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9R,10R,11S,13S,14S,17S)-17-but-1-ynyl-11-[4-(dimethylamino)phenyl]-17-hydroxy-10,13-dimethyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1'S,5R)-1-(4-fluorophenyl)-1'-phenylspiro[4H-indazole-5,2'-cyclohexane]-1'-ol
Interactions	PUBCHEM	cis-(1R,2R)-2-(4-fluoroanilino)-1-(trifluoromethyl)cyclohexan-1-ol
Interactions	PUBCHEM	(8S,9S,10R,11S,13S,14S,17S)-11-[(4-chlorophenyl)methoxy]-17-hydroxy-10,13-dimethyl-17-prop-1-ynyl-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]propane-2-sulfonamic
Interactions	PUBCHEM	4-n-Octylphenol
Interactions	PUBCHEM	2-Bromo-4,6-dinitroaniline
Interactions	PUBCHEM	Nitrofen
Interactions	PUBCHEM	Lercanidipine Hydrochloride
Interactions	PUBCHEM	(2R,3R)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol

Main Category	Category	Terms
Interactions	PUBCHEM	(4-Amino-3'-chloro-biphenyl-3-yl)-dimethyl-methanol
Interactions	PUBCHEM	Chlorothalonil
Interactions	PUBCHEM	Tilmacoxib
Interactions	PUBCHEM	Fluocortin Butyl
Interactions	PUBCHEM	Enzalutamide
Interactions	PUBCHEM	methyl N-(3,4-dichlorophenyl)carbamate
Interactions	PUBCHEM	2-[[1-(2-chloro-5-fluorophenyl)cyclobutyl]methyl]-3,3,3-trifluoro-2-hydroxy-N-(4-methyl-1-oxo-2,3-benzoxazin-6-yl)propanamide
Interactions	PUBCHEM	5-(1-hydroxy-3,3-dimethyl-2,3-dihydro-1H-inden-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(3,3-dimethyl-1-oxo-2,3-dihydro-1H-inden-5-yl)-1-methyl-1H-pyrrol carbonitrile
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]-2-methylpropanamid
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]propanamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]butanamide
Interactions	PUBCHEM	N-(4-(5-Cyano-1-methyl-1H-pyrrol-2-yl)phenyl)acetamide
Interactions	PUBCHEM	2-(5-Bromothiophen-2-yl)sulfonyl-7-(3,4-dichlorophenyl)-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]propane-1-sulfonamid
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]-2,2,2-trifluoroethanesulfonamide
Interactions	PUBCHEM	N-(4-(5-Cyano-1-methyl-1H-pyrrol-2-yl)phenyl)ethanesulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)phenyl]methanesulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)-2-fluorophenyl]ethane sulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methylpyrrol-2-yl)-3-fluorophenyl]ethanesulfonami
Interactions	PUBCHEM	N-[4-(5-cyano-1-methylpyrrol-2-yl)-2,5-difluorophenyl]ethanesulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methylpyrrol-2-yl)-3-(trifluoromethyl)phenyl]ethanesulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methylpyrrol-2-yl)-2-(trifluoromethoxy)phenyl]ethanesulfonamide
Interactions	PUBCHEM	N-[3-cyano-4-(5-cyano-1-methylpyrrol-2-yl)phenyl]ethanesulfonami
Interactions	PUBCHEM	N-[4-(5-cyano-1-methylpyrrol-2-yl)-3,5-difluorophenyl]ethanesulfonamide
Interactions	PUBCHEM	N-[4-(5-cyano-1-methyl-1H-pyrrol-2-yl)-3-fluorophenyl]methanesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	Dtxcid0027802
Interactions	PUBCHEM	1-[2-hydroxy-4-(2-hydroxyphenyl)-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	1-[4-(2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-2,3-dihydro-1H-quinolin-4-one
Interactions	PUBCHEM	1-(2-hydroxy-4-methyl-4-phenyl-2-(trifluoromethyl)pentyl)-1H-quinolin-4-one
Interactions	PUBCHEM	1-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	1-[2-hydroxy-4-(5-methoxy-2-methylphenyl)-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	1-[4-(4-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-quinolin-4-one
Interactions	PUBCHEM	Chloroxuron
Interactions	PUBCHEM	5-(5-hydroxy-5-methyl-5,6,7,8-tetrahydronaphthalen-2-yl)-1-methyl-1 pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(5-hydroxy-5-(prop-1-ynyl)-5,6,7,8-tetrahydronaphthalen-2-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(5-hydroxy-5-phenyl-5,6,7,8-tetrahydronaphthalen-2-yl)-1-methyl-1 pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(5-Hydroxy-5,6,7,8-tetrahydronaphthalen-2-yl)-1-methyl-1h-pyrrole carbonitrile
Interactions	PUBCHEM	Caspofungin
Interactions	PUBCHEM	4-n-Heptylphenol
Interactions	PUBCHEM	Fipexide hydrochloride
Interactions	PUBCHEM	3,5,5-Trimethylhexanoyl chloride
Interactions	PUBCHEM	1-Ethyl-3-methylimidazolium Nitrate
Interactions	PUBCHEM	1-Dodecyl-3-methyl-1H-imidazol-3-ium iodide
Interactions	PUBCHEM	(S)-N-(1-(1H-indol-3-yl)propan-2-yl)-2,4,6-trimethylbenzenesulfonar
Interactions	PUBCHEM	1-Methyl-5-(5-oxo-5,6,7,8-tetrahydronaphthalen-2-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	Methiocarb
Interactions	PUBCHEM	Methyl 2-[4-(2-chlorophenyl)phenyl]-2-[4-(methanesulfonamido)indol-1-yl]acetate
Interactions	PUBCHEM	Sclareol

Main Category	Category	Terms
Interactions	PUBCHEM	Pimozide
Interactions	PUBCHEM	2-Amino-4-(p-nitrophenyl)thiazole
Interactions	PUBCHEM	Ethyl p-nitrophenyl benzenethiophosphonate
Interactions	PUBCHEM	Flumethasone
Interactions	PUBCHEM	Betamethasone Valerate
Interactions	PUBCHEM	Chloranocryl
Interactions	PUBCHEM	2-methyl-1-(2,2,2-trifluoroethyl)-9-(trifluoromethyl)-1H,2H,3H,6H,7H quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	2-Chloro-4-{(2-Methylbenzyl)[(3s)-1-(Methylsulfonyl)pyrrolidin-3-Yl]amino}benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-(methylsulfonyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-fluorobenzyl)(1-(methylsulfonyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	2-chloro-4-{[(3S)-1-methylpyrrolidin-3-yl][2-(trifluoromethyl)benzyl]amino}benzonitrile
Interactions	PUBCHEM	L-I+/-lpha-Noracetylmethadol hydrochloride
Interactions	PUBCHEM	N-[(2s)-1-[[1-(4-Fluorophenyl)indazol-4-Yl]amino]propan-2-Yl]-2,4,6-Trimethyl-Benzenesulfonamide
Interactions	PUBCHEM	Phenylmercuric Acetate
Interactions	PUBCHEM	Dibutyltin diacetate
Interactions	PUBCHEM	Bis(tributyltin) oxide
Interactions	PUBCHEM	Fentin acetate
Interactions	PUBCHEM	Tributyltin methacrylate
Interactions	PUBCHEM	Thimerosal
Interactions	PUBCHEM	Tetrasul
Interactions	PUBCHEM	1,4-Naphthalenediamine
Interactions	PUBCHEM	1,5-Diaminonaphthalene
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-(2-phenylethynyl)-3,3a,3b,5,8,9,10,11-octahydro-2H-indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(8S,11R,13S,14R)-11-(4-dimethylamino-phenyl)-17-(4-fluoro-phenylethynyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-17-(4-trifluoromethyl-phenylethynyl)-1,2,8,11,12,13,14,15,16 decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	3-{3,5-Dibromo-4-[(3-bromophenyl)methoxy]phenyl}propanoic acid

Main Category	Category	Terms
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-17-prop-1-ynyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-o cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	Phenethyl Isothiocyanate
Interactions	PUBCHEM	Lgd-2941
Interactions	PUBCHEM	Hydroxyprogesterone Caproate
Interactions	PUBCHEM	Drometrizole
Interactions	PUBCHEM	Benzenamine, 4,4'-[1,3-phenylenebis(oxy)]bis-
Interactions	PUBCHEM	Solvent Yellow 56
Interactions	PUBCHEM	4-(Octyloxy)benzoic acid
Interactions	PUBCHEM	Disulfoton sulfone
Interactions	PUBCHEM	CID 172717
Interactions	PUBCHEM	p-(Chloromercuri)benzoic acid
Interactions	PUBCHEM	Imazalil sulfate
Interactions	PUBCHEM	Phenthoate
Interactions	PUBCHEM	4-Nonylphenol
Interactions	PUBCHEM	Azinphos-Ethyl
Interactions	PUBCHEM	4,4'-Thiodiphenol
Interactions	PUBCHEM	(18Z)-18-((3-(1-hydroxyethyl)thiophen-2-yl)methylidene)-12-methoxy-3,5,5-trimethyl-17-oxa-6-azatetracyclo(8.8.0.0^(2,7).0^(11,16))octadeca-1(10),2(7),3,8,11,13 heptaen-13-ol
Interactions	PUBCHEM	Oxime, 23
Interactions	PUBCHEM	Alkene, 29
Interactions	PUBCHEM	C.I. Disperse Yellow 3
Interactions	PUBCHEM	7-chloro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-Methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	2,2,4,9-tetramethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Sulazepam
Interactions	PUBCHEM	Fabesetron Hydrochloride
Interactions	PUBCHEM	Dichloroacetonitrile
Interactions	PUBCHEM	N-[6-(3,5-Dimethyl-phenyl)-1-methoxy-6H-benzo[c]chromen-8-yl]-methanesulfonamide
Interactions	PUBCHEM	(13S)-4-amino-13-(2-chlorophenyl)-6-methyl-11-oxo-8-thia-3,10-

Main Category	Category	Terms
		diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	(13R)-4-amino-13-(2-chlorophenyl)-6-methyl-11-oxo-8-thia-3,10-diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	3-(2,4-Dimethyl-4-phenyl-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5 fluoro-benzonitrile
Interactions	PUBCHEM	3-Fluoro-5-(2,2,4,4-tetramethyl-1,4-dihydro-2H-benzo[d][1,3]oxazin- yl)-benzonitrile
Interactions	PUBCHEM	N-(3-Dibenzylamino-2-methyl-phenyl)-methanesulfonamide
Interactions	PUBCHEM	N-(3-(benzyl-(4-chloro-2-fluoro-benzyl)-amino)-2-methyl-phenyl)-methanesulfonamide
Interactions	PUBCHEM	4-(5-Fluoro-2-hydroxy-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl pentanoic acid (1-oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-N-(4-methyl-1-oxo-1H-benzo[d][1,2]oxazin-6-yl)-2-(trifluoromethyl)pentanamide
Interactions	PUBCHEM	4-(5-Fluoro-2-methoxy-phenyl)-2-hydroxy-4-methyl-2-trifluoromethy pentanoic acid (1-oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	Fluorescein 5-isothiocyanate
Interactions	PUBCHEM	Deflazacort
Interactions	PUBCHEM	Megestrol
Interactions	PUBCHEM	Hexestrol
Interactions	PUBCHEM	Etravirine
Interactions	PUBCHEM	Chlorophacinone
Interactions	PUBCHEM	Sodium (2-pyridylthio)-N-oxide
Interactions	PUBCHEM	Ethyl pivalate
Interactions	PUBCHEM	Nitroxoline
Interactions	PUBCHEM	Dtxcid0028909
Interactions	PUBCHEM	Resocortol Butyrate
Interactions	PUBCHEM	2,2-Bis(3,5-dibromo-4-(2-hydroxyethoxy)phenyl)propane
Interactions	PUBCHEM	n-(1h-Indol-7-yl)methanesulfonamide
Interactions	PUBCHEM	Fenbutrazate
Interactions	PUBCHEM	Beclomethasone
Interactions	PUBCHEM	Triethanolamine stearate
Interactions	PUBCHEM	Albendazole
Interactions	PUBCHEM	Difeterol
Interactions	PUBCHEM	Dronedarone

Main Category	Category	Terms
Interactions	PUBCHEM	Lapatinib
Interactions	PUBCHEM	1-Chlorohexadecane
Interactions	PUBCHEM	2,3,4,5-Tetrachlorophenol
Interactions	PUBCHEM	N-(4-Phenoxyphenyl)-3-trifluoromethylbenzenesulfonamide
Interactions	PUBCHEM	3,4-dichloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Altretamine
Interactions	PUBCHEM	Fenhexamid
Interactions	PUBCHEM	Deferasirox
Interactions	PUBCHEM	Amiodarone
Interactions	PUBCHEM	4-Methoxy-2-aminobenzothiazole
Interactions	PUBCHEM	Beclomethasone Dipropionate
Interactions	PUBCHEM	Amoxapine
Interactions	PUBCHEM	Betamethasone Dipropionate
Interactions	PUBCHEM	Chlorpyrifos oxon
Interactions	PUBCHEM	5-Butylphenanthridin-6(5H)-one
Interactions	PUBCHEM	(+/-)-6-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)valeroylamino]-4-methyl-2,3-benzoxazin-1-one
Interactions	PUBCHEM	5-(3,3-Dimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-4-methyl-thiophene carbonitrile
Interactions	PUBCHEM	5-(2'-oxospiro[cyclohexane-1,3'-[3H]indol]-5'-yl)-1-methyl-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5'-(3-Cyano-5-fluorophenyl)-spiro [cyclopentane-1,3'-[3H]indol]-2'(1' one
Interactions	PUBCHEM	3-Benzyl-5-(3-chloro-phenyl)-3-methyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5"-(3-nitrophenyl)spiro[cyclopentane-1,3"-indol]-2"(1"H)-one
Interactions	PUBCHEM	3-(3,3-Dimethyl-2-oxoindolin-5-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5"-(3-nitrophenyl)spiro[cyclohexane-1,3"-indol]-2"(1"H)-one
Interactions	PUBCHEM	3-(1',2'-dihydro-2'-oxospiro[cyclohexane-1,3'-[3H]indol]-5'-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(3,3-Dimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	3,3-Dimethyl-5-(5-nitro-thiophen-2-yl)-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	9-Fluoro-5-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	2-Methoxy-3-dibenzofuranamine

Main Category	Category	Terms
Interactions	PUBCHEM	Chloropropylate
Interactions	PUBCHEM	7,7-Dimethyl-4-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen-2-one
Interactions	PUBCHEM	1-Decyl-3-methylimidazolium triflate
Interactions	PUBCHEM	1,1-Ethanediol, 1,1-diacetate
Interactions	PUBCHEM	Cortisone
Interactions	PUBCHEM	2-Hydroxy-4-methyl-4-phenyl-2-pyridin-2-ylmethyl-pentanoic acid (1 oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	5-Cyclohex-2-en-1-yl-10-methoxy-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-Cyclopent-2-en-1-yl-10-methoxy-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-5-(3-methylbut-2-enyl)-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(3,3-Difluoroprop-2-enyl)-10-methoxy-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	CID 22398492
Interactions	PUBCHEM	CID 22398533
Interactions	PUBCHEM	2-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-indole-5-carbonitrile
Interactions	PUBCHEM	2,2'-Dihydroxy-6,6'-dinaphthyldisulfide
Interactions	PUBCHEM	Astemizole
Interactions	PUBCHEM	4,4-Dimethyl-2-(4-methylphenyl)isoquinoline-1,3-dione
Interactions	PUBCHEM	Fludrocortisone Acetate
Interactions	PUBCHEM	6-(2-Methoxyphenyl)-2,2-dimethyl-4-[1-(prop-2-en-1-ylsulfanyl)ethyl]-1,2-dihydroquinoline
Interactions	PUBCHEM	Octocrylene
Interactions	PUBCHEM	2-Chloro-p-phenylenediamine sulfate
Interactions	PUBCHEM	Azathioprine
Interactions	PUBCHEM	2,4,5-trichloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Chlorinated paraffins (C12, 60% chlorine)
Interactions	PUBCHEM	Bithionolate Sodium
Interactions	PUBCHEM	Nandrolone Phenylpropionate
Interactions	PUBCHEM	5-(5-nitro-1H-pyrrol-2-yl)spiro[1H-indole-3,1'-cyclohexane]-2-one
Interactions	PUBCHEM	Pentyl 4-hydroxybenzoate
Interactions	PUBCHEM	2,2,4-Trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline

Main Category	Category	Terms
Interactions	PUBCHEM	1-Ethyl-1-methylpyrrolidinium hexafluorophosphate
Interactions	PUBCHEM	1-Dodecyl-3-methylimidazolium trifluoromethanesulfonate
Interactions	PUBCHEM	2-(2-Chlorophenyl)-4,4-dimethylisoquinoline-1,3-dione
Interactions	PUBCHEM	Benzbromarone
Interactions	PUBCHEM	2,2'-Dithiobis[thiophene]
Interactions	PUBCHEM	Benzethonium
Interactions	PUBCHEM	2,2,4-Trimethyl-6-(3-methylthiophen-2-yl)-1,2-dihydroquinoline
Interactions	PUBCHEM	2,2,4-Trimethyl-1,2-dihydroindeno[1,2-g]quinolin-10-one
Interactions	PUBCHEM	6-(5-Chlorothiophen-2-yl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	2,2,4-Trimethyl-6-(5-nitrothiophen-2-yl)-1,2-dihydroquinoline
Interactions	PUBCHEM	5-(2,2,4-Trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	9-chloro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5,8-Difluoro-1,2-dihydro-2,2,4-trimethyl-10-oxoindeno[1,2-g]quinolin
Interactions	PUBCHEM	6-Fluoro-2,2,4-trimethyl-1,2-dihydroindeno[1,2-g]quinolin-10-one
Interactions	PUBCHEM	2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	3-Fluoro-5-(2,4,4-trimethyl-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)- benzonitrile
Interactions	PUBCHEM	4-[2-(Trifluoromethyl)-4,4-dimethyl-1,4-dihydro-2H-3,1-benzoxazine- yl]-2-thiophenecarbonitrile
Interactions	PUBCHEM	4-(2,4,4-Trimethyl-1,4-dihydro-2H-3,1-benzoxazin-6-yl)2-furonitrile
Interactions	PUBCHEM	2,2-Dimethyl-propionic acid 6-(5-cyano-thiophen-3-yl)-4,4-dimethyl- trifluoromethyl-4H-benzo[d][1,3]oxazin-1-ylmethyl ester
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-trifluoromethyl-1,4-dihydro-2H-benzo[d][1,3]oxazi yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	4-Methyl-5-(2,4,4-trimethyl-1,4-dihydro-2H-3,1-benzoxazin-6- yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	6-(3-chloro-4-fluorophenyl)-2,4,4-trimethyl-1,4-dihydro-2H-3,1- benzoxazine
Interactions	PUBCHEM	4-(2,2,4,4-Tetramethyl-1,4-dihydro-2H-3,1-benzoxazin-6-yl)thiophen carbonitrile
Interactions	PUBCHEM	4-(1-Acetyl-4,4-dimethyl-2-trifluoromethyl-1,4-dihydro-2H-benzo[d] [1,3]oxazin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	6-(3-Fluorophenyl)-2,4,4-trimethyl-1,4-dihydro-2H-3,1-benzoxazine
Interactions	PUBCHEM	2-(Trifluoromethyl)-4,4-dimethyl-6-(3-chlorophenyl)-1,4-dihydro-2H- benzoxazine
Interactions	PUBCHEM	5(2-methylspiro[2H-3,1-benzoxazine-4,1'-cyclohexane]-6-yl)-4-meth thiophenecarbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	6-(3-Chlorophenyl)-2,4,4-trimethyl-1,4-dihydro-2H-3,1-benzoxazine
Interactions	PUBCHEM	4-(2-Methylspiro[2H-3,1-benzoxazine-4,1'-cyclohexane]-6-yl)2-thiophenecarbonitrile
Interactions	PUBCHEM	2-Fluoro-5-(2,4,4-trimethyl-1,4-dihydro-2H-3,1-benzoxazin-6-yl)benzonitrile
Interactions	PUBCHEM	N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Bepridil
Interactions	PUBCHEM	Bergapten
Interactions	PUBCHEM	4-(1-Methoxyethyl)-6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	Potassium Benzoate
Interactions	PUBCHEM	Sodium 2,4,5-trichlorophenolate
Interactions	PUBCHEM	Sodium pentachlorophenolate
Interactions	PUBCHEM	Sodium Cyclamate
Interactions	PUBCHEM	Canrenoate Potassium
Interactions	PUBCHEM	Sodium bis(2-methylpropyl)phosphinodithioate
Interactions	PUBCHEM	4-(4,4-Diethyl-3,4-dihydro-1,3-dioxoisoquinolin-2(1H)-yl) benzonitril
Interactions	PUBCHEM	Bicalutamide
Interactions	PUBCHEM	Bifemelane
Interactions	PUBCHEM	Bifonazole
Interactions	PUBCHEM	3,3'-Diaminobenzidine tetrahydrochloride
Interactions	PUBCHEM	Bithionol
Interactions	PUBCHEM	5-(3-cyclopentyl-2-thioxo-2,3-dihydro-1H-benzimidazol-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	4-(2-Hydroxyphenyl)-2-(trifluoromethyl)benzonitrile
Interactions	PUBCHEM	Broxyquinoline
Interactions	PUBCHEM	(S)-N-(1-sec-butyl-3-(4-cyanophenyl)-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	N-(3-(4-cyano-3-methoxyphenyl)-1-isopropyl-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	N-(3-(4-cyanophenyl)-1-ethyl-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	N-(3-(4-cyanophenyl)-1-isopropyl-1H-indol-6-yl)methanesulfonamid
Interactions	PUBCHEM	(R)-N-(1-sec-butyl-3-(4-cyanophenyl)-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	(R)-N-(3-(1-cyclopropyl-1-(4-fluorophenyl)ethyl)-1H-indol-7-yl)methanesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	(R)-N-(3-(1-cyclopropyl-1-(2,4-difluorophenyl)ethyl)-1H-indol-7-yl)methanesulfonamide
Interactions	PUBCHEM	(S)-N-(3-(1-cyclopropyl-1-(2,4-difluorophenyl)ethyl)-1H-indol-7-yl)methanesulfonamide
Interactions	PUBCHEM	6-(3,4-difluorophenylamino)-4,4-diethyl-1-methyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	5-[(4,4-diethyl-1-methyl-2-oxo-1,4-dihydro-2H-3,1-benzoxazin-6-yl)amino]-2-fluorobenzonitrile
Interactions	PUBCHEM	N-[(1R)-1-[4-(5-fluoro-2-methoxyphenyl)phenyl]ethyl]-1-methyl-3-(trifluoromethyl)pyrazole-4-sulfonamide
Interactions	PUBCHEM	4-Nonylphenol diethoxylate
Interactions	PUBCHEM	Medrysone
Interactions	PUBCHEM	Dtxcid7027334
Interactions	PUBCHEM	4-[(4r)-4-(4-Hydroxyphenyl)-3,4-Dimethyl-2,5-Dioxoimidazolidin-1-Yl (Trifluoromethyl)benzonitrile
Interactions	PUBCHEM	Indium Trichloride
Interactions	PUBCHEM	Lgd-5552
Interactions	PUBCHEM	5-(3,3-Diethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-1-methyl-1H-pyrrole-2 carbonitrile
Interactions	PUBCHEM	5-(6-fluoro-3,3-dimethyl-2-oxo-1H-indol-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(7-fluoro-2-oxospiro[1H-indole-3,1'-cyclopentane]-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(2-oxo-1,3-dihydroindol-5-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-methyl-5-(2-oxospiro[1H-indole-3,1'-cyclopentane]-5-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(7-fluoro-2-oxospiro[1H-indole-3,1'-cyclohexane]-5-yl)-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	2,2,2-trifluoro-N-((1S,2R)-2-((1-(4-fluorophenyl)-1H-indazol-5-yl)oxy) (3-methoxyphenyl)-1-methylethyl)acetamide
Interactions	PUBCHEM	(R)-3-ethyl-4-(2,2,2-trifluoroethyl)-10-(trifluoromethyl)-3,4-dihydro-2 [1,4]oxazino[2,3-f]quinolin-8(7H)-one
Interactions	PUBCHEM	N-[3-[(1E)-1-(6H-benzo[c][1]benzoxepin-11-ylidene)ethyl]phenyl]methanesulfonamide
Interactions	PUBCHEM	6-(3,5-Dimethyl-1,2-oxazol-4-yl)-2,2,4,4-tetramethyl-1,7,8,9-tetrahydrocyclopenta[h]quinolin-3-one
Interactions	PUBCHEM	1-(4-Chlorophenyl)-3-(furan-2-yl)-3-(4-nitrophenylamino)propan-1-o
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-chlorophenyl)-3-cyclohexylpropan- one
Interactions	PUBCHEM	Tracazolate hydrochloride

Main Category	Category	Terms
Interactions	PUBCHEM	6-(1-o-Tolyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)-2H-benzo[b][1,4]oxazin-3(4H)-one
Interactions	PUBCHEM	6-(1-(4-Fluoro-2-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl)-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	8-Fluoro-6-(1-(4-fluoro-2-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl)-2H-benzo[b][1,4]oxazin-3(4H)-one
Interactions	PUBCHEM	6-(1-(4-Fluoro-2-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl)-methyl-2H-benzo[b][1,4]oxazin-3(4H)-one
Interactions	PUBCHEM	(5S)-7,9-difluoro-2,2,4-trimethyl-5-[(1R)-3-methylcyclohex-2-en-1-yl] dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	(+)-(S)-7,9-difluoro-2,2,4-trimethyl-5-((S)-3-methylcyclohex-2-enyl)-2 dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5S)-7,9-difluoro-2,2,4-trimethyl-5-[(1S,2R,6R)-6-methyl-7-oxabicyclo[4.1.0]heptan-2-yl]-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5S)-5-[(1S)-cyclohex-2-en-1-yl]-7,9-difluoro-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	2,2,2-trifluoro-N-[(3S)-3-[1-(4-fluorophenyl)indazol-5-yl]-2,2-dimethy phenylpropyl]ethanesulfonamide
Interactions	PUBCHEM	3-[1-(4-fluorophenyl)indazol-5-yl]-2,2-dimethyl-N-(1,3,4-thiadiazol-2-yl)hexanamide
Interactions	PUBCHEM	1-Methyl-3-octadecylimidazolium hexafluorophosphate
Interactions	PUBCHEM	2-[(9S)-3-hydroxy-9H-xanthen-9-yl]-2-methyl-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	2-[(9S)-3-hydroxy-9H-xanthen-9-yl]-2-methyl-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	N-[(1R,2S)-1-[1-(4-fluorophenyl)indazol-5-yl]oxy-1-phenyl-propan-2-yl]cyclopropanesulfonamide
Interactions	PUBCHEM	N-[(1R,2S)-1-[1-(4-fluorophenyl)indazol-5-yl]oxy-1-(4-methylsulfanylphenyl)propan-2-yl]cyclopropanesulfonamide
Interactions	PUBCHEM	7-(4-Fluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(H)
Interactions	PUBCHEM	7-(2-Fluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(H)
Interactions	PUBCHEM	7-(3,4-difluorophenyl)-5,5-dimethyl-1H-4,1-benzoxazepin-2-one
Interactions	PUBCHEM	7-(3,5-Dichlorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2 one
Interactions	PUBCHEM	7-(2,3-Difluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2 one
Interactions	PUBCHEM	7-(3-Chloro-5-fluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	3-Chloro-5-(5,5-dimethyl-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin yl)benzonitrile
Interactions	PUBCHEM	5-(5,5-dimethyl-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)

Main Category	Category	Terms
		methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	7-(3,5-Difluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(3H)-one
Interactions	PUBCHEM	7-(3,5-Difluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(3H)-thione
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	7-(3-Fluorophenyl)-5,5-dimethyl-1,5-dihydro-4,1-benzoxazepin-2(H)
Interactions	PUBCHEM	4-(3,5-dimethyl-1,2-oxazol-4-yl)-6,6,8,8-tetramethyl-9H-[1,3]dioxolo[h]quinolin-7-one
Interactions	PUBCHEM	2,4,6-Trimethyl-N-(2,2,2-trifluoro-1-phenylsulfanylmethylethyl)benze sulfonamide
Interactions	PUBCHEM	1-methyl-5-(1-oxo-2,3-dihydro-1H-inden-5-yl)-1H-pyrrole-2-carbonitr
Interactions	PUBCHEM	5-(4-acetylphenyl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-Methyl-5-(4-propionylphenyl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-Methyl-5-[4-(thien-2-ylcarbonyl)phenyl]-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-benzoylphenyl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-methyl-5-(4-pivaloylphenyl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(2,3-difluorobenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	2-chloro-4-(((S)-1-((S)-2-hydroxypropanoyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	2-chloro-4-((5-fluoro-2-methylbenzyl)((S)-1-((S)-2-hydroxypropanoyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	2-chloro-4-((2,5-dichlorobenzyl)((S)-1-((S)-2-hydroxypropanoyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	2,2,2-Trifluoro-N-[(1r,2s)-1-{[1-(4-Fluorophenyl)-1h-Indazol-5-Yl]oxy} Phenylpropan-2-Yl]acetamide
Interactions	PUBCHEM	2,2,2-trifluoro-N-[(1R,2S)-1-[1-(4-fluorophenyl)indazol-5-yl]oxy-1-naphthalen-2-yl-propan-2-yl]acetamide
Interactions	PUBCHEM	Trenbolone
Interactions	PUBCHEM	Ethyl 7-(diethylamino)-2-oxo-6-phenylchromene-3-carboxylate
Interactions	PUBCHEM	5-(5,5-di(furan-2-yl)-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7 yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	4-(2-Hydroxyphenyl)-2-methoxybenzonitrile
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	2,2,2-trifluoro-N-((1S,13bR)-5-vinyl-1,3,4,13b-tetrahydro-2H-9-oxa-4a

Main Category	Category	Terms
		aza-tribenzo[a,c,e]cyclohepten-1-yl)-acetamide
Interactions	PUBCHEM	N-((1S,13bR)-5-acetyl-1,3,4,13b-tetrahydro-2H-9-oxa-4a-aza-tribenzo[a,c,e]cyclohepten-1-yl)-2,2,2-trifluoro-acetamide
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroethanethioamide
Interactions	PUBCHEM	2-(1,1,1,3,3,3-Hexafluoro-2-hydroxypropan-2-yl)-5-methylphenanthridin-6-one
Interactions	PUBCHEM	2-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-5H-phenanthridin-6-
Interactions	PUBCHEM	1-(4-Methylphenyl)-3-(4-nitroanilino)-3-(3,4,5-trimethoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-chlorophenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-p-tolylpropan-1-on
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-bromophenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(3,4-Difluorophenylamino)-3-(3-fluorophenyl)-1-ptolylpropan-1 one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-(3-fluorophenyl)-propan- one
Interactions	PUBCHEM	Dialifor
Interactions	PUBCHEM	Pexidartinib
Interactions	PUBCHEM	1-Butyl-3-methylimidazolium Bromide
Interactions	PUBCHEM	Mibolerone
Interactions	PUBCHEM	5-chloro-6-(6-methoxy-1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H-quinoline
Interactions	PUBCHEM	2,4,6-Trimethyl-N-(2,2,2-trifluoro-1-phenoxymethylethyl)-benzenesulfonamide
Interactions	PUBCHEM	2,4,6-Trimethyl-N-(2,2,2-trifluoro-1-phenylaminomethylethyl)benzen sulfonamide
Interactions	PUBCHEM	2-amino-4,6-dichloro-N-[(2S)-1-(3-methylindol-1-yl)butan-2-yl]benzenesulfonamide
Interactions	PUBCHEM	2-amino-4,6-dichloro-N-[(2S)-1-(3-cyanoindol-1-yl)butan-2-yl]benzenesulfonamide
Interactions	PUBCHEM	4-[6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop- ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]hexoxy]-4-oxobutanoic acid
Interactions	PUBCHEM	4-O-[6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-pro ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]hexyl] 1-O-methyl butanedioate
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-11-(4-methoxy-phenyl)-13-methy

Main Category	Category	Terms
		prop-1-ynyl-1,2,6,7,8,11,12,13,14,15,16,17-dodecahydro-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-11-[4-[methyl(propyl)amino]phenyl]-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,1 decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-11-[4-[methyl(nonyl)amino]phenyl]-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16 decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-[5-(1,3-dioxolan-2-yl)pentyl-methylamino]phenyl]-17-hydroxy-13-methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3 one
Interactions	PUBCHEM	3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]propanoic acid
Interactions	PUBCHEM	8-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]octanoic acid
Interactions	PUBCHEM	methyl 3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]propanoate
Interactions	PUBCHEM	methyl 11-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17 prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]undecanoate
Interactions	PUBCHEM	N-butyl-6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]hexanamide
Interactions	PUBCHEM	5-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]-5-oxopentanoic acid
Interactions	PUBCHEM	methyl 6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]-6-oxohexanoate
Interactions	PUBCHEM	3-butyl-1-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-1-methylthioure
Interactions	PUBCHEM	3-(4-chlorophenyl)-1-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-meth oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-1-methylthioure
Interactions	PUBCHEM	methyl 6-[[[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17 prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-methylcarbamoyl]amino]hexanoate
Interactions	PUBCHEM	2-hydroxy-4-[3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-

Main Category	Category	Terms
		oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]propanoylamino]benzamide
Interactions	PUBCHEM	4-[3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]propoxy]-4-oxobutanoic acid
Interactions	PUBCHEM	4-O-[3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-pro ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]propyl] 1-O-methyl butanedioate
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(9-bromononoxy)phenyl]-17-hydroxy-13 methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-[hexyl(methyl)amino]phenyl]-17-hydroxy-13-methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-11-[4-[3-hydroxypropyl(methyl)amino]phenyl]-13-methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3 one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-11-[4-[6-hydroxyhexyl(methyl)amino]phenyl]-13-methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3 one
Interactions	PUBCHEM	6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]hexanal
Interactions	PUBCHEM	17beta-Hydroxy-11beta-[4-(5-carboxy-N-methylpentylamino)-phenyl]-17alpha-(1-propinyl)-estra-4,9-dien-3-one
Interactions	PUBCHEM	11-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1 ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]undecanoic acid
Interactions	PUBCHEM	methyl 6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]hexano
Interactions	PUBCHEM	methyl 8-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]octano
Interactions	PUBCHEM	6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]hexanamide
Interactions	PUBCHEM	N-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]phenyl]-N-methylhexanamide
Interactions	PUBCHEM	6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]-6-oxohexanoic acid
Interactions	PUBCHEM	methyl 5-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-

Main Category	Category	Terms
		prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]-5-oxopentanoate
Interactions	PUBCHEM	3-butyl-1-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-1-methylurea
Interactions	PUBCHEM	3-(4-chlorophenyl)-1-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-meth oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-1-methylurea
Interactions	PUBCHEM	6-[[[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1 ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]phenyl]-methylcarbamoyl]amino]hexanoic acid
Interactions	PUBCHEM	tert-butyl (2S)-2-[6-[[[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methy oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-methylcarbamoyl]amino]hexanoylamino]-4-methylpentanoate
Interactions	PUBCHEM	(2S)-2-[6-[[[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17 prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]phenyl]-methylcarbamoyl]amino]hexanoylamino]-4-methylpentanoic acid
Interactions	PUBCHEM	2-hydroxy-4-[3-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]propoxymethyl]benzamide
Interactions	PUBCHEM	Stanozolol
Interactions	PUBCHEM	(2R,4aR,10aR)-4a-Ethyl-2-prop-1-ynyl-1,2,3,4,4a,9,10,10a-octahydrophenanthrene-2,7-diol
Interactions	PUBCHEM	(2R,4aR,10aR)-4a-Allyl-2-prop-1-ynyl-1,2,3,4,4a,9,10,10a-octahydro-phenanthrene-2,7-diol
Interactions	PUBCHEM	(2R,3S,4aR,10aR)-4a-Ethyl-2-phenyl-1,2,3,4,4a,9,10,10a-octahydrophenanthrene-2,3,7-triol
Interactions	PUBCHEM	Candesartan Cilexetil
Interactions	PUBCHEM	Carbonyl cyanide (m-chlorophenyl)hydrazone
Interactions	PUBCHEM	Pyrithione Zinc
Interactions	PUBCHEM	Methyltrienolone
Interactions	PUBCHEM	Hydrocortisone Butyrate
Interactions	PUBCHEM	Tris(2-chloroisopropyl) phosphate
Interactions	PUBCHEM	Tris(1,3-dichloro-2-propyl) phosphate
Interactions	PUBCHEM	3-Phenoxybenzyl alcohol
Interactions	PUBCHEM	Bisoxatin Acetate
Interactions	PUBCHEM	Parbendazole
Interactions	PUBCHEM	Zinc Diethyldithiocarbamate

Main Category	Category	Terms
Interactions	PUBCHEM	Ferbam
Interactions	PUBCHEM	Cetylpyridinium
Interactions	PUBCHEM	Benodanil
Interactions	PUBCHEM	Chloroxine
Interactions	PUBCHEM	9-Aminoacridine hydrochloride monohydrate
Interactions	PUBCHEM	1,10-Phenanthroline monohydrochloride monohydrate
Interactions	PUBCHEM	Thiosemicarbazide
Interactions	PUBCHEM	N-Methylhydrazinecarbothioamide
Interactions	PUBCHEM	Thiocarbohydrazide
Interactions	PUBCHEM	2,4-Dinitrobenzenesulfonic acid dihydrate
Interactions	PUBCHEM	Chlorpromazine
Interactions	PUBCHEM	Fluorodifen
Interactions	PUBCHEM	Tamoxifen
Interactions	PUBCHEM	1-Decyl-3-methylimidazolium chloride
Interactions	PUBCHEM	1-Dodecyl-3-methyl-1H-imidazol-3-ium Chloride
Interactions	PUBCHEM	Potassium Formate
Interactions	PUBCHEM	Trimethylolpropane triacrylate
Interactions	PUBCHEM	2,2',5,5'-Tetrachlorobenzidine
Interactions	PUBCHEM	Cisapride (USP/INN)
Interactions	PUBCHEM	Gestrinone
Interactions	PUBCHEM	Clemizole
Interactions	PUBCHEM	Clioquinol
Interactions	PUBCHEM	Clocapramine
Interactions	PUBCHEM	Clofoctol
Interactions	PUBCHEM	Clomiphene
Interactions	PUBCHEM	Clomipramine
Interactions	PUBCHEM	Clotrimazole
Interactions	PUBCHEM	5-Chloro-8-hydroxyquinoline
Interactions	PUBCHEM	Danazol
Interactions	PUBCHEM	Benzene, (2-iodoethyl)-
Interactions	PUBCHEM	3-nitro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Parinol

Main Category	Category	Terms
Interactions	PUBCHEM	Iodofenphos
Interactions	PUBCHEM	Cyclofenil
Interactions	PUBCHEM	4-Hexyloxyphenol
Interactions	PUBCHEM	2-Amino-9-(2-chlorophenyl)-7-hydroxy-4-methyl-8,9-dihydrothieno[2 b:4,5-b']dipyridine-3-carbonitrile
Interactions	PUBCHEM	2-Amino-4-methyl-9-(2-methylphenyl)-7-oxo-6,7,8,9-tetrahydrothieno[2,3-b:4,5-b']dipyridine-3-carbonitrile
Interactions	PUBCHEM	2-Amino-9-(2-chloro-6-fluorophenyl)-4-methyl-7-oxo-6,7,8,9-tetrahydrothieno[2,3-b:4,5-b']dipyridine-3-carbonitrile
Interactions	PUBCHEM	Oxadiazon
Interactions	PUBCHEM	Nonivamide
Interactions	PUBCHEM	Chlordecone
Interactions	PUBCHEM	2-Amino-m-cresol
Interactions	PUBCHEM	Daunorubicin
Interactions	PUBCHEM	Zuclomiphene Citrate
Interactions	PUBCHEM	Gestodene
Interactions	PUBCHEM	Omoconazole
Interactions	PUBCHEM	P,P'-dde
Interactions	PUBCHEM	1-Chloro-4-(2,2,2-trichloro-1-(4-chlorophenyl)ethyl)benzene
Interactions	PUBCHEM	Dichlorophen
Interactions	PUBCHEM	4H-Pyrimido[6,1-a]isoquinolin-4-one, 2,3,6,7-tetrahydro-9,10-dimethoxy-3-methyl-2-[(2,4,6-trimethylphenyl)imino]-, hydrochloride (1:1)
Interactions	PUBCHEM	Dasatinib
Interactions	PUBCHEM	Emetine dihydrochloride
Interactions	PUBCHEM	Glafenine hydrochloride
Interactions	PUBCHEM	Disulfiram
Interactions	PUBCHEM	Fenitrothion
Interactions	PUBCHEM	4-Hydroxydiphenylamine
Interactions	PUBCHEM	Oxyphenisatin
Interactions	PUBCHEM	Tris(2,3-dibromopropyl) Phosphate
Interactions	PUBCHEM	Fludrocortisone
Interactions	PUBCHEM	Rafoxanide
Interactions	PUBCHEM	N,N-Dimethyl-N-(2-phenoxyethyl)-1-dodecanaminium
Interactions	PUBCHEM	2-Amino-9-(2-fluorophenyl)-4-methyl-7-oxo-6,7,8,9-

Main Category	Category	Terms
		tetrahydrothieno[2,3-b:4,5-b']dipyridine-3-carbonitrile
Interactions	PUBCHEM	Doxorubicin
Interactions	PUBCHEM	Emodin
Interactions	PUBCHEM	4-methoxy-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Clobetasol Propionate
Interactions	PUBCHEM	2-Ethoxybenzamide
Interactions	PUBCHEM	Exalamide
Interactions	PUBCHEM	Felodipine
Interactions	PUBCHEM	Ethofumesate
Interactions	PUBCHEM	Fenofibrate
Interactions	PUBCHEM	Fenthion
Interactions	PUBCHEM	2-n-Octyl-4-isothiazolin-3-one
Interactions	PUBCHEM	Floctafenine
Interactions	PUBCHEM	Lofepramine Hydrochloride
Interactions	PUBCHEM	Fluspirilene
Interactions	PUBCHEM	Flutamide
Interactions	PUBCHEM	Tolindate
Interactions	PUBCHEM	Thiobencarb
Interactions	PUBCHEM	Isodecyl diphenyl phosphate
Interactions	PUBCHEM	zinc;N,N-dimethylcarbamodithioate
Interactions	PUBCHEM	Gossypol
Interactions	PUBCHEM	Lauryldiethanolamine
Interactions	PUBCHEM	Etofenamate
Interactions	PUBCHEM	Fasudil
Interactions	PUBCHEM	Haloperidol
Interactions	PUBCHEM	Niguldipine hydrochloride, (+/-)-
Interactions	PUBCHEM	Hexachlorophene
Interactions	PUBCHEM	Hexylresorcinol
Interactions	PUBCHEM	Homochlorcyclizine
Interactions	PUBCHEM	Etoposide
Interactions	PUBCHEM	Promegestone
Interactions	PUBCHEM	2,2',4,4',5,5'-Hexachlorobiphenyl

Main Category	Category	Terms
Interactions	PUBCHEM	Indole-3-Carbinol
Interactions	PUBCHEM	Imazalil
Interactions	PUBCHEM	5,7-Diiodo-8-hydroxyquinoline
Interactions	PUBCHEM	Isoconazole
Interactions	PUBCHEM	[3-(4-chlorophenyl)-5,6-dihydro-1(4H)-pyridazinyl](3,4-dichlorophenyl)methanone
Interactions	PUBCHEM	Climbazole
Interactions	PUBCHEM	Cridanimod
Interactions	PUBCHEM	1-(3,4-Dichlorobenzoyl)-3-phenyl-1,4,5,6-tetrahydropyridazine
Interactions	PUBCHEM	3-chloro-N-phenylbenzenesulfonamide
Interactions	PUBCHEM	2-Bromo-5-hydroxybenzaldehyde
Interactions	PUBCHEM	(1,1'-Biphenyl)-4-carbonitrile, 4'-hexyl-
Interactions	PUBCHEM	Profenofos
Interactions	PUBCHEM	Bupirimate
Interactions	PUBCHEM	Ciclopirox Olamine
Interactions	PUBCHEM	Leflunomide
Interactions	PUBCHEM	Bifenox
Interactions	PUBCHEM	Ritonavir
Interactions	PUBCHEM	Oxyfluorfen
Interactions	PUBCHEM	Liranaftate
Interactions	PUBCHEM	Loratadine
Interactions	PUBCHEM	Vinclozolin
Interactions	PUBCHEM	Malathion
Interactions	PUBCHEM	Flamprop-isopropyl
Interactions	PUBCHEM	Deltamethrin
Interactions	PUBCHEM	3-cyano-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Sorafenib Tosylate
Interactions	PUBCHEM	Mequitazine
Interactions	PUBCHEM	Desogestrel
Interactions	PUBCHEM	Methiothepin
Interactions	PUBCHEM	2-(4-Chlorophenyl)-4,4-dimethylisoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	Methyl Parathion
Interactions	PUBCHEM	Terbufos sulfone

Main Category	Category	Terms
Interactions	PUBCHEM	Miconazole
Interactions	PUBCHEM	Mitotane
Interactions	PUBCHEM	Closantel
Interactions	PUBCHEM	Mosapramine
Interactions	PUBCHEM	CID 42642631
Interactions	PUBCHEM	Idarubicin
Interactions	PUBCHEM	Fenarimol
Interactions	PUBCHEM	Propiconazole
Interactions	PUBCHEM	4-(2-Fluorophenylthio)-2-(trifluoromethyl)benzonitrile
Interactions	PUBCHEM	Tanaproget
Interactions	PUBCHEM	11-Deoxycortisol
Interactions	PUBCHEM	Nabumetone
Interactions	PUBCHEM	Griseofulvin
Interactions	PUBCHEM	Amiodarone Hydrochloride
Interactions	PUBCHEM	Mometasone Furoate
Interactions	PUBCHEM	8,15-dimethyl-N-(1,3-thiazol-2-yl)tetracyclo[6.6.2.0^{2,7}.0^{9,14}]hexadeca-2,4,6,9(14),10,12-hexaene-15-carboxamide
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4,5-dimethyl-4H-1,2,4-triazol-3-yl)ethyl)amino chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4,5-dimethyl-4H-1,2,4-triazol-3-yl)butyl)amino chlorobenzonitrile
Interactions	PUBCHEM	[(3R,4S)-6-(3-chloro-1H-indol-7-yl)-5,7-difluoro-2,2,4-trimethyl-3,4-dihydro-1H-quinolin-3-yl] N-benzylcarbamate
Interactions	PUBCHEM	[(3R,4S)-6-(3-chloro-1H-indol-7-yl)-5,7-difluoro-2,2,4-trimethyl-3,4-dihydro-1H-quinolin-3-yl] N-propan-2-ylcarbamate
Interactions	PUBCHEM	[(3R,4S)-6-(3-chloro-1H-indol-7-yl)-5,7-difluoro-2,2,4-trimethyl-3,4-dihydro-1H-quinolin-3-yl] N-cyclohexylcarbamate
Interactions	PUBCHEM	[(3R,4S)-5,7-difluoro-6-(1H-indol-7-yl)-2,2,4-trimethyl-3,4-dihydro-1H quinolin-3-yl] N-(3-cyanophenyl)carbamate
Interactions	PUBCHEM	2-Chloro-4-(((1R,2S)-1-(5-(4-cyanophenyl)-1,3,4-oxadiazol-2-yl)-2-hydroxypropyl)amino)-3-methylbenzonitrile
Interactions	PUBCHEM	D-Phenylalaninamide, (3R)-3-(1,3-benzodioxol-5-yl)-N-((6-methoxy-2 naphthalenyl)sulfonyl)-beta-alanyl-4-(((2R,6S)-2,6-dimethyl-1-piperidinyl)methyl)-N-methyl-N-(1-methylethyl)-, hydrochloride (1:1)
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-[4-(dimethylamino)phenyl]-6-methyl-3'-methylidenespiro[8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,1 diene-5,2'-oxolane]-14-one

Main Category	Category	Terms
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-[4-(dimethylamino)phenyl]-5-hydroxy-6-methyl-5 prop-1-ynyl-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien one
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4-methyl-4H-1,2,4-triazol-3-yl)ethyl)amino)-2 chlorobenzonitrile
Interactions	PUBCHEM	5-Methyl-4-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen one
Interactions	PUBCHEM	4,5-Bis-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen-2-o
Interactions	PUBCHEM	5,7,7-Trimethyl-4-trifluoromethyl-7,8-dihydro-1-oxa-8-aza-anthracen one
Interactions	PUBCHEM	5-Propyl-4-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen one
Interactions	PUBCHEM	7-Ethyl-6-methyl-4-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen-2-one
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5-trifluoromethoxy-benzonitrile
Interactions	PUBCHEM	6-(3-Bromo-phenyl)-1,4,4-trimethyl-1,4-dihydro-benzo[d][1,3]oxazine thione
Interactions	PUBCHEM	4,4-dibenzyl-6-(3-chlorophenyl)-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	8-bromo-6-(4-chloro-3-fluorophenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	3-(1-Ethyl-4,4-dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	6-(3-Bromo-5-fluoro-phenyl)-1,4,4-trimethyl-1,4-dihydro-benzo[d] [1,3]oxazine-2-thione
Interactions	PUBCHEM	3-Bromo-5-(4,4-dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxaz yl)-benzonitrile
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclopentane]-2-thione
Interactions	PUBCHEM	5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)furan-2-carbonitrile
Interactions	PUBCHEM	5-(3-phenylphenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	9-Chloro-2,2,4,5-tetramethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-5-(3-methylcyclohex-2-en-1-yl)-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-[(Z)-but-2-enyl]-10-methoxy-2,2,4-trimethyl-1,5-dihydrochromeno[f]quinoline
Interactions	PUBCHEM	3-Ethoxy-5,5-dimethyl-6-(4-nitro-benzyl)-cyclohex-2-enone
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-(3-methyl-2-methylene-butylidene)-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Butylidene-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	(Z)-5-(butan-2-ylidene)-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-Cyclohexylmethylene-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-ox aza-chrysene
Interactions	PUBCHEM	(Z)-2-(9-fluoro-2,2,4-trimethyl-1,2-dihydrochromeno[3,4-f]quinolin-5 ylidene)acetonitrile
Interactions	PUBCHEM	(2Z)-2-(9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-5-ylidene)acetaldehyde
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-((Z)-3-methyl-but-2-enylidene)-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	(E)-5-(butan-2-ylidene)-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-diphenylmethylene-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinolin-9-yl fluoride
Interactions	PUBCHEM	(1Z)-1-(9-fluoro-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-5-ylidene)propan-2-one
Interactions	PUBCHEM	(6S,9S,10R,13S,14S,17R)-17-acetyl-6,10,13-trimethyl-17-(2-oxopropyl)-2,6,7,8,9,11,12,14,15,16-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	9-bromo-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	2,2,4-trimethyl-9-nitro-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-bromo-7-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	9-chloro-2,2,4,7-tetramethyl-2,5-dihydro-1H-chromeno[3,4-f]quinolin
Interactions	PUBCHEM	7-Fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	7,9-Difluoro-2,2,4-trimethyl-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	N-[6-(4-Fluoro-phenyl)-1-methoxy-6H-benzo[c]chromen-8-yl]-methanesulfonamide
Interactions	PUBCHEM	7,9-Dibromo-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	9-bromo-7-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	7,9-difluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	2,2,4-Trimethyl-9-nitro-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	9-bromo-7-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline-8-carbaldehyde
Interactions	PUBCHEM	2,2,4-Trimethyl-9-phenyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	9-Fluoro-2,2,4,7-tetramethyl-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-7-nitro-2,3,4,5-tetrahydro-1H-6-oxa-1-aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	9-chloro-7-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	8-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	4-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-1-methyl-1H-imidazole-2-carbonitrile
Interactions	PUBCHEM	2,2,4-Trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-ol
Interactions	PUBCHEM	6,9-Difluoro-1,3,3-trimethyl-4,11-dihydro-3H-indeno[2,1-f]quinolin-11
Interactions	PUBCHEM	2,2,4-Trimethyl-2,3,4,10-tetrahydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	11-Butyl-1,3,3-trimethyl-4,11-dihydro-3H-pyrido[3,2-a]carbazole
Interactions	PUBCHEM	(5,8-Difluoro-2,2,4-trimethyl-1,10-dihydroindeno[1,2-g]quinolin-10-yl 2,2,2-trifluoroacetate
Interactions	PUBCHEM	5-Chloro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-o
Interactions	PUBCHEM	10-Benzyl-8-bromo-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	8-Bromo-2,2,4,10-tetramethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin
Interactions	PUBCHEM	5,8-Difluoro-2,2,4,10-tetramethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-ol
Interactions	PUBCHEM	7,9-Difluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-1
Interactions	PUBCHEM	8-Fluoro-1,3,3-trimethyl-9-nitro-4,11-dihydro-3H-indeno[2,1-f]quinoli
Interactions	PUBCHEM	6,9-Difluoro-1,3,3-trimethyl-4,11-dihydro-3H-indeno[2,1-f]quinoline
Interactions	PUBCHEM	6,9-Difluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	5,8-Difluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	6-Fluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	1,3,3-Trimethyl-4,11-dihydro-3H-pyrido[3,2-a]carbazole
Interactions	PUBCHEM	6,8-Difluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-1
Interactions	PUBCHEM	6-(3-Chloro-phenyl)-1-ethyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	8-Bromo-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-o
Interactions	PUBCHEM	1-Isopropyl-6-(3-nitro-phenyl)-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	6-(3-Chloro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	6-Fluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-o
Interactions	PUBCHEM	8-Fluoro-2,2,4-trimethyl-2,10-dihydro-1H-indeno[1,2-g]quinolin-10-o
Interactions	PUBCHEM	1-Benzyl-5-(3-chloro-phenyl)-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	5-Hexyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene

Main Category	Category	Terms
Interactions	PUBCHEM	2,2,4,5-Tetramethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Butyl-9-chloro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen
Interactions	PUBCHEM	9-Fluoro-2,2,4,5-tetramethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(4-Chloro-butyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	5-Butyl-8-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen
Interactions	PUBCHEM	5-Butyl-9-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	5-Butyl-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	2,2,4-Trimethyl-5-(3-methyl-butyl)-2,5-dihydro-1H-6-oxa-1-aza-chrys
Interactions	PUBCHEM	9-Chloro-5-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Butyl-2,2,4,9-tetramethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-Butyl-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-propoxy-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	2,2,4-Trimethyl-5-propoxy-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	2,2,4-Trimethyl-5-propylsulfanyl-2,5-dihydro-1H-6-oxa-1-aza-chryse
Interactions	PUBCHEM	9-Fluoro-2,2,4-trimethyl-5-propylsulfanyl-2,5-dihydro-1H-6-oxa-1-aza chrysene
Interactions	PUBCHEM	8-Fluoro-5-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	9-Chloro-2,2,4-trimethyl-5-propoxy-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclobutane]-2-one
Interactions	PUBCHEM	5-(3,5-Dichloro-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(3-Acetyl-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclopentane]-2-one
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-3-methyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclopropane]-2-one
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(3-methyl-2-pyridinyl)methylidene]-1 chromeno[3,4-f]quinoline
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(3-methyl-4-pyridinyl)methylidene]-1 chromeno[3,4-f]quinoline
Interactions	PUBCHEM	6-(4-Bromothiophen-2-yl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	6-(5-Bromothiophen-2-yl)-2,2,4-trimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	3,5-Dimethyl-4-(2,2,4-trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2 carbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	4-(2,2,4-Trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbaldehyd
Interactions	PUBCHEM	5-Methyl-4-(2,2,4-trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	3-(2,2,4-Trimethyl-1,2-dihydro-quinolin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	4-(2,2,4,4-Tetramethyl-3-oxo-1,2,3,4-tetrahydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	4-Methyl-5-(2,2,4-trimethyl-1,2,3,4-tetrahydro-quinolin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	4-Methyl-5-(2,2,4-trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	3-Bromo-5-(2,2,4-trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	2,2,4-Trimethyl-6-(thiophen-2-yl)-1,2-dihydroquinoline
Interactions	PUBCHEM	4-Methyl-5-(2,2,4,4-tetramethyl-3-oxo-1,2,3,4-tetrahydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	5-(2,2,4-Trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbaldehyd
Interactions	PUBCHEM	4-Bromo-5-(2,2,4-trimethyl-1,2-dihydroquinolin-6-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	(R)-2-Methyl-5-trifluoromethyl-1,2,3,8-tetrahydro-pyrrolo[3,2-g]quinolin-7-one
Interactions	PUBCHEM	(5bR,9aR)-1,10-Dimethyl-4-trifluoromethyl-1,5b,6,7,8,9,9a,10-octahy pyrido[2,3-b]carbazol-2-one
Interactions	PUBCHEM	(5bR,9aR)-4-Trifluoromethyl-1,5b,6,7,8,9,9a,10-octahydro-pyrido[2,3 b]carbazol-2-one
Interactions	PUBCHEM	(5bR,9aR)-1-Methyl-4-trifluoromethyl-1,5b,6,7,8,9,9a,10-octahydro-pyrido[2,3-b]carbazol-2-one
Interactions	PUBCHEM	(5bR,7S,9aR)-1,7-Dimethyl-4-trifluoromethyl-1,5b,6,7,8,9,9a,10-octahydro-pyrido[2,3-b]carbazol-2-one
Interactions	PUBCHEM	(5bR,9aR)-5b,9,9-Trimethyl-4-trifluoromethyl-1,5b,6,7,8,9,9a,10-octahydro-pyrido[2,3-b]carbazol-2-one
Interactions	PUBCHEM	(5bR,9aR)-5b-Methyl-4-trifluoromethyl-1,5b,6,7,8,9,9a,10-octahydro-pyrido[2,3-b]carbazol-2-one
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-phenyl-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5 fluoro-benzonitrile
Interactions	PUBCHEM	3-Fluoro-5-(2-isopropyl-4,4-dimethyl-1,4-dihydro-2H-benzo[d] [1,3]oxazin-6-yl)-benzonitrile
Interactions	PUBCHEM	3-(2-tert-Butyl-4,4-dimethyl-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl fluoro-benzonitrile
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-thiophen-2-yl-1,4-dihydro-2H-benzo[d][1,3]oxazin-yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	6-(3-Cyano-5-fluoro-phenyl)-4,4-dimethyl-1,4-dihydro-2H-benzo[d]

Main Category	Category	Terms
		[1,3]oxazine-2-carboxylic acid ethyl ester
Interactions	PUBCHEM	Barnidipine
Interactions	PUBCHEM	Eplerenone
Interactions	PUBCHEM	(S)-3-Hydroxy-4-{[4-((8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-11-yl)-phenyl]-methyl-amino}-butyric aci
Interactions	PUBCHEM	(3R,5S)-3,5-dihydroxy-6-[4-[(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-11-yl]-N-methylanilino]hexanc acid
Interactions	PUBCHEM	(4R,6S)-4-Hydroxy-6-({[4-((8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-3-oxo-17-prop-1-ynyl-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-11-yl)-phenyl]-methyl-amino}-methyl)-tetrahydro-pyran-2-one
Interactions	PUBCHEM	Doxorubicin Hydrochloride
Interactions	PUBCHEM	Halcinonide
Interactions	PUBCHEM	Vinpocetine
Interactions	PUBCHEM	Amcinonide
Interactions	PUBCHEM	(4R)-4-[(5S,7R,8R,9S,10S,12S,13R,14S,17R)-3-[3-[4-[(8S,11R,13S,14S,17R)-17-ethynyl-17-hydroxy-13-methyl-3-oxo-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]propylsulfonyl-methylamino]-7,12-dihydroxy-10, dimethyl-2,3,4,5,6,7,8,9,11,12,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthren-17-yl]pentanoic acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-[3-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)propoxy]-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentar acid
Interactions	PUBCHEM	(2S)-4-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methy oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)carbamoyl)-2-[(4R)-4-[(1S,2S,5R,7S,9R,10R,11S,14R,15R,16S)-5,9,16-trihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentanamido]butanoic acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-({[({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)carbamoyl)methyl]carbamoyl}oxy)-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentar acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethoxy]-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentar acid

Main Category	Category	Terms
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7S,9R,10R,11S,14R,15R,16S)-5-[4-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)-N-methylbutanamido]-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7S,9R,10R,11S,14R,15R,16S)-5-({[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethyl]carbamoyl}(methyl)amino)-9,16-dihydroxy-2,1 dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	N-[4-((2R,8S,13S,14S,17R)-17-Ethynyl-17-hydroxy-13-methyl-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-2-yl)-phenyl]-N-methyl-acetamide
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-({[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethyl]carbamoyl}oxy)-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	2-[(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethoxy]-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentanamido]acetic acid
Interactions	PUBCHEM	2-[(4R)-4-[(1S,2S,7R,9R,10R,11S,14R,15R,16S)-5-[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethoxy]-9,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentanamido]ethane-1-sulfonic acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,5R,6R,7R,9R,10R,11S,14R,15R,16S)-6-[3-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)propyl]-5,9,16-trihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7S,9R,10R,11S,14R,15R,16S)-9-({[({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)carbamoyl)methyl]carbamoyl}oxy)-5,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	(4R)-4-[(1S,2S,7S,9R,10R,11S,14R,15R,16S)-9-({[2-({4-[(10S,11S,14R,15S,17R)-14-ethynyl-14-hydroxy-15-methyl-5-oxotetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadeca-1,6-dien-17-yl]phen (methyl)amino)ethyl]carbamoyl}oxy)-5,16-dihydroxy-2,15-dimethyltetracyclo[8.7.0.0^{2,7}.0^{11,15}]heptadecan-14-yl]pentan acid
Interactions	PUBCHEM	1-Methyl-5-(2-oxo-3-pentyl-2,3-dihydro-1H-benzoimidazol-5-yl)-1H-

Main Category	Category	Terms
		pyrrole-2-carbonitrile
Interactions	PUBCHEM	3-Fluoro-5-(2-oxo-3-pentyl-2,3-dihydro-1H-benzoimidazol-5-yl)-benzonitrile
Interactions	PUBCHEM	6-(2-Fluoro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	6-(3-Fluoro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	1-Cyclopentyl-6-(3,4-difluoro-phenyl)-1,3-dihydro-benzoimidazol-2-o
Interactions	PUBCHEM	6-(3-Chloro-4-fluoro-phenyl)-1-cyclopentyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	6-(3-Chloro-4-fluoro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol one
Interactions	PUBCHEM	2-Fluoro-5-(3-isopropyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-benzonitrile
Interactions	PUBCHEM	3-Fluoro-5-(3-isopropyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-benzonitrile
Interactions	PUBCHEM	3-Fluoro-5-(2-oxo-3-phenyl-2,3-dihydro-1H-benzoimidazol-5-yl)-benzonitrile
Interactions	PUBCHEM	3-[3-(3-Chloro-phenyl)-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl]-5-fluoro-benzonitrile
Interactions	PUBCHEM	6-(3-Chloro-4-fluoro-phenyl)-1-cyclobutyl-1,3-dihydro-benzoimidazo one
Interactions	PUBCHEM	6-(4-Fluoro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	6-(3,4-Difluoro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-on
Interactions	PUBCHEM	3-(3-Cyclohexyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	6-(3-Chloro-4-fluoro-phenyl)-1-pentyl-1,3-dihydro-benzoimidazol-2-o
Interactions	PUBCHEM	5-(3-Isopropyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-4-methyl-thiophene-2-carbonitrile
Interactions	PUBCHEM	6-(3,5-Dichloro-phenyl)-1-isopropyl-1,3-dihydro-benzoimidazol-2-on
Interactions	PUBCHEM	1-Cyclobutyl-6-(3,4-difluoro-phenyl)-1,3-dihydro-benzoimidazol-2-on
Interactions	PUBCHEM	Flumethasone Pivalate
Interactions	PUBCHEM	2-(4-Chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-4-methyl-3,4-dihydropyrazole
Interactions	PUBCHEM	2-(4-Chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-4-phenyl-3,4-dihydropyrazole
Interactions	PUBCHEM	4-[2-(4-chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-3,4-dihydropyrazol-4-yl]-N,N-dimethylaniline
Interactions	PUBCHEM	2-(4-Chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-3-phenyl-3,4-dihydropyrazole
Interactions	PUBCHEM	2-(4-Chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-3-methyl-3,4-

Main Category	Category	Terms
		dihydropyrazole
Interactions	PUBCHEM	(4R)-2-(4-chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-4-methyl-3,4 dihydropyrazole
Interactions	PUBCHEM	4-[(4R)-2-(4-chlorophenyl)sulfonyl-5-(3,4-dichlorophenyl)-3,4-dihydropyrazol-4-yl]-N,N-dimethylaniline
Interactions	PUBCHEM	Tibolone
Interactions	PUBCHEM	Loteprednol Etabonate
Interactions	PUBCHEM	2-benzyl-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenylpentanamide
Interactions	PUBCHEM	2-hydroxy-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenyl-2-(trifluoromethyl)pentanamide
Interactions	PUBCHEM	2-hydroxy-2,4-dimethyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenylpentanamide
Interactions	PUBCHEM	2-hydroxy-4-methyl-N-(1-oxo-3H-2-benzofuran-5-yl)-4-phenyl-2-propan-2-ylpentanamide
Interactions	PUBCHEM	Fluticasone Propionate
Interactions	PUBCHEM	2-(5-Chlorothiophen-2-yl)sulfonyl-7-(3,4-dichlorophenyl)-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	7-(3,4-Dichlorophenyl)-2-(2,4-dichlorophenyl)sulfonyl-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	4-[2-(2-Fluorophenyl)sulfonyl-3,4,5,6-tetrahydrodiazepin-7-yl]benzonitrile
Interactions	PUBCHEM	4-[2-(5-Bromothiophen-2-yl)sulfonyl-3,4,5,6-tetrahydrodiazepin-7-yl]benzonitrile
Interactions	PUBCHEM	7-(4-Chlorophenyl)-2-(3-chlorophenyl)sulfonyl-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	7-(2-Chlorophenyl)-2-(5-chlorothiophen-2-yl)sulfonyl-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	2-(4-Chlorophenyl)sulfonyl-7-(3-fluorophenyl)-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	2-(3-Chloro-2-methylphenyl)sulfonyl-7-(3-chlorophenyl)-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	7-(3-Bromophenyl)-2-(5-bromothiophen-2-yl)sulfonyl-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	7-(4-Nitrophenyl)-2-[4-(trifluoromethoxy)phenyl]sulfonyl-3,4,5,6-tetrahydrodiazepine
Interactions	PUBCHEM	(8S,11R,13S,14R,17R)-11-(4-dimethylamino-phenyl)-17-ethynyl-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-1-(2-cyclopropylethynyl)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11a-methyl-3,3a,3b,5,8,9,10,11-octahydro-2H-indeno[4,5-c]isochromen-7-one

Main Category	Category	Terms
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-17-trifluoroprop-1-ynyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-(3,3-dimeth but-1-ynyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-17-methoxy-prop-1-ynyl)-11,13-dimethyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	5-(3-chlorobenzyl)-6-(4-phenylpiperidin-1-yl)pyrimidine-2,4(1H,3H)-dione
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-(2-fluoro-phenylethynyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(2-chloro-phenylethynyl)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(2-bromo-phenylethynyl)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-[2-(2-methylphenyl)ethynyl]-3,3a,3b,5,8,9,10,11-octahydro-indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-17-(2-trifluoromethyl-phenylethynyl)-1,2,8,11,12,13,14,15,16 decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-(3-fluoro-phenylethynyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(3-chloro-phenylethynyl)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-[2-(3-methylphenyl)ethynyl]-3,3a,3b,5,8,9,10,11-octahydro-indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-17-(3-trifluoromethyl-phenylethynyl)-1,2,8,11,12,13,14,15,16 decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(4-chloro-phenylethynyl)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(4-bromo-phenylethynyl)-11-(4-dimethylamino-phenyl)-17-hydroxy-13-methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa-

Main Category	Category	Terms
		cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-[2-(4-methylphenyl)ethynyl]-3,3a,3b,5,8,9,10,11-octahydro- indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-17- methoxy-phenylethynyl)-13-methyl-1,2,8,11,12,13,14,15,16,17- decahydro-6H-7-oxa-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	4-[(8S,11R,13S,14R,17S)-11-(4-dimethylamino-phenyl)-17-hydroxy-1 methyl-3-oxo-1,2,3,6,8,11,12,13,14,15,16,17-dodecahydro-7-oxa- cyclopenta[a]phenanthren-17-ylethynyl]-benzonitrile
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(4-tert-butyl-phenylethynyl)-11-(4- dimethylamino-phenyl)-17-hydroxy-13- methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa- cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14R,17S)-17-(3,5-difluoro-phenylethynyl)-11-(4- dimethylamino-phenyl)-17-hydroxy-13- methyl-1,2,8,11,12,13,14,15,16,17-decahydro-6H-7-oxa- cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-(2-pyridin-2-ylethynyl)-3,3a,3b,5,8,9,10,11-octahydro-2H- indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-(2-pyridin-3-ylethynyl)-3,3a,3b,5,8,9,10,11-octahydro-2H- indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-(2-pyridin-4-ylethynyl)-3,3a,3b,5,8,9,10,11-octahydro-2H- indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	(1S,3aR,3bS,10R,11aS)-10-[4-(dimethylamino)phenyl]-1-hydroxy-11 methyl-1-(2-thiophen-3-ylethynyl)-3,3a,3b,5,8,9,10,11-octahydro-2H- indeno[4,5-c]isochromen-7-one
Interactions	PUBCHEM	5-amino-N-[2-[[1-(2-chloro-5-fluorophenyl)cyclobutyl]methyl]-3,3,3- trifluoro-2-hydroxypropyl]-1-phenylpyrazole-4-carboxamide
Interactions	PUBCHEM	5-Amino-N-[4-[5-fluoro-2-(methyloxy)phenyl]-2-hydroxy-4-methyl-2- (trifluoromethyl)pentyl]-1-(4-fluorophenyl)-1H-pyrazole-4-carboxam
Interactions	PUBCHEM	(S)-N-(3-(1-cyclopropyl-1-(4-fluorophenyl)ethyl)-1H-indol-7- yl)methanesulfonamide
Interactions	PUBCHEM	2"-Methoxy-3-trifluoromethyl-biphenyl-4-carbonitrile
Interactions	PUBCHEM	3"-Methoxy-3-trifluoromethyl-biphenyl-4-carbonitrile
Interactions	PUBCHEM	4"-Methoxy-3-trifluoromethyl-biphenyl-4-carbonitrile
Interactions	PUBCHEM	3-Chloro-4-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2- trifluoromethylpentyl]benzaldehyde
Interactions	PUBCHEM	4-(4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2- (trifluoromethyl)pentyl)-1-naphthonitrile
Interactions	PUBCHEM	4-(4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-

Main Category	Category	Terms
		(trifluoromethyl)pentyl)-2,6-dimethylbenzonitrile
Interactions	PUBCHEM	2-(4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl)-4,6-dimethylbenzonitrile
Interactions	PUBCHEM	3-(3-cyclobutyl-2-thioxo-2,3-dihydro-1H-benzimidazol-5-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(3-chloro-4-fluorophenyl)-1-cyclopentyl-1,3-dihydro-2H-benzimidazole-2-thione
Interactions	PUBCHEM	1-cyclopentyl-6-(3,4-difluorophenyl)-1,3-dihydro-2H-benzimidazole-thione
Interactions	PUBCHEM	6-(3-chloro-4-fluorophenyl)-1-(1-ethylpropyl)-1,3-dihydro-2H-benzimidazole-2-thione
Interactions	PUBCHEM	3-[3-(1-ethylpropyl)-2-thioxo-2,3-dihydro-1H-benzimidazol-5-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	5-(3-Cyclobutyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-1-methyl-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[3-(1-ethylpropyl)-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl]-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(3-cyclobutyl-2-thioxo-2,3-dihydro-1H-benzimidazol-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[3-(1-ethylpropyl)-2-thioxo-2,3-dihydro-1H-benzimidazol-5-yl]-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(4-bromophenylamino)-4,4-dimethyl-1-phenyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	1-benzyl-6-(4-bromophenylamino)-4,4-dimethyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	4-(4-chlorophenyl)-6-(3-chlorophenylamino)-4-ethyl-1-methyl-1H-benzo[d][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	4,4-bis(4-chlorophenyl)-6-(3-chlorophenylamino)-1-methyl-1H-benz[1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	4-(4,4-diethyl-1-methyl-2-oxo-2,4-dihydro-1H-benzo[d][1,3]oxazin-6-ylamino)-2-fluorobenzonitrile
Interactions	PUBCHEM	(8S,11R,13S,14S,17R)-17-allyl-11-(4-(diphenylphosphoryl)phenyl)-1 hydroxy-13-methyl-1,2,7,8,11,12,13,15,16,17-decahydro-6H-cyclopenta[a]phenanthren-3(14H)-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17R)-11-(4-diethoxyphosphorylphenyl)-17-hydroxy methyl-17-prop-2-enyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-(diphenylphosphoryl)phenyl)-17-hydroxy-13-methyl-17-(prop-1-ynyl)-1,2,7,8,11,12,13,15,16,17-decahydro-6H-cyclopenta[a]phenanthren-3(14H)-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-diethoxyphosphorylphenyl)-17-hydroxy methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one

Main Category	Category	Terms
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-(dimethylphosphoryl)phenyl)-17-hydroxy-13-methyl-17-(prop-1-ynyl)-1,2,7,8,11,12,13,15,16,17-decahydro-6H-cyclopenta[a]phenanthren-3(14H)-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-(diphenylphosphoryl)phenyl)-17-hydroxy-13-methyl-17-phenyl-1,2,7,8,11,12,13,15,16,17-decahydro-6 cyclopenta[a]phenanthren-3(14H)-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17R)-11-(4-diethoxyphosphorylphenyl)-13-methyl-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,2'-oxolane]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17R)-11-[4-[ethoxy(methyl)phosphoryl]phenyl]-13-methyl-3'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,2'-oxolane]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-acetylphenyl)-2'-ethyl-13-methyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-acetylphenyl)-2',13-dimethyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(4-acetylphenyl)-13-methyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-2'-ethyl-13-methyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-2',13-dimethyl-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-13-methyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-2'-ethyl-11-(3-fluoro-4-methoxyphenyl)-13-methyl-5'-methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(3-fluoro-4-methoxyphenyl)-2',13-dimethy methylidenespiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,4'-1,3-oxazole]-3-one
Interactions	PUBCHEM	(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-amine
Interactions	PUBCHEM	N-(18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl)-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	2,2,2-trifluoro-N-[(6S,7R)-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(19),8,10,12,15,17-hexaen-6-yl]acetamide
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-

Main Category	Category	Terms
		hexaen-6-yl]acetamide
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoro-N-methylacetamide
Interactions	PUBCHEM	N'-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroethanimidamide
Interactions	PUBCHEM	chloromethyl N-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]carbamate
Interactions	PUBCHEM	1-[(6S,7R)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-3-(2-methylpropyl)thiourea
Interactions	PUBCHEM	(6S,7R)-18-chloro-N-(2-methylpropyl)-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-amine
Interactions	PUBCHEM	N-[(6R,7S)-18-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-methyl-2,14-diazatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	2,2,2-trifluoro-N-[(6S,7R)-18-fluoro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]acetamide
Interactions	PUBCHEM	N-[(6S,7R)-17,18-dichloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(19),8,10,12,15,17-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	N-((1S,13bR)-5,6-dichloro-1,3,4,13b-tetrahydro-2H-9-oxa-4a-aza-tribenzo[a,c,e]cyclohepten-1-yl)-2,2,2-trifluoro-acetamide
Interactions	PUBCHEM	N-[(6S,7R)-17-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	N-[(6S,7R)-19-chloro-14-oxa-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	N-((1S,13bR)-6-acetyl-1,3,4,13b-tetrahydro-2H-9-oxa-4a-aza-tribenzo[a,,e]cyclohepten-1-yl)-2,2,2-trifluoro-acetamide
Interactions	PUBCHEM	(8S,11R,13S,14S)-11-[4-(6-methoxy-3-pyridinyl)phenyl]-13-methylspiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,2'-cyclopentane]-1',3-dior
Interactions	PUBCHEM	(8S,11R,13S,14S,16R,17S)-17-(cyclopropanecarbonyl)-13,16-dimethyl-11-(4-quinolin-3-ylphenyl)-2,6,7,8,11,12,14,15,16,17-

Main Category	Category	Terms
		decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-16-methyl-11-[4-(pyrazin-2-yl)phenyl]estra-4,9-dien-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S)-13-methyl-11-(4-pyridin-3-ylphenyl)spiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,2'-cyclopentane]-1',3-dior
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-16-methyl-11-[4-(pyrimidin-2-yl)phenyl]estra-4,9-dien-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,16R,17S)-17-(cyclopropanecarbonyl)-13,16-dimethyl-11-(4-pyridazin-3-ylphenyl)-2,6,7,8,11,12,14,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-16-methyl-11-[4-(pyridinyl)phenyl]estra-4,9-dien-3-one
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-16-methyl-11-[4-(pyridinyl)phenyl]estra-4,9-dien-3-one
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-11-[4-(6-fluoropyridin-3-yl)phenyl]-16-methylestra-4,9-dien-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,16R,17S)-11-[4-(6-chloro-3-pyridinyl)phenyl]-17-(cyclopropanecarbonyl)-13,16-dimethyl-2,6,7,8,11,12,14,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,16S,17S)-17-(cyclopropanecarbonyl)-16-ethenyl-1 [4-(6-methoxy-3-pyridinyl)phenyl]-13-methyl-2,6,7,8,11,12,14,15,16, decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(11beta,16alpha,17beta)-17-Cyclopropylcarbonyl-11-[4-(6-methoxypyridin-3-yl)phenyl]-16-methylestra 4,9-dien-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,16R,17S)-17-(cyclopropanecarbonyl)-16-ethyl-11-[(6-methoxy-3-pyridinyl)phenyl]-13-methyl-2,6,7,8,11,12,14,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,16R,17S)-17-(cyclopropanecarbonyl)-16-ethyl-13-methyl-11-(4-pyridin-3-ylphenyl)-2,6,7,8,11,12,14,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8R,9S,11S,13S,14S,17R)-11-[4-(dimethylamino)phenyl]-13-methyl- methylidenespiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,2'-oxolane]-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-[4-(dimethylamino)phenyl]-13-methylspiro[1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,2'-cyclopentane]-1',3-dior
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-(cyclopropanecarbonyl)-13,17-dimethyl-1 (4-pyridin-3-ylphenyl)-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-(cyclopropanecarbonyl)-11-[4-(6-methoxy pyridinyl)phenyl]-13-methyl-2,6,7,8,11,12,14,15,16,17-decahydro-1H cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-(cyclopropanecarbonyl)-13-methyl-11-(4-pyridin-3-ylphenyl)-2,6,7,8,11,12,14,15,16,17-decahydro-1H-

Main Category	Category	Terms
		cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	[5-(5-Cyano-1-methylpyrrol-2-yl)-7-fluoro-3,3-dimethyl-2-oxoindol-1-yl]methyl acetate
Interactions	PUBCHEM	Retinoic Acid
Interactions	PUBCHEM	Alpha-Cyclodextrin
Interactions	PUBCHEM	Resveratrol
Interactions	PUBCHEM	3-[5-[(1R,2S)-2-(2,2-difluoropropanoylamino)-1-(2,3-dihydro-1,4-benzodioxin-6-yl)propoxy]indazol-1-yl]-N-(pyridin-3-ylmethyl)benzamide
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-(cyanomethyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-ethyl 2-(3-((3-chloro-4-cyanophenyl)(2-chlorobenzyl)amino)pyrrolidin-1-yl)acetate
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-isopropyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chloro-5-fluorobenzyl)(1-ethyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(5S)-5-[(1S)-2,3-dimethylcyclohex-2-en-1-yl]-7,9-difluoro-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-4,5,5-trimethyl-1,3-dihydro-1,4-benzodiazepin-2-one
Interactions	PUBCHEM	17beta-Hydroxy-11beta-[4-hydroxyphenyl]-17alpha-(1-propinyl)-estra-4,9-dien-3-one
Interactions	PUBCHEM	(15R)-8-cyano-15-methyl-N-(1,3-thiazol-2-yl)tetracyclo[6.6.2.0^{2,7}.0^{9,14}]hexadeca-2,4,6,9(14),10,12-hexaene-15-carboxamide
Interactions	PUBCHEM	2-(3-Fluorophenyl)-4,4-dimethylisoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	2-(4-Fluorophenyl)-4,4-dimethylisoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	2-(3-Chlorophenyl)-4,4-dimethylisoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	4-(3,4-Dihydro-4,4-dimethyl-1,3-dioxoisoquinolin-2(1H)-yl)benzonitr
Interactions	PUBCHEM	2-(4-Chlorophenyl)-4,4-diethylisoquinoline-1,3(2H,4H)-DIONE
Interactions	PUBCHEM	2-(4-Chlorophenyl)-4,4-dipropylisoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	4,4-Diallyl-2-(4-chlorophenyl)isoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	4,4-Spiropentyl-2-(4-chlorophenyl)isoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	4,4-Spirohexyl-2-(4-chlorophenyl)isoquinoline-1,3(2H,4H)-dione
Interactions	PUBCHEM	4-(3,4-Dihydro-1,3-dioxo-4,4-dipropylisoquinolin-2(1H)-yl)benzonitri

Main Category	Category	Terms
Interactions	PUBCHEM	4-(4,4-Diallyl-3,4-dihydro-1,3-dioxoisoquinolin-2(1H)-yl)benzonitrile
Interactions	PUBCHEM	4-(1',3'-Dioxospiro[cyclopentane-1,4'-isoquinoline]-2'-yl)benzonitrile
Interactions	PUBCHEM	4-(4,4-Spirohexyl-3,4-dihydro-1,3-dioxoisoquinolin-2(1H)-yl)benzoni
Interactions	PUBCHEM	5-(5,5-dimethyl-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-methyl-5-(2-oxo-5,5-diphenyl-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(5,5-bis(5-chlorothiophen-2-yl)-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(5,5-bis(3-chlorophenyl)-2-oxo-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	1-methyl-5-(1-methyl-2-oxo-5,5-diphenyl-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-((5S)-5-ethyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-((5R)-5-ethyl-2-oxo-5-(thiophen-2-yl)-1,2,3,5-tetrahydrobenzo[e][1,4]oxazepin-7-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	7-(3-Chloro-4-fluoro-phenyl)-5-ethyl-5-thiophen-2-yl-1,5-dihydro-benzo[e][1,4]oxazepin-2-one
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5,5-dithien-2-yl-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5,5-diphenyl-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	3-(5-Ethyl-2-oxo-5-thiophen-2-yl-1,2,3,5-tetrahydro-benzo[e][1,4]oxazepin-7-yl)-5-fluoro-benzonitrile
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5,5-bis(4-chlorophenyl)-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	3-[5,5-Bis(5-chlorothiophen-2-yl)-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	4-[5-Ethyl-5-(furan-2-yl)-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl]furan-2-carbonitrile
Interactions	PUBCHEM	4-(5-Ethyl-2-oxo-5-thien-2-yl-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl)thiophene-2-carbonitrile
Interactions	PUBCHEM	3-[5,5-Di(2-furyl)-2-oxo-1,2,3,5-tetrahydro-4,1-benzoxazepin-7-yl]-5-fluorobenzonitrile
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5,5-di(2-furyl)-1,5-dihydro-4,1-benzoxazepin-2(H)-one
Interactions	PUBCHEM	7-(3-Chloro-4-fluorophenyl)-5-(furan-2-yl)-5-(perfluoroethyl)-1H-4,1-benzoxazepin-2-one
Interactions	PUBCHEM	3-Fluoro-5-[5-(furan-2-yl)-2-oxo-5-(perfluoroethyl)-1H-4,1-benzoxazepin-7-yl]benzonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	(11beta,16beta)-9-Fluoro-11,21-dihydroxy-16-methyl-3,20-dioxopregna-1,4-dien-17-yl propylcarbamate
Interactions	PUBCHEM	(8S,9R,10S,11S,13S,14S,16S,17R)-9-fluoro-11-hydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-3-oxo-6,7,8,9,10,11,12,13,14,15,16,17-dodecahydro-3H-cyclopenta[a]phenanthren-17-yl cyclohexylcarbamate
Interactions	PUBCHEM	[(8S,9R,10S,11S,13S,14S,16S,17R)-9-fluoro-11-hydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-3-oxo-6,7,8,11,12,14,15,16-octahydrocyclopenta[a]phenanthren-17-yl] N-[(1S)-1-phenylethyl]carbamate
Interactions	PUBCHEM	8,15-dimethyl-N-(1,3,4-thiadiazol-2-yl)tetracyclo[6.6.2.0^{2,7}.0^{9,14}]hexadeca-2,4,6,9(14),10,12-hexaene-15-carboxamide
Interactions	PUBCHEM	Lecanindole B
Interactions	PUBCHEM	Lecanindole D
Interactions	PUBCHEM	Lycopene
Interactions	PUBCHEM	Nicardipine
Interactions	PUBCHEM	Niclosamide
Interactions	PUBCHEM	Diethylstilbestrol
Interactions	PUBCHEM	Nifedipine
Interactions	PUBCHEM	Nilutamide
Interactions	PUBCHEM	Nimodipine
Interactions	PUBCHEM	Nisoldipine
Interactions	PUBCHEM	4-Chloro-13-(2-chlorophenyl)-6-methyl-11-oxo-8-thia-3,10-diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	6-(5-fluoro-2-methoxyphenyl)-2,2-dimethyl-4-(1-prop-2-enoxyethyl)-quinoline;hydrochloride
Interactions	PUBCHEM	6-(5-fluoro-2-methoxyphenyl)-2,2-dimethyl-4-(1-prop-2-enoxyethyl)-quinoline;hydrobromide
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-methyl-1H-pyrazol-5-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((cyclobutylmethyl)(3-methyl-1-(1-methyl-1H-tetrazo yl)butyl)amino)benzonitrile
Interactions	PUBCHEM	(R)-2-chloro-4-((cyclobutylmethyl)(3-methyl-1-(1-methyl-1H-tetrazo yl)butyl)amino)benzonitrile
Interactions	PUBCHEM	4-((2-(trifluoromethyl)benzyl)(3-methyl-1-(4-methyl-4H-1,2,4-triazol- yl)butyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(1S,2S,5S,6R,9R)-9-[4-(dimethylamino)phenyl]-5-hydroxy-6-methyl-8 oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-[4-(dimethylamino)phenyl]-5-hydroxy-6-methyl-5 prop-1-en-2-yl-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-

Main Category	Category	Terms
		dien-14-one
Interactions	PUBCHEM	(S)-2-chloro-4-((1-methylpyrrolidin-3-yl)(pyridin-2-ylmethyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-(2-methoxyethyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-(3-((3-chloro-4-cyanophenyl)(2-chlorobenzyl)amino)pyrrolidin yl)acetamide
Interactions	PUBCHEM	4-((2-chlorobenzyl)((1-methyl-1H-tetrazol-5-yl)methyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(3-methyl-1-(1-methyl-1H-tetrazol-5-yl)butyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-isopropyl-1H-tetrazol-5-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4-methyl-4H-1,2,4-triazol-3-yl)butyl)amino)-2 chlorobenzonitrile
Interactions	PUBCHEM	2-Chloro-4-[[(3S)-1-methyl-5-oxo-3-pyrrolidinyl](phenylmethyl)amino]benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2,4-difluorobenzyl)(1-methyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-methylpyrrolidin-3-yl)(propyl)amino)benzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-methyl-1H-imidazol-2-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-Chlorobenzyl)(1-(5-methyl-1,3,4-oxadiazol-2-yl)ethyl)amino)-2 chlorobenzonitrile
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-[4-(dimethylamino)phenyl]-5-ethynyl-5-hydroxy- methyl-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-
Interactions	PUBCHEM	(R)-2-chloro-4-((1-methylpyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-methyl-5-oxopyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2,5-dichlorobenzyl)(1-ethyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-4-(butyl(1-methylpyrrolidin-3-yl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-Chlorobenzyl)(1-(3-methylisoxazol-5-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	2-chloro-4-(isobutyl(3-methyl-1-(1-methyl-1H-tetrazol-5-yl)butyl)amino)benzonitrile
Interactions	PUBCHEM	(1S,2S,5S,6R,9R)-5-hydroxy-6-methyl-9-(4-methylsulfanylphenyl)-5-(1,1,2,2,2-pentafluoroethyl)-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-5-hydroxy-9-(4-methoxyphenyl)-6-methyl-5-(2-phenylethynyl)-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-

Main Category	Category	Terms
		dien-14-one
Interactions	PUBCHEM	(S)-2-chloro-4-((cyclohexylmethyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-(pyridin-2-ylmethyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	2-chloro-4-(isobutyl(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)butyl)amino)benzonitrile
Interactions	PUBCHEM	(1S,2S,5S,6R,9R)-9-[4-(dimethylamino)phenyl]-5-hydroxy-6-methyl-5 (1,1,2,2,2-pentafluoroethyl)-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-5-hydroxy-6-methyl-9-(4-methylsulfanylphenyl)-5-prop-1-en-2-yl-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-methyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2,3-difluorobenzyl)(1-methyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-methylbenzyl)(5-oxo-1-propylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	4-(((3S)-1-sec-butyl-5-oxopyrrolidin-3-yl)(2-methylbenzyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-4-(benzyl(1-methylpyrrolidin-3-yl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((4-chlorobenzyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-isopropylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-ethyl-1H-tetrazol-5-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-(trifluoromethyl)benzyl)(3-methyl-1-(1-methyl-1H-tetrazol-5-yl)butyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)butyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	2-chloro-4-((cyclohexylmethyl)(1-(4-methyl-4H-1,2,4-triazol-3-yl)ethyl)amino)benzonitrile
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-(4-methoxyphenyl)-6-methyl-3'-methylidenespir oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-diene-5,2'-oxolane one
Interactions	PUBCHEM	(S)-2-chloro-4-((1-ethyl-5-oxopyrrolidin-3-yl)(2-methylbenzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-isopropyl-5-oxopyrrolidin-3-yl)(2-methylbenzyl)amino)benzonitrile
Interactions	PUBCHEM	rac 2-((4-cyano-3-(trifluoromethyl)phenyl)(2,2,2-trifluoroethyl)amin N,N-dimethylacetamide

Main Category	Category	Terms
Interactions	PUBCHEM	(S)-2-chloro-4-(ethyl(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((3-chlorobenzyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	2-((2-chlorobenzyl)(3-chloro-4-cyanophenyl)amino)-N,N-dimethylpropanamide
Interactions	PUBCHEM	4-((2-Chlorobenzyl)(1-(2-methylthiazol-4-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-methyl-1H-1,2,3-triazol-4-yl)ethyl)amino)-2 chlorobenzonitrile
Interactions	PUBCHEM	2-chloro-4-((cyclobutylmethyl)(3-methyl-1-(1-methyl-1H-tetrazol-5-yl)butyl)amino)benzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4,5-dimethyl-4H-1,2,4-triazol-3-yl)-2-methylpropyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-5-hydroxy-9-(4-methoxyphenyl)-6-methyl-5-[2-[4-(trifluoromethyl)phenyl]ethynyl]-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(S)-2-chloro-4-((2-fluorobenzyl)(1-methyl-5-oxopyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-chlorobenzyl)(1-(3,3,3-trifluoropropyl)pyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-methyl-1H-tetrazol-5-yl)ethyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(1-methyl-1H-tetrazol-5-yl)propyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	4-((2-chlorobenzyl)(1-(4-methyl-4H-1,2,4-triazol-3-yl)propyl)amino)-chlorobenzonitrile
Interactions	PUBCHEM	(1S,2S,5R,6R,9R)-9-[4-(dimethylamino)phenyl]-5-hydroxy-6-methyl-5 phenylethynyl)-8-oxatetracyclo[8.8.0.02,6.011,16]octadeca-10,15-dien-14-one
Interactions	PUBCHEM	(S)-2-chloro-4-((2,6-dichlorobenzyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-methylbenzyl)(1-methylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	6-[5-(4-Fluorophenyl)-1,3-dimethyl-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	Nordihydroguaretic acid
Interactions	PUBCHEM	3-chloro-N-(4-phenylmethoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	5-(1-hydroxy-1,3,3-trimethyl-2,3-dihydro-1H-inden-5-yl)-1-methyl-1H pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(1-ethyl-1-hydroxy-3,3-dimethyl-2,3-dihydro-1H-inden-5-yl)-1-

Main Category	Category	Terms
		methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(1-hydroxy-3-methyl-2,3-dihydro-1H-inden-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(1-hydroxy-2,3-dihydro-1H-inden-5-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	3-(3,3-dimethyl-1-oxo-2,3-dihydro-1H-inden-5-yl)benzonitrile
Interactions	PUBCHEM	5-(3-Chlorophenyl)-3,3-dimethylindan-1-one
Interactions	PUBCHEM	5-(3,4-Dichlorophenyl)-3,3-dimethylindan-1-one
Interactions	PUBCHEM	3,3-dimethyl-5-m-tolyl-2,3-dihydro-1H-inden-1-one
Interactions	PUBCHEM	3-[(1E)-1-hydroxyimino-3,3-dimethyl-2H-inden-5-yl]benzonitrile
Interactions	PUBCHEM	(NE)-N-[5-(3-chlorophenyl)-3,3-dimethyl-2H-inden-1-ylidene]hydroxylamine
Interactions	PUBCHEM	5-[(1E)-1-(hydroxyimino)-2,3-dihydro-1H-inden-5-yl]-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[(1E)-1-(hydroxyimino)-3-methyl-2,3-dihydro-1H-inden-5-yl]-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	(NE)-N-[5-(3,4-dichlorophenyl)-3,3-dimethyl-2H-inden-1-ylidene]hydroxylamine
Interactions	PUBCHEM	(NE)-N-[3,3-dimethyl-5-(3-methylphenyl)-2H-inden-1-ylidene]hydroxylamine
Interactions	PUBCHEM	5-[(1E)-1-(hydroxyimino)-3,3-dimethyl-2,3-dihydro-1H-inden-5-yl]-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(1-hydroxy-3,3-dimethyl-1-(prop-2-ynyl)-2,3-dihydro-1H-inden-5-yl) methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	4-Amino-13-(2,4-dichlorophenyl)-6-methyl-11-oxo-8-thia-3,10-diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	4-Amino-13-(2,5-dichlorophenyl)-6-methyl-11-oxo-8-thia-3,10-diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	4-Amino-13-(2,3-dichlorophenyl)-6-methyl-11-oxo-8-thia-3,10-diazatricyclo[7.4.0.02,7]trideca-1(9),2(7),3,5-tetraene-5-carbonitrile
Interactions	PUBCHEM	(4-fluorophenyl)-((5aR,6S)-1-(4-fluorophenyl)-5a-methyl-5,5a,6,7,8,9 hexahydroimidazo[1,5-b]isoquinolin-6-yl)methanol
Interactions	PUBCHEM	(S)-1-(4-Chlorophenyl)-1-((5aR,6S)-1-(4-fluorophenyl)-5a-methyl-5,5a,6,7,8,9-hexahydroimidazo[1,5-b]isoquinolin-6-yl)ethanc
Interactions	PUBCHEM	(S)-1-((5aR,6S)-1-(4-Fluorophenyl)-5a-methyl-5,5a,6,7,8,9-hexahydroimidazo[1,5-b]isoquinolin-6-yl)-1-(3-methylthiophen-2-yl) ethanol
Interactions	PUBCHEM	(S)-1-(5-Chlorothiophen-2-yl)-1-((5aR,6S)-1-(4-fluorophenyl)-5a-methyl-5,5a,6,7,8,9-hexahydroimidazo[1,5-b]isoquinolin-6-yl)-ethanc
Interactions	PUBCHEM	(S)-1-((5aR,6S)-1-(4-Fluorophenyl)-5a-methyl-5,5a,6,7,8,9-hexahydroimidazo[1,5-b]isoquinolin-6-yl)-1-(thiophen-2-yl)ethanol

Main Category	Category	Terms
Interactions	PUBCHEM	(R)-2-((5aR,6S)-1-(4-Fluorophenyl)-5a-methyl-5,5a,6,7,8,9-hexahydroimidazo[1,5-b]isoquinolin-6-yl)pent-4-en-2-ol
Interactions	PUBCHEM	(2R,4S)-Ketoconazole
Interactions	PUBCHEM	Cefamandole
Interactions	PUBCHEM	Dactinomycin
Interactions	PUBCHEM	Diofenolan
Interactions	PUBCHEM	Oxatomide
Interactions	PUBCHEM	(S)-4-((1-(butylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(methylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(isopropylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(propylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(ethylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(isobutylsulfonyl)pyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(2-fluorobenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-2-chloro-4-((2-methylbenzyl)(1-propionylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-propionylpyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-4-(benzyl(1-(methylsulfonyl)pyrrolidin-3-yl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	2-chloro-4-(((S)-1-((S)-2-hydroxypropanoyl)pyrrolidin-3-yl)(2-methylbenzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((1-(methylsulfonyl)pyrrolidin-3-yl)(3-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-ethyl 3-((3-chloro-4-cyanophenyl)(5-fluoro-2-methylbenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-2-chloro-4-((5-fluoro-2-methylbenzyl)(1-propionylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(2-methylbenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-4-((2-bromobenzyl)(1-(methylsulfonyl)pyrrolidin-3-yl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2-cyanobenzyl)(1-(methylsulfonyl)pyrrolidin-3-yl)amino)benzonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	(S)-isopropyl 3-((3-chloro-4-cyanophenyl)(5-fluoro-2-methylbenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-2-chloro-4-((1-isobutyrylpyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-2-chloro-4-((2,5-dichlorobenzyl)(1-propionylpyrrolidin-3-yl)amino)benzonitrile
Interactions	PUBCHEM	(S)-methyl 3-(benzyl(3-chloro-4-cyanophenyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(2-chlorobenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-2-chloro-4-((1-pivaloylpyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)benzonitrile
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(5-fluoro-2-methylbenzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-4-((1-acetylpyrrolidin-3-yl)(2-(trifluoromethyl)benzyl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	(S)-methyl 3-((3-chloro-4-cyanophenyl)(2-(trifluoromethyl)benzyl)amino)pyrrolidine-1-carboxylate
Interactions	PUBCHEM	(S)-4-((2-bromobenzyl)(1-propionylpyrrolidin-3-yl)amino)-2-chlorobenzonitrile
Interactions	PUBCHEM	CID 46237978
Interactions	PUBCHEM	ethyl (4R)-5-cyano-6-methyl-2-propyl-4-quinolin-4-yl-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	Oxolinic Acid
Interactions	PUBCHEM	2-Hydroxy-4-methoxybenzophenone
Interactions	PUBCHEM	Tolcapone
Interactions	PUBCHEM	Bosutinib methanoate
Interactions	PUBCHEM	4-chloro-N-[[4-(3,5-dimethyl-1,2-oxazol-4-yl)phenyl]methyl]-1,3-dimethylpyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	4-[(3R)-1-[(2-fluorophenyl)methyl]-4,4-dimethyl-2-oxopyrrolidin-3-yl]oxy-2-(trifluoromethyl)benzonitrile
Interactions	PUBCHEM	1-(4-Fluorophenyl)-5-[2-(trifluoromethyl)phenyl]indazole
Interactions	PUBCHEM	1-(4-Fluorophenyl)-5-[3-(trifluoromethyl)phenyl]indazole
Interactions	PUBCHEM	4-[1-(4-Fluorophenyl)indazol-5-yl]benzonitrile
Interactions	PUBCHEM	1-(4-Fluorophenyl)-5-(2-methylphenyl)indazole
Interactions	PUBCHEM	3-[1-(4-Fluorophenyl)indazol-5-yl]phenol
Interactions	PUBCHEM	4-[1-(4-fluorophenyl)indazol-5-yl]-N-propan-2-yl-3-(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	N-ethyl-4-[1-(4-fluorophenyl)indazol-5-yl]-3-

Main Category	Category	Terms
		(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	4-[1-(4-fluorophenyl)indazol-5-yl]-N-(2-hydroxyethyl)-3-(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	4-[1-(4-fluorophenyl)indazol-5-yl]-N-propyl-3-(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	4-[1-(4-fluorophenyl)indazol-5-yl]-N-(2-methylpropyl)-3-(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	4-[1-(4-fluorophenyl)indazol-5-yl]-N-methyl-N-phenyl-3-(trifluoromethyl)benzenesulfonamide
Interactions	PUBCHEM	(R)-4-(1-benzyl-4,4-dimethyl-2-oxopyrrolidin-3-yloxy)-2-(trifluoromethyl)-benzonitrile
Interactions	PUBCHEM	Uyb738E8V2
Interactions	PUBCHEM	5-Butyl-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	(3R)-3-(3-fluorophenyl)-1-(4-methylphenyl)-3-(4-nitroanilino)propan one
Interactions	PUBCHEM	(+)-(S)-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-p-tolylpropan-1
Interactions	PUBCHEM	Pf-03882845
Interactions	PUBCHEM	4-chloro-N-[(2,4-dimethylphenyl)methyl]-1-ethylpyrazolo[3,4-b]pyridine-5-carboxamide
Interactions	PUBCHEM	5-Nonyl-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-2-methylphenanthridin-6(5H)-one
Interactions	PUBCHEM	5-Butyl-2-ethylphenanthridin-6(5H)-one
Interactions	PUBCHEM	5-Butyl-2-hydroxymethylphenanthridin-6(5H)-one
Interactions	PUBCHEM	5-Butyl-2-tert-butylphenanthridin-6(5H)-one
Interactions	PUBCHEM	5-Ethyl-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Hexyl-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	4-(2,4-diethyl-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	4-(2,4-diethyl-1-(2-hydroxyethyl)-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	4-(2,4-diethyl-1-(2-methoxyethyl)-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	2-(3-(4-cyanophenoxy)-2,4-diethyl-1H-pyrrol-1-yl)acetamide
Interactions	PUBCHEM	2-(3-(4-cyanophenoxy)-2,4-diethyl-1H-pyrrol-1-yl)-N-methylacetami
Interactions	PUBCHEM	2-(3-(4-cyanophenoxy)-2,4-diethyl-1H-pyrrol-1-yl)-N,N-dimethylacetamide
Interactions	PUBCHEM	4-(2,4-diethyl-1-(methylsulfonylmethyl)-1H-pyrrol-3-yloxy)benzonitr

Main Category	Category	Terms
Interactions	PUBCHEM	4-(1-(2-aminoethyl)-2,4-diethyl-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	4-(2,4-diethyl-1-(3-hydroxypropyl)-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	2-(3-(4-cyanophenoxy)-2,4-dicyclopropyl-1H-pyrrol-1-yl)-N-methylacetamide
Interactions	PUBCHEM	4-(2,4-dicyclopropyl-1-(methylsulfonylmethyl)-1H-pyrrol-3-yloxy)benzonitrile
Interactions	PUBCHEM	5-(4-Chloro-3-methylphenyl)-9-fluoro-2,2,4-trimethyl-1,5-dihydrochromeno[3,4-f]quinoline;sulfuric acid
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-(4-morpholinophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-chlorophenyl)-3-(4-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-chlorophenyl)-3-(4-(trifluoromethyl)phenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(4-(trifluoromethyl)phenyl)-1-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(4-(trifluoromethyl)phenyl)-1-m-tolylpropan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-cyanophenyl)-3-(4-(trifluoromethyl)phenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(4-(trifluoromethyl)phenyl)-1-(3-methoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(4-(trifluoromethyl)phenyl)-1-(4-methoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-chlorophenyl)-3-(4-(trifluoromethyl)phenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-bromophenyl)-3-(4-(trifluoromethyl)phenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-p-tolylpropan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-(4-methoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-bromophenyl)-3-cyclohexylpropan one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-(4-fluorophenyl)-propan one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-(3-methoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3,4-dichlorophenyl)-3-cyclohexylpropan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-phenylpropan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-phenyl-phenyl)-3-cyclohexylpropar

Main Category	Category	Terms
		one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-cyclohexyl-1-(4-cyclohexylphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(3-Nitrophenylamino)-3-(3-fluorophenyl)-1-p-tolylpropan-1-on
Interactions	PUBCHEM	rac-3-(4-Fluorophenylamino)-3-(3-fluorophenyl)-1-p-tolylpropan-1-o
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(thiophen-3-yl)-1-p-tolylpropan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-cyanophenyl)-3-(thiophen-3-yl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Methoxyphenylamino)-3-phenyl-1-p-tolylpropan-1-one
Interactions	PUBCHEM	1-(3-Methylphenyl)-3-(4-nitroanilino)-3-(3,4,5-trimethoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-fluorophenyl)-3-(3,4,5-trimethoxyphenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-m-tolylpropan-1-or
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1,3-bis(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(3-bromophenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-phenylpropan-1-or
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-3-(3-fluorophenyl)-1-(4-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-chlorophenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-phenyl-phenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	rac-3-(4-Nitrophenylamino)-1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)propan-1-one
Interactions	PUBCHEM	4-[(5R)-1-(3-Chloro-4-cyanophenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl]-2-ethoxybenzoic Acid
Interactions	PUBCHEM	Methyl 4-(2-chlorophenyl)-5-cyano-6-methyl-2-propyl-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	Methyl 2-butyl-4-(2-chlorophenyl)-5-cyano-6-methyl-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	CID 46914452
Interactions	PUBCHEM	Methyl 4-(2-chloro-4-fluorophenyl)-5-cyano-6-methyl-2-(pyrazol-1-ylmethyl)-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	Methyl 4-(2-chloro-4-fluorophenyl)-5-cyano-6-methyl-2-(1,2,4-triazo ylmethyl)-1,4-dihydropyridine-3-carboxylate
Interactions	PUBCHEM	methyl (4R)-4-(2-chloro-4-fluorophenyl)-5-cyano-6-methyl-2-(tetrazo ylmethyl)-1,4-dihydropyridine-3-carboxylate

Main Category	Category	Terms
Interactions	PUBCHEM	(3S,3aR)-2-(4-cyanophenyl)-3-cyclopentyl-3,3a,4,5-tetrahydrobenzo[g]indazole-7-carboxylic acid
Interactions	PUBCHEM	4-[(5R)-1-(3-Chloro-4-cyanophenyl)-5-(4-fluorophenyl)-4,5-dihydro-1 pyrazol-3-yl]benzoic Acid
Interactions	PUBCHEM	4-[(5R)-1-(3-Chloro-4-cyanophenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl]-2-methoxybenzoic Acid
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxy-N-(methylsulfonyl)nicotinamide
Interactions	PUBCHEM	Glucocorticoid receptor agonist
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxynicotinic acid
Interactions	PUBCHEM	(R)-4-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxybenzoic acid
Interactions	PUBCHEM	(R)-6-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxynicotinic acid
Interactions	PUBCHEM	(R)-6-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxy-N-(methylsulfonyl)nicotinamide
Interactions	PUBCHEM	4-Fluoro-2-[(R)-4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(1H-pyrrolo[3 c]pyridin-2-ylmethyl)butyl]phenol
Interactions	PUBCHEM	1,1,1-Trifluoro-4-(4-methoxybiphenyl-3-yl)4-methyl-2-(1H-pyrrolo[2,3 c]pyridin-2-ylmethyl)pentan-2-ol
Interactions	PUBCHEM	3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(1H-pyrrolo-[2,3-c]pyridin ylmethyl)butyl]biphenyl-4-ol
Interactions	PUBCHEM	(R)-2-((1H-pyrrolo[3,2-c]pyridin-2-yl)methyl)-1,1,1-trifluoro-4-(5-fluor methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	Copper dimethyldithiocarbamate
Interactions	PUBCHEM	Fenpropathrin
Interactions	PUBCHEM	Butoconazole
Interactions	PUBCHEM	Phenolphthalein
Interactions	PUBCHEM	Phenoxybenzamine
Interactions	PUBCHEM	Micafungin
Interactions	PUBCHEM	Phenylarsine Oxide
Interactions	PUBCHEM	Phloretin
Interactions	PUBCHEM	Flutolanil
Interactions	PUBCHEM	Pranlukast
Interactions	PUBCHEM	Prazepam
Interactions	PUBCHEM	Prilocaine
Interactions	PUBCHEM	Fluperlapine

Main Category	Category	Terms
Interactions	PUBCHEM	Alectinib
Interactions	PUBCHEM	(3S)-3-(3-fluoro-4-hydroxyphenyl)-2,2-dimethyl-3-phenyl-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	Lusutrombopag
Interactions	PUBCHEM	(3S)-3-(4-hydroxyphenyl)-2,2-dimethyl-3-phenyl-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	(3S)-3-(3-bromo-4-hydroxyphenyl)-2,2-dimethyl-3-phenyl-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	(3S)-3-(3-cyano-4-hydroxyphenyl)-2,2-dimethyl-3-phenyl-N-(1,3-thiazol-2-yl)propanamide
Interactions	PUBCHEM	(3S)-3-(3-fluoro-4-hydroxyphenyl)-2,2-dimethyl-3-phenyl-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	(3S)-3-(4-hydroxy-3-methylphenyl)-2,2-dimethyl-3-phenyl-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	5-[(5Z)-5-hydroxyimino-7,8-dihydro-6H-naphthalen-2-yl]-1-methylpyrrole-2-carbonitrile
Interactions	PUBCHEM	5-{4-[(1E)-N-hydroxyethanimidoyl]phenyl}-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-[4-[(Z)-C-ethyl-N-hydroxycarbonimidoyl]phenyl]-1-methylpyrrole-2 carbonitrile
Interactions	PUBCHEM	5-{4-[(1E)-N-hydroxy-2,2-dimethylpropanimidoyl]-phenyl}-1-methyl-1 pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-(1-hydroxyethyl)phenyl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-(1-hydroxypropyl)phenyl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-(1-hydroxy-2,2-dimethylpropyl)phenyl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-{4-[hydroxy(thien-2-yl)methyl]phenyl}-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-(4-(hydroxy(phenyl)methyl)phenyl)-1-methyl-1H-pyrrole-2-carbon
Interactions	PUBCHEM	(3S,3aR)-2-(4-cyano-3-methylphenyl)-3-cyclopentyl-3a,5-dihydro-3H isochromeno[4,3-c]pyrazole-7-carboxylic acid
Interactions	PUBCHEM	Raloxifene
Interactions	PUBCHEM	2-(Tert-butylimino)-5-phenyl-3-(propan-2-yl)-1,3,5-thiadiazinan-4-on
Interactions	PUBCHEM	Resmethrin
Interactions	PUBCHEM	2-(2-Fluorophenyl)-4,4-dimethylisoquinoline-1,3-dione
Interactions	PUBCHEM	(3R,4S)-5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2,3,4-tetrahydroquinolin-3-ol
Interactions	PUBCHEM	(17-Acetyloxy-2-oxo-3-oxabicyclo[11.4.0]heptadeca-1(13),14,16-trien-15-yl) acetate

Main Category	Category	Terms
Interactions	PUBCHEM	Mitoxantrone Hydrochloride
Interactions	PUBCHEM	Tribufos
Interactions	PUBCHEM	N-(3-(4-cyano-3-fluorophenyl)-1-isopropyl-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	(3R,4S)-5,7-difluoro-6-(1H-indol-7-yl)-2,2,4-trimethyl-3,4-dihydro-1H-quinolin-3-ol
Interactions	PUBCHEM	[(3R,4S)-5,7-difluoro-6-(1H-indol-7-yl)-2,2,4-trimethyl-3,4-dihydro-1H quinolin-3-yl] N-(4-acetylphenyl)carbamate
Interactions	PUBCHEM	[(3R,4S)-5,7-difluoro-6-(1H-indol-7-yl)-2,2,4-trimethyl-3,4-dihydro-1H quinolin-3-yl] N-(3-acetylphenyl)carbamate
Interactions	PUBCHEM	Lauramidopropyl Dimethylamine
Interactions	PUBCHEM	Sanguinarine
Interactions	PUBCHEM	4-chloro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	Fenoxycarb
Interactions	PUBCHEM	Hydroxyquinoline sulfate
Interactions	PUBCHEM	Sodium Acetate
Interactions	PUBCHEM	Sodium Isethionate
Interactions	PUBCHEM	Sodium diethyldithiocarbamate trihydrate
Interactions	PUBCHEM	Fenticonazole
Interactions	PUBCHEM	N-(1-(1H-indol-3-yl)propan-2-yl)-4-isopropylbenzenesulfonamide
Interactions	PUBCHEM	Quercetin
Interactions	PUBCHEM	Prostaglandin E2
Interactions	PUBCHEM	Biochanin A
Interactions	PUBCHEM	Apigenin
Interactions	PUBCHEM	Kaempferol
Interactions	PUBCHEM	Genistein
Interactions	PUBCHEM	Budesonide
Interactions	PUBCHEM	Pyrvinium
Interactions	PUBCHEM	Montelukast
Interactions	PUBCHEM	Rosiglitazone Maleate
Interactions	PUBCHEM	Clemastine Fumarate
Interactions	PUBCHEM	Oxantel
Interactions	PUBCHEM	Zearalenone
Interactions	PUBCHEM	Cilnidipine

Main Category	Category	Terms
Interactions	PUBCHEM	Sofalcone
Interactions	PUBCHEM	Neticonazole
Interactions	PUBCHEM	Clocortolone Pivalate
Interactions	PUBCHEM	N-Arachidonoyl glycine
Interactions	PUBCHEM	trans-vitamin D3
Interactions	PUBCHEM	Diammonium 2-(carboxymethyl)-2-hydroxybutanedioate
Interactions	PUBCHEM	Cinnamyl Anthranilate
Interactions	PUBCHEM	Perhexiline Maleate
Interactions	PUBCHEM	Phenoxybenzamine Hydrochloride
Interactions	PUBCHEM	Quercetin Dihydrate
Interactions	PUBCHEM	Tetrachlorvinphos
Interactions	PUBCHEM	Zinc dibutyldithiocarbamate
Interactions	PUBCHEM	Cloprednol
Interactions	PUBCHEM	Cyproterone
Interactions	PUBCHEM	Ethisterone
Interactions	PUBCHEM	ethyl 3,5,6-tris-O-(phenylmethyl)-beta-D-glucofuranoside
Interactions	PUBCHEM	3-(4-(1,2-Diphenylbut-1-enyl)phenyl)acrylic acid
Interactions	PUBCHEM	Clemizole Hydrochloride
Interactions	PUBCHEM	Desonide
Interactions	PUBCHEM	Desoximetasone
Interactions	PUBCHEM	Lacidipine
Interactions	PUBCHEM	Rimexolone
Interactions	PUBCHEM	Stiripentol
Interactions	PUBCHEM	Onapristone
Interactions	PUBCHEM	trans-2-Methyl-2-butenal
Interactions	PUBCHEM	[2-(6-methylheptyl)-4,6-dinitrophenyl] (E)-but-2-enoate
Interactions	PUBCHEM	Choline bis(trifluoromethylsulfonyl)imide
Interactions	PUBCHEM	Bosutinib
Interactions	PUBCHEM	Sunitinib
Interactions	PUBCHEM	Sar115740
Interactions	PUBCHEM	MK-274
Interactions	PUBCHEM	Dtxcid6027349

Main Category	Category	Terms
Interactions	PUBCHEM	1-Ethyl-3-methyl-1H-imidazol-3-ium diethyl phosphate
Interactions	PUBCHEM	1-Dodecyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imid
Interactions	PUBCHEM	N-[(1R)-1-[4-(5-fluoro-2-methoxyphenyl)phenyl]ethyl]-3,5-dimethyl-1 oxazole-4-sulfonamide
Interactions	PUBCHEM	N-[(1S)-1-[4-(5-fluoro-2-methoxyphenyl)phenyl]ethyl]-3,5-dimethyl-1 oxazole-4-sulfonamide
Interactions	PUBCHEM	N-[(1R)-1-[4-(2-methoxy-3-pyridinyl)phenyl]ethyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	N-(3-(4-cyano-3-methylphenyl)-1-isopropyl-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	N-[(1R)-1-[4-[2-(difluoromethoxy)-3-pyridinyl]phenyl]ethyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,8-trimethyl-2,3-dihydroquinolin-4(1H)-
Interactions	PUBCHEM	(3S,4S)-5-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-1,2,3,4-tetrahydroquinolin-3-ol
Interactions	PUBCHEM	(3R,4S)-7-chloro-6-(1H-indol-7-yl)-2,2,4,8-tetramethyl-3,4-dihydro-1H quinolin-3-ol
Interactions	PUBCHEM	N-[3-[1-cyclopropyl-1-(4-fluorophenyl)ethyl]-1H-indol-7-yl]methanesulfonamide
Interactions	PUBCHEM	N-[[4-(2-methoxyphenyl)phenyl]methyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	(18-Acetyloxy-2-oxo-3-oxabicyclo[12.4.0]octadeca-1(14),15,17-trien-16-yl) acetate
Interactions	PUBCHEM	N-[[4-(3,5-dimethyl-1,2-oxazol-4-yl)phenyl]methyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	5-chloro-6-(1H-indol-7-yl)-2,2,3,3,8-pentamethyl-2,3-dihydroquinolin-4(1H)-one
Interactions	PUBCHEM	N-[[4-(5-fluoro-2-methoxyphenyl)phenyl]methyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	2,5-dichloro-N-[[4-(5-fluoro-2-methoxyphenyl)phenyl]methyl]benzenesulfonamide
Interactions	PUBCHEM	3-[(4-Methoxyphenyl)Phenylmethyl]Indole
Interactions	PUBCHEM	N-[(1R)-1-[4-(5-cyano-2-methoxy-3-pyridinyl)phenyl]ethyl]-3,5-dimethyl-1,2-oxazole-4-sulfonamide
Interactions	PUBCHEM	N-(3-(4-cyanophenyl)-1-methyl-1H-indol-6-yl)methanesulfonamide
Interactions	PUBCHEM	Steroid-Gd (III) conjugate, 2
Interactions	PUBCHEM	Steroid-Gd (III) conjugate, 3
Interactions	PUBCHEM	(11R,13S,17R)-11-[4-(dimethylamino)phenyl]-13,17-dimethyl-17-pro ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3 one

Main Category	Category	Terms
Interactions	PUBCHEM	Steroid-Gd (III) conjugate, 1
Interactions	PUBCHEM	Bms-791826
Interactions	PUBCHEM	Sodium Diethyldithiocarbamate
Interactions	PUBCHEM	6-(Furan-2-yl)chromen-2-one
Interactions	PUBCHEM	5-(2-oxochromen-6-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-Thiophen-2-ylchromen-2-one
Interactions	PUBCHEM	6-(5-Chlorothiophen-2-yl)chromen-2-one
Interactions	PUBCHEM	Rimcazole dihydrochloride
Interactions	PUBCHEM	Oxiconazole
Interactions	PUBCHEM	Butyl Oleate
Interactions	PUBCHEM	(R,R)-Fenvalerate
Interactions	PUBCHEM	(5Z)-cyclohexadec-5-en-1-one
Interactions	PUBCHEM	Oleic acid diethanolamide
Interactions	PUBCHEM	alpha-Chlorfenvinphos
Interactions	PUBCHEM	(6R,7S)-6-ethyl-7-methyl-4-(trifluoromethyl)-6,7,8,9-tetrahydropyrano[3,2-g]quinolin-2-one
Interactions	PUBCHEM	Dichlorisone acetate
Interactions	PUBCHEM	Temephos
Interactions	PUBCHEM	Simvastatin
Interactions	PUBCHEM	Idazoxan
Interactions	PUBCHEM	Thiram
Interactions	PUBCHEM	5-Butyl-3-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-4-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-9-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-8-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-1-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	5-Butyl-10-methoxy-2-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenanthridin-6-one
Interactions	PUBCHEM	Cefuroxime
Interactions	PUBCHEM	Ceftazidime

Main Category	Category	Terms
Interactions	PUBCHEM	Tioconazole
Interactions	PUBCHEM	Alpidem
Interactions	PUBCHEM	Raloxifene Hydrochloride
Interactions	PUBCHEM	Nefazodone Hydrochloride
Interactions	PUBCHEM	1,2,3,4-Tetrahydro-1,4-methanonaphthalen-6-yl N-methyl-N-(m-tolyl)carbamothioate
Interactions	PUBCHEM	Mifepristone
Interactions	PUBCHEM	Bromoform
Interactions	PUBCHEM	Triclosan
Interactions	PUBCHEM	Trimethoprim
Interactions	PUBCHEM	Triton X 100
Interactions	PUBCHEM	Troglitazone
Interactions	PUBCHEM	Difloxacin Hydrochloride
Interactions	PUBCHEM	1-Methyl-5-(2-oxochromen-6-yl)pyrrole-2-carbonitrile
Interactions	PUBCHEM	7-(Diethylamino)-6-phenylchromen-2-one
Interactions	PUBCHEM	3-fluoro-N-(4-phenoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	N,N-dimethyl-4-[(5S)-5-[2-methyl-1-oxo-1-(1,3,4-thiadiazol-2-ylamino)propan-2-yl]-5H-chromeno[2,3-b]pyridin-2-yl]benzamide
Interactions	PUBCHEM	N-ethyl-N-methyl-4-[(5S)-5-[2-methyl-1-oxo-1-(1,3,4-thiadiazol-2-ylamino)propan-2-yl]-5H-chromeno[2,3-b]pyridin-2-yl]benzamide
Interactions	PUBCHEM	4-[7-(Diethylamino)-2-oxochromen-6-yl]benzonitrile
Interactions	PUBCHEM	7-(Diethylamino)-6-(4-nitrophenyl)chromen-2-one
Interactions	PUBCHEM	6-(4-Amino-3-nitrophenyl)-7-(diethylamino)chromen-2-one
Interactions	PUBCHEM	N-[4-[7-(diethylamino)-2-oxochromen-6-yl]phenyl]acetamide
Interactions	PUBCHEM	7-(Diethylamino)-6-[4-(dimethylamino)phenyl]chromen-2-one
Interactions	PUBCHEM	6-(4-Acetylphenyl)-7-(diethylamino)chromen-2-one
Interactions	PUBCHEM	6-(4-Chlorophenyl)-7-(diethylamino)chromen-2-one
Interactions	PUBCHEM	7-(Diethylamino)-6-(4-fluorophenyl)chromen-2-one
Interactions	PUBCHEM	3-[7-(Diethylamino)-2-oxochromen-6-yl]benzonitrile
Interactions	PUBCHEM	7-(Dimethylamino)-6-phenylchromen-2-one
Interactions	PUBCHEM	4-[7-(Dimethylamino)-2-oxochromen-6-yl]benzonitrile
Interactions	PUBCHEM	7-(Dimethylamino)-6-(4-fluorophenyl)chromen-2-one
Interactions	PUBCHEM	3-[7-(Dimethylamino)-2-oxochromen-6-yl]benzonitrile
Interactions	PUBCHEM	7-Methoxy-6-phenylchromen-2-one

Main Category	Category	Terms
Interactions	PUBCHEM	7-Hydroxy-6-phenylchromen-2-one
Interactions	PUBCHEM	6-[4-(Dimethylamino)phenyl]-7-methoxychromen-2-one
Interactions	PUBCHEM	6-[4-(Dimethylamino)phenyl]-7-hydroxychromen-2-one
Interactions	PUBCHEM	4-(2-Oxochromen-6-yl)benzonitrile
Interactions	PUBCHEM	6-[4-(Dimethylamino)phenyl]chromen-2-one
Interactions	PUBCHEM	6-(4-Fluorophenyl)chromen-2-one
Interactions	PUBCHEM	3-(2-Oxochromen-6-yl)benzonitrile
Interactions	PUBCHEM	6-(3,5-Difluorophenyl)chromen-2-one
Interactions	PUBCHEM	6-[3-(Trifluoromethyl)phenyl]chromen-2-one
Interactions	PUBCHEM	7-(Diethylamino)-6-thiophen-2-ylchromen-2-one
Interactions	PUBCHEM	6-(2-Phenyl-2H-imidazo[2,1-b][1,3,4]thiadiazin-3-yl)-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-(2-phenyl-2H-1,4-benzothiazin-3-yl)-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-(7H-[1,2,4]Triazolo[3,4-b][1,3,4]thiadiazin-6-yl)-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	8-Chloro-6-(1-(4-fluoro-2-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-5-yl)-2H-benzo[b][1,4]oxazin-3(4H)-one
Interactions	PUBCHEM	Ethaverine Hydrochloride
Interactions	PUBCHEM	Fendiline Hydrochloride
Interactions	PUBCHEM	Pimethixene Maleate
Interactions	PUBCHEM	(S)-(+)-2-Methylbutyl P-[(P-methoxybenzylidene)amino]cinnamate
Interactions	PUBCHEM	3,3'-Diethylthiacarbocyanine iodide
Interactions	PUBCHEM	(4R,5R)-5-(2,5-difluorophenyl)-4-(5-(phenylethynyl)pyridin-3-yl)oxazolidin-2-one
Interactions	PUBCHEM	2-methyl-2-[(5R)-2-(4-propan-2-yloxyphenyl)-5H-chromeno[2,3-b]pyridin-5-yl]-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-17-prop-1-ynyl-11-[2-(trifluoromethyl)-1,3-benzoxazol-5-yl]-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	N-[(8S,11R,13S,14S,17S)-11-(1,3-benzoxazol-5-yl)-13-methyl-3-oxo-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-17-yl]formamide
Interactions	PUBCHEM	(2S)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(1H-indol-2-ylmethyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	(8S,11S,13S,14S,17S)-11-chloro-11-[3,5-dichloro-4-(dimethylamino)phenyl]-17-hydroxy-13-methyl-17-prop-1-ynyl-2,6,7,8,12,14,15,16-octahydro-1H-cyclopenta[a]phenanthren-3-
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(2-ethyl-1,3-benzoxazol-5-yl)-17-hydroxy-1

Main Category	Category	Terms
		methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	2-[(4-ethyl-1H-indol-2-yl)methyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2-[(2R)-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]-1H-indole-5-carbonitrile
Interactions	PUBCHEM	2-[(2S)-2-hydroxy-4-methyl-4-(5-methylsulfonyl-2,3-dihydro-1-benzofuran-7-yl)-2-(trifluoromethyl)pentyl]-1H-indole-6-carbonitrile
Interactions	PUBCHEM	(8S,13R,14S,17S)-11-[4-(dimethylamino)phenyl]-17-hydroxy-13-methyl-17-prop-1-ynyl-1,2,6,7,8,14,15,16-octahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-17-hydroxy-13-methyl-11-(2-methyl-1,3-benzoxazol-5-yl)-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(2R)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(1H-indol-2-ylmethyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-indole-4-carbonitrile
Interactions	PUBCHEM	2-[(2R)-2-hydroxy-4-methyl-4-(5-methylsulfonyl-2,3-dihydro-1-benzofuran-7-yl)-2-(trifluoromethyl)pentyl]-1H-indole-6-carbonitrile
Interactions	PUBCHEM	2-methyl-2-[(5R)-2-(4-propylphenyl)-5H-chromeno[2,3-b]pyridin-5-yl (1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	3-[(3S,3aS,5R,9aS,9bS)-5-[4-[formyl(methyl)amino]phenyl]-3-hydroxy-3a-methyl-7-oxo-3-prop-1-ynyl-1,2,4,5,8,9,9a,9b-octahydrocyclopenta[a]naphthalen-6-yl]propanoic acid
Interactions	PUBCHEM	N-[(8S,11R,13S,14S,17S)-13-methyl-3-oxo-17-prop-1-ynyl-11-[2-(trifluoromethyl)-1,3-benzoxazol-5-yl]-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-17-yl]formamide
Interactions	PUBCHEM	2-fluoro-N,N-dimethyl-4-[(5R)-5-[2-methyl-1-oxo-1-(1,3,4-thiadiazol-2 ylamino)propan-2-yl]-5H-chromeno[2,3-b]pyridin-2-yl]benzamide
Interactions	PUBCHEM	(8S,11R,13S,14S,17S)-11-(1,3-benzoxazol-5-yl)-17-hydroxy-13-methyl-17-prop-1-ynyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	(8S,9S,10R,11S,13S,14S,17R)-11,17-dihydroxy-10,13-dimethyl-17-[2 methylbenzimidazol-2-yl)sulfanylacetyl]-7,8,9,11,12,14,15,16-octahydro-6H-cyclopenta[a]phenanthren-3-one
Interactions	PUBCHEM	Dexamethasone
Interactions	PUBCHEM	Hydrocortisone Acetate
Interactions	PUBCHEM	2,4,6-trichloro-N-[1,1,1-trifluoro-3-(1H-indol-3-yl)propan-2-yl]benzenesulfonamide
Interactions	PUBCHEM	N-[3-(7-cyano-1H-indol-3-yl)-1,1,1-trifluoropropan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-[(2R)-2-(4-chlorophenyl)-1-hydroxybutan-2-yl]indol-4-

Main Category	Category	Terms
		yl]methanesulfonamide
Interactions	PUBCHEM	methyl (2R)-2-(4-chlorophenyl)-2-[4-(methanesulfonamido)indol-1-yl]butanoate
Interactions	PUBCHEM	methyl (2S)-2-(4-chlorophenyl)-2-[4-(methanesulfonamido)indol-1-yl]butanoate
Interactions	PUBCHEM	Corticosterone
Interactions	PUBCHEM	Cortisol
Interactions	PUBCHEM	Prednisolone
Interactions	PUBCHEM	Estriol
Interactions	PUBCHEM	Estradiol
Interactions	PUBCHEM	(5Z)-5-[[4-fluoro-2-(hydroxymethyl)phenyl]methylidene]-10-methoxy-2,2,4-trimethyl-1H-chromeno[3,4-f]quinolin-9-ol
Interactions	PUBCHEM	(5Z)-5-[(3-hydroxyphenyl)methylidene]-10-methoxy-2,2,4-trimethyl-1 chromeno[3,4-f]quinolin-9-ol
Interactions	PUBCHEM	1-cyclopentyl-N-[(2S)-1-[[1-(6-fluoro-3-pyridinyl)indazol-4-yl]amino]propan-2-yl]-3,5-dimethylpyrazole-4-sulfonamide
Interactions	PUBCHEM	6-(4-(4-Fluorophenyl)-3-methyl-1H-pyrazol-5-yl)-2H-benzo[b][1,4]oxazin-3(4H)-one
Interactions	PUBCHEM	Dienestrol diacetate
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxy-N,N-dimethylnicotinamide
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxynicotinamide
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxy-N-(1H-tetrazol-5-yl)nicotinamide
Interactions	PUBCHEM	(R)-6-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxynicotinamide
Interactions	PUBCHEM	(R)-6-[1-(3-chloro-4-cyano-phenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl]-2-methoxy-nicotinic acid
Interactions	PUBCHEM	(R)-6-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxy-N-methylnicotinamide
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-methoxy-N-methylnicotinamide
Interactions	PUBCHEM	(R)-6-(1-(4-cyano-3-methylphenyl)-5-cyclopentyl-4,5-dihydro-1H-pyrazol-3-yl)-2-ethoxynicotinic acid
Interactions	PUBCHEM	(R)-4-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)benzoic acid
Interactions	PUBCHEM	(R)-6-(1-(5-cyano-6-methylpyridin-2-yl)-5-cyclopentyl-4,5-dihydro-1H pyrazol-3-yl)-2-methoxy-N,N-dimethylnicotinamide
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7,13-

Main Category	Category	Terms
		dimethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(6R,8R,9S,10R,13S,14S,17R)-13-ethyl-6-(hydroxymethyl)spiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	CID 58115319
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-cyclopropyl-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-4-chloro-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-13-ethyl-7-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-ethylspiro[1,2,8,9,10,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-4-chloro-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-methylspiro[1,2,8,9,10,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(6R,8R,9S,10R,13S,14S,17R)-6-(hydroxymethyl)-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7-ethyl-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-cyclopropyl-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7,13-diethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-ethenyl-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	CID 58115356
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-ethenyl-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-furan]-2',3-dione
Interactions	PUBCHEM	Epinephrine Bitartrate

Main Category	Category	Terms
Interactions	PUBCHEM	Thyroxine
Interactions	PUBCHEM	Norethisterone Acetate
Interactions	PUBCHEM	Spironolactone
Interactions	PUBCHEM	Tetrachlorovinphos
Interactions	PUBCHEM	Lynestrenol
Interactions	PUBCHEM	CID 58599563
Interactions	PUBCHEM	Nonyl 4-Hydroxybenzoate
Interactions	PUBCHEM	Estrone
Interactions	PUBCHEM	3'-Chloropropiophenone
Interactions	PUBCHEM	(2R,3R,4aR,10aR)-4a-ethyl-3-methyl-2-phenyl-4,9,10,10a-tetrahydro-phenanthrene-2,3,7-triol
Interactions	PUBCHEM	Paramethasone
Interactions	PUBCHEM	Methylprednisolone Acetate
Interactions	PUBCHEM	PharmaGSID_48506
Interactions	PUBCHEM	Rotigotine
Interactions	PUBCHEM	2,2,4,4-Tetramethyl-6-pyrazolo[1,5-a]pyridin-4-yl-1,7,8,9-tetrahydrocyclopenta[h]quinolin-3-one
Interactions	PUBCHEM	6-[5-(4-Fluorophenyl)-3-methyl-1-(2-methylpropyl)-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[1-ethyl-5-(4-fluorophenyl)-3-methylpyrazol-4-yl]-4H-1,4-benzoxaz one
Interactions	PUBCHEM	6-[1-(2,2-Difluoro-4-hydroxybutyl)-5-(4-fluorophenyl)-3-methyl-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[5-(4-fluorophenyl)-3-methyl-1-propylpyrazol-4-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[5-(4-fluorophenyl)-3-methyl-1-(4,4,4-trifluorobutyl)pyrazol-4-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[1-(2,2-Difluoro-3-Hydroxypropyl)-5-(4-Fluorophenyl)-3-Methyl-1h-Pyrazol-4-Yl]-2h-1,4-Benzoxazin-3(4h)-One
Interactions	PUBCHEM	6-[1-(3,3-difluoro-4-hydroxybutyl)-5-(4-fluorophenyl)-3-methylpyrazo yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[1-(3,3-difluorobutyl)-5-(4-fluorophenyl)-3-methylpyrazol-4-yl]-4H-benzoxazin-3-one
Interactions	PUBCHEM	3-[5-(4-fluorophenyl)-3-methyl-4-(3-oxo-4H-1,4-benzoxazin-6-yl)pyrazol-1-yl]propanenitrile
Interactions	PUBCHEM	6-[5-(4-fluorophenyl)-1-(4-hydroxybutyl)-3-methyl-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[5-(4-Fluorophenyl)-3-methyl-1-(pyridin-3-ylmethyl)-1H-pyrazol-4-

Main Category	Category	Terms
		yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[1-Butyl-5-(4-fluorophenyl)-3-methyl-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[1-Benzyl-5-(4-fluorophenyl)-3-methyl-1H-pyrazol-4-yl]-2H-1,4-benzoxazin-3(4H)-one
Interactions	PUBCHEM	6-[5-(4-fluorophenyl)-1,3-dimethylpyrazol-4-yl]-8-methyl-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[5-(2,4-difluorophenyl)-1,3-dimethylpyrazol-4-yl]-4H-1,4-benzoxaz one
Interactions	PUBCHEM	(5S,7'S)-18'-ethyl-7'-methylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	(5S,7'S,17'R)-17'-(hydroxymethyl)-7'-methylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	(5S,7'S)-7',18'-dimethylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	(2R,4R,14S,15S)-14-methylspiro[hexacyclo[9.8.0.02,4.05,10.014,19.016,18]nonadec-5-ene-15,5'-oxolane]-2',7-dione
Interactions	PUBCHEM	(5S,7'S)-7'-methylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	(5S,7'S)-18'-ethenyl-7'-methylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	(5S,7'S)-18'-cyclopropyl-7'-methylspiro[oxolane-5,6'-pentacyclo[8.8.0.02,7.03,5.011,16]octadec-15-ene]-2,14'-dione
Interactions	PUBCHEM	CID 59612739
Interactions	PUBCHEM	(14S,15S)-14-methylspiro[hexacyclo[9.8.0.02,4.05,10.014,19.016,18]nonadec-5-ene-15,5'-oxolane]-2',7-dione
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15, dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(6R,8R,9S,10R,13S,14S,17R)-13-ethyl-6-(hydroxymethyl)spiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-ethenyl-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7,13-diethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7-ethyl-13-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-7,13-

Main Category	Category	Terms
		dimethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7R,8R,9S,10R,13S,14S,17R)-13-ethyl-7-methylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-methylspiro[1,2,8,9,10,11,12,14,15,16-decahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(7S,8R,9S,10R,13S,14S,17R)-7-cyclopropyl-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16-dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	(8R,9S,10R,13S,14S,17R)-13-ethylspiro[1,2,6,7,8,9,10,11,12,14,15,16 dodecahydrocyclopenta[a]phenanthrene-17,5'-2H-furan]-3-one
Interactions	PUBCHEM	CID 59617869
Interactions	PUBCHEM	N-[3-(10,11-Dihydro-dibenzo[a,d]cyclohepten-5-ylidenemethyl)-phen methanesulfonamide
Interactions	PUBCHEM	Ethinylestradiol
Interactions	PUBCHEM	Chlordane, technical
Interactions	PUBCHEM	Progesterone
Interactions	PUBCHEM	Testosterone Propionate
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methylphenyl)-4-methyl-2-[(4-methyl-1H pyrrolo[2,3-c]pyridin-2-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	5-(5-fluoro-2-methylphenyl)-2,2,5-trimethyl-3-(1H-pyrrolo[3,2-c]pyridin-2-ylmethyl)hexan-3-ol
Interactions	PUBCHEM	5-fluoro-2-[5,5,5-trifluoro-4-hydroxy-2-methyl-4-(5H-pyrrolo[3,2-d]pyrimidin-6-ylmethyl)pentan-2-yl]phenol
Interactions	PUBCHEM	2-[(5-amino-1H-pyrrolo[2,3-c]pyridin-2-yl)methyl]-1,1,1-trifluoro-4-(5 fluoro-2-methylphenyl)-4-methylpentan-2-ol
Interactions	PUBCHEM	Methyltestosterone
Interactions	PUBCHEM	Testosterone
Interactions	PUBCHEM	Promethazine Hydrochloride
Interactions	PUBCHEM	Saroglitazar
Interactions	PUBCHEM	Adapalene
Interactions	PUBCHEM	N-[4-(4-hydroxyphenoxy)-3-methylphenyl]-3-methoxybenzamide
Interactions	PUBCHEM	BR-4628
Interactions	PUBCHEM	1-Hexadecyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imid
Interactions	PUBCHEM	SR146131 trifluoroacetate (1:1)
Interactions	PUBCHEM	Ssr126768
Interactions	PUBCHEM	Dtxcid2027387

Main Category	Category	Terms
Interactions	PUBCHEM	Triphenylethylene
Interactions	PUBCHEM	N-(4-phenoxyphenyl)naphthalene-2-sulfonamide
Interactions	PUBCHEM	Ethylenediaminetetraacetic Acid
Interactions	PUBCHEM	Mibefradil Dihydrochloride
Interactions	PUBCHEM	Fananserin
Interactions	PUBCHEM	Bisphenol E
Interactions	PUBCHEM	Saquinavir Mesylate
Interactions	PUBCHEM	8-Hydroxyquinoline citrate
Interactions	PUBCHEM	Octyl Gallate
Interactions	PUBCHEM	Carbaryl
Interactions	PUBCHEM	Deoxycorticosterone
Interactions	PUBCHEM	Pyrazineethanethiol
Interactions	PUBCHEM	Fluocinolone Acetonide
Interactions	PUBCHEM	beta-NAPHTHYL ANTHRANILATE
Interactions	PUBCHEM	Lactofen
Interactions	PUBCHEM	Benoxacor
Interactions	PUBCHEM	Norethindrone
Interactions	PUBCHEM	o-Dianisidine dihydrochloride
Interactions	PUBCHEM	Norethynodrel
Interactions	PUBCHEM	Benziodarone
Interactions	PUBCHEM	17-Hydroxyprogesterone
Interactions	PUBCHEM	Chlorpromazine Hydrochloride
Interactions	PUBCHEM	1-Lauryl-2-pyrrolidone
Interactions	PUBCHEM	4-(Diglycidylamino)phenyl glycidyl ether
Interactions	PUBCHEM	Methyl triclosan
Interactions	PUBCHEM	Medroxyprogesterone Acetate
Interactions	PUBCHEM	S-Bioallethrin
Interactions	PUBCHEM	Reconcile
Interactions	PUBCHEM	Mestranol
Interactions	PUBCHEM	P,P'-ddd
Interactions	PUBCHEM	Methandrostenolone
Interactions	PUBCHEM	4-(1-(4-(2-(Dimethylamino)ethoxy)phenyl)-2-phenyl-1-buten-1-yl)ph

Main Category	Category	Terms
Interactions	PUBCHEM	Motretinide
Interactions	PUBCHEM	4-Chlorobenzoic Acid
Interactions	PUBCHEM	N,N'-Diphenyl-P-Phenylenediamine
Interactions	PUBCHEM	Myclobutanil
Interactions	PUBCHEM	Alclometasone Dipropionate
Interactions	PUBCHEM	Fumaronitrile
Interactions	PUBCHEM	Retinal
Interactions	PUBCHEM	Efavirenz
Interactions	PUBCHEM	Pyraclostrobin
Interactions	PUBCHEM	avermectin B1a
Interactions	PUBCHEM	Triamcinolone Acetonide
Interactions	PUBCHEM	E-Guggulsterone
Interactions	PUBCHEM	Fluoxymesterone
Interactions	PUBCHEM	Guggulsterone
Interactions	PUBCHEM	Axitinib
Interactions	PUBCHEM	Prothioconazole
Interactions	PUBCHEM	Mepenzolate Bromide
Interactions	PUBCHEM	Chloroquine Phosphate
Interactions	PUBCHEM	Beta-Carboline
Interactions	PUBCHEM	6-Azacytidine
Interactions	PUBCHEM	Monocresyl diphenyl phosphate
Interactions	PUBCHEM	Tri-p-cresyl phosphate
Interactions	PUBCHEM	Mefloquine Hydrochloride
Interactions	PUBCHEM	Cadmium acetate, dihydrate
Interactions	PUBCHEM	Norgestimate
Interactions	PUBCHEM	Tetraiodothyroacetic acid
Interactions	PUBCHEM	Broquinaldol
Interactions	PUBCHEM	Nonaethylene Glycol Monododecyl Ether
Interactions	PUBCHEM	Benidipine Hydrochloride
Interactions	PUBCHEM	Diethylstilbestrol Dipropionate
Interactions	PUBCHEM	Pifexole
Interactions	PUBCHEM	Indocate

Main Category	Category	Terms
Interactions	PUBCHEM	Sertaconazole
Interactions	PUBCHEM	(2R,3S)-2,3-dihydroxybutanedioic acid;bis((2S)-N,N,2-trimethyl-3-phenothiazin-10-ylpropan-1-amine)
Interactions	PUBCHEM	Ethyl 4-nitrophenyl P-ethylphosphonate
Interactions	PUBCHEM	Bisphenol B
Interactions	PUBCHEM	Tetrabromobisphenol A
Interactions	PUBCHEM	Tetrachlorobisphenol A
Interactions	PUBCHEM	Sulphenone
Interactions	PUBCHEM	Bisphenol A
Interactions	PUBCHEM	Lithium sulfate
Interactions	PUBCHEM	N-Cyclohexyl-4-methylbenzenesulfonamide
Interactions	PUBCHEM	Chlorfenson
Interactions	PUBCHEM	Fenson
Interactions	PUBCHEM	Hexaconazole
Interactions	PUBCHEM	4-(2,5-Diethoxy-4-nitrophenyl)morpholine
Interactions	PUBCHEM	Chlorprothixene, (E)-
Interactions	PUBCHEM	(3aR,7aS)-3a,7a-dimethylhexahydro-4,7-epoxy-2-benzofuran-1,3-dio
Interactions	PUBCHEM	Prednicarbate
Interactions	PUBCHEM	Xylenol Blue
Interactions	PUBCHEM	Leucomalachite green
Interactions	PUBCHEM	Phenyl 1-hydroxy-2-naphthoate
Interactions	PUBCHEM	Napthol asol
Interactions	PUBCHEM	1,3-Benzenediol, 4,6-dichloro-
Interactions	PUBCHEM	Chloro(methyl)diphenylsilane
Interactions	PUBCHEM	Methylprednisolone
Interactions	PUBCHEM	(15R)-15-methyl-N-(1,3-thiazol-2-yl)tetracyclo[6.6.2.0^{2,7}.0^{9,14}]hexadeca-2,4,6,9(14),10,12-hexaene-15-carboxamide
Interactions	PUBCHEM	1,5-Dihydroxynaphthalene
Interactions	PUBCHEM	4,4,4-Trifluoro-1-phenyl-1,3-butanedione
Interactions	PUBCHEM	Rotenone
Interactions	PUBCHEM	2-Chloro-1-fluoro-4-nitrobenzene
Interactions	PUBCHEM	Dicyclohexyl phthalate
Interactions	PUBCHEM	Diphenyl phthalate

Main Category	Category	Terms
Interactions	PUBCHEM	Dihexyl phthalate
Interactions	PUBCHEM	Furil
Interactions	PUBCHEM	Phthalic Anhydride
Interactions	PUBCHEM	2-Ethylhexyl butyl phthalate
Interactions	PUBCHEM	Centralite
Interactions	PUBCHEM	Carbazole
Interactions	PUBCHEM	alpha-Estradiol
Interactions	PUBCHEM	Econazole Nitrate
Interactions	PUBCHEM	1-Naphthaleneacetic Acid
Interactions	PUBCHEM	Drospirenone
Interactions	PUBCHEM	Hydrocortisone Aceponate
Interactions	PUBCHEM	2,3-Dimethylaniline
Interactions	PUBCHEM	Oleoyl Sarcosine
Interactions	PUBCHEM	4,4'-Dihydroxybenzophenone
Interactions	PUBCHEM	Etonogestrel
Interactions	PUBCHEM	GlyTouCan:G13986QF
Interactions	PUBCHEM	Ciclesonide
Interactions	PUBCHEM	Halobetasol Propionate
Interactions	PUBCHEM	Ci-1040
Interactions	PUBCHEM	Almitrine Mesylate
Interactions	PUBCHEM	Lonaprisan
Interactions	PUBCHEM	2,6-Di-tert-butyl-4-nitrophenol
Interactions	PUBCHEM	Diphenyl isophthalate
Interactions	PUBCHEM	2-Acetylfluorene
Interactions	PUBCHEM	1-Chloro-2,4-Dinitrobenzene
Interactions	PUBCHEM	2,2'-Dihydroxybenzophenone
Interactions	PUBCHEM	1-Naphthol
Interactions	PUBCHEM	Phenyl-1-naphthylamine
Interactions	PUBCHEM	Diethylpropion
Interactions	PUBCHEM	4,4'-Bis(dimethylamino)benzophenone
Interactions	PUBCHEM	Triphenylborane
Interactions	PUBCHEM	Dipentamethylenethiuram hexasulfide

Main Category	Category	Terms
Interactions	PUBCHEM	p-tert-Butylphenyl diphenyl phosphate
Interactions	PUBCHEM	4-Methyl-7-diethylaminocoumarin
Interactions	PUBCHEM	(4R)-4-[(3S,5R,7R,8R,9S,10S,12S,13R,14S,17R)-3-[2-[2-[4-[(8S,11R,13S,14S,17R)-17-ethynyl-17-hydroxy-13-methyl-3-oxo-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]ethoxy]ethoxy]-7,12-dihydroxy-10,13-dimethyl-2,3,4,5,6,7,8,9,11,12,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthren-17-yl]pentanoic acid
Interactions	PUBCHEM	(4R)-4-[(3R,5R,7R,8R,9S,10S,12S,13R,14S,17R)-3-[2-[2-[4-[(8S,11R,13S,14S,17R)-17-ethynyl-17-hydroxy-13-methyl-3-oxo-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-1 yl]-N-methylanilino]ethoxy]ethoxy]-7,12-dihydroxy-10,13-dimethyl-2,3,4,5,6,7,8,9,11,12,14,15,16,17-tetradecahydro-1H-cyclopenta[a]phenanthren-17-yl]pentanoic acid
Interactions	PUBCHEM	2-Mercaptobenzimidazole
Interactions	PUBCHEM	3,3'-Diaminobenzidine
Interactions	PUBCHEM	Moxaverine
Interactions	PUBCHEM	2-Chlorophenothiazine
Interactions	PUBCHEM	3,3-Diphenylacrolein
Interactions	PUBCHEM	4-Aminobiphenyl
Interactions	PUBCHEM	4-Hydroxybiphenyl
Interactions	PUBCHEM	Phenothiazine
Interactions	PUBCHEM	4,4'-Dihydroxybiphenyl
Interactions	PUBCHEM	p-Terphenyl
Interactions	PUBCHEM	(-)-Eburnamonine
Interactions	PUBCHEM	5-Methyl-8-hydroxyquinoline
Interactions	PUBCHEM	2-Chloro-4-[(3s,3as,4s)-4-Hydroxy-3-Methoxy-3a,4,5,6-Tetrahydro-3 Pyrrolo[1,2-B]pyrazol-2-Yl]-3-Methylbenzonitrile
Interactions	PUBCHEM	N-Methyl-3,4-methylenedioxyamphetamine Hydrochloride
Interactions	PUBCHEM	Masoprocol
Interactions	PUBCHEM	Loxapine Succinate
Interactions	PUBCHEM	Diflorasone Diacetate
Interactions	PUBCHEM	(6S,7S)-6-ethyl-7-methyl-4-(trifluoromethyl)-6,7,8,9-tetrahydropyrano[3,2-g]quinolin-2-one
Interactions	PUBCHEM	3-[(7S,8aS)-3,4,6,7,8,8a-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-7-yl] [(E)-(3-fluoro-6H-benzo[c][1]benzoxepin-11-ylidene)methyl]-1H-benzimidazol-2-one
Interactions	PUBCHEM	(6S,7S)-6,7-diethyl-4-(trifluoromethyl)-6,7,8,9-tetrahydropyrano[3,2-g]quinolin-2-one

Main Category	Category	Terms
Interactions	PUBCHEM	(4S)-4-(4-cyano-2-methoxyphenyl)-5-ethoxy-2-methyl-1,4-dihydro-1, naphthyridine-3-carbonitrile
Interactions	PUBCHEM	(4S)-4-(4-cyano-2-methoxyphenyl)-5-ethoxy-2,8-dimethyl-1,4-dihydro-1,6-naphthyridine-3-carbonitrile
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-5-[6-(trifluoromethyl)-benzimidazol-2-yl]-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	2-Chloro-4-{[(1r,2r)-2-Hydroxy-2-Methylcyclopentyl]amino}-3-Methylbenzonitrile
Interactions	PUBCHEM	(5R)-5-benzyl-5-(6-chloro-1H-benzimidazol-2-yl)-3-[(1R)-1-(4-fluorophenyl)ethyl]-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	(5R)-N-[(3,4-dichlorophenyl)methyl]-3-[(1R)-1-(4-fluorophenyl)ethyl] [(4-fluorophenyl)methyl]-2,4-dioxo-1,3-oxazolidine-5-carboxamide
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-5-(6-morpholin-4-yl-1H benzimidazol-2-yl)-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-2,3-dihydro-1H-inden-1-yl]-N-[(3,5-dimethoxyphenyl)methyl]-2,4-dioxo-1,3-oxazolidine-5-carboxamide
Interactions	PUBCHEM	N-[2-[(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-2,4-dioxo-1,3-oxazolidin-5-yl]-1H-benzimidazol-4-yl]methanesulfonamide
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-5-(6-pyridin-3-yl-1H-benzimidazol-2-yl)-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-5-[6-(1H-pyrazol-5-yl)-benzimidazol-2-yl]-1,3-oxazolidine-2,4-dione
Interactions	PUBCHEM	Hydroxyzine monohydrochloride
Interactions	PUBCHEM	2-Hydroxy-4-methoxy-4'-methylbenzophenone
Interactions	PUBCHEM	N-carbamoyl-2-[(5S)-9-fluoro-2-(6-propan-2-yloxy-3-pyridinyl)-5H-chromeno[2,3-b]pyridin-5-yl]-2-methylpropanamide
Interactions	PUBCHEM	(8R,9S,13S,14S)-17-methoxy-13-methyl-3-propoxy-6,7,8,9,11,12,14,15,16,17-decahydrocyclopenta[a]phenanthrene
Interactions	PUBCHEM	Benzyl 4-Hydroxybenzoate
Interactions	PUBCHEM	Chlormidazole
Interactions	PUBCHEM	Butylparaben
Interactions	PUBCHEM	Amino-6-ethoxybenzothiazole, 2-
Interactions	PUBCHEM	Otilonium Bromide
Interactions	PUBCHEM	6-[4-(2,4-Difluorophenyl)-5-Oxo-2,5-Dihydrofuran-3-Yl]-2h-1,4-Benzoxazin-3(4h)-One
Interactions	PUBCHEM	6-[4-(4-fluoro-2-methylphenyl)-5-oxo-2H-furan-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[4-(4-fluorophenyl)-2,2-dimethyl-5-oxofuran-3-yl]-4H-1,4-benzoxazin-3-one

Main Category	Category	Terms
Interactions	PUBCHEM	6-[4-(4-fluorophenyl)-2-methyl-5-oxo-2H-furan-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[2-fluoro-4-(4-fluorophenyl)-2-methyl-5-oxofuran-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[2-ethyl-4-(4-fluorophenyl)-5-oxo-2H-furan-3-yl]-4H-1,4-benzoxazin one
Interactions	PUBCHEM	6-[4-(4-fluorophenyl)-1,2-dimethyl-5-oxo-2H-pyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[1-ethyl-4-(4-fluorophenyl)-2-methyl-5-oxo-2H-pyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[1-cyclopropyl-4-(4-fluorophenyl)-2-methyl-5-oxo-2H-pyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[4-(4-fluorophenyl)-2-methyl-5-oxo-1,2-dihydropyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	6-[4-(4-fluorophenyl)-2-methyl-5-oxo-1,2-dihydropyrrol-3-yl]-8-methyl-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	8-fluoro-6-[4-(4-fluorophenyl)-2-methyl-5-oxo-1,2-dihydropyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	8-chloro-6-[4-(4-fluorophenyl)-2-methyl-5-oxo-1,2-dihydropyrrol-3-yl]-4H-1,4-benzoxazin-3-one
Interactions	PUBCHEM	(3S)-3-[1-(4-fluorophenyl)indazol-5-yl]-2,2-dimethyl-3-phenyl-N-(1,3, thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	(3R)-3-[1-(4-fluorophenyl)indazol-5-yl]-2,2-dimethyl-3-phenyl-N-(1,3, thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	3,4-Dichlorophenol
Interactions	PUBCHEM	N-{3-[(1z)-1-(10-Methoxydibenzo[b,E]oxepin-11(6h)-Ylidene)propyl]phenyl}methanesulfonamide
Interactions	PUBCHEM	2,4,5-Trichlorophenol
Interactions	PUBCHEM	Dicyclohexylthiourea
Interactions	PUBCHEM	N-[(2S)-1-(4-hydroxy-2,3-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	2,4,6-trimethyl-N-[1-(2-methylphenyl)butan-2-yl]benzenesulfonamic
Interactions	PUBCHEM	2,4,6-trimethyl-N-[1-(3-methylphenyl)butan-2-yl]benzenesulfonamic
Interactions	PUBCHEM	2,4,6-trimethyl-N-[1-(4-methylphenyl)butan-2-yl]benzenesulfonamic
Interactions	PUBCHEM	N-[1-(2,3-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-(2,4-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-(3,5-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	N-[1-(3,5-difluorophenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonar
Interactions	PUBCHEM	N-[1-(3,5-dichlorophenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	2,4,6-trimethyl-N-(1-naphthalen-1-ylbutan-2-yl)benzenesulfonamide
Interactions	PUBCHEM	2,4,6-trimethyl-N-(1-naphthalen-2-ylbutan-2-yl)benzenesulfonamide
Interactions	PUBCHEM	N-[1-(4-methoxy-2,3-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-(4-hydroxy-2,3-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-(4-hydroxy-3,5-dimethylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[1-(4-hydroxynaphthalen-1-yl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[(2S)-1-(4-hydroxyphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[(2S)-1-(4-hydroxy-2-methylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	N-[(2S)-1-(4-hydroxy-3-methylphenyl)butan-2-yl]-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	(3S)-3-[1-(4-fluorophenyl)indazol-5-yl]-2-methyl-3-phenyl-N-(1,3,4-thiadiazol-2-yl)propanamide
Interactions	PUBCHEM	Methylcyclopentane
Interactions	PUBCHEM	Genite
Interactions	PUBCHEM	Fenticlor
Interactions	PUBCHEM	4-methoxy-3-nitro-N-phenylbenzamide
Interactions	PUBCHEM	o-Aminoazotoluene
Interactions	PUBCHEM	Flurprimidol
Interactions	PUBCHEM	Flusilazole
Interactions	PUBCHEM	4-tert-Butylcatechol
Interactions	PUBCHEM	9-Anthracenemethanol
Interactions	PUBCHEM	2,4,4'-Trihydroxybenzophenone
Interactions	PUBCHEM	bisphenol AF
Interactions	PUBCHEM	Alpha-Methylstyrene
Interactions	PUBCHEM	2-Bromo-4'-chloro-2'-(o-fluorobenzoyl)acetanilide
Interactions	PUBCHEM	2,6-Dichloro-4-nitroaniline
Interactions	PUBCHEM	Carveol

Main Category	Category	Terms
Interactions	PUBCHEM	N-(4-phenoxyphenyl)benzamide
Interactions	PUBCHEM	1,3-Dinitrobenzene
Interactions	PUBCHEM	N-Methyl-4-nitroaniline
Interactions	PUBCHEM	Methyl 3-phenanthryl ketone
Interactions	PUBCHEM	1,4-Dinitrobenzene
Interactions	PUBCHEM	4-Nitrophenetol
Interactions	PUBCHEM	Iodophthalein Sodium
Interactions	PUBCHEM	3,3'-Dichloro-4,4'-Diaminodiphenylmethane
Interactions	PUBCHEM	3-Hydroxy-N-phenylaniline
Interactions	PUBCHEM	Bis(2-hydroxyphenyl)methane
Interactions	PUBCHEM	2,4'-Dihydroxydiphenylmethane
Interactions	PUBCHEM	4-Benzylphenol
Interactions	PUBCHEM	1,1'-Oxybis(4-nitrobenzene)
Interactions	PUBCHEM	N-isopropyl-N'-phenyl-p-phenylenediamine
Interactions	PUBCHEM	4-(4-Chlorophenoxy)aniline
Interactions	PUBCHEM	N,N'-Di-sec-butyl-p-phenylenediamine
Interactions	PUBCHEM	1,1,1-Trichloro-2,2-bis(4-hydroxyphenyl)ethane
Interactions	PUBCHEM	1,1,1-trifluoro-4-(5-fluoro-2-methylphenyl)-4-methyl-2-[(2-morpholin yl-5H-pyrrolo[3,2-d]pyrimidin-6-yl)methyl]pentan-2-ol
Interactions	PUBCHEM	2-amino-4,6-dichloro-N-[1-(1H-indol-3-yl)-2-methylpropan-2-yl]benzenesulfonamide
Interactions	PUBCHEM	Monobenzone
Interactions	PUBCHEM	Bis(2-ethylhexyl) azelate
Interactions	PUBCHEM	Nelfinavir mesylate hydrate
Interactions	PUBCHEM	1,2-Dihydro-2,2,4-trimethyl-6-phenylquinoline
Interactions	PUBCHEM	1-(1-hydroxypropan-2-yl)-2-methyl-4-(trifluoromethyl)-1H-indole-5-carbonitrile
Interactions	PUBCHEM	3,3,4,4-Tetrachlorotetrahydrothiophene 1,1-dioxide
Interactions	PUBCHEM	(3R)-5-(5-fluoro-2-methylphenyl)-2,2,5-trimethyl-3-(1H-pyrrolo[3,2-c]pyridin-2-ylmethyl)hexan-3-ol
Interactions	PUBCHEM	Volcano
Interactions	PUBCHEM	4-Bromoaniline
Interactions	PUBCHEM	Atraric Acid
Interactions	PUBCHEM	N-(4-phenoxyphenyl)methanesulfonamide

Main Category	Category	Terms
Interactions	PUBCHEM	1-Nitropropane
Interactions	PUBCHEM	Tetraaminopyrimidine sulfate
Interactions	PUBCHEM	Indole
Interactions	PUBCHEM	Tetraconazole
Interactions	PUBCHEM	N,N,N',N'-Tetramethylethylenediamine
Interactions	PUBCHEM	4,4'-(4-Methylpentane-2,2-diyl)diphenol
Interactions	PUBCHEM	Dipropyl tetrachlorophthalate
Interactions	PUBCHEM	N-(4-bromophenyl)-3-chlorobenzenesulfonamide
Interactions	PUBCHEM	N,N-Dimethyltetradecylamine
Interactions	PUBCHEM	Bexarotene
Interactions	PUBCHEM	Flunisolide
Interactions	PUBCHEM	1-Octadecene
Interactions	PUBCHEM	N-2-Ethylhexylbicycloheptenedicarboximide
Interactions	PUBCHEM	Ditridecyl Thiodipropionate
Interactions	PUBCHEM	Tetradifon
Interactions	PUBCHEM	4,4'-(Isopropylidenebis(4,1-phenyleneoxy))dianiline
Interactions	PUBCHEM	2,2'-Diallyl-4,4'-sulfonyldiphenol
Interactions	PUBCHEM	Dichlone
Interactions	PUBCHEM	Di(2-ethylhexyl) phthalate
Interactions	PUBCHEM	Bis(2-butoxyethyl) phthalate
Interactions	PUBCHEM	2-Nitrodiphenylamine
Interactions	PUBCHEM	Dianisidine
Interactions	PUBCHEM	o-Tolidine
Interactions	PUBCHEM	Chlorophene
Interactions	PUBCHEM	Dibenzoylmethane
Interactions	PUBCHEM	Dimethyl terephthalate
Interactions	PUBCHEM	Sulfoxide
Interactions	PUBCHEM	3-chloro-N-(4-propan-2-ylphenyl)benzenesulfonamide
Interactions	PUBCHEM	2-Chloro-4-nitroaniline
Interactions	PUBCHEM	N-(4-phenoxyphenyl)-1-phenylmethanesulfonamide
Interactions	PUBCHEM	Dinex
Interactions	PUBCHEM	2,2'-Dihydroxy-4-methoxybenzophenone

Main Category	Category	Terms
Interactions	PUBCHEM	2,2',4,4'-Tetrahydroxybenzophenone
Interactions	PUBCHEM	2,4-Dihydroxybenzophenone
Interactions	PUBCHEM	N-(1-Methylheptyl)-N'-phenyl-p-phenylenediamine
Interactions	PUBCHEM	3-Amino-9-ethylcarbazole
Interactions	PUBCHEM	Cinchophen
Interactions	PUBCHEM	Captan
Interactions	PUBCHEM	Phenyl 4-aminosalicylate
Interactions	PUBCHEM	Tebuconazole
Interactions	PUBCHEM	Cyproconazole
Interactions	PUBCHEM	2-Benzyl-2-(dimethylamino)-1-(4-(morpholin-4-yl)phenyl)butan-1-or
Interactions	PUBCHEM	Difenoconazole
Interactions	PUBCHEM	Metconazole
Interactions	PUBCHEM	Ipconazole
Interactions	PUBCHEM	N-[2-{[benzyl(Methyl)amino]methyl}-3-(4-Fluoro-2-Methoxyphenyl)-(Propan-2-Yl)-1h-Indol-7-Yl]methanesulfonamide
Interactions	PUBCHEM	Azd-9496
Interactions	PUBCHEM	Mepanipyrim
Interactions	PUBCHEM	(E)-3-(4-((1R,3R)-2-(2-Fluoro-2-methylpropyl)-3-methyl-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indol-1-yl)phenyl)acrylic acid
Interactions	PUBCHEM	Cyprodinil
Interactions	PUBCHEM	2-Butyl p-hydroxybenzoate
Interactions	PUBCHEM	2-Naphthol
Interactions	PUBCHEM	Methyl 2-[5-cyano-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl]butanc
Interactions	PUBCHEM	(R)-1-(3-Hydroxy-3-methylbutan-2-yl)-4-(trifluoromethyl)-1H-indole-carbonitrile
Interactions	PUBCHEM	Gsk-2881078
Interactions	PUBCHEM	(S)-4-chloro-1-(3-hydroxy-3-methylbutan-2-yl)-1H-indole-5-carbonitr
Interactions	PUBCHEM	1-(3-hydroxy-2,3-dimethylbutan-2-yl)-1H-indole-4,5-dicarbonitrile
Interactions	PUBCHEM	4-Chloro-1-((2R,3S)-4,4,4-trifluoro-3-hydroxy-3-methylbutan-2-yl)-1H-indole-5-carbonitrile
Interactions	PUBCHEM	N-phenyl-2-naphthylamine
Interactions	PUBCHEM	Diazoaminobenzene
Interactions	PUBCHEM	Phenazopyridine hydrochloride
Interactions	PUBCHEM	1,3-Bis(4-pyridyl)propane

Main Category	Category	Terms
Interactions	PUBCHEM	Phenylparaben
Interactions	PUBCHEM	5-[[4-(3-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-(trifluoromethyl)pentyl]amino]-2H-isoquinolin-1-one
Interactions	PUBCHEM	3-chloro-N-(4-methylphenyl)benzenesulfonamide
Interactions	PUBCHEM	3-chloro-N-(4-methoxyphenyl)benzenesulfonamide
Interactions	PUBCHEM	2-chloro-4-[[(3R,4S)-4-hydroxy-4-methyloxolan-3-yl]amino]-3-methylbenzonitrile
Interactions	PUBCHEM	2-chloro-4-[[(1R,2R)-2-hydroxy-2-methylcyclohexyl]amino]-3-methylbenzonitrile
Interactions	PUBCHEM	2-chloro-4-[[(1R,2S)-2-hydroxy-2-methylcyclopentyl]amino]-3-methylbenzonitrile
Interactions	PUBCHEM	Pregnenolone
Interactions	PUBCHEM	US10196353, Example 12
Interactions	PUBCHEM	US10196353, Example 17
Interactions	PUBCHEM	US10196353, Example 21
Interactions	PUBCHEM	N-[2-[(5R)-5-benzyl-3-[(1R)-1-(4-fluorophenyl)ethyl]-2,4-dioxo-1,3-oxazolidin-5-yl]-3H-benzimidazol-5-yl]methanesulfonamide
Interactions	PUBCHEM	Quinestrol
Interactions	PUBCHEM	Dydrogesterone
Interactions	PUBCHEM	2-(1,1,1,3,3,3-Hexafluoro-2-hydroxypropan-2-yl)-5-propylphenanthridin-6-one
Interactions	PUBCHEM	4-[(3R)-2-(4-cyano-3-methylphenyl)-3-cyclopentyl-3,4-dihydropyrazo yl]-2-methoxybenzoic acid
Interactions	PUBCHEM	4-[(3R)-2-(4-cyano-3-methylphenyl)-3-cyclopentyl-3,4-dihydropyrazo yl]-2-ethoxybenzoic acid
Interactions	PUBCHEM	6-[(3R)-2-(5-cyano-6-methyl-2-pyridinyl)-3-propan-2-yl-3,4-dihydropyrazol-5-yl]-2-methoxypyridine-3-carboxylic acid
Interactions	PUBCHEM	4-Nitrosodiphenylamine
Interactions	PUBCHEM	Benzo(ghi)perylene
Interactions	PUBCHEM	Cefacetrile
Interactions	PUBCHEM	Irgarol
Interactions	PUBCHEM	Gliquidone
Interactions	PUBCHEM	Acenaphthylene
Interactions	PUBCHEM	Hydroxyflutamide
Interactions	PUBCHEM	Bitertanol
Interactions	PUBCHEM	Tolclofos-methyl

Main Category	Category	Terms
Interactions	PUBCHEM	Nomegestrol Acetate
Interactions	PUBCHEM	Diflucortolone Valerate
Interactions	PUBCHEM	Etaconazole
Interactions	PUBCHEM	Flurochloridone
Interactions	PUBCHEM	Nuarimol
Interactions	PUBCHEM	Dimethenamid
Interactions	PUBCHEM	Dithiopyr
Interactions	PUBCHEM	(1'R,3S,10'R,14'S)-10',14'-dimethylspiro[cyclopentane-3,15'-hexacyclo[9.8.0.02,4.05,10.014,19.016,18]nonadec-5-ene]-1,7'-dion
Interactions	PUBCHEM	Oxime, 22
Interactions	PUBCHEM	2-Methyl-1-(4-(methylthio)phenyl)-2-morpholino-1-propanone
Interactions	PUBCHEM	Ethynodiol Diacetate
Interactions	PUBCHEM	Lopinavir
Interactions	PUBCHEM	Tetrabromophenolphthalein ethyl ester
Interactions	PUBCHEM	Prednisolone Tebutate
Interactions	PUBCHEM	1,1,1-Tris(4-hydroxyphenyl)ethane
Interactions	PUBCHEM	Chlormadinone Acetate
Interactions	PUBCHEM	Hydralazine Hydrochloride
Interactions	PUBCHEM	Cloquintocet-mexyl
Interactions	PUBCHEM	Paraoxon
Interactions	PUBCHEM	Estradiol Cypionate
Interactions	PUBCHEM	Flunarizine
Interactions	PUBCHEM	Haloxon
Interactions	PUBCHEM	4'-Fluoro(1,1'-biphenyl)-4-amine
Interactions	PUBCHEM	Hydrogenated bisphenol a
Interactions	PUBCHEM	3,5-Dioxa-6-aza-4-phosphaoct-6-ene-8-nitrile, 4-ethoxy-7-phenyl-, 4-sulfide
Interactions	PUBCHEM	Cefmenoxime
Interactions	PUBCHEM	Chlorhexidine Hydrochloride
Interactions	PUBCHEM	9,10-dihydrobenzo[a]pyren-7(8H)-one
Interactions	PUBCHEM	Asoprisnil
Interactions	PUBCHEM	Methyl (2Z)-(methoxyimino)(2-((((E)-(1-(3-(trifluoromethyl)phenyl)ethylidene)amino)oxy)methyl)phenyl)aceta
Interactions	PUBCHEM	3-Hydroxyfluorene

Main Category	Category	Terms
Interactions	PUBCHEM	Fluocinonide
Interactions	PUBCHEM	2-(2,2,2-Trifluoroacetamido)fluorene
Interactions	PUBCHEM	Ftormetazine
Interactions	PUBCHEM	4-Fluoroaniline
Interactions	PUBCHEM	Betamethasone
Interactions	PUBCHEM	Ergotamine Tartrate
Interactions	PUBCHEM	3-Methyl-5-(3-nitro-phenyl)-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	6-(3-Fluorophenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(4-Chlorophenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	6-(3-Chlorophenyl)-4,4-dimethyl-1,4-dihydro-benzo[d][1,3]oxazin-2-thione
Interactions	PUBCHEM	(E)-3-[4-[(E)-1-(4-hydroxyphenyl)-2-phenylbut-1-enyl]phenyl]prop-2-enoic acid
Interactions	PUBCHEM	Ave5638
Interactions	PUBCHEM	Calcipotriol, (5E)-
Interactions	PUBCHEM	9-Chloro-5-(4-chloro-phenyl)-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	7-Benzofuranbutanamide, 2,3-dihydro-alpha-hydroxy-gamma,gamm dimethyl-N-(4-methyl-1-oxo-1H-2,3-benzoxazin-6-yl)-alpha-(trifluoromethyl)-, (+)-
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-oxo-2,4-dihydro-1H-benzo[D][1,3]oxazin-6-YL)benzonitrile
Interactions	PUBCHEM	6-(3-Methoxyphenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(4H)-or
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	3-(1',2'-Dihydro-2'-oxospiro[cyclohexane-1,3'-[3H]indol]-5'-yl)benzonitrile
Interactions	PUBCHEM	Estradiol Acetate
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	N-(1-(1H-indol-3-yl)propan-2-yl)-2,4,6-trimethylbenzenesulfonamide
Interactions	PUBCHEM	3-methyl-1-(2,2,2-trifluoroethyl)-9-(trifluoromethyl)-1H,2H,3H,6H,7H quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	Norgestomet
Interactions	PUBCHEM	Abiraterone Acetate
Interactions	PUBCHEM	(5Z)-9-fluoro-2,2,4-trimethyl-5-[(2-methylphenyl)methylidene]-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	Steroid antagonist, 2

Main Category	Category	Terms
Interactions	PUBCHEM	Metaflumizone, (Z)-
Interactions	PUBCHEM	Icosapent Ethyl
Interactions	PUBCHEM	5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)thiophene-carbonitrile
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(2-oxospiro[1H-indole-3,1'-cyclohexane]-5-yl)-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	6-(3-Cyano-5-fluorophenyl)-1,2-dihydro-2,2,4-trimethylquinoline
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-benzonitrile
Interactions	PUBCHEM	3-(4,4-dimethyl-2-oxo-2,4-dihydro-1H-benzo[d][1,3]oxazin-6-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	6-(3-Chloro-5-fluorophenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(one
Interactions	PUBCHEM	1-(2,2,2-trifluoroethyl)-9-(trifluoromethyl)-1H,2H,3H,6H,7H-quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	1-(cyclopropylmethyl)-2-ethyl-9-(trifluoromethyl)-1H,2H,3H,6H,7H-quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	2-ethyl-1-(2,2,2-trifluoroethyl)-9-(trifluoromethyl)-1H,2H,3H,6H,7H-quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	5-(4-Chloro-3-methyl-phenyl)-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H oxa-1-aza-chrysene
Interactions	PUBCHEM	Halometasone
Interactions	PUBCHEM	5-(3,5-Dichloro-phenyl)-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6 oxa-1-aza-chrysene
Interactions	PUBCHEM	Surinabant
Interactions	PUBCHEM	6-(3-Chloro-phenyl)-2,2,4,4-tetramethyl-1,4-dihydro-2H-benzo[d][1,3]oxazine
Interactions	PUBCHEM	Fluticasone Furoate
Interactions	PUBCHEM	5-(3-Methoxy-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-3-ethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	6-(2-Chlorophenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	5-(3-Chloro-5-fluoro-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	1-ethyl-9-(trifluoromethyl)-1H,2H,3H,6H,7H-quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	1-(2-(3,4-dichlorophenoxy)-5-fluorophenyl)-N-methylmethanamine
Interactions	PUBCHEM	2-Hydrazinyl-4-phenylthiazole
Interactions	PUBCHEM	7-Fluoro-2,2,4-trimethyl-8-nitro-2,10-dihydro-1H-indeno[1,2-g]quinol

Main Category	Category	Terms
Interactions	PUBCHEM	3-fluoro-5-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)benzonitrile
Interactions	PUBCHEM	5-[(E)-but-2-enyl]-10-methoxy-2,2,4-trimethyl-1,5-dihydrochromeno[f]quinoline
Interactions	PUBCHEM	CP-105696
Interactions	PUBCHEM	Ticagrelor
Interactions	PUBCHEM	5-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	4,4-Dimethyl-6-(5-nitro-1H-pyrrol-2-yl)-1,4-dihydro-benzo[d][1,3]oxazin-2-one
Interactions	PUBCHEM	Fluorometholone
Interactions	PUBCHEM	3-Fluoro-5-(8-fluoro-4,4-dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-benzonitrile
Interactions	PUBCHEM	Cyproterone Acetate
Interactions	PUBCHEM	6-(3-Chlorophenyl)-4,4-dimethyl-1H-benzo[D][1,3]oxazin-2(4H)-one
Interactions	PUBCHEM	Hmr-1426
Interactions	PUBCHEM	1-Benzyl-6-(3-chloro-phenyl)-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	(5Z)-5-benzylidene-2,2,4-trimethyl-1H-chromeno[3,4-f]quinoline
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-chrysene
Interactions	PUBCHEM	2-Benzyl-2-hydroxy-4-methyl-4-phenyl-pentanoic acid (1-oxo-1,3-dihydro-isobenzofuran-5-yl)-amide
Interactions	PUBCHEM	10-Methoxy-2,2,4-trimethyl-5-(3-trifluoromethyl-phenyl)-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	Pyrrolidine, 1-(2-(4-(3,4-dihydro-7-methoxy-2,2-dimethyl-3-phenyl-2H-benzopyran-4-yl)phenoxy)ethyl)-, cis-
Interactions	PUBCHEM	Nelivaptan
Interactions	PUBCHEM	6-(3-Chloro-phenyl)-3H-benzothiazol-2-one
Interactions	PUBCHEM	3-(3,3-Dimethyl-2-oxoindolin-5-yl)benzonitrile
Interactions	PUBCHEM	1-Methyl-6-(3-nitro-phenyl)-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	5-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-1-methyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	Lithocholic Acid
Interactions	PUBCHEM	5-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-1-ethyl-1H-pyrrole-2-carbonitrile
Interactions	PUBCHEM	5-Ethyl-4-trifluoromethyl-5,6,7,8-tetrahydro-1-oxa-8-aza-anthracen-2-one
Interactions	PUBCHEM	5-(3-Fluoro-5-nitro-phenyl)-3,3-dimethyl-1,3-dihydro-indol-2-one

Main Category	Category	Terms
Interactions	PUBCHEM	4-(4,4-Dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	6-(3-chloro-4-fluorophenyl)-4,4-dimethyl-1H-benzo[d][1,3]oxazin-2(4 one
Interactions	PUBCHEM	3-(4,4-Dimethyl-2-thioxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-5-fluorobenzonitrile
Interactions	PUBCHEM	3-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)benzonitril
Interactions	PUBCHEM	1-(cyclopropylmethyl)-9-(trifluoromethyl)-1H,2H,3H,6H,7H-quinolino[7,6-b][1,4]oxazin-7-one
Interactions	PUBCHEM	1-Benzyl-6-(3-nitro-phenyl)-1,3-dihydro-benzoimidazol-2-one
Interactions	PUBCHEM	10-methoxy-5-(2-propenyl)-2,5-dihydro-2,2,4-trimethyl-1H-(1)benzopyrano(3,4-f)quinoline
Interactions	PUBCHEM	(5Z)-5-[(3-fluorophenyl)methylidene]-2,2,4-trimethyl-1H-chromeno[3 f]quinoline
Interactions	PUBCHEM	N-[(6S,7R)-18-chloro-14-thia-2-azatetracyclo[13.4.0.02,7.08,13]nonadeca-1(15),8,10,12,16,18-hexaen-6-yl]-2,2,2-trifluoroacetamide
Interactions	PUBCHEM	Formamide, N-((1-((2-(diethylamino)ethyl)amino)-7-methoxy-9-oxo thioxanthen-4-yl)methyl)-
Interactions	PUBCHEM	4-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-fura carbonitrile
Interactions	PUBCHEM	5-Butyl-10-methoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	LG-120753
Interactions	PUBCHEM	3,3-Dimethyl-5-(3-nitro-phenyl)-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(4,4-dimethyl-2-oxo-2,4-dihydro-1H-benzo[d][1,3]oxazin-6-yl)-2-fluorobenzonitrile
Interactions	PUBCHEM	5-(3-Chlorophenyl)-3,3-diethyl-1,3-dihydro-2H-indole-2-thione
Interactions	PUBCHEM	(Z)-Lanoconazole
Interactions	PUBCHEM	Pentachlorophenol
Interactions	PUBCHEM	N-(7-Bromo-1-methoxy-6-phenyl-6H-benzo[c]chromen-8-yl)-methanesulfonamide
Interactions	PUBCHEM	GW-0742
Interactions	PUBCHEM	Indoxacarb, (+-)-
Interactions	PUBCHEM	2-Hydroxyethyl (2R)-2,5,7,8-tetramethyl-2-((4R,8R)-4,8,12-trimethyltridecyl)-3,4-dihydro-2H-chromen-6-yl butanedioate
Interactions	PUBCHEM	4-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-thiophene-2-carbonitrile
Interactions	PUBCHEM	5-(3-chlorophenyl)-3,3-dimethyl-1H-indole-2-thione

Main Category	Category	Terms
Interactions	PUBCHEM	5'-(3Cyanophenyl)-spiro[cyclopentane-1,3'-[3H]indol]-2'(1'H)-one
Interactions	PUBCHEM	8,8-Dimethyl-4-trifluoromethyl-6,7,8,9-tetrahydro-1H-pyrido[3,2-g]quinolin-2-one
Interactions	PUBCHEM	5-(3-Chloro-phenyl)-3,3-diethyl-1,3-dihydro-indol-2-one
Interactions	PUBCHEM	5-(3-chlorophenyl)spiro[1H-indole-3,1'-cyclobutane]-2-thione
Interactions	PUBCHEM	4-(2-sulfanylidenespiro[1H-indole-3,1'-cyclohexane]-5-yl)thiophene-carbonitrile
Interactions	PUBCHEM	(R)-5-bromo-2-((2,2-dimethyl-6-methylenecyclohexyl)methyl)-4-methoxyphenol
Interactions	PUBCHEM	4-Allylsulfanylmethyl-6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinoline
Interactions	PUBCHEM	(5Z)-2,2,4-trimethyl-5-[(2-methylphenyl)methylidene]-1H-chromeno f]quinoline
Interactions	PUBCHEM	N-(1-Methoxy-6-m-tolyl-6H-benzo[c]chromen-8-yl)-methanesulfonamide
Interactions	PUBCHEM	5-[1,3]Dithian-2-ylidene-9-fluoro-2,2,4-trimethyl-2,5-dihydro-1H-6-ox aza-chrysene
Interactions	PUBCHEM	Ssr-504734
Interactions	PUBCHEM	4-Methylcatechol
Interactions	PUBCHEM	5-(4,4-Dimethyl-2-oxo-1,4-dihydro-2H-benzo[d][1,3]oxazin-6-yl)-fura carbonitrile
Interactions	PUBCHEM	5-Allyl-9,10-dimethoxy-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysene
Interactions	PUBCHEM	3-(3-Cyclopentyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-5-fluoro benzonitrile
Interactions	PUBCHEM	N-[3-[(1E)-1-(6H-benzo[c][1]benzoxepin-11-ylidene)propyl]phenyl]methanesulfonamide
Interactions	PUBCHEM	5-Bromo-2-((1R,3R)-3-bromo-2,2-dimethyl-6-methylene-cyclohexylmethyl)-4-methoxy-phenol
Interactions	PUBCHEM	PD 0343701
Interactions	PUBCHEM	(2R,3R)-2,3-Dimethyl-5-trifluoromethyl-1,2,3,8-tetrahydro-pyrrolo[3,2 g]quinolin-7-one
Interactions	PUBCHEM	5-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)furan-2-carbonitrile
Interactions	PUBCHEM	6-(3-methoxyphenyl)-4,4-dimethyl-1H-3,1-benzoxazine-2-thione
Interactions	PUBCHEM	2,2,4-Trimethyl-8-nitro-2,10-dihydro-1H-indeno[1,2-g]quinoline
Interactions	PUBCHEM	5-(3-fluorophenyl)spiro[1H-indole-3,1'-cyclohexane]-2-thione
Interactions	PUBCHEM	5-(4,4-dimethyl-2-sulfanylidene-1H-3,1-benzoxazin-6-yl)benzene-1,3 dicarbonitrile

Main Category	Category	Terms
Interactions	PUBCHEM	Thioacetic acid S-[6-(2-methoxyphenyl)-2,2-dimethyl-1,2-dihydroquinolin-4-ylmethyl] ester
Interactions	PUBCHEM	5-Allyl-10-chloro-2,2,4-trimethyl-2,5-dihydro-1H-6-oxa-1-aza-chrysen ol
Interactions	PUBCHEM	6-(2-methoxyphenyl)-2,2-dimethyl-4-{1-[(2E)-pent-2-en-1-yloxy]ethyl}-1,2-dihydroquinoline
Interactions	UP_KW_LIGAND	Lipid-binding
Interactions	UP_KW_LIGAND	Metal-binding
Interactions	UP_KW_LIGAND	Steroid-binding
Interactions	UP_KW_LIGAND	Zinc
Literature	GENERIF_SUMMARY	isoform-specific genes can be used to screen for ligands that selectively modulate the activity of PR-A or PR-B
Literature	GENERIF_SUMMARY	these results show that although estrogen can up-regulate endogenous PR gene expression in osteoblasts via both ER isofor ER-alpha is the predominant inducer.
Literature	GENERIF_SUMMARY	cloning and genomic organization
Literature	GENERIF_SUMMARY	May be an important finding in attempting to characterize both the molecular etiology of implantation and the molecular pathophysiol of spontaneous abortion.
Literature	GENERIF_SUMMARY	The polymorphism of the progesterone receptor (PR) is not associated with a reduced or increased risk of breast cancer. How this study cannot exclude a small reduced or increased risk associated with the T allele, especially the rare TT genotype.
Literature	GENERIF_SUMMARY	New human breast cancer cells to study isoform ratio effects and ligand-independent gene regulation.
Literature	GENERIF_SUMMARY	consistent occurrence of progesterone-receptor immunoreactivity meningothelioid nodules detected in surgical specimens of lung carcinomas
Literature	GENERIF_SUMMARY	Coactivator/corepressor ratios modulate progesteronse receptor-mediated transcription by RU486
Literature	GENERIF_SUMMARY	Progesterone receptor activates its promoter activity thru an active Sp1 site in human endometrial stromal cells. hPRA capability was stronger than hPRB. The ligand binding domain, but not DNA-bindi domain, of hPR was required for transactivation.
Literature	GENERIF_SUMMARY	appears to be uniformly expressed in leiomyomatosis peritonealis disseminata (LPD)nodules from premenopausal and postmenopau women, supporting the contention that hormones influence the development of LPD in all cases, regardless of menopausal status
Literature	GENERIF_SUMMARY	decrease in estrogen receptor alpha and progesterone receptor A a B concentration in the early phase of first stage labor may play a ro in cervical dilation at term
Literature	GENERIF_SUMMARY	conclude that autoinhibition and transrepression involve N-termina sumoylation combined with intramolecular N/C-terminal communication

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	down-regulation of PRA is associated with the development of ova epithelial carcinoma
Literature	GENERIF_SUMMARY	statistically significant association between the +331G/A polymorphism and the risk of endometrial cancer
Literature	GENERIF_SUMMARY	significantly higher percentage of spermatozoa with physiologicall active plasma membrane lacked progesterone receptor expressior all categories of men with infertility
Literature	GENERIF_SUMMARY	Progesterone receptor mRNA variant containing novel exon inserti between exon 4 and exon 5 in human uterine endometrium. The i4 PR mRNA variant was detected in uterine endometrial cancer and normal endometrium.
Literature	GENERIF_SUMMARY	progesterone may be involved in regulation of the growth and development of neurogenic tumors via progesterone receptor
Literature	GENERIF_SUMMARY	studies suggest that the cooperative interaction of the estrogen receptor with Fos and Jun proteins helps confer estrogen responsiveness to the endogenous progesterone receptor gene
Literature	GENERIF_SUMMARY	model to study functional differences between progesterone recep A and B isoforms in human endometrial carcinoma cells revealed distinctive differences in target gene regulation between the two
Literature	GENERIF_SUMMARY	Sumoylation was shown to increase progesterone receptor-SRC-1 interaction
Literature	GENERIF_SUMMARY	low PR status may serve as an indicator of activated growth factor signaling in breast tumor cells, and therefore of an aggressive tum phenotype and resistance against hormonal therapy
Literature	GENERIF_SUMMARY	a regulatory role for MAPK in nuclear steroid hormone receptor subcellular localization
Literature	GENERIF_SUMMARY	small, hormone-receptor-positive breast cancers (with a theoretica good prognosis) may carry an elevated risk of nodal involvement if accumulation of uPA-PAI-1 complexes is shown inside their tumou cells by means of immunohistochemistry.
Literature	GENERIF_SUMMARY	Estrogen receptor and progesterone receptor concentrations and ERalpha transcription levels were not statistically different betwee ethnic backgrounds.A causative role for these receptors in the eth variation of leiomyoma seems unlikely
Literature	GENERIF_SUMMARY	2 domains of PRB, ERID-I and -II, mediate a direct interaction with t ligand-binding domain of ERalpha. ERID-I and ERID-II flank a prolin cluster responsible for binding of PRB to c-Src.
Literature	GENERIF_SUMMARY	Cloning and expression of a new truncated, progesterone receptor
Literature	GENERIF_SUMMARY	analysis of isoforms of progesterone receptor
Literature	GENERIF_SUMMARY	PR-A and PR-B have a role in progesterone-dependent gene transcription in the uterus involving select KLF members
Literature	GENERIF_SUMMARY	Novel alternatively spliced variant with a deletion of 52 base pairs exon 6 of the progesterone receptor is associated with breast canc
Literature	GENERIF_SUMMARY	lack of progesterone receptor in breast cancer is associated with aneuploidy and median S-phase fraction

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that differential recruitment of coactivators by progesterone and glucocorticoid receptors determines the assemb of coactivator complexes on target promoters to mediate specific transcription signals.
Literature	GENERIF_SUMMARY	Results provided in vitro evidence of the close association of progesterone receptor with differentiation in breast cancer.
Literature	GENERIF_SUMMARY	that SMRT and DAX-1 repress agonist-dependent activity of progesterone receptors
Literature	GENERIF_SUMMARY	malignant ovarian epithelial cells demonstrated multiple alteration the expression of estrogen receptor-alpha, estrogen receptor-beta, progesterone receptor A, and progesterone receptor B
Literature	GENERIF_SUMMARY	Progesterone receptor promoter methylation may be a molecular marker in various cancer detections.
Literature	GENERIF_SUMMARY	Two isoforms of this protein stabilize active receptor conformers within an ensemble distribution of active and inactive conformatio states.
Literature	GENERIF_SUMMARY	Loss of PR expression in human endometrial cancer may lead to development of a more invasive phenotype of the respective tumo
Literature	GENERIF_SUMMARY	A novel protein-mediated activity in rabbit reticulocyte lysates is required in an additional, heretofore unrecognized, activation step required for PR to become transcriptionally competent on chromat templates.
Literature	GENERIF_SUMMARY	glucocorticoid and mineralocorticoid cross-talk with PR to produce progesterone-like effects in breast cancer cells
Literature	GENERIF_SUMMARY	Progesterone receptor transcription and non-transcription signalin mechanisms [review]
Literature	GENERIF_SUMMARY	selective contribution of the two PR isoforms to progesterone acti
Literature	GENERIF_SUMMARY	human PR gene is regulated by multiple transcription factors and t the differential binding of these dynamically regulated trans-acting factors influences gene expression.
Literature	GENERIF_SUMMARY	prostaglandins acting via protein kinase C pathway facilitate functional progesterone withdrawal by increasing the myometrial progesterone receptor-A and -B expression ratio
Literature	GENERIF_SUMMARY	Molecular chaperone involvement in steroid receptor subnuclear trafficking provided by the ATP-dependent recovery of nuclear mob of glucorticoid and progesterone receptors.
Literature	GENERIF_SUMMARY	In endometrial cancers colocalization of PRA and PRB was infrequ and there was no relationship between even and focal PR isoform distribution, unlike the normal endometrium
Literature	GENERIF_SUMMARY	examination of regulation by estrogen response element half site a Sp1 sites
Literature	GENERIF_SUMMARY	expression is controlled by estrogen receptor alpha and estradiol
Literature	GENERIF_SUMMARY	progesterone receptor PR-A has a role in progression of breast neoplasms

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Data show that in myometrial cells, progesterone receptor B exhibi strong progesterone-dependent transcriptional activity that is dependent on the presence of two LXXLL motifs within the AF3 domain.
Literature	GENERIF_SUMMARY	Finds no association between the PGR +331G/A single nucleotide polymorphism and breast cancer.
Literature	GENERIF_SUMMARY	Data suggest that the G331A polymorphism in the progesterone receptor gene may influence the risk for panic disorder in women.
Literature	GENERIF_SUMMARY	Data show that CCND1 promoter activation by estrogens in human breast cancer cells is mediated by recruitment of a c-Jun/c-Fos/ estrogen receptor alpha/progesterone receptor complex to the tetradecanoyl phorbol acetate-responsive element of the gene.
Literature	GENERIF_SUMMARY	PR-A and PR-B are expressed in germ cells of human testis in a sta specific manner.
Literature	GENERIF_SUMMARY	expressions of both isoforms A and B significantly correlated with biologically malignant potential - esp endometrial
Literature	GENERIF_SUMMARY	isoform p4 is a potent regulator of GnRHRI at the transcriptional le as well as GnRH I mRNA.
Literature	GENERIF_SUMMARY	PR-A
Literature	GENERIF_SUMMARY	Effects of the progesterone receptor modulator CDB-2914 on proliferative activity and apoptosis in cultured human uterine leiomyoma cells.
Literature	GENERIF_SUMMARY	Increased transcriptional activity was due to increased stability resulting in higher expression of mutant progesterone receptor. Ma participate in ovarian carcinogenesis.
Literature	GENERIF_SUMMARY	cyclin A/Cdk2 has a role as a progesterone receptor coactivator
Literature	GENERIF_SUMMARY	Loss of progesterone receptors is associated with prostatic tumor
Literature	GENERIF_SUMMARY	ER-beta and PR mRNA expressed by endometrial endothelial cells differentially regulated by treatment with estrogen or progestin.
Literature	GENERIF_SUMMARY	Variation in PGR was associated with higher ovarian cancer risk, th same variation was associated with a reduced risk of breast cance but the association was not statistically significant.
Literature	GENERIF_SUMMARY	PR genes in migraine with the 594A variant showed that individual who possessed at least one copy of both risk alleles were 3.2 time more likely to suffer migraine.
Literature	GENERIF_SUMMARY	the effect of estrogen is markedly disrupted by estrogen-independ expression of progesterone receptor in breast cancer cells
Literature	GENERIF_SUMMARY	Active displacement of PR from the MMTV promoter during chrom remodeling in vitro and in vivo is ligand specific, and factor displacement is an important component of receptor mobility.
Literature	GENERIF_SUMMARY	PPARalpha has a role in CYP4X1 regulation, and the glucocorticoid and progesterone receptors have roles in CYP4Z1 gene activation
Literature	GENERIF_SUMMARY	Function and phosphorylation of progesterone receptor are cell cy dependent.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	progesterone receptor (PR) isoform B was equally expressed betw male and female aorta, but PR-A was more abundant in female tha male aorta
Literature	GENERIF_SUMMARY	results indicate that relative loss of progesterone receptor alpha during progression of endometrial cancer can have a negative imp on cadherin expression, which may lead to development of a more metastatic phenotype
Literature	GENERIF_SUMMARY	The 99 kDa B-isoform of the progesterone receptor undergoes self association in the micromolar range.
Literature	GENERIF_SUMMARY	Her-2 expression was inversely related to estrogen and progestero receptor expression in breast cancer.
Literature	GENERIF_SUMMARY	Changing the initial subcellular localization of Pgr from the nucleus the cytoplasm, this diminished PGR's ability to act as an inhibitor o isoprotein of this receptor.
Literature	GENERIF_SUMMARY	There was a significant increase in the ratio of PRB to PRAB in the ampullary region compared to the fimbrial region.Progesterone ma play a role in providing an appropriate environment for sperm capacitation, fertilization and early embryo cleavage.
Literature	GENERIF_SUMMARY	up-regulation of inhibitory PR isoform expression by NF-kappaB activation in laboring fundus may inhibit PR transactivation and thereby lead to a loss of uterine quiescence and the onset of labor
Literature	GENERIF_SUMMARY	No evidence of differential co-expression of the PR variants compa with wild-type PR during normal menstrual development.
Literature	GENERIF_SUMMARY	BTEB1/Progesterone receptor cross-talk to facilitate progesterone dependent gene transcription in endometrial epithelial cells.
Literature	GENERIF_SUMMARY	progesterone receptor, calcitonin, and tissue tranglutaminase are involved in a signaling pathway in Ishikawa endometrial cells
Literature	GENERIF_SUMMARY	GCUNC-45 is a novel modulator of progesterone receptor chaperon by hsp90.
Literature	GENERIF_SUMMARY	May play a role in regulating lower segment myometrial activity du labor; whether it functions in the cervix, however, remains unclear.
Literature	GENERIF_SUMMARY	Expresssion of progesterone receptor was reduced in cultured cell compared with whole tissue.
Literature	GENERIF_SUMMARY	excess endogenous estrogen due to obesity contributes to an increased risk of estroge+ PR+ postmenopausal breast cancer
Literature	GENERIF_SUMMARY	ER/PR/AR-negative cells transfected with AR were killed by DHEAS treatment, providing evidence that AR is responsible for this effect This provides the first AR-targeted hormonal therapy for ER breast cancer.
Literature	GENERIF_SUMMARY	Down-regulation of PRB in the endometrium is concomitant with th presence of glycodelin in the endometrium, suggesting interaction
Literature	GENERIF_SUMMARY	Progesterone receptors (PR)-B and -A regulate transcription by different mechanisms.
Literature	GENERIF_SUMMARY	PR may inhibit NF-kappaB activation of COX-2 gene expression an uterine contractility via ligand-dependent and ligand-independent

Main Category	Category	Terms
		mechanisms.
Literature	GENERIF_SUMMARY	The prevalence of ER, PR and HER2/neu positivity in breast cancer Jordanian women is lower than that of the western populations an close to other populations such as the Chinese and the minor ethn groups of Northern America (African Americans).
Literature	GENERIF_SUMMARY	Among the glassy cell carcinoma (GCC) cases, estrogen receptor (progesterone receptor (PR) and Her2/neu were positive in 2 (18.1% (9.1%) and 5 (45.4%) cases, respectively.
Literature	GENERIF_SUMMARY	PR gene polymorphic allele +331A is associated with a reduced ris deep infiltrating endometriosis & adenomyosis compared with hea population controls. The PROGINS polymorphism does not seem t modify the risk of deep infiltrating endometriosis.
Literature	GENERIF_SUMMARY	a negative cross talk between PR and Stat5a/GR may contribute to physiological role of progesterone to repress lactogenic hormone induction of the beta-casein gene
Literature	GENERIF_SUMMARY	Loss or absence of progesterone receptor expression is associate with endometrioid endometrial carcinoma
Literature	GENERIF_SUMMARY	We showed Akt activation to significantly correlate with HER2 overexpression or LOH at the PTEN gene locus while inversely correlating with the PR expression.
Literature	GENERIF_SUMMARY	focal distribution of PR within the nucleus is associated with transcription, which suggests a link between the subnuclear distribution of PR and its transcriptional activity that is likely to be important for normal cellular function of PR
Literature	GENERIF_SUMMARY	The progesterone receptor gene polymorphism factor PROGINS m be protective since it reveals reduced risk of uterine fibroids, accor to PROGINS-positive genotypes in Brazilian non-white (black and mulatto) women compared to white.
Literature	GENERIF_SUMMARY	whereas both isoforms PR-A and PR-B appear to have similar DNA binding affinities, PR-B in fact has a greatly increased intrinsic bind affinity and cooperative binding ability relative to PR-A
Literature	GENERIF_SUMMARY	PROGINS variant (V600L) is less responsive to progestin compare with the most common progesterone receptor variant.
Literature	GENERIF_SUMMARY	There was a highly significant positive association between p27(KIP-1) and estrogen receptor/progesterone receptor (ER/PR) status and with p27(KIP-1) and cyclin D1 expression. A trend betw cyclin A and PR status was also identified.
Literature	GENERIF_SUMMARY	This is the first report demonstrating estrogen receptors and progesterone receptors in the smooth muscle cells in smooth mus metaplasia outside the endometriotic foci of rectovaginal endometriosis.
Literature	GENERIF_SUMMARY	progesterone receptor heterozygosis genotype frequencies were shown to be statistically higher in endometriosis cases compared controls
Literature	GENERIF_SUMMARY	progesterone and glucocorticoid, but not estrogen receptor mRNA altered in breast cancer stroma
Literature	GENERIF_SUMMARY	306bp Alu insertion polymorphism in intron 7 can be considered a

Main Category	Category	Terms
		predisposing risk marker for breast cancer but not for endometrios and uterine fibroids
Literature	GENERIF_SUMMARY	the leucine allele of the PR V660L SNP may be associated with a s increase in breast cancer risk, while the other four PGR SNPs, +440 (rs518162), +331G/A (rs10895068), H770H (rs1042839) and Q886 (rs500760), do not increase breast cancer risk
Literature	GENERIF_SUMMARY	Correlation was observed between promoter methylation and loss protein expression confirming our hypothesis that promoter methylation is an important mechanism for transcriptional silencir these genes in breast cancer
Literature	GENERIF_SUMMARY	FOXO1 engages in transcriptional cross talk with progesterone receptor to coordinate cell cycle regulation and differentiation of endometrial stromal cells.
Literature	GENERIF_SUMMARY	No assoiation demonstrated between this protein and risk of migra associated vertigo.
Literature	GENERIF_SUMMARY	ERbeta was 2.5-fold statistically significantly over expressed in postmenopausal leiomyomas compared to patient matched myometrium (p=0.038), whereas ERalpha and PGR were not significantly differently expressed.
Literature	GENERIF_SUMMARY	phosphorylated Progesterone receptor-B may be undersumoylated transcriptionally hyperactive, and unstable/undetectable
Literature	GENERIF_SUMMARY	Stimulation of an epithelial-like endometriotic cell line with tumor necrosis factor alpha stimulation for 30 days induced partial methylation in the promoter region of PR-B with concomitant reduction of PR-B expression.
Literature	GENERIF_SUMMARY	progesterone via progesterone receptor interacts with the bcl-2 promoter to induce its expression in leiomyoma tissue
Literature	GENERIF_SUMMARY	Genetic variation in the progesterone receptor gene of either the mother or the fetus may trigger preterm labor.
Literature	GENERIF_SUMMARY	Progesterone receptor binding to DNA helps with the efficient recruitment of coactivator SRC2.
Literature	GENERIF_SUMMARY	PR + tumours was higher in the older age groups
Literature	GENERIF_SUMMARY	Most adult granulosa cell tumors and Sertoli-Leydig cell tumors sh overlapping patterns of expression of ERalpha and PR with each o but a subset of cases in each tumor category exhibits unique ERalpha/PR immunoprofiles
Literature	GENERIF_SUMMARY	When progesterone receptor B was expressed, it correlated with go prognostic markers and better overall survival.
Literature	GENERIF_SUMMARY	Tumor angiogenesis correlates with progesterone receptor (PR) st in breast carcinoma.
Literature	GENERIF_SUMMARY	No relation has been detected between the inflammatory and oxidative stress factors, progesterone receptor polymorphism allel
Literature	GENERIF_SUMMARY	Progesterone receptor (PR) and not estrogen receptor (ER) expres is a marker for early stage breast cancer.
Literature	GENERIF_SUMMARY	ER and PR are present in transverse carpal ligament and flexor ten

Main Category	Category	Terms
		synovitis, suggesting a role for sex steroid hormones in the pathogenesis of carpal tunnel syndrome.
Literature	GENERIF_SUMMARY	The PROS1 promoter is responsive to progesterone and other progestins via a mechanism involving PGR-B interacting with a progesterone response element
Literature	GENERIF_SUMMARY	Progesterone resistance in endometriosis in general and the down regulation of PR-B, but not PR-A, in particular, are a result of promo hypermethylation of PR-B, but not PR-A.
Literature	GENERIF_SUMMARY	Strongly positive progesterone receptor is associated with leiomyomas of uterus.
Literature	GENERIF_SUMMARY	Progesterone receptor isoforms differentially regulate expression ABCG2 in placental choriocarcinoma cells.
Literature	GENERIF_SUMMARY	ERbeta/ERalpha mRNA was significantly elevated in endometriosis Expression of PR-C mRNA relative to PR-A and PR-B mRNA was significantly increased in endometriosis.
Literature	GENERIF_SUMMARY	The regulation and function of the forkhead transcription factor, Forkhead box O1, is dependent on the progesterone receptor in endometrial carcinoma.
Literature	GENERIF_SUMMARY	The positive and significant correlations between the number of CD1a+ cells and positivity of the primary tumour for estrogen rece and progesterone receptor suggest a possible role for CD1a as a prognostic marker for breast cancer.
Literature	GENERIF_SUMMARY	Results show that disease stage, tumor grade, SES, race/ethnicity, negative ER and PR status, rather than negative HER2 status, were factors for survival.
Literature	GENERIF_SUMMARY	BRCA1 exerts its tissue-specific function through the regulation of progesterone receptor and estrogen receptor-alpha.
Literature	GENERIF_SUMMARY	The current study demonstrates that other factors known to modu GR properties (GME, GMEB-2, Ubc9, and STAMP) can also differentially interact with PRs or alter several of the above inductio parameters under otherwise identical conditions.
Literature	GENERIF_SUMMARY	The PROGINS variant may play a modest role in risk of endometrio ovarian cancer.
Literature	GENERIF_SUMMARY	This suggests that PR-B knockdown might be responsible, at least part, for increased proliferation and resistance to apoptosis as see the eutopic and ectopic endometrium of women with endometrios
Literature	GENERIF_SUMMARY	Carriage of +770T and +660T (but not +331T) was associated with preterm birth with body mass index A), +770(C>T), and +660(G> T)SNPs in PR gene is not associated with spontaneous preterm bi
Literature	GENERIF_SUMMARY	We excluded any relationship between endometriosis in general ar the P receptor +331G/A polymorphism.
Literature	GENERIF_SUMMARY	Thermodynamic dissection of progesterone receptor interactions the mouse mammary tumor virus promoter.
Literature	GENERIF_SUMMARY	depletion of HDAC2 results in simultaneous depletion of ER and PI and potentiates the effects of antihormonal therapy in ER-positive cells

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	PR activation of extra-nuclear signaling pathways has a role in regulating selected target genes and cell cycle progression
Literature	GENERIF_SUMMARY	Positive selection provides the basis for the hypothesis that chang in structure and function of the progesterone receptor during evolu contribute to the diversity of primate reproductive biology, especia parturition.
Literature	GENERIF_SUMMARY	STAT5A and progesterone receptor are coordinately recruited to a distal enhancer of 11beta-HSD2 gene.
Literature	GENERIF_SUMMARY	in endometrial carcinoma Bcl-2 (B-cell lymphoma protein 2) expression was related with younger age, favorable grade and Progesterone receptor expression by tumor cells
Literature	GENERIF_SUMMARY	luminal ER(+)PR(+) breast tumors contain a minor ER(-)PR(-)CK5(+ population that has the capacity to generate the majority of ER(+)PR(+)CK18(+)CK5(-) cells
Literature	GENERIF_SUMMARY	H770H and V660L and PROGINS (variant progesterone receptor complex) polymorphisms are not markers that can identify women risk for recurrent implantation failure following in vitro fertilization embryo transfer.
Literature	GENERIF_SUMMARY	Adenocarcinoma of gallbladder is negative for both estrogen receptor(alpha) and progesterone receptor.
Literature	GENERIF_SUMMARY	Estrogenic effects on human umbilical vascular endothelial cells a mediated via the ERbeta and gestagens act via the PR-A pathway.
Literature	GENERIF_SUMMARY	progesterone receptor expression in malignant melanoma is invers correlated with PCNA
Literature	GENERIF_SUMMARY	These findings suggest that PR plays an important antiinflammato role in breast cancer cells via ligand-dependent and ligand-independent mechanisms.
Literature	GENERIF_SUMMARY	PR concentrations were high in normal adrenal and adrenal tissues adjacent to adrenocortical adenoma, and were even higher in tumo carcinoma - and in isolated primary pigmented nodular adrenocort disease
Literature	GENERIF_SUMMARY	The androgen and progesterone receptors regulate distinct gene networks and cellular functions in decidualizing endometrium.
Literature	GENERIF_SUMMARY	analysis of alternative splicing of the progesterone receptor in brea cancer
Literature	GENERIF_SUMMARY	Systematic expression analysis and antibody screening do not support the existence of naturally occurring progesterone receptor (PR)-C, PR-M, or other truncated PR isoforms.
Literature	GENERIF_SUMMARY	we emphasize the important short-term prognostic value of curren used immunohistochemical markers for ER, PR, and HER-2
Literature	GENERIF_SUMMARY	estrogen/ER-responsive breast cancer genes linked to cell growth invasion pathways are associated with loss of PR and earlier disea specific mortality
Literature	GENERIF_SUMMARY	findings in breast cancer patients suggests that antiproliferative ef of androgens may be mediated via downregulation of progesteron receptor

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	progesterone receptor signaling has a role in breast cancer cell movement and invasion through the actin cytoskeleton
Literature	GENERIF_SUMMARY	There was no significant associated between progesterone recept gene transcription and benefit from endocrine therapy or for outco in early breast cancer
Literature	GENERIF_SUMMARY	Semi-quantitative assessment of PR expression in the testicular biopsies of infertile men demonstrating different phenotypes indic a direct relationship between PR expression and extent of spermatogenesis.
Literature	GENERIF_SUMMARY	Local recurrences of invasive breast carcinoma were associated w high-grade tumors, PR-negative and low active-IGF1R
Literature	GENERIF_SUMMARY	Endometrial inflammation interferes with local expression of estro receptor, progesterone receptor and Ki-67 antigen
Literature	GENERIF_SUMMARY	Overexpression of progesterone receptor B increases sensitivity of human colon muscle cells to progesterone.
Literature	GENERIF_SUMMARY	Estrogen alpha and progesterone receptor may have a role in preventing progression of breast cancer
Literature	GENERIF_SUMMARY	Report detection of potential (anti)progestagenic endocrine disrup using a recombinant human progesterone receptor binding and transactivation assay.
Literature	GENERIF_SUMMARY	Progesterone receptor-B regulation of insulin-like growth factor-stimulated cell migration in breast cancer cells via insulin receptor substrate-2.
Literature	GENERIF_SUMMARY	PR and ERalpha may play a role in the pathogenesis of the maturat arrest and Sertoli cell-only phenotype in patients with infertility
Literature	GENERIF_SUMMARY	Short-term oral contraceptives yielded lower ERalpha and PR conte Postmenopausal estrogen/progestogen combined therapy yielded lower PR content than estrogen-only therapy.
Literature	GENERIF_SUMMARY	Data show that PR expression is higher in the meningiomas positiv for GnRH-R and a significantly higher proportion of tumors from m patients exhibit positive immunoreactivity for GnRH.
Literature	GENERIF_SUMMARY	PR localization and expression in the ovaries of postmenopausal women who have not applied hormone replacement therapy
Literature	GENERIF_SUMMARY	Presence of estrogen and/or progesterone expression in neuroendocrine tumors involving the lung should not exclude a primary pulmonary neoplasm.
Literature	GENERIF_SUMMARY	Clinicopathological significance of the progesterone receptor and association with thymidine phosphorylase expression in colorecta cancer.
Literature	GENERIF_SUMMARY	These results suggest a differential PR isoforms regulation depend on the evolution grade of human astrocytoma cells.
Literature	GENERIF_SUMMARY	Progesterone feedback at the level of the pituitary gonadotrope is likely to play a key role in differential production of the gonadotrop genes.
Literature	GENERIF_SUMMARY	KLK4 is only expressed in breast and prostate cancers that expres

Main Category	Category	Terms
		the progesterone receptor (PR) and androgen receptor (AR), respectively.
Literature	GENERIF_SUMMARY	Results provide evidence for a mechanism by which overexpresse progesterone receptor-B is able to actively repress estrogen recept alpha gene expression.
Literature	GENERIF_SUMMARY	Hepatocyte nuclear factor 4alpha (HNF4alpha) isoform and progesterone receptor were expressed in pancreatic alpha-cells, bu not beta-cells in the human pancreas.
Literature	GENERIF_SUMMARY	Our study does not support a major contribution of the estrogen receptor gene and progesterone receptor gene to the pathogenesis migraine.
Literature	GENERIF_SUMMARY	findings suggest that the decidua, and not the amnion and chorion a direct target for nuclear progesterone receptor-mediated progesterone actions during human pregnancy
Literature	GENERIF_SUMMARY	PRA expression decreased from a mean of 17.8% of epithelial cells cycling subjects to 6.2% in pregnant subjects. PRB and ERalpha expression was slightly lower in pregnant subjects but the differen were not statistically significant.
Literature	GENERIF_SUMMARY	progesterone receptor may have a role in mediating response to adjuvant tamoxifen therapy in breast cancer and patient survival
Literature	GENERIF_SUMMARY	Data indicate that the level of HCCR-1 in breast cancer tissues is correlated with the HER2 overexpression, p53 mutation, and ER/PR status, and determination of HCCR-1 levels as options for HER2 testing is promising although it needs further evaluation.
Literature	GENERIF_SUMMARY	ER and PR showed inverse association with HER-2/neu while posit association was seen with lymph node metastases in breast carcinoma patients in Pakistan
Literature	GENERIF_SUMMARY	SUMOylation tightly regulates the transcriptional activity of PR by repressing the receptors directly while activating them indirectly through augmented SRC-1 coactivation
Literature	GENERIF_SUMMARY	Expression of estrogen (ER) and progesterone (PR) receptors in th smooth muscle component (SMC) of deep infiltrating endometrios
Literature	GENERIF_SUMMARY	Progesterone receptor A has a functional role inendometrial receptivity in the attachment process.
Literature	GENERIF_SUMMARY	The combination of RARB M4, INK4a/ARF, PRB, and HIN-1 CpG isla promoter methylation may predict non-BRCA1/2-associated mammary carcinogenesis and tumor progression.
Literature	GENERIF_SUMMARY	Older age, increased body mass index, menopausal status, and PG rs484389 genotype CT were significantly associated with POP. The present study shows that PGR genotype may be associated with P
Literature	GENERIF_SUMMARY	The major PR isoform in the amnion, chorion and placenta is a cytoplasmic 60 kDa protein with a suggested role in the regulation human parturition.
Literature	GENERIF_SUMMARY	Compared with normal endometrium, progesterone receptor isofor (PR-B) and IkappaBalpha immunoreactivity were statistically significantly reduced in ectopic as well as eutopic endometrium fro women with adenomyosis.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The distinction between the two modes of action of progesterone receptor (PR) on the control of gene expression and cell proliferati was studied.
Literature	GENERIF_SUMMARY	Increased expression of steroid receptors in lobular carcinoma in s (LCIS) of the breast suggests their possible role in the biology of L and, for PR, could influence the predisposition of women with LCIS develop invasive breast carcinoma.
Literature	GENERIF_SUMMARY	These findings are suggestive of a role for myometrial PSF as a nuclear co-regulator in the regulation of specific hormone receptor genes and their target hormone response genes.
Literature	GENERIF_SUMMARY	A role of PRs in the growth and development of fibroadenomas, although without alterations of the PRA
Literature	GENERIF_SUMMARY	In natural promoters the coRE functions as a composite response element with imperfect PRE and half-sites to present variable, orientation-dependent transcription factors for interaction with nea PR.
Literature	GENERIF_SUMMARY	The current findings suggested that polymorphisms in the 3' flanki region of the PGR gene may be associated with the risk of endome cancer.
Literature	GENERIF_SUMMARY	Data show that progesterone and synthetic steroids with progestin potencies counteract cell growth through induction of catalase activities, possibly through progesterone receptor B, in breast canc cells and normal human epithelial breast cells.
Literature	GENERIF_SUMMARY	BRCA1 inhibits progestin-stimulated PR activity, in part, by prevent PR from binding to the PRE and by promoting the formation of a corepressor complex rather than a coactivator complex
Literature	GENERIF_SUMMARY	The distinct expression of ER and PgR in ductal breast cancers, dependent on evaluated zone of the tumour, confirms its heterogeneous character and exerts an effect on the type of applie treatment.
Literature	GENERIF_SUMMARY	Our data provide persuasive evidence against an overall associatio between invasive breast cancer risk and ERCC4 rs744154, TNF rs361525, CASP10 rs13010627, PGR rs1042838, and BID rs81903 genotypes among women of European descent.
Literature	GENERIF_SUMMARY	p54nrb is a transcriptional corepressor of the progesterone recept that modulates transcription of the labor-associated gene, connex 43 (Gja1)
Literature	GENERIF_SUMMARY	Expression of ER, progesterone receptor, and HER2 proteins and th Ki67 index appear to distinguish luminal A from luminal B breast cancer subtypes
Literature	GENERIF_SUMMARY	Results supporting both the androgen and gonadotropin hypothes of ovarian cancer development.
Literature	GENERIF_SUMMARY	The three markers (ER, Vim and CEA) and their respective panel expressions showed statistically significant (p
Literature	GENERIF_SUMMARY	Progesterone may down-regulate IGF-I through PRB. PRA may inhi this function of progesterone by inhibiting transcription of PRB. Ac of progesterone on leiomyoma growth may depend on different ra of PRA and PRB.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	ER, PR and Her2 have roles in progression of breast cancer
Literature	GENERIF_SUMMARY	The positive expression rate of PgR decreased significantly from D to invasive ductal breast carcinoma. A significant positive correlati was observed between ER and PgR receptor expression in DCIS ar IDC.
Literature	GENERIF_SUMMARY	PROGINS polymorphism seems to play a protective role in genetic susceptibility to migraine in the North Indian population
Literature	GENERIF_SUMMARY	Data show that in multivariate analyses incorporating tumor size, tumor grade, lymph node status, ER, PR and HER2 status, low STARD10 expression was an independent predictor of death from breast cancer.
Literature	GENERIF_SUMMARY	The AA variant of the progesterone receptor polymorphism was associated with profound cardiovascular/metabolic effects determined by fetal sex.
Literature	GENERIF_SUMMARY	our data report the regulation of TRPV4 expression by progesteron process that requires a functional progesterone receptor
Literature	GENERIF_SUMMARY	Data explain why breast cancer models often remain insensitive to progestins, but are growth-inhibited by antiprogestins, and understo the need to target PR-B and associated kinase activities as part of breast cancer therapy.
Literature	GENERIF_SUMMARY	Findings show the presence and hormonal regulation of two distin mPRs associated with the cilia of the fallopian tubes in both mice women.
Literature	GENERIF_SUMMARY	Studies show that the intrinsic molecular signature of five markers PR, HER-2, CK 5/6, and EGFR, demonstrated specificity of 100% an sensitivity of 75%, compared with classification by gene expressio profiling.
Literature	GENERIF_SUMMARY	The aim of the current study was to assess the expression levels o Src and phosphorylated Src kinase in human breast cancers and to establish if these are linked to oestrogen receptor, progesterone receptor, and HER2 status or patient survival.
Literature	GENERIF_SUMMARY	investigated the impact of the functional +331G/A hPR polymorph on the association of venous thromboembolism with hormone therapy..hPR polymorphism appears not to have a significant effec VTE risk related to HT.
Literature	GENERIF_SUMMARY	Catechol-o-methyltransferase expression and 2-methoxyestradiol affect microtubule dynamics and modify steroid receptors ERalpha and PR signaling in leiomyoma cells
Literature	GENERIF_SUMMARY	Disorders of Connexins expression and altered distribution pattern occur during endometrial carcinogenesis, and it seems that PR cou participate in this fact.
Literature	GENERIF_SUMMARY	abnormal expression of hormone receptor contribute to endometri polyps formation
Literature	GENERIF_SUMMARY	triple negative (estrogen receptor, progesterone receptor, and hum epidermal growth factor receptor 2) breast cancer in young women has a significantly poorer prognosis for both disease-free survival and overall survival rate.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Successful PG-E2 priming was followed by a progesterone and androgen withdrawal at the receptor level in the uterine cervix.
Literature	GENERIF_SUMMARY	estrogen receptor (ER), progesterone receptor (PR), and HER2 have roles in breast cancer
Literature	GENERIF_SUMMARY	NF1 binding to the MMTV promoter on a H3/H4 histone tetramer particle exposes the central HREs and facilitates their binding by P
Literature	GENERIF_SUMMARY	Promoter hypermethylation was observed in PRB 67%, ERalpha 64 RASSF1A 63%, p16INK4A 51%, RARbeta2 22%, GSTP1 25% and BR 27% of the breast cancers, respectively.
Literature	GENERIF_SUMMARY	Results from MCF-7 cells suggest that distal regions of PR gene participate in the dynamic regulation of this estrogen-responsive g these regions range from 311 kb upstream to 4 kb downstream of PR-B transcription start site.
Literature	GENERIF_SUMMARY	An immunochemical study of the expressions of Ki-67, estrogen receptor, progesterone receptor, and p53 in 9 cases of symplastic uterine leiomyomas was performed.
Literature	GENERIF_SUMMARY	The objective of this study was to determine the concordance of promoter methylation of stratifin, ERalpha and PR in tumor and circulating DNA in breast cancer patients and their association wit clinicopathological parameters and disease prognosis.
Literature	GENERIF_SUMMARY	Data show that the small molecule celastrol inhibits the Hsp90 chaperoning machinery by inactivating the co-chaperone p23, resulting in a more selective destabilization of steroid receptors.
Literature	GENERIF_SUMMARY	PR self-association and DNA-dependent cooperativity are linked to monovalent cation binding event and that this binding is coupled t modulation of receptor structure. K(+) and Na(+) are therefore allosteric effectors of PR function
Literature	GENERIF_SUMMARY	Progesterone upregulation of Gs proteins increases VIP-induced inhibition of intestinal smooth muscle cell contraction mediated by progesterone receptor A.
Literature	GENERIF_SUMMARY	oxidative stress induced by relatively low levels of H2O2 rapidly activate JNK signaling in endometrial stromal cells, which, in turn, enhances global and PR specific SUMO-1 conjugation, thereby inhibiting progesterone responses.
Literature	GENERIF_SUMMARY	The 4th passage cell cultures from Fallopian tube muscularis exhibiting interstitial Cajal-like cells morphology showed the prese of ER-alpha and/or PR-A by immunofluorescence.
Literature	GENERIF_SUMMARY	Polymorphisms in progesterone receptor gene is not associated w breast cancer.
Literature	GENERIF_SUMMARY	meta-analysis
Literature	GENERIF_SUMMARY	Results suggest that, in breast cancer, Par-4 plays a similar tumor suppressor gene role as reported in endometrial carcinoma, and th Par-4 expression has a significant inverse association with expres of progesterone receptor.
Literature	GENERIF_SUMMARY	we examine the role of nuclear localization of PGR, coregulator association and tissue-specific expression in modulating progesterone action in the human--REVIEW

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The progesterone receptor (PGR) is a nuclear receptor transcriptio factor that is essential for female fertility--REVIEW
Literature	GENERIF_SUMMARY	results suggest that the progesterone receptor gene mutations ma not play any exclusive role in the manifestation of recurrent spontaneous abortion
Literature	GENERIF_SUMMARY	A comparison the human membrane progesterone receptor alpha (mPRalpha) and nuclear progesterone receptor (nPR) revealed sev differences in the structural features required for binding to hu-mPRalpha and nPR.
Literature	GENERIF_SUMMARY	No statistically significant differences in both P receptor-A/P recep B messenger RNA and protein ratio between endometrial stromal c derived from women with and without endometriosis.
Literature	GENERIF_SUMMARY	Data show that progesterone receptor-B acts in both direct and indirect manners to positively upregulate E2F1 expression.
Literature	GENERIF_SUMMARY	KLF11 as an integrator of progesterone receptor signaling and proliferation in uterine leiomyoma cells.
Literature	GENERIF_SUMMARY	In endometrioid carcinoma detected a positive staining with c erbB in 18.1% of the cases and determined a statistically significant rela between c-erbB-2 and PR.
Literature	GENERIF_SUMMARY	subcellular localization of activated AKT is dependent on TCL1B expression in estrogen receptor- and progesterone receptor-expressing breast cancer
Literature	GENERIF_SUMMARY	CpG islands aberrant hypermethylation of progesterone receptor is associated with leukemia.
Literature	GENERIF_SUMMARY	Results describe the expression of estrogen receptor alpha, estrog receptor beta, progesterone receptor and cKIT in a number of desmoids tumors and their role in determining treatment options.
Literature	GENERIF_SUMMARY	ER+/PR- tumors more frequently showed HER2 (human epidermal growth factor receptor) overexpression and represent a distinct su in familial breast cancer patients.
Literature	GENERIF_SUMMARY	the hPR gene may be a candidate for association with preterm birt familial preterm birth
Literature	GENERIF_SUMMARY	The positive correlations in positivity rate between the PRL-R and E PR expressions are found only in CerbB-2 positive patients with bre cancer.
Literature	GENERIF_SUMMARY	Expression of PR was significantly increased in the epidermal lesio compared with unaffected skin in melasma
Literature	GENERIF_SUMMARY	Studies examining the expression and function of the PRs in the normal endometrium and myometrium as well as in endometrial cancer and uterine leiomyoma are summarized here.
Literature	GENERIF_SUMMARY	These data link the SMRT corepressor directly with SRC family coactivators in positive regulation of ERalpha-dependent gene expression.
Literature	GENERIF_SUMMARY	When endometrial stromal cells from both groups of women were differentiated to decidual phenotype, PROK1 mRNA was up-regulat and PR and HOXA10 mRNA were down-regulated to the same exte

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Cyclin D1's participation in a feed-forward loop could contribute to increased breast cancer risks associated with estrogen and progesterone combinations.
Literature	GENERIF_SUMMARY	This paper briefly reviews the assessment of ERalpha, PgR, and HE in breast cancer, emphasizing recent progress and persistent controversies.
Literature	GENERIF_SUMMARY	Studies indicate that PPARgamma activation inhibits PRB activity through both acute (phosphorylation) and long-term (PRB degradation) pathways.
Literature	GENERIF_SUMMARY	Genetic variation in the PGR region is associated with endometrial cancer risk, particularly among Whites.
Literature	GENERIF_SUMMARY	The HER4 intracellular domain is a physiologically important ERalp coactivator and cooperates with ERalpha to potentiate PgR expres in the normal and malignant breast.
Literature	GENERIF_SUMMARY	Data show that the concordance rates of histological type, estroge receptor and progesterone receptor status, and HER2 were 84.4%, 81.3%, 92.9%, and 89.3%, respectively between CNB and surgical specimens.
Literature	GENERIF_SUMMARY	phytoestrogen extracts isolated from flax have effects on estradio production and ER/PR expression in MCF7 breast cancer cells
Literature	GENERIF_SUMMARY	In sporadic breast carcinoma, a negative expression of BRCA1 is selectively associated with a higher expression rate of progesteron receptor A rather than progesterone receptor B.
Literature	GENERIF_SUMMARY	Study observed the strongest interaction between progesterone receptors-Hsp90 heterocomplex and CHIP, FKBP51, and TPR2.
Literature	GENERIF_SUMMARY	Studies show that data PR negative tumors have significantly high RS than PR positive tumors.
Literature	GENERIF_SUMMARY	The addition of progesterone receptor and HER2 to Nottingham Prognostic Index increases its 5-year prognostic accuracy in breas cancer.
Literature	GENERIF_SUMMARY	The occurrence of endometriosis was reduced in women carrying or more copies of the +331 T allele, whereas there was no associa between the PROGINS allele and endometriosis
Literature	GENERIF_SUMMARY	E3-ligase activity rather than the coactivation function of E6-AP pla an important role in the mammary gland development, and the ubiquitin-dependent PR-B degradation is not required for its transactivation functions.
Literature	GENERIF_SUMMARY	Histological grade and estrogen receptor/progesterone receptor status were significant for pathological complete response in brea cancer patients.
Literature	GENERIF_SUMMARY	These data reveal the ability of PR acetylation to alter the magnitu of transcriptional response at selected promoters whereas the hin region dictates the kinetics of the transcriptional response at othe promoters.
Literature	GENERIF_SUMMARY	Estrogen receptor/progesterone receptor status (and nm23-H1) ar independent predictive factors of pathologic complete response to neoadjuvant docetaxel plus epirubicin combination chemotherapy

Main Category	Category	Terms
		patients with locally advanced breast cancer.
Literature	GENERIF_SUMMARY	Studies indicate that breast carcinomas Oncotype DX Recurrence Score (RS) was correlated with six pathobiologic features
Literature	GENERIF_SUMMARY	Data show that DFS was statistically different between the two gro
Literature	GENERIF_SUMMARY	estrogen receptor, progesterone receptor, and HER-2 may have a ro in progression in breast cancer despite response to doxorubicin/ cyclophosphamide therapy
Literature	GENERIF_SUMMARY	results showed that varicocoele may lead to male factor infertility mechanism involving a decreased PR expression in human spermatozoa that evidences a detrimental effect on spermatozoa the molecular level
Literature	GENERIF_SUMMARY	No association was found between recurrent spontaneous abortio and gene polymorphisms in the progesterone receptor gene.
Literature	GENERIF_SUMMARY	PGR PROGINS insert polymorphism does not appear to be associa with migraine
Literature	GENERIF_SUMMARY	identification of new splicing variants of progesterone receptor in human endometrium
Literature	GENERIF_SUMMARY	ERalpha correlated positively with progesterone receptor expressio (normal controls), and maternal BMI at delivery (fetal growth restriction).
Literature	GENERIF_SUMMARY	ER, PR and Her-2 are independent prognostic factors for locoregio recurrence and survival in node-positive breast cancer patients tre by mastectomy.
Literature	GENERIF_SUMMARY	The lung tumors with high progesterone receptor may define patie with aggressive biology.
Literature	GENERIF_SUMMARY	PROGINS polymorphism confers susceptibility to idiopathic recurr pregnancy loss in Taiwanese Han women.
Literature	GENERIF_SUMMARY	A direct role for the PROGINS polymorphism in the risk of developi ED; however, further examination of other variants within PR gene be necessary to completely rule out an effect.
Literature	GENERIF_SUMMARY	16alpha-hydroxyprogesterone can bind to both hPR-A and hPR-B a act as an agonist for both receptors.
Literature	GENERIF_SUMMARY	CDB-4124 has an effect on progesterone and estrogen receptors, a may suppress the development of precancerous lesions
Literature	GENERIF_SUMMARY	both maternal and fetal mutated alleles of the PROGINS progester receptor polymorphism seem to protect from transient tachypnea the newborn (TTN); fetal as well as maternal T2-alleles synergistic reduce risk for TTN in gene dose-dependent manner
Literature	GENERIF_SUMMARY	reduced expression of PR and PIBF, a higher IL-12/IL-10 ratio, and high viral load results in poor pregnancy outcome in hepatitis E
Literature	GENERIF_SUMMARY	Progesterone receptor gene variants are associated with endomet cancer.
Literature	GENERIF_SUMMARY	Studies indicate that aUPD is a common and non-random molecul feature of breast cancer that is most prominent in HER2/ER/PR tri

Main Category	Category	Terms
		negative cases.
Literature	GENERIF_SUMMARY	The presence of PROGINS polymorphism was not significantly associated with endometrial polyps
Literature	GENERIF_SUMMARY	Tamoxifen and raloxifene reduce progesterone and estrogen recep alpha expression significantly and to a similar extent in the non-neoplastic breast tissue of women of reproductive age
Literature	GENERIF_SUMMARY	PROGINS polymorphism is not related either to endometriosis-associated infertility or to idiopathic infertility in the population studied
Literature	GENERIF_SUMMARY	The higher PR-A and ER-alpha gene expression in granulosa cells i patients with endometriosis, compared with patients with tubal infertility, might be a leading cause of ovarian dysfunction due to endometriosis
Literature	GENERIF_SUMMARY	Progesterone receptor expression in non gastrointestinal soft tissu sarcoma was a negative prognostic indicator in men
Literature	GENERIF_SUMMARY	Unliganded PR-A alters the gene expression pattern controlled by taxanes, especially multiple genes involved in the spindle assembl checkpoint, a group of proteins that insure proper attachment of microtubules to kinetochores during mitosis.
Literature	GENERIF_SUMMARY	Differential expression of 4 out of 5 genes related to estrogen metabolism and action (ESR1, ESR2, PGR and BGN) was confirme endometriosis.
Literature	GENERIF_SUMMARY	Preferential exemestane versus tamoxifen treatment benefit was r predicted by PgR expression; conversely, patients with ER-rich tum may derive additional benefit from exemestane.
Literature	GENERIF_SUMMARY	PRA expression is significantly lower in intermediate trophoblastic cells of miscarriages compared to elective abortion pregnancies
Literature	GENERIF_SUMMARY	A comprehensive immunohistochemical study was performed to investigate the protein expression of eight CT genes in 454 invasiv ductal carcinomas, including 225 ER/PR/HER2-negative (triple-negative) carcinomas.
Literature	GENERIF_SUMMARY	Suggest ER-beta expression and lack or progesterone receptor are related to the development and/or progression of adenomyosis an might explain the poor response of adenomyosis-associated menstrual symptoms to progestational agents.
Literature	GENERIF_SUMMARY	activated progesterone receptor (PR) recruits the chromatin remodeling complexes NURF and ASCOM (ASC-2 [activating signa cointegrator-2] complex) to hormone target genes.
Literature	GENERIF_SUMMARY	this article shows for the first time that PRA methylation plays a unique role in tamoxifen-resistant breast cancer.
Literature	GENERIF_SUMMARY	FGFR-2, STAT5, and progesterone receptors have roles in breast cancer
Literature	GENERIF_SUMMARY	analysis of estrogen and progesterone receptor expression in HPV positive and HPV-negative cervical carcinomas
Literature	GENERIF_SUMMARY	Data suggest that phospho-Ser81 progesterone receptors (PR) provides a platform for casein kinase 2 recruitment and regulation

Main Category	Category	Terms
		selected PR-B target genes.
Literature	GENERIF_SUMMARY	A significant inverse association for ER+/PR+ as well as ER-/PR- tumors was observed.
Literature	GENERIF_SUMMARY	expression of PR was observed in the nucleus and/or extranuclear compartments in the majority of human tumor specimens
Literature	GENERIF_SUMMARY	Contrary to common opinion, growth inhibition of cancer cells by antiprogestin MF is not dependent upon expression of classical, nuclear PR.
Literature	GENERIF_SUMMARY	The prognostic value of the correlations between the expression o estrogen and progesterone receptors, Ki67 expression and the histological stage, tumor stage, the degree of myometrial and vasc invasion, was investigated.
Literature	GENERIF_SUMMARY	Menopausal status played a very important role in determining HE and PgR status in ER(+) breast cancer patients. HER2 was independently inversely associated with PgR only in the postmenopausal women with ER(+) breast cancers.
Literature	GENERIF_SUMMARY	ER and PR do not appear to have a role in how dietary folate and vitamin B6 intakes are inversely associated with breast cancer risk
Literature	GENERIF_SUMMARY	Data show that the triple-negative and HER2 subtypes were associated with poorer outcomes compared with the luminal A subtype.
Literature	GENERIF_SUMMARY	there is a significant correlation between progesterone receptor ge polymorphism and endometriosis.
Literature	GENERIF_SUMMARY	Data show that triple-negative breast cancer (TNBC) are larger in s compared with other subtypes and almost all grade 3.
Literature	GENERIF_SUMMARY	the odds of endometriosis related infertility did not increase in the presence of a combination of polymorphisms in LHbeta, ERbeta,ar Progesterone Receptor.
Literature	GENERIF_SUMMARY	data indicate that ligand-bound PR-B is recruited to DNA elements the TH promoter and acts as a transcriptional activator of the TH g
Literature	GENERIF_SUMMARY	Imbalance in PRA/PRB ratio frequently associated with carcinogenesis might be a direct consequence of disorders in MAI signaling.
Literature	GENERIF_SUMMARY	breast tumors with both cyclooxygenase-2 and progesterone recep overexpression were related with tumor lower size and lower axilla node metastasis
Literature	GENERIF_SUMMARY	analysis of Aurora A and B kinases, Ki-67 and the estrogen and progesterone receptors from an endometriosis tissue microarray model
Literature	GENERIF_SUMMARY	the present study suggests that the presence of progesterone receptor polymorphism in our population does not constitute a risk factor for premature birth
Literature	GENERIF_SUMMARY	Data show that hierarchical clustering based on mRNA expression estrogen receptors, progesterone receptor and neu receptor by quantitative RT-PCR identified patient groups that were comparabl the subtypes identified by immunohistochemistry.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Differential expression of progesterone receptors in endometrial polyps and adjacent endometrium in postmenopausal women
Literature	GENERIF_SUMMARY	Reduced progesterone receptor is associated with recurrent breas cancer.
Literature	GENERIF_SUMMARY	Gene expression signatures comprising 24, 51 and 14 genes predictive of ER, PR and ERBB2 status respectively, were investigat
Literature	GENERIF_SUMMARY	Data suggest that progesterone receptor-A expression is up-regula in decidua by TNF-alpha during parturition; thus, TNF-alpha plays important role in regulating progesterone withdrawal in decidua following labor onset.
Literature	GENERIF_SUMMARY	The expression of PCNA, ER, and PR showed no correlation with cancer progression (P > 0.05).
Literature	GENERIF_SUMMARY	Expression of PR and ESR1 defines a subgroup of ovarian carcinor with a favourable prognosis
Literature	GENERIF_SUMMARY	these data suggest that AMPK, an energy sensor, is involved in the regulation of PR signaling.
Literature	GENERIF_SUMMARY	ER-alpha and PR may be useful markers predicting therapy respon in endometrial hyperplasia.
Literature	GENERIF_SUMMARY	A strong indication was not found that genetic variation in progesterone receptor was associated with mammographic densit increase or modified the association with serum progestogen.
Literature	GENERIF_SUMMARY	The prognostic impact of Akt (Akt1) phosphorylated at threonine3 and serine473, Akt2, Akt3, PI3K and PTEN, alone and in coexpressi with ER and PgR in non-gastrointestinal stromal tumor soft tissue sarcomas.
Literature	GENERIF_SUMMARY	Invasive ductal mammary carcinoma type was analyzed for comparative investigation of hormonal receptors (estrogen recept ER and progesterone receptor PR) and Her2/neu oncoprotein expression.
Literature	GENERIF_SUMMARY	p27KIP1 has a role in node-negative breast cancer, but the interact with ER and PR is only significant in T1a/b stage
Literature	GENERIF_SUMMARY	Homologous receptors progesterone receptor B and estrogen receptor-alpha bind an identical promoter layout using differential energetics, thus differentially partitioning their binding energetics.
Literature	GENERIF_SUMMARY	The predictive value is amplified when the ER status is correlated v the PR status.
Literature	GENERIF_SUMMARY	Immunohistochemistry for progesterone receptor and p53 is valua as an adjunct tool to morphological assessment of problematic uterine smooth muscle tumors.
Literature	GENERIF_SUMMARY	Report transient expression of progesterone receptor and catheps in human granulosa cells during the periovulatory period.
Literature	GENERIF_SUMMARY	ER/PR and HER2 statuses between primary and liver metastatic lesions of breast carcinoma can be modified after treatment but a stable in most cases during the natural metastatic process.
Literature	GENERIF_SUMMARY	Data suggest that down-regulation of 14-3-3 sigma plays a role in

Main Category	Category	Terms
		tumorigenesis in myometrium leading to leiomyoma; this mechani may involve up-regulation of progesterone receptor and estrogen receptors.
Literature	GENERIF_SUMMARY	the PR-A promoter is epigenetically marked for activation in term myometrium more extensively than the PR-B promoter, and labour associated with an increase in H3K4me3 activating modification
Literature	GENERIF_SUMMARY	EGFR overexpression relates to triple negative profile (ER-/PR-/HE and poor prognosis in breast cancer patients in Tunisia
Literature	GENERIF_SUMMARY	68.3% of patients were ER-positive, and 71.5% were PR-positive. Among the 28.3% of HER2-positive tumors, the majority (19.2%) stained +++. Almost 50% of the tumors were ER+ PR+ HER2-, whic makes this the predominant tumor type.
Literature	GENERIF_SUMMARY	At parturition, the rise in PR-A expression promotes labor by inhibit the antiinflammatory actions of PR-B and stimulating proinflamma gene expression in response to progesterone.
Literature	GENERIF_SUMMARY	TGFbeta1 has endogenous anti-progestational effects in stromal c and the opposing effects of progesterone and TGFbeta1 are impor in regulation of matrix integrity in human endometrium.
Literature	GENERIF_SUMMARY	miR-98 and miR-181a through their regulatory functions on PGRM PGR, CYP19A1, TIMP3, and DDX3X expression may influence a wi range of endometrial cellular activities during normal menstrual cy and transition into disease states.
Literature	GENERIF_SUMMARY	The data support the hypothesis that progesterone modulates the activities of the PI3K and cell proliferation pathways through cave membrane bound growth factor receptors such as progesterone receptor alpha and growth factor receptors.
Literature	GENERIF_SUMMARY	Based on a limited selection of gene variants, no involvement of SRD5A1, SRD5A2, ESR1, ESR2 or PGR in female pattern hair loss is evident.
Literature	GENERIF_SUMMARY	Data suggest an important role of miR-200a in the decline in progesterone receptor (PR) function leading to labor.
Literature	GENERIF_SUMMARY	X-ray structures of progesterone receptor ligand binding domain in agonist state reveal differing mechanisms for mixed profiles of 11beta-substituted steroids.
Literature	GENERIF_SUMMARY	The study presents the relationship between progesterone recepto genomic interaction and transcriptional response in breast cancer cells and immortalized normal breast cells.
Literature	GENERIF_SUMMARY	CAV-1 affected cell growth of lung cancer NCI-H446 cell through th interactions with p-ERK1/2, estrogen receptor and progestin recep
Literature	GENERIF_SUMMARY	A consistent enrichment of PR transcripts, relative to estrogen receptor transcripts, in the bipotent progenitor subfraction in the normal human breast, is reported.
Literature	GENERIF_SUMMARY	The epithelial component demonstrated the expression for ER-alph (45.6%, 36 of 79), ER-beta (37.2%, 29 of 78), PR (91.1%, 72 of 79), a AR (10.1%, 8 of 79).
Literature	GENERIF_SUMMARY	In this review, the results suggest that HSD17B1 and PR polymorph may play a role in the risk of endometriosis

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Our findings support an association between genetic variants in CYP19, and possibly PGR, and risk of endometrial cancer.
Literature	GENERIF_SUMMARY	study concludes that reversible PR SUMOylation/deSUMOylation profoundly alters target gene selection in breast cancer cells; phosphorylation-induced PR deSUMOylation favors a permissive chromatin environment via recruitment of CBP and MLL2
Literature	GENERIF_SUMMARY	No evidence was found that the PROGINS-associated SNPs alter P functional properties.
Literature	GENERIF_SUMMARY	Among women with atypical hyperplasia (but not complex hyperplasia) on progetin therapy, high progesterone receptor expression was associated with decreased risk of disease persistence/progression.
Literature	GENERIF_SUMMARY	The associations of 6 selected polymorphisms in three genes
Literature	GENERIF_SUMMARY	The predictive capacity of 32 genome wide association studies-detected common variants for breast cancer risk, alone and in combination with classical risk factors, and for tumours with differ hormone receptor status, was investigated.
Literature	GENERIF_SUMMARY	Fetal association with preterm birth was found in the progesterone receptor (PGR, rs1942836; P=0.004).
Literature	GENERIF_SUMMARY	progesterone receptor loss identifies Luminal B breast cancer subgroups at higher risk of relapse and death, both with HER-2-positive and HER-2-negative disease.
Literature	GENERIF_SUMMARY	Progesterone receptor-responsive transcription is highly influence not only by the presence of hormone but also by selective progesterone receptor isoform expression.
Literature	GENERIF_SUMMARY	In addition to a statistically significant association between Nottingham grade and Oncotype DX recurrence score categories, a inverse relationship was identified between progesterone receptor expression and Oncotype DX recurrence score
Literature	GENERIF_SUMMARY	The progesterone receptor requires nucleosomes for optimal bindi and function.
Literature	GENERIF_SUMMARY	Data indicate that estrogen receptor alpha, estrogen receptor beta, progesterone receptor and androgen receptor may be partly involv in gastric carcinogenesis but their clinicopathological and prognos significance appears to be limited.
Literature	GENERIF_SUMMARY	progesterone acts via GR to repress IL-1beta-driven COX-2 activati p65 and PRB may have roles in the repression of progesterone driv gene expression, but not necessarily in progesterone repression of IL-1beta-induced COX-2 expression
Literature	GENERIF_SUMMARY	Tumors from obese animals also displayed increased expression o the progesterone receptor (PR). Elevated PR expression positively correlated with tumor expression of glycolytic and lipogenic enzym glucose uptake, and proliferation markers.
Literature	GENERIF_SUMMARY	WNT10B/beta-catenin signalling induces HMGA2 and proliferation metastatic breast cancer tumours devoid of ERalpha, PR and HER2 expression.
Literature	GENERIF_SUMMARY	Taken together, our findings offer evidence that in human breast

Main Category	Category	Terms
		cancer RhoB acts as a positive function to promote expression of and PR in a manner correlated with cell proliferation.
Literature	GENERIF_SUMMARY	PgR +331G/A polymorphism might be associated with an increase female reproductive cancer risk
Literature	GENERIF_SUMMARY	our results suggest that the detection of ESR1/PGR/ERBB2 mRNA levels by RT-QPCR is a better approach for subtyping breast cance and predicting the prognosis.
Literature	GENERIF_SUMMARY	PR-B expression is regulated by methylation and not by histone acetylation in U373 cells
Literature	GENERIF_SUMMARY	Progesterone receptor isoform A (PRA) coexpression potentiates I mediated migration, whereas PRA alone is ineffective.
Literature	GENERIF_SUMMARY	Estrogen/progesterone receptors are expressed in the larynx of th female human vocal fold in conjunction with edema.
Literature	GENERIF_SUMMARY	Decreased PGDH expression is associated with increased GR and PRA, although decreased PRB, in chorion during labor.
Literature	GENERIF_SUMMARY	PR-M localizes to mitochondria.[PR-M]
Literature	GENERIF_SUMMARY	Defining luminal B tumors by the presence of high-risk criteria (los PR-expression or increased proliferation) provides a robust and hig significant stratification of ER-positive breast carcinomas into lum A and B.
Literature	GENERIF_SUMMARY	ER+ /PR+ /TFF3+ /IMP3- immunoprofile distinguishes endometrio from serous and clear cell carcinomas of the endometrium.
Literature	GENERIF_SUMMARY	these findings support a role for PR as a tumor suppressor in ovari cancer cells, which exhibits inhibitory effects by inducing FOXO1-dependent cellular senescence.
Literature	GENERIF_SUMMARY	FOXO1/IGFBP-1 axis is essential for PRB-dependent growth inhibit of endometrial epithelial cells
Literature	GENERIF_SUMMARY	Data suggest that both PRA and PRB isoforms play inhibitory roles prostate stromal cell proliferation via inhibition of expression of cy A, cyclin B, and cdc25c (cell division cycle 25C protein) thus delayi cell cycling through S/M phases.
Literature	GENERIF_SUMMARY	Expression of the progesterone and Estrogen Receptors can significantly affect therapeutic decisions in selected patients with endometroioid endometrial cancer.
Literature	GENERIF_SUMMARY	Data show that the expressions of ER-alpha, PR, LIF, VEGF, iNOS ar CB1 in fallopian tube and chorionic villi of tubal pregnancy were no altered by exposure to levonorgestrel emergency contraception.
Literature	GENERIF_SUMMARY	results highlight the importance of the unliganded PR in hormonal regulation of breast cancer cells.
Literature	GENERIF_SUMMARY	Coordinate immunoexpression patterns of estrogen receptor, progesterone receptor, and Wilms tumor 1 have a high specificity b low sensitivity in distinguishing between endometrial serous carcinomaand ovarian serous carcinoma
Literature	GENERIF_SUMMARY	This study confirms that discordance in ER and PR receptor expression between the primary breast tumor and the correspondi

Main Category	Category	Terms
		metastatic lesions is high, whereas HER2 status remains relatively constant.
Literature	GENERIF_SUMMARY	ER, PR, and HER2 expression in the biopsy and final pathology are needed for selecting patients for postoperative adjuvant treatment clinical practice.
Literature	GENERIF_SUMMARY	Progesterone receptor SNPs rs590688 and rs10895054 are significantly associated with breast cancer in African American women.
Literature	GENERIF_SUMMARY	Data suggest KLF5 (Kruppel-like factor 5) activity is regulated by progesterone/estrogen in normal mammary gland and in breast cancer; KLF5 participates in progesterone/PGR and estrogen/estro receptor signaling and breast tumorigenesis. [REVIEW]
Literature	GENERIF_SUMMARY	Data indicate that in breast cancers with no lymphatic metastasis, expression of HtrA3 was lower in patients with estrogen receptor (and progesterone receptor (PR)-positive tumors.
Literature	GENERIF_SUMMARY	Immunohistochemical expression of progesterone receptor was n associated with characteristics of invasive breast cancers.
Literature	GENERIF_SUMMARY	Progesterone receptor levels were altered after neoadjuvant chemotherapy in breast cancer.
Literature	GENERIF_SUMMARY	Human PEBP4 expression correlates negatively with estrogen and progesterone receptors in endometrial carcinoma.
Literature	GENERIF_SUMMARY	Pumpkin seed extract downregulates ER-alpha and upregulates progesterone receptor in the MCF-7 breast cancer cell line.
Literature	GENERIF_SUMMARY	Data indicate that B cell-specific Moloney murine leukaemia virus integration site 1 (BMI1) gene was co-regulated with progesterone receptor (PR) in the invasive ductal breast carcinoma.
Literature	GENERIF_SUMMARY	Progesterone receptor A stability is mediated by glycogen synthas kinase-3beta in the Brca1-deficient mammary gland.
Literature	GENERIF_SUMMARY	Data suggest a relation between high expression level of tissue inhibitor of metalloproteinases-1 (TIMP1) and loss of progesteron receptor expression combined with fulvestrant resistance.
Literature	GENERIF_SUMMARY	PROGINS did not directly impact any indicator of endometrial func However, PROGINS caused an increase in menstrual cycle length v increasing mid-luteal progesterone levels; the opposite relationshi was present in noncarriers.
Literature	GENERIF_SUMMARY	PR gene alterations are not associated with male infertility or ICSI outcome.
Literature	GENERIF_SUMMARY	Reversely, in the HO-8910 cells treated with CDDP alone, levels of b PGRMC1 and PGR were increased while the level of PGRMC2 was decreased
Literature	GENERIF_SUMMARY	1p11-rs11249433 polymorphism is involved in breast cancer susceptibility and confer its effect primarily in estrogen receptor-positive and progesterone receptor-positive tumors.
Literature	GENERIF_SUMMARY	Regulation of the structurally dynamic N-terminal domain of progesterone receptor by protein-induced folding.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	The expression of the progesterone receptor was found in 20% (10 patients) with salivary duct carcinoma.
Literature	GENERIF_SUMMARY	Data suggest that serum EGF (epidermal growth factor) level is associated with PGR positivity in HER2- (EGF receptor 2-) positive metastatic breast cancer patients; high EGF level is associated wit good prognosis with trastuzumab/taxane therapy.
Literature	GENERIF_SUMMARY	Ki67 index, TP53 status, or PR negativity can be used to segregate positive, HER2-negative tumors into prognostically meaningful subgroups with significantly different clinical outcomes.
Literature	GENERIF_SUMMARY	The results of this meta-analysis indicate that the PRG polymorphi PROGINS is not associated with ovarian cancer risk.
Literature	GENERIF_SUMMARY	Progesterone receptor and estrogen receptor alpha expression are discordant in different distant breast cancer metastases.
Literature	GENERIF_SUMMARY	marker of main subtypes of invasive breast cancer in China
Literature	GENERIF_SUMMARY	No significant association between the progesterone receptor +33 A polymorphism and ovarian cancer was found
Literature	GENERIF_SUMMARY	Kisspeptin, PIBF and PR expressions in deciduas were significantly decreased in recurrent spontaneous abortion women as compared controls
Literature	GENERIF_SUMMARY	No nuclear staining could be found for any PR in human or rat inne ear except the PR-B staining in the cochlear bone.
Literature	GENERIF_SUMMARY	Studies indicate that changes in oestrogen receptor (ER), progesterone receptor (PgR) and epidermal growth factor receptor (HER2) expression may occur during the natural history of breast cancer.
Literature	GENERIF_SUMMARY	progesterone inhibits the pro-labor genes CRH and COX-2 via PR-A repression of the noncanonical NF-kappaB signaling in human placenta.
Literature	GENERIF_SUMMARY	Absence of PR expression is a powerful, independent prognostic variable in operable, primary breast cancer even in ER-positive
Literature	GENERIF_SUMMARY	PR acetylation at Lys-183 by p300 potentiates PR activity through accelerated binding of its direct target genes without affecting PR tethering on other transcription factors.
Literature	GENERIF_SUMMARY	calretinin immunoexpression and the hormonal status for estrogen receptors (ER), progesterone receptors (PR), and ERRB2, in 33 case of cutaneous metastases of ductal breast carcinoma, as well as in seven primary cutaneous apocrine tumors, were studied
Literature	GENERIF_SUMMARY	The values and the distribution of the ER and PR taken from the biopsies made in the patients with mammary carcinoma are influenced by the age and menopausal status.
Literature	GENERIF_SUMMARY	We found that Stat6 interacts with progesterone-activated PR in T4 cells. Stat6 synergizes with progesterone-bound PR to transactivat the p21 and p27 gene promoters at the proximal Sp1-binding sites
Literature	GENERIF_SUMMARY	These results suggest that monomethylation of PR at Lys-464 probably has a repressive effect on AF-1 activity and ligand sensiti

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Higher levels of PR-M and mitochondrial porin were found in the fibroid edge compared with adjacent myometrium.
Literature	GENERIF_SUMMARY	Epigenetic changes mediated by JARID1A, SMYD3 and DNA methylation may be responsible, at least in part, for the functional progesterone withdrawal that precipitates human labour.
Literature	GENERIF_SUMMARY	unliganded PR-B enhanced proliferative responses to estradiol and IGF1 via scaffolding of ER-alpha/PELP1/IGF1R-containing complex
Literature	GENERIF_SUMMARY	The present study aimed to gain further insight into the DNA methylation patterns of alternative promoters of the steroid recept genes ESR1, ESR2 and PGR in intestinal deep endometriosis.
Literature	GENERIF_SUMMARY	ChIP analysis of MeCP2 binding to progesterone receptor-B (PR-B) gene in the PR-B-positive/-negative endometrial cancer samples confirmed the significant role of MeCP2 in PR-B gene silencing.
Literature	GENERIF_SUMMARY	High expression of PgR and low expression of p53 were significant correlated with the improved disease-free survival.
Literature	GENERIF_SUMMARY	PR frequently prevails over ER in pulmonary lymphangioleiomyomatosis.
Literature	GENERIF_SUMMARY	Interaction of phosphorylated PRs with SP1 and cyclin D1 provides mechanism for targeting transcriptionally active PRs to selected g promoters relevant to breast cancer progression.
Literature	GENERIF_SUMMARY	Decreased expression of the PR in cancer associated stroma may contribute to the elevated SDF-1 and IL-6 levels in prostate tumors enhance prostate tumor progression
Literature	GENERIF_SUMMARY	CONCLUSION
Literature	GENERIF_SUMMARY	The ratio of ER-alpha and PR-A expression in the epithelial glands a the stroma of endometrioid carcinoma biopsies may serve as an additional parameter in the histological evaluation.
Literature	GENERIF_SUMMARY	Both OPG and progesterone receptor are independently associated with good prognosis in ER positive breast cancer.
Literature	GENERIF_SUMMARY	methylation of promoter sites of ESR1 and PGR is a relatively uncommon event in ductal and lobular breast cancer, the determination of epigenetic states of ESR1 and PGR could represe an alternative or complement to histopathological expression anal
Literature	GENERIF_SUMMARY	The loss of both hormone receptors in carcinoma cells and loss of PGR in the myometrium was a predictor of a more aggressive type endometrial cancer and a poor prognosis.
Literature	GENERIF_SUMMARY	Evidence that both PR-A and PR-B isoforms are expressed in the human spinal cord is provided, with some regional variation in isof expression between amyotrophic lateral sclerosis and controls.
Literature	GENERIF_SUMMARY	Results indicate the mechanism of progesterone receptor (PR)-TA box-binding protein (TBP) interactions as a model for studying nuc receptor (NR)-transcription factor functional interactions.
Literature	GENERIF_SUMMARY	the results showed trend towards an increased risk of the variant PROGINS allele and susceptibility for the endometriosis.
Literature	GENERIF_SUMMARY	Data suggest expression of PGR in endometrium in women with

Main Category	Category	Terms
		endometriosis may be biomarker for subsequent fertility; PGR leve normal range or up-regulated are indicative of fertility following medical or surgical treatment.
Literature	GENERIF_SUMMARY	Oncotype DX RT-qPCR assay for ER and PR correlation with IHC
Literature	GENERIF_SUMMARY	Progesterone receptor B methylation occurs with high frequency a labor onset.
Literature	GENERIF_SUMMARY	an overall modest association between the PgR +331G/A polymorphism and endometrial cancer risk was detected.
Literature	GENERIF_SUMMARY	Data suggest that combined low tumor expression of PR/PGR (progesterone receptor) and PTEN (phosphatase and tensin homologue) may be used as prognostic biomarkers in subjects wi pancreatic neuroendocrine tumors following surgery.
Literature	GENERIF_SUMMARY	Decreased expression of MUC1 may attribute to progesterone receptor B variation in the mid-secretory phase of endometriosis endometrium
Literature	GENERIF_SUMMARY	In this study, PR negativity was a prognostic factor for early relaps luminal B/HER2-negative breast cancer, while a high Ki-67 index suggested a higher risk of early relapse.
Literature	GENERIF_SUMMARY	Altogether these findings highlight a novel functional connection between OHPg/PR-B and tumour suppressor pathways in breast cancer.
Literature	GENERIF_SUMMARY	Progesterone receptor is strongly expressed in rectosigmoid endometriosis tissue.
Literature	GENERIF_SUMMARY	This meta-analysis suggests that the two polymorphisms of PGR, insertion and Val660Leu, may contribute to ovarian cancer susceptibility as low-penetrance risk factors.
Literature	GENERIF_SUMMARY	Progesterone/estrogen receptors are expressed in different epithe populations, and target non-overlapping pathways in the normal human breast. In breast cancer, PR becomes highly correlated with
Literature	GENERIF_SUMMARY	Loss of progesterone receptor in endometrial cancer is associatec with increased proliferation, poor survival, and increases from prim to metastatic lesions.
Literature	GENERIF_SUMMARY	Report detection of estrogen/progesterone receptor mRNA using BrightGen HR RT-qDx assay and selection of patients for tamoxifer therapy.
Literature	GENERIF_SUMMARY	This study contributes to elucidating the intrinsic relations among breast cancer subgroups defined by ER, PR and HER2 expression v integrating mRNA and miRNA expression
Literature	GENERIF_SUMMARY	These data indicate that both nuclear and extranuclear signaling pathways of progesterone (P4) are involved in P4-regulated p53 expression in HUVECs.
Literature	GENERIF_SUMMARY	The ratios of IGF-I/IGFBP-3 were increased in postmenopausal Taiwanese women with breast cancer, irrespective of their ages, E and PR statuses, and HER2 expression.
Literature	GENERIF_SUMMARY	Nuclear histological expression for ER-beta was associated to sun induced melasma and negative familiar background; PR expressio

Main Category	Category	Terms
		was associated to sun-induced melasma and darker phototypes
Literature	GENERIF_SUMMARY	suggest that the progesterone receptor gene (PGR) polymorphism does not directly predispose to migraine but significantly delays migraine onset probably via a reduction in brain neuronal excitabili
Literature	GENERIF_SUMMARY	FOXO1 and PR are required for the regulation of IRF4, a novel transcriptional regulator of decidualization in human endometrial stromal cells.
Literature	GENERIF_SUMMARY	Suggest that progesterone plays a key role in the pathogenesis of renovascular fibromuscular dysplasia.
Literature	GENERIF_SUMMARY	Ki-67 and PgR expression were independently associated with the prognosis of patients with ER+ and HER2- breast cancer
Literature	GENERIF_SUMMARY	PR-A and PR-B mRNA expression was significantly lower on granul cells of PCOS patients compared to controls.
Literature	GENERIF_SUMMARY	High progesterone receptor density in tumor cells of the prostate cancer tumor is an independent negative prognostic factor for clin failure.
Literature	GENERIF_SUMMARY	Progesterone receptor status exerts a significant impact on progn of estrogen receptor+/HER2- breast cancer.
Literature	GENERIF_SUMMARY	Progesterone receptor expression was not altered in breast cancer patients undergoing neoadjuvant chemotherapy.
Literature	GENERIF_SUMMARY	HER2 status was highly concordant between the paired primary an brain tumors, whereas changes of ER and PR status occurred in a substantial proportion of the patients
Literature	GENERIF_SUMMARY	results suggest that progesterone receptor plays an active role in regulating stromal cell phenotypes during prostate cancer progres
Literature	GENERIF_SUMMARY	negative-ER ,negative-PR ,positive-p53 and higher Ki-67 expression were related to a higher mtDNA copy ratio. In addition, advanced T status (p=0.019) and negative-HER-2/neu expression (p=0.061) we associated with mtDNA D310 mutations
Literature	GENERIF_SUMMARY	This study revealed the gene networks that operate downstream o each PGR isoform to mediate critical functions, during decidualiza in the human.
Literature	GENERIF_SUMMARY	Taken together our data demonstrate that CHD8 is involved in late stages of progesterone receptor enhancers activation.
Literature	GENERIF_SUMMARY	Regardless of methodology, basal-like cases seldom expressed ER ESR1 or PR/PGR and were associated with the lowest expression l of HER2/ERBB2 relative to other subtypes.
Literature	GENERIF_SUMMARY	The levels of progesterone receptors in leiomyoma tissue are direc associated with the number of tumors and clinical symptoms.
Literature	GENERIF_SUMMARY	The expression of ERalpha and ERbeta was inversely correlated wi menopausal age, which was not verified for PR. No significant association was observed between ERs or PR expression and beni or malignant endometrial pathology.
Literature	GENERIF_SUMMARY	Endometriotic lesions/eutopic endometrium from women with endometriosis are uniform in a PR-A-dominant state. Menstrual eff

Main Category	Category	Terms
		of a PR-A-dominant endometrial tissue into the peritoneal cavity m play a role in the pathophysiology of endometriosis.
Literature	GENERIF_SUMMARY	Ulipristal acetate antagonizes the inhibitory effect of progesterone ciliary beat frequency and upregulates the expression levels of estrogen receptor alpha and the progesterone receptor in the fallo tubes.
Literature	GENERIF_SUMMARY	Demonstrate the prognostic value of PgR loss in the neoadjuvant setting, indicating that ER+/PgR- Luminal-B tumors warrant further attention due to their high risk of relapse after primary treatment.
Literature	GENERIF_SUMMARY	PR functions as a molecular rheostat to control ERalpha chromatin binding and transcriptional activity, which has important implicatio for prognosis and therapeutic interventions in breast cancer
Literature	GENERIF_SUMMARY	LEss than 1% of this Pakistani breast cancer cohort were progesterone receptor positive only, though 51% were ER and PR positive.
Literature	GENERIF_SUMMARY	The ER-/PgR+ phenotype is associated with higher grade with HER overexpression/amplification and occurs more commonly in young women.
Literature	GENERIF_SUMMARY	the morphological features and ER-alpha/PRA/p53 immunohistochemical expression of a sample of 45 endometrial endometrioid carcinoma metastases compared to matched prima tumors, were evaluated.
Literature	GENERIF_SUMMARY	our findings revealed progesterone receptor positive (PR+) patients were significantly more likely to present with blastic than lytic or m lesions.
Literature	GENERIF_SUMMARY	Report high p16/pHH3 expression and low progesterone expressio as useful in differential diagnosis of atypical leiomyomas.
Literature	GENERIF_SUMMARY	The G allele of PGR rs660149 polymorphism was significantly associated with susceptibility to preterm birth in Malay women.
Literature	GENERIF_SUMMARY	Data, including data from in silico/molecular docking studies, sugg that high molecular weight phthalates, environmental pollutants, cause endocrine disruption by high-affinity interacts with specific ligand-binding sites on ketosteroid receptors such as AR (androge receptor), PR (progesterone receptor), and GR (glucocorticoid receptor).
Literature	GENERIF_SUMMARY	These findings underscore the importance of understanding the complex interactions between PR and other regulatory factors, suc as Stat3, that contribute to determine the context-dependent transcriptional actions of PR.
Literature	GENERIF_SUMMARY	Certain single nucleotide polymorphisms in the progesterone recep gene are correlated with spontaneous abortions, premature labor, recurrent miscarriages. (Review)
Literature	GENERIF_SUMMARY	CORRELATION BETWEEN CLINICAL PATHOLOGY OF LUMINAL B BREAST CANCER AND DETERMINATION OF ESTROGEN RECEPTO PROGESTERONE RECEPTOR AND HER2 EXPRESSION COMBINED WITH NUCLEAR MORPHOLOGY.
Literature	GENERIF_SUMMARY	Expression of seven ERalpha splice variants, total progesterone receptor (PR) and of five PR transcript isoforms was found to be

Main Category	Category	Terms
		significantly decreased in endometrial cancer
Literature	GENERIF_SUMMARY	Rs11571215 in PGR (progesterone receptor) was the SNP most strongly associated with ER- disease.
Literature	GENERIF_SUMMARY	findings suggest that human labour may develop as a consequenc a decline in mPR(alpha+) Treg cells, which reduces progesterone a inflammatory action through Treg cells.
Literature	GENERIF_SUMMARY	Estrogen receptor, progesterone receptor or human epidermal grov factor receptor 2 samples with high-methylation risk score had the worst 5-year survival rate and overall survival time.
Literature	GENERIF_SUMMARY	Study indicate that PR-B isoform is the dominant driver of cellular senescence in ovarian cancer cells and reveal that dephosphorylat FOXO1 confers potent PR-B-like transcriptional activity to PR-A and required for its phosphorylation on Ser294 and transactivation of P B.
Literature	GENERIF_SUMMARY	Analysis of patients with ER-/PgR+/HER2- breast cancers showed this subtype exhibited an aggressive behavior compared to triple negative breast cancers.
Literature	GENERIF_SUMMARY	progesterone receptor gene polymorphism is associated with uteri leiomyomas.
Literature	GENERIF_SUMMARY	Loss of progesterone receptor expression is associated with breas cancer.
Literature	GENERIF_SUMMARY	TargetPrint ER had a positive agreement of 98 %, and a negative agreement of 95 % with central pathology. Corresponding figures f PgR were 85 and 94 % and for HER-2 72 and 99 %. Agreement of mRNA versus central protein was not different when the same or a different portion of the tumor tissue was analyzed or when DCIS an or normal tissue was included in the sample subjected to mRNA assays
Literature	GENERIF_SUMMARY	the MapQuanttrade mark assay, based on mRNA expression assay provides an objective and quantitative assessment of Estrogen receptor, Progesterone receptor and HER2 status in invasive breas cancer.
Literature	GENERIF_SUMMARY	PGR rs1042838 and rs10895068 polymorphisms may be involved the pathogenesis of endometrial cancer.
Literature	GENERIF_SUMMARY	Data demonstrated the significance of PR extranuclear signaling through PPD interactions in EGFR-mediated proliferation and signa in NSCLC.
Literature	GENERIF_SUMMARY	progesterone acts via the progesterone receptor to modulate ADAI 1 and 4 levels in ovarian cancer cell lines.
Literature	GENERIF_SUMMARY	we found that combinatorial MK-2206+progesterone treatments decreased angiogenesis and proliferation in the Pten(d/d) conditio mouse model of endometrial cancer. Taken together, these finding suggest that a combinatorial therapeutic approach utilizing Akt inhibitors with progestins may improve the efficacy of progestin therapy for the treatment of endometrial cancer.
Literature	GENERIF_SUMMARY	We investigate the impact of central histology (n = 772), immunohistochemistry for intrinsic subtyping and IHC4, and dichotomous (GG) or continuous (GGI) genomic grade (n = 472) or

Main Category	Category	Terms
		patient outcome and benefit from taxane chemotherapy, focusing HR+/HER2(HR
Literature	GENERIF_SUMMARY	Neural Analyses Validate and Emphasize the Role of Progesterone Receptor in Breast Cancer Progression and Prognosis
Literature	GENERIF_SUMMARY	Progesterone receptor antagonism inhibits progestogen-related carcinogenesis and suppresses tumor cell proliferation.
Literature	GENERIF_SUMMARY	The endometrial expression of PR and Ki67 along with serum CA1 predicted the development of lymph node metastasis in endometr cancer.
Literature	GENERIF_SUMMARY	In ovarian serous carcinoma, NF-kappaB nuclear expression correlated with the 4th edition WHO grade and PR was a favorable prognostic factor for ovarian serous carcinoma.
Literature	GENERIF_SUMMARY	In progesterone control of myometrial contractility during pregnan and labour, while liganded nuclear progesterone receptor B can suppress the expression of Cx43, unliganded progesterone recepto paradoxically translocates to the nucleus where it acts as a transcriptional activator of this labour gene.
Literature	GENERIF_SUMMARY	Folic acid inhibits colon cancer cell proliferation through activation PR.
Literature	GENERIF_SUMMARY	Positive results were found in 15 situations when genes were anal in groups of 3; the most significant result corresponded to polymorphisms of p53, ERb and GSTM1 seen in 20%; PROGINS, ER and GSTM1 in 18%; and p53, ERb and PROGINS in 12% patients., w 31.25% patients showed GSTM1- PROGINS and GSTT1-CYP1A1 polymorphism
Literature	GENERIF_SUMMARY	Tert expression was substantially increased, whereas ER alpha expression significantly decreased in the endometrium with RIF. N change was observed in PR expression. Tert expression was inver associated with ER alpha expression.
Literature	GENERIF_SUMMARY	showed a high concordance with immunohistochemistry/in situ hybridization of 95 % (kappa 0.81) for estrogen receptor, 81 % (kap 0.56) for progesterone receptor, and 94 % (kappa 0.76) for HER2
Literature	GENERIF_SUMMARY	analysis of pancreatic adenocarcinoma reveals nPR and the prese of mPR of alpha, beta, gamma subtypes both at the mRNA and pro levels
Literature	GENERIF_SUMMARY	OHPg/PR-B through Beclin-1 and Bcl2 evoke autophagy-senescen transition in breast cancer cells
Literature	GENERIF_SUMMARY	Calculation of the PGR/ESR1 gene-expression ratio and its immunohistochemical surrogate could be a useful and simple add to routine breast cancer diagnostics. A high PGR/ESR1 ratio could indicative of a favorable clinical outcome.
Literature	GENERIF_SUMMARY	Choroidal metastases from BC are associated with ER and PR expression in the primary tumor and the luminal B molecular subty
Literature	GENERIF_SUMMARY	PR-B expression was significantly reduced in the eutopic endomet (p=0.031) and ovarian endometrioma (p=0.036) from women with advanced-stage endometriosis compared with eutopic endometriu tissues from control subjects.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Interplay of nuclear receptors (ER, PR, and GR) and their steroid hormones in MCF-7 cells.
Literature	GENERIF_SUMMARY	Overexpression of RNA-binding region-containing protein 1 (RNPC increased, whereas knockdown of RNPC1 decreased, the level of progesterone receptor (PR) protein and transcripts.
Literature	GENERIF_SUMMARY	The data show that human parturition involves the phosphorylatio PR-A at serine-345 in myometrial cells and that this process is liga dependent and induced by a proinflammatory stimulus.
Literature	GENERIF_SUMMARY	C/EBPbeta negatively regulates PR-B expression in glioblastoma c
Literature	GENERIF_SUMMARY	the 5alpha-reduction of progesterone decreased PR activation significantly, 16alpha-hydroxyprogesterone and 16OH-dihydroprogesterone exhibited comparable receptor activation.
Literature	GENERIF_SUMMARY	Report a significant survival benefit in lung adenocarcinoma patie with positive expression of one of the investigated hormonal recep
Literature	GENERIF_SUMMARY	The interplay between intracellular progesterone receptor and PRK PRKCD plays a key role in migration and invasion of human glioblastoma cells.
Literature	GENERIF_SUMMARY	progesterone receptor expression status correlates with final pregnancy outcome
Literature	GENERIF_SUMMARY	Working model. During most of pregnancy, progesterone via PR-B promotes myometrial cell quiescence in part by repressing responsiveness to proinflammatory stimuli. With advancing gestat prolabor signals increase the inflammatory load on the uterus unti threshold is reached. The threshold is the point at which inflamma stimuli augment PR-A stability.
Literature	GENERIF_SUMMARY	The altered expression of ER and PR may be associated with the expression variation of integrin and pinopode formation in endometrium of luteal phase deficit women.
Literature	GENERIF_SUMMARY	PAX8-positive Biphasic Synovial Sarcoma Expressing Hormonal Receptors.
Literature	GENERIF_SUMMARY	The values were compared with the affinity of these compounds fo nPRs. All tested compounds showed almost no affinity for nPRs, whereas their selectivity towards mPRs was different. Derivatives an additional 19-hydroxyl group and removed 3-keto group had the highest selectivity for mPRs.
Literature	GENERIF_SUMMARY	Chorionic gonadotropin activates Epac-Erk1/Erk2 signaling regulat progesterone receptor expression and function in human endomet stromal cells.
Literature	GENERIF_SUMMARY	Patients with Estrogen- and progesterone receptors-positive invasi lobular carcinoma (ILC) and invasive ductal carcinoma (IDC)have similar quantitative ER and PR expression profiles, implicating that PR expression is unlikely to be a confounding factor in studies concerning chemo-sensitivity of ILC and IDC
Literature	GENERIF_SUMMARY	Data suggest the relevance of determining the progesterone recep (PR) isoform ratio before starting antiprogestin treatments.
Literature	GENERIF_SUMMARY	Evaluation of progesterone expression in axillary lymph node metastasis of ER-positive, HER2-negative breast cancer may enabl

Main Category	Category	Terms
		prediction of patients who are less likely to benefit from adjuvant tamoxifen.
Literature	GENERIF_SUMMARY	Ten international pathology institutions participated in this study a determined messenger RNA expression levels of ERBB2, ESR1, PG and MKI67 in both centrally and locally extracted RNA from formal fixed, paraffin-embedded breast cancer specimens with the MammaTyper(R) test. Samples were measured repeatedly on diffe days within the local laboratories, and reproducibility was assesse means of variance comp...
Literature	GENERIF_SUMMARY	We sought to determine the relation between 17-alpha hydroxyprogesterone caproate plasma concentrations, progestero receptor single nucleotide polymorphisms and single nucleotide polymorphisms in CYP3A4 and CYP3A5 and spontaneous preterm birth.
Literature	GENERIF_SUMMARY	Human myometrial tissue in culture undergoes changes in progesterone receptor (PR) gene expression consistent with transi toward a laboring phenotype. TSA maintained the nonlaboring PR isoform expression pattern.
Literature	GENERIF_SUMMARY	findings suggest that GATAD2B serves as an important mediator c progesterone-progesterone receptor suppression of proinflammat and contractile genes during pregnancy; decreased GATAD2B expression near term may contribute to the decline in progesteron receptor function, leading to labor
Literature	GENERIF_SUMMARY	The combined genotype PGR +331TT/CYP17A1 -34AA/ CYP19A11531AA is positively associated with endometriosis
Literature	GENERIF_SUMMARY	These findings suggest that in myometrial cells the repressive acti of PR-A on PR-B increases with advancing gestation and is induce pro-inflammatory cytokines.
Literature	GENERIF_SUMMARY	RA induced loss of PR binding only at the proximal site. Interesting RARalpha was recruited to the -1.1 kb PRE and the -130 bp PRE/RA regions with P4, but not RA alone or RA plus P4
Literature	GENERIF_SUMMARY	These data collectively indicate that progesterone suppresses trip negative breast cancer (TNBC) growth and metastasis via mPRalp which provides evidence of the anti-neoplastic effects of progesterone-mPRalpha pathway in the treatment of human TNBC
Literature	GENERIF_SUMMARY	results suggest differential downstream progesterone receptor signalling, as progesterone receptor regulates MMP3/10 expressio via HIF1A, which is not involved in ADAMTS-1 expression
Literature	GENERIF_SUMMARY	Villin, Pro-Ex-C and progesterone/estrogen receptor expression ha diagnostic and predictive roles in endocervical and endometrioid adenocarcinoma.
Literature	GENERIF_SUMMARY	the estrogen- (ER), progesterone- (PgR) and HER2/neu receptor sta of the primary tumor with brain metastases in a series of 24 consecutive breast cancer patients, is reported.
Literature	GENERIF_SUMMARY	General obesity, indicated by BMI, is more strongly associated with ER+/PR+ subtype, especially among premenopausal women, wher central obesity, indicated by WHR, is more specific for ER-/PR- subtype, independent of menopausal status. These results sugges that different chemoprevention strategies may be appropriate in selected individuals.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	These data predict that under conditions where O-GlcNAc levels ar high (breast cancer) progesterone receptor (PR) through an interac with the modifying enzyme OGT, will exhibit increased O-GlcNAcyla and potentiated transcriptional activity. Therapeutic strategies aim at altering cellular O-GlcNAc levels may have profound effects on P transcriptional activity in breast cancer
Literature	GENERIF_SUMMARY	TIMP-3 mRNA expression levels positively correlates with levels of miR-21 in in situ breast carcinomas and negatively in progesterone receptor positive invasive breast carcinomas.
Literature	GENERIF_SUMMARY	We have confirmed a positive association of specific progesterone receptor gene (PGR) variants (rs590688, rs10895068, and rs19428 and PGR haplotypes (ATGCCGTC and ATTCGGTC) with an increase risk of recurrent pregnancy loss, thereby supporting a role PGR as recurrent pregnancy loss candidate locus.
Literature	GENERIF_SUMMARY	A major finding of our study is that one out of five (20%) patients w breast cancer BM had a receptor discrepancy between the primary tumor and the subsequent BM, with loss of hormone receptors (ER and/or PR) expression, and gain of HER2 overexpression as the mo commonly observed changes
Literature	GENERIF_SUMMARY	Estrogen receptor (ER) and progesterone receptor (PR) expression endometrial carcinoma (EC) were significantly higher than those in paracarcinoma tissue and control.
Literature	GENERIF_SUMMARY	Insight into previously reported associations between +331G/A polymorphism and breast cancer risk. [meta-analysis; review]
Literature	GENERIF_SUMMARY	The experimental data corroborated the inhibitory function of miR-513a-5p on progesterone receptor expression in breast cance confirming that progesterone receptor is a target of miR-513a-5p
Literature	GENERIF_SUMMARY	in primary breast tumors, PR-A expression was correlated negative with miR-92a-3p expression and positively with miR-26b-5p expression. Therefore, hormonal cross-talk of PR-A with ER is prob a fundamental mechanism that enables metastasis of luminal brea cancer.
Literature	GENERIF_SUMMARY	There was no association between progesterone receptor express and lymph node metastases in the epithelial ovarian cancer.An association between progesterone receptor expression and perito metastases in endometrioid or high grade serous carcinoma.
Literature	GENERIF_SUMMARY	Data show that insulin-like growth factor-II mRNA-binding protein 2 and 3 (IMP2/3)-miR-200a-progesterone receptor axis represents a double-negative feedback loop and serves as a new potential therapeutic target for the treatment of Triple-negative breast cance (TNBC).
Literature	GENERIF_SUMMARY	Significant association between the presence of PROGINS progesterone receptor mutation and Hepatitis E virus seroprevalen in individuals infected with HIV
Literature	GENERIF_SUMMARY	Low progesterone receptor alpha and beta expression is associate with endometrial cancer.
Literature	GENERIF_SUMMARY	Alcohol consumption may have differential effects on concordant discordant receptor subtypes of breast cancer.
Literature	GENERIF_SUMMARY	Higher RDI of chemotherapy is associated with better survival for E

Main Category	Category	Terms
		PR+, HER2- patients and triple-negative breast cancer(TNBC) patie To optimize survival benefits, RDI should be maintained >/= 85% in ER+/PR+, HER2- patients, and >/= 75% in TNBC patients.
Literature	GENERIF_SUMMARY	We found that the Alu insertion was associated with breast cancer incidence in Indians and Indo-European mixed racial groups, but th association disappeared for patients of Caucasian or Latino decen Our meta-analysis showed that the Alu-insertion progesterone receptor gene polymorphism was not associated with breast canc [Meta-analysis]
Literature	GENERIF_SUMMARY	heterogeneous distribution in deep infiltrating endometriosis
Literature	GENERIF_SUMMARY	Relative to ER, PR and HER2 from medical records, central IHC staining and the addition of Ki67 or combined tumor grade improv accuracy for classifying PAM50-based luminal subtypes.
Literature	GENERIF_SUMMARY	Single nucleotide polymorphism in progesterone receptor gene is associated with the risk of type 2 diabetes among Hispanic Ameri compared to European American postmenopausal women.
Literature	GENERIF_SUMMARY	The progesterone receptor B (PRB) and androgen Receptor (AR) mRNA levels were highest in tumors.
Literature	GENERIF_SUMMARY	Human Endometriosis Tissue Microarray Reveals Site-specific Expression of Estrogen Receptors, Progesterone Receptor, and Ki6
Literature	GENERIF_SUMMARY	findings showed no association between PROGINS and leiomyoma the overall analysis nor in either of the subgroups, Asian or non-As in all genetic models;. conclusion
Literature	GENERIF_SUMMARY	Progesterone receptor, EGFR, and galectin-3 are expressed differentially in uterine smooth muscle tumors.
Literature	GENERIF_SUMMARY	Association of progesterone receptor gene polymorphism with threatened abortion.
Literature	GENERIF_SUMMARY	this study aimed to investigate the effects of membrane progester receptor-alpha subtype activation on proliferation, migration, and invasion of human glioblastoma cells.
Literature	GENERIF_SUMMARY	polymorphisms do not predict in vitro fertilization outcome
Literature	GENERIF_SUMMARY	This study aimed to examine the distribution of progesterone rece isoforms (PGRA, PGRB) in prostate cancer tissue and their associa with clinical endpoints.
Literature	GENERIF_SUMMARY	estimates for gene-expression (GE) were added for ER (gene ESR1 for PGR (gene PGR) and for HER2 (gene ERBB2). Combined results were obtained in each patient via a scoring system based on all th receptors
Literature	GENERIF_SUMMARY	This study aimed to determine the presence and localization of oestrogen receptors (ERs), progesterone receptors (PRs), and androgen receptors (ARs) in both healthy and varicose vein wall ce and their relationship with gender.
Literature	GENERIF_SUMMARY	Low PGR expression is associated with endometrial cancer.
Literature	GENERIF_SUMMARY	The reciprocal expression of PGR and FOXO1 was conserved in endometrial samples during the proliferative and secretory phase. Expression of FOXO1 and the loss of PGR during the window of

Main Category	Category	Terms
		receptivity are interrelated and critical for embryo implantation.
Literature	GENERIF_SUMMARY	the estrogen receptor (ER) and progesterone receptor (PR), as well human epidermal growth factor receptor 2 (Her2neu) expressions breast tumor cells, were evaluated.
Literature	GENERIF_SUMMARY	Metaplastic breast cancer (MpBC) group had significantly more ca with no hormone receptors (ER, PR) and HER2 overexpression/ger amplification compared with the other invasive breast cancer type group (ER-, 69% versus 23%, p
Literature	GENERIF_SUMMARY	Progesterone receptor expression in idiopathic gynecomastia.
Literature	GENERIF_SUMMARY	PGR-B gene showed a partially methylated pattern in majority of th patients with endometriosis.
Literature	GENERIF_SUMMARY	PGR rearrangements define a genetic subset of epithelioid leiomyosarcomas with often biphasic morphology consisting of epithelioid and rhabdoid as well as spindle cell components.
Literature	GENERIF_SUMMARY	In the fetal and adult lung, Progesterone receptor isoform B expression is associated with a decrease in pulmonary neuroendocrine cell proliferation.
Literature	GENERIF_SUMMARY	These data indicate that PR, both in the presence and absence of ligand, attenuates IFN-induced STAT1 signaling, culminating in significantly abrogated activation of genes transcribed in response IFNs.
Literature	GENERIF_SUMMARY	Prolonged treatment with progestin R5020 upregulates autophagy MCF-7 human breast cancer cells via a novel interplay between progesterone receptor B and TFEB. It upregulates TFEB gene expression and protein levels in a PRB-dependent manner and enhances the co-recruitment of PRB and TFEB to each other to facilitate TFEB nuclear localization.
Literature	GENERIF_SUMMARY	Results demonstrate that PR and C/EBPa cooperate in a gene expression program that enables controlled cell growth in the presence of progestins in breast cancer cells.
Literature	GENERIF_SUMMARY	A substantial discordance in ER, PR, and HER2 status were observ between primary breast cancer tissues and recurrent lesions. Rebiopsy could bring new therapeutic opportunities in the management of patients with recurrent breast cancer.
Literature	GENERIF_SUMMARY	When both PR and GR are activated with their cognate hormones, and GR can form part of the same complex.
Literature	GENERIF_SUMMARY	Molecular Evaluation of PROGINS Mutation in Progesterone Recep Gene and Determination of its Frequency, Distribution Pattern and Association with Breast Cancer Susceptibility in Saudi Arabia.
Literature	GENERIF_SUMMARY	Anti-proliferative transcriptional effects of medroxyprogesterone acetate in estrogen receptor positive breast cancer cells are predominantly mediated by the progesterone receptor.
Literature	GENERIF_SUMMARY	Progesterone's role in deep infiltrating endometriosis
Literature	GENERIF_SUMMARY	Progesterone Receptor Expression in the Benign Prostatic Hyperpl and Prostate Cancer Tissues, Relation with Transcription, Growth Factors, Hormone Reception and Components of the AKT/mTOR Signaling Pathway.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Immunoexpression of estrogen receptor-beta and progesterone receptor in prostate adenocarcinoma, does it inhibit neoplastic proliferation and invasion?
Literature	GENERIF_SUMMARY	The Role of CHK1 Varies with the Status of Oestrogen-receptor an Progesterone-receptor in the Targeted Therapy for Breast Cancer.
Literature	GENERIF_SUMMARY	Quantitative mast cell analysis and hormone receptor study (ER, P and HER2/neu) in invasive carcinoma of breast.
Literature	GENERIF_SUMMARY	GATA2 and Progesterone Receptor Interaction in Endometrial Stro Cells Undergoing Decidualization.
Literature	GENERIF_SUMMARY	Progesteron receptor expression in insulin producing cells of neuroendocrine neoplasms.
Literature	GENERIF_SUMMARY	Clinical association of progesterone receptor isoform A with breas cancer metastasis consistent with its unique mechanistic role in preclinical models.
Literature	GENERIF_SUMMARY	Expression of Membrane Progesterone Receptors in Eutopic and Ectopic Endometrium of Women with Endometriosis.
Literature	GENERIF_SUMMARY	Functionally significant polymorphisms of ESR1and PGR and risk o intrauterine growth restriction in population of Central Russia.
Literature	GENERIF_SUMMARY	Pioneer transcription factors, progesterone receptor and Kruppel li transcription factor 4, cooperatively stimulate the bovine herpesvir ICP0 early promoter and productive late protein expression.
Literature	GENERIF_SUMMARY	Sequestosome 1 (p62) accumulation in breast cancer cells suppresses progesterone receptor expression via argonaute 2.
Literature	GENERIF_SUMMARY	Triple-Positive Breast Carcinoma
Literature	GENERIF_SUMMARY	Genome-wide association study identifies a role for the progestero receptor in benign prostatic hyperplasia risk.
Literature	GENERIF_SUMMARY	Recent advances in smooth muscle tumors with PGR and PLAG1 g fusions and myofibroblastic uterine neoplasms.
Literature	GENERIF_SUMMARY	Sex-dependent expression of prostatic markers and hormone receptors in cystic tumor of the atrioventricular node
Literature	GENERIF_SUMMARY	Progesterone receptor isoform-dependent cross-talk between prolactin and fatty acid synthase in breast cancer.
Literature	GENERIF_SUMMARY	Expression of Estrogen and Progesterone Receptors in Papillary Thyroid Carcinoma in Korea.
Literature	GENERIF_SUMMARY	Role of the androgen, estrogen, and progesterone receptors in adherent perinephric fat in robotic partial nephrectomy.
Literature	GENERIF_SUMMARY	ARID1A and PGR proteins interact in the endometrium and reveal a positive correlation in endometriosis.
Literature	GENERIF_SUMMARY	High gene expression of estrogen and progesterone receptors is associated with decreased t cell infiltration in patients with NSCLC
Literature	GENERIF_SUMMARY	Intracellular Progesterone Receptor and cSrc Protein Working Together to Regulate the Activity of Proteins Involved in Migration Invasion of Human Glioblastoma Cells.

Main Category	Category	Terms
Literature	GENERIF_SUMMARY	Crosstalk between progesterone receptor membrane component 1 and estrogen receptor alpha promotes breast cancer cell proliferat
Literature	GENERIF_SUMMARY	LPA1 Receptor Promotes Progesterone Receptor Phosphorylation through PKCalpha in Human Glioblastoma Cells.
Literature	GENERIF_SUMMARY	The correlation of estrogen receptor 1 and progesterone receptor genes polymorphisms with recurrent pregnancy loss in a cohort of Egyptian women.
Literature	GENERIF_SUMMARY	Epithelial-to-mesenchymal transition contributes to the downregulation of progesterone receptor expression in endometrio lesions.
Literature	GENERIF_SUMMARY	Progesterone receptor-DNA methylation crosstalk regulates deplet of uterine leiomyoma stem cells
Literature	GENERIF_SUMMARY	Effect of steroid hormone receptor gene variants PROGINS (Alu insertion) and PGR C/T (rs1042839) as a risk factor for recurrent pregnancy loss in Kashmiri population (North India).
Literature	GENERIF_SUMMARY	Progesterone Receptor Signaling in the Breast Tumor Microenvironment.
Literature	GENERIF_SUMMARY	Disrupted PGR-B and ESR1 signaling underlies defective decidualization linked to severe preeclampsia.
Literature	GENERIF_SUMMARY	The deep infiltrating endometriosis tissue has lower T-cadherin, E-cadherin, progesterone receptor and oestrogen receptor than endometrioma tissue.
Literature	GENERIF_SUMMARY	Membrane progesterone receptor alpha (mPRalpha) enhances hypoxia-induced vascular endothelial growth factor secretion and angiogenesis in lung adenocarcinoma through STAT3 signaling.
Literature	GENERIF_SUMMARY	Genetic variation in progesterone receptor gene and ovarian cance risk
Literature	GENERIF_SUMMARY	Progesterone receptor genetic variants in pregnant women and fetuses as possible predictors of spontaneous premature birth
Literature	GENERIF_SUMMARY	Expression of epigenetic pathway related genes in association wit PD-L1, ER/PgR and MLH1 in endometrial carcinoma.
Literature	GENERIF_SUMMARY	Association of the PROGINS PgR polymorphism with susceptibility female reproductive cancer
Literature	GENERIF_SUMMARY	Reduced Hippocampal and Anterior Cingulate Expression of Antioxidant Enzymes and Membrane Progesterone Receptors in Alzheimer's Disease with Depression.
Literature	GENERIF_SUMMARY	Genetic variants of progesterone receptor in etiology of preterm delivery.
Literature	GENERIF_SUMMARY	The role of progesterone receptor isoforms in the myometrium.
Literature	GENERIF_SUMMARY	PRMT1, a Key Modulator of Unliganded Progesterone Receptor Signaling in Breast Cancer.
Literature	GENERIF_SUMMARY	Regulation of progesterone receptor expression in endometriosis, endometrial cancer, and breast cancer by estrogen, polymorphism transcription factors, epigenetic alterations, and ubiquitin-proteaso

Main Category	Category	Terms
		system.
Literature	GENERIF_SUMMARY	Contemporary evaluation of estrogen receptor and progesterone receptor expression in breast cancer-associated stroma.
Literature	GENERIF_SUMMARY	Progesterone receptor expression and prediction of benefits of adjuvant radiotherapy in de novo atypical meningiomas after gross total resection.
Literature	GENERIF_SUMMARY	Environmental water extracts differentially activate zebrafish and human nuclear progesterone receptors.
Literature	GENERIF_SUMMARY	Activation of progesterone receptor is essential for folic acid-regulated cancer cell proliferation and migration.
Literature	GENERIF_SUMMARY	miR-297 inhibits expression of progesterone receptor and decidualization in eutopic endometria of endometriosis.
Literature	GENERIF_SUMMARY	Impact of MIR31HG polymorphisms on risk of breast cancer in Chinese women.
Literature	GENERIF_SUMMARY	Loss of the receptors ER, PR and HER2 promotes USP15-depender stabilization of PARP1 in triple-negative breast cancer.
Literature	GENERIF_SUMMARY	Association of Val660Leu, progesterone receptor polymorphic vari with susceptibility to RRMS disease.
Literature	GENERIF_SUMMARY	PRB inhibited cell proliferation through let-7b-E2F1 in breast cance
Literature	GENERIF_SUMMARY	Interferon-gamma is quintessential for NOS2 and COX2 expressior ER[-] breast tumors that lead to poor outcome.
Literature	GENERIF_SUMMARY	A prospective cohort study of clinical characteristics and outcome Chinese patients with estrogen receptor-negative/progesterone receptor-positive early breast cancer.
Literature	GENERIF_SUMMARY	Malignancy risk factors and prognostic variables of pancreatic mucinous cystic neoplasms in Chinese patients.
Literature	GENERIF_SUMMARY	Progesterone and cAMP synergistically induce SHP2 expression v PGR and CREB1 during uterine stromal decidualization.
Literature	GENERIF_SUMMARY	USP7 promotes decidualization of ESCs by STAT3/PR axis during early pregnancy.
Literature	GENERIF_SUMMARY	Progesterone receptor distribution in the human hypothalamus an association with suicide.
Pathways	KEGG_PATHWAY	Oocyte meiosis
Pathways	KEGG_PATHWAY	Progesterone-mediated oocyte maturation
Pathways	KEGG_PATHWAY	Estrogen signaling pathway
Pathways	KEGG_PATHWAY	Chemical carcinogenesis - receptor activation
Pathways	KEGG_PATHWAY	Breast cancer
Pathways	REACTOME_PATHWAY	Signaling by ERBB4
Pathways	REACTOME_PATHWAY	Nuclear signaling by ERBB4
Pathways	REACTOME_PATHWAY	Developmental Biology

Main Category	Category	Terms
Pathways	REACTOME_PATHWAY	Signal Transduction
Pathways	REACTOME_PATHWAY	Generic Transcription Pathway
Pathways	REACTOME_PATHWAY	Cellular responses to stress
Pathways	REACTOME_PATHWAY	SUMOylation
Pathways	REACTOME_PATHWAY	SUMO E3 ligases SUMOylate target proteins
Pathways	REACTOME_PATHWAY	HSP90 chaperone cycle for steroid hormone receptors (SHR) in the presence of ligand
Pathways	REACTOME_PATHWAY	Nuclear Receptor transcription pathway
Pathways	REACTOME_PATHWAY	Metabolism of proteins
Pathways	REACTOME_PATHWAY	SUMOylation of intracellular receptors
Pathways	REACTOME_PATHWAY	Post-translational protein modification
Pathways	REACTOME_PATHWAY	RNA Polymerase II Transcription
Pathways	REACTOME_PATHWAY	Gene expression (Transcription)
Pathways	REACTOME_PATHWAY	ESR-mediated signaling
Pathways	REACTOME_PATHWAY	Cellular responses to stimuli
Pathways	REACTOME_PATHWAY	Signaling by Nuclear Receptors
Pathways	REACTOME_PATHWAY	Signaling by Receptor Tyrosine Kinases
Pathways	REACTOME_PATHWAY	Estrogen-dependent gene expression
Pathways	REACTOME_PATHWAY	Developmental Cell Lineages
Pathways	REACTOME_PATHWAY	Developmental Cell Lineages of the Integumentary System
Pathways	REACTOME_PATHWAY	Developmental Lineages of the Mammary Gland
Pathways	REACTOME_PATHWAY	Developmental Lineage of Mammary Gland Luminal Epithelial Cells
Pathways	REACTOME_PATHWAY	Developmental Lineage of Mammary Gland Alveolar Cells
Pathways	WIKIPATHWAYS	Nuclear receptors
Pathways	WIKIPATHWAYS	Mammary gland development puberty stage 2 of 4
Pathways	WIKIPATHWAYS	Mammary gland development pregnancy and lactation stage 3 of 4
Pathways	WIKIPATHWAYS	Ovarian infertility
Pathways	WIKIPATHWAYS	Breast cancer pathway
Pathways	WIKIPATHWAYS	Uterine natural killer cells and progesterone estrogen and chorionic gonadotropin
Protein Domains	INTERPRO	Progest_rcpt
Protein Domains	INTERPRO	Nucl_hrmn_rcpt_lig-bd

Main Category	Category	Terms
Protein Domains	INTERPRO	Znf_hrmn_rcpt
Protein Domains	INTERPRO	Nuclear_hrmn_rcpt
Protein Domains	INTERPRO	Znf_NHR/GATA
Protein Domains	INTERPRO	NHR-like_dom_sf
Protein Domains	INTERPRO	Nuclear_hormone_rcpt_NR3
Protein Domains	SMART	ZnF_C4
Protein Domains	SMART	HOLI
Protein Domains	UP_KW_DOMAIN	Zinc-finger