

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| ID4 | 1 | BASEBRGY | <u>BASELINE BARANGAY ID NUMBER</u> (SEE BARANGAY LISTING) |
| ID4 | 2 | BASEHHNO | <u>BASELINE HOUSEHOLD ID NUMBER</u> 1 - Household number one : 1000 - Household number one thousand : |
| ID4 | 3 | BASEWMAN | <u>BASELINE SAMPLE WOMAN ID NUMBER</u> 1 - Sample woman number one : 500 - Sample woman number five hundred : |
| ID5 | 4 | BRGAY02 | <u>2002 BARANGAY ID NUMBER</u> (SEE BARANGAY LISTING) |
| ID5 | 5 | HHNUMB02 | <u>2002 HOUSEHOLD ID NUMBER</u> 1 - Household number one : 1000 - Household number one thousand : |
| ID5 | 6 | WOMAN02 | <u>2002 WOMAN ID NUMBER</u> 1 - Sample woman number one : 500 - Sample woman number five hundred : |
| ID6 | 7 | UNCMOMID | <u>2002 MOTHER ID NUMBER</u> (SEE 2002 CLHNS FOLLOW-UP STUDY DOCUMENTATION) |
| ID9 | 8 | MOMCH02 | <u>WHOSE HOUSEHOLD WAS INTERVIEWED IN 2002?</u> 1 - Mother and Index child 2 - Mother only 7 - Mother deceased 8 - Mother moved out of Cebu 9 - Mother refused 10 - Mother not located |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| A17a | 9 | MOMLNUMB | <u>LINE NUMBER OF MOTHER</u> 1 - Line number one : 15 - Line number fifteen : |
| A10 | 10 | AGEMOM | <u>AGE OF MOTHER AS OF LAST BIRTHDAY</u> : 30 - Thirty years old : 60 - Sixty years old |
| A17b | 11 | ICLNUMB | <u>LINE NUMBER OF INDEX CHILD</u> 1 - Line number one : 15 - Line number fifteen : -6 - IC dead -7 - Miscarriage/Stillbirth -9 - Index child not in household |
| A18 | 12 | MOMRELI | <u>WHAT IS THE RELIGION OF MOTHER?</u> 0 - No religion 1 - Catholic 2 - Protestant (Lutheran, Baptist, etc.) 3 - Protestant (Born again) 4 - Iglesia ni Cristo 5 - Moslem 6 - Buddhist 7 - Other (specify) -8 - NR/DK |
| A19 | 13 | GOCHURCH | <u>HOW OFTEN DOES MOTHER GO TO CHURCH?</u> 0 - Never 1 - Occasionally only 2 - About once or twice a month 3 - About once a week 4 - More often than once a week -8 - NR/DK |
| A20 | 14 | MARISTAT | <u>MARITAL STATUS OF MOTHER</u> 1 - Never married (Code -9 from HUSBRELI to CHURCHGO) 2 - Married |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 3 - Not legally married 4 - Widowed } (Code -9 from HUSBRELI to CHURCHGO) 5 - Separated } -8 - NR/DK |
| A21 | 15 | HUSBRELI | <u>WHAT IS THE RELIGION OF THE RESPONDENT'S HUSBAND/PARTNER?</u> (SAME CODES AS MOMRELI) -9 - NA |
| A22 | 16 | CHURCHGO | <u>HOW OFTEN DOES HUSBAND/PARTNER OF RESPONDENT GO TO CHURCH?</u> (SAME CODES AS GOCHURCH) -9 - NA |
| A23 | 17 | RESBAR98 | <u>HAS RESPONDENT RESIDED IN THIS BARANGAY SINCE JANUARY 1998 (OR 1994 VISIT)?</u> 0 - No 1 - Yes (Code -9 from NUMBAR98 to BARLONG) -8 - NR/DK (Code -8 from NUMBAR98 to BARLONG) -9 - NA |
| A24 | 18 | NUMBAR98 | <u>HOW MANY BARANGAYS HAS RESPONDENT RESIDED IN SINCE JANUARY 1998 (OR 1994 VISIT)?</u> 1 - One : 5 - Five -8 - NR/DK -9 - NA (Code -9 in BARLONG) |
| A25 | 19 | BARLONG | <u>IN WHICH BARANGAY HAS RESPONDENT RESIDED FOR THE LONGEST PERIOD SINCE JANUARY 1998 (OR 1994 VISIT)?</u> 1 - Other barangay in urban Metro Cebu 2 - Other barangay in rural Metro Cebu 3 - City in Cebu Province 4 - Town in Cebu Province 5 - Rural barangay in Cebu Province 6 - Metro Manila 7 - City in other province 8 - Town in other province 9 - Rural barangay in other province 10 - Outside of Philippines |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -8 - NR/DK -9 - NA |
| D10 | 20 | DOJOB1 | <u>HOW IS RESPONDENT DOING HER MAIN JOB MOST OF THE TIME?</u> 1 - Sitting most of the time 2 - Standing most of the time 3 - Squatting on the ground most of the time(e.g. doing laundry near a pump or on a river, weeding the farm) 4 - Standing and bending over most of the time (e.g. planting rice) 5 - Moving around most of the time 6 - Combination of 1 and 2 7 - Combination of 1, 2 & 5 8 - Combination of 2 & 3 9 - Combination of 1 & 3 -8 - NR/DK -9 - NA |
| D19 | 21 | DOJOB2 | <u>HOW IS RESPONDENT DOING HER SECONDARY JOB MOST OF THE TIME?</u> (SAME CODES AS DOJOB1) |
| FF1 | 22 | HADPREG | <u>HAS MOTHER HAD ANY PREGNANCIES SINCE OUR LAST VISIT (1998/1994)?</u> 0 - No (Code -9 from NUMBPREG to LIVE98) 1 - Yes -8 - NR/DK |
| FF2 | 23 | NUMBPREG | <u>HOW MANY PREGNANCIES MOTHER HAS HAD SINCE OUR LAST VISIT?</u> 1 - One : 3 - Three : -9 - NA |
| FF4 | 24 | LIVE98 | <u>NUMBER OF LIVE BORN CHILD SINCE LAST VISIT WHO DIED</u> 0 - None 1 - One : 3 - Three : -8 - NR/DK |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -9 - NA |
| FF5 | 25 | DIEDA98 | <u>NUMBER OF LIVING CHILDREN SINCE LAST VISIT WHO ARE NOW DEAD</u> 0 - None 1 - One : 3 - Three -8 - NR/DK -9 - NA |
| F8 | 26 | LIVTODAY | <u>TOTAL NUMBER OF CHILDREN MOTHER HAVE GIVEN BIRTH TO WHO ARE STILL ALIVE TODAY</u> 0 - None 1 - One : 10 - Ten : -8 - NR/DK -9 - NA |
| F9 | 27 | LIVEDIED | <u>TOTAL NUMBER OF CHILDREN WHO WERE BORN ALIVE BUT ARE NOW DEAD</u> 0 - None 1 - One : 5 - Five : -8 - NR/DK -9 - NA |
| F15 | 28 | STILBIRT | <u>TOTAL NUMBER OF PREGNANCIES MOTHER HAS HAD THAT ENDED BEFORE TERM OR AS STILLBIRTHS/DID NOT RESULT IN A LIVE BIRTH</u> 0 - None 1 - One : 5 - Five : -8 - NR/DK -9 - NA |
| F20 | 29 | NOPREGN | <u>TOTAL NUMBER OF PREGNANCIES MOTHER HAS HAD</u> 1 - One |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | : 15 - Fifteen : -8 - NR/DK -9 - NA |
| F21 | 30 | MULTIBIR | <u>HAVE MOTHER EVER HAD A MULTIPLE BIRTH (TWINS, TRIPLETS) SINCE 1998 (1994) SURVEY?</u> 0 - No (Code -9 in XMULTI) 1 - Yes -8 - NR/DK (Code -8 in XMULTI) -9 - NA |
| F22 | 31 | XMULTI | <u>NUMBER OF TIMES MOTHER HAD MULTIPLE BIRTHS SINCE 1994 SURVEY?</u> 1 - Once : 2 - Two times : -8 - NR/DK -9 - NA (Never had a multiple birth since 1998/1994) |
| F23 | 32 | PREGNOW | <u>IS MOTHER PREGNANT NOW?</u> 0 - No (Code -9 in MOSPREG) 1 - Yes -7 - Not sure if pregnant -8 - NR/DK -9 - NA |
| F24 | 33 | MOSPREG | <u>IN WHICH MONTH OF PREGNANCY IS MOTHER NOW?</u> 0 - Less than one month 1 - One month : 9 - Nine months -7 - Not sure if pregnant -8 - NR/DK -9 - NA |
| F31 | 34 | BREASTFD | <u>IS MOTHER CURRENTLY BREASTFEEDING?</u> 0 - No (Code -9 in AGEBABY) 1 - Yes -8 - NR/DK -9 - NA |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| F32 | 35 | AGEBABY | <u>AGE (IN MONTHS) OF CHILD CURRENTLY BREASTFED</u> 0 - Less than a month 1 - One month : 12 - Twelve months : -8 - NR/DK -9 - NA |
| F33 | 36 | OTHFOODS | <u>IS MOTHER GIVING OTHER FOOD OR DRINK TO THE CHILD?</u> 0 - No 1 - Yes -8 - NR/DK -9 - NA (No child less than 3 years old) |
| F35 | 37 | CHANGMAR | <u>WERE THERE ANY CHANGES IN MOTHER'S MARRIAGE SINCE 1998 OR 1994 SURVEY?</u> 0 - Still never married 1 - Still living with same spouse in 1998/1994 2 - Living with new husband (legally married) 3 - Living with new husband (not legally married) 4 - Widowed 5 - Separated 6 - Reunited with previous husband 7 - Still widowed 8 - Still separated 9 - Others -8 - NR/DK -9 - NA |
| F36 | 38 | SEXRELA | <u>DID MOTHER HAVE SEXUAL RELATIONS DURING THE PAST WEEK?</u> 0 - No (Code -9 in DAYSSEX) 1 - Yes -8 - NR/DK (Code -8 in DAYSSEX) -9 - NA |
| F37 | 39 | DAYSSEX | <u>NUMBER OF DAYS MOTHER HAD SEXUAL RELATIONS LAST WEEK</u> 1 - One day : 7 - Seven days -8 - NR/DK |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | -9 - NA (None during last week) |
| F38 | 40 | STILABLE | <u>CAN MOTHER STILL BEAR CHILDREN?</u> 0 - No 1 - Yes (Code -9 from WHYNOTB to WHYSTER) -8 - NR/DK -9 - NA |
| F39 | 41 | WHYNOTB | <u>WHY CAN'T MOTHER BEAR CHILDREN?</u> 1 - Postmenopausal 2 - Infertile because of health problems 3 - Ligated since last survey -8 - NR/DK -9 - NA |
| F40 | 42 | MONTHINF | <u>MONTH OF ONSET OF MENOPAUSE/INFERTILITY OR MONTH OF LIGATION</u> 1 - January : 12 - December -8 - NR/DK -9 - NA |
| F40 | 43 | YEARINF | <u>YEAR OF ONSET OF MENOPAUSE/INFERTILITY OR YEAR OF LIGATION</u> 1983 - 1983 : 2002 - 2002 -8 - NR/DK -9 - NA |
| F41 | 44 | WHYSTER | <u>WHY DID MOTHER CHOOSE TO BE LIGATED? (VERBATIM)</u> 1 - Caesarian section deliveries 2 - Last pregnancy was ectopic 3 - History of difficult delivery (eclampsia, prolonged labor, placenta praevia) 4 - Cannot afford to have any more children 5 - Do not want any more children 6 - Health condition -8 - NR/DK -9 - NA |
| F42 | 45 | PILLUSE | <u>HAS MOTHER EVER USED PILLS SINCE 1998 (OR 1994)</u> |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| <u>SURVEY?</u> | | | |
| 0 - No 1 - Yes | | | |
| F42 | 46 | IUDUSE | <u>HAS MOTHER EVER USED IUD SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 47 | INJECUSE | <u>HAS MOTHER EVER USED INJECTION (DEPO PROVERA) SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 48 | IMPLAUSE | <u>HAS MOTHER EVER USED IMPLANT (NORPLANT) SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 49 | DIAPHUSE | <u>HAS MOTHER EVER USED DIAPHRAGM SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 50 | FOAMUSE | <u>HAS MOTHER EVER USED FOAM, JELLY (SAMPOON) SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 51 | CONDOUSE | <u>HAS MOTHER (OR COUPLE) EVER USED CONDOM SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 52 | LIGATED | <u>HAS MOTHER EVER BEEN LIGATED SINCE 1998 (OR 1994) SURVEY?</u> |
| 0 - No 1 - Yes | | | |
| F42 | 53 | VASECUSE | <u>HAS COUPLE EVER USED VASECTOMY SINCE 1998 (OR 1994) SURVEY?</u> |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 0 - No 1 - Yes |
| F42 | 54 | RHYCMUSE | <u>HAS MOTHER EVER USED RHYTHM, CALENDAR METHOD SINCE 1998 (OR 1994) SURVEY?</u> 0 - No 1 - Yes |
| F42 | 55 | RHYTSUSE | <u>HAS MOTHER EVER USED RHYTHM, TEMPERATURE SYMPTOMS METHOD SINCE 1998 (OR 1994) SURVEY?</u> 0 - No 1 - Yes |
| F42 | 56 | WITHDUSE | <u>HAS COUPLE EVER USED WITHDRAWAL SINCE 1998 (OR 1994) SURVEY?</u> 0 - No 1 - Yes |
| F42 | 57 | BREFUSE | <u>HAS MOTHER EVER USED THE BREASTFEEDING METHOD SINCE 1998 (OR 1994) SURVEY?</u> 0 - No 1 - Yes |
| F42 | 58 | ABSTUSE | <u>HAS COUPLE EVER USED ABSTINENCE METHOD SINCE 1998 (OR 1994) SURVEY?</u> 0 - No 1 - Yes |
| F42 | 59 | USEOFP1 | <u>OTHER FAMILY PLANNING METHOD(1) EVER USED SINCE 1998 (OR 1994) SURVEY</u> 0 - None (Code -9 in USEOFP2) 1 - Herbs/Drink something bitter ex. kamias, tea 2 - Cortal 3 - Stand up/Jump after sexual contact and urinate 4 - Drink coke before meals 5 - Bakos sa unggoy 6 - Batobalani (habak) 7 - Uterine massage 8 - Jump down three steps during menstruation 9 - Abortion 10 - Sit down and hold one's breath right after sexual contact 11 - Cortal with softdrinks |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 12 - Eat papaya 13 - Take salt, pray not to get pregnant and then drink water 14 - Put face powder unto the woman's vagina 15 - Drink plenty of water/cold 7-up after sexual contact -8 - NR/DK -9 - NA |
| F42 | 60 | USEOFP2 | <u>OTHER FAMILY PLANNING METHOD(2) EVER USED SINCE 1998 OR 1994 SURVEY</u> (SAME CODES AS USEOFP1) -9 - NA |
| F43 | 61 | FPCURRE | <u>IS MOTHER USING ANY FP METHOD NOW?</u> 0 - No (Code -9 from CURRFP1 to FPCURCO2) 1 - Yes (Code -9 from WHYNOFP1 to WHYNOFP2) -8 - NR/DK -9 - NA (Code -9 from WHYNOFP1 to FPCURCO2) |
| F44 | 62 | WHYNOFP1 | <u>WHY(1) IS MOTHER NOT USING ANY FP METHOD NOW?</u> 1 - Experienced side effects 2 - Afraid of side effects 3 - Health condition not appropriate for FP use 4 - Want more children 5 - No need for FP: too old, too difficult to get pregnant, husband away, husband too tired, husband sick, widowed/separated, infrequent sex 6 - Amenorrheic or menstruation just resumed from last childbirth 7 - Husband objects 8 - No time/money to obtain supplies for preferred method 9 - Lost interest in using preferred method 10 - Breastfeeding 11 - Religious reason (salig ra sa Ginoo ,siya ray mahibalo) -8 - NR/DK -9 - NA |
| F44 | 63 | WHYNOFP2 | <u>WHY(2) IS MOTHER NOT USING ANY FP METHOD NOW?</u> (SAME CODES AS WHYNOFP1) |
| F45 | 64 | CURRFP1 | <u>FAMILY PLANNING METHOD CURRENTLY USED EITHER EXCLUSIVELY OR MAINLY</u> 1 - Pill 2 - IUD 3 - Injection (Depo P) |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 4 - Implant (NORPLANT) 5 - Diaphragm 6 - Foam tablets, Aerosol 7 - Condom 8 - Ligation 9 - Vasectomy 10 - Rhythm - calendar 11 - Rhythm - temp, symptoms 12 - Withdrawal 13 - Breastfeeding 14 - Abstinence 15 - Herbs/drink something bitter ex. kamias tea 16 - Cortal 17 - Stand up/Jump after sexual contact & urinate 18 - Drink coke before meals 19 - Bakos sa unggoy 20 - Batobalani (habak) 21 - Uterine massage 22 - Jump down 3 steps during menstruation 23 - Sit down and hold one's breath right after sexual contact 24 - Drink plenty of water/cold 7-up after sex -8 - NR/DK -9 - NA |
| F45 | 65 | CURRFP2 | <u>SECOND FAMILY PLANNING METHOD CURRENTLY USED</u> (SAME CODES AS CURRFP1) |
| F45 | 66 | FPCOM1 | <u>FAMILY PLANNING METHOD COMBINATION1 CURRENTLY USED</u> (SAMES CODES AS CURRFP1) |
| F45 | 67 | FPCOM2 | <u>FAMILY PLANNING METHOD COMBINATION2 CURRENTLY USED</u> (SAMES CODES AS CURRFP1) |
| F45 | 68 | FPCOM3 | <u>FAMILY PLANNING METHOD COMBINATION3 CURRENTLY USED</u> (SAMES CODES AS CURRFP1) |
| F46 | 69 | FPCHANG | <u>DOES MOTHER SHIFT FROM ONE METHOD TO ANOTHER (NOT COMBINATION) IN A MONTH?</u> 0 - No 1 - Yes |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -8 - NR/DK -9 - NA |
| F47 | 70 | FPDURMO | <u>HOW LONG HAS MOTHER BEEN USING THIS METHOD SINCE HER LAST CHILDBIRTH?</u> 0 - Less than 1 month 1 - One month 2 - Two months already : 24 - Twenty-four months already : -8 - NR/DK -9 - NA |
| F48 | 71 | FPWHYUS1 | <u>WHY(1) DID MOTHER CHOOSE TO USE THIS METHOD?</u> 1 - No side effects, agrees with my system (naanad na ko, nakauyon ko) 2 - Recommended by doctor or perceived to be appropriate for an existing health condition (cyst, goiter, heart problem, breastfeeding, low appetite) 3 - Effective 4 - Does not have to be bought, not expensive 5 - Convenient, easy to use, can be stopped anytime 6 - Acceptable to religion 7 - Acceptable to husband 8 - Appropriate for couples who seldom engage in sex/ or who want to limit their sexual activities 9 - To see if the method is good 10 - Husband's decision to use vasectomy, doesn't want wife to use FP method -8 - NR/DK -9 - NA |
| F48 | 72 | FPWHYUS2 | <u>WHY(2) DID MOTHER CHOOSE TO USE THIS METHOD?</u> (SAME CODES AS FPWHYUS1) |
| F48 | 73 | FPWHYUS3 | <u>WHY(3) DID MOTHER CHOOSE TO USE THIS METHOD?</u> (SAME CODES AS FPWHYUS1) |
| F49 | 74 | FPCURI1 | <u>WHERE DID MOTHER OBTAIN INFORMATION FOR METHOD1?</u> 1 - Urban/Rural Health center/POPCOM/public hospital/City Health office 2 - NGO (e. g. FPOP, CCF) |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 3 - Private doctor/Private hospital 4 - Nursing students/Medical interns 5 - Drugstore/store 6 - Husband/woman/couple 7 - Friends/neighbors/relatives/workmates or co-employees 8 - Chapel/church 9 - Hilot 10 - Books/magazines/brochures 11 - School (subject on sex education) 12 - TV and health center 13 - Radio 14 - TV -8 - NR/DK -9 - NA |
| F49 | 75 | FPCURS1 | <u>WHERE DID MOTHER OBTAIN SUPPLIES FOR METHOD1?</u> (SAME CODES AS FPCURI1) |
| F49 | 76 | FPCURI2 | <u>WHERE DID MOTHER OBTAIN INFORMATION FOR METHOD2?</u> (SAME CODES AS FPCURI1) |
| F49 | 77 | FPCURS2 | <u>WHERE DID MOTHER OBTAIN SUPPLIES FOR METHOD2?</u> (SAME CODES AS FPCURI1) |
| F49 | 78 | FPCURI3 | <u>WHERE DID MOTHER OBTAIN INFORMATION FOR METHOD3?</u> (SAME CODES AS FPCURI1) |
| F49 | 79 | FPCURS3 | <u>WHERE DID MOTHER OBTAIN SUPPLIES FOR METHOD3?</u> (SAME CODES AS FPCURI1) |
| F50 | 80 | FPCOSTM | <u>HOW MUCH (IN PESOS) DOES MOTHER USUALLY SPEND FOR FAMILY PLANNING IN A MONTH?</u> 0 - No regular cost 1 - One peso : 100 - One hundred pesos : -8 - NR/DK |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -9 - NA |
| F51 | 81 | FPSATIS | <u>IS MOTHER SATISFIED WITH THE METHOD SHE IS USING NOW?</u> 0 - Not satisfied at all 1 - Somewhat satisfied 2 - Very satisfied -8 - NR/DK -9 - NA |
| F52 | 82 | FPCURCO1 | <u>WHO DID MOTHER CONSULT(1) IN HER DECISION TO USE THIS METHOD? (VERBATIM)</u> 0 - Did not consult, mom decided on her own /No one 1 - Husband 2 - Urban/Rural Health center/Public hospital/Public Health Practitioner 3 - Private doctor/Private hospital 4 - NGO (e.g. FPOP) 5 - Friends/neighbors/relatives/workmates or co-employees 6 - Priest/pastor -5 - Not applicable, husband had vasectomy (husband decided to have vasectomy on his own) -8 - NR/DK -9 - NA |
| F52 | 83 | FPCURCO2 | <u>WHO DID MOTHER CONSULT (2) IN HER DECISION TO USE THIS METHOD? (VERBATIM)</u> (SAME CODES AS FPCURCO1) |
| F74 | 84 | FPLPREG | <u>FAMILY PLANNING METHOD USED AFTER LAST PREGNANCY</u> 0 - None (Code -9 in YSTOPFP) 1 - Pill 2 - IUD 3 - Injection (Depo Provera) 4 - Implant (Norplant) 5 - Diaphragm 6 - Foam Tablets or Aerosol 7 - Condom 8 - Ligation 9 - Vasectomy 10 - Rhythm (calendar method) 11 - Rhythm (temperature, symptoms) 12 - Withdrawal 13 - Breastfeeding |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 14 - Abstinence 15 - Herbs/Drink something bitter ex. kamias tea 16 - Cortal 17 - Stand up/Jump after sexual contact & urinate 18 - Drink coke before meals * 19 - Bakos sa unggoy * 20 - Batobalani (Habak) 21 - Uterine massage 22 - Jump down three steps during menstruation 23 - Combination of 10 & 12 24 - Combination of 7 & 10 25 - Combination of 10 & 11 26 - Combination of 6 & 7 27 - Combination of 10, 12 & 7 28 - Combination of 7 & 12 29 - Combination of 10 & 13 30 - Combination of 6 & 10 31 - Take salt, pray not to get pregnant, then drink water 32 - Combination of 7 & 11 -8 - NR/DK |
| G75 | 85 | YSTOPFP | <u>REASON WHY MOTHER STOPPED USING FAMILY PLANNING METHOD AFTER LAST PREGNANCY</u> 0 - Mother still using same method 1 - Wanted to become pregnant 2 - Became pregnant (method did not work) 3 - Undesirable side effects (actual or imagined) 4 - Switched to another method 5 - Method was too costly/ too inconvenient 6 - Method became unavailable 7 - Husband objected 8 - Relatives objected 9 - Method too unreliable 10 - It was time to wean the child/ child died 11 - The IUD was dislodged 12 - Taking pills for too long 13 - No more need for FP; husband away/ husband sick/ husband died/ infrequent sex/ because of age, won't get pregnant again 14 - Religious reason 15 - IUD was removed because she thought she was pregnant 16 - No more need of FP (menopause) 17 - Advised by medical practitioners to stop -8 - NR/DK -9 - NA |
| J1 | 86 | MEALSDAY | <u>HOW MANY MEALS EXCLUDING 'PAINIT'/SNACKS DOES MOTHER USUALLY EAT IN A DAY?</u> |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 1 - One : 3 - Three : -8 - NR/DK -9 - NA |
| J2 | 87 | SNACKDAY | <u>HOW MANY TIMES DOES MOTHER USUALLY EAT ‘PAINIT’/SNACKS IN A DAY?</u> 0 - None 1 - One : 5 - Five : -8 - NR/DK -9 - NA |
| J3 | 88 | WEEKMEAL | <u>HOW MANY TIMES DOES MOTHER/HOUSEHOLD PREPARE FOOD AT HOME EXCLUDING ‘PAINIT’/SNACKS IN A WEEK?</u> 0 - None 1 - One : 21 - Twenty-one -8 - NR/DK -9 - NA |
| J4 | 89 | BUYMEAL | <u>EXCLUDING ‘PAINIT’/SNACKS, HOW MANY TIMES DOES MOTHER BUY READY-COOKED FOOD IN A WEEK?</u> 0 - None 1 - One : 10 - Ten : -8 - NR/DK -9 - NA |
| J5 | 90 | XSNACKWK | <u>HOW MANY TIMES MOTHER/HOUSEHOLD BUY ‘PAINIT’/ SNACKS IN A WEEK?</u> 0 - None 1 - One : 10 - Ten : -8 - NR/DK |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | -9 - NA |
| J6 | 91 | DINERES | <u>IN A MONTH, HOW MANY TIMES DOES MOTHER EAT IN A FORMAL/EXPENSIVE RESTAURANT?</u> 0 - None 1 - Once : 5 - Five times : -8 - NR/DK |
| J6 | 92 | DINEFAST | <u>IN A MONTH, HOW MANY TIMES DOES MOTHER EAT IN A FAST-FOOD PLACE (food courts, Jollibee, etc.)?</u> 0 - None (Code -9 from FASTFOD1 to FASTFOD3) 1 - Once : 20 - Twenty times : -8 - NR/DK |
| J6 | 93 | FASTFOD1 | <u>FASTFOOD PLACE(1) MOTHER USUALLY GO TO EAT</u> 1 - Jollibee 2 - McDonald's 3 - Kentucky Fried Chicken (KFC) 4 - Chowking 5 - Greenwich 6 - Orange Brutus 7 - Texas Chicken 8 - Goldilocks 9 - Red Ribbon 10 - Gaisano Foodcourt 11 - Sm/Ayala Foodcourt 12 - Lumpia House 13 - Shakeys 14 - Pizza Hut 15 - Dimsum 16 - Snow Sheen 17 - Dunkin Donut 18 - Joven's Grill 19 - Jo's Inato Chicken Haus -8 - NR/DK -9 - NA |
| J6 | 94 | FASTFOD2 | <u>FASTFOOD PLACE(2) MOTHER USUALLY GO TO EAT</u> (SAME CODES AS FASTFOD1) |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| J6 | 95 | FASTFOD3 | <u>FASTFOOD PLACE(3) MOTHER USUALLY GO TO EAT</u> (SAME CODES AS FASTFOD1) |
| J6 | 96 | DINECAFE | <u>IN A MONTH, HOW MANY TIMES DOES MOTHER EAT</u> <u>IN A CAFETERIA/CANTEEN (including workplace canteens)?</u> 0 - None 1 - Once : 20 - Twenty times : -8 - NR/DK |
| J6 | 97 | DINECAR | <u>IN A MONTH, HOW MANY TIMES DOES MOTHER EAT</u> <u>IN A CARENDERIA/TURO-TURO (cheaper eating place)?</u> 0 - None 1 - Once : 20 - Twenty times : -8 - NR/DK -9 - NA |
| J7 | 98 | EATBREA1 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(1)</u> <u>FOR BREAKFAST?</u> 0 - None (Code -9 from EATBREA2 to EATBREA5) 1 - Meats (pork, beef, goat's meat, chicken, eggs) 2 - Fish and crustaceans (cooked, dried, salted, etc.) 3 - Bread and other bakery products (rolls, cakes, etc.) 4 - Native snacks/glutinous products 5 - Rice, corn, pospas, champorado 6 - Noodles (mike, canton, bihon, spaghetti, etc.) 7 - Vegetables including seaweeds 8 - Dried beans & nuts (peanuts, mongo, etc.) 9 - Starchy roots and tubers 10 - Fruits 11 - Beverages (juices, coffee, sikwate, tea, softdrink, etc.) 12 - Milk and milk products 13 - Bulgur, oatmeal 14 - Sweets (candies, chocolates) 15 - Snack foods (chips, popcorn) 16 - Frozen products (ice cream, ice candy, ice drop, etc.) -8 - NR/DK (Code -9 from EATBREA2 to EATBREA5) -9 - NA |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| J7 | 99 | EATBREA2 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(2) FOR BREAKFAST?</u> (SAME CODES AS EATBREA1) |
| J7 | 100 | EATBREA3 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(3) FOR BREAKFAST?</u> (SAME CODES AS EATBREA1) |
| J7 | 101 | EATBREA4 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(4) FOR BREAKFAST?</u> (SAME CODES AS EATBREA1) |
| J7 | 102 | EATBREA5 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(5) FOR BREAKFAST?</u> (SAME CODES AS EATBREA1) |
| J8 | 103 | EATLUN1 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(1) FOR LUNCH?</u> 0 - None (Code -9 from EATLUN2 to EATLUN5) 1 - Meats (pork, beef, goat's meat, chicken, eggs) 2 - Fish and crustaceans (cooked, dried, salted, etc.) 3 - Bread and other bakery products (rolls, cakes, etc.) 4 - Native snacks/glutinous products 5 - Rice, corn, pospas, champorado 6 - Noodles (mike, canton, bihon, spaghetti, etc.) 7 - Vegetables including seaweeds 8 - Dried beans & nuts (peanuts, mongo, etc.) 9 - Starchy roots and tubers 10 - Fruits 11 - Beverages (juices, coffee, sikwate, tea, softdrink, etc.) 12 - Milk and milk products 13 - Bulgur, oatmeal 14 - Sweets (candies, chocolates) 15 - Snack foods (chips, popcorn) 16 - Frozen products (ice cream, ice candy, ice drop, etc.) -8 - NR/DK (Code -9 from EATLUN2 to EATLUN5) |
| J8 | 104 | EATLUN2 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(2) FOR LUNCH?</u> (SAME CODES AS EATLUN1) |
| J8 | 105 | EATLUN3 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(3) FOR LUNCH?</u> |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|---|-------------|------------------|--|
| (SAME CODES AS EATLUN1) | | | |
| J8 | 106 | EATLUN4 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(4) FOR LUNCH?</u> |
| (SAME CODES AS EATLUN1) | | | |
| J8 | 107 | EATLUN5 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(5) FOR LUNCH?</u> |
| (SAME CODES AS EATLUN1) | | | |
| J9 | 108 | EATSUP1 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(1) FOR SUPPER?</u> |
| 0 - None (Code -9 from EATSUP2 to EATSUP5) 1 - Meats (pork, beef, goat's meat, chicken, eggs) 2 - Fish and crustaceans (cooked, dried, salted, etc.) 3 - Bread and other bakery products (rolls, cakes, etc.) 4 - Native snacks/glutinous products 5 - Rice, corn, pospas, champorado 6 - Noodles (mike, canton, bihon, spaghetti, etc.) 7 - Vegetables including seaweeds 8 - Dried beans & nuts (peanuts, mongo, etc.) 9 - Starchy roots and tubers 10 - Fruits 11 - Beverages (juices, coffee, sikwate, tea, softdrink, etc.) 12 - Milk and milk products 13 - Bulgur, oatmeal 14 - Sweets (candies, chocolates) 15 - Snack foods (chips, popcorn) 16 - Frozen products (ice cream, ice candy, ice drop, etc.) -8 - NR/DK (Code -9 from EATSUP2 to EATSUP5) | | | |
| J9 | 109 | EATSUP2 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(2) FOR SUPPER?</u> |
| (SAME CODES AS EATSUP1) | | | |
| J9 | 110 | EATSUP3 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(3) FOR SUPPER?</u> |
| (SAME CODES AS EATSUP1) | | | |
| J9 | 111 | EATSUP4 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(4) FOR SUPPER?</u> |
| (SAME CODES AS EATSUP1) | | | |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| J9 | 112 | EATSUP5 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(5) FOR SUPPER?</u> (SAME CODES AS EATSUP1) |
| J10 | 113 | EATSNAK1 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(1) FOR "PAINIT"/SNACK?</u> 0 - None (Code -9 from EATSNAK2 to EATSNAK5) 1 - Meats (pork, beef, goat's meat, chicken, eggs) 2 - Fish and crustaceans (cooked, dried, salted, etc.) 3 - Bread and other bakery products (rolls, cakes, etc.) 4 - Native snacks/glutinous products 5 - Rice, corn, pospas, champorado 6 - Noodles (mike, canton, bihon, spaghetti, etc.) 7 - Vegetables including seaweeds 8 - Dried beans & nuts (peanuts, mongo, etc.) 9 - Starchy roots and tubers 10 - Fruits 11 - Beverages (juices, coffee, sikwate, tea, softdrink, etc.) 12 - Milk and milk products 13 - Bulgur, oatmeal 14 - Sweets (candies, chocolates) 15 - Snack foods (chips, popcorn) 16 - Frozen products (ice cream, ice candy, ice drop, etc.) -8 - NR/DK (Code -9 from EATSNAK2 to EATSNAK5) |
| J10 | 114 | EATSNAK2 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(2) FOR "PAINIT"/SNACK?</u> (SAME CODES AS EATSNAK1) |
| J10 | 115 | EATSNAK3 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(3) FOR "PAINIT"/SNACK?</u> (SAME CODES AS EATSNAK1) |
| J10 | 116 | EATSNAK4 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(4) FOR "PAINIT"/SNACK?</u> (SAME CODES AS EATSNAK1) |
| J10 | 117 | EATSNAK5 | <u>WHAT DOES MOTHER USUALLY EAT AND DRINK(5) FOR "PAINIT"/SNACK?</u> (SAME CODES AS EATSNAK1) |
| J11 | 118 | VITAMIN | <u>DOES MOTHER REGULARLY TAKE VITAMIN OR</u> |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | <u>MINERAL SUPPLEMENTS(excluding pre-and postnatal vitamins and minerals)?</u> 0 - No (Code -9 from KINDVIT1 to KINDVIT2) 1 - Yes -8 - NR/DK (Code -8 from KINDVIT1 to KINDVIT2) |
| J12 | 119 | KINDVIT1 | <u>KIND OF VITAMIN/MINERAL SUPPLEMENT(1) MOTHER TAKE</u> 1 - Vitamin A, D, E 2 - Vitamin B1 3 - Vitamin B12 4 - Vitamin B complex with C 5 - Vitamin C 6 - Vitamins and Calcium 7 - Multivitamins with minerals 8 - Appetite stimulants 9 - Antianemics 10 - Vitamins for the nerves -8 - NR/DK -9 - NA (SEE VITAMIN CLASSIFICATION) |
| J12 | 120 | KINDVIT2 | <u>KIND OF VITAMIN/MINERAL SUPPLEMENT(2) MOTHER TAKE</u> (SAME CODES AS KINDVIT1) |
| J13 | 121 | COOKOIL | <u>KIND OF OIL MOTHER USUALLY USE FOR COOKING</u> 0 - No cooking oil used in household (Code -9 in OILQNTY) 1 - Coconut oil ('edible', 'tinakus') 2 - Lard 3 - Others (corn oil, etc.) 4 - Combination of 1 to 3 5 - All meals bought -8 - NR/DK |
| J14 | 122 | OILQNTY | <u>QUANTITY (ml) OF COOKING OIL USED IN A WEEK</u> : 100 - One hundred milliliters : 500 - Five hundred milliliters : -8 - NR/DK (For households preparing for food business and consumption) |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | -9 - NA (No cooking oil used) |
| J15 | 123 | DIETCHAN | <u>HAD MOTHER'S DIET CHANGED OVER THE PAST 10 YEARS?</u> 0 - No (Code -9 from YCHANGED to EATLESS5) 1 - Yes -8 - NR/DK -9 - NA |
| J16 | 124 | YCHANGE1 | <u>WHY(1) HAD MOTHER'S DIET CHANGED OVER THE PAST 10 YEARS?</u> 1 - Adjust to illness 2 - Better geographic accessibility (increased number of stores, nearer stores) 3 - Husband is working , able to buy enough food /better income 4 - Lesser Income 5 - Diet conscious/controls food intake/maintain 6 - More food eaten (because of pills) 7 - 8 - 9 - Because she is affected of her husband's diet (high cholesterol), she has to eat same type food she prepared -8 - NR/DK -9 - NA |
| J16 | 125 | YCHANGE2 | <u>WHY(2) HAD MOTHER'S DIET CHANGED OVER THE PAST 10 YEARS?</u> (SAME CODES AS YCHANGE1) |
| J17 | 126 | EATMORE1 | <u>WHAT KIND OF FOOD(1) DOES MOTHER EAT MORE OFTEN NOW?</u> 0 - None (Code -9 from EATMORE2 to EATMORE5) 1 - Pork 2 - Chicken 3 - Beef 4 - Dried meat (tapa) 5 - Internal organs 6 - Eggs 7 - Fresh fish 8 - Dried fish/salted fish 9 - Crustaceans 10 - Canned goods 11 - Rice/corn 12 - Fruits 13 - Vegetables |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 14 - Legumes 15 - Sweets 16 - Frozen products 17 - Soft drinks 18 - Juices 19 - Milk products 20 - Chocolate drinks 21 - Glutinous foods 22 - Bread/other bakery products 23 - Snack foods 24 - Alcoholic drinks 25 - Starchy roots & tubers plantain 26 - Noodles 27 - Salt and Monosodium Glutamate (msg) 28 - Seaweeds 29 - Oatmeal 30 - Porridge -8 - NR/DK (Code -9 from EATMORE2 to EATMORE5) -9 - NA |
| J17 | 127 | EATMORE2 | <u>WHAT KIND OF FOOD(2) DOES MOTHER EAT MORE OFTEN NOW?</u> (SAME CODES AS EATMORE1) |
| J17 | 128 | EATMORE3 | <u>WHAT KIND OF FOOD(3) DOES MOTHER EAT MORE OFTEN NOW?</u> (SAME CODES AS EATMORE1) |
| J17 | 129 | EATMORE4 | <u>WHAT KIND OF FOOD(4) DOES MOTHER EAT MORE OFTEN NOW?</u> (SAME CODES AS EATMORE1) |
| J17 | 130 | EATMORE5 | <u>WHAT KIND OF FOOD(5) DOES MOTHER EAT MORE OFTEN NOW?</u> (SAME CODES AS EATMORE1) |
| J18 | 131 | EATLESS1 | <u>WHAT KIND OF FOOD(1) DOES MOTHER EAT LESS OFTEN NOW?</u> 0 - None (Code -9 from EATLESS2 to EATLESS5) 1 - Pork 2 - Chicken 3 - Beef 4 - Dried meat (tapa) 5 - Internal organs |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 6 - Eggs 7 - Fresh fish 8 - Dried fish/salted fish 9 - Crustaceans 10 - Canned goods 11 - Rice/corn 12 - Fruits 13 - Vegetables 14 - Legumes 15 - Sweets 16 - Frozen products 17 - Softdrinks 18 - Juices 19 - Milk products 20 - Chocolate drinks 21 - Glutinous foods 22 - Bakery foods 23 - Snack foods 24 - Alcoholic drinks 25 - Starchy roots & tubers plaintain 26 - Noodles 27 - Salt and Monosodim Glutamate(msg) 28 - Seaweeds -8 - NR/DK (Code -9 from EATMORE2 to EATMORE5) |
| J18 | 132 | EATLESS2 | <u>WHAT KIND OF FOODS DOE(2) MOTHER EAT LESS OFTEN NOW?</u> (SAME CODES AS EATLESS1) |
| J18 | 133 | EATLESS3 | <u>WHAT KIND OF FOOD(3) DOES MOTHER EAT LESS OFTEN NOW?</u> (SAME CODES AS EATLESS1) |
| J18 | 134 | EATLESS4 | <u>WHAT KIND OF FOOD(4) DOES MOTHER EAT LESS OFTEN NOW?</u> (SAME CODES AS EATLESS1) |
| J18 | 135 | EATLESS5 | <u>WHAT KIND OF FOOD(5) DOES MOTHER EAT LESS OFTEN NOW?</u> (SAME CODES AS EATLESS1) |
| J29 | 136 | USUAL | <u>WAS THE FOOD MOTHER ATE YESTERDAY HER USUAL FOOD INTAKE?</u> 0 - No |

MOTHER FILE (MOTHER INFORMATION – CLHNS 2002 FOLLOW-UP SURVEY: MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 1 - Yes (Code -9 in WHYDIFF) -8 - NR/DK -9 - NA |
| J30 | 137 | WHYDIFF | <u>WHY WAS THE FOOD MOTHER ATE YESTERDAY NOT HER USUAL FOOD INTAKE? (VERBATIM)</u> 1 - I had better food than usual 2 - I had more food than usual 3 - I had better and more food than usual 4 - I had lower quality food than usual 5 - I had less food than usual 6 - I had lower quality and less food than usual -8 - NR/DK -9 - NA |
| J30 | 138 | MONDAY | <u>IS MOTHER'S 24-HOUR FOOD RECALL INTERVIEW DONE ON A MONDAY?</u> 0 - No 1 - Yes |
| L1 | 139 | EDUCLEVL | <u>WHAT LEVEL OF EDUCATION MOTHER WISH INDEX CHILD TO COMPLETE?</u> 1 - Some elementary 2 - Elementary graduate 3 - Some high school 4 - High school graduate 5 - Some college 6 - College graduate 7 - More than college -8 - NR/DK -9 - IC dead/miscarriage/ stillborn (Code -9 from ENROLLED to EXPSEX) |
| L2 | 140 | ENROLLED | <u>IS INDEX CHILD CURRENTLY ENROLLED IN SCHOOL?</u> 0 - No (Code -9 from PESOTRAN to OTHEREXP) 1 - Yes -9 - IC dead/miscarriage/ stillborn |
| L3 | 141 | PESOTRAN | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S TRANSPORTATION TO AND FROM SCHOOL EVERY SCHOOL DAY?</u> 0 - None (Walks to school/Own transportation/Ride free) : 5 - Five pesos |

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | : 20 - Twenty pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 142 | FOODSCHL | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S FOOD PURCHASED IN OR AROUND SCHOOL EVERY SCHOOL DAY?</u> 0 - None : 5 - Five pesos : 20 - Twenty pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 143 | TUITION | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S TUITION/PTA/OTHER SCHOOL FEES IN THE PAST 12 MONTHS?</u> 0 - None : 100 - One hundred pesos : 10000 - Ten thousand pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 144 | UNIFORMS | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S UNIFORMS (school, P.E. scouting or CAT, etc.) IN THE PAST 12 MONTHS?</u> 0 - None : 100 - One hundred pesos : 1500 - One thousand five hundred pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| L3 | 145 | TEXTBOOK | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S TEXTBOOKS IN THE PAST 12 MONTHS?</u> 0 - None : : 100 - One hundred pesos : 1500 - One thousand five hundred pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 146 | SCHLSUPP | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S NOTEBOOKS/PAPER/PENS AND OTHER SCHOOL SUPPLIES IN THE PAST 12 MONTHS?</u> 0 - None : 100 - One hundred pesos : 1000 - One thousand pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 147 | BOARDING | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S BOARD AND LODGING IN THE PAST 12 MONTHS?</u> 0 - None : 100 - One hundred pesos : 5000 - Five thousand pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 148 | TUTORIAL | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S TUTORIAL FEES, EXTRA-CURRICULAR ACTIVITES (piano lessons, etc.) IN THE PAST 12 MONTHS?</u> 0 - None : 100 - One hundred pesos : |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 2000 - Two thousand pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L3 | 149 | OTHRSCHL | <u>OTHER SCHOOL EXPENSES (SPECIFY)</u> 0 - None (Code -9 in OTHEREXP) 1 - Projects 2 - Graduation fee 3 - Field trip/ playground demonstration 4 - Combination of 1 & 3 5 - Combination of 1 & 2 -7 - Mother does not pay -9 - NA |
| L3 | 150 | OTHEREXP | <u>HOW MUCH DOES MOTHER PAY FOR INDEX CHILD'S OTHER SCHOOL EXPENSES IN THE PAST 12 MONTHS?</u> : 100 - One hundred pesos : 2000 - Two thousand pesos : -7 - Mother does not pay -8 - NR/DK -9 - NA |
| L4 | 151 | CLOSENDX | <u>HOW CLOSE IS MOTHER TO INDEX CHILD?</u> 1 - Close 2 - Not close -6 - IC dead -7 - Miscarriage/stillbirth -8 - NR/DK -9 - NA |
| L5a | 152 | FRIENDS | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT HER/HIS FRIENDS?</u> 0 - No (Code -9 from FRND1ST to FRNDDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6a | 153 | FRND1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT INDEX CHILD'S FRIENDS?</u> |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 1 - Yourself 2 - Daughter/Index child 3 - Can't remember -8 - NR/DK -9 - NA |
| L7a | 154 | FRNDDISS | <u>HOW IS THE TOPIC ABOUT INDEX CHILD'S FRIENDS DISCUSSED?</u> 1 - Serious one-on-one talk 2 - Casual conversation 3 - Indirectly (in jest, through a third person) 4 - Others -9 - NA |
| L5b | 155 | CRUSHES | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT HAVING CRUSHES?</u> 0 - No (Code -9 from CRUSH1ST to CRUSHDIS) 1 - Yes -8 - NR/DK -9 - NA |
| L6b | 156 | CRUSH1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT HAVING CRUSHES?</u> (SAME CODES AS FRND1ST) |
| L7b | 157 | CRUSHDIS | <u>HOW IS THE TOPIC ABOUT HAVING CRUSHES DISCUSSED?</u> (SAME CODES AS FRNDDISS) |
| L5c | 158 | BOYGIRLF | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT HAVING BOYFRIENDS/GIRLFRIENDS?</u> 0 - No (Code -9 from BFGF1ST to BFGFDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6c | 159 | BFGF1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT HAVING BOYFRIENDS/GIRLFRIENDS?</u> (SAME CODES AS FRND1ST) |
| L7c | 160 | BFGFDISS | <u>HOW IS THE TOPIC ABOUT HAVING BOYFRIENDS/ GIRLFRIENDS DISCUSSED?</u> |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------------|-------------|------------------|---|
| (SAME CODES AS FRNDDISS) | | | |
| L5d | 161 | DATES | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT GOING OUT ON DATES?</u> 0 - No (Code -9 from DATE1ST to DATEDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6d | 162 | DATE1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT GOING OUT ON DATES?</u> (SAME CODES AS FRND1ST) |
| L7d | 163 | DATEDISS | <u>HOW IS THE TOPIC ABOUT GOING OUT ON DATES DISCUSSED?</u> (SAME CODES AS FRNDISS) |
| L8d | 164 | INFODATE | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION / COUNSELING ABOUT GOING OUT ON DATES?</u> 1 - Yourself 2 - Other relative 3 - Friends 4 - Private medical practitioner/agency 5 - Government medical practitioner 6 - School teacher 7 - Parents and other relatives 8 - Father 9 - Both parents 10 - Mother ("R" is caretaker) 11 - Both parents and school teacher -8 - NR/DK -9 - NA |
| L9d | 165 | AGEDATE | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT GOING OUT ON DATES?</u> : 15 - Fifteen years old : -8 - NR/DK -9 - NA |
| L9d | 166 | WHENDATE | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT GOING OUT ON DATES?</u> |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 1 - Before exposure to the event (or experience) 2 - Nearing / approaching exposure to the event 3 - Only upon experiencing the event 4 - Upon being mature enough to understand 5 - Depends on educational background 6 - Upon being financially independent 7 - Upon being mature enough and financially independent 8 - Upon finishing studies/college and financially independent 9 - Upon finishing studies/college and mature enough to understand -8 - NR/DK -9 - NA |
| L5e | 167 | BREAKUP | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT BREAKING UP WITH BOYFRIEND/GIRLFRIEND?</u> 0 - No (Code -9 from BREAK1ST to BREAKDIS) 1 - Yes -8 - NR/DK -9 - NA |
| L6e | 168 | BREAK1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT BREAKING UP WITH BOYFRIEND/GIRLFRIEND?</u> (SAME CODES AS FRND1ST) |
| L7e | 169 | BREAKDIS | <u>HOW IS THE TOPIC ABOUT BREAKING UP WITH BOYFRIEND/GIRLFRIEND DISCUSSED?</u> (SAME CODES AS FRNDISS) |
| L8e | 170 | INFOBREK | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION/ COUNSELING ABOUT BREAKING UP WITH BOYFRIEND/ GIRLFRIEND?</u> (SAME CODES AS INFODATE) |
| L9e | 171 | AGEBREAK | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT BREAKING UP WITH BOYFRIEND/GIRLFRIEND?</u> : 15 - Fifteen years old : -8 - NR/DK -9 - NA |
| L9e | 172 | WHENBREK | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT BREAKING UP WITH BOYFRIEND/GIRLFRIEND?</u> |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 1 - Before exposure to the event (or experience) 2 - Nearing / approaching exposure to the event 3 - Only upon experiencing the event 4 - Upon being mature enough to understand 5 - Depends on educational background 6 - Upon being financially independent 7 - Upon being mature enough and financially independent 8 - Upon finishing studies/college and financially independent 9 - Upon finishing studies/college and mature enough to understand -8 - NR/DK -9 - NA |
| L5f | 173 | MARRIAGE | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT MARRIAGE?</u> 0 - No (Code -9 from MARR1ST to MARRDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6f | 174 | MARR1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT MARRIAGE?</u> (SAME CODES AS FRND1ST) |
| L7f | 175 | MARRDISS | <u>HOW IS TOPIC ABOUT MARRIAGE DISCUSSED?</u> (SAME CODES AS FRNDDISS) |
| L8f | 176 | INFOMARR | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION/ COUNSELING ABOUT MARRIAGE?</u> (SAME CODES AS INFODATE) |
| L9f | 177 | AGEMARR | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT MARRIAGE?</u> : 15 - Fifteen years old : -8 - NR/DK -9 - NA |
| L9f | 178 | WHENMARR | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT MARRIAGE?</u> 1 - Before exposure to the event (or experience) 2 - Nearing / approaching exposure to the event |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | 3 - Only upon experiencing the event 4 - Upon being mature enough to understand 5 - Depends on educational background 6 - Upon being financially independent 7 - Upon being mature enough and financially independent 8 - Upon finishing studies/college and financially independent 9 - Upon finishing studies/college and mature enough to understand -8 - NR/DK -9 - NA |
| L5g | 179 | SEXUALTY | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT SEXUALITY ?</u> 0 - No (Code -9 from SEX1ST to SEXDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6g | 180 | SEXUA1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT SEXUALITY?</u> (SAME CODES AS FRND1ST) |
| L7g | 181 | SEXUDISS | <u>HOW IS THE TOPIC ABOUT SEXUALITY DISCUSSED?</u> (SAME CODES AS FRNDDISS) |
| L8g | 182 | INFOSEXU | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION/ COUNSELING ABOUT SEXUALITY?</u> (SAME CODES AS INFODATE) |
| L9g | 183 | AGESEXU | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT SEXUALITY?</u> : 15 - Fifteen years old : -8 - NR/DK -9 - NA |
| L9g | 184 | WHENSEXU | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT SEXUALITY?</u> 1 - Before menarche/exposure to the event (or experience) 2 - Near menarche/approaching exposure to the event 3 - At menarche/upon experiencing the event 4 - When IC knows how to take care of herself/himself |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | 5 - Upon being mature enough to understand 6 - When IC starts to show interest in opposite sex 7 - Depends on educational background/attainment -8 - NR/DK -9 - NA |
| L5h | 185 | SEXREL | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT SEXUAL RELATIONS ?</u> 0 - No (Code -9 from SEXRL1ST to SEXRLDIS) 1 - Yes -8 - NR/DK -9 - NA |
| L6h | 186 | SEXRL1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT SEXUAL RELATIONS?</u> (SAME CODES AS FRND1ST) |
| L7h | 187 | SEXRLDIS | <u>HOW IS THE TOPIC ABOUT SEXUAL RELATIONS DISCUSSED?</u> (SAME CODES AS FRND1ST) |
| L8h | 188 | INFOSEXRL | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION/ COUNSELING ABOUT SEXUAL RELATIONS?</u> 1 - Yourself 2 - Other relative 3 - Friends 4 - Private medical practitioner/agency 5 - Government medical practitioner 6 - School teacher 7 - Parents and other relatives 8 - Father 9 - Both parents 10 - Mother ("R" is caretaker) 11 - Both parents and school teacher 12 - Spouse/Partner of IC -8 - NR/DK -9 - NA |
| L9h | 189 | AGESEXRL | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT SEXUAL RELATIONS?</u> : 15 - Fifteen years old : -8 - NR/DK |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | -9 - NA |
| L9h | 190 | WHENSEXR | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT SEXUAL RELATIONS?</u> 1 - Depends on educational attainment (grade 6, during or after high school, after college, after schooling, when already in school) 2 - When IC starts to show interest in opposite sex 3 - At menarche 4 - Before marriage/exposure to the event (or experience) 5 - Upon marriage 6 - When she is mature enough to understand 7 - Never 8 - Upon being mature enough and financially independent 9 - Upon finishing studies/college and financially independent 10 - Upon finishing studies/college and mature enough to understand 11 - When IC is financially independent -8 - NR/DK -9 - NA |
| L5i | 191 | FAMPLAN | <u>DOES MOTHER DISCUSS WITH INDEX CHILD ABOUT FAMILY PLANNING?</u> 0 - No (Code -9 from FP1ST to FPDISS) 1 - Yes -8 - NR/DK -9 - NA |
| L6i | 192 | FP1ST | <u>WHO USUALLY INITIATES THE DISCUSSION ABOUT FAMILY PLANNING?</u> (SAME CODES AS FRND1ST) |
| L7i | 193 | FPDISS | <u>HOW IS THE TOPIC OF FAMILY PLANNING DISCUSSED?</u> (SAME CODES AS FRNDDISS) |
| L8i | 194 | INFOFP | <u>WHO SHOULD PROVIDE INDEX CHILD INFORMATION/ COUNSELING ON FAMILY PLANNING?</u> (SAME CODES AS INFODATE) |
| L9i | 195 | AGEFP | <u>AT WHAT AGE SHOULD INDEX CHILD START LEARNING ABOUT FAMILY PLANNING?</u> : 15 - Fifteen years old |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | : -8 - NR/DK -9 - NA |
| L9i | 196 | WHENFP | <u>WHEN SHOULD INDEX CHILD START LEARNING ABOUT FAMILY PLANNING?</u> 1 - Depends on educational background/attainment (grade 6, during or after high school, after college, after schooling, when already in school) 2 - Upon being mature enough to understand 3 - At menarche 4 - When IC has a girlfriend/boyfriend 5 - Before marriage/when about to get married 6 - Upon marriage/during marriage 7 - After having one or two children 8 - Never 9 - Upon being mature enough and financially independent 10 - Upon finishing studies/college and financially independent 11 - Upon finishing studies/college and mature enough to understand 12 - When IC is financially independent -8 - NR/DK -9 - NA |
| L10 | 197 | ICPHYDEV | <u>HOW WOULD MOTHER ASSESS INDEX CHILD'S PHYSICAL DEVELOPMENT?</u> 1 - Less mature (less adult-like) than most boys/girls his/her age 2 - Just like most boys/girls his/her age 3 - More mature (more adult-like) than most boys/girls his/her age -8 - NR/DK -9 - NA |
| L11 | 198 | EXPBFGF | <u>DOES MOTHER THINK INDEX CHILD HAD EXPERIENCED HAVING A BOYFRIEND/GIRLFRIEND?</u> 0 - No 1 - Yes -7 - Refused to answer -8 - DK -9 - NA |
| L11 | 199 | EXPSAME | <u>DOES MOTHER THINK INDEX CHILD HAD EXPERIENCED HAVING A RELATIONSHIP WITH THE SAME SEX?</u> 0 - No 1 - Yes |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -7 - Refused to answer -8 - DK -9 - NA |
| L11 | 200 | EXPKISS | <u>DOES MOTHER THINK INDEX CHILD HAD EXPERIENCED KISSING?</u> 0 - No 1 - Yes -7 - Refused to answer -8 - DK -9 - NA |
| L11 | 201 | EXPPET | <u>DOES MOTHER THINK INDEX CHILD HAD EXPERIENCED PETTING?</u> 0 - No 1 - Yes -7 - Refused to answer -8 - DK -9 - NA |
| L11 | 202 | EXPSEX | <u>DOES MOTHER THINK INDEX CHILD HAD EXPERIENCED SEXUAL INTERCOURSE?</u> 0 - No 1 - Yes -7 - Refused to answer -8 - DK -9 - NA |
| M1 | 203 | WEIGHTMA | <u>WEIGHT OF MOTHER (IN KILOGRAMS)</u> : 30 - Thirty kilograms : 99 - Ninety nine kilograms : -8 - NR/DK -9 - NA (Mother incapacitated) (Code -9 from HEIGHTMA to BPDIAS3) |
| M2 | 204 | HEIGHTMA | <u>HEIGHT OF MOTHER (IN CENTIMETERS)</u> 135 - One hundred thirty-five cm : 185 - One hundred eighty-five cm : -8 - NR/DK |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|--|
| | | | -9 - NA (Mother incapacitated) |
| M3 | 205 | ARMCIRCM | <u>ARM CIRCUMFERENCE OF MOTHER (IN CENTIMETERS)</u> : 10 - Ten centimeters : 40 - Forty centimeters : -8 - NR/DK -9 - NA (Mother incapacitated) |
| M4 | 206 | SKINFOL1 | <u>FIRST MEASUREMENT OF TRICEPS SKINFOLD THICKNESS OF MOTHER (IN MILLIMETERS)</u> 3.5 - Three and a half millimeters : 39 - Thirty nine millimeters : -8 - NR/DK -9 - NA (Mother incapacitated) |
| M4 | 207 | SKINFOL2 | <u>SECOND MEASUREMENT OF TRICEPS SKINFOLD THICKNESS OF MOTHER (IN MILLIMETERS)</u> 3.5 - Three and a half millimeters : 39 - Thirty nine millimeters : -8 - NR/DK -9 - NA (Mother incapacitated) |
| M4 | 208 | SKINFOL3 | <u>THIRD MEASUREMENT OF TRICEPS SKINFOLD THICKNESS OF MOTHER (IN MILLIMETERS)</u> 3.5 - Three and a half millimeters : 39 -Thirty nine millimeters : -8 - NR/DK -9 - NA (Mother incapacitated) |
| M5 | 209 | WAISTMA | <u>WAIST CIRCUMFERENCE (cm) OF MOTHER</u> 65 - Sixty-five centimeters : 90 - Ninety centimeters -8 - NR -9 - NA (Mother incapacitated) |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| M6 | 210 | HIPMA | <u>HIP CIRCUMFERENCE (cm) OF MOTHER</u> : 75 - Seventy-five centimeters : 100 - One hundred centimeters : -8 - NR (mother refused) -9 - NA (Mother incapacitated) |
| M7 | 211 | BPSYST1 | <u>BLOOD PRESSURE READING (SYSTOLIC) 1</u> : 80 - Eighty millimeters of Hg : 200 - Two hundred millimeters of Hg : -8 - NR (mother refused) -9 - NA |
| M7 | 212 | BPDIAS1 | <u>BLOOD PRESSURE READING (DIASTOLIC) 1</u> : 60 - Sixty millimeters of Hg : 140 - One hundred forty millimeters of Hg -8 - NR (mother refused) -9 - NA |
| M7 | 213 | BPSYST2 | <u>BLOOD PRESSURE READING (SYSTOLIC) 2</u> : 80 - Eighty millimeters of Hg : 200 - Two hundred millimeters of Hg : -5 - Refused another reading bec. R got nervous -8 - NR -9 - NA |
| M7 | 214 | BPDIAS2 | <u>BLOOD PRESSURE READING (DIASTOLIC) 2</u> : 60 - Sixty millimeters of Hg : 140 - One hundred forty millimeters of Hg -5 - Refused another reading bec. R got nervous -8 - NR (mother refused) |

MOTHER FILE (MOTHER INFORMATION - CLHNS 2002 FOLLOW-UP SURVEY:MOTHER Q)

| QUESTION NUMBER | VAR. NO. | VARIABLE NAME | VARIABLE DESCRIPTION/CODE |
|--------------------|-------------|------------------|---|
| | | | -9 - NA |
| M7 | 215 | BPSYST3 | <u>BLOOD PRESSURE READING (SYSTOLIC) 3</u> : 80 - Eighty millimeters of Hg : 200 - Two hundred millimeters of Hg : -8 - NR -9 - NA (refused another reading) |
| M7 | 216 | BPDIAS3 | <u>BLOOD PRESSURE READING (DIASTOLIC) 3</u> : 60 - Sixty millimeters of Hg : 140 - One hundred forty millimeters of Hg : -8 - NR -9 - NA (refused another reading) |