

## Payplus API Documentation

### CONFIDENTIALITY CLAUSE:

This Document is Property of Payplus It contains all the confidential if you are not an authroized user please return this back to Payplus Team. Copying, or distribution of the Document or any part of this document is stricly not allowed without the permission of Payplus.

### INTRODUCTION :

This Document Contains Api's defination and information which are exposed by Payplus for its authroized user.

### *Resposne :*

Sample :

```
{  
  "Responsecode" : "00",  
  "reserve1" : "",  
  "reserve2" : ""  
}
```

Description :

- Responsecode : It holds status code
- reserve1 : reserved for any kind of data
- reserve2 : reserved for any kind of data

Responsecode:

- 00      Operation Successfull
- 01      invalid Login
- 02      Resource Not Found
- 03      Insufficient Balance
- 04      Duplicate Entry
- 05      Internal/ Other Error

## APIs List:

1. E-Load
  - a. Get Bundles
  - b. Recharge
2. Wallet transactions
  - a. Account Inquiry
  - b. Deposit into Payplus Account

### Get Bundles:

This api is used to get aviable bundles list for bundle / package to recharge.

- Path : /get\_bundles
- Method : POST
- Request Type : application / json
- Response Type : application / json

### *Request Paramer*

Name	Condition	Description
username	M	
password	M	
Bank_Mnemonic	M	Registered Account Number

### *Response Parameter*

Name	Condition	Description
Responsecode	M	Operation Status Code
reserve1	M	Contains available bundles data
Reserve2	O	For Future Purpose

### Recharge:

This api is used to recharge specific Telco number.

- Path : /recharge
- Method : POST
- Request Type : application / json
- Response Type : application / json

### *Request Paramer*

Name	Condition	Description
username	M	
password	M	
Bank_Mnemonic	M	Registered Account Number
Consumer_no	M	Recharge Receiver Number
Tran_Auth_Id	M	Partner Trasnaction ID
amount	M	Recharge amount
operator	M	Jazz/Telenor/ufone/Zong
type	M	L / B L for Load and B for Bundle
Bundle_id	M / 0	Mendatory in Bundle recharge

### *Response Parameter*

Name	Condition	Description
Responsecode	M	Operation Status Code
reserve1	O	Reserver For Future
Reserve2	O	Reserver For Future

### *Account Inquiry:*

This apis can be used to get infromation against payplus Retailer.

- Path : /inquiry
- Method : POST
- Request Type : application / json
- Response Type : application / json

### *Request Paramer*

Name	Condition	Description
username	M	
password	M	
Bank_Mnemonic	M	Registered Account Number
Account_no	M	Account number

### *Response Parameter*

Name	Condition	Description
Responsecode	M	Operation Status Code
reserve1	M	Contains account information
Reserve2	O	Reserve For Future

### *Account Deposit:*

This api is used to deposit amount into any Payplus Registered Account.

- Path : /deposit
- Method : POST
- Request Type : application / json

### *Request Paramer*

Name	Condition	Description
username	M	Will be provided on demand
password	M	Will be provided on demand
Bank_Mnemonic	M	Registered Account Number
Account_no	M	Account number
amount	M	Total Amount to Transfer
Tran_Auth_Id	M	Partner Transaction ID

### *Response Parameter*

<b>Name</b>	<b>Condition</b>	<b>Description</b>
Responsecode	M	Operation Status Code
reserve1	O	
Reserve2	O	Reservr For Future

Note :

username, password and Base URL will be shared at the time of Integeration

03\*\*\*\*\* is the supported mobile number format.