SHETH L.U.J. AND SIR M.V. COLLEGE
SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

PRACTICAL NO 5
AIM : Analyzing Data using Table Calculations

a) Apply quick table calculations (running total, percent of total)
b) Create moving averages and cumulative metrics
c) Perform year-over-year growth analysis
d) Use ranking functions (Top N, Bottom N)
e) Implement window functions (WINDOW_SUM, WINDOW_AVG)
f) Customize addressing and partitioning
g) Create dynamic titles and labels using table calculations

A: Apply quick table calculations (running total, percent of total)
Task 1: Create a Running Total of Votes by City
1. Open a new worksheet and rename it: Running Total - Votes.



2. From the Data Pane, drag listed_in(city) to the Rows shelf.

3. Drag votes to the Columns shelf. (Tableau will automatically aggregate it as SUM(votes)).



4. Convert to Quick Table Calculation:
o Right-click the SUM(votes) pill on the Columns shelf.
o Hover over Quick Table Calculation and select Running Total.



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU



5. Add Visual Context (Secondary Measure):

o Drag votes from the Data Pane again and drop it directly onto the Tooltip mark in the Marks Card.

o Result: Now when you hover over a bar, you will see both the individual city's vote count and the cumulative total up to that city.



SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 2: Create a Percent of Total across Categories

A Percent of Total transforms raw numbers into relative percentages of the entire view (summing to 100%).

1. Open a new worksheet and rename it: Percent of Total - Service Type.



2. Drag listed_in(type) (e.g., Buffet, Cafes, Delivery, Dining) to the Rows shelf.
3. Drag votes to the Columns shelf.



SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

4. Right-click the SUM(votes) pill on the Columns shelf.
5. Hover over Quick Table Calculation and select Percent of Total.





SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

6. Format as Percentage:

o Right-click the SUM(votes) pill again and select Format..



o Under the Pane tab on the left formatting panel, click Numbers $\rightarrow$ Percentage (set to 1 or 2 decimal places).



SUMEET YADAV

T125

7. Drag SUM(votes) (with the table calculation icon Δ) onto the Label mark so the exact percentages display on top of each bar. (NOTE: IF YOU WANT TO SEE THE BAR GRAPH TOO,YOU CAN DRAG SUM(votes) TO LABEL ICON BY HOLDING CTRL KEY)



B : Task 1: Create a Moving Average Calculation We will create a moving average to smooth out variations in pricing across restaurants based on vote counts or listing order.

1. Open a new worksheet and rename it: Moving Average - Avg Cost. .



2. Drag listed_in(city) to the Rows shelf.
3. Drag approx_cost(for two people) to the Columns shelf.



4. Convert to a Moving Average Quick Table Calculation:
o Right-click the AVG(approx_cost...) pill on the Columns shelf.
o Hover over Quick Table Calculation and select Moving Average.





5. Customize the Moving Window:

o Right-click the modified AVG(approx_cost...) pill again (it now has a Δ symbol).

o Select Edit Table Calculation...



SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

o In the configuration dialog, set Summarize values using: Average.



o Set Previous values: 2 and Next values: 0 (This calculates a 3-point moving average including the current city and 2 previous cities).



SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 2: Create a Custom Cumulative Metric via Calculated Field Instead of using Quick Table Calculations, we can write a dedicated Table Calculation function formula directly.

1. Click the small drop-down arrow at the top right of the Data Pane (just next to the Search box) and select Create Calculated Field…
2. Name the field: Cumulative Votes (RUNNING_SUM).
3. Enter the following Table Calculation formula: RUNNING_SUM(SUM([votes]))



4. Click OK.
5. Open a new worksheet.
6. Drag cuisines to Rows (Filter to top 15 or 20 if the list is too long).
7. Drag your newly created Cumulative Votes (RUNNING_SUM) field onto Columns.

SUMEET YADAV

T125



C: Perform year-over-year growth analysis

Task: Calculate Year-over-Year (YoY) / Period-over-Period Percent Growth 1. Open a new worksheet and rename it: YoY Growth Analysis.



SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

2. Place your time dimension (or ordinal grouped column like listed_in(city)) on the Columns shelf.

3. Drag votes (or approx_cost(for two people)) onto the Rows shelf as SUM(votes).



4. Apply the Year-over-Year Growth Quick Table Calculation:

o Right-click the SUM(votes) pill on the Rows shelf.

o Hover over Quick Table Calculation select Percent Difference (or Year Over Year Growth if using a true Date field).



SUMEET YADAV

T125

5. Configure the Growth Calculation Direction:

o Right-click the modified SUM(votes) pill (with the Δ icon).

o Hover over Compute Using select Table (across){In some cases it may have by selected by default}.



6. Add Visual Color Indicators:

o Hold down Ctrl (or Cmd on Mac), click and drag the SUM(votes) pill from the Rows shelf, and drop it directly onto the Color mark on the Marks card.

o Positive growth will appear in one color (e.g., Green/Blue) while negative performance dips will turn Red/Orange!

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU



D: Use ranking functions (Top N, Bottom N)

Task 1: Create a Rank Calculation

1. Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field...



SUMEET YADAV
T125

2. Name the field: Restaurant Rank.
3. Input the following ranking calculation:) RANK(SUM([votes]), 'desc')



4. Click OK. Task
 2: Build the Top N / Bottom N Ranked View
1. Open a new worksheet and rename it: Top & Bottom Restaurants.
2. Drag name (Restaurant Name) to the Rows shelf.
3. Drag votes to the Columns shelf.
4. Drag your newly created Restaurant Rank calculated field onto the Rows shelf, placing it to the left of name.

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU



5. Convert Restaurant Rank to a Discrete field:



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 3: Filter Dynamically to Display Top N Only

1. Hold Ctrl (or Cmd on Mac), click and drag the Restaurant Rank pill from the Rows shelf, and drop it onto the Filters card.
2. In the filter dialog box, select a range of ranks (e.g., set the maximum to 10 to show only the Top 10 restaurants).





SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

E: Implement window functions (WINDOW_SUM, WINDOW_AVG)

Task 1: Create a Window Average Calculation

1. Click the small drop-down arrow at the top right of the Data Pane (next to the Search bar) and select Create Calculated Field...
2. Name the field: City Window Avg Cost.
3. Input the following window function formula: WINDOW_AVG(AVG([approx_cost(for two people)]))



Task 2: Build the Window Comparison Visualization

1. Open a new worksheet and rename it: Cost vs City Average.
2. Drag listed_in(city) to the Rows shelf.
3. Drag approx_cost(for two people) to the Columns shelf. Change its aggregation to Average (Right-click pill $\rightarrow$ Measure (Sum) $\rightarrow$ Average).

SUMEET YADAV
T125



4. Drag your newly created City Window Avg Cost calculated field onto the Columns shelf (placing it right beside AVG(approx_cost...)).



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 3: Combine Measures into a Dual-Axis Reference View

1. Right-click the City Window Avg Cost pill on the Columns shelf and select Dual Axis.



2. Right-click the top horizontal axis in the visualization view and select Synchronize Axis.



SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE
SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

3. In the Marks card:

o Change the mark type for AVG(approx_cost...) to Bar.



o Change the mark type for City Window Avg Cost to Line (or Gantt Bar).



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 4: Create a Window Difference Metric (WINDOW_SUM)

1. Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field…
2. Name the field: Difference from Window Sum.
3. Input the following expression to compare each city's vote count against the total sum of all votes in the visible window: SUM([votes]) - WINDOW_AVG(SUM([votes]))



5. Apply it to the View:

o Open new Sheet

o Drag listed_in(city) to the Rows shelf and votes to the Columns shelf.

o Drag your new Difference from Window Sum calculated field onto the Color mark on the Marks card.

SUMEET YADAV
T125



F: Customize addressing and partitioning

Task 1: Build a Nested View for City and Service Type

1. Open a new worksheet and rename it: Addressing vs Partitioning.
2. Drag listed_in(city) to the Rows shelf.
3. Drag listed_in(type) to the Rows shelf, placing it right next to listed_in(city) (creating a two-level nested hierarchy).
4. Drag votes to the Columns shelf as SUM(votes).



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 2: Apply Partitioning via "Compute Using" Options

1. Right-click the SUM(votes) pill on the Columns shelf, hover over Quick Table Calculation, and select Rank.



2. Right-click the SUM(votes) pill again and hover over Compute Using:

o Select Table (down): Tableau addresses the entire table from top to bottom. It ranks every single row relative to the whole sheet (Partition = Entire Table).



SUMEET YADAV

T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 3: Manually Define Addressing with Specific Dimensions For precise control over complex visual structures, use the Specific Dimensions settings:

1. Right-click the SUM(votes) pill (with the Δ icon) on the Columns shelf and select Edit Table Calculation…



2. Under Compute Using, select the radio button for Specific Dimensions.
3. Observe the checked vs. unchecked boxes:
o Checked boxes = Addressing fields: Tableau computes along these dimensions.
o Unchecked boxes = Partitioning fields: Tableau restarts the calculation whenever this dimension changes.
4. Uncheck listed_in(city) and leave listed_in(type) checked.

SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU



5. Close the Table Calculation dialog box.



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

G: Create dynamic titles and labels using table calculations

Task 1: Create a Dynamic Label Parameter

1. Right-click anywhere in the Data Pane and select Create Parameter... or click on small triangle drop down button next to search on data pane and select Create Parameter
2. Name the parameter: Top N Threshold.
3. Set Data type to Integer.
4. Set Current value to 5.
5. Under Allowable values, select Range:

o Minimum: 3 o Maximum: 20

o Step size: 1

6. Click OK.



SUMEET YADAV

T125

7. Right-click Top N Threshold in the Data Pane and select Show Parameter Control.



Task 2: Create a Dynamic Header Calculation

1. Create a new Calculated Field named Dynamic Title: "Top " + STR([Top N Threshold]) + " Restaurants by Total Votes"



SUMEET YADAV
T125

SHETH L.U.J. AND SIR M.V. COLLEGE

SUBJECT: DATA VISUALIZATION WITH POWERBI AND TABLEAU

Task 3: Embed Calculated Fields and Parameters into the Sheet Title

1. Double-click the Sheet Title at the top of your worksheet (e.g., Top & Bottom Restaurants).



2. Clear the existing text.

3. In the Edit Title dialog box, click the Insert button in the top right corner.



SUMEET YADAV

T125

4. Select Parameters.Top N Threshold from the list.



5. Format the title text so it reads: Top Restaurants by Total Votes



6. Click OK.
7. Adjust the Top N Threshold parameter slider on your sheet to test how the title updates dynamically!



Task 4: Add Dynamic Mark Labels (Highlighting Extremes)

1. Drag SUM(votes) to the Label card on the Marks card.



2. Click the Label card to open options:
o Under Marks to Label, select Min/Max.
o Under Field, select SUM(votes).
o Under Options, check Allow labels to overlap other marks (if needed).