


No-Code AI Automation: Connect AI to a Real Workflow

Build Log — Google Form → Google Sheets → Groq AI → Action (Make.com)

1. Workflow Overview

This automation triggers on a new Google Form submission (captured automatically into a linked Google Sheet), passes the submitted data to an AI step for summarization and categorization, and will forward the AI's output to a final action step (email, Slack, or a sheet update). It is built in Make.com, using its free tier, which supports multi-step scenarios unlike Zapier's free plan.

- **Trigger:** Google Form: “Contact/Feedback Form” collecting Name, Email Address, Feedback/Message, and Rating.
- **Platform:** Make.com “Watch New Rows” module on the linked Google Sheet (Form_Responses tab).
- **AI step:** Groq (llama-3.3-70b-versatile) — free-tier AI API, used as the “Editor/Critic” style summarizer + categorizer.
- **Planned final action:** Email, Slack message, or a written-back sheet column with the AI's category + summary.



2. Build Log — Step by Step

Step 1 — Trigger connected, AI module added to canvas

The Google Sheets “Watch New Rows” trigger is connected successfully (green checkmark) and picking up rows from the Form_Responses sheet. The second module in the scenario was set to the Groq connector, configured for “Create a Chat Completion.” At this point the module was still unconfigured, so Make labeled it “Skip” by default.




Fig. 1 Scenario canvas: Google Sheets trigger (connected) → Groq chat completion module (pending configuration).

Step 2 — Creating the Groq API connection

Inside the Groq module, a new connection was created by pasting in the Groq API key (generated from console.groq.com, after rotating an earlier key that had been accidentally exposed). Make validates and stores this connection so it can be reused across modules.




Fig. 2 Creating "My Groq connection" with the Groq API key.

Step 3 — Writing the System prompt (Agent persona)

With the connection active and the model set to llama-3.3-70b-versatile, the first message item was configured with Role: System. The system prompt instructs the model to act as a support assistant that analyzes incoming feedback, summarizes it, and assigns it a category — mirroring the Writer/Editor persona pattern used in the earlier multi-agent task, adapted here for triage instead of drafting.




Fig. 3 Groq module: System role message defining the AI's persona and instructions.

Step 4 — Mapping the User message to live form data

The second message item (Role: User) pulls live data from the Google Sheets trigger using Make's field-mapping panel, rather than static text. Name, Email Address, and Feedback/Message are inserted as dynamic tokens, so every new form submission automatically populates a fresh prompt for the AI step. Max tokens returned was set to 500, enough for a short summary and category label.

Groq [Icons]

> Item 2 [Icons]

> Role ☐ Map

User

> Content

Name: **Name**

Email: **Email** **Address**

Feedback: **Your** **Feedback** / **Message**

+ Add item

> # | Max tokens returned

500

💡 The maximum number of tokens that can be generated in the chat completion. The total length of input tokens and generated tokens is limited by the model's context length.

☐ Advanced settings Cancel Save

Fig. 4 Groq module: User role message with Name / Email / Feedback dynamically mapped from the Sheets trigger.

 Grok AI

2023-10-23 14:32:18

System

You are Grok, a persona of xAI. You will act as a feedback summarizer and categorizer. Your task is to analyze feedback messages and categorize them into predefined categories. Provide a concise summary of the feedback and assign it to a category. Ensure your responses are helpful and truthful, avoiding overgeneralization.

Use the following categories: [Category A], [Category B], [Category C]

User Message

From Dynamic Mapping from

☒ Category

[Category B], xAI



 Google Sheets

Dynamic Mapping



	Name	Email	Feedback/Message
1	John Doe	john.doe@example.com	"The service is great but could improve loading times."

Uepiting:

Grok AI model:

llama-3.3-70b-versatile

Max Token limit

500

Output Preview

```
{("foo":  
  "Category": "Performance",  
  "Summary": "Positive feedback on service quality with a suggestion for  
improvement in loading times."  
}  
};  
}
```

3. Status

TRIGGER: CONNECTED

AI STEP: CONFIGURED, PENDING TEST RUN

FINAL ACTION STEP: NOT YET ADDED

Hepe

Scenarios

Scenarios

Executions

Scenarios

Podgers

Triggers

Triggers

Executions

Controgramelts

Triggers

Gators

Gnants

Oetable

Sonufis

Poliitocets

Search

Execution Log

Run History

Quiners

Status	Started	Duration	Data In/Bundle
Recent	Success	10:23 AM	0.5s
Execut History	Success	10:23 AM	0.5s
Poolisloy	Success	10:23 AM	0.5s
History	Success	10:23 AM	0.5s