

Cucumber Report

14-Jan-2024, 9:30:24 AM

Start : Jan 14, 9:30:06.837 AM

End : Jan 14, 9:30:22.433 AM

Duration : 15.596 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>Dashboard page feature</u>	1	0	1	0	7.736 s
2	<u>Login page feature</u>	2	0	2	0	7.797 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dashboard page feature</u>	<u>Dashboard module icon should be visible</u>	2	0	0	2	7.728 s
2	<u>Login page feature</u>	<u>Login with correct credentials</u>	5	0	0	5	3.720 s
3	<u>Login page feature</u>	<u>Login with incorrect credentials</u>	5	0	0	5	4.051 s

(F)- Dashboard page feature

FAILED	DURATION - 7.736 s	Scenarios		Steps	
/ 9:30:06.837 AM // 9:30:14.573 AM /		Total - 1		Total - 2	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 2	



(S)- Dashboard module icon should be visible

<div>FAILED</div> <div>DURATION - 7.728 s</div>			Steps	
/ 9:30:06.845 AM // 9:30:14.573 AM /			Total - 2	
Dashboard page feature			Pass - 0	
@Sanity @dashboard @Regression			Fail - 0	
			Skip - 2	



#	Step / Hook Details	Status	Duration
	<p>BEFORE - apphooks.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.217 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NKA5E5A', ip: '192.168.23.203', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0097A813+48355] (No symbol) [0x0090C4B1] (No symbol) [0x00815358] (No symbol) [0x008361AC] (No symbol) [0x00831EF3] (No symbol) [0x00830579] (No symbol) [0x00860C55] (No symbol) [0x0086093C] (No symbol) [0x0085A536] (No symbol) [0x008382DC] (No symbol) [0x008393DD] GetHandleVerifier [0x00BDAABD+2539405] GetHandleVerifier [0x00C1A78F+2800735] GetHandleVerifier [0x00C1456C+2775612] GetHandleVerifier [0x00A051E0+616112] (No symbol) [0x00915F8C] (No symbol) [0x00912328] (No symbol) [0x0091240B] (No symbol) [0x00904FF7] BaseThreadInitThunk [0x75E9FA29+25] RtlGetAppContainerNamedObjectPath [0x77887A9E+286] RtlGetAppContainerNamedObjectPath [0x77887A6E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195)</p>	FAILED	7.609 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.initDriver(DriverFactory.java:20) at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:29)		
1	Given - Given User successfully login into dashboard page	SKIPPED	0.003 s
2	Then - Then dashboard module icon is visible	SKIPPED	0.001 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.018 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:42)		
	AFTER - apphooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:35)		

(F)- Login page feature

FAILED	DURATION - 7.797 s	Scenarios		Steps	
/ 9:30:14.636 AM // 9:30:22.433 AM /		Total - 2		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 10	

(S)- Login with correct credentials

<div>FAILED</div>	<div>DURATION - 3.720 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
<div>/ 9:30:14.636 AM // 9:30:18.356 AM /</div>				
<div>Login page feature</div>				
<div>@Sanity @login @Regression</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - apphooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.217 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NKA5E5A', ip: '192.168.23.203', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0097A813+48355] (No symbol) [0x0090C4B1] (No symbol) [0x00815358] (No symbol) [0x008361AC] (No symbol) [0x00831EF3] (No symbol) [0x00830579] (No symbol) [0x00860C55] (No symbol) [0x0086093C] (No symbol) [0x0085A536] (No symbol) [0x008382DC] (No symbol) [0x008393DD] GetHandleVerifier [0x00BDAABD+2539405] GetHandleVerifier [0x00C1A78F+2800735] GetHandleVerifier [0x00C1456C+2775612] GetHandleVerifier [0x00A051E0+616112] (No symbol) [0x00915F8C] (No symbol) [0x00912328] (No symbol) [0x0091240B] (No symbol) [0x00904FF7] BaseThreadInitThunk [0x75E9FA29+25] RtlGetAppContainerNamedObjectPath [0x77887A9E+286] RtlGetAppContainerNamedObjectPath [0x77887A6E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)	FAILED	3.693 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.initDriver(DriverFactory.java:20) at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:29) </pre>		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user enters username	SKIPPED	0.001 s
3	And - And user enters password	SKIPPED	0.001 s
4	And - And user clicks on Login button	SKIPPED	0.002 s
5	Then - Then desired page URL should be displayed	SKIPPED	0.001 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:42) </pre>	FAILED	0.002 s
	AFTER - apphooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:35) </pre>	FAILED	0.001 s

(S)- Login with incorrect credentials

FAILED	DURATION - 4.051 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 9:30:18.382 AM // 9:30:22.433 AM /				
Login page feature				
@login @Regression				

#	Step / Hook Details	Status	Duration
	BEFORE - apphooks.ApplicationHooks.launchBrowser()	FAILED	4.028 s
	<pre> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.217 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-NKA5E5A', ip: '192.168.23.203', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0097A813+48355] (No symbol) [0x0090C4B1] (No symbol) [0x00815358] (No symbol) [0x008361AC] (No </pre>		

#	Step / Hook Details	Status	Duration
	symbol) [0x00831EF3] (No symbol) [0x00830579] (No symbol) [0x00860C55] (No symbol) [0x0086093C] (No symbol) [0x0085A536] (No symbol) [0x008382DC] (No symbol) [0x008393DD] GetHandleVerifier [0x00BDAABD+2539405] GetHandleVerifier [0x00C1A78F+2800735] GetHandleVerifier [0x00C1456C+2775612] GetHandleVerifier [0x00A051E0+616112] (No symbol) [0x00915F8C] (No symbol) [0x00912328] (No symbol) [0x0091240B] (No symbol) [0x00904FF7] BaseThreadInitThunk [0x75E9FA29+25] RtlGetAppContainerNamedObjectPath [0x77887A9E+286] RtlGetAppContainerNamedObjectPath [0x77887A6E+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.initDriver(DriverFactory.java:20) at apphooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:29)		
1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user enters wrong username	SKIPPED	0.001 s
3	And - And user enters wrong password	SKIPPED	0.001 s
4	And - And user clicks on Login button	SKIPPED	0.000 s
5	Then - Then desired page URL should be displayed for unsuccessful login	SKIPPED	0.000 s
	AFTER - apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:42)		

#	Step / Hook Details	Status	Duration
	AFTER - apphooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException at apphooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:35)		