



REON LED INDUSTRIES PVT.LTD

INPUT CHARACTERISTICS

- INPUT VOLTAGE.....100-300VAC
- INPUT CURRENT.....180 MA
- INPUT POWER.....50-60 WATT
- POWER FACTOR.....>0.95
- FREQUENCY.....50-60Hz
- EFFICIENCY.....85 %
- THD.....<10%

50-60W HIGHBAY ECO SPRIAL

RNIPL 02550

PROTECTION CHARACTERISTICS

- SURGE PROTECTION.....6KV
- OVER VOLTAGE PROTECTION.....YES
- UNDER VOLTAGE PROTECTION.....YES
- INGRESS PROTECTION (IP).....IP65

LED AND PCB CHARACTERISTICS

- LED AVERAGE LIFE.....50,000 Hrs
- NOS. OF LED.....60 NOS.
- LED LUMENS.....140L/W
- LED CRI.....80K
- LED COLOUR TEMP.....3000K/6500K
- LED PACKAGE.....2835
- LUMENS EFFICIENCY.....100L/W
- PCB SIZE.....Ø113 MM



ENVIRONMENT OPERATING DETAILS

- MAX. OPERATING TEMP.....10 TO 50 DEGREE
- LUMINARIES TYPE.....OUTDOOR

MECHANICAL DETAILS

- DIMENSIONS.....Ø146*135 MM
- FIXTURE MATERIAL.....ADC 12
- FIXTURE COATING.....POWDER COATING

KEY FEATURES


- HIGH VOLTAGE WITH STANDING CAPACITY – 440 VAC
- HIGH VOLTAGE CUTOFF AT 310 VAC
- AUTO RESTART AFTER SAFE VOLTAGE MODE
- COMPACT AND AESTHETIC DESIGN
- BETTER THERMAL MANAGEMENT
- OPTICAL LENS WITH SILICON
- GASKETS FOR INGRESS PROTECTION
- HIGH EFFICIENCY LONG LIFE LED


USAGE AND APPLICATION

- CAMPUS LIGHTING
- CONSTRUCTION SITE
- FACTORY LIGHTING
- ADVERTISE HOARDING
- SPORTS YARD
- PARKING LOT

WARRANTY – 2 YEARS

No 25/1 Appavu nagar Extension,Opp. Chennish Mahal,Thalli road, Hosur.635 109






* ALL DIMENSIONS IN MM

SPIRAL LENS WEIGHT - 62 gm

 REON LED INDUSTRIES PVT.LTD		TITLE - 50-60W HIGHBAY ECO SPRIAL			
		DRG NO. RNIPL 02550			
FIRST ISSUED		DATE	SIZE	SCALE	SHEET
DRAWN BY		19-11-2024		N/A	SHEET 1 OF 1
CHECKED BY					
APPROVED BY					

A4



* ALL DIMENSIONS IN MM

BODY WEIGHT	215 gm
DRIVER BOX WEIGHT	185 gm
PCB SIZE	Ø 113 mm
OVERALL DIM	Ø 146 X 89 mm
GROSS WEIGHT	



REON LED INDUSTRIES
PVT.LTD

TITLE -

50-60W HIGHBAY ECO SPRIAL

FIRST ISSUED

DRAWN BY

CHECKED BY

APPROVED BY

DRG NO.

RNIPL 02550

DATE

SIZE

SCALE

SHEET

19-11-2024

N/A

SHEET 1 OF 1

A4