


3.3 Lab Solution: Make the Interactions List View editable



Solution


Exact details on how to complete the lab.

1. Open **ABContactInteractionsPage** and add **Edit Buttons** and **Iterator Buttons** widgets. Note: The **Iterator Buttons** widget will be red because the `iterator*` property is required




2. Expose the Row Iterator


- a) Open the InteractionsLV, go to the Exposes tab and click on the green plus icon to expose the iterator



- b) Configure the **valueType** and **widget** properties of the Expose Iterator



3. Reference the new Expose Iterator from the iterator property of the Iterator Buttons



4. Configure the toAdd and toRemove properties of the Row Iterator

The screenshot displays the configuration interface for the ABContactInteractionsPage.pcf. The top section shows a preview of the List View for InteractionsLV, with columns for Date, Summary, and User. Below the preview, the Row Iterator configuration is shown. The Row Iterator is currently set to currentInteraction. The configuration table below shows the properties of the Row Iterator.

Row Iterator	
Basic properties	
editable*	true
elementName*	currentInteraction
id	
toAdd	anABContact.addToInteractions_Ext(currentInteraction)
toCreateAndAdd	
toRemove	anABContact.removeFromInteractions_Ext(currentInteraction)
value*	anABContact.Interactions_Ext
valueType*	Interaction_Ext[]

5. Set the hideCheckBoxesIfReadOnly property to true

