

```
In [1]: print("Hello Data World")
```

Hello Data World

```
In [2]: a = 10  
b = 12
```

```
In [4]: c=a+b  
print(c)
```

22

```
In [5]: Print("Hello Data World") #Python is case sensitive
```

```
-----  
---  
NameError                                Traceback (most recent call la  
st)  
Cell In[5], line 1  
----> 1 Print("Hello Data World")  
  
NameError: name 'Print' is not defined
```

```
In [6]: print(A)
```

```
-----  
---  
NameError                                Traceback (most recent call la  
st)  
Cell In[6], line 1  
----> 1 print(A)  
  
NameError: name 'A' is not defined
```

```
In [ ]: #Variables  
#Variables are place holders, store it and it will be useful for futur epu  
#Variables are case sensitive  
#Variables should be a singlewod.  
#Variable name can have only one special character(underscore '_')
```

```
In [7]: A = "babu"
```

```
In [8]: print(A)
```

babu

```
In [9]: a = 70
```

```
In [10]: print(a)
```

70

```
In [ ]: #Variables
        #1. int
        #2. float
        #3. str
        #4. bool

        #advanced data types 1.tuple 2.dict
```

```
In [ ]: ##-----23rd Oct 2024-----Datatype
```

```
In [6]: a = "India"
        b = 3.12
        c = 7
        d = True
```

```
In [7]: type(a)
```

Out[7]: str

```
In [8]: type(b)
```

Out[8]: float

```
In [9]: type(c)
```

Out[9]: int

```
In [10]: type(d)
```

Out[10]: bool

```
In [12]: marks =34
```

```
In [15]: if marks >= 35:
          print("Student is Pass")
        else :
          print("Student is fail")
```

Student is Pass

```
In [ ]:
```

```
In [2]: a = ("Hello Data World")
```

```
In [3]: a[0:5]
```

Out[3]: 'Hello'

```
In [4]: a[6:10]
```

Out[4]: 'Data'

```
In [5]: a[11:16]
```

Out[5]: 'World'

```
In [17]: b = "Python is Dyamic Programming Language"
```

```
In [18]: b[0:6]
```

Out[18]: 'Python'

```
In [19]: b[10:28]
```

Out[19]: 'Dyamic Programming'

```
In [25]: b[2:13:5] #tia
```

Out[25]: 'tia'

```
In [26]: b[0:13:4] #posa
```

Out[26]: 'Posa'

```
In [27]: b[0:26:5] #pndcgi
```

```
Out[27]: 'PnDcgi'
```

```
In [28]: a= "Babu"
```

```
In [ ]: a.
```

```
In [ ]: #-----24th Oct 24-----
```

```
In [1]: a = "Data Engineering"
```

```
In [2]: a.isupper()
```

```
Out[2]: False
```

```
In [3]: a.isspace()
```

```
Out[3]: False
```

```
In [4]: a.isdecimal()
```

```
Out[4]: False
```

```
In [5]: a.isalpha()
```

```
Out[5]: False
```

```
In [6]: a.islower()
```

```
Out[6]: False
```

```
In [7]: a.isprintable()
```

```
Out[7]: True
```

```
In [8]: a.istitle()
```

```
Out[8]: True
```

```
In [9]: a.isidentifier()
```

```
Out[9]: False
```

```
In [35]: a = "fabric data engineer"
```

```
In [13]: a.isspace()
```

```
Out[13]: False
```

```
In [14]: a.capitalize()
```

```
Out[14]: 'Fabric data engineer'
```

```
In [15]: a.casefold()
```

```
Out[15]: 'fabric data engineer'
```

```
In [24]: a.count('i')
```

```
Out[24]: 2
```

```
In [26]: a.title()
```

```
Out[26]: 'Fabric Data Engineer'
```

```
In [27]: a.upper()
```

```
Out[27]: 'FABRIC DATA ENGINEER'
```

```
In [28]: a.swapcase()
```

```
Out[28]: 'FABRIC DATA ENGINEER'
```

```
In [34]: b = "    Azure Data Engineer    "
```

```
In [30]: a.swapcase()
```

```
Out[30]: '    aZURE dATA eNGINEER    '
```

```
In [31]: a.lstrip()
```

```
Out[31]: 'Azure Data Engineer    '
```

```
In [32]: a.rstrip()
```

```
Out[32]: '    Azure Data Engineer'
```

```
In [33]: a.strip()
```

```
Out[33]: 'Azure Data Engineer'
```

```
In [39]: a.partition(" ")
```

```
Out[39]: ('fabric', ' ', 'data engineer')
```

```
In [44]: a.index("b")
```

```
Out[44]: 2
```

```
In [45]: a
```

```
Out[45]: 'fabric data engineer'
```

```
In [46]: a.expandtabs()
```

```
Out[46]: 'fabric data engineer'
```

```
In [47]: a.removeprefix()
```

```
-----  
---  
TypeError                                Traceback (most recent call last)  
Cell In[47], line 1  
----> 1 a.removeprefix()  
  
TypeError: str.removeprefix() takes exactly one argument (0 given)
```

```
In [48]: b
```

```
Out[48]: '    Azure Data Engineer    '
```

```
In [51]: b.removeprefix("    ")
```

```
Out[51]: 'Azure Data Engineer    '
```

```
In [54]: b.removesuffix(" ")
```

```
Out[54]: ' Azure Data Engineer '
```

```
In [56]: b.rfind("Data")
```

```
Out[56]: 10
```

```
In [57]: a.rfind("data")
```

```
Out[57]: 7
```

```
In [58]: a = "Good Morning !! Kiran - Welcome to Fabric Data Engineer Course"
```

```
In [59]: print(a)
```

```
Good Morning !! Kiran - Welcome to Fabric Data Engineer Course
```

```
In [60]: def greetings(name):  
         print("Good Morning !! ", name, "- Welcome to Fabric Data Engineer Cou
```

```
In [62]: greetings("Hemachandra")
```

```
Good Morning !! Hemachandra - Welcome to Fabric Data Engineer Course
```

```
In [63]: greetings("Sam")
```

```
Good Morning !! Sam - Welcome to Fabric Data Engineer Course
```

```
In [64]: greetings("Nag")
```

```
Good Morning !! Nag - Welcome to Fabric Data Engineer Course
```

```
In [65]: greetings("Nak")
```

```
Good Morning !! Nak - Welcome to Fabric Data Engineer Course
```

```
In [66]: greetings("Ajay")
```

```
Good Morning !! Ajay - Welcome to Fabric Data Engineer Course
```

```
In [67]: def add(a,b):  
         print(a+b)
```

```
In [68]: add(3,4)
```

7

```
In [72]: def studentstaus(marks):  
         if marks < 35:  
             print("The student is fail")  
         else:  
             print("The student is pass")
```

```
In [73]: studentstaus(36)
```

The student is pass

```
In [74]: studentstaus(32)
```

The student is fail

```
In [75]: def mul(a,b):  
         print(a*b)
```

```
In [76]: mul(5,4)
```

20

```
In [77]: add(5,4)
```

9

```
In [78]: def sub(a,b):  
         print(a-b)
```

```
In [79]: sub(34,12)
```

22

```
In [ ]:
```


In []:

In []: