AI IN AGRICULTURE

Applying Artificial Intelligence to Weather and Crop Monitoring, Disease Detection, and Supply-Chain Efficiency

Project Report

Submitted by

Sumant Kumar

Enrolment No:20261035

PGDM in Big Data Analytics

Course: Artificial Intelligence

Course Faculty: Chintan Patel Sir

Date:18 October 2026

Introduction

In current times, there are many difficulties faced by agriculture due to the changing weather patterns. The difficulties experienced are but not limited to; unpredictable rainfall patterns, high or low temperatures, droughts, floods, changes in the composition of soils, pests, plant diseases, and market prices. For a long time, farmers have been making decisions in agriculture relying on experience and observations which have been proven to work. However, this technique is not efficient all the time especially for large-scale farming as it requires accuracy and efficiency. The utilization of artificial intelligence in agriculture will help make agriculture an easily controlled and regulated industry. This can be accomplished by making use of artificial intelligence in analyzing the data obtained from weather patterns, air scans through drones or satellite, soil scans, agricultural data and market patterns among others.

The applications presented in this report are examples of Artificial Narrow Intelligence (ANI) that is designed to perform specific tasks. They are not AGI or ASI. AI systems generally have capabilities like perception, reasoning, learning, and decision making. Data related to agriculture may be classified into three kinds of data; structured data (databases about weather); semi-structured data (sensor data); and unstructured data (images, video and text). Data becomes useful information when it is interpreted within a specific agricultural context. Today's agriculture generates vast amounts of data, which makes data quality management and governance crucial.

Problem 1: Unpredictable Weather and Crop Monitoring

Problem Description

The weather is one of the biggest challenges in agriculture. Irregular rainfall, droughts, heat waves, floods and sudden changes in temperature have a major impact on crop growth and productivity. Bad weather predictions can cause inefficient watering schedules, delayed harvesting and crop losses. It can be very time consuming to inspect large farming areas manually and such inspections may miss stress symptoms.

AI-Based Solution

AI may be employed for the prediction of the weather as well as crop monitoring. Time series forecast models can be utilized for predicting future weather patterns. Predictive algorithms of supervised machine learning may be employed for predicting risks, including droughts, floods or crop stress. Remote sensing systems using satellite and drones may be utilized for monitoring the health of vegetation continuously. Computer vision may be applied for recognizing visual indicators of crop stress from the pictures. Feature engineering methods can be used to create indicators such as rainfall accumulation, temperature trends, soil moisture levels and vegetation indices (NDVI).

With these tools, it is possible to have continuous monitoring as opposed to only manual inspections at some point.

Reasoning Techniques and Their Expected Outcomes

There are several ways of using artificial intelligence in reasoning such as Bayesian reasoning which revises risk probabilities once there are new weather measurements, fuzzy logic, which deals with uncertainty such as low or high moisture content, and default reasoning which revises recommendations after new forecasts.

Therefore, the farmers can get an advance notice on drought conditions, heavy rains, or crop stress. But it should be understood that predictions from AI need to be corroborated with meteorological data. The effectiveness of the system must be evaluated on the basis of the existing farming methods.

Problem 2: Pest Attacks and Disease Detection

Problem Description

Pests and plant diseases are a significant challenge in agriculture. They tend to spread very quickly in farms, and it is also hard to identify the symptoms in their early stages. This makes it possible for the farmer to incur low crop yield, poor quality of crops and incur extra cost in treating pests and diseases.

The efficient control of diseases and pests may require accurate diagnosis, which in turn may necessitate the use of the services of agricultural experts. Many farmers may find it difficult to access the services of agricultural experts because of their cost and availability. This could result in delays in the process of detection and cause adverse effects on the crops. Technologies that aid in early detection can be used by farmers to detect pests and diseases.

AI-Based Solution

AI algorithms can play a vital role in early disease detection and diagnosis using convolutional Neural Networks (CNN) to classify normal and unhealthy crop images, object detection algorithms to detect pests, insects, or areas infected with the disease, transfer learning techniques where already trained algorithms can be adapted for limited agriculture data, and mobile-based image recognition technologies.

The efficacy of such systems depends on image quality, lighting conditions, crop type, disease stage, and the diversity of the training data.

Model Based Training and Evaluation

In order to assure the proper functioning of the system, the data needs to be segmented into training, validation, and testing datasets. In addition, images associated with the same area should not overlap in the different datasets since it would result in a data leakage and consequently yield overly positive results on model performance. The evaluation of the models should include the measurement of metrics such as precision, recall, F1-Score, and a confusion matrix.

The cases in which there is a low score of confidence or those where there are crops that have a high agricultural impact should be further analyzed by agricultural professionals before suggesting any interventions. In addition, any recommendation for crop treatments has to adhere to agricultural guidelines and local laws. Early detection of the disease in crops will allow for a reduction of crop losses and improve treatment effectiveness.

Problem 3: Low Crop Yields and Inefficient Agricultural Supply Chains

Problem Description

Low productivity of crops and ineffective farm-to-market chains are major issues in the agricultural industry. The productivity of crops depends on several aspects, including quality of the soil, climatic conditions, selection of the seeds, irrigation, fertilizers, pest prevention, and methods of farming. Ineffective management of these aspects leads to the decrease in agricultural productivity, which impacts farmers' earnings and food production.

There are also several challenges faced by farmers when it comes to handling the harvested crops. Lack of sufficient storage facilities results in losses of produce during harvest time, while transportation challenges delay the transport of produce to the markets. Lack of market information makes it difficult for the farmers to know the demand for their produce and to be able to receive good prices.

AI-Based Solution

AI can be used to improve production and supply chains, for instance by using, regression models to estimate yields, predictive analytics to forecast production and market demand, optimization to suggest fertilizer and irrigation schedules, transportation and storage systems to reduce losses during transit and storage and reinforcement learning models to test out different approaches to resource management in a virtual setting. All of these are ways in which AI can help farmers make better choices and manage their operations more efficiently.

Search-Based Problem Solving

Supply chain optimization may be thought of as a state-space search problem, which involves states, initial and goal state, actions, transition model, and path-cost function. The problem may be addressed by using different search algorithms. For instance, Breadth-First Search (BFS) is an algorithm, which explores nodes in order, from the root through all the nodes at depth 1, then at depth 2, and so on, using a LIFO queue. It uses the

shortest path solution method through an uninformed search method. On the other hand, the DFS uses a stack in organizing the nodes in a search tree where it searches for deep sections of the search tree. Compared to BFS, it has linear memory but may not always give the shortest path solution. Lastly, we have the Greedy Best-First Search that utilizes a best-first search method. This is because it selects the next node using an admissible heuristic, which is faster compared to DFS and BFS but may not get the optimal solution.

The A* Search Algorithm is extensively used in agriculture planning and logistics because it allows one to determine the most efficient route or solution. In this case, the A* Search Algorithm uses the actual cost of arriving at a particular node and the expected cost of arriving at the destination point.

$$f(n) = g(n) + h(n)$$

where g(n) is the actual cost of reaching a node from the starting position, h(n) is the approximated cost of reaching the destination from the current node and f(n) is the total estimated cost of reaching the destination via the current node. In the A* algorithm, one is able to achieve the optimal and most efficient solution in ideal cases. Agriculture is an example where one is unable to have perfect knowledge of conditions or results because they are highly dependent on external conditions, like weather. Therefore, farmers make use of Bayesian probability and fuzzy logic in making their decisions.

Model Development and Evaluation Process

A systematic approach of an AI Design should be to define the agricultural problem, set baseline and performance, collect the data from reliable sources, validate and clean the data perform feature engineering, split data into training, validation, and testing data sets, develop a baseline and advanced models, tune the model parameters with validation data, evaluate performance using unseen test data, pilot recommendations in a real-world farming setting and continue to monitor performance, errors, and model drift.

Evaluation Metrics

For Regression Problems; mean Absolute Error (MAE) mean Squared Error (MSE) and root Mean Squared Error (RMSE)

For Classification Problems; accuracy, precision recall, f1-Score and confusion Matrix

Operational Metrics; warning lead time, water usage reduction, fertilizer efficiency, transportation cost, delivery time and storage losses.

Generative AI, Ethics, and Enterprise Strategy

Multimodal AI & Intelligent Agents & Principles of Responsible AI: The use of multimodal AI in agriculture improves the decision-making process through the combination of different forms of information such as textual information, images, weather information, sensors data, and geographical information for a broader picture of the farm's state. Intelligent AI agents may be used for automation of complex tasks such as monitoring crops, analyzing data, and generating recommendations. Nevertheless, an important thing about decision making in agriculture is the participation of human being in the decision-making process with the support of log mechanisms and alternative plans. Following the principles of Responsible AI is equally essential for fair and ethical operation of the AI system.

The development of AI applications in agriculture has to abide by responsible AI practices including fairness, transparency, accountability, privacy, security, and safety. Adherence to responsible AI practices guarantees ethical use of technologies and reliability of these technologies in addition to establishing trust between the farmers, agricultural associations, and other entities.

However, there are various factors that could have an impact on the performance of AI technologies in agriculture. Some of these factors include data and algorithm bias, label error, crop or region

underrepresentation, and black box decision making, in which case the process by which recommendations are made cannot be easily explained.

To mitigate risks, the farm data must be protected using strict privacy and security standards while avoiding excessive data collection. The drawbacks of AI models must be highlighted to make sure that the users know what these systems can and cannot do. Human supervision must be involved in making important farming decisions, and one needs to pay attention to the rules and regulations, including AI guidelines from India and the EU AI Act.

Enterprise Adoption Strategy

Organizations need to adopt artificial intelligence technology incrementally by identifying the business or agricultural need, availability of good data, carrying out a pilot project, and finally scaling up the solution based on pre-determined KPIs.

Conclusion

All in all, there are numerous ways in which AI can be applied to agriculture in order to increase efficiency, sustainability, and profits. These include the use of various technologies such as weather prediction, remote sensing, crop monitoring, disease prediction using CNN, yield prediction, and logistic optimization, thus enabling the farmers to make sound decisions. Big data analysis is one way in which AI assists in the management of resources.

It can be seen from the above discussion that the use of techniques of search algorithms, reasoning under uncertainty, machine learning evaluation, generative AI, and responsible AI systems is a way through which agriculture uses some major concepts of AI. Even though this system is theoretical in nature, its effectiveness will depend on several factors like access to accurate local data, field testing, cost, farmers' education, transparency, and supervision.

References

European Parliament and Council of the European Union. (2024). Regulation (EU) 2024/1689 (Artificial Intelligence Act). EUR-Lex. https://eur-lex.europa.eu/eli/reg/2024/1689/oj

Hart, P. E., Nilsson, N. J., & Raphael, B. (1968). A formal basis for the heuristic determination of minimum cost paths. IEEE Transactions on Systems Science and Cybernetics, 4(2), 100–107. https://doi.org/10.1109/TSSC.1968.300136

Hyndman, R. J., & Athanasopoulos, G. (2021). Forecasting: Principles and practice (3rd ed.). OTexts. https://otexts.com/fpp3/

IndiaAI. (n.d.). IndiaAI Mission. Ministry of Electronics and Information Technology, Government of India. https://indiaai.gov.in/

LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521, 436–444. https://doi.org/10.1038/nature14539

Mitchell, T. M. (1997). Machine learning. McGraw-Hill.

Russell, S., & Norvig, P. (2021). Artificial intelligence: A modern approach (4th ed.). Pearson.

Too, E. C., Yujian, L., Njuki, S., & Yingchun, L. (2019). A comparative study of fine-tuning deep learning models for plant disease identification. Frontiers in Plant Science. https://pmc.ncbi.nlm.nih.gov/articles/PMC6664047/

Sutton, R. S., & Barto, A. G. (2018). Reinforcement learning: An introduction (2nd ed.). MIT Press. http://incompleteideas.net/book/the-book-2nd.html

Turing, A. M. (1950). Computing machinery and intelligence. Mind, 59(236), 433–460. https://doi.org/10.1093/mind/LIX.236.433

Vaswani, A., et al. (2017). Attention is all you need. Advances in Neural Information Processing Systems, 30. https://arxiv.org/abs/1706.03762

Appendices

A. Weather and Crop Monitoring

Table A1. Techniques and applications

Technique / concept	Application
Time series prediction / machine learning	Weather predictions and risk classifications.
Remote sensing / computer vision	Keep an eye on plant growth and detect plant stress.
Feature engineering	Create rainfall windows, temperature trends, soil moisture, and vegetation characteristics.
Bayesian and fuzzy reasoning	Adjust the risk estimates and depict slow moisture or temperature changes.
Predictive alerts	Notify farmers of risk; validate against official forecasts and field observations.




Figure A1. Illustrative rainfall observations and forecasts; synthetic values, not weather-station data.

Figure A2. Weather-monitoring workflow

Stage	Description
Data	Weather observations, forecasts, soil readings, satellite/drone images.
Prepare / predict	Check data, engineer features, forecast weather and crop-stress risk.
Reason / alert	Combine uncertainty estimates and generate risk warnings.
Monitor	Compare forecasts with observations and track warning lead time.

Appendix B. Pest attacks and Disease Detection

Table B1. Techniques and applications

Technique / concept	Application

CNN / image classification	Classification of crops in healthy and diseased groups.
Object detection	Identify the pests or affected areas within the image.
Transfer learning	Transfer learn image models using labelled crop images.
Evaluation	Employ precision, recall, F1 score, and confusion matrix.
Responsible recommendations	Be confident and consult an agriculture specialist for any uncertain cases.




Figure B1. Illustrative classifier metrics; synthetic scores, not trained-model results.

Figure B2. Disease-detection workflow

Stage	Description
Input	Field laborer/farmer iconography and crop information.
Organize / categorize	Check the quality of the images and feed them to a CNN or object detection algorithm
Review	Indicate probable class, confidence interval, and affected area, if applicable.
Act / review	Seek expert verification; identify mistakes and results.

Appendix C. Yield and Supply-Chain Efficiency

Table C1. Techniques and applications

Technique / concept	Application
Regression and predictive analytics	Estimate yield and forecast production or market demand.
Optimization	Design irrigation, fertilizer distribution, storage, and transport.

BFS / DFS / Greedy / A*	Find paths; A* combines the cost of the path and the heuristic value.
Reinforcement learning	Consider sequential resource choices through simulation prior to actual implementation.
Bayesian reasoning	Risk/return estimations should be updated when more information is available.




Figure C1. Illustrative actual versus predicted yield; synthetic values, not field data.




Figure C2. Illustrative supply-chain indicators; values are hypothetical and units differ.

Figure C3. Integrated agricultural AI workflow




Figure C3. Conceptual workflow; proposed architecture, not a deployed system.

Stage	Description
Inputs	Weather, soil, imagery, crop records, market and transport data.
Predict	Estimate weather risk, disease probability, crop yield, and demand.
Search / optimize	Compare routes and resource plans under operational constraints.
Monitor	Review recommendations and track yield, cost, time, and storage outcomes.

Appendix D. KPI and Model Evaluation Table

Area	Metric	Meaning / direction
Weather	MAE / RMSE	Forecast error; the smaller the better.
Weather alerts	Lead time / false-alarm rate	Early warnings must come with manageable false alarms.
Disease classification	Precision / recall / F1	Ensure there is a balance between accuracy and detection.
Disease classification	Confusion matrix	False Positive and False Negative Reviews by Class Type
Yield prediction	MAE / RMSE / R^2	Quantify error and fit to models.
Supply chain	Delivery time / transport cost	Monitor time and costs in operations; reduce subject to service limitations.
Resource use	Water / fertilizer per unit output	Consider efficiency in addition to production and crop health.

Evaluation checklist

Establish a baseline and define KPIs before deployment.

Avoid data leakage; use appropriate train/validation/test splits and check overfitting and underfitting.

Report sample size, measurement period, and false positives/false negatives where relevant.

Treat all graph values as illustrative, not proof of impact.

Appendix E. Responsible AI Checklist

Confirm purpose, data permissions, access controls, and retention periods.

Check data, algorithmic, and label bias across crops, seasons, and regions.

Communicate uncertainty; provide explanations and human review for consequential decisions.

Monitor safety, privacy, model drift, and real agricultural outcomes.

Review applicable Indian guidance and the EU AI Act where relevant.

Scale only when evidence supports the cost, risk, and operational readiness.