Software Requirements Specification for Software Engineering: subtitle describing software

Team 21, Alkalytics Sumanya Gulati Kate Min Jennifer Ye Jason Tran

September 29, 2024

Contents

1	Purpose of the Project vi					
	1.1	User Business	vi			
	1.2	Goals of the Project	vi			
2	Stakeholders					
	2.1	Client	vi			
	2.2	Customer	vi			
	2.3	Other Stakeholders	vi			
	2.4	Hands-On Users of the Project	vi			
	2.5	Personas	vi			
	2.6	Priorities Assigned to Users	vi			
	2.7		vii			
	2.8	Maintenance Users and Service Technicians	vii			
3	Mandated Constraints vi					
	3.1	Solution Constraints	vii			
	3.2	Implementation Environment of the Current System	vii			
	3.3	Partner or Collaborative Applications	vii			
	3.4	Off-the-Shelf Software	vii			
	3.5	Anticipated Workplace Environment	vii			
	3.6	Schedule Constraints	vii			
	3.7	Budget Constraints	vii			
	3.8	Enterprise Constraints	⁄iii			
4	Nar	ming Conventions and Terminology v	iii			
	4.1	Glossary of All Terms, Including Acronyms, Used by Stake-				
		holders involved in the Project	⁄iii			
5	Rel	evant Facts And Assumptions v	iii			
	5.1	Relevant Facts	/iii			
	5.2	Business Rules				
	5.3	Assumptions				
6	The	e Scope of the Work	iii			
	6.1	The Current Situation	/iii			
	6.2	The Context of the Work				
	6.3					

	6.4	Specifying a Business Use Case (BUC) ix
7		iness Data Model and Data Dictionary ix
	7.1	Business Data Model ix
	7.2	Data Dictionary ix
8	The	Scope of the Product ix
	8.1	Product Boundary ix
	8.2	Product Use Case Table ix
	8.3	Individual Product Use Cases (PUC's) ix
9	Fun	ctional Requirements ix
	9.1	Data Input Requirements ix
	9.2	Data Migration and Organization Requirements x
	9.3	Data Search and Query Requirements x
	9.4	Data Visualization Requirements xi
	9.5	Data Analysis Requirements xii
	9.6	Error Tracking Requirements xii
	9.7	User Access Management Requirements xiii
	9.8	Data Export Requirements xiii
10	Loo	k and Feel Requirements xiii
	10.1	Appearance Requirements xiii
	10.2	Style Requirements xiii
11	Usa	bility and Humanity Requirements xiii
		Ease of Use Requirements xiii
		Personalization and Internationalization Requirements xiv
		Learning Requirements xiv
		Understandability and Politeness Requirements xiv
	11.5	Accessibility Requirements xiv
12	Peri	Formance Requirements xiv
		Speed and Latency Requirements xiv
		Safety-Critical Requirements xv
		Precision or Accuracy Requirements xv
		Robustness or Fault-Tolerance Requirements xv
		Capacity Requirements xv
		Scalability or Extensibility Requirements xvi

	12.7 Longevity Requirements	. xvi
13	Operational and Environmental Requirements	
	13.1 Expected Physical Environment	
	13.2 Wider Environment Requirements	
	13.3 Requirements for Interfacing with Adjacent Systems	
	13.4 Productization Requirements	
	13.5 Release Requirements	. xvii
14	Maintainability and Support Requirements	xvii
	14.1 Maintenance Requirements	. xvii
	14.2 Supportability Requirements	. xvii
	14.3 Adaptability Requirements	. xviii
15	Security Requirements	xviii
	15.1 Access Requirements	. xviii
	15.2 Integrity Requirements	
	15.3 Privacy Requirements	
	15.4 Audit Requirements	
	15.5 Immunity Requirements	
16	Cultural Requirements	xviii
	16.1 Cultural Requirements	. xviii
17	Compliance Requirements	xviii
	17.1 Legal Requirements	. xviii
	17.2 Standards Compliance Requirements	
18	Open Issues	xix
19	Off-the-Shelf Solutions	xix
	19.1 Ready-Made Products	. xix
	19.2 Reusable Components	
	19.3 Products That Can Be Copied	
2 0	New Problems	xix
	20.1 Effects on the Current Environment	
	20.2 Effects on the Installed Systems	
	20.3 Potential User Problems	
	-0.0 1 0.01101001 0.001 1 1 0.0101110	

	20.4 Limitations in the Anticipated Implementation Environment	
	That May Inhibit the New Product	XX
	20.5 Follow-Up Problems	XX
21	Tasks	ХХ
	21.1 Project Planning	XX
	21.2 Planning of the Development Phases	XX
22	Migration to the New Product	ХХ
	22.1 Requirements for Migration to the New Product	XX
	22.2 Data That Has to be Modified or Translated for the New System	XX
23	Costs	хх
24	User Documentation and Training x	xi
	24.1 User Documentation Requirements	xi
	24.2 Training Requirements	xi
25	Waiting Room x	xi
26	Ideas for Solution x	xi

Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

1 Purpose of the Project

1.1 User Business

Insert your content here.

1.2 Goals of the Project

Insert your content here.

2 Stakeholders

2.1 Client

Insert your content here.

2.2 Customer

Insert your content here.

2.3 Other Stakeholders

Insert your content here.

2.4 Hands-On Users of the Project

Insert your content here.

2.5 Personas

Insert your content here.

2.6 Priorities Assigned to Users

2.7 User Participation

Insert your content here.

2.8 Maintenance Users and Service Technicians

Insert your content here.

3 Mandated Constraints

3.1 Solution Constraints

Insert your content here.

3.2 Implementation Environment of the Current System

Insert your content here.

3.3 Partner or Collaborative Applications

Insert your content here.

3.4 Off-the-Shelf Software

Insert your content here.

3.5 Anticipated Workplace Environment

Insert your content here.

3.6 Schedule Constraints

Insert your content here.

3.7 Budget Constraints

3.8 Enterprise Constraints

Insert your content here.

4 Naming Conventions and Terminology

4.1 Glossary of All Terms, Including Acronyms, Used by Stakeholders involved in the Project

Insert your content here.

5 Relevant Facts And Assumptions

5.1 Relevant Facts

Insert your content here.

5.2 Business Rules

Insert your content here.

5.3 Assumptions

Insert your content here.

6 The Scope of the Work

6.1 The Current Situation

Insert your content here.

6.2 The Context of the Work

6.3 Work Partitioning

Insert your content here.

6.4 Specifying a Business Use Case (BUC)

Insert your content here.

7 Business Data Model and Data Dictionary

7.1 Business Data Model

Insert your content here.

7.2 Data Dictionary

Insert your content here.

8 The Scope of the Product

8.1 Product Boundary

Insert your content here.

8.2 Product Use Case Table

Insert your content here.

8.3 Individual Product Use Cases (PUC's)

Insert your content here.

9 Functional Requirements

9.1 Data Input Requirements

FR-1. The system shall allow the user to input new experiment data or parameters.

- Rationale: The system needs to be kept up-to-date with ongoing experiments, which may include new parameters that did not exist previously.
- Fit Criterion: The user should be able to input new data and parameters with 0 errors.
- **FR-2.** The system shall store experiment data in the database with all associated parameters and values correctly labelled.
 - Rationale: Ensures that data retrieval and analysis will be correct and accurate.
 - Fit Criterion: The system database parameters and values shall match the original experiment data parameters and values.

9.2 Data Migration and Organization Requirements

- FR-3. The system shall read existing experiment data stored in .CSV files.
 - Rationale: Existing experiment data is stored in Excel spreadsheets and must be integrated into the new system for continuity and analysis.
 - Fit Criterion: The system shall read and import the data files with 0 errors.
- **FR-4.** The system shall organize experiment data by timestamps and experiment ID for unique identification.
 - Rationale: Each experiment needs to be separately identified for quick retrieval of data and efficiency in search or query actions.
 - Fit Criterion: Each ID and timestamp shall be traceable to one experiment.

9.3 Data Search and Query Requirements

- **FR-5.** The system shall allow the user to search for specific datasets based on different parameters.
 - Rationale: Allows for quick look-ups of certain experiments and their results.

- Fit Criterion: The system shall retrieve the correct experiments based on the matching parameters.
- **FR-6.** The system shall allow the user to query two or more parameters or datasets for comparison and analysis.
 - Rationale: Allows for direct comparisons between different experiment parameters and/or results, which is necessary for analysis.
 - Fit Criterion: The system shall retrieve the correct parameters and/or experiments based on the query inputs.
- **FR-7.** The system shall display the results of a user's selected search or query in a format that is readable to the user.
 - Rationale: The user needs to see the results in a format that they can interpret.
 - Fit Criterion: The results shall be displayed in a table with all labels correct and legible.

9.4 Data Visualization Requirements

- **FR-8.** The system shall generate visual graphs based on selected parameters and datasets.
 - Rationale: Visual representation of the data allows for easy interpretation and graphical analysis.
 - Fit Criterion: The result should display a graphical plot with a title, axes, labels, and a legend.
- **FR-9.** The system shall allow the user to customize the data visualization by adjusting axes, data ranges, labels, etc.
 - Rationale: Allows the user to adjust the graphical representation to their needs for their analysis.
 - Fit Criterion: Modifications to axes, data ranges, labels should be reflected in the generated graph in real-time.

9.5 Data Analysis Requirements

- **FR-10.** The system shall analyze patterns and trends in the experiment data based on the user's selected parameters.
 - Rationale: Trend analysis is critical for the user to discover important findings pertaining to the experiment.
 - Fit Criterion: The system shall generate a result of the analysis to display to the user.
- **FR-11.** The system shall use machine learning algorithms to predict and interpolate the data.
 - Rationale: Allows for future predictions of data and efficiency in running future experiments.
 - Fit Criterion: The system shall generate a report of value predictions or interpolate a graph and provide the interpolated data points.

9.6 Error Tracking Requirements

This section outlines functional requirements for one of the project's stretch goals.

- FR-12. The system shall track and log errors in the experiment data.
 - Rationale: Helps users identify irrelevant or missing parameters.
 - Fit Criterion: Missing values from input data should be flagged.
- **FR-13.** The system shall remove data logged as errors.
 - Rationale: Ensures data is organized and produce accurate results in analysis.
 - Fit Criterion: Flagged data should be removed from the database after user confirmation.

9.7 User Access Management Requirements

This section outlines functional requirements for one of the project's stretch goals.

- FR-14. The system shall allow the user to sign in with valid credentials.
 - Rationale: Ensures the data can only be accessed and modified by authorized users.
 - Fit Criterion: The user shall be able to log in with a username and password.

9.8 Data Export Requirements

This section outlines functional requirements for one of the project's stretch goals.

- **FR-15.** The system shall generate a report of queries in a session for the user to save or download.
 - Rationale: Allows user to keep a record of their findings for future use or reference.
 - Fit Criterion: The report should be exported in CSV or PDF format.

10 Look and Feel Requirements

10.1 Appearance Requirements

Insert your content here.

10.2 Style Requirements

Insert your content here.

11 Usability and Humanity Requirements

11.1 Ease of Use Requirements

11.2 Personalization and Internationalization Requirements

Insert your content here.

11.3 Learning Requirements

Insert your content here.

11.4 Understandability and Politeness Requirements

Insert your content here.

11.5 Accessibility Requirements

Insert your content here.

12 Performance Requirements

12.1 Speed and Latency Requirements

- 1. The system shall store new data or parameters within 60 seconds of input.
- 2. The system shall retrieve data from the database within 50ms for typical search and queries.
- 3. The interaction between the interface and the user shall have a maximum response time of 2 seconds.
- 4. The system shall have a maximum latency of 2 seconds for typical search and queries.
- 5. The system shall generate a visualization of the data within 5 seconds.
- Rationale: Quick response times ensure efficiency and smooth user experience without disrupting the flow of the user's thought processes.
- Fit Criterion: The system shall satisfy the requirements above.

12.2 Safety-Critical Requirements

The product does not have safety-critical requirements to consider.

12.3 Precision or Accuracy Requirements

- 1. All parameter values shall be accurate to four decimal places.
- 2. All timestamps of experiment data shall be accurate to milliseconds.
- 3. Values on visual data plots shall be accurate to four decimal places.
- Rationale: Accuracy of the data is critical for data analysis, prediction, and interpolation.
- Fit Criterion: The system shall satisfy the requirements above.

12.4 Robustness or Fault-Tolerance Requirements

- 1. The application shall not terminate but display an error message if it loses connection to the backend server.
- 2. The application shall provide basic functionality if it loses connection to the internet.
- Rationale: The system should not fail or crash when experiencing unexpected circumstances.

12.5 Capacity Requirements

- 1. The application shall allow for up to three simultaneous users.
- 2. The system shall store up to x amount of data.
- Rationale: The system must be capable of storing and processing large amounts of data.
- Fit Criterion: The system shall satisfy the requirements above.

12.6 Scalability or Extensibility Requirements

- 1. The system shall be able to process and store the existing data. The amount of data going into the system is expected to grow until the experiment study comes to an end.
- 2. The system shall be able to add additional parameters that did not previously exist in the database at the discretion of the user.
- Rationale: The system must be able to expand to keep up with future experiments.

12.7 Longevity Requirements

1. The system shall operate for the duration of the experiment study.

13 Operational and Environmental Requirements

13.1 Expected Physical Environment

- 1. The application shall operate in a typical office environment with reliable internet connectivity.
- 2. The application shall be compatible with a desktop or laptop environment.
- Rationale: Ensures functionality in environments where end-users are most likely to use the application, accommodating several screen sizes and operating systems.
- Fit Criterion: Testing will be conducted on the two most common operating systems, Windows and macOS.

13.2 Wider Environment Requirements

13.3 Requirements for Interfacing with Adjacent Systems

- 1. The application shall operate on the most recent versions of Google Chrome and Apple Safari.
- Rationale: The application must be able to operate on these two most common web browsers, as these will be the primary platforms where it is hosted and accessed by users.
- Fit Criterion: Performance testing shall be done to ensure the application functions correctly.

13.4 Productization Requirements

- 1. The system shall be distributed as a web application.
- 2. The system shall have an easy onboarding process with user documentation.
 - Rationale: Ensures that users can use the application without needing frequent support.
 - Fit Criterion: Usability testing shall be done to ensure users are able to onboard easily.

13.5 Release Requirements

1. The first version of the system shall be released after project completion.

14 Maintainability and Support Requirements

14.1 Maintenance Requirements

Insert your content here.

14.2 Supportability Requirements

14.3 Adaptability Requirements

Insert your content here.

15 Security Requirements

15.1 Access Requirements

Insert your content here.

15.2 Integrity Requirements

Insert your content here.

15.3 Privacy Requirements

Insert your content here.

15.4 Audit Requirements

Insert your content here.

15.5 Immunity Requirements

Insert your content here.

16 Cultural Requirements

16.1 Cultural Requirements

Insert your content here.

17 Compliance Requirements

17.1 Legal Requirements

17.2 Standards Compliance Requirements

Insert your content here.

18 Open Issues

Insert your content here.

19 Off-the-Shelf Solutions

19.1 Ready-Made Products

Insert your content here.

19.2 Reusable Components

Insert your content here.

19.3 Products That Can Be Copied

Insert your content here.

20 New Problems

20.1 Effects on the Current Environment

Insert your content here.

20.2 Effects on the Installed Systems

Insert your content here.

20.3 Potential User Problems

20.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

Insert your content here.

20.5 Follow-Up Problems

Insert your content here.

21 Tasks

21.1 Project Planning

Insert your content here.

21.2 Planning of the Development Phases

Insert your content here.

22 Migration to the New Product

22.1 Requirements for Migration to the New Product Insert your content here.

22.2 Data That Has to be Modified or Translated for the New System

Insert your content here.

23 Costs

24 User Documentation and Training

24.1 User Documentation Requirements

Insert your content here.

24.2 Training Requirements

Insert your content here.

25 Waiting Room

Insert your content here.

26 Ideas for Solution

Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

- 1. What knowledge and skills will the team collectively need to acquire to successfully complete this capstone project? Examples of possible knowledge to acquire include domain specific knowledge from the domain of your application, or software engineering knowledge, mechatronics knowledge or computer science knowledge. Skills may be related to technology, or writing, or presentation, or team management, etc. You should look to identify at least one item for each team member.
- 2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?